

TABLE A
MONITORING SITES & FREQUENCY
SURFACE FLOW MARCH - MAY

REGULAR SAMPLING			CONTINGENT SAMPLING (sample only when pumping site 109 or 115 is discharging, between 24 hours after the discharge begins and 36 hours after it ends)	
SITE	WATER LEVEL & FIELD PARAMETERS	WATER QUALITY (see note, below)	WATER LEVEL & FIELD EC	LAB SULFATE & LAB EC
<u>Foidel Creek</u>				
USGS 09243800	Schedule A	Once in March		
8	Schedule A	Once in March		
14	Schedule A	Once in March		
USGS 09243900	Schedule A	Once in March		
<u>Fish Creek</u>				
16A	Schedule A	Once in March	Weekly	
302				
27A	Schedule A	Once in March		
1003	Schedule A	Once in March	Weekly	Monthly
SW-13	Quarterly - Flow only, fields semi-annually	semi-annually		
SW-14	Quarterly - Flow only, fields semi-annually	semi-annually		
SW-15	Quarterly - Flow only, fields semi-annually	semi-annually		
307	Monthly - Flow only, fields semi-annually			
305	Monthly - Flow only, fields semi-annually			
<u>Trout Creek</u>				
301	Monthly	Once in March	Weekly	Monthly
69	Monthly	Once in March	Weekly	Monthly
1005	Monthly	Once in March	Weekly	Monthly
<u>Middle Creek</u>				
29	Schedule A	Once in March	Weekly	Monthly

Schedule A
March - Monthly
April - Two times during month
May - Monthly

Note: If site is frozen, March quality sample may be taken in April.

TABLE A (continued)
MONITORING SITES & FREQUENCY
SURFACE FLOW JUNE - SEPTEMBER

REGULAR SAMPLING			CONTINGENT SAMPLING (sample only when pumping site 109 or 115 is discharging, between 24 hours after the discharge begins and 36 hours after it ends)	
SITE	WATER LEVEL & FIELD PARAMETERS	WATER QUALITY	WATER LEVEL & FIELD EC	LAB SULFATE AND LAB EC
<u>Foidel Creek</u>				
USGS 09243800	Schedule B	Monthly only in Jun, Aug, Sept		
8	Schedule B	Monthly only in Jun, Aug, Sept		
14	Schedule B	Monthly only in Jun, Aug, Sept		
USGS 09243900	Schedule B	Monthly only in Jun, Aug, Sept		
<u>Fish Creek</u>				
16A	Schedule B	Monthly only in Jun, Aug, Sept	Weekly	
302	Monthly	One time only: During Jun-Sept.		
SW-13	Quarterly - Flow only, fields semi-annually	semi-annually		
SW-14	Quarterly - Flow only, fields semi-annually	semi-annually		
SW-15	Quarterly - Flow only, fields semi-annually	semi-annually		
27A	Schedule B	Monthly only in Jun, Aug, Sept		
1003	Schedule B	Monthly only in Jun, Aug, Sept	Weekly	Monthly
307	Monthly - Flow only, fields semi-annually			
305	Monthly - Flow only, fields semi-annually			
<u>Trout Creek</u>				
301	Monthly	Monthly	Weekly	Monthly
69	Monthly	Monthly	Weekly	Monthly
1005	Monthly	Monthly	Weekly (EC only)	Monthly
<u>Middle Creek</u>				
29	Schedule B	Monthly only in Jun, Aug, Sept	Weekly	Monthly
	<u>Schedule B</u> June- Monthly July - Monthly August - Weekly Sept. - First two weeks of month			

TABLE A (continued)
MONITORING SITES & FREQUENCY
SURFACE FLOW OCTOBER - FEBRUARY

SITE	WATER LEVEL & FIELD PARAMETERS	WATER QUALITY	CONTINGENT SAMPLING	
			(sample only when pumping site 109 or 115 is discharging, between 24 hours after the discharge begins and 36 hours after it ends)	
			WATER LEVEL & FIELD EC	LAB SULFATE & LAB EC
<u>Foidel Creek</u>				
USGS 09243800				
8				
14				
USGS 09243900				
<u>Fish Creek</u>				
16A			Weekly	
302				
SW-13	Quarterly - Flow only, fields semi-annually	semi-annually		
SW-14	Quarterly - Flow only, fields semi-annually	semi-annually		
SW-15	Quarterly - Flow only, fields semi-annually	semi-annually		
27A				
1003			Weekly	Monthly
307				
305				
<u>Trout Creek</u>				
301			Weekly (EC only)	Monthly
69			Weekly	Monthly
1005			Weekly	Monthly
<u>Middle Creek</u>				
29			Weekly	Monthly