

11783 Highway 337 S.
PO Box 100, Tijeras, NM 87123

505.286.6026
svance@gcc.com



October 18, 2022

State of Colorado
Division of Reclamation, Mining & Safety
1313 Sherman St., Room 215
Denver, CO 80203

Attn: Janet Binns, Environmental Protection Specialist III

Re: GCC Energy, LLC, King II Mine
CDRMS Permit # C-1981-035
Water Monitoring Analysis; King I & King II
3rd Quarter 2022

Ms. Binns:

Please find enclosed a copy of quarterly water analysis reports for the 3rdquarter of 2022 for the following water monitoring locations:

Wiltse Well
#1 Up-gradient Monitoring Well
#2 Down-gradient Monitoring Well & Blind Duplicate MW-99-Downgradient
Hay Gulch Irrigation Ditch, Down-gradient
Hay Gulch Irrigation Ditch, Up-gradient
MW-1-A, MW-1-C
MW-3-MI, MW-3-A, MW-3-C
MW-4-MI, MW-4-A, MW-4-C
MW-5-C, MW-5-MI
MW-HGA-4
MW-6-A, MW-6-LM
MW-7-EAA
MW-8-EAA, MW-8-MI, MW-8-LM, MW-8-PL

Also enclosed are summary sheets for the above water monitoring locations which include field collection data.

Please contact me at 505.238.8272 or svance@gcc.com if you have any questions or require any additional information.

Sincerely,

A handwritten signature in blue ink, appearing to read "Janet Binns", is written over a faint, illegible printed name.

📍 11783 Highway 337 S.
PO Box 100, Tijeras, NM 87123

☎ 505.286.6026
✉ svance@gcc.com



Sarah Vance
Environmental Manager
GCC Energy, LLC

GCC Energy Hydrologic Monitoring Data

MW-HGA-4																																		
Year	2016	2017												2018				2019				2020				2021				2022				
Quarter	Q4	Q1			Q2			Q3			Q4			Q1		Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2	5	8	
Sample Date	12/12	1/26	2/28	3/22	4/27	5/31	6/13	7/27	8/16	9/21	10/27	11/28	12/12	1/3	2/22	5/15	8/9	11/8	2/28	5/23	8/16	11/13	2/13	5/13	8/26	12/14	2/22	5/19	8/12	11/12	2/28	5/9	8/9	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	N	Y	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																																		
Purge Flow Rate	gpm	0.5	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	9.40	NM	0.1	1.5	2.00	1.00	1.12	1.00	1.00	0.25	1.00	0.25	0.25	0.13	0.25	0.13	0.25	0.25	0.25	0.25		
Total Purged	gal	21	21	21	21	21	21	19.5	20	20	21	21	24	19	21	21	19	21	24	22	21	21	22	21	20	21	21	21	20	22	21	21	22	
Depth to Water	ft bgs	0.73	0.57	0.60	0.83	0.94	2.06	2.53	3.25	2.65	3.31	3.31	1.76	4.31	1.37	0.55	2.60	3.98	1.90	0.49	0.42	1.95	1.15	0.38	2.36	3.80	1.75	0.90	2.91	3.95	2.33	0.95	2.02	1.61
Temperature	deg C	7.3	4.8	6.4	8.1	7.2	9.9	8.4	8.6	8.8	9.0	9.2	9.0	9.3	8.8	7.8	8.1	8.7	8.8	7.6	7.7	8.5	8.8	7.9	7.4	9.2	8.6	7.8	8.2	8.9	9.2	8.3	8.1	9.2
pH	SU	7.29	7.36	7.40	7.41	7.33	7.36	7.40	7.36	7.35	7.33	7.31	7.27	7.27	7.33	7.30	7.18	7.27	7.05	7.15	7.18	7.16	7.09	7.12	7.23	7.28	7.31	7.29	7.34	7.37	7.31	7.25	7.28	7.19
Specific Conductance	µS/cm	1284	1257	1201	1155	1153	1113	1055	1099	1050	1124	1072	1171	1160	1141	1154	1098	1057	1167	1183	1102	1083	1127	1122	1093	1022	1158	975	1093	1108	1160	1197	1102	1198
Oxygen Reduction Potential	mV	-72.1	-86.6	-105.1	-104.4	-74.5	-91.3	-134.7	-137.6	-131.0	-139.5	-77.3	-157.9	-70.1	-96.6	-157.3	-130.9	-230.8	-190.9	-128.3	-140.7	-130.9	-104.9	-107.8	-86.7	-61.1	-64.7	-67.9	-116.8	-104.9	-105.8	-185.5	-113.0	-273.0
Lab Analytical Results:																																		
Hardness as CaCO3	mg/L	724			611			616			522		595		561	555	524	625	613	563	544	624	563	528	571	612	630	582	515	627	598	574	653	
pH (Lab)	SU	7.30			7.17			7.31			7.25		7.21		7.58	8.15	7.33	7.12	7.2	8.17	6.95	6.88	6.78	6.89	7.07	6.95	7.38	6.89	7.05	7.03	7.22	7.26	7.20	
Total Dissolved Solids (Lab)	mg/L	855			710			715			750		775		740	730	695	770	795	695	695	715	705	685	700	665	685	680	735	790	790	785	745	
Calcium	mg/L	147			118			121			102		118		110	108	102	124	122	110	106	123	112	101	111	122	126	114	98.7	125	119	110	130	
Magnesium	mg/L	86.7			76.7			76.6			64.9		72.8		69.3	69	65.4	76.5	74.7	70.3	67.9	76.8	68.9	67.0	71.7	74.9	76.8	72	65.2	76.6	72.9	72.5	79.9	
Sodium	mg/L	19.5			27.4			28.6			24.9		27.2		26.5	30.4	29.9	27.6	27	28.6	28.3	31.9	27.9	30.3	30.5	26.8	28.4	27.4	26.4	23.1	23.9	28.1	27.1	
Potassium	mg/L	2.02			2.13			2.11			1.75		2.21		2.17	2.22	2.33	2.13	2.16	2.00	2.10	2.38	2.05	2.06	2.08	2.11	2.24	2.03	<5.00	<5.00	1.82	2.02	2.13	
Alkalinity, Total	mg/L	545			465			415			465		475		460	425	410	460	455	445	455	432	435	416	485	457	475	465	470	580	470	435	500	
Alkalinity, Bicarbonate	mg/L	545			465			415			465		475		460	425	410	460	455	445	455	432	435	416	485	457	475	465	470	580	470	435	500	
Alkalinity, Carbonate	mg/L	ND			<10.0			<10.0			<10.0		<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0		
Alkalinity, Hydroxide	mg/L	ND			<10.0			<10.0			<10.0		<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0		
Chloride	mg/L	10.9			8.75			7.95			8.96		8.74		8.43	7.57	6.47	9.40	10.5	8.06	8.44	9.46	8.39	7.64	8.78	10.1	9.65	9.41	11.1	13.9	12.0	10.2	14.6	
Fluoride	mg/L	0.577			0.485			0.506			0.517		0.495		0.496	0.459	0.482	0.487	0.484	0.456	0.443	0.520	0.447	0.449	0.431	0.473	0.424	0.434	<0.500	0.420	0.472	0.413	0.450	
Sulfate as SO4	mg/L	240			229			192			205		204		222	190	169	201	221	186	212	190	193	181	179	187	191	184	194	199	216	183	215	
Total Organic Carbon (TOC)	mg/L	NA			4.54			4.35			4.69		4.79		4.56	4.57	4.30	4.72	4.82	4.45	4.58	4.35	4.8	4.30	4.56	4.67	4.31	4.36	4.55	4.84	5.47	4.21	4.64	
Nitrate/Nitrite as N	mg/L	<0.020			<0.020			<0.020			<0.020		<0.100		<0.020	<0.020	<0.020	<0.020	0.173	<0.020	<0.020	<0.020	<0.020	<0.100	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020		
Ammonia as N ^	mg/L	NA			NA			NA			NA		NA		NA	NA	NA	NA	NA	NA	NA	0.528	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA			NA			NA			NA		NA		NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	0.423			<0.050			<0.050			<0.050		<0.050		<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050	<0.050	<0.250	<0.250	<0.050	<0.050	<0.050	
Arsenic	mg/L	0.0030			0.0029			0.0028			<0.0005		0.0035		0.0037	0.0034	0.0036	0.0032	0.0031	0.0029	0.0028	0.0033	0.0022	0.0025	0.0026	0.0038	0.0036	0.0033	0.0034	0.0027	0.0036	0.0031	0.0034	
Cadmium	mg/L	<0.0001			<0.0001			<0.0001			<0.0001		<0.0001		<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005		
Copper	mg/L	0.0006			0.0008			0.0002			0.0004		0.0002		0.0006	0.0008	0.0004	0.0008	<0.0010	0.0003	0.0004	0.0002	0.0005	<0.0010	<0.0010	<0.0005	0.0006	0.0007	0.0009	<0.0025	<0.0005	0.0010	0.0005	
Iron	mg/L	3.71			7.29			7.32			0.378		7.84		7.60	7.92	8.55	8.44	8.35	7.98	8.38	9.76	8.59	8.22	8.95	9.31	9.6	9.29	8.52	8.44	8.25	9.41	9.73	
Lead	mg/L	<0.0005			<0.0005			<0.0005			<0.0005		<0.0005		<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005		
Manganese	mg/L	4.07			2.78			2.37			2.03		2.11		1.99	1.81	1.58	2.13	2.56	2.12	1.84	1.78	1.77	1.49	1.66	2.36	2.54	2.51	1.79	2.86	3.03	2.29	3.00	
Mercury (dissolved)	mg/L	ND			<																													

GCC Energy Hydrologic Monitoring Data

MW-2-A																														
Year		2017						2018							2019				2020				2021				2022			
Quarter		Q1	Q2	Q3		Q4		Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month		3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	6	9
Sample Date		3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	3/23	6/14	9/8
Lab Analysis (Y/N)		N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																														
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
Total Purged	gal																													
Depth to Water	ft bgs																													
Temperature	deg C																													
pH	SU																													
Specific Conductance	µS/cm																													
Oxygen Reduction Potential	mV																													
Lab Analytical Results:																														
Hardness as CaCO3	mg/L																													
pH (Lab)	SU																													
Total Dissolved Solids (Lab)	mg/L																													
Calcium	mg/L																													
Magnesium	mg/L																													
Sodium	mg/L																													
Potassium	mg/L																													
Alkalinity, Total	mg/L																													
Alkalinity, Bicarbonate	mg/L																													
Alkalinity, Carbonate	mg/L																													
Alkalinity, Hydroxide	mg/L																													
Chloride	mg/L																													
Fluoride	mg/L																													
Sulfate as SO4	mg/L																													
Total Organic Carbon (TOC)	mg/L																													
Nitrate/Nitrite as N	mg/L																													
Aluminum	mg/L																													
Arsenic	mg/L																													
Cadmium	mg/L																													
Copper	mg/L																													
Iron	mg/L																													
Lead	mg/L																													
Manganese	mg/L																													
Mercury (dissolved)	mg/L																													
Mercury (dissolved low-level)	ng/L																													
Molybdenum	mg/L																													
Selenium	mg/L																													
Silica (SiO2)	mg/L																													
Silicon	mg/L																													
Uranium	mg/L																													
Zinc	mg/L																													

Notes & Definitions:

Y/N	yes or no	1.	"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute		
deg C	degrees Celsius		
SU	standard pH units	2.	Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO ₃ .
µS/cm	microsiemens per centimeter		
mV	millivolts		
mg/L	milligram per liter		
pCi/L	picocuries per liter	3.	Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
NM	not measured (field)		
NA	not analyzed (lab)		
ng/L	nanogram per liter		

GCC Energy Hydrologic Monitoring Data

MW-2-MI																													
Year	2017							2018							2019				2020				2021				2022		
Quarter	Q1	Q2	Q3		Q4		Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	6	9
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	3/23	6/14	9/8
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																													
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
Total Purged	gal																												
Depth to Water	ft bgs																												
Temperature	deg C																												
pH	SU																												
Specific Conductance	µS/cm																												
Oxygen Reduction Potential	mV																												
Lab Analytical Results:																													
Hardness as CaCO3	mg/L																												
pH (Lab)	SU																												
Total Dissolved Solids (Lab)	mg/L																												
Calcium	mg/L																												
Magnesium	mg/L																												
Sodium	mg/L																												
Potassium	mg/L																												
Alkalinity, Total	mg/L																												
Alkalinity, Bicarbonate	mg/L																												
Alkalinity, Carbonate	mg/L																												
Alkalinity, Hydroxide	mg/L																												
Chloride	mg/L																												
Fluoride	mg/L																												
Sulfate as SO4	mg/L																												
Total Organic Carbon (TOC)	mg/L																												
Nitrate/Nitrite as N	mg/L																												
Aluminum	mg/L																												
Arsenic	mg/L																												
Cadmium	mg/L																												
Copper	mg/L																												
Iron	mg/L																												
Lead	mg/L																												
Manganese	mg/L																												
Mercury (dissolved)	mg/L																												
Mercury (dissolved low-level)	ng/L																												
Molybdenum	mg/L																												
Selenium	mg/L																												
Silica (SiO2)	mg/L																												
Silicon	mg/L																												
Uranium	mg/L																												
Zinc	mg/L																												

Notes & Definitions:

Y/N	yes or no	1. "<i><</i>" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO₃. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	
ng/L	nanogram per liter	

GCC Energy Hydrologic Monitoring Data

[illegible]

Notes & Definitions:

yes or no	1. " <i><</i> " values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	
deg C	
SU	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO ₃ .
µS/cm	
mV	
mg/L	
pCi/L	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
NM	
NA	
ng/L	

GCC Energy Hydrologic Monitoring Data

MW-3-A																															
Year	2017								2018								2019				2020				2021				2022		
Quarter	Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2	5	9	
Sample Date	3/27	6/30	7/18	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/14	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10	11/9	2/24	5/11	9/6	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																															
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.12	0.15	0.06	0.25	0.12	0.13	0.13	0.13	0.05	0.13	0.15	0.15	0.13	0.25	0.13	
Total Purged	gal	30.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	1.3	1.5	1.1	1.2	1.5	1.3	1.3	1.5	1.5	1.5	1.5	2.0	1.5
Depth to Water	ft bgs	297.35	298.24	297.45	298.24	298.11	298.12	298.01	298.05	298.37	298.04	297.86	297.76	298.17	298.55	298.27	297.85	296.79	297.27	297.33	296.47	296.87	297.21	297.02	296.97	296.72	297.47	297.46	296.67	296.74	296.96
Temperature	deg C	11.7	13.2	19.5	12.6	12.3	12.5	11.7	12.0	11.8	11.7	12.2	11.9	13.5	13.5	11.9	11.8	12.1	NM	13.1	11.5	13.2	13.1	11.9	12.1	12.4	13.6	12.2	11.4	13.0	15.6
pH	SU	8.82	8.75	8.56	8.67	8.72	8.64	8.61	8.57	8.54	8.52	8.61	8.21	8.38	8.30	8.31	8.28	8.31	8.13	8.51	8.11	8.26	8.23	8.39	8.53	8.46	8.42	8.47	8.35	8.21	8.12
Specific Conductance	µS/cm	2535	2446	2115	2524	2470	2430	2483	2494	2528	2506	2458	2415	2253	2336	2391	2355	2309	NM	2204	2211	2249	2112	2192	1930	1525	2091	2127	2121	2055	2066
Oxygen Reduction Potential	mV	-269.0	-101.5	-55.3	-87.4	-142.3	-124.5	-125.6	-146.8	-120.3	-125.2	-181.6	-135.8	-138.2	-155.8	-164.6	-145.9	-132.3	-138.6	-120.1	-65.7	-156.8	-98.8	-89.3	-101.3	-157.1	-149.0	-156.8	-221.2	-124.2	-269.9
Lab Analytical Results:																															
Hardness as CaCO3	mg/L	7.53	12.6			12.6		10.4			11.5			11.2	12.6	14.1	11.9	10.7	10.4	11.1	10.8	10.3	11.1	9.41	10.5	8.14	8.89	8.68	8.56	9.01	9.33
pH (Lab)	SU	8.63	8.69			8.53		8.29			8.45			8.36	8.37	8.24	8.28	8.29	8.27	8.39	8.09	7.68	8.16	8.13	8.13	8.22	8.21	8.19	8.17	8.28	8.09
Total Dissolved Solids (Lab)	mg/L	1630	1670			1630		1690			1680			1670	1600	1540	1500	1530	1520	1510	1500	1460	1380	1460	1410	1350	1420	1360	1220	1400	1320
Calcium	mg/L	2.00	3.67			3.63		3.27			3.33			3.2	3.71	4.15	3.55	3.16	3.08	3.34	3.14	3.07	3.02	2.83	3.07	2.48	2.59	2.53	2.42	2.63	2.59
Magnesium	mg/L	0.616	0.823			0.859		0.550			0.776			0.774	0.811	0.913	0.739	0.692	0.655	0.680	0.723	0.645	0.866	0.568	0.698	0.475	0.586	0.577	0.610	0.594	0.694
Sodium	mg/L	566	585			589		551			562			542	562	605	543	525	553	528	520	507	510	505	536	471	462	448	462	473	476
Potassium	mg/L	1.72	2.02			2.04		<5.00			<2.00			1.8	<2.00	2.17	<2.00	1.92	<2.00	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	<3.00	<5.00	<2.00	1.34	<2.00	<2.00
Alkalinity, Total	mg/L	530	470			500		490			430			480	480	475	540	450	459	420	460	430	440	470	520	530	465	485	495	560	500
Alkalinity, Bicarbonate	mg/L	380	470			440		460			360			480	420	385	330	430	423	420	460	400	440	450	520	530	465	435	455	480	500
Alkalinity, Carbonate	mg/L	150	<10.0			60.0		30.0			70.0			<10.0	60.0	90.0	210	20	36.0	<10.0	<10.0	30.0	<10.0	20	<10.0	<10.0	<10.0	50.0	40.0	80.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	16.1	17.4			18.5		16.9			16.4			16.1	15.1	16.0	15.2	15	15.0	14.7	13.9	13.9	13.5	14	13.5	14	14.1	14.6	14.2	14.2	15.9
Fluoride	mg/L	0.464	0.488			0.535		<0.500			<0.500			<0.5	NA	0.383	0.406	0.404	0.396	<0.500	0.370	0.374	0.366	0.372	0.336	0.352	0.366	0.314	0.356	0.324	0.362
Sulfate as SO4	mg/L	729	802			840		730			812			756	706	682	716	699	724	633	637	656	624	644	600	601	599	515	584	555	557
Total Organic Carbon (TOC)	mg/L	3.52	10.0			7.26		6.07			5.32			4.7	4.62	4.52	4.15	4.10	3.84	3.81	3.42	3.48	3.39	3.15	3.16	3.18	3.01	3.02	2.96	2.84	3.02
Nitrate/Nitrite as N	mg/L	<0.100	<0.100			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	0.266	<0.020	<0.020	<0.020	0.024	0.026	0.039	0.032	<0.020	0.024	<0.020	<0.020	0.022	0.030	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	NA	0.354	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.0730	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.050	<0.050	<0.100	<0.100	<0.050	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100	<0.050	<0.100	<0.100
Arsenic	mg/L	0.0025	<0.0025			<0.0025		<0.0025			<0.0025			0.0006	<0.0025	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	0.0026	0.0006	0.001	0.0018	0.0009	<0.0010	<0.0010
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0005			<0.0001	<0.0001	<0.0002	<0.0002	<0.0005	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010
Copper	mg/L	0.0061	0.0081			0.0080		0.0079			0.0236			0.0063	0.0117	0.0086	0.0137	0.0078	0.0067	0.0039	0.0037	0.0021	0.0051	0.0055	0.0037	0.0157	0.0156	0.0113	0.0088	0.0114	0.0189
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.05	<0.05	<0.100	<0.100	<0.050	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100	<0.050	<0.100	<0.100
Lead	mg/L	<0.0005	<0.0025			<0.0025		<0.0025			<0.0025			<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.001	<0.0010	<0.0010	<0.0005	<0.001	<0.002
Manganese	mg/L	0.0042	0.0251			0.0194		0.0269			0.0232			0.018	0.0222	0.0187	0.0172	0.0185	0.0166	0.0140	0.0162	0.0136	0.0120	0.0125	0.0128	0.0121	0.0096	0.0101	0.0113	0.0100	0.0097
Mercury (dissolved)	mg/L																														

GCC Energy Hydrologic Monitoring Data

MW-3-MI																																	
Year		2017							2018							2019				2020				2021				2022					
Quarter		Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3		
Month		3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2	5	9		
Sample Date		3/27	6/30	7/18	8/16	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/21	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10	11/9	2/24	5/11	9/6		
Lab Analysis (Y/N)		Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Field Parameters:																																	
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.12	0.12	0.06	0.25	0.50	0.25	0.13	0.13	0.10	0.13	0.13	0.25	0.25	0.25	0.15		
Total Purged	gal	19.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	2.0	1.0	1.5	1.3	1.8	1.3	1.3	1.5	1.5	1.3	1.5	2.0	1.3		
Depth to Water	ft bgs	304.49	241.15	240.46	240.53	240.46	240.44	240.44	240.58	240.73	240.55	240.65	240.84	241.04	241.97	242.13	242.15	242.32	246.55	243.07	242.85	243.05	243.6	243.9	243.93	244.25	244.28	244.15	242.90	244.05	244.65		
Temperature	deg C	10.0	12.6	22.0	12.9	11.0	12.1	11.7	11.7	11.9	11.3	11.9	11.8	12.6	13.0	12.4	11.6	11.3	13.2	12.3	11.6	12.6	12.8	11.7	11.5	12.8	13.0	11.9	11.4	13.2	13.7		
pH	SU	9.34	8.94	8.46	8.90	8.74	8.90	8.86	8.86	8.84	8.83	8.84	8.51	8.48	8.49	8.46	8.51	8.55	8.71	8.75	8.71	8.92	9.01	9.09	9.03	9.06	9.13	9.11	9.07	9.04	9.03		
Specific Conductance	µS/cm	1907	1699	1402	1598	1737	1729	1745	1786	1790	1810	1771	1772	1727	1709	1746	1753	1739	1691	1739	1758	1737	1560	1555	1519	1232	1647	1765	1705	1686	1720		
Oxygen Reduction Potential	mV	-87.0	-54.5	-26.4	-108.2	-107.3	-113.8	-124.2	-163.1	-136.0	-131.4	-160.7	-99.9	-103.9	-127.8	-176.5	-113.0	-84.5	43.9	-130.8	-104.3	-174.5	-111.0	-132.4	-94.6	-120.4	-142.9	-163.3	-207.2	-104.2	-184.3		
Lab Analytical Results:																																	
Hardness as CaCO3	mg/L	4.85	8.73			9.02		7.75			9.92				8.65	8.63	8.88	7.63	6.84	7.98	6.64	6.50	7.25	6.39	5.94	6.63	5.06	5.39	5.21	5.28	5.13	983	
pH (Lab)	SU	8.95	8.75			8.72		8.72			8.66				8.56	8.58	8.34	8.5	8.45	8.58	8.62	8.61	8.59	8.87	8.77	8.72	8.84	8.81	8.88	8.78	8.87	8.76	
Total Dissolved Solids (Lab)	mg/L	1550	1120			1140		1080			1170				1210	1110	1120	1120	1170	1010	1130	1130	1130	1060	1160	1120	1110	1180	1130	1070	1140	1080	
Calcium	mg/L	1.32	2.32			2.34		2.06			2.22				1.91	1.95	2.03	1.87	1.7	2.04	1.73	1.63	1.76	1.62	1.42	1.66	1.28	1.34	1.25	1.30	1.32	155*	
Magnesium	mg/L	0.374	0.714			0.775		0.632			1.07				0.945	0.911	0.926	0.715	0.629	0.703	0.561	0.591	0.694	0.570	0.579	0.606	0.454	0.5	0.508	0.496	0.442	145*	
Sodium	mg/L	420	430			440		411			459				417	446	476	434	419	454	437	437	427	431	431	468	410	403	390	413	415	162	
Potassium	mg/L	2.15	2.21			1.93		<5.00			<2.00				1.63	<2.00	<2.00	1.39	1.65	<2.00	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00	<2.00	1.27	<2.00	4.64	
Alkalinity, Total	mg/L	740	675			700		660			700				680	730	720	685	755	720	690	705	680	625	770	690	690	705	705	740	740	780	
Alkalinity, Bicarbonate	mg/L	510	555			600		570			600				500	630	610	485	605	590	610	645	550	465	690	450	550	555	565	580	580	480	
Alkalinity, Carbonate	mg/L	230	120			100		90.0			100				180	100	110	200	150	130	80.0	60.0	130	160	80	240	140	150	140	160	160	300	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0		
Chloride	mg/L	8.66	10.1			10.7		10.6			10.7				10.7	8.54	8.83	9.21	9.25	10.2	9.13	9.21	9.61	9.45	10	9.84	10.5	10.4	10.4	10.6	10.2	11.2	
Fluoride	mg/L	0.952	1.34			1.26		1.26			1.30				1.2	1.16	1.19	1.21	1.22	1.19	1.19	1.13	1.13	1.09	1.12	1.03	1.09	1.07	0.980	1.10	0.982	1.11	
Sulfate as SO4	mg/L	165	241			247		254			245				250	226	230	232	229	236	224	227	231	222	110	223	227	228	230	233	213	240	
Total Organic Carbon (TOC)	mg/L	8.34	14.8			10.9		10.3			9.24				8.67	7.83	7.28	6.73	6.56	6.17	5.78	5.58	6.07	5.79	5.46	5.34	5.33	5.4	5.26	5.14	4.94	5.06	
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020				<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020		
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA				NA	NA	NA	NA	NA	NA	0.317	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA				NA	NA	NA	NA	NA	NA	0.348	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	0.102			<0.050		<0.250			<0.100				<0.050	<0.050	<0.10	<0.050	<0.050	0.167	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.050	<0.100	<0.100	
Arsenic	mg/L	0.0134	0.0167			0.0131		0.0135			0.0160				0.0152	0.0127	0.0104	0.0149	0.0107	0.0142	0.0099	0.0093	0.0086	0.0061	0.007	0.0083	0.0091	0.0091	0.0078	0.0095	0.0082	0.0084	
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001				<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0001	<0.0002	<0.0002	<0.0005	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.001	
Copper	mg/L	0.0055	0.0058			0.0065		0.0059			0.0122				0.0048	0.0071	0.0073	0.0068	0.0063	0.0049	0.0037	0.0024	<0.0025	0.0046	0.0045	0.0031	0.0131	0.0143	0.0097	0.0072	0.0126	0.0170	
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100				<0.05	<0.05	<0.1	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.050	<0.100	<0.100	
Lead	mg/L	0.0024	<0.0025			<0.0025		<0.0025			<0.0005				<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0010	<0.0010	<0.0025	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.002	
Manganese	mg/L	0.0022	0.0058			0.0033		0.0045			0.0049				0.006	0.0054	0.0072	0.0078	0.0082	0.0079	0.0099	0.0095	0.0102	0.0072	0.007	0.0069	0.0057	0.0058	0.0054	0.0051	0.0049	0.0047	
Mercury (dissolved)	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002		
Mercury (dissolved low-level)	ng/L																															<5.00	<100
Molybdenum	mg/L	0.0061	0.0211			0.0148		0.0152			0.0170				0.016	0.0149	0.0158	0.0157	0.0167	0.0277	0.0372	0.0204	0.0195	0.0149	0.0163	0.0162	0.016	0.0149	0.0140	0.0148	0.0143	0.0150	
Selenium	mg/L	0.0013	<0.0050			<0.0050		<0.0050			0.0010				0.0019	<0.0050	<0.002	0.0034	<0.005	<0.0010	<0.0020	<0.0020	<0.0050	<0.0050	<0.004	0.0462	0.0033	<0.0020	0.0091	0.0018	<0.0020	<0.0020	
Silica (SiO2)	mg/L	7.97	8.18			9.05		5.35			9.33				8.83	9.49	10.2	8.95	8.85	9.73	9.46	8.80	8.24	8.84	9.11	9.64	8.11	8.77	8.82	9.04	8.63	17.7*	
Silicon	mg/L	3.73	3.82																														

GCC Energy Hydrologic Monitoring Data

MW-3-C																															
Year	2017								2018								2019				2020				2021				2022		
Quarter	Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	9	11	3	5	8	12	2	5	8	11	2	5	9	
Sample Date	3/27	6/30	7/27	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	9/17	11/12	3/13	5/26	8/31	12/1	2/10	5/18	8/10	11/10	2/24	5/11	9/6	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																															
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.13	0.13	0.10	0.03	0.08	0.13	0.13	0.13	0.13	0.13	0.15	0.10	0.15	
Total Purged	gal	20.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.3	1.3	1.1	1.3	1.5	10.0	1.5	11.0	1.1	1.3	1.5	1.3	1.5	1.3	1.5	1.5	1.5	
Depth to Water	ft bgs	304.21	296.3	296.93	296.87	297.43	297.46	297.43	297.35	297.01	296.66	296.57	296.62	296.78	297.12	296.80	296.39	295.56	295.70	295.50	299.35	294.99	294.60	295.26	295.97	295.25	295.70	295.68	294.45	295.11	295.45
Temperature	deg C	10.5	12.9	13.1	12.5	11.8	12.7	11.5	11.7	11.7	11.4	11.6	12.2	13.0	13.3	11.5	11.0	11.4	13.5	12.5	11.3	13.4	15.0	14.0	9.9	12.3	15.6	9.6	9.4	13.2	14.4
pH	SU	8.61	8.57	8.51	8.46	8.44	8.48	8.41	8.48	8.43	8.43	8.45	8.25	8.28	8.26	8.17	8.28	8.29	8.31	8.20	7.98	8.44	8.45	8.73	8.71	8.50	8.71	8.85	8.62	8.43	8.29
Specific Conductance	µS/cm	3549	3588	3815	4112	4351	4412	4659	4596	4923	4864	5063	5019	4916	4953	5127	5155	5184	5144	5144	4921	3143	5039	4251	4426	3755	4571	5244	4564	4694	5306
Oxygen Reduction Potential	mV	-129.0	-87.2	-137.5	-128.8	-149.9	-198.3	-200.7	-222.2	-187.9	-183.5	-155.4	-154.7	-161.4	-180.5	-217.6	-185.4	-188.5	-151.8	-184.4	-155.0	-240.5	-174.4	-150.0	-202.7	-149.6	-255.3	-227.4	-325.6	-223.4	-307.9
Lab Analytical Results:																															
Hardness as CaCO3	mg/L	14.4	11.8			15.1		14.9			16.1			40.3	17.9	21.7	17.3	16.8	18.6	18.6	18.3	16.0	18.1	16.9	18.5	14.8	16.9	16.7	16.0	17.4	20.4
pH (Lab)	SU	8.5	8.48			8.35		8.28			8.35			8.34	8.31	8.24	8.2	8.23	8.31	8.12	7.98	8.41	8.36	8.36	8.43	8.38	8.47	8.87	8.44	8.47	8.18
Total Dissolved Solids (Lab)	mg/L	2130	2360			3070		3310			3540			3610	3520	3360	3300	3440	3500	3390	3220	3180	3170	3280	3200	3230	3300	3200	3270	3250	3280
Calcium	mg/L	3.60	2.87			3.50		3.58			3.81			7.28	4.01	4.70	4.05	3.74	4.30	4.23	4.26	3.81	3.97	3.72	4.25	3.59	3.84	3.76	3.66	4.10	4.49
Magnesium	mg/L	1.31	1.12			1.55		1.44			1.59			5.38	1.92	2.41	1.75	1.8	1.91	1.94	1.86	1.58	1.98	1.84	1.92	1.42	1.77	1.78	1.67	1.74	2.23
Sodium	mg/L	796	890			1100		1130			1200			1350	1220	1460	1270	1100	1360	1300	1280	1240	1250	1250	1360	1220	1220	1170	1200	1260	1360
Potassium	mg/L	3.47	3.24			4.01		<5.00			<10.0			<5.00	<5.00	<5.00	<5.00	5.24	<5.00	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<6.00	<5.00	<5.00	<5.00	<5.00	
Alkalinity, Total	mg/L	1490	1570			1690		1880			1910			1760	1730	2050	2000	2110	2190	2130	2160	2050	1820	2090	2170	2130	2140	2230	2180	2170	2110
Alkalinity, Bicarbonate	mg/L	1360	1480			1650		1830			1810			1600	1670	1900	1830	2000	2020	2070	2000	1800	1690	1970	1710	1910	1950	1950	1820	1870	1990
Alkalinity, Carbonate	mg/L	130	90.0			40.0		50.0			100			160	60.0	150	170	110	170	60.0	160	250	130	120	460	220	190	280	360	300	120
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	NA	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	182	330			477		506			549			544	524	561	577	575	620	542	549	555	552	578	574	577	582	462	608	605	613
Fluoride	mg/L	4.89	4.94			4.52		4.34			4.15			3.52	3.84	4.04	4.04	3.91	3.78	3.66	3.61	3.51	3.47	3.53	3.37	3.34	3.36	3.16	3.37	3.06	3.51
Sulfate as SO4	mg/L	73.4	73.5			46.4		24.5			<10.0			<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	
Total Organic Carbon (TOC)	mg/L	10.6	58.5			219		251			337			343	306	141	122	129	132	107	81.9	23.4	17.1	15.7	15.7	16.3	15.7	16.4	17.9	16.2	16.1
Nitrate/Nitrite as N	mg/L	<0.020	<0.400			<0.400		<0.020			<0.020			<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.040	<0.020	<0.020	<0.100
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.212	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.500			1.47	<0.500	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250	<0.250	<0.250	<0.250	
Arsenic	mg/L	0.0115	0.0088			0.0098		0.0091			0.0194			0.0168	0.0148	0.0155	0.0218	0.0171	0.0192	0.0188	0.0087	0.0133	0.0106	0.0125	0.0113	0.0163	0.0195	0.0170	0.0157	0.0130	0.0151
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.001	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	
Copper	mg/L	0.0109	0.0147			0.0174		0.0160			0.0409			0.0183	0.0257	0.0227	0.0223	0.0168	0.0102	0.0109	0.0069	0.0064	0.0136	0.0156	0.0102	0.0499	0.0434	0.0323	0.0287	0.0347	0.0555
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.500			0.252	<0.500	<0.250	<0.250	0.344	0.328	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	0.464	0.310	0.260	0.305	0.427
Lead	mg/L	0.0085	<0.0050			<0.0050		<0.0025			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	
Manganese	mg/L	0.0091	0.0188			0.0178		0.0202			0.0307			0.0275	0.0243	0.0252	0.0483	0.063	0.0378	0.0266	0.0245	0.0175	0.0102	0.0079	0.0052	0.0046	0.0034	0.0032	0.0028	0.0040	0.0025
Mercury (dissolved)	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.000																	

GCC Energy Hydrologic Monitoring Data

MW-4-A																																
Year	2017								2018								2019				2020				2021				2022			
Quarter	Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3		
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11	2	5	9		
Sample Date	3/29	6/30	7/19	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	11/10	2/23	5/11	9/1		
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																																
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.06	0.13	0.03	0.03	0.13	0.13	0.05	0.13	0.25	0.20	0.22	0.13	0.13		
Total Purged	gal	19.0	2.0	1.5	0.5	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.5	1.5	1.1	1.5	1.3	1.1	1.0	1.5	1.2	1.3	1.3	1.3	1.3	1.5	1.3	1.8	1.5	1.0		
Depth to Water	ft bgs	338.6	334.96	335.59	334.79	334.81	334.86	332.29	334.09	334.31	334.73	334.81	335.07	335.58	336.06	336.73	335.6	335.07	335.21	335.16	336.35	337.16	336.88	336.13	335.46	335.72	335.93	336.16	336.01	336.31	336.74	
Temperature	deg C	15.6	16.8	25.5	17.6	11.9	11.6	10.8	10.1	10.9	9.8	11.4	10.9	17.8	12.9	11.6	11.1	10.4	13.6	11.6	10.3	12.5	14.0	12.3	10.3	11.2	12.1	11.6	9.4	12.4	15.6	
pH	SU	8.61	8.29	8.55	7.98	8.41	8.32	8.38	8.32	8.33	8.37	8.41	8.19	8.20	8.10	8.12	8.15	8.08	8.02	8.11	8.07	8.19	8.27	8.30	8.25	8.30	8.38	8.38	8.35	8.34	8.33	
Specific Conductance	µS/cm	2163	2053	1876	2096	2180	2165	2186	2261	2259	2267	2207	2214	2183	2192	2246	2205	2237	2201	2211	2271	2273	2165	2249	2052	1618	2205	2268	2294	2244	2236	
Oxygen Reduction Potential	mV	28.6	54.0	60.2	61.7	-8.6	-27.0	-12.3	-51.8	-35.2	-75.9	-117.3	-77.9	-81.8	-137.5	-157.6	-92.3	-89.3	-54.3	-19.8	15.3	-71.3	-11.5	-10.6	29.0	-63.4	-48.7	-77.3	-153.2	-78.6	-203.9	
Lab Analytical Results:																																
Hardness as CaCO3	mg/L	9.16	9.85			7.77		7.11			7.73			7.84	7.69	8.81	7.76	7.31	8.62	8.00	8.19	7.46	7.87	7.77	8.87	7.02	5.81	7.54	8.32	7.88	8.44	
pH (Lab)	SU	8.2	8.40			8.36		8.40			8.28			8.31	8.21	8.24	8.05	8.08	8.15	8.02	8.11	7.90	8.19	8.16	8.04	8.15	8.09	8.21	8.24	8.24	8.50	
Total Dissolved Solids (Lab)	mg/L	1470	1470			1450		1500			1490			1470	1430	1350	1450	1410	1540	1490	1500	1480	1460	1560	1370	1430	1510	1470	1400	1540	1480	
Calcium	mg/L	2.23	2.43			1.76		1.87			1.81			1.75	1.71	1.92	1.77	1.68	1.94	1.82	1.88	1.67	1.79	1.73	2.04	1.65	1.41	1.76	1.87	1.88	1.95	
Magnesium	mg/L	0.871	0.916			0.823		0.591			0.778			0.846	0.832	0.973	0.809	0.756	0.914	0.837	0.850	0.798	0.826	0.836	0.917	0.704	0.555	0.765	0.890	0.771	0.868	
Sodium	mg/L	515	537			513		511			528			528	531	568	535	515	548	529	551	498	533	531	565	507	411	488	504	523	520	
Potassium	mg/L	1.57	1.75			1.63		<5.00			<2.00			1.5	<2.00	<2.00	<2.00	<2.00	4.75	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	<3.00	<5.00	<2.00	<2.00	<2.00	<2.00	
Alkalinity, Total	mg/L	635	560			630		590			530			560	575	575	545	565	575	544	560	585	605	538	620	590	580	670	535	605	590	
Alkalinity, Bicarbonate	mg/L	635	560			590		560			490			560	555	575	505	544	535	528	560	545	565	530	620	530	580	670	485	455	590	
Alkalinity, Carbonate	mg/L	<10.0	<10.0			40.0		30.0			40.0			<10.0	20.0	<10.0	40	32	40.0	16.0	<10.0	40.0	40	<10.0	<10.0	60	<10.0	<10.0	50.0	150	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0		
Chloride	mg/L	9.56	9.66			10.3		10.3			10.0			9.94	9.55	8.60	8.93	8.99	8.91	8.76	8.83	8.89	10.1	9.15	8.79	9.15	9.17	9.04	9.04	8.97	9.89	
Fluoride	mg/L	<0.400	<0.400			<0.500		<0.500			<0.500			<0.500	<0.500	0.143	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.500	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200		
Sulfate as SO4	mg/L	594	588			783		594			579			561	522	450	567	584	615	559	557	580	542	607	561	577	593	551	581	525	580	
Total Organic Carbon (TOC)	mg/L	6.63	11.7			3.52		3.27			3.46			3.59	3.60	3.59	3.47	3.40	3.33	3.25	3.10	3.49	3.48	3.27	3.42	3.42	3.23	3.28	3.31	3.32	3.40	
Nitrate/Nitrite as N	mg/L	0.035	<0.020			<0.020		<0.020			<0.020			<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.255	<0.020		
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.312	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.05	<0.05	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100	<0.100	<0.100	<0.100	
Arsenic	mg/L	0.0016	<0.0025			<0.0025		<0.0025			0.0019			0.0005	<0.0025	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	0.0005	<0.0010	<0.0010	0.0008	<0.0010	<0.001
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.001	
Copper	mg/L	0.0053	0.0093			0.0076		0.0073			0.0124			0.0077	0.0105	0.0084	0.0081	0.0061	0.0120	0.0037	0.0034	0.0020	0.0056	0.0053	0.0036	0.0135	0.0161	0.0126	0.0097	0.0133	0.0215	
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.050	<0.050	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100	<0.100	<0.100	<0.100	
Lead	mg/L	0.0014	<0.0025			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010	<0.0010	<0.0005	<0.001	<0.002
Manganese	mg/L	0.0044	0.0063			0.0044		0.0040			0.0035			0.0033	<0.0075	0.0034	0.0032	0.0031	0.0026	0.0016	0.0033	0.0031	0.0029	0.0035	0.0029	0.0029	0.003	0.0030	0.0032	0.0033	0.0035	
Mercury (dissolved)	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002			
Mercury (dissolved low-level)	ng/L																														<5.00	<100
Molybdenum	mg/L	0.0009	0.0275			<0.0025		<0.0025			0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	
Selenium	mg/L	0.0016	<0.0050			<0.0050		<0.0050			0.0014			0.0025	<0.0050	<0.0020	0.0036	<0.0010	<0.0010	<0.0020	<0.0020	<0.0020	<0.0050	<0.0050	<0.0050	<0.0010	<0.0020	<0.0040	0.0010	<0.0020	<0.0020	
Silica (SiO2)	mg/L	10.2	10.6			9.99		6.85			9.47			10	10.2	11.2	9.65	9.81	11.0	10.5	10.3	8.55	9.44	9.96	10.4	8.98	8.57	10.0	9.75			

GCC Energy Hydrologic Monitoring Data

MW-4-MI																															
Year	2017								2018								2019				2020				2021				2022		
Quarter	Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11	2	5	9	
Sample Date	3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	11/10	2/23	5/11	9/1	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																															
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.13	0.25	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.15	
Total Purged	gal	0.5	6.5	NM	NM	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.8	1.6	2.0	1.3	1.1	1.0	1.3	1.2	1.3	1.3	1.5	1.3	1.5	1.5	1.3	1.5	1.0
Depth to Water	ft bgs	378.2	330.15	330.94	330.85	330.81	330.8	330.74	330.67	330.52	330.42	330.53	330.5	329.62	331.1	336.57	331.1	331.06	331.92	332.1	332.5	332.87	332.45	333.29	333.22	329.27	333.57	333.65	333.45	333.8	334.22
Temperature	deg C	15.0	14.6	12.9	12.5	11.4	10.7	11.3	11.4	11.2	11.0	10.5	10.9	10.1	11.8	11.3	11.1	10.8	13.3	11.6	11.8	12.2	12.9	11.8	10.8	11.6	12.1	11.7	11.0	12.0	13.0
pH	SU	9.08	8.91	8.78	8.79	8.76	8.76	8.73	8.67	8.62	8.48	8.53	8.01	8.50	8.14	8.25	8.38	8.23	8.14	8.26	8.18	8.42	8.45	8.57	8.57	8.60	8.59	8.59	8.46	8.56	8.51
Specific Conductance	µS/cm	1581	1668	1731	1708	1784	1794	1804	1833	1848	1856	1841	1816	1739	1756	1808	1716	1800	1830	1776	1795	1794	1730	1777	1605	1258	1711	1761	1745	1727	1718
Oxygen Reduction Potential	mV	155.2	64.7	9.8	35.2	-29.6	-37.3	-111.5	-89.2	-112.5	-151.3	-145.7	-117.7	-130.0	-178.2	-202.3	-140.4	-154.7	-127.3	-76.8	-50.6	-131.2	-92.0	-87.7	-53.9	-105.9	-97.8	-118.1	-141.5	-128.8	-247.1
Lab Analytical Results:																															
Hardness as CaCO3	mg/L	5.43	8.71			7.07		4.20			6.01			5.88	6.06	6.39	5.35	4.93	5.65	3.31	4.70	<3.31	5.19	2.84	4.91	3.79	4.59	4.53	4.17	4.15	4.59
pH (Lab)	SU	8.83	8.59			8.63		8.51			8.47			8.48	8.31	8.47	8.35	8.3	8.44	8.08	8.33	8.02	8.28	8.38	8.21	8.38	8.28	8.59	8.35	8.42	8.68
Total Dissolved Solids (Lab)	mg/L	1160	1170			1180		1180			1220			1140	1120	1100	1130	1130	1140	1120	1110	1110	1070	1170	1130	1100	1130	1090	1100	1140	1070
Calcium	mg/L	1.53	2.32			1.88		1.68			1.64			1.55	1.56	1.60	1.44	1.3	1.51	1.32	1.21	1.22	1.32	1.14	1.97	1.05	1.23	1.09	1.05	1.13	1.13
Magnesium	mg/L	0.392	0.707			0.579		<0.500			0.465			0.49	0.524	0.580	0.428	0.408	0.458	<0.500	0.406	<0.500	0.459	<0.400	<0.500	0.285	0.37	0.441	0.372	0.321	0.431
Sodium	mg/L	408	458			449		452			447			471	470	500	462	458	496	477	441	460	459	458	476	431	427	418	430	443	448
Potassium	mg/L	1.46	<2.00			1.73		<5.00			<2.00			1.39	<2.00	<2.00	1.43	1.77	2.03	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00
Alkalinity, Total	mg/L	965	915			1100		985			965			955	968	995	510	890	970	978	985	1030	1020	1010	990	1020	985	1140	935	1020	1180
Alkalinity, Bicarbonate	mg/L	775	825			880		885			875			865	896	885	420	650	880	886	895	935	940	965	910	900	865	1020	825	870	1040
Alkalinity, Carbonate	mg/L	190	90.0			220		100			90.0			90	72.0	110	90	240	90.0	92.0	90.0	90.0	80	40	80	120	120	120	110	150	140
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	2.18	7.50			8.78		9.11			8.74			7.99	5.68	5.38	5.98	5.98	5.83	5.47	5.37	5.11	5.02	4.97	4.89	4.85	4.91	4.98	4.55	4.36	4.29
Fluoride	mg/L	4.72	5.02			5.09		5.10			5.02			4.82	4.84	4.94	5.49	5.44	5.38	5.31	5.11	5.16	5	5.27	4.92	5.03	5.2	4.78	5.16	4.73	5.42
Sulfate as SO4	mg/L	17.4	64.7			76.6		77.5			68.6			54.4	48.3	47.6	38.7	34.4	31.9	28.2	24.6	21.9	20	18.7	17.1	16.1	16.4	13.7	13.4	12.4	12.7
Total Organic Carbon (TOC)	mg/L	2.64	6.49			8.58		9.53			9.54			9.25	8.94	8.48	8.37	8.25	7.81	6.42	6.63	6.55	5.93	5.77	5.78	5.36	5.29	5.09	4.80	4.28	4.73
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
Arsenic	mg/L	0.0099	0.0220			0.0131		0.0122			0.0139			0.0153	0.014	0.0119	0.0164	0.0111	0.0116	0.0107	0.0127	0.0139	0.0084	0.0092	0.0088	0.011	0.0099	0.0093	0.0120	0.0092	0.0094
Cadmium	mg/L	<0.0001	<0.0001			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010
Copper	mg/L	0.0059	0.0058			0.0071		0.0070			0.0079			0.0063	0.0071	0.0078	0.0087	0.0153	0.0051	0.0027	0.0028	0.0020	0.0052	0.0045	0.004	0.0103	0.0134	0.0107	0.0116	0.0107	0.0177
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
Lead	mg/L	0.0010	<0.0005			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.002
Manganese	mg/L	0.0020	0.0066			0.0081		0.0124			0.0080			0.007	0.0068	0.0084	0.0091	0.0084	0.0084	0.0073	0.0085	0.0086	0.0086	0.0092	0.0094	0.0073	0.0075	0.0077	0.0076	0.0080	0.0078
Mercury (dissolved)	mg/L	<0.0002	<0.0002			<0.																									

GCC Energy Hydrologic Monitoring Data

MW-4-C																																
Year	2017								2018								2019				2020				2021				2022			
Quarter	Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3		
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2	5	9		
Sample Date	3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/4	5/26	8/27	12/1	2/10	5/18	8/10	11/10	2/23	5/11	9/1		
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																																
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.2		
Total Purged	gal	7.0	1.5	NM	NM	1.0	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.5	1.0	1.3	1.5	1.3	1.1	1.0	1.5	1.2	1.5	1.3	1.5	1.5	1.5	1.5	1.5	1.0		
Depth to Water	ft bgs	328.33	314.05	309.87	306.86	303.96	303.80	302.47	304.80	282.35	281.30	303.30	304.05	NM	302.55	302.17	302.45	303.93	304.93	305.73	306.44	304.90	307.80	308.05	308.65	308.58	309.32	309.90	309.80	311.45	310.88	
Temperature	deg C	13.3	17.4	12.7	12.0	13.9	11.8	11.2	11.0	11.7	10.8	12.5	11.4	12.4	12.9	11.5	11.3	11.2	12.5	11.7	11.2	12.7	13.0	11.4	10.0	11.4	12.3	11.7	10.3	12.2	13.8	
pH	SU	8.33	7.62	7.68	7.70	7.69	7.75	7.72	7.79	7.80	7.88	7.94	7.75	7.79	7.76	7.79	7.87	7.86	7.81	7.85	7.87	7.97	8.00	8.05	8.02	8.05	8.12	8.11	8.06	8.05	8.06	
Specific Conductance	µS/cm	3792	5944	5997	5885	5813	5721	5782	5604	5834	5903	5628	5792	5592	5583	5775	5710	5712	5930	5636	5729	5636	5429	5665	5106	4047	5454	5687	5698	5645	5589	
Oxygen Reduction Potential	mV	57.3	20.3	-101.5	-111.2	-103.7	-117.4	-109.0	-120.1	-123.8	-154.3	-131.3	-134.9	-129.3	-157.6	-209.0	-160.1	-180.1	-156.8	-148.7	-135.9	-147.7	-132.1	-128.7	-106.2	-100.6	-142.3	-173.0	-255.6	-178.7	-278.7	
Lab Analytical Results:																																
Hardness as CaCO3	mg/L	46.3	55.9			38.9		30.0			26.5			26.2	25.9	28.6	23.6	22.5	25.2	24.4	24.0	22.7	23	21.8	25.6	19.6	21.9	20.9	22.2	21.4	26.0	
pH (Lab)	SU	7.61	7.77			7.79		7.98			7.84			7.97	7.96	8.27	7.9	7.92	7.95	7.85	7.95	7.76	7.92	7.94	7.96	7.97	7.96	8.08	8.01	8.07	8.19	
Total Dissolved Solids (Lab)	mg/L	3230	4050			3750		3780			3730			3660	3650	3590	3580	3590	3610	3610	3580	3570	3510	3610	3720	3540	3600	3630	3520	3580	3670	
Calcium	mg/L	13.6	13.7			9.15		7.45			6.32			6.15	5.90	6.60	5.5	5.21	5.83	5.61	5.57	5.31	5.3	5.15	5.98	4.64	5.07	4.77	5.04	5.14	6.01	
Magnesium	mg/L	2.99	5.26			3.90		2.76			2.61			2.62	2.72	2.94	2.39	2.3	2.57	2.53	2.44	2.30	2.36	2.18	2.58	1.95	2.25	2.19	2.33	2.07	2.68	
Sodium	mg/L	908	1510			1490		1400			1410			1400	1410	1590	1410	1370	1440	1430	1440	1390	1400	1400	1520	1310	1340	1270	1360	1350	1530	
Potassium	mg/L	4.38	5.71			6.07		<10.0			<10.0			<5.00	<5.00	5.36	<5.00	<5.00	5.42	<10.0	<5.00	<10.0	<10.0	<10.0	<10.0	<6.00	<5.00	<5.00	<5.00	<5.00	<5.00	
Alkalinity, Total	mg/L	1250	2360			2780		2680			2600			2410	2480	2450	2470	2550	2500	2470	2480	2460	2500	2950	2470	2500	2410	2630	2360	2500	2430	
Alkalinity, Bicarbonate	mg/L	1250	2360			2780		2640			2600			2330	2480	2450	2470	2350	2390	2410	2420	2340	2390	2880	2430	2360	2290	2410	2180	2300	2430	
Alkalinity, Carbonate	mg/L	<10.0	<10.0			<10.0		40.0			<10.0			80	<10.0	<10.0	<10.0	200	110	60.0	60.0	120	110	70	40	140	120	220	180	200	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0		
Chloride	mg/L	181	550			587		608			592			573	533	590	575	554	580	525	528	555	543	565	557	553	572	561	562	563	570	
Fluoride	mg/L	1.29	2.04			2.17		2.43			2.53			2.52	2.48	2.54	2.64	2.62	2.59	2.51	2.41	2.36	2.34	2.37	2.21	2.16	2.28	2.04	2.26	2.02	2.34	
Sulfate as SO4	mg/L	534	487			70.2		26.0			34.5			27	18.7	11.2	5.07	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	
Total Organic Carbon (TOC)	mg/L	30	6.42			5.08		3.64			3.23			3.23	2.80	3.46	3.24	2.62	2.63	4.18	2.23	2.50	2.31	3.72	4.57	4.92	4.81	4.70	5.93	4.91	4.39	
Nitrate/Nitrite as N	mg/L	<2.00	<0.500			<0.400		<0.100			<0.020			<0.020	<0.020	<0.020	0.061	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.040	<0.020	<0.100	
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.424	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.182	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			<0.250	<0.250	<0.250	<0.250	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250	<0.250	<0.250	<0.250	<0.250	
Arsenic	mg/L	0.0059	0.0119			0.0128		0.0152			0.0246			0.0195	0.0202	0.0164	0.0211	0.0171	0.0178	0.0179	0.0203	0.0195	0.015	0.0182	0.0177	0.0212	0.0248	0.0213	0.0213	0.0172	0.0219	
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0010			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.0001	<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.001	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	
Copper	mg/L	0.0125	0.0243			0.0221		0.0208			0.0482			0.0389	0.0280	0.0230	0.0249	0.0382	0.0198	0.0107	0.0111	0.0069	0.0151	0.0148	0.0111	0.0464	0.0499	0.0370	0.0302	0.0371	0.0618	
Iron	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			0.373	0.397	0.474	0.279	0.391	0.522	0.619	0.591	0.551	<0.500	0.553	0.837	0.355	0.793	0.551	0.598	0.801	0.795	
Lead	mg/L	<0.0005	<0.0050			<0.0050		<0.0050			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.0005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	
Manganese	mg/L	0.0269	0.0772			0.0554		0.0571			0.0647			0.0529	0.0381	0.0283	0.0268	0.0174	0.0162	0.0096	0.0209	0.0103	0.008	0.0076	0.0059	0.0063	0.005	0.0047	0.0051	0.0046	0.0049	
Mercury (dissolved)	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002			
Mercury (dissolved low-level)	ng/L																														<5.00	<500
Molybdenum	mg/L	0.0526	0.115			0.0138		0.0106			0.0086			0.0072	0.0071	0.0057	0.0074	0.007	0.0056	0.0047	0.0045	0.0044	<0.005	<0.005	<0.0050	0.0037	0.0031	0.0031	0.0033	0.0031	0.0036	
Selenium	mg/L	0.0248	0.0231			0.0214		0.0269			0.0378			0.0317	0.0260	0.0211	0.0339	0.0195	0.0195	0.0156	0.0140	0.0129	0.0112	0.0182	<0.0100	0.0186	0.028	0.0269	0.0219	0.0146	0.0218	
Silica (SiO2)	mg/L	9.85	12.6			12.9		<10.7			<10.7			11	11.2	12.8	10.1	10.5	11.3	11.0	9.88	<10.7	<10.7	<10.7	10.8	8.35	9.54	9.37	9.28	8.56	10.4	
Silicon	mg/L	4.61	5.88			6.02		<5.00			<5.00			5.16	5.24	6.00	4.7	4.89	5.													

GCC Energy Hydrologic Monitoring Data

MW-6-A																							
Year	2018	2019										2020				2021				2022			
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2	5	8	
Sample Date	12/28	1/31	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	11/9	2/15	5/10	8/31	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	
Field Parameters:																							
Purge Flow Rate	gpm	NM	NM	0.10	2.00	0.03	0.03	0.03	0.06	0.03	0.02	0.01	0.05	0.13	0.05	0.05	0.05	0.02	0.13	0.02	0.05	0.10	dry
Total Purged	gal	36.3	0.5	0.5	2.0	2.0	1.3	1.0	1.3	1.1	1.3	1.5	1.1	1.0	1.3	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
Depth to Water	ft bgs	304.33	306.41	307.40	309.60	311.05	312.50	314.20	315.75	316.43	NM	318.70	315.46	319.63	319.64	319.65	319.66	319.66	319.64	319.66	320.30	320.68	
Temperature	deg C	7.4	10.7	8.1	7.5	9.6	7.3	12.5	12.3	11.9	10.4	10.4	7.8	9.8	19.5	8.0	9.7	12.6	19.4	10.7	11.5	17.3	
pH	SU	7.32	6.64	6.66	6.74	6.65	6.73	6.76	6.75	6.76	6.80	6.79	6.89	6.95	6.97	7.10	7.03	7.10	7.11	7.11	7.02	7.05	
Specific Conductance	µS/cm	6573	6053	6072	6107	6012	6057	5725	5598	5562	5451	5108	5043	4779	4339	4656	4051	3198	4238	4465	4486	4477	
Oxygen Reduction Potential	mV	-22.8	19.4	24.6	12.6	11.8	34.8	86.6	25.8	6.5	29.2	20.5	36.7	51.7	62.3	55.2	73.5	83.5	5.2	26.5	-56.1	2.4	
Lab Analytical Results:																							
Hardness as CaCO3	mg/L	4360		4190			3920			3540		3070	3200	2780	2690	2710	2660	2550	2740	2510	2440	2490	
pH (Lab)	SU	7.10		6.85			6.77			6.85		6.87	6.9	6.93	6.66	7.04	7.20	6.93	7.1	6.98	7.19	7.26	
Total Dissolved Solids (Lab)	mg/L	6520		6520			120*			6080		5210	4980	4670	4490	4570	4480	4390	4440	4310	4440	4450	
Calcium	mg/L	615		559			553			492		431	467	400	398	406	398	378	415	370	359	365	
Magnesium	mg/L	687		678			617			560		484	495	431	411	413	404	390	413	385	374	383	
Sodium	mg/L	294		283			296			304		276	296	274	261	273	272	266	263	254	257	268	
Potassium	mg/L	15.0		14.4			12.4			12.8		11.1	<20.0	10.6	10.3	10.5	11.1	10.7	11	10.4	10.7	10.6	
Alkalinity, Total	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295	285	270	
Alkalinity, Bicarbonate	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295	285	270	
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	97.4		28.6			27.3			29.9		29.6	28.4	29.0	26.0	26.6	24.9	25.8	26	26.6	26.2	26.1	
Fluoride	mg/L	2.83		<0.500			<0.500			<0.500		<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	
Sulfate as SO4	mg/L	205		4300			4280			4260		3460	3080	3020	3160	2890	2620	2740	2780	2790	2870	2820	
Total Organic Carbon (TOC)	mg/L	3.45		3.08			2.91			3.57		3.10	3.16	3.39	3.31	3.26	1.71	3.82	3.33	3.25	3.26	3.14	
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020		<0.020	0.049	0.154	0.117	0.093	0.039	0.156	0.118	0.096	0.131	0.103	
Ammonia as N ^	mg/L	NA		NA			NA			NA		2.72	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA		<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.500		<0.250			<0.250			<0.250		<0.250	<1.00	<0.500	<0.250	<0.500	<0.250	<0.250	<0.250	<0.250	<0.250	<0.250	
Arsenic	mg/L	<0.0025		<0.0025			0.0009			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025	
Cadmium	mg/L	<0.0005		<0.0005			0.0001			<0.0005		<0.0005	<0.0005	<0.0010	<0.0005	<0.0010	<0.0005	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025	
Copper	mg/L	0.0116		0.0081			0.0035			0.0039		0.0017	0.0028	<0.0050	<0.0025	<0.0050	<0.0025	0.0068	0.0082	0.0063	0.0065	0.0093	
Iron	mg/L	1.37		3.75			3.93			3.22		2.72	1.95	1.38	1.10	1.24	1.17	0.890	1.48	1.15	1.41	1.37	
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025	
Manganese	mg/L	0.788		0.802			0.724			0.690		0.585	0.551	0.526	0.520	0.454	0.437	0.397	0.407	0.391	0.420	0.431	
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002		
Mercury (dissolved low-level)	ng/L																					<5.00	
Molybdenum	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025	
Selenium	mg/L	<0.0050		<0.0050			0.0028			<0.0050		<0.0050	<0.005	<0.0100	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	<0.0100	<0.0040	<0.0050	
Silica (SiO2)	mg/L	12.3		11.9			14.3			13.4		12.5	<21.4	11.0	11.4	12.3	11.9	13.2	14.3	13.6	12.7	12.3	
Silicon	mg/L	5.77		5.57			6.69			6.28		5.83	<10.00	5.17	5.35	5.76	5.58	6.17	6.67	6.36	5.96	5.73	
Uranium	mg/L	<0.0005		<0.0005			<0.0001			<0.0005		<0.0005	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025	
Zinc	mg/L	0.0689		<0.0100			0.0082			0.0108		0.0117	0.0107	<0.0200	0.0159	<0.0200	<0.0100	<0.0100	<0.0100	<0.0100	<0.0080	<0.0100	

Notes & Definitions:

- *

Anomalous value under review
- ^

one-time analysis
- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- pCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)
- ng/L

nanogram per liter

1. "≤" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-MI																								
Year	2018	2019											2020				2021				2022			
Quarter	Q4	Q1			Q2				Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2	5	8	
Sample Date	12/29	1/31	2/25	3/21	4/19	5/20	5/30	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/24	2/9	5/17	8/9	11/9	2/15	5/10	8/1	
Lab Analysis (Y/N)	Y	N	Y	N	N	N [#]	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																								
Purge Flow Rate	gpm	NM	NM	NM	0.5	0.1	0.015	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
Total Purged	gal	11.3	0.5	1.5	0.5	1.0	0.9																	
Depth to Water	ft bgs	374.49	368.09	367.92	370.49	369.50	371.00																	
Temperature	deg C	14.3	13.6	10.8	9.7	16.7	3.9																	
pH	SU	8.26	7.43	7.21	7.55	7.97	7.84																	
Specific Conductance	µS/cm	3390	3620	3132	2619	2202	2527																	
Oxygen Reduction Potential	mV	103.0	-80.2	77.6	59.8	38.3	64.9																	
Lab Analytical Results:																								
Hardness as CaCO3	mg/L	679		147																				
pH (Lab)	SU	8.18		8.35																				
Total Dissolved Solids (Lab)	mg/L	2480		1880																				
Calcium	mg/L	104		23.4																				
Magnesium	mg/L	102		21.6																				
Sodium	mg/L	646		565																				
Potassium	mg/L	12.0		5.30																				
Alkalinity, Total	mg/L	395		615																				
Alkalinity, Bicarbonate	mg/L	345		615																				
Alkalinity, Carbonate	mg/L	50.0		<10.0																				
Alkalinity, Hydroxide	mg/L	<10.0		<10.0																				
Chloride	mg/L	175		178																				
Fluoride	mg/L	2.06		2.46																				
Sulfate as SO4	mg/L	1210		585																				
Total Organic Carbon (TOC)	mg/L	3.63		4.55																				
Nitrate/Nitrite as N	mg/L	0.023		<0.020																				
Aluminum	mg/L	<0.100		<0.100																				
Arsenic	mg/L	0.0084		0.0144																				
Cadmium	mg/L	<0.0001		<0.0002																				
Copper	mg/L	0.0113		0.0112																				
Iron	mg/L	<0.100		<0.100																				
Lead	mg/L	<0.0005		<0.0010																				
Manganese	mg/L	0.0500		0.0224																				
Mercury (dissolved)	mg/L	<0.0002		<0.0002																				
Mercury (dissolved low-level)	ng/L																							
Molybdenum	mg/L	0.0558		0.0690																				
Selenium	mg/L	0.0098		0.0127																				
Silica (SiO2)	mg/L	9.93		9.05																				
Silicon	mg/L	4.64		4.23																				
Uranium	mg/L	0.0200		0.0118																				
Zinc	mg/L	0.0092		0.0143																				

Notes & Definitions:

- # No sample collected, due to low yield, insufficient volume for lab sample after field parameters we measured

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

ng/L nanogram per liter
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

[illegible]

Notes & Definitions:

Y/N	yes or no
gpm	gallons per minute
deg C	degrees Celsius
SU	standard pH units
µS/cm	microsiemens per centimeter
mV	millivolts
mg/L	milligram per liter
pCi/L	picocuries per liter
NM	not measured (field)
NA	not analyzed (lab)
ng/L	nanogram per liter

1. "*<*" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO₃.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-MI																								
Year	2018	2019											2020				2021				2022			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																								
Purge Flow Rate	gpm	1.10	1.00	0.50	3.00	0.50	0.50	0.25	0.50	0.75	0.50	1.00	0.25	0.25	0.13	0.10	0.25	0.25	0.13	0.25	0.25	0.25	0.13	0.15
Total Purged	gal	27.5	18.0	1.0	3.0	1.5	2.5	2.5	2.3	3.0	2.0	2.5	1.0	1.0	1.0	2.0	1.0	2.0	3.0	1.0	1.0	1.0	0.8	0.5
Depth to Water	ft bgs	45.75	43.48	43.50	44.30	44.47	44.10	44.24	44.45	44.59	44.90	45.12	45.10	45.20	45.42	45.84	46.24	46.38	46.54	47.27	46.84	47.69	48.00	48.00
Temperature	deg C	10.8	10.8	10.6	11.2	10.4	11.1	11.4	11.0	11.4	10.9	10.3	11.4	10.2	11.3	13.1	11.3	10.0	11.6	11.9	11.1	10.9	12.5	14.3
pH	SU	7.57	7.50	7.48	7.47	7.34	7.31	7.48	7.42	7.38	7.30	7.23	7.15	7.08	7.44	7.44	7.43	7.47	7.59	7.55	7.56	7.41	7.54	7.59
Specific Conductance	µS/cm	1786	1667	1651	1658	1643	1595	1639	1645	1658	1637	1689	1642	1651	1659	1598	1628	1468	1616	1554	1629	1596	1575	1505
Oxygen Reduction Potential	mV	-84.4	-177.1	-122.1	-113.3	-87.2	-54.4	-97.1	-116.4	-119.4	-88.4	-82.0	-59.3	-136.6	-184.9	-107.0	-112.2	-72.0	-131.9	-123.1	-115.9	-195.3	-150.6	-262.2
Lab Analytical Results:																								
Hardness as CaCO3	mg/L	167		249			273			253			267	254	309	355	339	376	288	377	317	406	378	374
pH (Lab)	SU	7.73		7.54			7.24			7.46			7.44	7.53	7.25	7.34	7.27	7.33	7.36	7.31	7.06	7.36	7.38	7.70
Total Dissolved Solids (Lab)	mg/L	1050		1030			1100			1110			1050	1060	1040	1010	1040	1060	1040	1000	1100	1050	1040	1050
Calcium	mg/L	34.0		48.5			52.4			49.7			51.3	48.7	58.5	65.9	62.6	69.7	54	70.3	59.8	75.5	71.2	69.2
Magnesium	mg/L	19.9		31.0			34.5			31.4			33.8	32.1	39.6	46.2	44.4	49.1	37.2	48.9	40.8	52.7	48.7	48.8
Sodium	mg/L	344		312			289			289			275	269	272	260	232	237	256	229	238	226	220	213
Potassium	mg/L	4.47		5.25			<5.00			4.55			5.07	4.71	5.00	5.56	5.22	5.88	5.05	5.69	5.14	5.98	5.47	5.59
Alkalinity, Total	mg/L	500		565			560			573			585	543	545	448	590	590	575	570	605	590	590	500
Alkalinity, Bicarbonate	mg/L	500		565			560			573			585	543	545	448	590	590	575	570	605	590	590	500
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	12.7		10.0			9.33			9.06			9.66	8.19	8.23	8.12	7.91	7.96	8.07	7.85	7.91	7.70	8.36	8.88
Fluoride	mg/L	<0.500		<0.200			<0.200			<0.200			<0.500	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200
Sulfate as SO4	mg/L	347		353			343			366			317	314	316	335	319	326	314	324	312	325	322	352
Total Organic Carbon (TOC)	mg/L	2.73		2.83			2.81			2.74			2.65	2.6	2.94	2.87	2.76	2.6	2.74	2.97	2.66	2.77	2.77	2.96
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.31	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100
Arsenic	mg/L	0.0008		<0.0010			0.0006			0.0005			0.0005	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005	0.0006	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025
Copper	mg/L	0.0031		0.0066			0.0036			0.0035			0.0037	0.0027	<0.0010	<0.0015	<0.0025	0.0015	0.0046	0.0047	0.0054	0.0055	0.0087	0.0038
Iron	mg/L	0.137		0.162			<0.250			0.129			0.130	0.108	<0.250	<0.250	<0.250	<0.150	0.113	<0.250	0.168	0.113	0.090	<0.100
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.0495		0.0383			0.0327			0.0351			0.0377	0.0391	0.0393	0.0551	0.0546	0.0579	0.0412	0.0544	0.0443	0.0603	0.0553	0.0597
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002			
Mercury (dissolved low-level)	ng/L																						<5.00	<100
Molybdenum	mg/L	0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0010			<0.0010	<0.0020	0.0020	<0.0030	<0.0050	0.0425	0.0037	0.0072	0.0264	0.0016	0.0040	<0.0050
Silica (SiO2)	mg/L	12.1		12.4			12.8			12.5			12.6	12.2	11.9	12.9	12.1	13.5	13.2	13.6	13.7	15.2	14.0	13.6
Silicon	mg/L	5.65		5.78			5.99			5.83			5.88	5.71	5.55	6.05	5.67	6.32	6.17	6.35	6.39	7.08	6.57	6.35
Uranium	mg/L	0.0002		0.0002			0.0002			0.0001			0.0001	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	<0.0020	<0.0020	<0.0100

Notes & Definitions:

^	one-time analysis
Y/N	yes or no
gpm	gallons per minute
deg C	degrees Celsius
SU	standard pH units
μS/cm	microsiemens per centimeter
mV	millivolts
mg/L	milligram per liter
pCi/L	picocuries per liter
NM	not measured (field)
NA	not analyzed (lab)
ng/L	nanogram per liter

1. *"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.*
2. *Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO₃.*
3. *Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.*

GCC Energy Hydrologic Monitoring Data

MW-8-LM																								
Year	2018	2019											2020				2021				2022			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	
Sample Date	12/28	1/29	2/19	3/21	4/16	5/29	6/18	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																								
Purge Flow Rate	gpm	NM	1.00	0.25	1.00	0.50	0.10	0.25	0.25	0.50	0.25	0.12	0.25	0.25	0.25	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.15	
Total Purged	gal	30	4.0	1.5	1.0	2.0	1.3	6.8	2.0	2.0	1.0	1.0	1.5	1.0	1.0	2.0	1.0	1.5	1.0	1.0	1.0	1.0	1.0	
Depth to Water	ft bgs	136.39	130.52	134.30	144.03	140.03	137.48	142.23	144.15	138.06	137.50	137.60	137.34	139.15	129.70	127.90	125.75	126.72	126.13	125.25	123.55	124.10	123.75	126.81
Temperature	deg C	4.1	13.9	13.2	8.7	13.6	13.9	12.8	13.7	13.4	13.0	11.7	13.3	11.4	13.4	13.6	8.8	12.1	12.8	13.5	12.5	12.3	14.1	13.4
pH	SU	8.37	8.70	8.71	8.41	8.70	8.50	8.66	8.64	8.58	8.44	8.44	8.47	7.98	8.76	8.83	8.81	8.82	8.90	8.90	8.91	8.79	8.84	8.82
Specific Conductance	µS/cm	2306	1274	1265	1310	1262	1234	1264	1226	1269	1252	1299	1255	1294	1282	1055	1117	1132	1121	1196	1262	1260	1232	1255
Oxygen Reduction Potential	mV	37.5	-114.3	112.8	77.0	-36.2	33.2	-63.9	-93.5	-103.0	-115.9	-94.4	-47.4	-106.6	-204.5	-106.9	-93.6	-87.8	-164.1	-106.1	-99.3	-241.3	-149.4	-247.4
Lab Analytical Results:																								
Hardness as CaCO3	mg/L	45.0		7.29			16.9			6.67			6.38	6.79	7.76	7.53	6.35	6.93	7.23	4.65	7.11	7.29	6.61	6.43
pH (Lab)	SU	8.57		8.63			8.02			8.56			8.52	8.55	8.41	8.45	8.48	8.54	8.57	8.48	8.31	8.61	8.63	8.99
Total Dissolved Solids (Lab)	mg/L	1420		770			780			785			780	840	730	740	700	795	720	740	760	740	795	755
Calcium	mg/L	10.8		1.93			3.84			1.78			1.68	1.77	2.09	2.05	1.71	1.87	1.92	1.86	1.88	1.96	1.77	1.70
Magnesium	mg/L	4.39		0.600			1.77			0.541			0.528	0.574	0.620	0.587	0.502	0.550	0.592	<0.500	0.587	0.580	0.530	0.532
Sodium	mg/L	382		341			317			306			305	309	315	337	304	319	315	308	291	316	298	298
Potassium	mg/L	45.7		3.49			<5.00			2.27			2.18	2.06	<5.00	<5.00	<5.00	<3.00	2.24	<5.00	2.12	2.31	2.06	<2.00
Alkalinity, Total	mg/L	615		720			745			731			745	685	630	675	780	730	755	750	770	780	765	760
Alkalinity, Bicarbonate	mg/L	535		610			645			645			685	595	530	585	680	630	645	650	620	640	655	580
Alkalinity, Carbonate	mg/L	80.0		110			100			86.0			60.0	90	100	90	100	100	110	100	150	140	110	180
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	175		5.11			6.80			2.63			2.48	3.04	3.01	2.98	2.47	2.5	2.48	2.55	2.47	2.47	2.49	2.64
Fluoride	mg/L	2.06		3.91			3.95			3.97			3.88	3.61	3.63	3.53	3.66	3.58	3.48	3.67	3.40	3.44	3.25	3.79
Sulfate as SO4	mg/L	190		3.79			9.58			1.02			<1.00	<2.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00
Total Organic Carbon (TOC)	mg/L	2.80		1.80			3.33			1.94			1.69	1.69	1.92	1.82	1.66	1.2	1.71	1.79	1.60	1.70	1.72	1.77
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.282	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100
Arsenic	mg/L	0.0106		<0.0010			0.0006			0.0007			0.0006	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	0.0008	0.0008	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0001	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025
Copper	mg/L	0.0337		0.0077			0.0047			0.0041			0.0051	0.0033	0.0012	0.0017	<0.0025	0.0025	0.0057	0.0068	0.0065	0.0075	0.0167	0.0052
Iron	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.0258		0.0038			0.0150			0.0020			0.0026	0.0025	0.0029	0.0026	0.0028	0.0024	0.0021	0.0025	0.0023	0.0022	0.0027	<0.0025
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002			
Mercury (dissolved low-level)	ng/L																						<5.00	<100
Molybdenum	mg/L	0.0142		<0.0010			0.0009			<0.0005			<0.0005	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025
Selenium	mg/L	0.0020		<0.0020			<0.0010			<0.0010			<0.0010	<0.0010	<0.0020	<0.0030	<0.0050	0.0031	<0.0030	<0.0050	<0.0020	<0.0010	<0.0010	<0.0050
Silica (SiO2)	mg/L	9.09		8.45			8.68			8.28			7.77	7.62	7.40	7.84	7.4	8.17	8.21	7.82	8.28	8.44	8.13	7.63
Silicon	mg/L	4.25		3.95			4.06			3.87			3.63	3.56	3.46	3.67	3.46	3.82	3.84	3.66	3.87	3.95	3.80	3.56
Uranium	mg/L	0.0044		<0.0002			0.0001			0.0001			<0.0002	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025
Zinc	mg/L	0.0080		<0.0040			0.0023			<0.0020			<0.0020	<0.002	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	<0.0020	0.0079	<0.0100

Notes & Definitions:

- ^

one-time analysis
- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- pCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)
- ng/L

nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-PL																								
Year	2018	2019											2020				2021				2022			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	
Sample Date	12/27	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																								
Purge Flow Rate	gpm	0.25	1.00	0.50	3.00	0.50	0.25	0.50	1.00	0.50	0.50	0.75	0.25	0.25	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.13	
Total Purged	gal	20.0	5.0	2.0	3.0	2.0	3.0	2.5	2.3	2.5	2.0	2.5	1.3	2.0	2.0	2.3	2.0	2.0	2.0	2.0	2.0	2.0	1.8	
Depth to Water	ft bgs	125.97	126.29	126.40	127.10	126.98	126.70	126.82	127.25	127.38	127.42	127.48	127.59	127.32	127.34	128.00	127.31	127.50	127.83	127.89	127.90	128.30	128.40	128.53
Temperature	deg C	10.3	14.2	13.4	12.9	13.2	14.2	14.8	14.7	14.9	14.0	13.2	14.9	13.8	14.8	14.9	14.1	12.9	14.6	14.8	13.4	14.1	14.1	14.3
pH	SU	7.50	7.30	7.49	7.30	7.29	7.31	7.57	7.56	7.52	7.45	7.47	7.52	7.55	7.47	7.52	7.52	7.53	7.58	7.55	7.57	7.43	7.49	7.44
Specific Conductance	µS/cm	1690	1531	1571	1558	1554	1411	1326	1165	1083	947	940	900	862	844	792	827	760	813	816	836	817	826	822
Oxygen Reduction Potential	mV	30.2	-116.5	97.9	-108.7	-110.6	34.2	-57.6	-74.0	-79.5	-51.3	-52.5	-30.8	-59.9	-101.9	-38.0	-37.3	-11.5	-76.6	-64.4	-53.5	-161.9	-94.6	-215.9
Lab Analytical Results:																								
Hardness as CaCO3	mg/L	617		644			596			411			294	278	298	292	268	281	283	280	272	292	276	275
pH (Lab)	SU	7.28		7.40			7.26			7.22			7.39	7.47	7.19	7.16	7.41	7.36	7.41	7.29	7.16	7.42	7.47	7.88
Total Dissolved Solids (Lab)	mg/L	1150		1090			995			705			620	500	490	525	465	525	505	475	465	485	505	500
Calcium	mg/L	112		120			105			73.1			52.1	49.3	53.8	53.3	49.1	52.2	53.3	53	51.1	55.7	53.1	52.4
Magnesium	mg/L	82.1		83.8			81.4			55.4			39.7	37.6	39.7	38.5	35.4	36.6	36.5	35.9	35.0	37.1	34.9	35.1
Sodium	mg/L	106		124			102			91.7			83.3	78.5	80.4	81.6	77.2	78.6	79.7	77.8	73.7	80.8	75.4	76.3
Potassium	mg/L	5.14		5.62			<5.00			2.80			2.35	2.32	2.11	<2.00	<2.00	1.78	1.73	<2.00	1.54	1.71	1.48	1.53
Alkalinity, Total	mg/L	370		415			435			393			390	339	340	315	410	370	385	360	385	362	380	356
Alkalinity, Bicarbonate	mg/L	370		415			435			393			390	339	340	315	410	370	385	360	385	362	380	340
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	18.8		18.5			9.03			5.61			5.66	3.51	3.38	3.33	3.32	3.39	3.30	3.33	3.38	3.33	3.34	3.66
Fluoride	mg/L	0.505		0.474			0.290			0.291			<0.500	0.258	0.240	0.233	0.224	0.219	0.200	0.222	0.196	0.195	0.159	0.198
Sulfate as SO4	mg/L	478		471			390			232			127	109	103	99.2	99	101	96.3	102	98.4	100	94.7	106
Total Organic Carbon (TOC)	mg/L	4.17		4.02			2.92			2.21			1.75	1.63	1.63	1.61	1.44	0.928	1.42	1.54	1.40	1.54	1.36	1.60
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.052	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.199	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100	<0.050	<0.050	<0.050	<0.050
Arsenic	mg/L	0.0074		0.0124			0.0190			0.0156			0.0104	0.0073	0.0075	0.0064	0.0058	0.0074	0.0055	0.0017	0.0051	0.0046	0.0047	0.0042
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0001	<0.0002	<0.0002	<0.0001	<0.0010	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010
Copper	mg/L	0.0016		0.0025			0.0017			0.0011			0.0004	0.001	<0.0025	<0.001	0.0014	0.0005	0.0013	<0.0010	0.0015	0.0023	0.0040	0.0014
Iron	mg/L	<0.050		0.352			<0.250			0.129			0.075	0.054	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100	0.070	0.079	<0.050	0.063
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010
Manganese	mg/L	1.31		1.22			0.697			0.505			0.313	0.303	0.307	0.259	0.219	0.196	0.175	0.0772	0.161	0.163	0.150	0.145
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002		
Mercury (dissolved low-level)	ng/L																						<5.00	<100
Molybdenum	mg/L	0.0090		0.0068			0.0020			0.0021			0.0017	0.0008	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010
Selenium	mg/L	0.0012		<0.0020			<0.0010			<0.0010			<0.0010	<0.001	<0.0010	<0.0020	<0.0020	0.0038	<0.0020	<0.0020	0.0031	<0.0010	0.0014	<0.0020
Silica (SiO2)	mg/L	14.1		16.3			17.7			18.5			18.0	18.9	18.7	19.9	18.5	20.1	21.5	20	20.8	22.2	20.4	20.8
Silicon	mg/L	6.58		7.64			8.28			8.67			8.42	8.82	8.75	9.28	8.66	9.40	10.00	9.37	9.71	10.4	9.54	9.75
Uranium	mg/L	0.0052		0.0040			0.0010			0.0009			0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.001	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010
Zinc	mg/L	0.0344		<0.0040			<0.0020			<0.0080			<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0020	<0.004	<0.0040	<0.0020	<0.0020	<0.0020	<0.0040

Notes & Definitions:		
^	one-time analysis	
Y/N	yes or no	
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	
ng/L	nanogram per liter	
		1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
		2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
		3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

25 August 2022

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 08/10/22 15:15. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-14

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/22 17:05

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Wiltse Well	2208173-01	Water	08/10/22 13:15	08/10/22 15:15	
MW 99 W	2208173-02	Water	08/10/22 13:30	08/10/22 15:15	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/25/22 17:05

Wiltse Well

2208173-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	530	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	530	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Cation/Anion Balance	0.330	-100	-100	%	1	08/24/22 10:42	Calculation		JDA
Chloride*	57.5	2.00	0.111	mg/L	2	08/18/22 22:10	EPA300.0		AES
Fluoride*	0.288	0.200	0.0194	mg/L	2	08/18/22 22:10	EPA300.0		AES
Nitrate/Nitrite as N*	1.16	0.020	0.012	mg/L as N	1	08/15/22 14:39	EPA353.2		HTB
pH*	7.39			pH Units	1	08/12/22 08:50	EPA150.1		QEB
pH Temperature, degrees C	20.8			pH Units	1	08/12/22 08:50	EPA150.1		QEB
Total Dissolved Solids*	1850	10.0		mg/L	1	08/15/22 11:45	EPA160.1		AES
Sulfate*	818	20.0	2.48	mg/L	20	08/19/22 09:46	EPA300.0		AES
Total Organic Carbon*	3.72	0.500	0.175	mg/L	1	08/17/22 13:51	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	08/18/22 16:01	EPA200.7		AES
Calcium*	255	0.200	0.047	mg/L	2	08/18/22 16:01	EPA200.7		AES
Hardness as CaCO ₃	1300	1.32	0.371	mg/L	2	08/18/22 16:01	2340 B		AES
Iron*	0.161	0.100	0.071	mg/L	2	08/18/22 16:01	EPA200.7		AES
Magnesium*	160	0.200	0.062	mg/L	2	08/18/22 16:01	EPA200.7		AES
Potassium*	4.92	2.00	0.130	mg/L	2	08/18/22 16:01	EPA200.7		AES
Silica (SiO ₂)	15.9	2.14	0.137	mg/L	2	08/18/22 16:01	Calculation		AES
Silicon	7.43	1.00	0.064	mg/L	2	08/18/22 16:01	EPA200.7		AES
Sodium*	77.8	2.00	0.211	mg/L	2	08/18/22 16:01	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0005	mg/L	2	08/23/22 13:51	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00006	mg/L	2	08/23/22 13:51	EPA200.8		AES
Copper*	0.0038	0.0010	0.0002	mg/L	2	08/23/22 13:51	EPA200.8		AES
Lead*	<0.0010	0.0010	0.0002	mg/L	2	08/23/22 13:51	EPA200.8		AES
Manganese*	0.974	0.0010	0.0002	mg/L	2	08/23/22 13:51	EPA200.8		AES
Molybdenum*	0.0019	0.0010	0.0002	mg/L	2	08/23/22 13:51	EPA200.8		AES
Selenium*	0.0020	0.0020	0.0012	mg/L	2	08/23/22 13:51	EPA200.8		AES
Uranium	0.0034	0.0010	0.0002	mg/L	2	08/23/22 13:51	EPA200.8		AES
Zinc*	0.0157	0.0040	0.0005	mg/L	2	08/23/22 13:51	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/22 17:05

Wiltse Well

2208173-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	08/16/22 14:24	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/25/22 17:05

MW 99 W

2208173-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	540	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	540	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Cation/Anion Balance	1.02	-100	-100	%	1	08/24/22 10:42	Calculation		JDA
Chloride*	57.4	2.00	0.111	mg/L	2	08/18/22 22:31	EPA300.0		AES
Fluoride*	0.288	0.200	0.0194	mg/L	2	08/18/22 22:31	EPA300.0		AES
Nitrate/Nitrite as N*	1.15	0.020	0.012	mg/L as N	1	08/15/22 14:40	EPA353.2		HTB
pH*	7.32			pH Units	1	08/12/22 08:50	EPA150.1		QEB
pH Temperature, degrees C	20.9			pH Units	1	08/12/22 08:50	EPA150.1		QEB
Total Dissolved Solids*	1840	10.0		mg/L	1	08/15/22 11:47	EPA160.1		AES
Sulfate*	814	20.0	2.48	mg/L	20	08/19/22 10:06	EPA300.0		AES
Total Organic Carbon*	3.76	0.500	0.175	mg/L	1	08/17/22 14:43	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	08/18/22 16:10	EPA200.7		AES
Calcium*	257	0.200	0.047	mg/L	2	08/18/22 16:10	EPA200.7		AES
Hardness as CaCO ₃	1320	1.32	0.371	mg/L	2	08/18/22 16:10	2340 B		AES
Iron*	0.141	0.100	0.071	mg/L	2	08/18/22 16:10	EPA200.7		AES
Magnesium*	165	0.200	0.062	mg/L	2	08/18/22 16:10	EPA200.7		AES
Potassium*	5.04	2.00	0.130	mg/L	2	08/18/22 16:10	EPA200.7		AES
Silica (SiO ₂)	16.1	2.14	0.137	mg/L	2	08/18/22 16:10	Calculation		AES
Silicon	7.51	1.00	0.064	mg/L	2	08/18/22 16:10	EPA200.7		AES
Sodium*	78.1	2.00	0.211	mg/L	2	08/18/22 16:10	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0005	mg/L	2	08/23/22 13:56	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00006	mg/L	2	08/23/22 13:56	EPA200.8		AES
Copper*	0.0051	0.0010	0.0002	mg/L	2	08/23/22 13:56	EPA200.8		AES
Lead*	<0.0010	0.0010	0.0002	mg/L	2	08/23/22 16:23	EPA200.8		AES
Manganese*	1.00	0.0010	0.0002	mg/L	2	08/23/22 13:56	EPA200.8		AES
Molybdenum*	0.0018	0.0010	0.0002	mg/L	2	08/23/22 13:56	EPA200.8		AES
Selenium*	0.0020	0.0020	0.0012	mg/L	2	08/23/22 13:56	EPA200.8		AES
Uranium	0.0035	0.0010	0.0002	mg/L	2	08/23/22 13:56	EPA200.8		AES
Zinc*	0.0169	0.0040	0.0005	mg/L	2	08/23/22 13:56	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/22 17:05

MW 99 W

2208173-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	08/16/22 14:27	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/22 17:05

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B222211 - General Prep - Wet Chem										
Reference (B222211-SRM1)				Prepared & Analyzed: 08/12/22						
pH	7.02		pH Units	7.00		100	98.57-101.42			
Batch B222220 - General Prep - Wet Chem										
Blank (B222220-BLK1)				Prepared & Analyzed: 08/15/22						
Total Dissolved Solids	ND	10.0	mg/L							
Reference (B222220-SRM1)				Prepared & Analyzed: 08/15/22						
Total Dissolved Solids	355	10.0	mg/L	380		93.4	85-115			
Batch B222229 - Lachat										
Blank (B222229-BLK1)				Prepared & Analyzed: 08/15/22						
Nitrate/Nitrite as N	ND	0.020	mg/L as N							
LCS (B222229-BS1)				Prepared & Analyzed: 08/15/22						
Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110			
LCS Dup (B222229-BSD1)				Prepared & Analyzed: 08/15/22						
Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110	0.246	20	
Batch B222235 - IC- Ion Chromatograph										
Blank (B222235-BLK1)				Prepared: 08/15/22 Analyzed: 08/18/22						
Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							
LCS (B222235-BS1)				Prepared: 08/15/22 Analyzed: 08/18/22						
Chloride	24.6	1.00	mg/L	25.0		98.5	90-110			
Fluoride	2.42	0.100	mg/L	2.50		96.6	90-110			
Sulfate	24.2	1.00	mg/L	25.0		96.7	90-110			
LCS Dup (B222235-BSD1)				Prepared: 08/15/22 Analyzed: 08/18/22						
Chloride	24.4	1.00	mg/L	25.0		97.7	90-110	0.840	20	
Fluoride	2.40	0.100	mg/L	2.50		95.8	90-110	0.832	20	
Sulfate	24.0	1.00	mg/L	25.0		95.9	90-110	0.806	20	
Batch B222240 - General Prep - Wet Chem										
Blank (B222240-BLK1)				Prepared & Analyzed: 08/17/22						

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/25/22 17:05General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B222240 - General Prep - Wet Chem (Continued)

Blank (B222240-BLK1) (Continued)

Prepared & Analyzed: 08/17/22

Total Organic Carbon ND 0.500 mg/L

LCS (B222240-BS1)

Prepared & Analyzed: 08/17/22

Total Organic Carbon 9.85 0.500 mg/L 10.0 98.5 85-115

LCS Dup (B222240-BSD1)

Prepared & Analyzed: 08/17/22

Total Organic Carbon 10.0 0.500 mg/L 10.0 100 85-115 1.67 20

Batch B222263 - General Prep - Wet Chem

Blank (B222263-BLK1)

Prepared & Analyzed: 08/18/22

Alkalinity, Bicarbonate as CaCO₃ ND 10.0 mg/LAlkalinity, Carbonate as CaCO₃ ND 10.0 mg/LAlkalinity, Hydroxide as CaCO₃ ND 10.0 mg/LAlkalinity, Total as CaCO₃ ND 10.0 mg/L

LCS (B222263-BS1)

Prepared & Analyzed: 08/18/22

Alkalinity, Total as CaCO₃ 99.0 10.0 mg/L 100 99.0 85-115

LCS Dup (B222263-BSD1)

Prepared & Analyzed: 08/18/22

Alkalinity, Total as CaCO₃ 103 10.0 mg/L 100 103 85-115 3.96 20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/22 17:05

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222261 - Dissolved ICP

Blank (B222261-BLK1)

Prepared & Analyzed: 08/18/22

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B222261-BS1)

Prepared & Analyzed: 08/18/22

Aluminum	3.92	0.050	mg/L	4.00	98.0	85-115
Calcium	4.11	0.100	mg/L	4.00	103	85-115
Iron	4.32	0.050	mg/L	4.00	108	85-115
Magnesium	20.7	0.100	mg/L	20.0	103	85-115
Potassium	8.37	1.00	mg/L	8.00	105	85-115
Silicon	4.19	0.500	mg/L	4.00	105	85-115
Sodium	3.29	1.00	mg/L	3.24	101	85-115

LCS Dup (B222261-BS1)

Prepared & Analyzed: 08/18/22

Aluminum	3.97	0.050	mg/L	4.00	99.2	85-115	1.20	20
Calcium	4.11	0.100	mg/L	4.00	103	85-115	0.0153	20
Iron	4.31	0.050	mg/L	4.00	108	85-115	0.227	20
Magnesium	20.7	0.100	mg/L	20.0	104	85-115	0.283	20
Potassium	8.20	1.00	mg/L	8.00	102	85-115	2.06	20
Silicon	4.18	0.500	mg/L	4.00	105	85-115	0.199	20
Sodium	3.31	1.00	mg/L	3.24	102	85-115	0.548	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/22 17:05

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222272 - Dissolved ICPMS

Blank (B222272-BLK1)

Prepared: 08/19/22 Analyzed: 08/23/22

Arsenic	ND	0.0005	mg/L							
Cadmium	ND	0.0005	mg/L							
Copper	ND	0.0005	mg/L							
Lead	ND	0.0005	mg/L							
Manganese	ND	0.0005	mg/L							
Molybdenum	ND	0.0005	mg/L							
Selenium	ND	0.0010	mg/L							
Uranium	ND	0.0005	mg/L							
Zinc	ND	0.0020	mg/L							

LCS (B222272-BS1)

Prepared: 08/19/22 Analyzed: 08/23/22

Arsenic	0.0510	0.0005	mg/L	0.0500	102	85-115				
Cadmium	0.0518	0.0005	mg/L	0.0500	104	85-115				
Copper	0.0494	0.0005	mg/L	0.0500	98.9	85-115				
Lead	0.0506	0.0005	mg/L	0.0500	101	85-115				
Manganese	0.0497	0.0005	mg/L	0.0500	99.4	85-115				
Molybdenum	0.0518	0.0005	mg/L	0.0500	104	85-115				
Selenium	0.257	0.0010	mg/L	0.250	103	85-115				
Uranium	0.0547	0.0005	mg/L	0.0500	109	85-115				
Zinc	0.0499	0.0020	mg/L	0.0500	99.8	85-115				

LCS Dup (B222272-BSD1)

Prepared: 08/19/22 Analyzed: 08/23/22

Arsenic	0.0527	0.0005	mg/L	0.0500	105	85-115	3.18	20		
Cadmium	0.0513	0.0005	mg/L	0.0500	103	85-115	1.04	20		
Copper	0.0493	0.0005	mg/L	0.0500	98.5	85-115	0.357	20		
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	0.312	20		
Manganese	0.0526	0.0005	mg/L	0.0500	105	85-115	5.64	20		
Molybdenum	0.0523	0.0005	mg/L	0.0500	105	85-115	0.976	20		
Selenium	0.261	0.0010	mg/L	0.250	104	85-115	1.62	20		
Uranium	0.0530	0.0005	mg/L	0.0500	106	85-115	3.07	20		
Zinc	0.0506	0.0020	mg/L	0.0500	101	85-115	1.45	20		

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/22 17:05

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222233 - EPA 245.7

Blank (B222233-BLK1)

Prepared: 08/15/22 Analyzed: 08/16/22

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B222233-BS1)

Prepared: 08/15/22 Analyzed: 08/16/22

Mercury	1550	100	ng/L	2000	77.7	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B222233-BS1)

Prepared: 08/15/22 Analyzed: 08/16/22

Mercury	1580	100	ng/L	2000	79.1	76-113	1.81	20
---------	------	-----	------	------	------	--------	------	----

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com
75 Suttle St Durango, CO

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

FORM-006
COC - Revision 6.0

[illegible]



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

31 August 2022

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 08/17/22 15:00. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, reading 'Jeremy D. Allen', is written in a cursive style.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-14

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/31/22 17:11

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Well #1 Upgradient	2208243-01	Water	08/17/22 13:05	08/17/22 15:00	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/31/22 17:11

Well #1 Upgradient

2208243-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	570	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	570	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Cation/Anion Balance	-0.540	-100	-100	%	1	08/31/22 13:18	Calculation		JDA
Chloride*	4.75	1.00	0.0555	mg/L	1	08/24/22 17:55	EPA300.0		AES
Fluoride*	0.332	0.100	0.00971	mg/L	1	08/24/22 17:55	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	08/23/22 09:52	EPA353.2		HTB
pH*	7.46			pH Units	1	08/18/22 09:55	EPA150.1		LLG
pH Temperature, degrees C	16.2			pH Units	1	08/18/22 09:55	EPA150.1		LLG
Total Dissolved Solids*	735	10.0		mg/L	1	08/23/22 17:34	EPA160.1		AES
Sulfate*	103	1.00	0.124	mg/L	1	08/24/22 17:55	EPA300.0		AES
Total Organic Carbon*	3.45	0.500	0.175	mg/L	1	08/18/22 16:40	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.036	mg/L	1	08/24/22 22:12	EPA200.7		AES
Calcium*	52.1	0.100	0.024	mg/L	1	08/24/22 22:11	EPA200.7		AES
Hardness as CaCO ₃	281	0.662	0.186	mg/L	1	08/24/22 22:12	2340 B		AES
Iron*	1.32	0.050	0.036	mg/L	1	08/24/22 22:12	EPA200.7		AES
Magnesium*	36.6	0.100	0.031	mg/L	1	08/24/22 22:12	EPA200.7		AES
Potassium*	2.94	1.00	0.065	mg/L	1	08/24/22 22:11	EPA200.7		AES
Silica (SiO ₂)	13.4	1.07	0.0683	mg/L	1	08/24/22 22:12	Calculation		AES
Silicon	6.28	0.500	0.032	mg/L	1	08/24/22 22:12	EPA200.7		AES
Sodium*	179	1.00	0.106	mg/L	1	08/24/22 22:11	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0005	0.0005	0.0002	mg/L	1	08/23/22 14:07	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	08/23/22 14:07	EPA200.8		AES
Copper*	0.0069	0.0005	0.00008	mg/L	1	08/23/22 14:07	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00009	mg/L	1	08/23/22 16:37	EPA200.8		AES
Manganese*	0.349	0.0005	0.00009	mg/L	1	08/23/22 14:07	EPA200.8		AES
Molybdenum*	0.0005	0.0005	0.00008	mg/L	1	08/23/22 14:07	EPA200.8		AES
Selenium*	0.0131	0.0010	0.0006	mg/L	1	08/23/22 14:07	EPA200.8		AES
Uranium	<0.0005	0.0005	0.0001	mg/L	1	08/23/22 14:07	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0003	mg/L	1	08/23/22 14:07	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/31/22 17:11

Well #1 Upgradient

2208243-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	08/25/22 11:47	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/31/22 17:11

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222258 - General Prep - Wet Chem

Blank (B222258-BLK1)

Prepared & Analyzed: 08/18/22

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B222258-BS1)

Prepared & Analyzed: 08/18/22

Total Organic Carbon	9.73	0.500	mg/L	10.0	97.3	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B222258-BSD1)

Prepared & Analyzed: 08/18/22

Total Organic Carbon	9.72	0.500	mg/L	10.0	97.2	85-115	0.0925	20
----------------------	------	-------	------	------	------	--------	--------	----

Batch B222263 - General Prep - Wet Chem

Blank (B222263-BLK1)

Prepared & Analyzed: 08/18/22

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B222263-BS1)

Prepared & Analyzed: 08/18/22

Alkalinity, Total as CaCO ₃	99.0	10.0	mg/L	100	99.0	85-115
--	------	------	------	-----	------	--------

LCS Dup (B222263-BSD1)

Prepared & Analyzed: 08/18/22

Alkalinity, Total as CaCO ₃	103	10.0	mg/L	100	103	85-115	3.96	20
--	-----	------	------	-----	-----	--------	------	----

Batch B222264 - IC- Ion Chromatograph

Blank (B222264-BLK1)

Prepared: 08/19/22 Analyzed: 08/24/22

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B222264-BS1)

Prepared: 08/19/22 Analyzed: 08/24/22

Chloride	24.8	1.00	mg/L	25.0	99.0	90-110
Fluoride	2.45	0.100	mg/L	2.50	97.8	90-110
Sulfate	24.5	1.00	mg/L	25.0	97.9	90-110

LCS Dup (B222264-BSD1)

Prepared: 08/19/22 Analyzed: 08/24/22

Chloride	24.8	1.00	mg/L	25.0	99.2	90-110	0.206	20
Fluoride	2.45	0.100	mg/L	2.50	98.0	90-110	0.204	20
Sulfate	24.5	1.00	mg/L	25.0	97.9	90-110	0.0245	20

Batch B222274 - General Prep - Wet Chem

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/31/22 17:11

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B222274 - General Prep - Wet Chem (Continued)

Reference (B222274-SRM1)

Prepared & Analyzed: 08/18/22

pH	7.02		pH Units	7.00		100	98.57-101.42			
----	------	--	----------	------	--	-----	--------------	--	--	--

Batch B222294 - Lachat

Blank (B222294-BLK1)

Prepared: 08/22/22 Analyzed: 08/23/22

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

LCS (B222294-BS1)

Prepared: 08/22/22 Analyzed: 08/23/22

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00		103	90-110			
----------------------	------	-------	-----------	------	--	-----	--------	--	--	--

LCS Dup (B222294-BSD1)

Prepared: 08/22/22 Analyzed: 08/23/22

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00		103	90-110	0.0486	20	
----------------------	------	-------	-----------	------	--	-----	--------	--------	----	--

Batch B222306 - General Prep - Wet Chem

Blank (B222306-BLK1)

Prepared & Analyzed: 08/23/22

Total Dissolved Solids	ND	10.0	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Reference (B222306-SRM1)

Prepared & Analyzed: 08/23/22

Total Dissolved Solids	365	10.0	mg/L	380		96.0	85-115			
------------------------	-----	------	------	-----	--	------	--------	--	--	--

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/31/22 17:11

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222324 - Dissolved ICP

Blank (B222324-BLK1)

Prepared & Analyzed: 08/24/22

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B222324-BS1)

Prepared & Analyzed: 08/24/22

Aluminum	4.02	0.050	mg/L	4.00	100	85-115
Calcium	3.78	0.100	mg/L	4.00	94.5	85-115
Iron	3.70	0.050	mg/L	4.00	92.6	85-115
Magnesium	19.9	0.100	mg/L	20.0	99.3	85-115
Potassium	7.93	1.00	mg/L	8.00	99.1	85-115
Silicon	4.04	0.500	mg/L	4.00	101	85-115
Sodium	3.19	1.00	mg/L	3.24	98.6	85-115

LCS Dup (B222324-BS1)

Prepared & Analyzed: 08/24/22

Aluminum	4.00	0.050	mg/L	4.00	99.9	85-115	0.587	20
Calcium	3.77	0.100	mg/L	4.00	94.2	85-115	0.312	20
Iron	3.70	0.050	mg/L	4.00	92.6	85-115	0.0718	20
Magnesium	19.8	0.100	mg/L	20.0	99.0	85-115	0.267	20
Potassium	7.75	1.00	mg/L	8.00	96.9	85-115	2.27	20
Silicon	3.99	0.500	mg/L	4.00	99.9	85-115	1.04	20
Sodium	3.11	1.00	mg/L	3.24	95.9	85-115	2.78	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/31/22 17:11

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222272 - Dissolved ICPMS

Blank (B222272-BLK1)

Prepared: 08/19/22 Analyzed: 08/23/22

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B222272-BS1)

Prepared: 08/19/22 Analyzed: 08/23/22

Arsenic	0.0510	0.0005	mg/L	0.0500	102	85-115
Cadmium	0.0518	0.0005	mg/L	0.0500	104	85-115
Copper	0.0494	0.0005	mg/L	0.0500	98.9	85-115
Lead	0.0506	0.0005	mg/L	0.0500	101	85-115
Manganese	0.0497	0.0005	mg/L	0.0500	99.4	85-115
Molybdenum	0.0518	0.0005	mg/L	0.0500	104	85-115
Selenium	0.257	0.0010	mg/L	0.250	103	85-115
Uranium	0.0547	0.0005	mg/L	0.0500	109	85-115
Zinc	0.0499	0.0020	mg/L	0.0500	99.8	85-115

LCS Dup (B222272-BSD1)

Prepared: 08/19/22 Analyzed: 08/23/22

Arsenic	0.0527	0.0005	mg/L	0.0500	105	85-115	3.18	20
Cadmium	0.0513	0.0005	mg/L	0.0500	103	85-115	1.04	20
Copper	0.0493	0.0005	mg/L	0.0500	98.5	85-115	0.357	20
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	0.312	20
Manganese	0.0526	0.0005	mg/L	0.0500	105	85-115	5.64	20
Molybdenum	0.0523	0.0005	mg/L	0.0500	105	85-115	0.976	20
Selenium	0.261	0.0010	mg/L	0.250	104	85-115	1.62	20
Uranium	0.0530	0.0005	mg/L	0.0500	106	85-115	3.07	20
Zinc	0.0506	0.0020	mg/L	0.0500	101	85-115	1.45	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/31/22 17:11

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B222312 - EPA 245.7

Blank (B222312-BLK1)

Prepared: 08/23/22 Analyzed: 08/25/22

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B222312-BS1)

Prepared: 08/23/22 Analyzed: 08/25/22

Mercury	1810	100	ng/L	2000		90.6	76-113			
---------	------	-----	------	------	--	------	--------	--	--	--

LCS Dup (B222312-BS1)

Prepared: 08/23/22 Analyzed: 08/25/22

Mercury	1880	100	ng/L	2000		94.0	76-113	3.70	20	
---------	------	-----	------	------	--	------	--------	------	----	--

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



ANALYTICAL
Laboratories

(970) 247-4220
Fax: (970) 247-4227

dzufell@greenanalytical.com
75 Suttle St Durango, CO 81303

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

FORM-006
COC - Revision 6.0

Company or Client: GCL ENERGY LLC

Address: 6473 COUNTY ROAD 120

City: HESPERUS State: CO Zip: 81326

Phone #: 970 385 4528

Contact Person: TOLL FREE TRIBAL ANALYTICAL SERVICES, LLC

Email Report to: LANDON BECK

Project Name (optional): LANDON

LABORATORY RESOURCES HYDROGEOLOGICAL, LLC

Sample Name (Print): MICHAEL MUELLER

Bill to (if different):

P.O. #:

Company:

Attn:

Address:

City:

State:

Phone #:

Email:

Matrix (check one)

GROUNDWATER
SURFACEWATER
WASTEWATER
PRODUCEDWATER
SOIL
DRINKING WATER
OTHER :

of containers

No preservation (general)
HNO₃
HCl
H₂SO₄
Other:
Other:

ANALYSIS REQUEST

GCL E G.W. BASELINE

PLEASE NOTE: GAL's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by GAL within 30 days after completion of the event shall GAL be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by GAL, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished by: [Signature]

Date: 8/11/22
Time: 6:50

Received by: [Signature]

ADDITIONAL REMARKS:

Report to State? (Circle)

Yes

No

Relinquished by: [Signature]

Date:

Received by: [Signature]

Relinquished by: [Signature]

Date:

Received by: [Signature]

Relinquished by: [Signature]

Date:

Received by: [Signature]

Temperature at receipt:

CHECKED BY

On Ice

No Ice

* Chain of Custody must be signed in "Relinquished By:" as an acceptance of services and all applicable charges.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

24 August 2022

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 08/09/22 15:05. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, reading 'Jeremy D. Allen', is written in a cursive style.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-14

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/24/22 13:24

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Well #2 Downgradient	2208145-01	Water	08/09/22 11:34	08/09/22 15:05	
MW-HGA-4	2208145-02	Water	08/09/22 12:39	08/09/22 15:05	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/24/22 13:24

Well #2 Downgradient

2208145-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	288	10.0	2.27	mg/L	1	08/18/22 16:30	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	1	08/18/22 16:30	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	1	08/18/22 16:30	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	288	10.0	2.27	mg/L	1	08/18/22 16:30	2320 B		HTB
Cation/Anion Balance	5.73	-100	-100	%	1	08/24/22 10:42	Calculation		JDA
Chloride*	41.9	1.00	0.0555	mg/L	1	08/11/22 19:05	EPA300.0		AES
Fluoride*	0.229	0.100	0.00971	mg/L	1	08/11/22 19:05	EPA300.0		AES
Nitrate/Nitrite as N*	0.029	0.020	0.012	mg/L as N	1	08/15/22 14:19	EPA353.2		HTB
pH*	7.71			pH Units	1	08/10/22 15:30	EPA150.1		QEB
pH Temperature, degrees C	21.1			pH Units	1	08/10/22 15:30	EPA150.1		QEB
Total Dissolved Solids*	680	10.0		mg/L	1	08/15/22 11:35	EPA160.1		AES
Sulfate*	190	1.00	0.124	mg/L	1	08/11/22 19:05	EPA300.0		AES
Total Organic Carbon*	1.68	0.500	0.175	mg/L	1	08/17/22 12:44	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.036	mg/L	1	08/16/22 17:08	EPA200.7		AES
Calcium*	84.6	0.100	0.024	mg/L	1	08/16/22 17:08	EPA200.7		AES
Hardness as CaCO ₃	551	0.662	0.186	mg/L	1	08/16/22 17:08	2340 B		AES
Iron*	0.054	0.050	0.036	mg/L	1	08/16/22 17:08	EPA200.7		AES
Magnesium*	82.5	0.100	0.031	mg/L	1	08/16/22 17:08	EPA200.7		AES
Potassium*	2.28	1.00	0.065	mg/L	1	08/16/22 17:08	EPA200.7		AES
Silica (SiO ₂)	12.3	1.07	0.0683	mg/L	1	08/16/22 17:08	Calculation		AES
Silicon	5.76	0.500	0.032	mg/L	1	08/16/22 17:08	EPA200.7		AES
Sodium*	26.1	1.00	0.106	mg/L	1	08/16/22 17:08	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0009	0.0005	0.0002	mg/L	1	08/12/22 13:22	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	08/12/22 13:22	EPA200.8		AES
Copper*	0.0006	0.0005	0.00008	mg/L	1	08/12/22 13:22	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00009	mg/L	1	08/12/22 13:22	EPA200.8		AES
Manganese*	0.397	0.0005	0.00009	mg/L	1	08/12/22 13:22	EPA200.8		AES
Molybdenum*	0.0032	0.0005	0.00008	mg/L	1	08/12/22 13:22	EPA200.8		AES
Selenium*	0.0013	0.0010	0.0006	mg/L	1	08/12/22 13:22	EPA200.8		AES
Uranium	0.0015	0.0005	0.0001	mg/L	1	08/12/22 13:22	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0003	mg/L	1	08/12/22 13:22	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/24/22 13:24

Well #2 Downgradient

2208145-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	08/16/22 12:45	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/24/22 13:24

MW-HGA-4

2208145-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	500	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	500	10.0	2.27	mg/L	10	08/18/22 16:30	2320 B		HTB
Cation/Anion Balance	-0.160	-100	-100	%	1	08/24/22 10:42	Calculation		JDA
Chloride*	14.6	1.00	0.0555	mg/L	1	08/11/22 19:26	EPA300.0		AES
Fluoride*	0.450	0.100	0.00971	mg/L	1	08/11/22 19:26	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	08/15/22 14:13	EPA353.2		HTB
pH*	7.20			pH Units	1	08/10/22 15:30	EPA150.1		QEB
pH Temperature, degrees C	19.9			pH Units	1	08/10/22 15:30	EPA150.1		QEB
Total Dissolved Solids*	745	10.0		mg/L	1	08/15/22 11:37	EPA160.1		AES
Sulfate*	215	5.00	0.620	mg/L	5	08/12/22 09:01	EPA300.0		AES
Total Organic Carbon*	4.64	0.500	0.175	mg/L	1	08/17/22 13:35	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.036	mg/L	1	08/16/22 17:12	EPA200.7		AES
Calcium*	130	0.100	0.024	mg/L	1	08/16/22 17:12	EPA200.7		AES
Hardness as CaCO ₃	653	0.662	0.186	mg/L	1	08/16/22 17:12	2340 B		AES
Iron*	9.73	0.050	0.036	mg/L	1	08/16/22 17:12	EPA200.7		AES
Magnesium*	79.9	0.100	0.031	mg/L	1	08/16/22 17:12	EPA200.7		AES
Potassium*	2.13	1.00	0.065	mg/L	1	08/16/22 17:12	EPA200.7		AES
Silica (SiO ₂)	17.8	1.07	0.0683	mg/L	1	08/16/22 17:12	Calculation		AES
Silicon	8.34	0.500	0.032	mg/L	1	08/16/22 17:12	EPA200.7		AES
Sodium*	27.1	1.00	0.106	mg/L	1	08/16/22 17:12	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0034	0.0005	0.0002	mg/L	1	08/12/22 13:24	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	08/12/22 13:24	EPA200.8		AES
Copper*	0.0005	0.0005	0.00008	mg/L	1	08/12/22 13:24	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00009	mg/L	1	08/12/22 13:24	EPA200.8		AES
Manganese*	3.00	0.0050	0.0009	mg/L	10	08/12/22 13:58	EPA200.8		AES
Molybdenum*	0.0030	0.0005	0.00008	mg/L	1	08/12/22 13:24	EPA200.8		AES
Selenium*	0.0010	0.0010	0.0006	mg/L	1	08/12/22 13:24	EPA200.8		AES
Uranium	<0.0005	0.0005	0.0001	mg/L	1	08/12/22 13:24	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0003	mg/L	1	08/12/22 13:24	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/24/22 13:24

MW-HGA-4

2208145-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	08/16/22 13:56	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/24/22 13:24

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222195 - IC- Ion Chromatograph

Blank (B222195-BLK1)

Prepared & Analyzed: 08/11/22

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B222195-BS1)

Prepared & Analyzed: 08/11/22

Chloride	24.7	1.00	mg/L	25.0	98.9	90-110
Fluoride	2.45	0.100	mg/L	2.50	98.2	90-110
Sulfate	24.4	1.00	mg/L	25.0	97.7	90-110

LCS Dup (B222195-BSD1)

Prepared & Analyzed: 08/11/22

Chloride	24.5	1.00	mg/L	25.0	98.1	90-110	0.828	20
Fluoride	2.43	0.100	mg/L	2.50	97.3	90-110	0.859	20
Sulfate	24.2	1.00	mg/L	25.0	96.8	90-110	0.991	20

Batch B222202 - General Prep - Wet Chem

Reference (B222202-SRM1)

Prepared & Analyzed: 08/10/22

pH	7.01	pH Units	7.00	100	98.57-101.42
----	------	----------	------	-----	--------------

Batch B222220 - General Prep - Wet Chem

Blank (B222220-BLK1)

Prepared & Analyzed: 08/15/22

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B222220-SRM1)

Prepared & Analyzed: 08/15/22

Total Dissolved Solids	355	10.0	mg/L	380	93.4	85-115
------------------------	-----	------	------	-----	------	--------

Batch B222229 - Lachat

Blank (B222229-BLK1)

Prepared & Analyzed: 08/15/22

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B222229-BS1)

Prepared & Analyzed: 08/15/22

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00	102	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B222229-BSD1)

Prepared & Analyzed: 08/15/22

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00	102	90-110	0.246	20
----------------------	------	-------	-----------	------	-----	--------	-------	----

Batch B222240 - General Prep - Wet Chem

Blank (B222240-BLK1)

Prepared & Analyzed: 08/17/22

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/24/22 13:24

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B222240 - General Prep - Wet Chem (Continued)

Blank (B222240-BLK1) (Continued)

Prepared & Analyzed: 08/17/22

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B222240-BS1)

Prepared & Analyzed: 08/17/22

Total Organic Carbon	9.85	0.500	mg/L	10.0		98.5	85-115			
----------------------	------	-------	------	------	--	------	--------	--	--	--

LCS Dup (B222240-BSD1)

Prepared & Analyzed: 08/17/22

Total Organic Carbon	10.0	0.500	mg/L	10.0		100	85-115	1.67	20	
----------------------	------	-------	------	------	--	-----	--------	------	----	--

Batch B222263 - General Prep - Wet Chem

Blank (B222263-BLK1)

Prepared & Analyzed: 08/18/22

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B222263-BS1)

Prepared & Analyzed: 08/18/22

Alkalinity, Total as CaCO ₃	99.0	10.0	mg/L	100		99.0	85-115			
--	------	------	------	-----	--	------	--------	--	--	--

LCS Dup (B222263-BSD1)

Prepared & Analyzed: 08/18/22

Alkalinity, Total as CaCO ₃	103	10.0	mg/L	100		103	85-115	3.96	20	
--	-----	------	------	-----	--	-----	--------	------	----	--

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/24/22 13:24

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222236 - Dissolved ICP

Blank (B222236-BLK1)

Prepared: 08/15/22 Analyzed: 08/16/22

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B222236-BS1)

Prepared: 08/15/22 Analyzed: 08/16/22

Aluminum	4.18	0.050	mg/L	4.00	104	85-115
Calcium	4.11	0.100	mg/L	4.00	103	85-115
Iron	4.13	0.050	mg/L	4.00	103	85-115
Magnesium	21.1	0.100	mg/L	20.0	105	85-115
Potassium	8.27	1.00	mg/L	8.00	103	85-115
Silicon	4.26	0.500	mg/L	4.00	107	85-115
Sodium	3.28	1.00	mg/L	3.24	101	85-115

LCS Dup (B222236-BSD1)

Prepared: 08/15/22 Analyzed: 08/16/22

Aluminum	4.16	0.050	mg/L	4.00	104	85-115	0.381	20
Calcium	4.08	0.100	mg/L	4.00	102	85-115	0.592	20
Iron	4.10	0.050	mg/L	4.00	102	85-115	0.693	20
Magnesium	20.9	0.100	mg/L	20.0	105	85-115	0.613	20
Potassium	8.34	1.00	mg/L	8.00	104	85-115	0.894	20
Silicon	4.23	0.500	mg/L	4.00	106	85-115	0.832	20
Sodium	3.28	1.00	mg/L	3.24	101	85-115	0.0858	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/24/22 13:24

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222206 - Dissolved ICPMS

Blank (B222206-BLK1)

Prepared & Analyzed: 08/12/22

Arsenic	ND	0.0005	mg/L							
Cadmium	ND	0.0005	mg/L							
Copper	ND	0.0005	mg/L							
Lead	ND	0.0005	mg/L							
Manganese	ND	0.0005	mg/L							
Molybdenum	ND	0.0005	mg/L							
Selenium	ND	0.0010	mg/L							
Uranium	ND	0.0005	mg/L							
Zinc	ND	0.0020	mg/L							

LCS (B222206-BS1)

Prepared & Analyzed: 08/12/22

Arsenic	0.0511	0.0005	mg/L	0.0500		102	85-115			
Cadmium	0.0509	0.0005	mg/L	0.0500		102	85-115			
Copper	0.0507	0.0005	mg/L	0.0500		101	85-115			
Lead	0.0491	0.0005	mg/L	0.0500		98.3	85-115			
Manganese	0.0514	0.0005	mg/L	0.0500		103	85-115			
Molybdenum	0.0511	0.0005	mg/L	0.0500		102	85-115			
Selenium	0.252	0.0010	mg/L	0.250		101	85-115			
Uranium	0.0513	0.0005	mg/L	0.0500		103	85-115			
Zinc	0.0508	0.0020	mg/L	0.0500		102	85-115			

LCS Dup (B222206-BSD1)

Prepared & Analyzed: 08/12/22

Arsenic	0.0500	0.0005	mg/L	0.0500		100	85-115	2.18	20	
Cadmium	0.0504	0.0005	mg/L	0.0500		101	85-115	1.02	20	
Copper	0.0501	0.0005	mg/L	0.0500		100	85-115	1.19	20	
Lead	0.0489	0.0005	mg/L	0.0500		97.9	85-115	0.419	20	
Manganese	0.0510	0.0005	mg/L	0.0500		102	85-115	0.719	20	
Molybdenum	0.0510	0.0005	mg/L	0.0500		102	85-115	0.112	20	
Selenium	0.250	0.0010	mg/L	0.250		99.9	85-115	0.981	20	
Uranium	0.0516	0.0005	mg/L	0.0500		103	85-115	0.677	20	
Zinc	0.0499	0.0020	mg/L	0.0500		99.8	85-115	1.88	20	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/24/22 13:24

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222233 - EPA 245.7

Blank (B222233-BLK1)

Prepared: 08/15/22 Analyzed: 08/16/22

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B222233-BS1)

Prepared: 08/15/22 Analyzed: 08/16/22

Mercury	1550	100	ng/L	2000		77.7	76-113			
---------	------	-----	------	------	--	------	--------	--	--	--

LCS Dup (B222233-BS1)

Prepared: 08/15/22 Analyzed: 08/16/22

Mercury	1580	100	ng/L	2000		79.1	76-113	1.81	20	
---------	------	-----	------	------	--	------	--------	------	----	--


Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle St Durango, CO

FORM-006
COC - Revision 6.0

[illegible]



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

28 September 2022

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC SW Baseline 2022

Enclosed are the results of analyses for samples received by the laboratory on 09/13/22 15:00. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Jeremy D. Allen', is written in a cursive style.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-15

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline 2022
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:50

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Haygulch Ditch Downgradient	2209172-01	Water	09/13/22 10:20	09/13/22 15:00	
Haygulch Ditch Upgradient	2209172-02	Water	09/13/22 11:06	09/13/22 15:00	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline 2022
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/28/22 13:50

Haygulch Ditch Downgradient

2209172-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	73.0	10.0	2.27	mg/L	1	09/19/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	1	09/19/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	1	09/19/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	73.0	10.0	2.27	mg/L	1	09/19/22 16:00	2320 B		HTB
Cation/Anion Balance	-0.950	-100	-100	%	1	09/28/22 13:12	Calculation		JDA
Chloride*	1.69	1.00	0.0555	mg/L	1	09/22/22 18:55	EPA300.0		AES
Fluoride*	0.221	0.100	0.00971	mg/L	1	09/22/22 18:55	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/20/22 10:49	EPA353.2		HTB
Oil & Grease (HEM)	<5.00	5.00	1.16	mg/L	1	09/27/22 16:40	EPA1664 A		JDA
pH*	7.68			pH Units	1	09/15/22 11:10	EPA150.1	H5	VJW
pH Temperature, degrees C	19.3			pH Units	1	09/15/22 11:10	EPA150.1	H5	VJW
SAR	0.90			No Unit	1	09/27/22 18:22	Calculation		AES
Total Dissolved Solids*	89.9	10.0		mg/L	1	09/20/22 17:42	EPA160.1		JDA
Total Suspended Solids*	3.67	2.50		mg/L	1	09/19/22 12:35	2540 D		JDA
Sulfate*	26.4	1.00	0.124	mg/L	1	09/22/22 18:55	EPA300.0		AES
Total Organic Carbon*	1.13	0.500	0.175	mg/L	1	09/22/22 15:23	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.036	mg/L	1	09/27/22 18:22	EPA200.7		AES
Calcium*	30.2	0.100	0.024	mg/L	1	09/27/22 18:22	EPA200.7		AES
Hardness as CaCO ₃	95.9	0.662	0.186	mg/L	1	09/27/22 18:22	2340 B		AES
Iron*	<0.050	0.050	0.036	mg/L	1	09/27/22 18:22	EPA200.7		AES
Magnesium*	5.01	0.100	0.031	mg/L	1	09/27/22 18:22	EPA200.7		AES
Potassium*	<1.00	1.00	0.065	mg/L	1	09/27/22 18:22	EPA200.7		AES
Silica (SiO ₂)	7.96	1.07	0.0683	mg/L	1	09/27/22 18:22	Calculation		AES
Silicon	3.72	0.500	0.032	mg/L	1	09/27/22 18:22	EPA200.7		AES
Sodium*	2.04	1.00	0.106	mg/L	1	09/27/22 18:22	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0007	0.0005	0.0002	mg/L	1	09/23/22 10:28	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	09/23/22 10:28	EPA200.8		AES
Copper*	0.0010	0.0005	0.00008	mg/L	1	09/23/22 10:28	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00009	mg/L	1	09/23/22 10:28	EPA200.8		AES
Manganese*	0.0175	0.0005	0.00009	mg/L	1	09/23/22 10:28	EPA200.8		AES
Molybdenum*	0.0011	0.0005	0.00008	mg/L	1	09/23/22 10:28	EPA200.8		AES
Selenium*	<0.0010	0.0010	0.0006	mg/L	1	09/23/22 10:28	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline 2022
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:50

Haygulch Ditch Downgradient

2209172-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Uranium	<0.0005	0.0005	0.0001	mg/L	1	09/23/22 10:28	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0003	mg/L	1	09/23/22 10:28	EPA200.8		AES

Total Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	09/22/22 11:42	EPA245.7		HTB
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline 2022
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/28/22 13:50

Haygulch Ditch Upgradient

2209172-02 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	209	10.0	2.27	mg/L	1	09/19/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	1	09/19/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	1	09/19/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	209	10.0	2.27	mg/L	1	09/19/22 16:00	2320 B		HTB
Cation/Anion Balance	-4.08	-100	-100	%	1	09/28/22 13:12	Calculation		JDA
Chloride*	21.9	1.00	0.0555	mg/L	1	09/22/22 19:57	EPA300.0		AES
Fluoride*	0.238	0.100	0.00971	mg/L	1	09/22/22 19:57	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/20/22 10:50	EPA353.2		HTB
Oil & Grease (HEM)	<5.00	5.00	1.16	mg/L	1	09/27/22 16:40	EPA1664 A		JDA
pH*	7.81			pH Units	1	09/15/22 11:10	EPA150.1	H5	VJW
pH Temperature, degrees C	19.2			pH Units	1	09/15/22 11:10	EPA150.1	H5	VJW
SAR	0.33			No Unit	1	09/27/22 18:29	Calculation		AES
Total Dissolved Solids*	355	10.0		mg/L	1	09/20/22 17:44	EPA160.1		JDA
Total Suspended Solids*	45.4	2.50		mg/L	1	09/19/22 12:35	2540 D		JDA
Sulfate*	85.1	1.00	0.124	mg/L	1	09/22/22 19:57	EPA300.0		AES
Total Organic Carbon*	1.74	0.500	0.175	mg/L	1	09/22/22 15:56	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.036	mg/L	1	09/27/22 18:29	EPA200.7		AES
Calcium*	55.0	0.100	0.024	mg/L	1	09/27/22 18:29	EPA200.7		AES
Hardness as CaCO ₃	273	0.662	0.186	mg/L	1	09/27/22 18:29	2340 B		AES
Iron*	<0.050	0.050	0.036	mg/L	1	09/27/22 18:29	EPA200.7		AES
Magnesium*	33.1	0.100	0.031	mg/L	1	09/27/22 18:29	EPA200.7		AES
Potassium*	2.18	1.00	0.065	mg/L	1	09/27/22 18:29	EPA200.7		AES
Silica (SiO ₂)	10.6	1.07	0.0683	mg/L	1	09/27/22 18:29	Calculation		AES
Silicon	4.96	0.500	0.032	mg/L	1	09/27/22 18:29	EPA200.7		AES
Sodium*	12.4	1.00	0.106	mg/L	1	09/27/22 18:29	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0007	0.0005	0.0002	mg/L	1	09/23/22 10:52	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	09/23/22 10:52	EPA200.8		AES
Copper*	0.0007	0.0005	0.00008	mg/L	1	09/23/22 10:52	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00009	mg/L	1	09/23/22 10:52	EPA200.8		AES
Manganese*	0.0241	0.0005	0.00009	mg/L	1	09/23/22 10:52	EPA200.8		AES
Molybdenum*	0.0012	0.0005	0.00008	mg/L	1	09/23/22 10:52	EPA200.8		AES
Selenium*	<0.0010	0.0010	0.0006	mg/L	1	09/23/22 10:52	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline 2022
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:50

Haygulch Ditch Upgradient

2209172-02 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Uranium	0.0006	0.0005	0.0001	mg/L	1	09/23/22 10:52	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0003	mg/L	1	09/23/22 10:52	EPA200.8		AES

Total Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	09/22/22 11:45	EPA245.7		HTB
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline 2022
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:50

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222556 - General Prep - Wet Chem

Blank (B222556-BLK1)

Prepared & Analyzed: 09/19/22

Total Suspended Solids	ND	2.50	mg/L
------------------------	----	------	------

Reference (B222556-SRM1)

Prepared & Analyzed: 09/19/22

Total Suspended Solids	101	2.50	mg/L	100	101	85-115
------------------------	-----	------	------	-----	-----	--------

Batch B222566 - General Prep - Wet Chem

Blank (B222566-BLK1)

Prepared & Analyzed: 09/19/22

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B222566-BS1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	103	10.0	mg/L	100	103	85-115
--	-----	------	------	-----	-----	--------

LCS Dup (B222566-BSD1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	102	10.0	mg/L	100	102	85-115	0.976	20
--	-----	------	------	-----	-----	--------	-------	----

Batch B222573 - General Prep - Wet Chem

Reference (B222573-SRM1)

Prepared & Analyzed: 09/15/22

pH	7.00	pH Units	7.00	100	98.57-101.42
----	------	----------	------	-----	--------------

Batch B222576 - Lachat

Blank (B222576-BLK1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B222576-BS1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	1.07	0.020	mg/L as N	1.00	107	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B222576-BSD1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	1.06	0.020	mg/L as N	1.00	106	90-110	1.20	20
----------------------	------	-------	-----------	------	-----	--------	------	----

Batch B222579 - General Prep - Wet Chem

Blank (B222579-BLK1)

Prepared & Analyzed: 09/20/22

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B222579-SRM1)

Prepared & Analyzed: 09/20/22

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline 2022
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/28/22 13:50**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B222579 - General Prep - Wet Chem (Continued)**Reference (B222579-SRM1) (Continued)**

Prepared & Analyzed: 09/20/22

Total Dissolved Solids	425	10.0	mg/L	450	94.4	85-115
------------------------	-----	------	------	-----	------	--------

Batch B222592 - Dissolved ICP**Blank (B222592-BLK1)**

Prepared: 09/21/22 Analyzed: 09/27/22

SAR	0.00	No Unit
-----	------	---------

Batch B222606 - IC- Ion Chromatograph**Blank (B222606-BLK1)**

Prepared: 09/21/22 Analyzed: 09/22/22

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B222606-BS1)

Prepared: 09/21/22 Analyzed: 09/22/22

Chloride	24.9	1.00	mg/L	25.0	99.4	90-110
Fluoride	2.48	0.100	mg/L	2.50	99.2	90-110
Sulfate	24.6	1.00	mg/L	25.0	98.3	90-110

LCS Dup (B222606-BSD1)

Prepared: 09/21/22 Analyzed: 09/22/22

Chloride	25.0	1.00	mg/L	25.0	100	90-110	0.646	20
Fluoride	2.50	0.100	mg/L	2.50	99.9	90-110	0.723	20
Sulfate	24.7	1.00	mg/L	25.0	98.9	90-110	0.690	20

Batch B222612 - General Prep - Wet Chem**Blank (B222612-BLK1)**

Prepared & Analyzed: 09/22/22

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B222612-BS1)

Prepared & Analyzed: 09/22/22

Total Organic Carbon	10.1	0.500	mg/L	10.0	101	85-115
----------------------	------	-------	------	------	-----	--------

LCS Dup (B222612-BSD1)

Prepared & Analyzed: 09/22/22

Total Organic Carbon	10.1	0.500	mg/L	10.0	101	85-115	0.00	20
----------------------	------	-------	------	------	-----	--------	------	----

Batch B222626 - General Prep - Wet Chem**Blank (B222626-BLK1)**

Prepared & Analyzed: 09/22/22

Oil & Grease (HEM)	ND	5.00	mg/L
--------------------	----	------	------

LCS (B222626-BS1)

Prepared & Analyzed: 09/22/22

Oil & Grease (HEM)	43.6	5.00	mg/L	46.6	93.6	85-115
--------------------	------	------	------	------	------	--------

LCS Dup (B222626-BSD1)

Prepared & Analyzed: 09/22/22

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline 2022
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:50

General Chemistry - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B222626 - General Prep - Wet Chem (Continued)

LCS Dup (B222626-BSD1) (Continued)

Prepared & Analyzed: 09/22/22

Oil & Grease (HEM)	44.3	5.00	mg/L	46.6		95.1	85-115	1.59	20	
--------------------	------	------	------	------	--	------	--------	------	----	--

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B222592 - Dissolved ICP

Blank (B222592-BLK1)

Prepared: 09/21/22 Analyzed: 09/27/22

Aluminum	ND	0.050	mg/L							
Calcium	ND	0.100	mg/L							
Iron	ND	0.050	mg/L							
Magnesium	ND	0.100	mg/L							
Potassium	ND	1.00	mg/L							
Silicon	ND	0.500	mg/L							
Sodium	ND	1.00	mg/L							

LCS (B222592-BS1)

Prepared: 09/21/22 Analyzed: 09/27/22

Aluminum	3.99	0.050	mg/L	4.00		99.7	85-115			
Calcium	3.86	0.100	mg/L	4.00		96.5	85-115			
Iron	3.89	0.050	mg/L	4.00		97.3	85-115			
Magnesium	19.9	0.100	mg/L	20.0		99.3	85-115			
Potassium	7.91	1.00	mg/L	8.00		98.8	85-115			
Silicon	4.10	0.500	mg/L	4.00		102	85-115			
Sodium	3.06	1.00	mg/L	3.24		94.5	85-115			

LCS Dup (B222592-BSD1)

Prepared: 09/21/22 Analyzed: 09/27/22

Aluminum	4.07	0.050	mg/L	4.00		102	85-115	2.09	20	
Calcium	3.95	0.100	mg/L	4.00		98.7	85-115	2.29	20	
Iron	4.02	0.050	mg/L	4.00		100	85-115	3.21	20	
Magnesium	20.2	0.100	mg/L	20.0		101	85-115	1.96	20	
Potassium	8.14	1.00	mg/L	8.00		102	85-115	2.96	20	
Silicon	4.17	0.500	mg/L	4.00		104	85-115	1.75	20	
Sodium	3.12	1.00	mg/L	3.24		96.4	85-115	2.03	20	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline 2022
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/28/22 13:50

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222617 - Dissolved ICPMS

Blank (B222617-BLK1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B222617-BS1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	0.0505	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0508	0.0005	mg/L	0.0500	102	85-115
Copper	0.0491	0.0005	mg/L	0.0500	98.2	85-115
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115
Manganese	0.0519	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0508	0.0005	mg/L	0.0500	102	85-115
Selenium	0.249	0.0010	mg/L	0.250	99.7	85-115
Uranium	0.0528	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0510	0.0020	mg/L	0.0500	102	85-115

LCS Dup (B222617-BSD1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	0.0515	0.0005	mg/L	0.0500	103	85-115	1.92	20
Cadmium	0.0507	0.0005	mg/L	0.0500	101	85-115	0.332	20
Copper	0.0488	0.0005	mg/L	0.0500	97.6	85-115	0.640	20
Lead	0.0509	0.0005	mg/L	0.0500	102	85-115	0.671	20
Manganese	0.0516	0.0005	mg/L	0.0500	103	85-115	0.434	20
Molybdenum	0.0514	0.0005	mg/L	0.0500	103	85-115	1.02	20
Selenium	0.257	0.0010	mg/L	0.250	103	85-115	3.08	20
Uranium	0.0534	0.0005	mg/L	0.0500	107	85-115	1.12	20
Zinc	0.0508	0.0020	mg/L	0.0500	102	85-115	0.382	20

Batch B222618 - Dissolved ICPMS

Blank (B222618-BLK1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline 2022
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/28/22 13:50**Dissolved Metals by ICPMS - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch B222618 - Dissolved ICPMS (Continued)**Blank (B222618-BLK1) (Continued)**

Prepared: 09/22/22 Analyzed: 09/23/22

Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B222618-BS1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	0.0516	0.0005	mg/L	0.0500	103	85-115
Cadmium	0.0507	0.0005	mg/L	0.0500	101	85-115
Copper	0.0491	0.0005	mg/L	0.0500	98.3	85-115
Lead	0.0513	0.0005	mg/L	0.0500	103	85-115
Manganese	0.0529	0.0005	mg/L	0.0500	106	85-115
Molybdenum	0.0517	0.0005	mg/L	0.0500	103	85-115
Selenium	0.257	0.0010	mg/L	0.250	103	85-115
Uranium	0.0546	0.0005	mg/L	0.0500	109	85-115
Zinc	0.0509	0.0020	mg/L	0.0500	102	85-115

LCS Dup (B222618-BS1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	0.0517	0.0005	mg/L	0.0500	103	85-115	0.130	20
Cadmium	0.0508	0.0005	mg/L	0.0500	102	85-115	0.0483	20
Copper	0.0482	0.0005	mg/L	0.0500	96.4	85-115	1.93	20
Lead	0.0510	0.0005	mg/L	0.0500	102	85-115	0.525	20
Manganese	0.0511	0.0005	mg/L	0.0500	102	85-115	3.37	20
Molybdenum	0.0516	0.0005	mg/L	0.0500	103	85-115	0.306	20
Selenium	0.257	0.0010	mg/L	0.250	103	85-115	0.261	20
Uranium	0.0540	0.0005	mg/L	0.0500	108	85-115	1.00	20
Zinc	0.0494	0.0020	mg/L	0.0500	98.7	85-115	3.05	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline 2022
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:50

Total Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222607 - EPA 245.7

Blank (B222607-BLK1)

Prepared: 09/21/22 Analyzed: 09/22/22

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B222607-BS1)

Prepared: 09/21/22 Analyzed: 09/22/22

Mercury	1800	100	ng/L	2000	90.0	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B222607-BSD1)

Prepared: 09/21/22 Analyzed: 09/22/22

Mercury	1730	100	ng/L	2000	86.3	76-113	4.20	20
---------	------	-----	------	------	------	--------	------	----

Notes and Definitions

H5 Sample was analyzed within 2-hours of its 24 or 48 hour hold-time limit.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis
*Results reported on as received basis unless designated as dry.

RPD Relative Percent Difference

LCS Laboratory Control Sample (Blank Spike)

RL Report Limit

MDL Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com
75 Suttle St Durango, CO

FORM-006
COC - Revision 6.0

Company or Client: GCL ENERGY LLC		Bill to (if different):		ANALYSIS REQUEST	
Address: 4473 COUNTY ROAD 120		P.O. #:			
City: Hesperus		Company:			
State: CO Zip: 81326		Attn:			
Phone #: 970 385 4528		Address:			
Contact Person: TOM REARD		City:			
Email Report to: LANDRY BECK		State:			
Project Name (optional): LANDRY		Zip:			
Project Name (optional): LANDRY		Phone #:			
Project Name (optional): LANDRY		Email:			
Project Name (optional): LANDRY		Matrix (check one)			
Project Name (optional): LANDRY		No preservation (general)			
Project Name (optional): LANDRY		HNO ₃			
Project Name (optional): LANDRY		HCl			
Project Name (optional): LANDRY		H ₂ SO ₄			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		# of containers			
Project Name (optional): LANDRY		GROUNDWATER			
Project Name (optional): LANDRY		SURFACEWATER			
Project Name (optional): LANDRY		WASTEWATER			
Project Name (optional): LANDRY		PRODUCEDWATER			
Project Name (optional): LANDRY		SOIL			
Project Name (optional): LANDRY		DRINKING WATER			
Project Name (optional): LANDRY		OTHER :			
Project Name (optional): LANDRY		No preservation (general)			
Project Name (optional): LANDRY		HNO ₃			
Project Name (optional): LANDRY		HCl			
Project Name (optional): LANDRY		H ₂ SO ₄			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		# of containers			
Project Name (optional): LANDRY		GROUNDWATER			
Project Name (optional): LANDRY		SURFACEWATER			
Project Name (optional): LANDRY		WASTEWATER			
Project Name (optional): LANDRY		PRODUCEDWATER			
Project Name (optional): LANDRY		SOIL			
Project Name (optional): LANDRY		DRINKING WATER			
Project Name (optional): LANDRY		OTHER :			
Project Name (optional): LANDRY		No preservation (general)			
Project Name (optional): LANDRY		HNO ₃			
Project Name (optional): LANDRY		HCl			
Project Name (optional): LANDRY		H ₂ SO ₄			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		# of containers			
Project Name (optional): LANDRY		GROUNDWATER			
Project Name (optional): LANDRY		SURFACEWATER			
Project Name (optional): LANDRY		WASTEWATER			
Project Name (optional): LANDRY		PRODUCEDWATER			
Project Name (optional): LANDRY		SOIL			
Project Name (optional): LANDRY		DRINKING WATER			
Project Name (optional): LANDRY		OTHER :			
Project Name (optional): LANDRY		No preservation (general)			
Project Name (optional): LANDRY		HNO ₃			
Project Name (optional): LANDRY		HCl			
Project Name (optional): LANDRY		H ₂ SO ₄			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		# of containers			
Project Name (optional): LANDRY		GROUNDWATER			
Project Name (optional): LANDRY		SURFACEWATER			
Project Name (optional): LANDRY		WASTEWATER			
Project Name (optional): LANDRY		PRODUCEDWATER			
Project Name (optional): LANDRY		SOIL			
Project Name (optional): LANDRY		DRINKING WATER			
Project Name (optional): LANDRY		OTHER :			
Project Name (optional): LANDRY		No preservation (general)			
Project Name (optional): LANDRY		HNO ₃			
Project Name (optional): LANDRY		HCl			
Project Name (optional): LANDRY		H ₂ SO ₄			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		# of containers			
Project Name (optional): LANDRY		GROUNDWATER			
Project Name (optional): LANDRY		SURFACEWATER			
Project Name (optional): LANDRY		WASTEWATER			
Project Name (optional): LANDRY		PRODUCEDWATER			
Project Name (optional): LANDRY		SOIL			
Project Name (optional): LANDRY		DRINKING WATER			
Project Name (optional): LANDRY		OTHER :			
Project Name (optional): LANDRY		No preservation (general)			
Project Name (optional): LANDRY		HNO ₃			
Project Name (optional): LANDRY		HCl			
Project Name (optional): LANDRY		H ₂ SO ₄			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		# of containers			
Project Name (optional): LANDRY		GROUNDWATER			
Project Name (optional): LANDRY		SURFACEWATER			
Project Name (optional): LANDRY		WASTEWATER			
Project Name (optional): LANDRY		PRODUCEDWATER			
Project Name (optional): LANDRY		SOIL			
Project Name (optional): LANDRY		DRINKING WATER			
Project Name (optional): LANDRY		OTHER :			
Project Name (optional): LANDRY		No preservation (general)			
Project Name (optional): LANDRY		HNO ₃			
Project Name (optional): LANDRY		HCl			
Project Name (optional): LANDRY		H ₂ SO ₄			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		Other:			
Project Name (optional): LANDRY		# of containers			
Project Name (optional): LANDRY		GROUNDWATER			
Project Name (optional): LANDRY		SURFACEWATER			
Project Name (optional): LANDRY		WASTEWATER			
Project Name (optional): LANDRY		PRODUCEDWATER			
Project Name (optional): LANDRY		SOIL			
Project Name (optional): LANDRY					



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

27 September 2022

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 09/12/22 15:15. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, reading 'Jeremy D. Allen', is written in a cursive style.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-15

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:59

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-1-A	2209134-01	Water	09/12/22 10:50	09/12/22 15:15	
MW-1-C	2209134-02	Water	09/12/22 11:32	09/12/22 15:15	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/27/22 10:59

MW-1-A

2209134-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	410	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	410	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Cation/Anion Balance	-7.05	-100	-100	%	1	09/27/22 08:38	Calculation		JDA
Chloride*	2.59	2.00	0.111	mg/L	2	09/22/22 12:17	EPA300.0		AES
Fluoride*	0.254	0.200	0.0194	mg/L	2	09/22/22 12:17	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/20/22 10:26	EPA353.2		HTB
pH*	7.36			pH Units	1	09/14/22 09:00	EPA150.1		LLG
pH Temperature, degrees C	19.6			pH Units	1	09/14/22 09:00	EPA150.1		LLG
Total Dissolved Solids*	1150	10.0		mg/L	1	09/19/22 12:11	EPA160.1		JDA
Sulfate*	532	20.0	2.48	mg/L	20	09/22/22 12:38	EPA300.0		AES
Total Organic Carbon*	1.39	0.500	0.175	mg/L	1	09/22/22 13:58	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	09/21/22 14:31	EPA200.7		AES
Calcium*	27.4	0.200	0.047	mg/L	2	09/21/22 14:31	EPA200.7		AES
Hardness as CaCO ₃	146	1.32	0.371	mg/L	2	09/21/22 14:31	2340 B		AES
Iron*	0.451	0.100	0.071	mg/L	2	09/21/22 14:31	EPA200.7		AES
Magnesium*	18.7	0.200	0.062	mg/L	2	09/21/22 14:31	EPA200.7		AES
Potassium*	2.12	2.00	0.130	mg/L	2	09/21/22 14:31	EPA200.7		AES
Silica (SiO ₂)	10.4	2.14	0.137	mg/L	2	09/21/22 14:31	Calculation		AES
Silicon	4.85	1.00	0.064	mg/L	2	09/21/22 14:31	EPA200.7		AES
Sodium*	318	2.00	0.211	mg/L	2	09/21/22 14:31	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0005	mg/L	2	09/23/22 10:22	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00006	mg/L	2	09/23/22 10:22	EPA200.8		AES
Copper*	0.0096	0.0010	0.0002	mg/L	2	09/23/22 10:22	EPA200.8		AES
Lead*	<0.0010	0.0010	0.0002	mg/L	2	09/23/22 10:22	EPA200.8		AES
Manganese*	0.0359	0.0010	0.0002	mg/L	2	09/23/22 10:22	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0002	mg/L	2	09/23/22 10:22	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0012	mg/L	2	09/23/22 10:22	EPA200.8		AES
Uranium	<0.0010	0.0010	0.0002	mg/L	2	09/23/22 10:22	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0005	mg/L	2	09/23/22 10:22	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:59

MW-1-A

2209134-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/16/22 12:04	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/27/22 10:59

MW-1-C

2209134-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	570	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	570	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Cation/Anion Balance	-8.51	-100	-100	%	1	09/27/22 08:38	Calculation		JDA
Chloride*	5.59	2.00	0.111	mg/L	2	09/22/22 12:59	EPA300.0		AES
Fluoride*	1.24	0.200	0.0194	mg/L	2	09/22/22 12:59	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/20/22 10:27	EPA353.2		HTB
pH*	7.40			pH Units	1	09/14/22 09:00	EPA150.1		LLG
pH Temperature, degrees C	18.9			pH Units	1	09/14/22 09:00	EPA150.1		LLG
Total Dissolved Solids*	1640	10.0		mg/L	1	09/19/22 12:13	EPA160.1		JDA
Sulfate*	821	20.0	2.48	mg/L	20	09/22/22 13:20	EPA300.0		AES
Total Organic Carbon*	1.74	0.500	0.175	mg/L	1	09/22/22 14:14	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.180	mg/L	5	09/21/22 14:36	EPA200.7		AES
Calcium*	113	0.500	0.118	mg/L	5	09/21/22 14:35	EPA200.7		AES
Hardness as CaCO ₃	638	3.31	0.928	mg/L	5	09/21/22 14:36	2340 B		AES
Iron*	0.679	0.250	0.178	mg/L	5	09/21/22 14:36	EPA200.7		AES
Magnesium*	86.6	0.500	0.154	mg/L	5	09/21/22 14:36	EPA200.7		AES
Potassium*	<5.00	5.00	0.325	mg/L	5	09/21/22 14:35	EPA200.7		AES
Silica (SiO ₂)	11.7	5.35	0.341	mg/L	5	09/21/22 14:36	Calculation		AES
Silicon	5.47	2.50	0.160	mg/L	5	09/21/22 14:36	EPA200.7		AES
Sodium*	261	5.00	0.528	mg/L	5	09/21/22 14:35	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0028	0.0025	0.0012	mg/L	5	09/23/22 10:23	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	09/23/22 10:23	EPA200.8		AES
Copper*	0.0104	0.0025	0.0004	mg/L	5	09/23/22 10:23	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 10:23	EPA200.8		AES
Manganese*	0.0304	0.0025	0.0005	mg/L	5	09/23/22 10:23	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 10:23	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0030	mg/L	5	09/23/22 10:23	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	09/23/22 10:23	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0014	mg/L	5	09/23/22 10:23	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:59

MW-1-C

2209134-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/16/22 12:06	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:59

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222554 - General Prep - Wet Chem

Blank (B222554-BLK1)

Prepared & Analyzed: 09/19/22

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B222554-SRM1)

Prepared & Analyzed: 09/19/22

Total Dissolved Solids	475	10.0	mg/L	450	106	85-115
------------------------	-----	------	------	-----	-----	--------

Batch B222566 - General Prep - Wet Chem

Blank (B222566-BLK1)

Prepared & Analyzed: 09/19/22

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B222566-BS1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	103	10.0	mg/L	100	103	85-115
--	-----	------	------	-----	-----	--------

LCS Dup (B222566-BSD1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	102	10.0	mg/L	100	102	85-115	0.976	20
--	-----	------	------	-----	-----	--------	-------	----

Batch B222572 - General Prep - Wet Chem

Reference (B222572-SRM1)

Prepared & Analyzed: 09/14/22

pH	7.05	pH Units	7.00	101	98.57-101.42
----	------	----------	------	-----	--------------

Batch B222576 - Lachat

Blank (B222576-BLK1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B222576-BS1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	1.07	0.020	mg/L as N	1.00	107	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B222576-BSD1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	1.06	0.020	mg/L as N	1.00	106	90-110	1.20	20
----------------------	------	-------	-----------	------	-----	--------	------	----

Batch B222606 - IC- Ion Chromatograph

Blank (B222606-BLK1)

Prepared: 09/21/22 Analyzed: 09/22/22

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/27/22 10:59General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222606 - IC- Ion Chromatograph (Continued)

LCS (B222606-BS1)

Prepared: 09/21/22 Analyzed: 09/22/22

Chloride	24.9	1.00	mg/L	25.0		99.4	90-110			
Fluoride	2.48	0.100	mg/L	2.50		99.2	90-110			
Sulfate	24.6	1.00	mg/L	25.0		98.3	90-110			

LCS Dup (B222606-BSD1)

Prepared: 09/21/22 Analyzed: 09/22/22

Chloride	25.0	1.00	mg/L	25.0		100	90-110	0.646	20	
Fluoride	2.50	0.100	mg/L	2.50		99.9	90-110	0.723	20	
Sulfate	24.7	1.00	mg/L	25.0		98.9	90-110	0.690	20	

Batch B222612 - General Prep - Wet Chem

Blank (B222612-BLK1)

Prepared & Analyzed: 09/22/22

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B222612-BS1)

Prepared & Analyzed: 09/22/22

Total Organic Carbon	10.1	0.500	mg/L	10.0		101	85-115			
----------------------	------	-------	------	------	--	-----	--------	--	--	--

LCS Dup (B222612-BSD1)

Prepared & Analyzed: 09/22/22

Total Organic Carbon	10.1	0.500	mg/L	10.0		101	85-115	0.00	20	
----------------------	------	-------	------	------	--	-----	--------	------	----	--

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:59

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222591 - Dissolved ICP

Blank (B222591-BLK1)

Prepared & Analyzed: 09/21/22

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B222591-BS1)

Prepared & Analyzed: 09/21/22

Aluminum	3.89	0.050	mg/L	4.00	97.3	85-115
Calcium	3.73	0.100	mg/L	4.00	93.3	85-115
Iron	3.80	0.050	mg/L	4.00	95.0	85-115
Magnesium	19.5	0.100	mg/L	20.0	97.4	85-115
Potassium	8.14	1.00	mg/L	8.00	102	85-115
Silicon	3.99	0.500	mg/L	4.00	99.6	85-115
Sodium	3.21	1.00	mg/L	3.24	99.2	85-115

LCS Dup (B222591-BS1)

Prepared & Analyzed: 09/21/22

Aluminum	3.94	0.050	mg/L	4.00	98.5	85-115	1.21	20
Calcium	3.82	0.100	mg/L	4.00	95.5	85-115	2.38	20
Iron	3.89	0.050	mg/L	4.00	97.3	85-115	2.49	20
Magnesium	19.7	0.100	mg/L	20.0	98.6	85-115	1.22	20
Potassium	8.11	1.00	mg/L	8.00	101	85-115	0.407	20
Silicon	4.04	0.500	mg/L	4.00	101	85-115	1.40	20
Sodium	3.27	1.00	mg/L	3.24	101	85-115	1.79	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:59

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222617 - Dissolved ICPMS

Blank (B222617-BLK1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B222617-BS1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	0.0505	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0508	0.0005	mg/L	0.0500	102	85-115
Copper	0.0491	0.0005	mg/L	0.0500	98.2	85-115
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115
Manganese	0.0519	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0508	0.0005	mg/L	0.0500	102	85-115
Selenium	0.249	0.0010	mg/L	0.250	99.7	85-115
Uranium	0.0528	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0510	0.0020	mg/L	0.0500	102	85-115

LCS Dup (B222617-BSD1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	0.0515	0.0005	mg/L	0.0500	103	85-115	1.92	20
Cadmium	0.0507	0.0005	mg/L	0.0500	101	85-115	0.332	20
Copper	0.0488	0.0005	mg/L	0.0500	97.6	85-115	0.640	20
Lead	0.0509	0.0005	mg/L	0.0500	102	85-115	0.671	20
Manganese	0.0516	0.0005	mg/L	0.0500	103	85-115	0.434	20
Molybdenum	0.0514	0.0005	mg/L	0.0500	103	85-115	1.02	20
Selenium	0.257	0.0010	mg/L	0.250	103	85-115	3.08	20
Uranium	0.0534	0.0005	mg/L	0.0500	107	85-115	1.12	20
Zinc	0.0508	0.0020	mg/L	0.0500	102	85-115	0.382	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:59

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222526 - EPA 245.7

Blank (B222526-BLK1)

Prepared: 09/15/22 Analyzed: 09/16/22

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B222526-BS1)

Prepared: 09/15/22 Analyzed: 09/16/22

Mercury	1720	100	ng/L	2000	86.2	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B222526-BSD1)

Prepared: 09/15/22 Analyzed: 09/16/22

Mercury	1760	100	ng/L	2000	88.0	76-113	2.01	20
---------	------	-----	------	------	------	--------	------	----

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

GREEN
GAL
Analytical
Laboratories

(970) 247-4220
Fax: (970) 247-4227

dzufelt@greenanalytical.com
75 Suttle St Durango, CO 81303

FORM-006
COC - Revision 6.0

Company or Client: GCL ENERGY LLC

Address: 6473 COUNTY ROAD 120

City: HESPERUS

State: CO Zip: 81326

Phone #: 970 385 4528

Contact Person: TONY TRIND TERRY@HAYGULCHSERVICES.COM

Email Report to: LARRY BECK

Project Name (optional): LARRY

LARRY@RESURABLEHYDROGEOLOGIC.COM

Sampler Name (Print): MICHAEL BECK / MICHAEL MUEHLAND

Bill to (if different):

P.O. #:

Company:

Attn:

Address:

City:

State:

Zip:

Phone #:

Email:

ANALYSIS REQUEST

For Lab Use

Sample Name or Location

2209-134

MW-E-A

1807801122110

-01

MW-E-C

9/12/12 11:32

-02

MW-E-C

9/12/12 11:32

Collected

Matrix (check one)

of containers

GROUNDWATER
SURFACEWATER
WASTEWATER
PRODUCEDWATER
SOIL
DRINKING WATER
OTHER:

No preservation (general)
HNO₃
HCl
H₂SO₄
Other:
Other:

GCL E G.W. BASELINE

PLEASE NOTE: GAL's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by GAL within 30 days after completion. In no event shall GAL be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by GAL, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished by:

Date: 9/12/12
Time: 5:15

Received by:

Date: 9/12/12
Time: 5:15

Received by:

Relinquished by:

Date: 9/12/12
Time: 5:15

Received by:

Relinquished by:

Date: 9/12/12
Time: 5:15

Received by:

ADDITIONAL REMARKS:

Report to State? (Circle)

Yes
No

1058

1058

1058

CHECKED BY

On Ice

No Ice

* Chain of Custody must be signed in "Relinquished By:" as an acceptance of services and all applicable charges.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

21 September 2022

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 09/06/22 15:00. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, reading 'Jeremy D. Allen', is written in a cursive style.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-15

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/21/22 15:59

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-3-MI	2209063-01	Water	09/06/22 10:15	09/06/22 15:00	
MW-3-A	2209063-02	Water	09/06/22 11:07	09/06/22 15:00	
MW-3-C	2209063-03	Water	09/06/22 12:05	09/06/22 15:00	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/21/22 15:59

MW-3-MI

2209063-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	480	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	300	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	780	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Cation/Anion Balance	12.3	-100	-100	%	1	09/21/22 11:17	Calculation		JDA
Chloride*	11.2	2.00	0.111	mg/L	2	09/15/22 20:44	EPA300.0		AES
Fluoride*	1.11	0.200	0.0194	mg/L	2	09/15/22 20:44	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/12/22 10:12	EPA353.2		HTB
pH*	8.76			pH Units	1	09/07/22 09:30	EPA150.1		QEB
pH Temperature, degrees C	19.7			pH Units	1	09/07/22 09:30	EPA150.1		QEB
Total Dissolved Solids*	1080	10.0		mg/L	1	09/09/22 12:51	EPA160.1		AES
Sulfate*	240	2.00	0.248	mg/L	2	09/15/22 20:44	EPA300.0		AES
Total Organic Carbon*	5.06	0.500	0.175	mg/L	1	09/12/22 17:30	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	09/12/22 14:25	EPA200.7		AES
Calcium*	155	0.200	0.047	mg/L	2	09/12/22 14:25	EPA200.7		AES
Hardness as CaCO ₃	983	1.32	0.371	mg/L	2	09/12/22 14:25	2340 B		AES
Iron*	<0.100	0.100	0.071	mg/L	2	09/12/22 14:25	EPA200.7		AES
Magnesium*	145	0.200	0.062	mg/L	2	09/12/22 14:25	EPA200.7		AES
Potassium*	4.64	2.00	0.130	mg/L	2	09/12/22 14:25	EPA200.7		AES
Silica (SiO ₂)	17.7	2.14	0.137	mg/L	2	09/12/22 14:25	Calculation		AES
Silicon	8.28	1.00	0.064	mg/L	2	09/12/22 14:25	EPA200.7		AES
Sodium*	162	2.00	0.211	mg/L	2	09/12/22 14:25	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0084	0.0010	0.0005	mg/L	2	09/12/22 12:56	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00006	mg/L	2	09/12/22 12:56	EPA200.8		AES
Copper*	0.0170	0.0010	0.0002	mg/L	2	09/12/22 12:56	EPA200.8		AES
Lead*	<0.0020	0.0020	0.0003	mg/L	4	09/12/22 14:21	EPA200.8		AES
Manganese*	0.0047	0.0010	0.0002	mg/L	2	09/12/22 12:56	EPA200.8		AES
Molybdenum*	0.0150	0.0010	0.0002	mg/L	2	09/12/22 12:56	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0012	mg/L	2	09/12/22 12:56	EPA200.8		AES
Uranium	0.0034	0.0010	0.0002	mg/L	2	09/12/22 12:56	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0005	mg/L	2	09/12/22 12:56	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/21/22 15:59

MW-3-MI

2209063-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/12/22 15:46	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/21/22 15:59

MW-3-A

2209063-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	500	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	500	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Cation/Anion Balance	-2.63	-100	-100	%	1	09/21/22 11:17	Calculation		JDA
Chloride*	15.9	2.00	0.111	mg/L	2	09/15/22 21:26	EPA300.0		AES
Fluoride*	0.362	0.200	0.0194	mg/L	2	09/15/22 21:26	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/12/22 10:18	EPA353.2		HTB
pH*	8.09			pH Units	1	09/07/22 09:30	EPA150.1		QEB
pH Temperature, degrees C	19.2			pH Units	1	09/07/22 09:30	EPA150.1		QEB
Total Dissolved Solids*	1320	10.0		mg/L	1	09/09/22 12:53	EPA160.1		AES
Sulfate*	557	20.0	2.48	mg/L	20	09/15/22 21:47	EPA300.0		AES
Total Organic Carbon*	3.02	0.500	0.175	mg/L	1	09/12/22 17:47	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	09/12/22 14:29	EPA200.7		AES
Calcium*	2.59	0.200	0.047	mg/L	2	09/12/22 14:29	EPA200.7		AES
Hardness as CaCO ₃	9.33	1.32	0.371	mg/L	2	09/12/22 14:29	2340 B		AES
Iron*	<0.100	0.100	0.071	mg/L	2	09/12/22 14:29	EPA200.7		AES
Magnesium*	0.694	0.200	0.062	mg/L	2	09/12/22 14:29	EPA200.7		AES
Potassium*	<2.00	2.00	0.130	mg/L	2	09/12/22 14:29	EPA200.7		AES
Silica (SiO ₂)	11.1	2.14	0.137	mg/L	2	09/12/22 14:29	Calculation		AES
Silicon	5.19	1.00	0.064	mg/L	2	09/12/22 14:29	EPA200.7		AES
Sodium*	476	2.00	0.211	mg/L	2	09/12/22 14:29	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0005	mg/L	2	09/12/22 12:57	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00006	mg/L	2	09/12/22 12:57	EPA200.8		AES
Copper*	0.0189	0.0010	0.0002	mg/L	2	09/12/22 12:57	EPA200.8		AES
Lead*	<0.0020	0.0020	0.0003	mg/L	4	09/12/22 14:23	EPA200.8		AES
Manganese*	0.0097	0.0010	0.0002	mg/L	2	09/12/22 12:57	EPA200.8		AES
Molybdenum*	0.0017	0.0010	0.0002	mg/L	2	09/12/22 12:57	EPA200.8		AES
Selenium*	0.0106	0.0020	0.0012	mg/L	2	09/12/22 12:57	EPA200.8		AES
Uranium	<0.0010	0.0010	0.0002	mg/L	2	09/12/22 12:57	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0005	mg/L	2	09/12/22 12:57	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/21/22 15:59

MW-3-A

2209063-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/12/22 16:10	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/21/22 15:59

MW-3-C

2209063-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	1990	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	120	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	2110	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Cation/Anion Balance	-0.0400	-100	-100	%	1	09/21/22 11:17	Calculation		JDA
Chloride*	613	5.00	0.278	mg/L	5	09/15/22 22:08	EPA300.0		AES
Fluoride*	3.51	0.500	0.0486	mg/L	5	09/15/22 22:08	EPA300.0		AES
Nitrate/Nitrite as N*	<0.100	0.100	0.059	mg/L as N	5	09/12/22 10:19	EPA353.2		HTB
pH*	8.18			pH Units	1	09/07/22 09:30	EPA150.1		QEB
pH Temperature, degrees C	19.1			pH Units	1	09/07/22 09:30	EPA150.1		QEB
Total Dissolved Solids*	3280	20.0		mg/L	2	09/09/22 12:55	EPA160.1		AES
Sulfate*	<5.00	5.00	0.620	mg/L	5	09/15/22 22:08	EPA300.0		AES
Total Organic Carbon*	16.1	0.500	0.175	mg/L	1	09/12/22 18:09	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.180	mg/L	5	09/12/22 14:33	EPA200.7		AES
Calcium*	4.49	0.500	0.118	mg/L	5	09/12/22 14:33	EPA200.7		AES
Hardness as CaCO ₃	20.4	3.31	0.928	mg/L	5	09/12/22 14:33	2340 B		AES
Iron*	0.427	0.250	0.178	mg/L	5	09/12/22 14:33	EPA200.7		AES
Magnesium*	2.23	0.500	0.154	mg/L	5	09/12/22 14:33	EPA200.7		AES
Potassium*	<5.00	5.00	0.325	mg/L	5	09/12/22 14:33	EPA200.7		AES
Silica (SiO ₂)	8.75	5.35	0.341	mg/L	5	09/12/22 14:33	Calculation		AES
Silicon	4.09	2.50	0.160	mg/L	5	09/12/22 14:33	EPA200.7		AES
Sodium*	1360	5.00	0.528	mg/L	5	09/12/22 14:33	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0151	0.0025	0.0012	mg/L	5	09/12/22 12:59	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	09/12/22 12:59	EPA200.8		AES
Copper*	0.0555	0.0025	0.0004	mg/L	5	09/12/22 12:59	EPA200.8		AES
Lead*	<0.0050	0.0050	0.0009	mg/L	10	09/12/22 14:24	EPA200.8		AES
Manganese*	0.0025	0.0025	0.0005	mg/L	5	09/12/22 12:59	EPA200.8		AES
Molybdenum*	0.0058	0.0025	0.0004	mg/L	5	09/12/22 12:59	EPA200.8		AES
Selenium*	0.0247	0.0050	0.0030	mg/L	5	09/12/22 12:59	EPA200.8		AES
Uranium	0.0025	0.0025	0.0005	mg/L	5	09/12/22 12:59	EPA200.8		AES
Zinc*	0.0385	0.0100	0.0014	mg/L	5	09/12/22 12:59	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/21/22 15:59

MW-3-C

2209063-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<500	500	124	ng/L	5	09/12/22 16:13	EPA245.7		HTB
----------	------	-----	-----	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/21/22 15:59

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B222449 - General Prep - Wet Chem										
Reference (B222449-SRM1)				Prepared & Analyzed: 09/07/22						
pH	6.97		pH Units	7.00		99.6	98.57-101.42			
Batch B222469 - General Prep - Wet Chem										
Blank (B222469-BLK1)				Prepared & Analyzed: 09/09/22						
Total Dissolved Solids	ND	10.0	mg/L							
Reference (B222469-SRM1)				Prepared & Analyzed: 09/09/22						
Total Dissolved Solids	445	10.0	mg/L	450		98.9	85-115			
Batch B222477 - Lachat										
Blank (B222477-BLK1)				Prepared: 09/09/22 Analyzed: 09/12/22						
Nitrate/Nitrite as N	ND	0.020	mg/L as N							
LCS (B222477-BS1)				Prepared: 09/09/22 Analyzed: 09/12/22						
Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110			
LCS Dup (B222477-BSD1)				Prepared: 09/09/22 Analyzed: 09/12/22						
Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110	0.0588	20	
Batch B222483 - General Prep - Wet Chem										
Blank (B222483-BLK1)				Prepared & Analyzed: 09/12/22						
Total Organic Carbon	ND	0.500	mg/L							
LCS (B222483-BS1)				Prepared & Analyzed: 09/12/22						
Total Organic Carbon	9.97	0.500	mg/L	10.0		99.7	85-115			
LCS Dup (B222483-BSD1)				Prepared & Analyzed: 09/12/22						
Total Organic Carbon	9.97	0.500	mg/L	10.0		99.7	85-115	0.0100	20	
Batch B222490 - IC- Ion Chromatograph										
Blank (B222490-BLK1)				Prepared: 09/12/22 Analyzed: 09/15/22						
Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							
LCS (B222490-BS1)				Prepared: 09/12/22 Analyzed: 09/15/22						
Chloride	24.8	1.00	mg/L	25.0		99.2	90-110			

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/21/22 15:59General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B222490 - IC- Ion Chromatograph (Continued)

LCS (B222490-BS1) (Continued)

Prepared: 09/12/22 Analyzed: 09/15/22

Fluoride	2.44	0.100	mg/L	2.50		97.7	90-110			
Sulfate	24.3	1.00	mg/L	25.0		97.1	90-110			

LCS Dup (B222490-BSD1)

Prepared: 09/12/22 Analyzed: 09/15/22

Chloride	24.8	1.00	mg/L	25.0		99.1	90-110	0.186	20	
Fluoride	2.44	0.100	mg/L	2.50		97.6	90-110	0.0410	20	
Sulfate	24.3	1.00	mg/L	25.0		97.1	90-110	0.0165	20	

Batch B222565 - General Prep - Wet Chem

Blank (B222565-BLK1)

Prepared & Analyzed: 09/19/22

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B222565-BS1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	98.0	10.0	mg/L	100		98.0	85-115			
--	------	------	------	-----	--	------	--------	--	--	--

LCS Dup (B222565-BSD1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	100	10.0	mg/L	100		100	85-115	2.02	20	
--	-----	------	------	-----	--	-----	--------	------	----	--

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/21/22 15:59

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222487 - Dissolved ICP

Blank (B222487-BLK1)

Prepared & Analyzed: 09/12/22

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B222487-BS1)

Prepared & Analyzed: 09/12/22

Aluminum	4.04	0.050	mg/L	4.00	101	85-115
Calcium	4.05	0.100	mg/L	4.00	101	85-115
Iron	4.09	0.050	mg/L	4.00	102	85-115
Magnesium	20.6	0.100	mg/L	20.0	103	85-115
Potassium	8.10	1.00	mg/L	8.00	101	85-115
Silicon	4.15	0.500	mg/L	4.00	104	85-115
Sodium	3.62	1.00	mg/L	3.24	112	85-115

LCS Dup (B222487-BS1)

Prepared & Analyzed: 09/12/22

Aluminum	3.99	0.050	mg/L	4.00	99.9	85-115	1.10	20
Calcium	4.03	0.100	mg/L	4.00	101	85-115	0.454	20
Iron	4.09	0.050	mg/L	4.00	102	85-115	0.132	20
Magnesium	20.5	0.100	mg/L	20.0	102	85-115	0.842	20
Potassium	8.21	1.00	mg/L	8.00	103	85-115	1.29	20
Silicon	4.12	0.500	mg/L	4.00	103	85-115	0.840	20
Sodium	3.59	1.00	mg/L	3.24	111	85-115	0.755	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/21/22 15:59

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222481 - Dissolved ICPMS

Blank (B222481-BLK1)

Prepared & Analyzed: 09/12/22

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B222481-BS1)

Prepared & Analyzed: 09/12/22

Arsenic	0.0516	0.0005	mg/L	0.0500	103	85-115
Cadmium	0.0505	0.0005	mg/L	0.0500	101	85-115
Copper	0.0483	0.0005	mg/L	0.0500	96.7	85-115
Lead	0.0489	0.0005	mg/L	0.0500	97.7	85-115
Manganese	0.0529	0.0005	mg/L	0.0500	106	85-115
Molybdenum	0.0507	0.0005	mg/L	0.0500	101	85-115
Selenium	0.258	0.0010	mg/L	0.250	103	85-115
Uranium	0.0531	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0508	0.0020	mg/L	0.0500	102	85-115

LCS Dup (B222481-BSD1)

Prepared & Analyzed: 09/12/22

Arsenic	0.0508	0.0005	mg/L	0.0500	102	85-115	1.46	20
Cadmium	0.0502	0.0005	mg/L	0.0500	100	85-115	0.580	20
Copper	0.0478	0.0005	mg/L	0.0500	95.5	85-115	1.20	20
Lead	0.0482	0.0005	mg/L	0.0500	96.4	85-115	1.40	20
Manganese	0.0516	0.0005	mg/L	0.0500	103	85-115	2.42	20
Molybdenum	0.0502	0.0005	mg/L	0.0500	100	85-115	1.05	20
Selenium	0.255	0.0010	mg/L	0.250	102	85-115	0.837	20
Uranium	0.0530	0.0005	mg/L	0.0500	106	85-115	0.219	20
Zinc	0.0506	0.0020	mg/L	0.0500	101	85-115	0.433	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/21/22 15:59

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222462 - EPA 245.7

Blank (B222462-BLK1)

Prepared: 09/09/22 Analyzed: 09/12/22

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B222462-BS1)

Prepared: 09/09/22 Analyzed: 09/12/22

Mercury	1630	100	ng/L	2000	81.4	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B222462-BSD1)

Prepared: 09/09/22 Analyzed: 09/12/22

Mercury	1620	100	ng/L	2000	81.0	76-113	0.498	20
---------	------	-----	------	------	------	--------	-------	----

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

ANALYTICAL
Laboratories

(970) 247-4220
Fax: (970) 247-4227
dzufelt@greenanalytical.com
75 Suttle St Durango, CO 81303

FORM-006
COC - Revision 6.0

Bill to (if different):

ANALYSIS REQUEST

Company or Client: GCE ENERGY LLC
Address: 6473 COUNTY ROAD 120
City: Hesperus State: CO Zip: 81326

P.O. #:

Phone #: 970 385 4528

Company:

Contact Person: TOM RIRB TIRB@HAYGULCFSESRVCS.COM

Attn:

Email Report to: LANDON BECK

Address:

Project Name (optional): LAMP

City:

Sample Name (Print): MICHAEL MUELLER

State:

Sample Name (Print): MICHAEL MUELLER

Phone #:

Collected

Matrix (check one)

of containers

For Lab Use

Sample Name or Location

Date Time

GROUNDWATER
SURFACEWATER
WASTEWATER
PRODUCEDWATER
SOIL
DRINKING WATER
OTHER :
No preservation (general)
HNO₃
HCl
H₂SO₄
Other:
Other:

GCE G.W. BASELINE

2209-063
-01 MW 3 M1
-02 MW 3 A
-03 MW 3 C

9/6/22 10:16
9/6/22 11:07
9/6/22 12:05

Y
Y
Y

X
X
X

PLEASE NOTE: GAL's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by GAL within 30 days after completion. In no event shall GAL be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by GAL, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished by:

Date: 9/6/22
Time: 3:00

Received by:

ADDITIONAL REMARKS:

Report to State? (Circle)

Yes

No

Relinquished by:

Date:

Received by:

Relinquished by:

Date:

Received by:

Relinquished by:

Date:

Received by:

Lasos #2

Date:

Received by:

Temperature at receipt:

280°C

CHECKED BY

On Ice

No Ice

* Chain of Custody must be signed in "Relinquished By:" as an acceptance of services and all applicable charges.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

19 September 2022

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 09/01/22 15:45. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, reading 'Jeremy D. Allen', is written in a cursive script.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-15

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:33

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-4-MI	2209034-01	Water	09/01/22 10:52	09/01/22 15:45	
MW-4-A	2209034-02	Water	09/01/22 11:49	09/01/22 15:45	
MW-4-C	2209034-03	Water	09/01/22 12:44	09/01/22 15:45	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/19/22 13:33

MW-4-MI

2209034-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	1040	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	140	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	1180	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Cation/Anion Balance	-10.6	-100	-100	%	1	09/19/22 12:51	Calculation		JDA
Chloride*	4.29	2.00	0.111	mg/L	2	09/15/22 17:36	EPA300.0		AES
Fluoride*	5.42	0.200	0.0194	mg/L	2	09/15/22 17:36	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/12/22 09:55	EPA353.2		HTB
pH*	8.68			pH Units	1	09/02/22 15:00	EPA150.1		QEB
pH Temperature, degrees C	18.4			pH Units	1	09/02/22 15:00	EPA150.1		QEB
Total Dissolved Solids*	1070	10.0		mg/L	1	09/07/22 18:04	EPA160.1		AES
Sulfate*	12.7	2.00	0.248	mg/L	2	09/15/22 17:36	EPA300.0		AES
Total Organic Carbon*	4.73	0.500	0.175	mg/L	1	09/12/22 14:20	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	09/12/22 14:12	EPA200.7		AES
Calcium*	1.13	0.200	0.047	mg/L	2	09/12/22 14:12	EPA200.7		AES
Hardness as CaCO ₃	4.59	1.32	0.371	mg/L	2	09/12/22 14:12	2340 B		AES
Iron*	<0.100	0.100	0.071	mg/L	2	09/12/22 14:12	EPA200.7		AES
Magnesium*	0.431	0.200	0.062	mg/L	2	09/12/22 14:12	EPA200.7		AES
Potassium*	<2.00	2.00	0.130	mg/L	2	09/12/22 14:12	EPA200.7		AES
Silica (SiO ₂)	8.76	2.14	0.137	mg/L	2	09/12/22 14:12	Calculation		AES
Silicon	4.09	1.00	0.064	mg/L	2	09/12/22 14:12	EPA200.7		AES
Sodium*	448	2.00	0.211	mg/L	2	09/12/22 14:12	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0094	0.0010	0.0005	mg/L	2	09/12/22 12:48	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00006	mg/L	2	09/12/22 12:48	EPA200.8		AES
Copper*	0.0177	0.0010	0.0002	mg/L	2	09/12/22 12:48	EPA200.8		AES
Lead*	<0.0020	0.0020	0.0003	mg/L	4	09/12/22 14:17	EPA200.8		AES
Manganese*	0.0078	0.0010	0.0002	mg/L	2	09/12/22 12:48	EPA200.8		AES
Molybdenum*	0.0064	0.0010	0.0002	mg/L	2	09/12/22 12:48	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0012	mg/L	2	09/12/22 12:48	EPA200.8		AES
Uranium	0.0084	0.0010	0.0002	mg/L	2	09/12/22 12:48	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0005	mg/L	2	09/12/22 12:48	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:33

MW-4-MI

2209034-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/12/22 15:33	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:33

MW-4-A

2209034-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	590	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	590	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Cation/Anion Balance	-2.83	-100	-100	%	1	09/19/22 12:51	Calculation		JDA
Chloride*	9.89	2.00	0.111	mg/L	2	09/15/22 18:18	EPA300.0		AES
Fluoride*	<0.200	0.200	0.0194	mg/L	2	09/15/22 18:18	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/12/22 09:59	EPA353.2		HTB
pH*	8.50			pH Units	1	09/02/22 15:00	EPA150.1		QEB
pH Temperature, degrees C	18.3			pH Units	1	09/02/22 15:00	EPA150.1		QEB
Total Dissolved Solids*	1480	10.0		mg/L	1	09/07/22 18:06	EPA160.1		AES
Sulfate*	580	20.0	2.48	mg/L	20	09/15/22 18:39	EPA300.0		AES
Total Organic Carbon*	3.40	0.500	0.175	mg/L	1	09/12/22 14:37	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	09/12/22 14:16	EPA200.7		AES
Calcium*	1.95	0.200	0.047	mg/L	2	09/12/22 14:16	EPA200.7		AES
Hardness as CaCO ₃	8.44	1.32	0.371	mg/L	2	09/12/22 14:16	2340 B		AES
Iron*	<0.100	0.100	0.071	mg/L	2	09/12/22 14:16	EPA200.7		AES
Magnesium*	0.868	0.200	0.062	mg/L	2	09/12/22 14:16	EPA200.7		AES
Potassium*	<2.00	2.00	0.130	mg/L	2	09/12/22 14:16	EPA200.7		AES
Silica (SiO ₂)	10.3	2.14	0.137	mg/L	2	09/12/22 14:16	Calculation		AES
Silicon	4.80	1.00	0.064	mg/L	2	09/12/22 14:16	EPA200.7		AES
Sodium*	520	2.00	0.211	mg/L	2	09/12/22 14:16	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0005	mg/L	2	09/12/22 12:50	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00006	mg/L	2	09/12/22 12:50	EPA200.8		AES
Copper*	0.0215	0.0010	0.0002	mg/L	2	09/12/22 12:50	EPA200.8		AES
Lead*	<0.0020	0.0020	0.0003	mg/L	4	09/12/22 14:18	EPA200.8		AES
Manganese*	0.0035	0.0010	0.0002	mg/L	2	09/12/22 12:50	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0002	mg/L	2	09/12/22 12:50	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0012	mg/L	2	09/12/22 12:50	EPA200.8		AES
Uranium	<0.0010	0.0010	0.0002	mg/L	2	09/12/22 12:50	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0005	mg/L	2	09/12/22 12:50	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:33

MW-4-A

2209034-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/12/22 15:36	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/19/22 13:33

MW-4-C

2209034-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	2430	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	2430	10.0	2.27	mg/L	10	09/09/22 16:00	2320 B		HTB
Cation/Anion Balance	1.81	-100	-100	%	1	09/19/22 12:51	Calculation		JDA
Chloride*	570	5.00	0.278	mg/L	5	09/15/22 19:00	EPA300.0		AES
Fluoride*	2.34	0.500	0.0486	mg/L	5	09/15/22 19:00	EPA300.0		AES
Nitrate/Nitrite as N*	<0.100	0.100	0.059	mg/L as N	5	09/12/22 10:00	EPA353.2		HTB
pH*	8.19			pH Units	1	09/02/22 15:00	EPA150.1		QEB
pH Temperature, degrees C	18.1			pH Units	1	09/02/22 15:00	EPA150.1		QEB
Total Dissolved Solids*	3670	20.0		mg/L	2	09/07/22 18:08	EPA160.1		AES
Sulfate*	<5.00	5.00	0.620	mg/L	5	09/15/22 19:00	EPA300.0		AES
Total Organic Carbon*	4.39	0.500	0.175	mg/L	1	09/12/22 15:31	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.180	mg/L	5	09/12/22 14:21	EPA200.7		AES
Calcium*	6.01	0.500	0.118	mg/L	5	09/12/22 14:21	EPA200.7		AES
Hardness as CaCO ₃	26.0	3.31	0.928	mg/L	5	09/12/22 14:21	2340 B		AES
Iron*	0.795	0.250	0.178	mg/L	5	09/12/22 14:21	EPA200.7		AES
Magnesium*	2.68	0.500	0.154	mg/L	5	09/12/22 14:21	EPA200.7		AES
Potassium*	<5.00	5.00	0.325	mg/L	5	09/12/22 14:21	EPA200.7		AES
Silica (SiO ₂)	10.4	5.35	0.341	mg/L	5	09/12/22 14:21	Calculation		AES
Silicon	4.87	2.50	0.160	mg/L	5	09/12/22 14:21	EPA200.7		AES
Sodium*	1530	5.00	0.528	mg/L	5	09/12/22 14:21	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0219	0.0025	0.0012	mg/L	5	09/12/22 12:51	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	09/12/22 12:51	EPA200.8		AES
Copper*	0.0618	0.0025	0.0004	mg/L	5	09/12/22 12:51	EPA200.8		AES
Lead*	<0.0050	0.0050	0.0009	mg/L	10	09/12/22 14:20	EPA200.8		AES
Manganese*	0.0049	0.0025	0.0005	mg/L	5	09/12/22 12:51	EPA200.8		AES
Molybdenum*	0.0036	0.0025	0.0004	mg/L	5	09/12/22 12:51	EPA200.8		AES
Selenium*	0.0218	0.0050	0.0030	mg/L	5	09/12/22 12:51	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	09/12/22 12:51	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0014	mg/L	5	09/12/22 12:51	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:33

MW-4-C

2209034-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<500	500	124	ng/L	5	09/12/22 15:43	EPA245.7		HTB
----------	------	-----	-----	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:33

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222411 - General Prep - Wet Chem

Reference (B222411-SRM1)

Prepared & Analyzed: 09/02/22

pH	6.99		pH Units	7.00		99.9	98.57-101.42			
----	------	--	----------	------	--	------	--------------	--	--	--

Batch B222438 - General Prep - Wet Chem

Blank (B222438-BLK1)

Prepared & Analyzed: 09/07/22

Total Dissolved Solids	ND	10.0	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Reference (B222438-SRM1)

Prepared & Analyzed: 09/07/22

Total Dissolved Solids	460	10.0	mg/L	450		102	85-115			
------------------------	-----	------	------	-----	--	-----	--------	--	--	--

Batch B222477 - Lachat

Blank (B222477-BLK1)

Prepared: 09/09/22 Analyzed: 09/12/22

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

LCS (B222477-BS1)

Prepared: 09/09/22 Analyzed: 09/12/22

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110			
----------------------	------	-------	-----------	------	--	-----	--------	--	--	--

LCS Dup (B222477-BSD1)

Prepared: 09/09/22 Analyzed: 09/12/22

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110	0.0588	20	
----------------------	------	-------	-----------	------	--	-----	--------	--------	----	--

Batch B222479 - General Prep - Wet Chem

Blank (B222479-BLK1)

Prepared & Analyzed: 09/09/22

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B222479-BS1)

Prepared & Analyzed: 09/09/22

Alkalinity, Total as CaCO ₃	99.0	10.0	mg/L	100		99.0	85-115			
--	------	------	------	-----	--	------	--------	--	--	--

LCS Dup (B222479-BSD1)

Prepared & Analyzed: 09/09/22

Alkalinity, Total as CaCO ₃	98.0	10.0	mg/L	100		98.0	85-115	1.02	20	
--	------	------	------	-----	--	------	--------	------	----	--

Batch B222483 - General Prep - Wet Chem

Blank (B222483-BLK1)

Prepared & Analyzed: 09/12/22

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B222483-BS1)

Prepared & Analyzed: 09/12/22

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/19/22 13:33General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B222483 - General Prep - Wet Chem (Continued)

LCS (B222483-BS1) (Continued)

Prepared & Analyzed: 09/12/22

Total Organic Carbon	9.97	0.500	mg/L	10.0	99.7	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B222483-BSD1)

Prepared & Analyzed: 09/12/22

Total Organic Carbon	9.97	0.500	mg/L	10.0	99.7	85-115	0.0100	20
----------------------	------	-------	------	------	------	--------	--------	----

Batch B222490 - IC- Ion Chromatograph

Blank (B222490-BLK1)

Prepared: 09/12/22 Analyzed: 09/15/22

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B222490-BS1)

Prepared: 09/12/22 Analyzed: 09/15/22

Chloride	24.8	1.00	mg/L	25.0	99.2	90-110
Fluoride	2.44	0.100	mg/L	2.50	97.7	90-110
Sulfate	24.3	1.00	mg/L	25.0	97.1	90-110

LCS Dup (B222490-BSD1)

Prepared: 09/12/22 Analyzed: 09/15/22

Chloride	24.8	1.00	mg/L	25.0	99.1	90-110	0.186	20
Fluoride	2.44	0.100	mg/L	2.50	97.6	90-110	0.0410	20
Sulfate	24.3	1.00	mg/L	25.0	97.1	90-110	0.0165	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:33

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222487 - Dissolved ICP

Blank (B222487-BLK1)

Prepared & Analyzed: 09/12/22

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B222487-BS1)

Prepared & Analyzed: 09/12/22

Aluminum	4.04	0.050	mg/L	4.00	101	85-115
Calcium	4.05	0.100	mg/L	4.00	101	85-115
Iron	4.09	0.050	mg/L	4.00	102	85-115
Magnesium	20.6	0.100	mg/L	20.0	103	85-115
Potassium	8.10	1.00	mg/L	8.00	101	85-115
Silicon	4.15	0.500	mg/L	4.00	104	85-115
Sodium	3.62	1.00	mg/L	3.24	112	85-115

LCS Dup (B222487-BS1)

Prepared & Analyzed: 09/12/22

Aluminum	3.99	0.050	mg/L	4.00	99.9	85-115	1.10	20
Calcium	4.03	0.100	mg/L	4.00	101	85-115	0.454	20
Iron	4.09	0.050	mg/L	4.00	102	85-115	0.132	20
Magnesium	20.5	0.100	mg/L	20.0	102	85-115	0.842	20
Potassium	8.21	1.00	mg/L	8.00	103	85-115	1.29	20
Silicon	4.12	0.500	mg/L	4.00	103	85-115	0.840	20
Sodium	3.59	1.00	mg/L	3.24	111	85-115	0.755	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:33

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222481 - Dissolved ICPMS

Blank (B222481-BLK1)

Prepared & Analyzed: 09/12/22

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B222481-BS1)

Prepared & Analyzed: 09/12/22

Arsenic	0.0516	0.0005	mg/L	0.0500	103	85-115
Cadmium	0.0505	0.0005	mg/L	0.0500	101	85-115
Copper	0.0483	0.0005	mg/L	0.0500	96.7	85-115
Lead	0.0489	0.0005	mg/L	0.0500	97.7	85-115
Manganese	0.0529	0.0005	mg/L	0.0500	106	85-115
Molybdenum	0.0507	0.0005	mg/L	0.0500	101	85-115
Selenium	0.258	0.0010	mg/L	0.250	103	85-115
Uranium	0.0531	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0508	0.0020	mg/L	0.0500	102	85-115

LCS Dup (B222481-BSD1)

Prepared & Analyzed: 09/12/22

Arsenic	0.0508	0.0005	mg/L	0.0500	102	85-115	1.46	20
Cadmium	0.0502	0.0005	mg/L	0.0500	100	85-115	0.580	20
Copper	0.0478	0.0005	mg/L	0.0500	95.5	85-115	1.20	20
Lead	0.0482	0.0005	mg/L	0.0500	96.4	85-115	1.40	20
Manganese	0.0516	0.0005	mg/L	0.0500	103	85-115	2.42	20
Molybdenum	0.0502	0.0005	mg/L	0.0500	100	85-115	1.05	20
Selenium	0.255	0.0010	mg/L	0.250	102	85-115	0.837	20
Uranium	0.0530	0.0005	mg/L	0.0500	106	85-115	0.219	20
Zinc	0.0506	0.0020	mg/L	0.0500	101	85-115	0.433	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:33

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222462 - EPA 245.7

Blank (B222462-BLK1)

Prepared: 09/09/22 Analyzed: 09/12/22

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B222462-BS1)

Prepared: 09/09/22 Analyzed: 09/12/22

Mercury	1630	100	ng/L	2000	81.4	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B222462-BSD1)

Prepared: 09/09/22 Analyzed: 09/12/22

Mercury	1620	100	ng/L	2000	81.0	76-113	0.498	20
---------	------	-----	------	------	------	--------	-------	----

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



(970) 247-4220
dzufelt@greenanalytical.com
75 Suttle St Durango, CO 81303

FORM-006
COC - Revision 6.0

[illegible]



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

28 September 2022

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 09/12/22 15:15. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, reading 'Jeremy D. Allen', is written in a cursive style.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-15

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:24

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-5-M1	2209126-01	Water	09/12/22 12:32	09/12/22 15:15	
MW-5-C	2209126-02	Water	09/12/22 13:00	09/12/22 15:15	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/28/22 13:24

MW-5-M1

2209126-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	980	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	980	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Cation/Anion Balance	-8.00	-100	-100	%	1	09/28/22 13:12	Calculation		JDA
Chloride*	5.66	5.00	0.278	mg/L	5	09/22/22 08:07	EPA300.0		AES
Fluoride*	<0.500	0.500	0.0486	mg/L	5	09/22/22 08:07	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/20/22 10:06	EPA353.2		HTB
pH*	8.41			pH Units	1	09/14/22 09:00	EPA150.1		LLG
pH Temperature, degrees C	19.3			pH Units	1	09/14/22 09:00	EPA150.1		LLG
Total Dissolved Solids*	1040	10.0		mg/L	1	09/19/22 11:59	EPA160.1		JDA
Sulfate*	7.69	5.00	0.620	mg/L	5	09/22/22 08:28	EPA300.0		AES
Total Organic Carbon*	2.51	0.500	0.175	mg/L	1	09/22/22 11:28	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	09/21/22 13:58	EPA200.7		AES
Calcium*	2.13	0.200	0.047	mg/L	2	09/21/22 13:58	EPA200.7		AES
Hardness as CaCO ₃	8.38	1.32	0.371	mg/L	2	09/21/22 13:58	2340 B		AES
Iron*	<0.100	0.100	0.071	mg/L	2	09/21/22 13:58	EPA200.7		AES
Magnesium*	0.743	0.200	0.062	mg/L	2	09/21/22 13:58	EPA200.7		AES
Potassium*	<2.00	2.00	0.130	mg/L	2	09/21/22 13:58	EPA200.7		AES
Silica (SiO ₂)	7.33	2.14	0.137	mg/L	2	09/21/22 13:58	Calculation		AES
Silicon	3.43	1.00	0.064	mg/L	2	09/21/22 13:58	EPA200.7		AES
Sodium*	386	2.00	0.211	mg/L	2	09/21/22 13:58	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0101	0.0010	0.0005	mg/L	2	09/23/22 10:08	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00006	mg/L	2	09/23/22 10:08	EPA200.8		AES
Copper*	0.0138	0.0010	0.0002	mg/L	2	09/23/22 10:08	EPA200.8		AES
Lead*	<0.0010	0.0010	0.0002	mg/L	2	09/23/22 10:08	EPA200.8		AES
Manganese*	0.0172	0.0010	0.0002	mg/L	2	09/23/22 10:08	EPA200.8		AES
Molybdenum*	0.0022	0.0010	0.0002	mg/L	2	09/23/22 10:08	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0012	mg/L	2	09/23/22 10:08	EPA200.8		AES
Uranium	0.0066	0.0010	0.0002	mg/L	2	09/23/22 10:08	EPA200.8		AES
Zinc*	0.0889	0.0040	0.0005	mg/L	2	09/23/22 10:08	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:24

MW-5-M1

2209126-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/16/22 11:53	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/28/22 13:24

MW-5-C

2209126-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	1680	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	1680	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Cation/Anion Balance	1.76	-100	-100	%	1	09/28/22 13:12	Calculation		JDA
Chloride*	3.75	2.00	0.111	mg/L	2	09/22/22 08:49	EPA300.0		AES
Fluoride*	2.42	0.200	0.0194	mg/L	2	09/22/22 08:49	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/20/22 10:12	EPA353.2		HTB
pH*	7.85			pH Units	1	09/14/22 09:00	EPA150.1		LLG
pH Temperature, degrees C	19.6			pH Units	1	09/14/22 09:00	EPA150.1		LLG
Total Dissolved Solids*	2400	10.0		mg/L	1	09/19/22 12:03	EPA160.1		JDA
Sulfate*	466	20.0	2.48	mg/L	20	09/22/22 08:49	EPA300.0		AES
Total Organic Carbon*	2.39	0.500	0.175	mg/L	1	09/22/22 11:50	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.180	mg/L	5	09/21/22 14:01	EPA200.7		AES
Calcium*	8.22	0.500	0.118	mg/L	5	09/21/22 14:01	EPA200.7		AES
Hardness as CaCO ₃	32.6	3.31	0.928	mg/L	5	09/21/22 14:01	2340 B		AES
Iron*	<0.250	0.250	0.178	mg/L	5	09/21/22 14:01	EPA200.7		AES
Magnesium*	2.93	0.500	0.154	mg/L	5	09/21/22 14:01	EPA200.7		AES
Potassium*	<5.00	5.00	0.325	mg/L	5	09/21/22 14:01	EPA200.7		AES
Silica (SiO ₂)	7.19	5.35	0.341	mg/L	5	09/21/22 14:01	Calculation		AES
Silicon	3.36	2.50	0.160	mg/L	5	09/21/22 14:01	EPA200.7		AES
Sodium*	1020	5.00	0.528	mg/L	5	09/21/22 14:01	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0012	mg/L	5	09/23/22 10:09	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	09/23/22 10:09	EPA200.8		AES
Copper*	0.0355	0.0025	0.0004	mg/L	5	09/23/22 10:09	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 10:09	EPA200.8		AES
Manganese*	0.0099	0.0025	0.0005	mg/L	5	09/23/22 10:09	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 10:09	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0030	mg/L	5	09/23/22 10:09	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	09/23/22 10:09	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0014	mg/L	5	09/23/22 10:09	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:24

MW-5-C

2209126-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<500	500	124	ng/L	5	09/16/22 12:01	EPA245.7		HTB
----------	------	-----	-----	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:24

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222554 - General Prep - Wet Chem

Blank (B222554-BLK1)

Prepared & Analyzed: 09/19/22

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B222554-SRM1)

Prepared & Analyzed: 09/19/22

Total Dissolved Solids	475	10.0	mg/L	450	106	85-115
------------------------	-----	------	------	-----	-----	--------

Batch B222566 - General Prep - Wet Chem

Blank (B222566-BLK1)

Prepared & Analyzed: 09/19/22

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B222566-BS1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	103	10.0	mg/L	100	103	85-115
--	-----	------	------	-----	-----	--------

LCS Dup (B222566-BSD1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	102	10.0	mg/L	100	102	85-115	0.976	20
--	-----	------	------	-----	-----	--------	-------	----

Batch B222572 - General Prep - Wet Chem

Reference (B222572-SRM1)

Prepared & Analyzed: 09/14/22

pH	7.05	pH Units	7.00	101	98.57-101.42
----	------	----------	------	-----	--------------

Batch B222575 - Lachat

Blank (B222575-BLK1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B222575-BS1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	1.06	0.020	mg/L as N	1.00	106	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B222575-BSD1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	1.04	0.020	mg/L as N	1.00	104	90-110	1.13	20
----------------------	------	-------	-----------	------	-----	--------	------	----

Batch B222606 - IC- Ion Chromatograph

Blank (B222606-BLK1)

Prepared: 09/21/22 Analyzed: 09/22/22

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:24

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B222606 - IC- Ion Chromatograph (Continued)

LCS (B222606-BS1)

Prepared: 09/21/22 Analyzed: 09/22/22

Chloride	24.9	1.00	mg/L	25.0		99.4	90-110			
Fluoride	2.48	0.100	mg/L	2.50		99.2	90-110			
Sulfate	24.6	1.00	mg/L	25.0		98.3	90-110			

LCS Dup (B222606-BSD1)

Prepared: 09/21/22 Analyzed: 09/22/22

Chloride	25.0	1.00	mg/L	25.0		100	90-110	0.646	20	
Fluoride	2.50	0.100	mg/L	2.50		99.9	90-110	0.723	20	
Sulfate	24.7	1.00	mg/L	25.0		98.9	90-110	0.690	20	

Batch B222612 - General Prep - Wet Chem

Blank (B222612-BLK1)

Prepared & Analyzed: 09/22/22

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B222612-BS1)

Prepared & Analyzed: 09/22/22

Total Organic Carbon	10.1	0.500	mg/L	10.0		101	85-115			
----------------------	------	-------	------	------	--	-----	--------	--	--	--

LCS Dup (B222612-BSD1)

Prepared & Analyzed: 09/22/22

Total Organic Carbon	10.1	0.500	mg/L	10.0		101	85-115	0.00	20	
----------------------	------	-------	------	------	--	-----	--------	------	----	--

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:24

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222591 - Dissolved ICP

Blank (B222591-BLK1)

Prepared & Analyzed: 09/21/22

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B222591-BS1)

Prepared & Analyzed: 09/21/22

Aluminum	3.89	0.050	mg/L	4.00	97.3	85-115
Calcium	3.73	0.100	mg/L	4.00	93.3	85-115
Iron	3.80	0.050	mg/L	4.00	95.0	85-115
Magnesium	19.5	0.100	mg/L	20.0	97.4	85-115
Potassium	8.14	1.00	mg/L	8.00	102	85-115
Silicon	3.99	0.500	mg/L	4.00	99.6	85-115
Sodium	3.21	1.00	mg/L	3.24	99.2	85-115

LCS Dup (B222591-BS1)

Prepared & Analyzed: 09/21/22

Aluminum	3.94	0.050	mg/L	4.00	98.5	85-115	1.21	20
Calcium	3.82	0.100	mg/L	4.00	95.5	85-115	2.38	20
Iron	3.89	0.050	mg/L	4.00	97.3	85-115	2.49	20
Magnesium	19.7	0.100	mg/L	20.0	98.6	85-115	1.22	20
Potassium	8.11	1.00	mg/L	8.00	101	85-115	0.407	20
Silicon	4.04	0.500	mg/L	4.00	101	85-115	1.40	20
Sodium	3.27	1.00	mg/L	3.24	101	85-115	1.79	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/28/22 13:24

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222617 - Dissolved ICPMS

Blank (B222617-BLK1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B222617-BS1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	0.0505	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0508	0.0005	mg/L	0.0500	102	85-115
Copper	0.0491	0.0005	mg/L	0.0500	98.2	85-115
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115
Manganese	0.0519	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0508	0.0005	mg/L	0.0500	102	85-115
Selenium	0.249	0.0010	mg/L	0.250	99.7	85-115
Uranium	0.0528	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0510	0.0020	mg/L	0.0500	102	85-115

LCS Dup (B222617-BSD1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	0.0515	0.0005	mg/L	0.0500	103	85-115	1.92	20
Cadmium	0.0507	0.0005	mg/L	0.0500	101	85-115	0.332	20
Copper	0.0488	0.0005	mg/L	0.0500	97.6	85-115	0.640	20
Lead	0.0509	0.0005	mg/L	0.0500	102	85-115	0.671	20
Manganese	0.0516	0.0005	mg/L	0.0500	103	85-115	0.434	20
Molybdenum	0.0514	0.0005	mg/L	0.0500	103	85-115	1.02	20
Selenium	0.257	0.0010	mg/L	0.250	103	85-115	3.08	20
Uranium	0.0534	0.0005	mg/L	0.0500	107	85-115	1.12	20
Zinc	0.0508	0.0020	mg/L	0.0500	102	85-115	0.382	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/28/22 13:24

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222526 - EPA 245.7

Blank (B222526-BLK1)

Prepared: 09/15/22 Analyzed: 09/16/22

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B222526-BS1)

Prepared: 09/15/22 Analyzed: 09/16/22

Mercury	1720	100	ng/L	2000	86.2	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B222526-BSD1)

Prepared: 09/15/22 Analyzed: 09/16/22

Mercury	1760	100	ng/L	2000	88.0	76-113	2.01	20
---------	------	-----	------	------	------	--------	------	----

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

FORM-006
COC - Revision 6.0

[illegible]



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

19 September 2022

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 08/31/22 16:00. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Jeremy D. Allen', is written in a cursive style.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-15

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:31

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-6-LM	2209010-01	Water	08/31/22 13:23	08/31/22 16:00	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/19/22 13:31

MW-6-LM

2209010-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	337	10.0	2.27	mg/L	1	09/09/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	1	09/09/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	1	09/09/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	337	10.0	2.27	mg/L	1	09/09/22 16:00	2320 B		HTB
Cation/Anion Balance	-2.75	-100	-100	%	1	09/19/22 12:51	Calculation		JDA
Chloride*	10.7	2.00	0.111	mg/L	2	09/10/22 01:50	EPA300.0		AES
Fluoride*	0.310	0.200	0.0194	mg/L	2	09/10/22 01:50	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/12/22 09:29	EPA353.2		HTB
pH*	7.90			pH Units	1	09/01/22 13:35	EPA150.1		JDA
pH Temperature, degrees C	19.9			pH Units	1	09/01/22 13:35	EPA150.1		JDA
Total Dissolved Solids*	1870	10.0		mg/L	1	09/06/22 18:30	EPA160.1		AES
Sulfate*	1010	20.0	2.48	mg/L	20	09/10/22 02:11	EPA300.0		AES
Total Organic Carbon*	2.08	0.500	0.175	mg/L	1	09/12/22 13:41	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	09/08/22 18:14	EPA200.7		AES
Calcium*	152	0.200	0.047	mg/L	2	09/08/22 18:14	EPA200.7		AES
Hardness as CaCO ₃	971	1.32	0.371	mg/L	2	09/08/22 18:14	2340 B		AES
Iron*	<0.100	0.100	0.071	mg/L	2	09/08/22 18:14	EPA200.7		AES
Magnesium*	143	0.200	0.062	mg/L	2	09/08/22 18:14	EPA200.7		AES
Potassium*	4.84	2.00	0.130	mg/L	2	09/08/22 18:14	EPA200.7		AES
Silica (SiO ₂)	17.3	2.14	0.137	mg/L	2	09/08/22 18:14	Calculation		AES
Silicon	8.07	1.00	0.064	mg/L	2	09/08/22 18:14	EPA200.7		AES
Sodium*	163	2.00	0.211	mg/L	2	09/08/22 18:14	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0034	0.0010	0.0005	mg/L	2	09/07/22 12:39	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00006	mg/L	2	09/07/22 12:39	EPA200.8		AES
Copper*	0.0054	0.0010	0.0002	mg/L	2	09/07/22 12:39	EPA200.8		AES
Lead*	<0.0010	0.0010	0.0002	mg/L	2	09/07/22 12:39	EPA200.8		AES
Manganese*	0.174	0.0010	0.0002	mg/L	2	09/07/22 12:39	EPA200.8		AES
Molybdenum*	0.0014	0.0010	0.0002	mg/L	2	09/07/22 12:39	EPA200.8		AES
Selenium*	0.0028	0.0020	0.0012	mg/L	2	09/07/22 12:39	EPA200.8		AES
Uranium	0.0026	0.0010	0.0002	mg/L	2	09/07/22 12:39	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0005	mg/L	2	09/07/22 12:39	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:31

MW-6-LM

2209010-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/12/22 15:31	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:31

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222408 - General Prep - Wet Chem

Reference (B222408-SRM1)

Prepared & Analyzed: 09/01/22

pH	7.00		pH Units	7.00		100	98.57-101.42			
----	------	--	----------	------	--	-----	--------------	--	--	--

Batch B222429 - General Prep - Wet Chem

Blank (B222429-BLK1)

Prepared & Analyzed: 09/06/22

Total Dissolved Solids	ND	10.0	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Reference (B222429-SRM1)

Prepared & Analyzed: 09/06/22

Total Dissolved Solids	450	10.0	mg/L	450		100	85-115			
------------------------	-----	------	------	-----	--	-----	--------	--	--	--

Batch B222457 - IC- Ion Chromatograph

Blank (B222457-BLK1)

Prepared: 09/08/22 Analyzed: 09/09/22

Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

LCS (B222457-BS1)

Prepared: 09/08/22 Analyzed: 09/09/22

Chloride	24.8	1.00	mg/L	25.0		99.3	90-110			
Fluoride	2.44	0.100	mg/L	2.50		97.7	90-110			
Sulfate	24.4	1.00	mg/L	25.0		97.6	90-110			

LCS Dup (B222457-BSD1)

Prepared: 09/08/22 Analyzed: 09/09/22

Chloride	24.6	1.00	mg/L	25.0		98.4	90-110	0.894	20	
Fluoride	2.42	0.100	mg/L	2.50		96.8	90-110	0.905	20	
Sulfate	24.2	1.00	mg/L	25.0		96.7	90-110	0.947	20	

Batch B222476 - Lachat

Blank (B222476-BLK1)

Prepared: 09/09/22 Analyzed: 09/12/22

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

LCS (B222476-BS1)

Prepared: 09/09/22 Analyzed: 09/12/22

Nitrate/Nitrite as N	1.01	0.020	mg/L as N	1.00		101	90-110			
----------------------	------	-------	-----------	------	--	-----	--------	--	--	--

LCS Dup (B222476-BSD1)

Prepared: 09/09/22 Analyzed: 09/12/22

Nitrate/Nitrite as N	1.01	0.020	mg/L as N	1.00		101	90-110	0.298	20	
----------------------	------	-------	-----------	------	--	-----	--------	-------	----	--

Batch B222479 - General Prep - Wet Chem

Blank (B222479-BLK1)

Prepared & Analyzed: 09/09/22

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/19/22 13:31General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222479 - General Prep - Wet Chem (Continued)

Blank (B222479-BLK1) (Continued)

Prepared & Analyzed: 09/09/22

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B222479-BS1)

Prepared & Analyzed: 09/09/22

Alkalinity, Total as CaCO ₃	99.0	10.0	mg/L	100		99.0	85-115			
--	------	------	------	-----	--	------	--------	--	--	--

LCS Dup (B222479-BSD1)

Prepared & Analyzed: 09/09/22

Alkalinity, Total as CaCO ₃	98.0	10.0	mg/L	100		98.0	85-115	1.02	20	
--	------	------	------	-----	--	------	--------	------	----	--

Batch B222483 - General Prep - Wet Chem

Blank (B222483-BLK1)

Prepared & Analyzed: 09/12/22

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B222483-BS1)

Prepared & Analyzed: 09/12/22

Total Organic Carbon	9.97	0.500	mg/L	10.0		99.7	85-115			
----------------------	------	-------	------	------	--	------	--------	--	--	--

LCS Dup (B222483-BSD1)

Prepared & Analyzed: 09/12/22

Total Organic Carbon	9.97	0.500	mg/L	10.0		99.7	85-115	0.0100	20	
----------------------	------	-------	------	------	--	------	--------	--------	----	--

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:31

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222458 - Dissolved ICP

Blank (B222458-BLK1)

Prepared & Analyzed: 09/08/22

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B222458-BS1)

Prepared & Analyzed: 09/08/22

Aluminum	4.23	0.050	mg/L	4.00	106	85-115
Calcium	4.09	0.100	mg/L	4.00	102	85-115
Iron	4.09	0.050	mg/L	4.00	102	85-115
Magnesium	21.2	0.100	mg/L	20.0	106	85-115
Potassium	8.66	1.00	mg/L	8.00	108	85-115
Silicon	4.26	0.500	mg/L	4.00	107	85-115
Sodium	3.45	1.00	mg/L	3.24	106	85-115

LCS Dup (B222458-BS1)

Prepared & Analyzed: 09/08/22

Aluminum	4.22	0.050	mg/L	4.00	105	85-115	0.418	20
Calcium	4.06	0.100	mg/L	4.00	102	85-115	0.536	20
Iron	4.07	0.050	mg/L	4.00	102	85-115	0.402	20
Magnesium	21.0	0.100	mg/L	20.0	105	85-115	0.860	20
Potassium	8.64	1.00	mg/L	8.00	108	85-115	0.181	20
Silicon	4.24	0.500	mg/L	4.00	106	85-115	0.600	20
Sodium	3.39	1.00	mg/L	3.24	105	85-115	1.56	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:31

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222424 - Dissolved ICPMS

Blank (B222424-BLK1)

Prepared: 09/06/22 Analyzed: 09/07/22

Arsenic	ND	0.0005	mg/L							
Cadmium	ND	0.0005	mg/L							
Copper	ND	0.0005	mg/L							
Lead	ND	0.0005	mg/L							
Manganese	ND	0.0005	mg/L							
Molybdenum	ND	0.0005	mg/L							
Selenium	ND	0.0010	mg/L							
Uranium	ND	0.0005	mg/L							
Zinc	ND	0.0020	mg/L							

LCS (B222424-BS1)

Prepared: 09/06/22 Analyzed: 09/07/22

Arsenic	0.0520	0.0005	mg/L	0.0500	104	85-115				
Cadmium	0.0508	0.0005	mg/L	0.0500	102	85-115				
Copper	0.0510	0.0005	mg/L	0.0500	102	85-115				
Lead	0.0498	0.0005	mg/L	0.0500	99.6	85-115				
Manganese	0.0537	0.0005	mg/L	0.0500	107	85-115				
Molybdenum	0.0508	0.0005	mg/L	0.0500	102	85-115				
Selenium	0.259	0.0010	mg/L	0.250	104	85-115				
Uranium	0.0554	0.0005	mg/L	0.0500	111	85-115				
Zinc	0.0515	0.0020	mg/L	0.0500	103	85-115				

LCS Dup (B222424-BSD1)

Prepared: 09/06/22 Analyzed: 09/07/22

Arsenic	0.0527	0.0005	mg/L	0.0500	105	85-115	1.28	20		
Cadmium	0.0511	0.0005	mg/L	0.0500	102	85-115	0.446	20		
Copper	0.0506	0.0005	mg/L	0.0500	101	85-115	0.781	20		
Lead	0.0496	0.0005	mg/L	0.0500	99.2	85-115	0.379	20		
Manganese	0.0542	0.0005	mg/L	0.0500	108	85-115	0.989	20		
Molybdenum	0.0509	0.0005	mg/L	0.0500	102	85-115	0.195	20		
Selenium	0.259	0.0010	mg/L	0.250	104	85-115	0.119	20		
Uranium	0.0542	0.0005	mg/L	0.0500	108	85-115	2.05	20		
Zinc	0.0508	0.0020	mg/L	0.0500	102	85-115	1.50	20		

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/19/22 13:31

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222462 - EPA 245.7

Blank (B222462-BLK1)

Prepared: 09/09/22 Analyzed: 09/12/22

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B222462-BS1)

Prepared: 09/09/22 Analyzed: 09/12/22

Mercury	1630	100	ng/L	2000		81.4	76-113			
---------	------	-----	------	------	--	------	--------	--	--	--

LCS Dup (B222462-BSD1)

Prepared: 09/09/22 Analyzed: 09/12/22

Mercury	1620	100	ng/L	2000		81.0	76-113	0.498	20	
---------	------	-----	------	------	--	------	--------	-------	----	--

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

27 September 2022

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 09/08/22 15:00. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, reading 'Jeremy D. Allen', is written in a cursive style.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-15

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-8-PL	2209118-01	Water	09/08/22 09:15	09/08/22 15:00	
MW-8-LM	2209118-02	Water	09/08/22 09:43	09/08/22 15:00	
MW-8-MI	2209118-03	Water	09/08/22 10:23	09/08/22 15:00	
MW-8-EAA	2209118-04	Water	09/08/22 10:53	09/08/22 15:00	
MW-7-EAA	2209118-05	Water	09/08/22 11:38	09/08/22 15:00	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/27/22 10:55

MW-8-PL

2209118-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	340	10.0	2.27	mg/L	1	09/19/22 15:30	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	16.0	10.0	2.27	mg/L	1	09/19/22 15:30	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	1	09/19/22 15:30	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	356	10.0	2.27	mg/L	1	09/19/22 15:30	2320 B		HTB
Cation/Anion Balance	-3.08	-100	-100	%	1	09/27/22 08:38	Calculation		JDA
Chloride*	3.66	1.00	0.0555	mg/L	1	09/21/22 22:01	EPA300.0		AES
Fluoride*	0.198	0.100	0.00971	mg/L	1	09/21/22 22:01	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/20/22 10:00	EPA353.2		HTB
pH*	7.88			pH Units	1	09/09/22 10:20	EPA150.1		JDA
pH Temperature, degrees C	21.4			pH Units	1	09/09/22 10:20	EPA150.1		JDA
Total Dissolved Solids*	500	10.0		mg/L	1	09/14/22 18:00	EPA160.1		JDA
Sulfate*	106	1.00	0.124	mg/L	1	09/21/22 22:01	EPA300.0		AES
Total Organic Carbon*	1.60	0.500	0.175	mg/L	1	09/12/22 21:50	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.036	mg/L	1	09/21/22 13:20	EPA200.7		AES
Calcium*	52.4	0.100	0.024	mg/L	1	09/21/22 13:20	EPA200.7		AES
Hardness as CaCO ₃	275	0.662	0.186	mg/L	1	09/21/22 13:20	2340 B		AES
Iron*	0.063	0.050	0.036	mg/L	1	09/21/22 13:20	EPA200.7		AES
Magnesium*	35.1	0.100	0.031	mg/L	1	09/21/22 13:20	EPA200.7		AES
Potassium*	1.53	1.00	0.065	mg/L	1	09/21/22 13:20	EPA200.7		AES
Silica (SiO ₂)	20.8	1.07	0.0683	mg/L	1	09/21/22 13:20	Calculation		AES
Silicon	9.75	0.500	0.032	mg/L	1	09/21/22 13:20	EPA200.7		AES
Sodium*	76.3	1.00	0.106	mg/L	1	09/21/22 13:20	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0042	0.0010	0.0005	mg/L	2	09/23/22 09:49	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00006	mg/L	2	09/23/22 09:49	EPA200.8		AES
Copper*	0.0014	0.0010	0.0002	mg/L	2	09/23/22 09:49	EPA200.8		AES
Lead*	<0.0010	0.0010	0.0002	mg/L	2	09/23/22 09:49	EPA200.8		AES
Manganese*	0.145	0.0010	0.0002	mg/L	2	09/23/22 09:49	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0002	mg/L	2	09/23/22 09:49	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0012	mg/L	2	09/23/22 09:49	EPA200.8		AES
Uranium	<0.0010	0.0010	0.0002	mg/L	2	09/23/22 09:49	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0005	mg/L	2	09/23/22 09:49	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

MW-8-PL

2209118-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/16/22 10:58	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

MW-8-LM

2209118-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	580	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	180	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	760	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Cation/Anion Balance	-8.21	-100	-100	%	1	09/27/22 08:38	Calculation		JDA
Chloride*	2.64	2.00	0.111	mg/L	2	09/21/22 22:43	EPA300.0		AES
Fluoride*	3.79	0.200	0.0194	mg/L	2	09/21/22 22:43	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/20/22 10:01	EPA353.2		HTB
pH*	8.99			pH Units	1	09/09/22 10:20	EPA150.1		JDA
pH Temperature, degrees C	21.1			pH Units	1	09/09/22 10:20	EPA150.1		JDA
Total Dissolved Solids*	755	10.0		mg/L	1	09/14/22 18:02	EPA160.1		JDA
Sulfate*	<2.00	2.00	0.248	mg/L	2	09/21/22 22:43	EPA300.0		AES
Total Organic Carbon*	1.77	0.500	0.175	mg/L	1	09/12/22 22:10	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	09/21/22 13:23	EPA200.7		AES
Calcium*	1.70	0.200	0.047	mg/L	2	09/21/22 13:23	EPA200.7		AES
Hardness as CaCO ₃	6.43	1.32	0.371	mg/L	2	09/21/22 13:23	2340 B		AES
Iron*	<0.100	0.100	0.071	mg/L	2	09/21/22 13:23	EPA200.7		AES
Magnesium*	0.532	0.200	0.062	mg/L	2	09/21/22 13:23	EPA200.7		AES
Potassium*	<2.00	2.00	0.130	mg/L	2	09/21/22 13:22	EPA200.7		AES
Silica (SiO ₂)	7.63	2.14	0.137	mg/L	2	09/21/22 13:23	Calculation		AES
Silicon	3.56	1.00	0.064	mg/L	2	09/21/22 13:23	EPA200.7		AES
Sodium*	298	2.00	0.211	mg/L	2	09/21/22 13:22	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0012	mg/L	5	09/23/22 09:51	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	09/23/22 09:51	EPA200.8		AES
Copper*	0.0052	0.0025	0.0004	mg/L	5	09/23/22 09:51	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 09:51	EPA200.8		AES
Manganese*	<0.0025	0.0025	0.0005	mg/L	5	09/23/22 09:51	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 09:51	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0030	mg/L	5	09/23/22 09:51	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	09/23/22 09:51	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0014	mg/L	5	09/23/22 09:51	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

MW-8-LM

2209118-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/16/22 11:00	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

MW-8-MI

2209118-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	500	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	500	10.0	2.27	mg/L	10	09/19/22 15:30	2320 B		HTB
Cation/Anion Balance	-2.03	-100	-100	%	1	09/27/22 08:38	Calculation		JDA
Chloride*	8.88	2.00	0.111	mg/L	2	09/22/22 00:06	EPA300.0		AES
Fluoride*	<0.200	0.200	0.0194	mg/L	2	09/22/22 00:06	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/20/22 10:02	EPA353.2		HTB
pH*	7.70			pH Units	1	09/09/22 10:20	EPA150.1		JDA
pH Temperature, degrees C	21.1			pH Units	1	09/09/22 10:20	EPA150.1		JDA
Total Dissolved Solids*	1050	10.0		mg/L	1	09/14/22 18:04	EPA160.1		JDA
Sulfate*	352	2.00	0.248	mg/L	2	09/22/22 00:06	EPA300.0		AES
Total Organic Carbon*	2.96	0.500	0.175	mg/L	1	09/12/22 22:27	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	09/21/22 13:25	EPA200.7		AES
Calcium*	69.2	0.200	0.047	mg/L	2	09/21/22 13:25	EPA200.7		AES
Hardness as CaCO ₃	374	1.32	0.371	mg/L	2	09/21/22 13:25	2340 B		AES
Iron*	<0.100	0.100	0.071	mg/L	2	09/21/22 13:25	EPA200.7		AES
Magnesium*	48.8	0.200	0.062	mg/L	2	09/21/22 13:25	EPA200.7		AES
Potassium*	5.59	2.00	0.130	mg/L	2	09/21/22 13:25	EPA200.7		AES
Silica (SiO ₂)	13.6	2.14	0.137	mg/L	2	09/21/22 13:25	Calculation		AES
Silicon	6.35	1.00	0.064	mg/L	2	09/21/22 13:25	EPA200.7		AES
Sodium*	213	2.00	0.211	mg/L	2	09/21/22 13:25	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0012	mg/L	5	09/23/22 09:52	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	09/23/22 09:52	EPA200.8		AES
Copper*	0.0038	0.0025	0.0004	mg/L	5	09/23/22 09:52	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 09:52	EPA200.8		AES
Manganese*	0.0597	0.0025	0.0005	mg/L	5	09/23/22 09:52	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 09:52	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0030	mg/L	5	09/23/22 09:52	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	09/23/22 09:52	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0014	mg/L	5	09/23/22 09:52	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

MW-8-MI

2209118-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/16/22 11:03	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/27/22 10:55

MW-8-EAA

2209118-04 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	480	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	480	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Cation/Anion Balance	-6.22	-100	-100	%	1	09/27/22 08:38	Calculation		JDA
Chloride*	11.7	2.00	0.111	mg/L	2	09/22/22 00:48	EPA300.0		AES
Fluoride*	0.332	0.200	0.0194	mg/L	2	09/22/22 00:48	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/20/22 10:03	EPA353.2		HTB
pH*	7.27			pH Units	1	09/09/22 10:20	EPA150.1		JDA
pH Temperature, degrees C	20.6			pH Units	1	09/09/22 10:20	EPA150.1		JDA
Total Dissolved Solids*	1360	10.0		mg/L	1	09/14/22 18:06	EPA160.1		JDA
Sulfate*	627	20.0	2.48	mg/L	20	09/22/22 01:09	EPA300.0		AES
Total Organic Carbon*	3.64	0.500	0.175	mg/L	1	09/12/22 22:44	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	09/21/22 13:29	EPA200.7		AES
Calcium*	143	0.200	0.047	mg/L	2	09/21/22 13:29	EPA200.7		AES
Hardness as CaCO ₃	831	1.32	0.371	mg/L	2	09/21/22 13:29	2340 B		AES
Iron*	2.28	0.100	0.071	mg/L	2	09/21/22 13:29	EPA200.7		AES
Magnesium*	115	0.200	0.062	mg/L	2	09/21/22 13:29	EPA200.7		AES
Potassium*	3.45	2.00	0.130	mg/L	2	09/21/22 13:29	EPA200.7		AES
Silica (SiO ₂)	15.4	2.14	0.137	mg/L	2	09/21/22 13:29	Calculation		AES
Silicon	7.18	1.00	0.064	mg/L	2	09/21/22 13:29	EPA200.7		AES
Sodium*	75.0	2.00	0.211	mg/L	2	09/21/22 13:29	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0012	mg/L	5	09/23/22 09:54	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	09/23/22 09:54	EPA200.8		AES
Copper*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 09:54	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 09:54	EPA200.8		AES
Manganese*	3.77	0.0025	0.0005	mg/L	5	09/23/22 09:54	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 09:54	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0030	mg/L	5	09/23/22 09:54	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	09/23/22 09:54	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0014	mg/L	5	09/23/22 09:54	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

MW-8-EAA

2209118-04 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/16/22 11:48	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/27/22 10:55

MW-7-EAA

2209118-05 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	400	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Alkalinity, Total as CaCO ₃ *	400	10.0	2.27	mg/L	10	09/19/22 16:00	2320 B		HTB
Cation/Anion Balance	-4.83	-100	-100	%	1	09/27/22 08:38	Calculation		JDA
Chloride*	11.2	2.00	0.111	mg/L	2	09/22/22 01:30	EPA300.0		AES
Fluoride*	0.310	0.200	0.0194	mg/L	2	09/22/22 01:30	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.012	mg/L as N	1	09/20/22 10:05	EPA353.2		HTB
pH*	7.24			pH Units	1	09/09/22 10:20	EPA150.1		JDA
pH Temperature, degrees C	20.5			pH Units	1	09/09/22 10:20	EPA150.1		JDA
Total Dissolved Solids*	1490	10.0		mg/L	1	09/14/22 18:08	EPA160.1		JDA
Sulfate*	759	20.0	2.48	mg/L	20	09/22/22 01:51	EPA300.0		AES
Total Organic Carbon*	3.38	0.500	0.175	mg/L	1	09/12/22 23:34	5310C		HTB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.072	mg/L	2	09/21/22 13:38	EPA200.7		AES
Calcium*	154	0.200	0.047	mg/L	2	09/21/22 13:38	EPA200.7		AES
Hardness as CaCO ₃	916	1.32	0.371	mg/L	2	09/21/22 13:38	2340 B		AES
Iron*	1.75	0.100	0.071	mg/L	2	09/21/22 13:38	EPA200.7		AES
Magnesium*	129	0.200	0.062	mg/L	2	09/21/22 13:38	EPA200.7		AES
Potassium*	3.71	2.00	0.130	mg/L	2	09/21/22 13:38	EPA200.7		AES
Silica (SiO ₂)	16.1	2.14	0.137	mg/L	2	09/21/22 13:38	Calculation		AES
Silicon	7.54	1.00	0.064	mg/L	2	09/21/22 13:38	EPA200.7		AES
Sodium*	71.6	2.00	0.211	mg/L	2	09/21/22 13:38	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0012	mg/L	5	09/23/22 09:56	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	09/23/22 09:56	EPA200.8		AES
Copper*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 09:56	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 09:56	EPA200.8		AES
Manganese*	4.61	0.0025	0.0005	mg/L	5	09/23/22 09:56	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0004	mg/L	5	09/23/22 09:56	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0030	mg/L	5	09/23/22 09:56	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	09/23/22 09:56	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0014	mg/L	5	09/23/22 09:56	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

MW-7-EAA

2209118-05 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury*	<100	100	24.8	ng/L	1	09/16/22 11:51	EPA245.7		HTB
----------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222483 - General Prep - Wet Chem

Blank (B222483-BLK1)

Prepared & Analyzed: 09/12/22

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B222483-BS1)

Prepared & Analyzed: 09/12/22

Total Organic Carbon	9.97	0.500	mg/L	10.0	99.7	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B222483-BSD1)

Prepared & Analyzed: 09/12/22

Total Organic Carbon	9.97	0.500	mg/L	10.0	99.7	85-115	0.0100	20
----------------------	------	-------	------	------	------	--------	--------	----

Batch B222516 - General Prep - Wet Chem

Blank (B222516-BLK1)

Prepared & Analyzed: 09/14/22

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Duplicate (B222516-DUP1)

Source: 2209106-01 Prepared & Analyzed: 09/14/22

Total Dissolved Solids	40.1	10.0	mg/L	50.0	22.0	20	R1
------------------------	------	------	------	------	------	----	----

Reference (B222516-SRM1)

Prepared & Analyzed: 09/14/22

Total Dissolved Solids	475	10.0	mg/L	450	106	85-115
------------------------	-----	------	------	-----	-----	--------

Batch B222543 - General Prep - Wet Chem

Reference (B222543-SRM1)

Prepared & Analyzed: 09/09/22

pH	7.04	pH Units	7.00	101	98.57-101.42
----	------	----------	------	-----	--------------

Batch B222565 - General Prep - Wet Chem

Blank (B222565-BLK1)

Prepared & Analyzed: 09/19/22

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B222565-BS1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	98.0	10.0	mg/L	100	98.0	85-115
--	------	------	------	-----	------	--------

LCS Dup (B222565-BSD1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	100	10.0	mg/L	100	100	85-115	2.02	20
--	-----	------	------	-----	-----	--------	------	----

Batch B222566 - General Prep - Wet Chem

Blank (B222566-BLK1)

Prepared & Analyzed: 09/19/22

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/27/22 10:55General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222566 - General Prep - Wet Chem (Continued)

Blank (B222566-BLK1) (Continued)

Prepared & Analyzed: 09/19/22

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B222566-BS1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	103	10.0	mg/L	100		103	85-115			
--	-----	------	------	-----	--	-----	--------	--	--	--

LCS Dup (B222566-BSD1)

Prepared & Analyzed: 09/19/22

Alkalinity, Total as CaCO ₃	102	10.0	mg/L	100		102	85-115	0.976	20	
--	-----	------	------	-----	--	-----	--------	-------	----	--

Batch B222575 - Lachat

Blank (B222575-BLK1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

LCS (B222575-BS1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	1.06	0.020	mg/L as N	1.00		106	90-110			
----------------------	------	-------	-----------	------	--	-----	--------	--	--	--

LCS Dup (B222575-BSD1)

Prepared & Analyzed: 09/20/22

Nitrate/Nitrite as N	1.04	0.020	mg/L as N	1.00		104	90-110	1.13	20	
----------------------	------	-------	-----------	------	--	-----	--------	------	----	--

Batch B222604 - IC- Ion Chromatograph

Blank (B222604-BLK1)

Prepared & Analyzed: 09/21/22

Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

LCS (B222604-BS1)

Prepared & Analyzed: 09/21/22

Chloride	24.9	1.00	mg/L	25.0		99.7	90-110			
Fluoride	2.45	0.100	mg/L	2.50		98.0	90-110			
Sulfate	24.4	1.00	mg/L	25.0		97.6	90-110			

LCS Dup (B222604-BSD1)

Prepared & Analyzed: 09/21/22

Chloride	25.1	1.00	mg/L	25.0		100	90-110	0.484	20	
Fluoride	2.46	0.100	mg/L	2.50		98.5	90-110	0.488	20	
Sulfate	24.5	1.00	mg/L	25.0		98.0	90-110	0.454	20	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222591 - Dissolved ICP

Blank (B222591-BLK1)

Prepared & Analyzed: 09/21/22

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B222591-BS1)

Prepared & Analyzed: 09/21/22

Aluminum	3.89	0.050	mg/L	4.00	97.3	85-115
Calcium	3.73	0.100	mg/L	4.00	93.3	85-115
Iron	3.80	0.050	mg/L	4.00	95.0	85-115
Magnesium	19.5	0.100	mg/L	20.0	97.4	85-115
Potassium	8.14	1.00	mg/L	8.00	102	85-115
Silicon	3.99	0.500	mg/L	4.00	99.6	85-115
Sodium	3.21	1.00	mg/L	3.24	99.2	85-115

LCS Dup (B222591-BSD1)

Prepared & Analyzed: 09/21/22

Aluminum	3.94	0.050	mg/L	4.00	98.5	85-115	1.21	20
Calcium	3.82	0.100	mg/L	4.00	95.5	85-115	2.38	20
Iron	3.89	0.050	mg/L	4.00	97.3	85-115	2.49	20
Magnesium	19.7	0.100	mg/L	20.0	98.6	85-115	1.22	20
Potassium	8.11	1.00	mg/L	8.00	101	85-115	0.407	20
Silicon	4.04	0.500	mg/L	4.00	101	85-115	1.40	20
Sodium	3.27	1.00	mg/L	3.24	101	85-115	1.79	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222617 - Dissolved ICPMS

Blank (B222617-BLK1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B222617-BS1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	0.0505	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0508	0.0005	mg/L	0.0500	102	85-115
Copper	0.0491	0.0005	mg/L	0.0500	98.2	85-115
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115
Manganese	0.0519	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0508	0.0005	mg/L	0.0500	102	85-115
Selenium	0.249	0.0010	mg/L	0.250	99.7	85-115
Uranium	0.0528	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0510	0.0020	mg/L	0.0500	102	85-115

LCS Dup (B222617-BSD1)

Prepared: 09/22/22 Analyzed: 09/23/22

Arsenic	0.0515	0.0005	mg/L	0.0500	103	85-115	1.92	20
Cadmium	0.0507	0.0005	mg/L	0.0500	101	85-115	0.332	20
Copper	0.0488	0.0005	mg/L	0.0500	97.6	85-115	0.640	20
Lead	0.0509	0.0005	mg/L	0.0500	102	85-115	0.671	20
Manganese	0.0516	0.0005	mg/L	0.0500	103	85-115	0.434	20
Molybdenum	0.0514	0.0005	mg/L	0.0500	103	85-115	1.02	20
Selenium	0.257	0.0010	mg/L	0.250	103	85-115	3.08	20
Uranium	0.0534	0.0005	mg/L	0.0500	107	85-115	1.12	20
Zinc	0.0508	0.0020	mg/L	0.0500	102	85-115	0.382	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/27/22 10:55

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B222526 - EPA 245.7

Blank (B222526-BLK1)

Prepared: 09/15/22 Analyzed: 09/16/22

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B222526-BS1)

Prepared: 09/15/22 Analyzed: 09/16/22

Mercury	1720	100	ng/L	2000	86.2	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B222526-BSD1)

Prepared: 09/15/22 Analyzed: 09/16/22

Mercury	1760	100	ng/L	2000	88.0	76-113	2.01	20
---------	------	-----	------	------	------	--------	------	----

Notes and Definitions

R1	Duplicate sample RPD exceeded laboratory acceptance criteria. Sample(s) may be difficult to homogenize.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com
75 Suttle St Durango, CO

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

Bill to (if different):

ANALYSIS REQUEST

1

P.O. #:

Company:

Attn:

Address:

City:

State

Phon

Emai

2	...
---	-----

ATE

DW
CEV

OUR
REA

GI
SI

	X
--	---

X	

	X
--	---

the client		
------------	--	--

ruptions,

7

X

Page 18 of 18 2209118 GAL FINAL 09 27 22 1055 09/27/22 10:55:16

† GAL cannot always accept verbal changes. Please fax or email written change requests.

Just Click Printing Form #417-0304