

Tull Monitoring Well Data

data entry

Monthly

Date	Depth to Water from Top of Riser (ft)			Notes	Water
	MW-201	MW-202-B	MW-203-B		MW-201
12/22/2009	8.50	7.50	7.80		4,867.8
1/27/2010	9.50	8.30	8.10		4,866.8
2/10/2010	9.20	8.20	8.00		4,867.1
3/18/2010	9.10	8.30	8.10		4,867.2
4/6/2010	9.10	8.40	8.00		4,867.2
5/12/2010	8.10	7.60	7.50		4,868.2
6/28/2010	7.50	7.00	7.00		4,868.8
7/26/2010	7.10	6.60	7.00		4,869.2
8/1/2010					#N/A
9/2/2010	7.50	7.10	7.50		4,868.8
10/13/2010	9.20	8.50	8.50		4,867.1
11/8/2010	6.60	6.40	7.20		4,869.7
12/10/2010	5.80	5.70	6.50		4,870.5
1/3/2011	5.80	5.40	6.60		4,870.5
2/9/2011	6.80	6.30	7.20		4,869.5
3/8/2011	7.50	7.20	7.60		4,868.8
4/12/2011	8.20	7.80	7.90		4,868.1
5/10/2011	8.90	8.00	8.20		4,867.4
6/16/2011	6.20	5.80	5.80		4,870.1
7/17/2011	7.80	7.50	7.50		4,868.5
8/26/2011	6.10	6.00	6.80	Per Nick Silbaugh all w/C Davis in August, 2011, LaFarge is beginning work on property east of Tull, south of the Lighthouse Lake. Check for when they start dewatering.	4,870.2
9/8/2011	7.20	7.20	7.90		4,869.1
10/17/2011	9.00	8.40	8.80		4,867.3
11/9/2011	7.70	7.40	7.90		4,868.6
12/13/2011	8.80	8.10	8.20		4,867.5
1/3/2012	9.10	8.40	8.50		4,867.2
2/7/2012	9.70	8.90	8.80		4,866.6
3/6/2012	9.90	9.00	8.80		4,866.4
4/12/2012	10.00	9.10	5.50		4,866.3
5/9/2012	9.10	8.50	8.30		4,867.2
6/12/2012	8.50	8.20	8.60		4,867.8
7/6/2012	5.90	6.40	7.30		4,870.4
8/3/2012	7.20	7.40	8.30		4,869.1
9/7/2012	6.90	7.20	6.90		4,869.4
10/16/2012	7.80	7.90	8.20		4,868.5
11/5/2012	7.80	7.50	8.50		4,868.5
12/7/2012	9.00	8.50	8.80		4,867.3
1/2/2013	9.60	8.80	9.00		4,866.7
2/12/2013	9.00	8.80	9.10		4,867.3
3/26/2013	7.70	8.00	8.80		4,868.6
4/24/2013	7.40	7.40	8.30		4,868.9
5/14/2013	7.30	7.30	8.00		4,869.0

6/10/2013	7.70				4,868.6
7/8/2013	7.90				4,868.4
8/7/2013	8.50	9.40	8.60		4,867.8
9/1/2013				No measures due to flood	#N/A
10/31/2013	6.20	7.50	7.00		4,870.1
11/19/2013	6.50	7.60	7.10		4,869.8
12/13/2013	7.40	8.20	7.50		4,868.9
1/3/2014	8.10	8.40	7.40		4,868.2
2/7/2014	8.70	8.50	6.30		4,867.6
3/18/2014	8.30	8.30	7.30		4,868.0
4/8/2014	8.80	8.70	7.50		4,867.5
5/22/2014	9.70	9.60			4,866.6
6/26/2014	9.50	9.10	7.70		4,866.8
7/29/2014	10.30	9.80	9.00	MW-201 Well foundation is sinking.	4,866.0
8/29/2014	10.70	10.80	9.00		4,865.6
9/29/2014	10.60	10.70	8.70		4,865.7
10/28/2014	10.70	10.80	8.90		4,865.6
11/25/2014	10.80	10.90	9.10		4,865.5
12/1/2014					#N/A
1/30/2015	10.80	11.00	9.10		4,865.5
2/27/2015	10.50	10.70	8.90		4,865.8
3/31/2015	10.30	10.70	8.80		4,866.0
4/19/2015	10.50	10.80	9.20		4,865.8
5/26/2015	8.90	9.60	8.00		4,867.4
6/18/2015	9.60	10.00	8.40		4,866.7
7/29/2015	5.90	6.70	6.50		4,870.4
8/26/2015	3.80	4.20	6.60		4,872.5
9/18/2016	4.10	4.80	5.60		4,872.2
10/30/2015	8.10	8.90	8.30		4,868.2
11/30/2015	9.00	9.80	8.70		4,867.3
12/30/2015	9.50	10.10	8.90		4,866.8
1/29/2016	9.00	9.90	8.60		4,867.3
2/29/2016	8.80	9.50	8.30		4,867.5
3/31/2016	8.40	9.10	7.90		4,867.9
4/29/2016	9.10	9.60	8.50		4,867.2
5/31/2016	9.60	10.10	8.80		4,866.7
6/30/2016	3.60	4.20	5.80		4,872.7
7/29/2016	4.90	6.10	6.40		4,871.4
8/30/2016	5.10	6.10	6.40		4,871.2
9/26/2016	6.40	7.20	7.20		4,869.9
10/28/2016	8.10	8.90	8.30		4,868.2
11/28/2016	5.70	7.60	7.70		4,870.6
12/20/2016	5.00	6.90	7.80		4,871.3
1/25/2017	3.90	4.10	6.20		4,872.4
2/23/2017	7.90	8.30	8.10		4,868.4
3/28/2017	8.10	8.40	8.20		4,868.2
4/26/2017	9.20	9.60	8.60		4,867.1

5/31/2017	9.50	9.90	8.70		4,866.8
6/29/2017	8.00	7.40	4.40		4,868.3
7/28/2017	7.70	7.80	6.70		4,868.6
8/22/2017	9.30	9.60	8.30		4,867.0
9/26/2017	9.00	9.30	7.90		4,867.3
10/25/2017	9.90	10.10	8.40		4,866.4
11/16/2017	10.40	10.70	8.80		4,865.9
12/20/2017	10.90	11.10	9.20		4,865.4
1/19/2018	11.10	11.30	9.30		4,865.2
2/16/2018	10.80	11.60	9.50		4,865.5
3/14/2018	11.00	11.50	9.60		4,865.3
4/1/2018	-	-	-		#VALUE!
5/1/2018	-	-	-		#VALUE!
6/1/2018	-	-	-		#VALUE!
7/1/2018	-	-	-		#VALUE!
8/10/2018	12.39	12.51	10.22		4,863.9
9/25/2018	13.09	13.15	10.46		4,863.2
10/16/2018	13.85	13.85	11.26		4,862.5
11/13/2018	12.42	12.16	9.42		4,863.9
12/10/2018	14.09	13.90	11.01		4,862.2
1/7/2019	14.49	14.38	11.46		4,861.8
2/11/2019	14.71	14.57	11.46		4,861.6
3/19/2019	14.94	14.76	11.32		4,861.4
4/8/2019	15.16	14.83	11.75		4,861.2
5/24/2019	13.81	13.42	9.01		4,862.5
6/21/2019	8.05	7.90	6.38		4,868.3
7/19/2019	11.82	11.43	8.18		4,864.5
8/5/2019	8.96	9.12	8.21		4,867.4
9/17/2019	10.17	9.60	8.09		4,866.1
10/7/2019	12.42	11.93	9.89		4,863.9
11/4/2019	12.76	12.02	9.05		4,863.6
12/10/2019	14.41	13.89	10.84		4,861.9
1/10/2020	15.18	14.68	11.50		4,861.1
2/27/2020	15.78	15.30	12.03		4,860.5
3/23/2020	15.89	15.43	12.00		4,860.4
4/28/2020	15.98	15.57	11.94		4,860.3
5/27/2020	11.76	12.13	7.19		4,864.6
6/30/2020	10.53	10.27	8.21		4,865.8
7/27/2020	10.05	16.04	7.95		4,866.3
8/3/2020	10.11	16.09	8.01		4,866.2
9/30/2020	10.67	16.79	8.56		4,865.6
10/31/2020	11.90	11.50	8.90		4,864.4
11/28/2020	10.20	13.40	13.80		4,866.1
12/28/2020	14.90	14.20	11.10		4,861.4
1/23/2021	15.40	15.00	11.50		4,860.9
2/27/2021	15.90	15.50	11.80		4,860.4
3/28/2021	15.80	15.60	11.50		4,860.5

4/30/2021	16.30	15.60	11.70		4,860.0
5/28/2021	15.40	14.40	9.20		4,860.9
6/27/2021	14.20	13.00	7.70		4,862.1
7/31/2021	15.10	13.20	8.90		4,861.2
8/27/2021	14.20	12.40	8.00		4,862.1
9/25/2021	15.30	13.50	9.00		4,861.0
10/30/2021	16.50	15.00	10.60		4,859.8
11/27/2021	16.90	15.70	11.50		4,859.4
12/19/2021	17.30	16.30	12.20		4,859.0
2/1/2022	17.70	16.90	12.60		4,858.6
2/28/2022	20.00	19.00	12.90		4,856.3
3/31/2022	19.80	18.50	13.00		4,856.5
4/28/2022	19.50	18.00	13.60		4,856.8
5/31/2022	19.80	18.80	14.80		4,856.5
6/30/2022	20.10	19.00	15.10		4,856.2
8/2/2022	20.90	18.40	14.20		4,855.4
8/31/2022	20.20	17.60	15.10		4,856.1
9/27/2022	20.10	18.60	15.20		4,856.2
10/25/2022	20.60	18.90	15.10		4,855.7
11/1/2022					#N/A
12/1/2022					#N/A
1/1/2023					#N/A
2/1/2023					#N/A
3/1/2023					#N/A
4/1/2023					#N/A
5/1/2023					#N/A
6/1/2023					#N/A
7/1/2023					#N/A
8/1/2023					#N/A
9/1/2023					#N/A
10/1/2023					#N/A
11/1/2023					#N/A
12/1/2023					#N/A
1/1/2024					#N/A
2/1/2024					#N/A
3/1/2024					#N/A
4/1/2024					#N/A
5/1/2024					#N/A
6/1/2024					#N/A
7/1/2024					#N/A
8/1/2024					#N/A
9/1/2024					#N/A
10/1/2024					#N/A
11/1/2024					#N/A
12/1/2024					#N/A

Top of Riser Elevation

This sheet is protected


Elevation (ft AMSL)	
MW-202-B	MW-203-B
4,866.7	4,865.0
4,865.9	4,864.7
4,866.0	4,864.8
4,865.9	4,864.7
4,865.8	4,864.8
4,866.6	4,865.3
4,867.2	4,865.8
4,867.6	4,865.8
#N/A	#N/A
4,867.1	4,865.3
4,865.7	4,864.3
4,867.8	4,865.6
4,868.5	4,866.3
4,868.8	4,866.2
4,867.9	4,865.6
4,867.0	4,865.2
4,866.4	4,864.9
4,866.2	4,864.6
4,868.4	4,867.0
4,866.7	4,865.3
4,868.2	4,866.0
4,867.0	4,864.9
4,865.8	4,864.0
4,866.8	4,864.9
4,866.1	4,864.6
4,865.8	4,864.3
4,865.3	4,864.0
4,865.2	4,864.0
4,865.1	4,867.3
4,865.7	4,864.5
4,866.0	4,864.2
4,867.8	4,865.5
4,866.8	4,864.5
4,867.0	4,865.9
4,866.3	4,864.6
4,866.7	4,864.3
4,865.7	4,864.0
4,865.4	4,863.8
4,865.4	4,863.7
4,866.2	4,864.0
4,866.8	4,864.5
4,866.9	4,864.8

2009-6/2013
7/2013-current

MW-201	MW-202-B	MW-203-B
4,876.3	4,874.2	4,872.8
4,876.3	4,874.8	4,873.2

#N/A	#N/A
#N/A	#N/A
4,865.4	4,864.6
#N/A	#N/A
4,867.3	4,866.2
4,867.2	4,866.1
4,866.6	4,865.7
4,866.4	4,865.8
4,866.3	4,866.9
4,866.5	4,865.9
4,866.1	4,865.7
4,865.2	#N/A
4,865.7	4,865.5
4,865.0	4,864.2
4,864.0	4,864.2
4,864.1	4,864.5
4,864.0	4,864.3
4,863.9	4,864.1
#N/A	#N/A
4,863.8	4,864.1
4,864.1	4,864.3
4,864.1	4,864.4
4,864.0	4,864.0
4,865.2	4,865.2
4,864.8	4,864.8
4,868.1	4,866.7
4,870.6	4,866.6
4,870.0	4,867.6
4,865.9	4,864.9
4,865.0	4,864.5
4,864.7	4,864.3
4,864.9	4,864.6
4,865.3	4,864.9
4,865.7	4,865.3
4,865.2	4,864.7
4,864.7	4,864.4
4,870.6	4,867.4
4,868.7	4,866.8
4,868.7	4,866.8
4,867.6	4,866.0
4,865.9	4,864.9
4,867.2	4,865.5
4,867.9	4,865.4
4,870.7	4,867.0
4,866.5	4,865.1
4,866.4	4,865.0
4,865.2	4,864.6

4,864.9	4,864.5
4,867.4	4,868.8
4,867.0	4,866.5
4,865.2	4,864.9
4,865.5	4,865.3
4,864.7	4,864.8
4,864.1	4,864.4
4,863.7	4,864.0
4,863.5	4,863.9
4,863.2	4,863.7
4,863.3	4,863.6
#VALUE!	#VALUE!
#VALUE!	#VALUE!
#VALUE!	#VALUE!
#VALUE!	#VALUE!
4,862.3	4,863.0
4,861.7	4,862.7
4,861.0	4,861.9
4,862.7	4,863.8
4,860.9	4,862.2
4,860.5	4,861.7
4,860.3	4,861.7
4,860.1	4,861.9
4,860.0	4,861.4
4,861.4	4,864.2
4,866.9	4,866.8
4,863.4	4,865.0
4,865.7	4,865.0
4,865.2	4,865.1
4,862.9	4,863.3
4,862.8	4,864.1
4,860.9	4,862.3
4,860.2	4,861.7
4,859.5	4,861.2
4,859.4	4,861.2
4,859.3	4,861.2
4,862.7	4,866.0
4,864.6	4,865.0
4,858.8	4,865.2
4,858.7	4,865.2
4,858.0	4,864.6
4,863.3	4,864.3
4,861.4	4,859.4
4,860.6	4,862.1
4,859.8	4,861.7
4,859.3	4,861.4
4,859.2	4,861.7

[illegible]

with no password. To unprotect go to "Review", "Unprotect Sheet"

