



January 31, 2023

Mr. Clayton Wein
Environmental Protection Specialist
Colorado Division of Reclamation, Mining and Safety
1313 Sherman Street, Room 215
Denver, CO 80203

**RE: New Horizon Mine
Permit No. C-1981-008
2022 Annual Reclamation Report**

Dear Mr. Wein,

Tri-State Generation and Transmission Association, Inc. (Tri-State), is the parent company to Elk Ridge Mining and Reclamation, LLC New Horizon Mine. The New Horizon Mine operates under the Colorado Division of Reclamation, Mining, and Safety Permit No. C-1981-008.

In accordance with Rule 2.04.13(1), by February 15, or other such date as agreed on, each permittee shall file an annual reclamation report covering the previous calendar years for all areas under bond. New Horizon Mine by permit is required to submit the report annually by March 15. Therefore, enclosed please find the Annual Reclamation Report for the calendar year 2022 as required.

If you should have any additional questions or concerns, please feel free to contact Tony Tennyson at (970) 824-1232 at your convenience.

Sincerely,

DocuSigned by:

A handwritten signature in blue ink that reads "Chris Gilbreath".

D250C711D0BF450...

Chris Gilbreath
Senior Manager
Remediation and Reclamation

CG:TT:db

Enclosure

Cc: Tony Tennyson (via email)
C.F. 11.1 - G474-11.3(21)c-9

Elk Ridge Mining and Reclamation, LLC.

PERMIT NO. C-1981-008

NEW HORIZON MINE

2022 ANNUAL RECLAMATION REPORT

JANUARY 1, 2022 to DECEMBER 31, 2022

Table of Contents

I. RULE REQUIREMENTS	1
A. PERMITTEE	1
B. DISTURBED AREAS	1
C. BACKFILLING AND GRADING	1
D. RECLAMATION ACTIVITIES	1
1. Spoil Quality	1
2. Topsoil.....	2
3. Seeding	2
4. Soil Fertility Testing and Fertilizer Application	2
5. Grazing, Irrigation, and Irrigated Pasture Yields	2
6. Irrigation.....	3
7. Irrigated Pasture Yields.....	3
E. WILDLIFE MONITORING	3
F. INTERIM REVEGETATION REPORT	4
G. WEED MANAGEMENT.....	4
H. PEST MANAGMENT	4

List of Tables

Table 1 - Topsoil Stockpiled (End of Year 2022).....	5
Table 2 – New Horizon Reclamation Table	6

List of Figures

Figure 1 –Annual Reclamation Report Form	7
Figure 2 – Topsoil Testing.....	9
Figure 3 - Division Correspondence on Bench 1 Stockpile Sampling	11
Figure 4 – Bench 1 Testing.....	14

List of Maps

Map 1 – Annual Reclamation Report Map	
---	--

I. RULE REQUIREMENTS

Rule 2.04.13(1)(a-f) states, by February 15, or such date agreed on (which is March 15 in Permit No. C-1981-008), each permitted shall file an annual reclamation report covering the previous calendar year for all areas under bond. The report shall include, but is not limited to, text, discussion and maps which address:

- the name and address of the permittee and permit number
- location and number of acres disturbed during that year
- location and number of acres backfilled and graded during that year
- location and number of acres topsoiled during that year
- the species, location and number of acres of vegetation planted during that year, including any augmented seeding or cultural practices
- location, number of acres and date of planting for all previously revegetated areas

A. PERMITTEE

Elk Ridge Mining & Reclamation, LLC
New Horizon Mine
Permit No. C-1981-008
PO Box 628
Nucla, CO 81424

B. DISTURBED AREAS

During 2022, 0.5 acres of additional disturbance occurred onsite. There are currently 38.2 acres in non-permanent long-term facilities at the end of the year 2022 and 7.1 acres of long-term permanent facilities. Please see Figure 1.

C. BACKFILLING AND GRADING

During 2022, 0.0 acres were backfilled and/or graded.

D. RECLAMATION ACTIVITIES

1. Spoil Quality

The spoil sampling and analysis program for the New Horizon Mine is described in Section 2.05.4(2)(d) of the approved permit. The New Horizon Mine conducted topsoil testing in reclamation unit IC-1. Results are presented on Figure 2.

In 2022, New Horizon proposed to the Division sampling the Bench 1 stockpiles prior to using them for reclamation to identify any quality issues prior to final reclamation of the mine. The Division provided concurrence (please see Figure 3) with this methodology and the analytical results from the Bench 1 stockpile sampling has been provided in Figure 4.

2. Topsoil

The New Horizon Mine placed topsoil on 0.0 acres in 2022. Please refer to Table 1 for the current volume of topsoil in stockpiles.

3. Seeding

The approved seed mixtures utilized at the New Horizon Mine are located in Section 2.05.4(2)(e) of the approved permit. During 2022, no permanent seeding occurred at the New Horizon Mine.

4. Soil Fertility Testing and Fertilizer Application

Soil testing was performed by the landowner within reclamation parcel IC-1 in 2022. The results are presented on Figure 2.

Fertilizer was applied to reclamation units IP-8 through IP-11, IC-1, and the reference area. Fertilizer rates that were applied in 2022 are as follows:

IC-1

<u>Fertilizer</u>	<u>Pounds/Acre Applied</u>
11-52-0 Phosphate	210
0-0-60 Potash	210

IP-1 through IP-8 & Reference Area

<u>Fertilizer</u>	<u>Pounds/Acre Applied</u>
11-52-0 Phosphate	54
46-0-0 Urea	170

5. Grazing

Data presented below includes reclamation parcels within the permit boundary that were grazed in 2022.

- ERM - Benson West & Lloyd Property (25 acres):
 - 22 head of cattle grazed from December 18 to December 31, 2022
- IP-10 (2.9 acres)
 - 109 head of cattle grazed from February 2, 2022 to February 24, 2022
 - Note: There is not fencing between the IP-10 and the larger property that is outside the permit boundary. The landowner grazes the property as whole which includes IP-10.

- Reference Area (6.3 acres):
 - 4 head of cattle grazed from December 27, 2022 to December 31, 2022

6. Irrigation

The CC Ditch Company commenced water deliveries on April 20, 2022, and New Horizon Mine began irrigation operations shortly thereafter. The CC Ditch Company discontinued water delivery for the year on October 8, 2022.

7. Irrigated Pasture Yields

- ERM - IP-8 (12.2 acres)
 - First cutting – 701 bales averaging 60 pounds per bale
 - Second cutting – 507 bales averaging 60 pounds per bale
- ERM -IP-9 (12.9 acres) & IP-11 (14.9 acres)
 - First cutting – 1,672 bales averaging 60 pounds per bale
 - Second cutting – 1,007 bales averaging 60 pounds per bale
- IP-10 (2.9 acres)
 - First cutting – 7 square bales averaging 1,740 pounds per bale
 - Second cutting – 6 square bales averaging 1,360 pounds per bale
- IC-1 (107.8 acres) including irrigated cropland reference area
 - First Cutting – 423 one-ton bales
 - First Cutting Reference Area – 5 one-ton bales
 - Second Cutting – 380 one-ton bales
 - Second Cutting Reference Area – 5 one-ton bales
 - Third Cutting – 296 one-ton bales
 - Third Cutting Reference Area – 4 – one-ton bales
 - Fourth Cutting* – 11 one-ton bales – 180 85-lb bales
 - Reference Area* – Not cut

*Landowner only harvest a portion of the IC-1 due to due to moisture related concerns that alfalfa could not be properly cut and dried
- Reference Area (6.3 acres):
 - First cutting – 184 bales averaging 60 pounds per bale
 - Second cutting – 236 bales averaging 60 pounds per bale

E. WILDLIFE MONITORING

No wildlife monitoring occurred in 2022.

F. INTERIM REVEGETATION REPORT

New Horizon did not conduct any interim vegetation monitoring in 2022.

G. WEED MANAGEMENT

During 2022, various areas within the permit boundary were treated for noxious weeds by spot spraying and/or hand removal. The actual treatment sites were generally small and random and thus too small to accurately depict on a map.

Target species for noxious weeds included Knapweed(s), Thistle(s), White Top, Russian-olive, saltceder/tamarisk, burdock, mullein, halogeton, purple loosestrife, and Western whorled milkweed. Other target species are included in the Montrose County (2010) and San Miguel County (2002) Noxious Weed lists.

H. PEST MANAGMENT

The New Horizon Mine did not conduct any pest management in 2022.

Table 1 - Topsoil Stockpiled (End of Year 2022)

Topsoil Pile Name	Type of Topsoil	Volume (CY)
C	Lift B Topsoil	3,705
D	Mixed Topsoil	3,242
H	Lift A Topsoil	2,363
12	Mixed Topsoil	169,570
13	Lift A	1,900
4	Prime Farmland Topsoil	13,266
Sub Total		194,046
11A	Lift A Topsoil (Morgan)	5,550
11B	Lift B Topsoil (Morgan)	4,070
Sub Total		9,620
GRAND TOTAL		203,666

Table 2 – New Horizon Reclamation Table

Area	Reclaimed Acres	Year Seeded	Revegetated Years	Bond Release Granted		
				Phase 1	Phase 2	Phase 3
DP-5	1.1	2006	13	Approved	Approved	Approved
DP-6	1.9	2007	12	Approved	Approved	Approved
DP-9	6.5	2009	10	Approved	Approved	Approved
DP-10	8.1	2011	11	Approved	Partial	
DP-11	1.7	2011	11	Partial	Partial	
DP-12	0.7	2012	10			
DP-13	0.4	2013	9			
DP-14	2.0	2013	9	Partial	Partial	
DP-15	2.3	2014	8	Approved	Approved	
DP-16	1.4	2016	6	Approved		
DP-17	3.5	2018	4			
DP-18	7.5	2012	10			
DP-19	3.7	2021	2			
IP-8	12.2	2014	8	Approved	Approved	
IP-9	12.9	2014	8	Approved	Approved	
IP-10	2.9	2016	6	Approved		
IP-11	14.9	2020	2			
IC-1	107.8	2015	8	Approved	Approved	
Grand Total	191.5					

Please see Map 1 for locations of the reclamation units noted above.

Figure 1 - Annual Reclamation Report Form
Colorado Division of Reclamation, Mining and Safety
 Annual Reclamation Report for Calendar Year – 2022

New Horizon Mine	C-1981-008	Elk Ridge Mining & Reclamation, LLC.
Mine Name	Permit Number	Permittee
P.O Box 628 – 27646 W. 5 th Street Nucla, CO 81424		
Address		

This report, required by Rule 2.04.13, is due by February 15 of each year, or other date, as agreed upon by the Division. It should include text, discussion, and maps, at a minimum, in addition to any other reclamation monitoring data as required by the approved permit. The location of the acreage reported under each land status category and year of seeding (if applicable) should be clearly identified on a map included with the report.

Land Category	Last Year's Cumulative Total (from last year's ARR)	This Calendar Year			Cumulative Total
		Acres Added (+)	Acres Subtracted (-)		
Acreage in Active Mining Areas ¹	0	0	0	=	0

Land Category	Last Year's Cumulative Total (from last year's ARR)	This Calendar Year			Cumulative Total
		Acres Added (+)	Acres Subtracted (-)		
Acres Disturbed ²	361.6	0.5	48.2	=	313.9 ⁴
Acres Backfilled and Graded	361.6	0	93.0	=	268.6 ⁵
Acres Topsoiled	225.9	0	34.4	=	191.5 ⁶

Acreage in Long-term Facilities ³	Last Year's Cumulative Total (from last year's ARR)	This Calendar Year			Cumulative Total
		Acres Added (+)	Acres Subtracted (-)		
Non-Permanent Facilities	31.8	6.4	0	=	38.2 ⁷
Permanent Facilities (permitted)	7.1	0	0	=	7.1
Totals	38.9			=	45.3

Acres Seeded (permanent)	Last Year's Cumulative Total (from last year's ARR)	This Calendar Year			Cumulative Total
		Acres Added (+)	Acres Subtracted (-)		
9 Years and Less	172.2	0	8.2	=	164.0
10 Years and Greater	75.4	0	47.9	=	27.5
Totals	247.6			=	191.5

Bond Release	Last Year's Cumulative Total (from last year's ARR)	This Calendar Year			Cumulative Total ⁸
		Acres Added (+)	Acres Subtracted (-)		
Phase I Released	221.4	0	53.2	=	168.2
Phase II Released	212.6	0	54.2	=	158.4
Phase III Released	66.8	0	53.7	=	13.1

New Horizon Mine

¹Includes pits, topsoil stripped areas in advance of pits, and spoil not backfilled and graded

²Surface Mine Acres Disturbed = B&G + Long-Term Facilities + Active Mining Areas; Underground Mine Acres Disturbed = B&G + Long-Term Facilities; Separately-permitted Loadouts = B&G + Long-Term Facilities

³Includes haul, access and light-use roads, temporary dams and impoundments; permanent dams and impoundments; diversion and collector ditches, water and air monitoring sites; topsoil stockpiles; overburden stockpiles; repair, storage and construction areas; office area, repair shops, and parking; coal stockpiles, loading, and processing areas; railroads; coal conveyors; refuse piles and coal mine waste impoundments; head-of-hollow fills; valley fills; ventilation shafts and entryways; and non-coal waste disposal area (garbage dumps and coal combustion by-products disposal areas).

⁴Disturbance Acres in 2022 include 0.5 acres of new disturbance which occurred due to mooring post installation on the south side of Pond 013, 48.2 acres were removed due to a permit boundary reduction as approved under TR-105, and an addition of 3.6 acres of Phase III released areas within the permit boundary south of reclamation unit IP-10 that had not been previously account for as disturbed area within the permit boundary.

⁵Previous to the 2022 Annual Reclamation Report backfill and grading has been reported to be equal to or nearly equal to the disturbance acres. This was an error, as areas like sediment ponds and conveyance ditches, reclaimed haul road and coal stockpiles that did not require backfilling should have not been included in the backfilled and graded total acres. This has been corrected in this report.

⁶Please refer to Table 2 for topsoiled reclamation units and total acreage per reclamation unit.

⁷Adjusted in 2022 to reflect sediment ponds and ditches that were previously reported in backfill and graded acreages.

⁸Acreages removed for each phase of bond release reflect a reduction in the permit boundary approved under TR-105. The slight discrepancy between each phase (acres subtracted) reflects rounding and AutoCAD calculations when the acres were adjusted due to the reduction in the permit boundary.

Figure 2 – Topsoil Testing

SOIL ANALYSIS REPORT

CLIENT: 18393	FRUITA CONSUMERS COOP 995 MAIN STREET PO BOX 399 NUCLA, CO 81424
-------------------------	---



www.servitech.com

1602 Park West Dr.
PO Box 169
Hastings, NE 68902
800.557.7509
402.463.3522
Fax 402.463.8132

LAB NO:	97673 - 97682
INVOICE NO:	639053
DATE RECEIVED:	03/11/2022
DATE REPORTED:	03/21/2022

SOIL ANALYSIS RESULTS FOR: ELK RIDGE MINING										FIELD IDENTIFICATION: MORGAN FIELD									
METHOD USED:																			
Lab Number	Sample ID	Sample Depth	Soil pH	Buffer pH	Excess Lime	% Organic Matter	Nitrate-Nitrogen ppm	Ammonium Nitrogen ppm	Phosphorus ppm P	Potassium ppm K	Calcium ppm Ca	Magnesium ppm Mg	Sodium ppm Na	Zinc ppm Zn	Iron ppm Fe	Manganese ppm Mn	Copper ppm Cu	Boron ppm B	DTPA Boron ppm
97673	MSS 1	0 - 8					2.7	6	45										0.44
97674	MSS 2	0 - 8					5.4	13	31										0.50
97675	MSS 3	0 - 8					7.2	17	63										0.54
97676	MSS 4	0 - 8					7	17	33										0.53
97677	MSS 5	0 - 8					5.1	12	44										0.50
97678	MSS 6	0 - 8					13.3	32	57										0.47
97679	MSS 10	0 - 8					6.5	16	61										0.53
97680	MSS 9	0 - 8					5.7	14	47										0.45
97681	MSS 8	0 - 8					4.2	10	35										0.53
97682	MSS 7	0 - 8					3.7	9	19										0.37

METHOD USED:																			
Lab Number	Sample ID	Sample Depth	Date Sampled	Hg Thiocyanate Chloride lb. Cl/A	KCl Extr. Ammonium Nitrogen ppm	Boehr P	Bray P1	KCl Extr. Phosphorus ppm P	Aluminum ppm Al										
97673	MSS 1	0 - 8	03/08/22	3	7.2	3	7	26	1	<1									
97674	MSS 2	0 - 8	03/08/22	4	9.6	3	7	20	<1	<1									
97675	MSS 3	0 - 8	03/08/22	3	7.2	3	7	38	8	<1									
97676	MSS 4	0 - 8	03/08/22	3	7.2	2	5	24	<1	<1									
97677	MSS 5	0 - 8	03/08/22	8	19.2	3	7	23	2	<1									
97678	MSS 6	0 - 8	03/08/22	4	9.6	2	5	34	26	<1									
97679	MSS 10	0 - 8	03/08/22	5	12	3	7	32	8	<1									
97680	MSS 9	0 - 8	03/08/22	6	14.4	3	7	27	4	<1									
97681	MSS 8	0 - 8	03/08/22	5	12	3	7	21	<1	<1									
97682	MSS 7	0 - 8	03/08/22	4	9.6	2	5	12	1	<1									

Analyses are representative of the samples submitted Samples are retained 30 days after report of analysis Explanations of soil analysis terms are available upon request

Reviewed and Hans Burken *Hans Burken* Page 1 of 2
Approved By: Lab Manager 03/21/2022 5:24 pm

The reported analytical results apply only to the sample as it was supplied. The report may not be reproduced, except in full, without permission of ServiTech.
Your opinion is valuable to us. Please let us know what you think about our services! Send an email to feedback@servitech.com.

New Horizon Mine

SOIL ANALYSIS REPORT

CLIENT: 18393	FRUITA CONSUMERS COOP 995 MAIN STREET PO BOX 399 NUCLA, CO 81424
-------------------------	---



1602 Park West Dr.
PO Box 169
Hastings, NE 68902
800.557.7509
402.463.3522
Fax 402.463.8132

LAB NO:	97673 - 97682
INVOICE NO:	639053
DATE RECEIVED:	03/11/2022
DATE REPORTED:	03/21/2022

SOIL ANALYSIS RESULTS FOR: ELK RIDGE MINING										FIELD IDENTIFICATION: MORGAN FIELD														
FERTILIZER RECOMMENDATIONS:										POUNDS ACTUAL NUTRIENT PER ACRE										Cation Exchange Capacity				
Lab Number	Sample ID	Crop To Be Crowned	Yield Cwt/A	Lime, LCC Tons/A to raise pH to:			N	P ₂ O ₅	K ₂ O	Zn	S	Mn	Cu	MgO	B	Ca	Cl							
				6.0	6.5	7.0												CSC	%H	%K	%Ca	%Mg	%Na	
97673	MSS 1	ALFALFA	5 tons					0							1									
97673	MSS 1	ALFALFA	6 tons					0							1									
97674	MSS 2	ALFALFA	5 tons					0							0.5									
97674	MSS 2	ALFALFA	6 tons					0							0.5									
97675	MSS 3	ALFALFA	5 tons					0							0.5									
97675	MSS 3	ALFALFA	6 tons					0							0.5									
97676	MSS 4	ALFALFA	5 tons					0							0.5									
97676	MSS 4	ALFALFA	6 tons					0							0.5									
97677	MSS 5	ALFALFA	5 tons					0							0.5									
97677	MSS 5	ALFALFA	6 tons					0							0.5									
97678	MSS 6	ALFALFA	5 tons					0							1									
97678	MSS 6	ALFALFA	6 tons					0							1									
97679	MSS 10	ALFALFA	5 tons					0							0.5									
97679	MSS 10	ALFALFA	6 tons					0							0.5									
97680	MSS 9	ALFALFA	5 tons					0							1									
97680	MSS 9	ALFALFA	6 tons					0							1									
97681	MSS 8	ALFALFA	5 tons					0							0.5									
97681	MSS 8	ALFALFA	6 tons					0							0.5									
97682	MSS 7	ALFALFA	5 tons					35							1.5									
97682	MSS 7	ALFALFA	6 tons					40							1.5									

Analyses are representative of the samples submitted Samples are retained 30 days after report of analysis Explanations of soil analysis terms are available upon request

Reviewed and Approved By: Hans Burken Lab Manager *Hans Burken* Page 2 of 2 03/21/2022 5:24 pm

The reported analytical results apply only to the sample as it was supplied. The report may not be reproduced, except in full, without permission of ServiTech.

Your opinion is valuable to us. Please let us know what you think about our services! Send an email to feedback@servitech.com.

Figure 3 Division Correspondence on Bench 1 Stockpile Sampling

Tennyson, Tony (Colowyo)

From: Binns - DNR, Janet <janet.binns@state.co.us>
Sent: Thursday, June 2, 2022 2:49 PM
To: Tennyson, Tony (Colowyo)
Subject: [EXTERNAL] Re: [EXTERNAL] Re: New Horizon Bench 1 Stockpile Sampling

CAUTION: This email originated from outside of Tri-State. DO NOT click links or open attachments unless you recognize and/or trust the sender. Contact the IT Service Desk with questions or concerns.

Hello Tony,

This sampling plan sounds acceptable for the Bench 1 material at New Horizon North. Please assure that the sampling parameters in Table 2.05.4(2)(d)-1 are used, and that the management of unsuitable material follows the plan described in Permit Section 2.05.4(2)(d).

Thank you,

Janet Binns
Environmental Protection Specialist III
Active Mines Program
Mobile phone: 720-688-0626

P 303.866.3567 ext 8107 | F 303.832.8106
Physical Address: 1313 Sherman Street, Room 215, Denver, CO 80203
Mailing Address: 1001 E 62nd Ave, Denver, CO 80216
janet.binns@state.co.us | <https://drms.colorado.gov>



On Thu, May 19, 2022 at 4:16 PM Tennyson, Tony (Colowyo) <tennyson@tristategt.org> wrote:

Janet,

I'm just getting back to this one. Sorry for the delay I'm stretched pretty thin these days. I read through Attachment 2.05.4(2)(d)-1 when they sampled Bench 1 stockpiles for use on the Morgan Property. They brought in a direct push

Geoprobe, and honestly I do not have funds to go down that road, and finding a driller right now with a probe would be almost impossible.

Given this, I'm thinking we could sample 2 to 6 different locations on each pile. Several of those Bench 1 stockpiles are fairly small. I could also use a Bobcat with an auger and sample every two feet until we hit the bottom of the pile or until the auger maximize out it's overall depth. That would give us a pretty good representative of the quality of the Bench 1 at two foot intervals in the stockpiles. Would you be amenable to this?

Tony

From: Binns - DNR, Janet <janet.binns@state.co.us>
Sent: Monday, May 9, 2022 11:16 AM
To: Tennyson, Tony (Colowyo) <ttennyson@tristategt.org>
Subject: [EXTERNAL] Re: New Horizon Bench 1 Stockpile Sampling

CAUTION: This email originated from outside of Tri-State. DO NOT click links or open attachments unless you recognize and/or trust the sender. Contact the IT Service Desk with questions or concerns.

Hello Tony,

After reading the permit Bench 1 sampling plan, the currently permitted plan discusses sampling the Bench 1 material after it has been laid down. How would you sample the Bench 1 stockpiles? Would you sample the top 4 feet or so, or would you try to auger down deeper into the pile? I think it's a good idea to sample prior to placement, but I am not envisioning how ERMR would sample the stockpiles.

Do you have thoughts on this?

Thanks

Janet Binns

Environmental Protection Specialist III

Active Mines Program

Mobile phone: 720-688-0626

P 303.866.3567 ext 8107 | F 303.832.8106

Physical Address: 1313 Sherman Street, Room 215, Denver, CO 80203

Mailing Address: 1001 E 62nd Ave, Denver, CO 80216

janet.binns@state.co.us | <https://drms.colorado.gov>



COLORADO
Division of Reclamation,
Mining and Safety
Department of Natural Resources

On Mon, May 9, 2022 at 8:54 AM Tennyson, Tony (Colowyo) <ttennyson@tristategt.org> wrote:

Janet,

Per Section 2.05.4(2)(d), Section 6, New Horizon is required to sample the Bench 1 material to ensure it is chemically suitable for a growth median. Given this, I would like to know your thoughts on if we sampled the remaining Bench 1 stockpiles now, instead of waiting until it is redistributed on the final areas. I'd like to know upfront if we have an chemical issue and figure out how to mitigate it before we start the final reclamation. Right now I do not have a plan on how I would conduct this, but wanted to get your initial thoughts if this if feasible or not?

Tony Tennyson
Reclamation Manager
Tri-State Generation and Transmission Association, Inc.
Cell: 970.326.3560 - Preferred
Colowyo Mine Office: 970.824.1232
New Horizon Mine Office: 970.864.1075
ttennyson@tristategt.org<<mailto:ttennyson@tristategt.org>>

Figure 4 Bench 1 Testing

Bench 1 Pile 1

<u>SAMPLENAME</u>	<u>SAMPDATE</u>	<u>ANALYTE</u>	<u>RESULT</u>	<u>Units</u>
NH2 SP 1 Hole 1 1-2 FT.	8/23/2022 2:45:00 PM	Conductivity	3.34	mmhos/cm
NH2 SP 1 Hole 1 1-2 FT.	8/23/2022 2:45:00 PM	pH	7.75	pH Units
NH2 SP 1 Hole 1 1-2 FT.	8/23/2022 2:45:00 PM	Boron	ND	mg/L
NH2 SP 1 Hole 1 2-3 FT.	8/23/2022 2:47:00 PM	Conductivity	3.07	mmhos/cm
NH2 SP 1 Hole 1 2-3 FT.	8/23/2022 2:47:00 PM	pH	7.80	pH Units
NH2 SP 1 Hole 1 2-3 FT.	8/23/2022 2:47:00 PM	Boron	ND	mg/L
NH2 SP 1 Hole 1 3-4 FT.	8/23/2022 2:48:00 PM	Conductivity	2.77	mmhos/cm
NH2 SP 1 Hole 1 3-4 FT.	8/23/2022 2:48:00 PM	pH	7.72	pH Units
NH2 SP 1 Hole 1 3-4 FT.	8/23/2022 2:48:00 PM	Boron	ND	mg/L

Bench 1 Pile 2

<u>SAMPLENAME</u>	<u>SAMPDATE</u>	<u>ANALYTE</u>	<u>RESULT</u>	<u>Units</u>
NH2 SP 2 Hole 1 1-2 FT.	8/23/2022 3:10:00 PM	Conductivity	3.22	mmhos/cm
NH2 SP 2 Hole 1 1-2 FT.	8/23/2022 3:10:00 PM	pH	7.80	pH Units
NH2 SP 2 Hole 1 1-2 FT.	8/23/2022 3:10:00 PM	Boron	ND	mg/L
NH2 SP 2 Hole 1 2-3 FT.	8/23/2022 3:13:00 PM	Conductivity	3.19	mmhos/cm
NH2 SP 2 Hole 1 2-3 FT.	8/23/2022 3:13:00 PM	pH	7.78	pH Units
NH2 SP 2 Hole 1 2-3 FT.	8/23/2022 3:13:00 PM	Boron	ND	mg/L
NH2 SP 2 Hole 1 3-4 FT.	8/23/2022 3:15:00 PM	Conductivity	2.99	mmhos/cm
NH2 SP 2 Hole 1 3-4 FT.	8/23/2022 3:15:00 PM	pH	7.71	pH Units
NH2 SP 2 Hole 1 3-4 FT.	8/23/2022 3:15:00 PM	Boron	ND	mg/L
NH2 SP 2 Hole 2	8/23/2022 3:00:00	Conductivity	2.72	mmhos/c

New Horizon Mine

1-2 FT.	PM			m
NH2 SP 2 Hole 2 1-2 FT.	8/23/2022 3:00:00 PM	pH	7.75	pH Units
NH2 SP 2 Hole 2 1-2 FT.	8/23/2022 3:00:00 PM	Boron	ND	mg/L
NH2 SP 2 Hole 2 2-3 FT.	8/23/2022 3:03:00 PM	Conductivity	2.49	mmhos/cm
NH2 SP 2 Hole 2 2-3 FT.	8/23/2022 3:03:00 PM	pH	7.85	pH Units
NH2 SP 2 Hole 2 2-3 FT.	8/23/2022 3:03:00 PM	Boron	ND	mg/L
NH2 SP 2 Hole 2 3-4 FT.	8/23/2022 3:06:00 PM	Conductivity	2.42	mmhos/cm
NH2 SP 2 Hole 2 3-4 FT.	8/23/2022 3:06:00 PM	pH	7.85	pH Units
NH2 SP 2 Hole 2 3-4 FT.	8/23/2022 3:06:00 PM	Boron	ND	mg/L

Bench 1 Pile 3

<u>SAMPLENAME</u>	<u>SAMPDATE</u>	<u>ANALYTE</u>	<u>RESULT</u>	<u>Units</u>
NH2 SP 3 Hole 1 1-2 FT.	8/23/2022 4:10:00 PM	Conductivity	6.49	mmhos/cm
NH2 SP 3 Hole 1 1-2 FT.	8/23/2022 4:10:00 PM	pH	7.96	pH Units
NH2 SP 3 Hole 1 1-2 FT.	8/23/2022 4:10:00 PM	Boron	2.10	mg/L
NH2 SP 3 Hole 1 2-3 FT.	8/23/2022 4:12:00 PM	Conductivity	6.63	mmhos/cm
NH2 SP 3 Hole 1 2-3 FT.	8/23/2022 4:12:00 PM	pH	8.01	pH Units
NH2 SP 3 Hole 1 2-3 FT.	8/23/2022 4:12:00 PM	Boron	2.01	mg/L
NH2 SP 3 Hole 1 3-4 FT.	8/23/2022 4:14:00 PM	Conductivity	6.66	mmhos/cm
NH2 SP 3 Hole 1 3-4 FT.	8/23/2022 4:14:00 PM	pH	8.09	pH Units
NH2 SP 3 Hole 1 3-4 FT.	8/23/2022 4:14:00 PM	Boron	2.09	mg/L
NH2 SP 3 Hole 2 1-2 FT.	8/23/2022 4:19:00 PM	Conductivity	6.31	mmhos/cm
NH2 SP 3 Hole 2 1-2 FT.	8/23/2022 4:19:00 PM	pH	8.08	pH Units
NH2 SP 3 Hole 2 1-2 FT.	8/23/2022 4:19:00 PM	Boron	1.98	mg/L
NH2 SP 3 Hole 2	8/23/2022 4:21:00	Conductivity	6.88	mmhos/c

New Horizon Mine

2-3 FT.	PM			m
NH2 SP 3 Hole 2 2-3 FT.	8/23/2022 4:21:00 PM	pH	8.13	pH Units
NH2 SP 3 Hole 2 2-3 FT.	8/23/2022 4:21:00 PM	Boron	1.83	mg/L
NH2 SP 3 Hole 2 3-4 FT.	8/23/2022 4:23:00 PM	Conductivity	6.44	mmhos/cm
NH2 SP 3 Hole 2 3-4 FT.	8/23/2022 4:23:00 PM	pH	8.01	pH Units
NH2 SP 3 Hole 2 3-4 FT.	8/23/2022 4:23:00 PM	Boron	1.87	mg/L
NH2 SP 3 Hole 3 1-2 FT.	8/23/2022 4:29:00 PM	Conductivity	2.21	mmhos/cm
NH2 SP 3 Hole 3 1-2 FT.	8/23/2022 4:29:00 PM	pH	7.53	pH Units
NH2 SP 3 Hole 3 1-2 FT.	8/23/2022 4:29:00 PM	Boron	ND	mg/L
NH2 SP 3 Hole 3 2-3 FT.	8/23/2022 4:31:00 PM	Conductivity	1.44	mmhos/cm
NH2 SP 3 Hole 3 2-3 FT.	8/23/2022 4:31:00 PM	pH	7.58	pH Units
NH2 SP 3 Hole 3 2-3 FT.	8/23/2022 4:31:00 PM	Boron	ND	mg/L
NH2 SP 3 Hole 3 3-4 FT.	8/23/2022 4:35:00 PM	Conductivity	0.939	mmhos/cm
NH2 SP 3 Hole 3 3-4 FT.	8/23/2022 4:35:00 PM	pH	7.60	pH Units
NH2 SP 3 Hole 3 3-4 FT.	8/23/2022 4:35:00 PM	Boron	ND	mg/L
NH2 SP 3 Hole 4 1-2 FT.	8/23/2022 4:01:00 PM	Conductivity	5.30	mmhos/cm
NH2 SP 3 Hole 4 1-2 FT.	8/23/2022 4:01:00 PM	pH	8.05	pH Units
NH2 SP 3 Hole 4 1-2 FT.	8/23/2022 4:01:00 PM	Boron	1.81	mg/L
NH2 SP 3 Hole 4 2-3 FT.	8/23/2022 4:04:00 PM	Conductivity	6.08	mmhos/cm
NH2 SP 3 Hole 4 2-3 FT.	8/23/2022 4:04:00 PM	pH	7.78	pH Units
NH2 SP 3 Hole 4 2-3 FT.	8/23/2022 4:04:00 PM	Boron	1.50	mg/L
NH2 SP 3 Hole 4 3-4 FT.	8/23/2022 4:06:00 PM	Conductivity	5.44	mmhos/cm
NH2 SP 3 Hole 4 3-4 FT.	8/23/2022 4:06:00 PM	pH	7.75	pH Units

New Horizon Mine

NH2 SP 3 Hole 4 3-4 FT.	8/23/2022 4:06:00 PM	Boron	1.37	mg/L
NH2 SP 3 Hole 5 1-2 FT.	8/23/2022 3:49:00 PM	Conductivity	6.67	mmhos/cm
NH2 SP 3 Hole 5 1-2 FT.	8/23/2022 3:49:00 PM	pH	8.13	pH Units
NH2 SP 3 Hole 5 1-2 FT.	8/23/2022 3:49:00 PM	Boron	1.73	mg/L
NH2 SP 3 Hole 5 2-3 FT.	8/23/2022 3:51:00 PM	Conductivity	6.73	mmhos/cm
NH2 SP 3 Hole 5 2-3 FT.	8/23/2022 3:51:00 PM	pH	8.02	pH Units
NH2 SP 3 Hole 5 2-3 FT.	8/23/2022 3:51:00 PM	Boron	1.67	mg/L
NH2 SP 3 Hole 5 3-4 FT.	8/23/2022 3:53:00 PM	Conductivity	6.73	mmhos/cm
NH2 SP 3 Hole 5 3-4 FT.	8/23/2022 3:53:00 PM	pH	8.00	pH Units
NH2 SP 3 Hole 5 3-4 FT.	8/23/2022 3:53:00 PM	Boron	1.60	mg/L
NH2 SP 3 Hole 6 1-2 FT.	8/23/2022 3:39:00 PM	Conductivity	5.70	mmhos/cm
NH2 SP 3 Hole 6 1-2 FT.	8/23/2022 3:39:00 PM	pH	8.09	pH Units
NH2 SP 3 Hole 6 1-2 FT.	8/23/2022 3:39:00 PM	Boron	1.75	mg/L
NH2 SP 3 Hole 6 2-3 FT.	8/23/2022 3:43:00 PM	Conductivity	6.76	mmhos/cm
NH2 SP 3 Hole 6 2-3 FT.	8/23/2022 3:43:00 PM	pH	8.02	pH Units
NH2 SP 3 Hole 6 2-3 FT.	8/23/2022 3:43:00 PM	Boron	1.86	mg/L
NH2 SP 3 Hole 6 3-4 FT.	8/23/2022 3:24:00 PM	Conductivity	6.16	mmhos/cm
NH2 SP 3 Hole 6 3-4 FT.	8/23/2022 3:24:00 PM	pH	8.05	pH Units
NH2 SP 3 Hole 6 3-4 FT.	8/23/2022 3:24:00 PM	Boron	1.74	mg/L
NH2 SP 3 Hole 7 1-2 FT.	8/23/2022 3:29:00 PM	Conductivity	4.24	mmhos/cm
NH2 SP 3 Hole 7 1-2 FT.	8/23/2022 3:29:00 PM	pH	7.98	pH Units
NH2 SP 3 Hole 7 1-2 FT.	8/23/2022 3:29:00 PM	Boron	1.37	mg/L
NH2 SP 3 Hole 7 2-3 FT.	8/23/2022 3:32:00 PM	Conductivity	5.78	mmhos/cm

New Horizon Mine

NH2 SP 3 Hole 7 2-3 FT.	8/23/2022 3:32:00 PM	pH	8.04	pH Units
NH2 SP 3 Hole 7 2-3 FT.	8/23/2022 3:32:00 PM	Boron	1.51	mg/L
NH2 SP 3 Hole 7 3-4 FT.	8/23/2022 3:34:00 PM	Conductivity	6.18	mmhos/cm
NH2 SP 3 Hole 7 3-4 FT.	8/23/2022 3:34:00 PM	pH	8.00	pH Units
NH2 SP 3 Hole 7 3-4 FT.	8/23/2022 3:34:00 PM	Boron	1.60	mg/L
NH2 SP 3 Hole 8 1-2 FT.	8/23/2022 3:22:00 PM	Conductivity	3.64	mmhos/cm
NH2 SP 3 Hole 8 1-2 FT.	8/23/2022 3:22:00 PM	pH	7.84	pH Units
NH2 SP 3 Hole 8 1-2 FT.	8/23/2022 3:22:00 PM	Boron	ND	mg/L
NH2 SP 3 Hole 8 2-3 FT.	8/23/2022 3:24:00 PM	Conductivity	5.09	mmhos/cm
NH2 SP 3 Hole 8 2-3 FT.	8/23/2022 3:24:00 PM	pH	7.94	pH Units
NH2 SP 3 Hole 8 2-3 FT.	8/23/2022 3:24:00 PM	Boron	1.47	mg/L
NH2 SP 3 Hole 8 3-4 FT.	8/23/2022 3:26:00 PM	Conductivity	4.72	mmhos/cm
NH2 SP 3 Hole 8 3-4 FT.	8/23/2022 3:26:00 PM	pH	7.77	pH Units
NH2 SP 3 Hole 8 3-4 FT.	8/23/2022 3:26:00 PM	Boron	ND	mg/L

Bench 1 Pile 4

SAMPLENAME	SAMPDATE	ANALYTE	RESULT	Units
NH2 SP 4 Hole 1 1-2 FT.	8/24/2022 8:18:00 AM	Conductivity	4.10	mmhos/cm
NH2 SP 4 Hole 1 1-2 FT.	8/24/2022 8:18:00 AM	pH	7.80	pH Units
NH2 SP 4 Hole 1 1-2 FT.	8/24/2022 8:18:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 1 2-3 FT.	8/24/2022 8:21:00 AM	Conductivity	3.97	mmhos/cm
NH2 SP 4 Hole 1 2-3 FT.	8/24/2022 8:21:00 AM	pH	7.81	pH Units
NH2 SP 4 Hole 1 2-3 FT.	8/24/2022 8:21:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 1 3-4 FT.	8/24/2022 8:23:00 AM	Conductivity	4.16	mmhos/cm

New Horizon Mine

NH2 SP 4 Hole 1 3-4 FT.	8/24/2022 8:23:00 AM	pH	7.83	pH Units
NH2 SP 4 Hole 1 3-4 FT.	8/24/2022 8:23:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 2 1-2 FT.	8/24/2022 8:30:00 AM	Conductivity	3.56	mmhos/cm
NH2 SP 4 Hole 2 1-2 FT.	8/24/2022 8:30:00 AM	pH	7.81	pH Units
NH2 SP 4 Hole 2 1-2 FT.	8/24/2022 8:30:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 2 2-3 FT.	8/24/2022 8:34:00 AM	Conductivity	3.51	mmhos/cm
NH2 SP 4 Hole 2 2-3 FT.	8/24/2022 8:34:00 AM	pH	7.81	pH Units
NH2 SP 4 Hole 2 2-3 FT.	8/24/2022 8:34:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 2 3-4 FT.	8/24/2022 8:36:00 AM	Conductivity	3.47	mmhos/cm
NH2 SP 4 Hole 2 3-4 FT.	8/24/2022 8:36:00 AM	pH	7.85	pH Units
NH2 SP 4 Hole 2 3-4 FT.	8/24/2022 8:36:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 3 1-2 FT.	8/24/2022 8:42:00 AM	Conductivity	6.75	mmhos/cm
NH2 SP 4 Hole 3 1-2 FT.	8/24/2022 8:42:00 AM	pH	7.87	pH Units
NH2 SP 4 Hole 3 1-2 FT.	8/24/2022 8:42:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 3 2-3 FT.	8/24/2022 8:44:00 AM	Conductivity	6.92	mmhos/cm
NH2 SP 4 Hole 3 2-3 FT.	8/24/2022 8:44:00 AM	pH	7.79	pH Units
NH2 SP 4 Hole 3 2-3 FT.	8/24/2022 8:44:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 3 3-4 FT.	8/24/2022 8:46:00 AM	Conductivity	6.45	mmhos/cm
NH2 SP 4 Hole 3 3-4 FT.	8/24/2022 8:46:00 AM	pH	7.82	pH Units
NH2 SP 4 Hole 3 3-4 FT.	8/24/2022 8:46:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 4 1-2 FT.	8/24/2022 8:53:00 AM	Conductivity	6.01	mmhos/cm
NH2 SP 4 Hole 4 1-2 FT.	8/24/2022 8:53:00 AM	pH	7.78	pH Units
NH2 SP 4 Hole 4 1-2 FT.	8/24/2022 8:53:00 AM	Boron	ND	mg/L

New Horizon Mine

NH2 SP 4 Hole 4 2-3 FT.	8/24/2022 8:56:00 AM	Conductivity	5.88	mmhos/c m
NH2 SP 4 Hole 4 2-3 FT.	8/24/2022 8:56:00 AM	pH	7.88	pH Units
NH2 SP 4 Hole 4 2-3 FT.	8/24/2022 8:56:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 4 3-4 FT.	8/24/2022 8:59:00 AM	Conductivity	5.68	mmhos/c m
NH2 SP 4 Hole 4 3-4 FT.	8/24/2022 8:59:00 AM	pH	7.93	pH Units
NH2 SP 4 Hole 4 3-4 FT.	8/24/2022 8:59:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 5 1-2 FT.	8/24/2022 9:05:00 AM	Conductivity	5.18	mmhos/c m
NH2 SP 4 Hole 5 1-2 FT.	8/24/2022 9:05:00 AM	pH	7.96	pH Units
NH2 SP 4 Hole 5 1-2 FT.	8/24/2022 9:05:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 5 2-3 FT.	8/24/2022 9:09:00 AM	Conductivity	5.03	mmhos/c m
NH2 SP 4 Hole 5 2-3 FT.	8/24/2022 9:09:00 AM	pH	8.02	pH Units
NH2 SP 4 Hole 5 2-3 FT.	8/24/2022 9:09:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 5 3-4 FT.	8/24/2022 9:13:00 AM	Conductivity	4.23	mmhos/c m
NH2 SP 4 Hole 5 3-4 FT.	8/24/2022 9:13:00 AM	pH	7.87	pH Units
NH2 SP 4 Hole 5 3-4 FT.	8/24/2022 9:13:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 6 1-2 FT.	8/24/2022 9:37:00 AM	Conductivity	4.86	mmhos/c m
NH2 SP 4 Hole 6 1-2 FT.	8/24/2022 9:37:00 AM	pH	7.98	pH Units
NH2 SP 4 Hole 6 1-2 FT.	8/24/2022 9:37:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 6 2-3 FT.	8/24/2022 9:41:00 AM	Conductivity	5.00	mmhos/c m
NH2 SP 4 Hole 6 2-3 FT.	8/24/2022 9:41:00 AM	pH	7.98	pH Units
NH2 SP 4 Hole 6 2-3 FT.	8/24/2022 9:41:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 6 3-4 FT.	8/24/2022 9:45:00 AM	Conductivity	5.07	mmhos/c m
NH2 SP 4 Hole 6 3-4 FT.	8/24/2022 9:45:00 AM	pH	7.92	pH Units

New Horizon Mine

NH2 SP 4 Hole 6 3-4 FT.	8/24/2022 9:45:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 7 1-2 FT.	8/24/2022 9:21:00 AM	Conductivity	5.14	mmhos/cm
NH2 SP 4 Hole 7 1-2 FT.	8/24/2022 9:21:00 AM	pH	7.46	pH Units
NH2 SP 4 Hole 7 1-2 FT.	8/24/2022 9:21:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 7 2-3 FT.	8/24/2022 9:25:00 AM	Conductivity	4.87	mmhos/cm
NH2 SP 4 Hole 7 2-3 FT.	8/24/2022 9:25:00 AM	pH	7.93	pH Units
NH2 SP 4 Hole 7 2-3 FT.	8/24/2022 9:25:00 AM	Boron	ND	mg/L
NH2 SP 4 Hole 7 3-4 FT.	8/24/2022 9:29:00 AM	Conductivity	4.50	mmhos/cm
NH2 SP 4 Hole 7 3-4 FT.	8/24/2022 9:29:00 AM	pH	7.90	pH Units
NH2 SP 4 Hole 7 3-4 FT.	8/24/2022 9:29:00 AM	Boron	ND	mg/L

Bench 1 Pile 5

SAMPLENAME	SAMPDATE	ANALYTE	RESULT	Units
NH2 SP 5 Hole 1 1-2 FT.	8/24/2022 10:16:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 1 1-2 FT.	8/24/2022 10:16:00 AM	Conductivity	2.45	mmhos/cm
NH2 SP 5 Hole 1 1-2 FT.	8/24/2022 10:16:00 AM	pH	7.82	pH Units
NH2 SP 5 Hole 1 2-3 FT.	8/24/2022 10:20:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 1 2-3 FT.	8/24/2022 10:20:00 AM	Conductivity	2.78	mmhos/cm
NH2 SP 5 Hole 1 2-3 FT.	8/24/2022 10:20:00 AM	pH	7.80	pH Units
NH2 SP 5 Hole 1 3-4 FT.	8/24/2022 10:24:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 1 3-4 FT.	8/24/2022 10:24:00 AM	Conductivity	2.03	mmhos/cm
NH2 SP 5 Hole 1 3-4 FT.	8/24/2022 10:24:00 AM	pH	7.41	pH Units
NH2 SP 5 Hole 2 1-2 FT.	8/24/2022 10:43:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 2 1-2 FT.	8/24/2022 10:43:00 AM	Conductivity	1.32	mmhos/cm

New Horizon Mine

NH2 SP 5 Hole 2 1-2 FT.	8/24/2022 10:43:00 AM	pH	7.36	pH Units
NH2 SP 5 Hole 2 2-3 FT.	8/24/2022 10:46:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 2 2-3 FT.	8/24/2022 10:46:00 AM	Conductivity	1.85	mmhos/cm
NH2 SP 5 Hole 2 2-3 FT.	8/24/2022 10:46:00 AM	pH	7.32	pH Units
NH2 SP 5 Hole 2 3-4 FT.	8/24/2022 10:52:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 2 3-4 FT.	8/24/2022 10:52:00 AM	Conductivity	1.20	mmhos/cm
NH2 SP 5 Hole 2 3-4 FT.	8/24/2022 10:52:00 AM	pH	7.30	pH Units
NH2 SP 5 Hole 3 1-2 FT.	8/24/2022 10:32:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 3 1-2 FT.	8/24/2022 10:32:00 AM	Conductivity	2.56	mmhos/cm
NH2 SP 5 Hole 3 1-2 FT.	8/24/2022 10:32:00 AM	pH	7.47	pH Units
NH2 SP 5 Hole 3 2-3 FT.	8/24/2022 10:35:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 3 2-3 FT.	8/24/2022 10:35:00 AM	Conductivity	0.940	mmhos/cm
NH2 SP 5 Hole 3 2-3 FT.	8/24/2022 10:35:00 AM	pH	7.75	pH Units
NH2 SP 5 Hole 3 3-4 FT.	8/24/2022 10:37:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 3 3-4 FT.	8/24/2022 10:37:00 AM	Conductivity	3.08	mmhos/cm
NH2 SP 5 Hole 3 3-4 FT.	8/24/2022 10:37:00 AM	pH	7.72	pH Units
NH2 SP 5 Hole 4 1-2 FT.	8/24/2022 11:10:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 4 1-2 FT.	8/24/2022 11:10:00 AM	Conductivity	3.09	mmhos/cm
NH2 SP 5 Hole 4 1-2 FT.	8/24/2022 11:10:00 AM	pH	7.70	pH Units
NH2 SP 5 Hole 4 2-3 FT.	8/24/2022 11:13:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 4 2-3 FT.	8/24/2022 11:13:00 AM	Conductivity	2.55	mmhos/cm
NH2 SP 5 Hole 4 2-3 FT.	8/24/2022 11:13:00 AM	pH	7.58	pH Units
NH2 SP 5 Hole 4 3-4 FT.	8/24/2022 11:15:00 AM	Boron	ND	mg/L

New Horizon Mine

NH2 SP 5 Hole 4 3-4 FT.	8/24/2022 11:15:00 AM	Conductivity	2.65	mmhos/cm
NH2 SP 5 Hole 4 3-4 FT.	8/24/2022 11:15:00 AM	pH	7.62	pH Units
NH2 SP 5 Hole 5 1-2 FT.	8/24/2022 10:58:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 5 1-2 FT.	8/24/2022 10:58:00 AM	Conductivity	0.614	mmhos/cm
NH2 SP 5 Hole 5 1-2 FT.	8/24/2022 10:58:00 AM	pH	7.66	pH Units
NH2 SP 5 Hole 5 2-3 FT.	8/24/2022 11:01:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 5 2-3 FT.	8/24/2022 11:01:00 AM	Conductivity	2.90	mmhos/cm
NH2 SP 5 Hole 5 2-3 FT.	8/24/2022 11:01:00 AM	pH	7.63	pH Units
NH2 SP 5 Hole 5 3-4 FT.	8/24/2022 11:04:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 5 3-4 FT.	8/24/2022 11:04:00 AM	Conductivity	2.89	mmhos/cm
NH2 SP 5 Hole 5 3-4 FT.	8/24/2022 11:04:00 AM	pH	7.65	pH Units
NH2 SP 5 Hole 6 1-2 FT.	8/24/2022 11:21:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 6 1-2 FT.	8/24/2022 11:21:00 AM	Conductivity	1.20	mmhos/cm
NH2 SP 5 Hole 6 1-2 FT.	8/24/2022 11:21:00 AM	pH	7.62	pH Units
NH2 SP 5 Hole 6 2-3 FT.	8/24/2022 11:24:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 6 2-3 FT.	8/24/2022 11:24:00 AM	Conductivity	1.95	mmhos/cm
NH2 SP 5 Hole 6 2-3 FT.	8/24/2022 11:24:00 AM	pH	7.62	pH Units
NH2 SP 5 Hole 6 3-4 FT.	8/24/2022 11:26:00 AM	Boron	ND	mg/L
NH2 SP 5 Hole 6 3-4 FT.	8/24/2022 11:26:00 AM	Conductivity	1.31	mmhos/cm
NH2 SP 5 Hole 6 3-4 FT.	8/24/2022 11:26:00 AM	pH	7.73	pH Units