

Attachment B Summary of Groundwater Data for Past 5 Quarters GW-1A

Analyte	Units	GW Std	Minimum	Maximum	Average	Nondetect Count	Sample Count	MDL
Aluminum, dissolved	mg/L	5	0.05	0.05	0.05000	1	1	0.05
Antimony, dissolved	mg/L	Report	0.00085	0.00085	0.00085		1	0.0004
Arsenic, dissolved	mg/L	0.1	0.00049	0.00049	0.00049		1	0.0002
Barium, dissolved	mg/L	Report	0.0406	0.0406	0.0406		1	0.009
Beryllium, dissolved	mg/L	0.1	0.00008	0.00008	0.00008	1	1	0.00008
Bicarbonate as CaCO3	mg/L	Report	43.4	43.4	43.4		1	2
Boron, dissolved	mg/L	0.75	0.03	0.03	0.03	1	1	0.03
Cadmium, dissolved	mg/L	0.001	0.000121	0.000121	0.000121		1	0.00005
Calcium, dissolved	mg/L	Report	26.5	26.5	26.5		1	0.1
Carbonate as CaCO3	mg/L	Report	2	2	2	1	1	2
Chloride	mg/L	250	0.73	0.73	0.73		1	0.5
Chromium, dissolved	mg/L	0.1	0.0005	0.0005	0.0005	1	1	0.0005
Conductivity (field)	µS/cm		0.9	0.9	0.9		1	
Conductivity @25C	µS/cm	Report	178	178	178		1	1
Copper, dissolved	mg/L	0.009	0.0008	0.0008	0.0008	1	1	0.0008
Cyanide, total	mg/L	0.005	0.0047	0.0047	0.0047		1	0.003
DO (field)	%		77.8	77.8	77.8		1	
Fluoride	mg/L	2	0.19	0.19	0.19		1	0.15
Hardness as CaCO3 (dissolved)	mg/L	Report	75	75	75		1	0.2
Hydroxide as CaCO3	mg/L	Report	2	2	2	1	1	2
Iron, dissolved	mg/L	1	0.06	0.06	0.06	1	1	0.06
Lead, dissolved	mg/L	0.044	0.0001	0.0001	0.0001	1	1	0.0001
Magnesium, dissolved	mg/L	Report	2.23	2.23	2.23		1	0.2
Manganese, dissolved	mg/L	1.672	0.01	0.01	0.01	1	1	0.01
Mercury, dissolved	mg/L	0.01	0.0002	0.0002	0.0002	1	1	0.0002
Molybdenum, dissolved	mg/L	Report	0.001	0.001	0.001		1	0.0002
Nickel, dissolved	mg/L	0.05	0.008	0.008	0.008	1	1	0.008
Nitrate/Nitrite as N	mg/L	100	1.06	1.06	1.06		1	0.02
ORP (field)	mV		121.9	121.9	121.9		1	
pH	s.u.	6-9	7.9	7.9	7.9		1	0.1
pH (field)	s.u.	6-9	7.42	7.42	7.42		1	
Phosphorus, total	mg/L	NA	0.01	0.01	0.01	1	1	0.01
Potassium, dissolved	mg/L	Report	0.38	0.38	0.38		1	0.2
Residue, Filterable (TDS) @180C	mg/L	400	118	118	118		1	20
Residue, Non-Filterable (TSS) @1	mg/L	Report	5	5	5	1	1	5
Selenium, dissolved	mg/L	0.005	0.00029	0.00029	0.00029		1	0.0001
Silica, dissolved	mg/L	Report	4.7	4.7	4.7		1	0.2
Silver, dissolved	mg/L	0.0001	0.0001	0.0001	0.0001	1	1	0.0001
Sodium, dissolved	mg/L	Report	2.57	2.57	2.57		1	0.2
Sulfate	mg/L	250	38.5	38.5	38.5		1	1
Thallium, dissolved	mg/L	Report	0.0001	0.0001	0.0001	1	1	0.0001
Total Alkalinity	mg/L	Report	43.4	43.4	43.4		1	2
Uranium, dissolved	mg/L	Report	0.0001	0.0001	0.0001	1	1	0.0001
Vanadium, dissolved	mg/L	0.1	0.01	0.01	0.01	1	1	0.01
Water Temperature (field)	deg. C		2.8	2.8	2.8		1	
Zinc, dissolved	mg/L	5	0.061	0.061	0.061		1	0.02

Attachment B Summary of Groundwater Data for Past 5 Quarters GW-1B

Analyte	Units	GW Std	Minimum	Maximum	Average	Nondetect Count	Sample Count	MDL
Aluminum, dissolved	mg/L	5	0.05	0.05	0.05	5	5	0.05
Antimony, dissolved	mg/L	Report	0.00069	0.00098	0.000814		5	0.0004
Arsenic, dissolved	mg/L	0.1	0.00042	0.0006	0.00053		5	0.0002
Barium, dissolved	mg/L	Report	0.0435	0.0593	0.05028		5	0.0082
Beryllium, dissolved	mg/L	0.1	0.00008	0.00008	0.00008	5	5	0.00008
Bicarbonate as CaCO3	mg/L	Report	35.1	58.7	44.62		5	2
Boron, dissolved	mg/L	0.75	0.03	0.03	0.03	5	5	0.03
Cadmium, dissolved	mg/L	0.001	0.000109	0.000135	0.000121		5	0.00005
Calcium, dissolved	mg/L	Report	27.2	41	32.32		5	0.1
Carbonate as CaCO3	mg/L	Report	2	2	2	5	5	2
Chloride	mg/L	250	0.51	1.07	0.776667	2	5	0.7
Chromium, dissolved	mg/L	0.1	0.0005	0.0005	0.0005	5	5	0.0005
Conductivity (field)	µS/cm		0.2	228	89		5	
Conductivity @25C	µS/cm	Report	178	257	207.2		5	1
Copper, dissolved	mg/L	0.009	0.00142	0.00142	0.00142	4	5	0.0008
Cyanide, total	mg/L	0.005	0.003	0.003	0.003	5	5	0.003
DO (field)	%		54.8	96.6	73.55	1	5	
Fluoride	mg/L	2	0.18	0.23	0.2	2	5	0.15
Hardness as CaCO3 (dissolved)	mg/L	Report	77	116	91.8		5	0.2
Hydroxide as CaCO3	mg/L	Report	2	2	2	5	5	2
Iron, dissolved	mg/L	1	0.06	0.06	0.06	5	5	0.06
Lead, dissolved	mg/L	0.044	0.00012	0.00021	0.000154		5	0.0001
Magnesium, dissolved	mg/L	Report	2.27	3.4	2.762		5	0.2
Manganese, dissolved	mg/L	1.672	0.01	0.01	0.01	5	5	0.01
Mercury, dissolved	mg/L	0.01	0.0002	0.0002	0.0002	5	5	0.0002
Molybdenum, dissolved	mg/L	Report	0.00081	0.0016	0.001126		5	0.0002
Nickel, dissolved	mg/L	0.05	0.008	0.008	0.008	5	5	0.008
Nitrate/Nitrite as N	mg/L	100	0.073	1.1	0.2982		5	0.02
ORP (field)	mV		-732	273	-2.24		5	
pH	s.u.	6-9	6.6	8	7.4		5	0.1
pH (field)	s.u.	6-9	6.92	8.11	7.426		5	
Phosphorus, total	mg/L	NA	0.01	0.01	0.01	5	5	0.01
Potassium, dissolved	mg/L	Report	0.4	0.74	0.558		5	0.2
Residue, Filterable (TDS) @180C	mg/L	400	108	154	129.2		5	20
Residue, Non-Filterable (TSS) @1	mg/L	Report	5	5	5	5	5	5
Selenium, dissolved	mg/L	0.005	0.00025	0.00046	0.000323	1	5	0.0001
Silica, dissolved	mg/L	Report	4.5	5.2	4.78		5	0.2
Silver, dissolved	mg/L	0.0001	0.0001	0.0001	0.0001	5	5	0.0001
Sodium, dissolved	mg/L	Report	1.78	3.3	2.53		5	0.2
Sulfate	mg/L	250	36.8	87.3	56.52		5	4.2
Thallium, dissolved	mg/L	Report	0.0001	0.0001	0.0001	5	5	0.0001
Total Alkalinity	mg/L	Report	35.1	58.7	44.62		5	2
Uranium, dissolved	mg/L	Report	0.00013	0.00013	0.00013	4	5	0.0001
Vanadium, dissolved	mg/L	0.1	0.01	0.01	0.01	5	5	0.01
Water Temperature (field)	deg. C		0.8	8.9	3.44		5	
Zinc, dissolved	mg/L	5	0.054	0.066	0.0594		5	0.02

Attachment B Summary of Groundwater Data for Past 5 Quarters GW-2A

Analyte	Units	GW Std	Minimum	Maximum	Average	Nondetect Count	Sample Count	MDL
Aluminum, dissolved	mg/L	5	0.05	0.05	0.05000	5	5	0.05
Antimony, dissolved	mg/L	Report	0.00091	0.00124	0.001002		5	0.0004
Arsenic, dissolved	mg/L	0.1	0.00022	0.00033	0.000266		5	0.0002
Barium, dissolved	mg/L	Report	0.0444	0.0537	0.05002		5	0.0082
Beryllium, dissolved	mg/L	0.1	0.00008	0.00008	0.00008	5	5	0.00008
Bicarbonate as CaCO3	mg/L	Report	28.3	34.3	32.04		5	2
Boron, dissolved	mg/L	0.75	0.03	0.03	0.03	5	5	0.03
Cadmium, dissolved	mg/L	0.001	0.00056	0.000637	0.0006		5	0.00005
Calcium, dissolved	mg/L	Report	29.4	34.5	31.84		5	0.1
Carbonate as CaCO3	mg/L	Report	2	2	2	5	5	2
Chloride	mg/L	250	0.61	1.19	0.9275	1	5	0.7
Chromium, dissolved	mg/L	0.1	0.0005	0.0005	0.0005	5	5	0.0005
Conductivity (field)	µS/cm		1.1	211.4	88.88		5	
Conductivity @25C	µS/cm	Report	196	218	208		5	1
Copper, dissolved	mg/L	0.009	0.00083	0.00083	0.00083	4	5	0.0008
Cyanide, total	mg/L	0.005	0.011	0.011	0.011	4	5	0.003
DO (field)	%		45.4	94.2	69.4	1	5	
Fluoride	mg/L	2	0.19	0.28	0.236		5	0.15
Hardness as CaCO3 (dissolved)	mg/L	Report	83	97	89.8		5	0.2
Hydroxide as CaCO3	mg/L	Report	2	2	2	5	5	2
Iron, dissolved	mg/L	1	0.06	0.06	0.06	5	5	0.06
Lead, dissolved	mg/L	0.044	0.00011	0.00035	0.000218		5	0.0001
Magnesium, dissolved	mg/L	Report	2.28	2.61	2.468		5	0.2
Manganese, dissolved	mg/L	1.672	0.01	0.01	0.01	5	5	0.01
Mercury, dissolved	mg/L	0.01	0.0002	0.0002	0.0002	5	5	0.0002
Molybdenum, dissolved	mg/L	Report	0.00092	0.00147	0.001084		5	0.0002
Nickel, dissolved	mg/L	0.05	0.008	0.008	0.008	5	5	0.008
Nitrate/Nitrite as N	mg/L	100	0.159	1.03	0.603		5	0.02
ORP (field)	mV		-215.6	272	123.7		5	
pH	s.u.	6-9	6.4	7.7	7.14		5	0.1
pH (field)	s.u.	6-9	6.71	7.51	7.106		5	
Phosphorus, total	mg/L	NA	0.01	0.01	0.01	5	5	0.01
Potassium, dissolved	mg/L	Report	0.48	0.78	0.606		5	0.2
Residue, Filterable (TDS) @180C	mg/L	400	114	142	127.2		5	20
Residue, Non-Filterable (TSS) @1	mg/L	Report	5	5	5	5	5	5
Selenium, dissolved	mg/L	0.005	0.00014	0.00043	0.000272		5	0.0001
Silica, dissolved	mg/L	Report	4.6	5.4	5.1		5	0.2
Silver, dissolved	mg/L	0.0001	0.0001	0.0001	0.0001	5	5	0.0001
Sodium, dissolved	mg/L	Report	2.15	2.48	2.29		5	0.2
Sulfate	mg/L	250	54	68	60.28		5	5
Thallium, dissolved	mg/L	Report	0.0001	0.0001	0.0001	5	5	0.0001
Total Alkalinity	mg/L	Report	28.3	34.3	32.04		5	2
Uranium, dissolved	mg/L	Report	0.0001	0.0001	0.0001	5	5	0.0001
Vanadium, dissolved	mg/L	0.1	0.01	0.01	0.01	5	5	0.01
Water Temperature (field)	deg. C		2.4	7.7	3.94		5	
Zinc, dissolved	mg/L	5	0.444	0.486	0.4666		5	0.02

Attachment B Summary of Groundwater Data for Past 5 Quarters GW-2B

Analyte	Units	GW Std	Minimum	Maximum	Average	Nondetect Count	Sample Count	MDL
Aluminum, dissolved	mg/L	5	0.05	0.05	0.05	5	5	0.05
Antimony, dissolved	mg/L	Report	0.00075	0.00085	0.00078		5	0.0004
Arsenic, dissolved	mg/L	0.1	0.00022	0.0003	0.000266		5	0.0002
Barium, dissolved	mg/L	Report	0.055	0.0727	0.06		5	0.0078
Beryllium, dissolved	mg/L	0.1	0.00008	0.00008	0.00008	5	5	0.00008
Bicarbonate as CaCO3	mg/L	Report	29.1	43.3	34.9		5	2
Boron, dissolved	mg/L	0.75	0.03	0.03	0.03	5	5	0.03
Cadmium, dissolved	mg/L	0.001	0.000217	0.000278	0.000238		5	0.00005
Calcium, dissolved	mg/L	Report	27.9	39.7	31.98		5	0.1
Carbonate as CaCO3	mg/L	Report	2	2	2	5	5	2
Chloride	mg/L	250	0.59	1.19	0.92	1	5	0.7
Chromium, dissolved	mg/L	0.1	0.0005	0.0005	0.0005	5	5	0.0005
Conductivity (field)	µS/cm		7.8	198.4	82.48		5	
Conductivity @25C	µS/cm	Report	184	251	206.8		5	1
Copper, dissolved	mg/L	0.009	0.0008	0.0008	0.0008	5	5	0.0008
Cyanide, total	mg/L	0.005	0.003	0.003	0.003	5	5	0.003
DO (field)	%		46.6	105.4	70.325	1	5	
Fluoride	mg/L	2	0.19	0.23	0.218		5	0.15
Hardness as CaCO3 (dissolved)	mg/L	Report	79	112	90.6		5	0.2
Hydroxide as CaCO3	mg/L	Report	2	2	2	5	5	2
Iron, dissolved	mg/L	1	0.06	0.06	0.06	5	5	0.06
Lead, dissolved	mg/L	0.044	0.0001	0.0001	0.0001	5	5	0.0001
Magnesium, dissolved	mg/L	Report	2.26	3.18	2.59		5	0.2
Manganese, dissolved	mg/L	1.672	0.01	0.01	0.01	5	5	0.01
Mercury, dissolved	mg/L	0.01	0.0002	0.0002	0.0002	5	5	0.0002
Molybdenum, dissolved	mg/L	Report	0.00079	0.00101	0.000892		5	0.0002
Nickel, dissolved	mg/L	0.05	0.008	0.008	0.008	5	5	0.008
Nitrate/Nitrite as N	mg/L	100	0.137	0.824	0.412		5	0.02
ORP (field)	mV		-182.8	925	257.7		5	
pH	s.u.	6-9	6.5	7.7	7.18		5	0.1
pH (field)	s.u.	6-9	6.26	7.2	6.84		5	
Phosphorus, total	mg/L	NA	0.01	0.01	0.01	5	5	0.01
Potassium, dissolved	mg/L	Report	0.55	0.74	0.658		5	0.2
Residue, Filterable (TDS) @180C	mg/L	400	112	164	128		5	20
Residue, Non-Filterable (TSS) @1	mg/L	Report	5	5	5	5	5	5
Selenium, dissolved	mg/L	0.005	0.00012	0.0004	0.000278		5	0.0001
Silica, dissolved	mg/L	Report	4.9	5.8	5.42		5	0.2
Silver, dissolved	mg/L	0.0001	0.0001	0.0001	0.0001	5	5	0.0001
Sodium, dissolved	mg/L	Report	1.99	2.43	2.228		5	0.2
Sulfate	mg/L	250	46.4	79.2	60.5		5	5
Thallium, dissolved	mg/L	Report	0.0001	0.0001	0.0001	5	5	0.0001
Total Alkalinity	mg/L	Report	29.1	43.3	34.9		5	2
Uranium, dissolved	mg/L	Report	0.0001	0.0001	0.0001	5	5	0.0001
Vanadium, dissolved	mg/L	0.1	0.01	0.01	0.01	5	5	0.01
Water Temperature (field)	deg. C		1.9	6.4	3.8		5	
Zinc, dissolved	mg/L	5	0.266	0.347	0.2914		5	0.02

Attachment B Summary of Groundwater Data for Past 5 Quarters GW-3R

Analyte	Units	GW Std	Minimum	Maximum	Average	Nondetect Count	Sample Count	MDL
Aluminum, dissolved	mg/L	5	0.05	0.05	0.05	5	5	0.05
Antimony, dissolved	mg/L	Report	0.00085	0.00105	0.000966		5	0.0004
Arsenic, dissolved	mg/L	0.1	0.00045	0.00054	0.0005		5	0.0002
Barium, dissolved	mg/L	Report	0.0319	0.0417	0.038		5	0.0078
Beryllium, dissolved	mg/L	0.1	0.00008	0.00008	0.00008	5	5	0.00008
Bicarbonate as CaCO3	mg/L	Report	27	37.9	32.9	5	5	2
Boron, dissolved	mg/L	0.75	0.03	0.03	0.03	5	5	0.03
Cadmium, dissolved	mg/L	0.001	0.000232	0.000357	0.000301	5	5	0.00005
Calcium, dissolved	mg/L	Report	33	38.1	35.76	5	5	0.1
Carbonate as CaCO3	mg/L	Report	2	2	2	5	5	2
Chloride	mg/L	250	0.54	1.39	0.8325	1	5	0.7
Chromium, dissolved	mg/L	0.1	0.00494	0.00494	0.00494	4	5	0.0005
Conductivity (field)	µS/cm		5.6	550	161.86		5	
Conductivity @25C	µS/cm	Report	208	252	226.8		5	1
Copper, dissolved	mg/L	0.009	0.00123	0.00123	0.00123	4	5	0.0008
Cyanide, total	mg/L	0.005	0.0238	0.0238	0.0238	4	5	0.003
DO (field)	%		40.8	91.4	63.5	1	5	
Fluoride	mg/L	2	0.25	0.25	0.25	4	5	0.15
Hardness as CaCO3 (dissolved)	mg/L	Report	90	105	97.8		5	0.2
Hydroxide as CaCO3	mg/L	Report	2	2	2	5	5	2
Iron, dissolved	mg/L	1	0.06	0.06	0.06	5	5	0.06
Lead, dissolved	mg/L	0.044	0.00015	0.00015	0.00015	4	5	0.0001
Magnesium, dissolved	mg/L	Report	1.8	2.43	2.068		5	0.2
Manganese, dissolved	mg/L	1.672	0.01	0.01	0.01	5	5	0.01
Mercury, dissolved	mg/L	0.01	0.0002	0.0002	0.0002	5	5	0.0002
Molybdenum, dissolved	mg/L	Report	0.00063	0.00083	0.000722		5	0.0002
Nickel, dissolved	mg/L	0.05	0.008	0.008	0.008	5	5	0.008
Nitrate/Nitrite as N	mg/L	100	0.211	0.756	0.4826		5	0.02
ORP (field)	mV		73.5	407	196.58		5	
pH	s.u.	6-9	6.5	7.7	7.16		5	0.1
pH (field)	s.u.	6-9	6.81	7.26	7.106		5	
Phosphorus, total	mg/L	NA	0.011	0.011	0.011	4	5	0.01
Potassium, dissolved	mg/L	Report	0.45	0.77	0.622		5	0.2
Residue, Filterable (TDS) @180C	mg/L	400	126	152	140.4		5	20
Residue, Non-Filterable (TSS) @1	mg/L	Report	7	7	7	4	5	5
Selenium, dissolved	mg/L	0.005	0.00019	0.00034	0.000245	1	5	0.0001
Silica, dissolved	mg/L	Report	4.6	5.4	5		5	0.2
Silver, dissolved	mg/L	0.0001	0.0001	0.0001	0.0001	5	5	0.0001
Sodium, dissolved	mg/L	Report	2.68	3.57	3.026		5	0.2
Sulfate	mg/L	250	61	83.9	71.18		5	5
Thallium, dissolved	mg/L	Report	0.0001	0.0001	0.0001	5	5	0.0001
Total Alkalinity	mg/L	Report	27	37.9	32.9		5	2
Uranium, dissolved	mg/L	Report	0.0001	0.0001	0.0001	5	5	0.0001
Vanadium, dissolved	mg/L	0.1	0.01	0.01	0.01	5	5	0.01
Water Temperature (field)	deg. C		2.7	4.8	3.94		5	
Zinc, dissolved	mg/L	5	0.134	0.202	0.1768		5	0.02

Attachment B Summary of Groundwater Data for Past 5 Quarters GW-3B

Analyte	Units	GW Std	Minimum	Maximum	Average	Nondetect Count	Sample Count	MDL
Aluminum, dissolved	mg/L	5	0.05	0.05	0.05	5	5	0.05
Antimony, dissolved	mg/L	Report	0.00064	0.00083	0.000735	1	5	0.0004
Arsenic, dissolved	mg/L	0.1	0.00026	0.00027	0.0002633	2	5	0.0002
Barium, dissolved	mg/L	Report	0.0465	0.056	0.0528		5	0.0078
Beryllium, dissolved	mg/L	0.1	0.00008	0.00008	0.00008	5	5	0.00008
Bicarbonate as CaCO3	mg/L	Report	30.7	34.5	33.06		5	2
Boron, dissolved	mg/L	0.75	0.03	0.03	0.03	5	5	0.03
Cadmium, dissolved	mg/L	0.001	0.000053	0.00012	8.4667E-05	2	5	0.00005
Calcium, dissolved	mg/L	Report	31.7	35.3	34.26		5	0.1
Carbonate as CaCO3	mg/L	Report	2	2	2	5	5	2
Chloride	mg/L	250	0.74	1.25	0.995	3	5	0.7
Chromium, dissolved	mg/L	0.1	0.0005	0.0005	0.0005	5	5	0.0005
Conductivity (field)	µS/cm		0.3	337	139	1	5	
Conductivity @25C	µS/cm	Report	201	229	215		5	1
Copper, dissolved	mg/L	0.009	0.0008	0.0008	0.0008	5	5	0.0008
Cyanide, total	mg/L	0.005	0.003	0.003	0.003	5	5	0.003
DO (field)	%		31.9	102	61.525	1	5	
Fluoride	mg/L	2	0.16	0.2	0.176		5	0.15
Hardness as CaCO3 (dissolved)	mg/L	Report	88	99	95.6		5	0.2
Hydroxide as CaCO3	mg/L	Report	2	2	2	5	5	2
Iron, dissolved	mg/L	1	0.06	0.06	0.06	5	5	0.06
Lead, dissolved	mg/L	0.044	0.00015	0.00026	0.0001967	2	5	0.0001
Magnesium, dissolved	mg/L	Report	2.08	2.65	2.422		5	0.2
Manganese, dissolved	mg/L	1.672	0.01	0.01	0.01	5	5	0.01
Mercury, dissolved	mg/L	0.01	0.0002	0.0002	0.0002	5	5	0.0002
Molybdenum, dissolved	mg/L	Report	0.00032	0.00081	0.000632		5	0.0002
Nickel, dissolved	mg/L	0.05	0.008	0.008	0.008	5	5	0.008
Nitrate/Nitrite as N	mg/L	100	0.141	0.555	0.2996		5	0.02
ORP (field)	mV		-288.7	427	110.68		5	
pH	s.u.	6-9	6.5	7.7	7.18		5	0.1
pH (field)	s.u.	6-9	6.82	7.3	7.012		5	
Phosphorus, total	mg/L	NA	0.01	0.01	0.01	5	5	0.01
Potassium, dissolved	mg/L	Report	0.59	0.83	0.708		5	0.2
Residue, Filterable (TDS) @180C	mg/L	400	124	148	137.2		5	20
Residue, Non-Filterable (TSS) @1	mg/L	Report	5	5	5	4	5	5
Selenium, dissolved	mg/L	0.005	0.0001	0.00038	0.000274		5	0.0001
Silica, dissolved	mg/L	Report	5.1	7	5.74		5	0.2
Silver, dissolved	mg/L	0.0001	0.0001	0.0001	0.0001	5	5	0.0001
Sodium, dissolved	mg/L	Report	2.24	2.69	2.528		5	0.2
Sulfate	mg/L	250	57.2	73.2	63.62		5	5
Thallium, dissolved	mg/L	Report	0.0001	0.0001	0.0001	5	5	0.0001
Total Alkalinity	mg/L	Report	30.7	34.5	33.06		5	2
Uranium, dissolved	mg/L	Report	0.0001	0.0001	0.0001	5	5	0.0001
Vanadium, dissolved	mg/L	0.1	0.01	0.01	0.01	5	5	0.01
Water Temperature (field)	deg. C		4	6.1	4.96		5	
Zinc, dissolved	mg/L	5	0.088	0.123	0.10475	1	5	0.02