



Bowie No. 1 Mine
PO Box 1488
Paonia, CO. 81428
(970)986-6236

April 17, 2023

Mr. Rob Zuber
Department of Natural Resources
Division of Reclamation, Mining and Safety
1313 Sherman Street, Room 215
Denver, CO. 80203

RE: Bowie Resources LLC
Bowie No. 1 Mine
CDPS Permit No. CO0049045
Discharge Monitoring Reports

Dear Mr. Zuber:

Find enclosed completed Discharge Monitoring Reports (DMR's) forms for March 2023. This DMR submittal is for outfalls, 003A, 004A, 006A, 007A.

If you have any questions or concerns regarding this submittal, contact me at (970)986-6236.

Sincerely,

Basil R. Bear
Mine Manager

DMR Copy of Record

Permit					
Permit #:	CO0049045	Permittee:	Bowie Resources LLC	Facility:	BOWIE 2 MINE
Major:	No	Permittee Address:	PO Box 1488 Paonia, CO 81428	Facility Location:	1720 4010 DRIVE PAONIA, CO 81428
Permitted Feature:	003 External Outfall	Discharge:	003-A SR/Former Coal Storage Area		

Report Dates & Status					
Monitoring Period:	From 03/01/23 to 03/31/23	DMR Due Date:	04/28/23	Status:	NetDMR Validated

Considerations for Form Completion
 Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

Principal Executive Officer					
First Name:	Basil	Title:	Mine Manager	Telephone:	970-986-6236
Last Name:	Bear				

No Data Indicator (NODI)
 Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
00400	pH	1 - Effluent Gross	0	--	Sample													
					Permit Req.					>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU	02/30 - Twice Per Month	GR - GRAB
					Value NODI						C - No Discharge				C - No Discharge			
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													
					Permit Req.							<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			19 - mg/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.							<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample													
					Permit Req.							<=	300.0 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.									Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Value NODI									C - No Discharge				
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					

DMR Copy of Record

Permit					
Permit #:	CO0049045	Permittee:	Bowie Resources LLC	Facility:	BOWIE 2 MINE
Major:	No	Permittee Address:	PO Box 1488 Paonia, CO 81428	Facility Location:	1720 4010 DRIVE PAONIA, CO 81428
Permitted Feature:	004 External Outfall	Discharge:	004-A SR/Former Coal Loadout and Storage Area		

Report Dates & Status					
Monitoring Period:	From 03/01/23 to 03/31/23	DMR Due Date:	04/28/23	Status:	NetDMR Validated

Considerations for Form Completion
 Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

Principal Executive Officer					
First Name:	Basil	Title:	Mine Manager	Telephone:	970-986-6236
Last Name:	Bear				

No Data Indicator (NODI)
 Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00400	pH	1 - Effluent Gross	0	--	Sample													
					Permit Req.					>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU	02/30 - Twice Per Month	GR - GRAB
					Value NODI						C - No Discharge				C - No Discharge			
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													
					Permit Req.							<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			19 - mg/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.							<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample													
					Permit Req.							<=	300.0 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.									Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Value NODI									C - No Discharge				
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					

DMR Copy of Record

Permit		Permit #: CO0049045		Permittee: Bowie Resources LLC		Facility: BOWIE 2 MINE	
Major: No		Permittee Address: PO Box 1488 Paonia, CO 81428		Facility Location: 1720 4010 DRIVE PAONIA, CO 81428			
Permitted Feature: 006 External Outfall		Discharge: 006-A SR/Cut and Fill Slopes of Rail Spur/Train Loadout					

Report Dates & Status			
Monitoring Period: From 03/01/23 to 03/31/23	DMR Due Date: 04/28/23	Status:	NetDMR Validated

Considerations for Form Completion
 Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

Principal Executive Officer			
First Name: Basil	Title: Mine Manager	Telephone: 970-986-6236	
Last Name: Bear			

No Data Indicator (NODI)
 Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00400	pH	1 - Effluent Gross	0	--	Sample													12 - SU	02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM				
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.						<=	35.0 30DA AVG			<=	70.0 DAILY MX				
					Value NODI							C - No Discharge				C - No Discharge				
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample												19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.							Req Mon 30DA AVG								
					Value NODI							C - No Discharge								
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.							Req Mon 30DA AVG								
					Value NODI							C - No Discharge								
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.						<=	1000.0 30DA AVG			<=	6000.0 DAILY MX				
					Value NODI							C - No Discharge				C - No Discharge				
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.						<=	300.0 30DA AVG								
					Value NODI							C - No Discharge								
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.							Req Mon 30DA AVG								
					Value NODI							C - No Discharge								
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.							Req Mon 30DA AVG								
					Value NODI							C - No Discharge								
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.										Req Mon DAILY MX					
					Value NODI										C - No Discharge					
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.							Req Mon 30DA AVG			Req Mon DAILY MX					
					Value NODI							C - No Discharge			C - No Discharge					
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.							Req Mon 30DA AVG			Req Mon DAILY MX					
					Value NODI							C - No Discharge			C - No Discharge					
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.							Req Mon 30DA AVG			Req Mon DAILY MX					
					Value NODI							C - No Discharge			C - No Discharge					
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.							Req Mon 30DA AVG								
					Value NODI							C - No Discharge								

DMR Copy of Record

Permit					
Permit #:	CO0049045	Permittee:	Bowie Resources LLC	Facility:	BOWIE 2 MINE
Major:	No	Permittee Address:	PO Box 1488 Paonia, CO 81428	Facility Location:	1720 4010 DRIVE PAONIA, CO 81428
Permitted Feature:	007 External Outfall	Discharge:	007-A SR/Cut and Fill Slopes of Rail Spur/Train Loadout		

Report Dates & Status					
Monitoring Period:	From 03/01/23 to 03/31/23	DMR Due Date:	04/28/23	Status:	NetDMR Validated

Considerations for Form Completion
 Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

Principal Executive Officer					
First Name:	Basil	Title:	Mine Manager	Telephone:	970-986-6236
Last Name:	Bear				

No Data Indicator (NODI)
 Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
00400	pH	1 - Effluent Gross	0	--	Sample													
					Permit Req.					>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU	02/30 - Twice Per Month	GR - GRAB
					Value NODI						C - No Discharge				C - No Discharge			
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													
					Permit Req.							<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			19 - mg/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.							<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample													
					Permit Req.							<=	300.0 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.									Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Value NODI									C - No Discharge				
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample													
					Permit Req.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge					

