

1.) Please see attached "Public Notice".

2.) Please see attached "Certified Mail to the Bledsoes".

3.) No properties of historical significance included or nominated for inclusion in the state register have been recorded within the proposed permit area. The requirements under CRS 24-80 part 13 will apply and be followed if human remains are discovered during ground disturbing activities.

CRS 24-80 part 13:

- (1) Prior to the commencement of an anthropological investigation in which it is probable that skeletal remains will be discovered, the anthropologists conducting such an investigation shall apply to the state archaeologist for an excavation permit issued under the authority of section 24-80-405 (1)(g). Upon receipt of said permit by a qualified applicant, he shall notify the coroner and sheriff of the county in which the investigation shall be conducted.
- (2) When skeletal remains are discovered during such an investigation, the anthropologists shall determine whether such skeletal remains are human remains, and, if such remains are determined to be human remains, the anthropologists shall determine, whenever possible, the age and cultural affiliation of the individual. Based on such determinations, the anthropologists shall proceed as follows:
 - (a) If it is determined that the human remains are of an individual who has been dead less than one hundred years, the anthropologists shall notify the coroner of the discovery and shall offer an opinion as to the forensic significance of the human remains. The coroner shall respond to such notification within twenty-four hours, during which time all activity which could disturb such human remains shall cease. If, on the basis of the anthropologists' opinion or on an independent on-site inquiry, the coroner determines that the human remains are of no forensic significance, the anthropologists shall notify either the state archaeologist, if the human remains are those of a Native American, or the Colorado state anatomical board, if the human remains are those of a human being who was not a Native American.
 - (b) If it is determined that the skeletal remains are human remains but of an individual who has been dead for more than one hundred years, notwithstanding the provisions of section 30-10-606 (1.2), C.R.S., the anthropologists need not notify the coroner but shall notify either the state archaeologist, if the human remains are those of a Native American, or the Colorado state anatomical board, if the remains are of a non-Native American.
- (3) Upon notification by the anthropologists of the discovery of the human remains of a Native American, the state archaeologist shall notify the commission and shall thereafter proceed in accordance with the provisions of section 24-80-1302 (4).

4.) The vegetation in the area is Range land. There is only natural grass and weeds in the area.

5.) Please see attached "EXHIBIT B".

6.) Just to the North of the mining area, approximately 350' there is a small no named Tributary body of water that feeds SE towards the town of Kit Karson. Eventually running into Big Sandy Creek

approximately 26mi SE. There is no concern with the water table being 100+ feet deep. Please see the attached "2023-03-28_13-35-33" "DWR_1038621" DWR well permit documents about a nearby well for the water table level.

7.) Ground water is not expected to be exposed.

8.) Storm water is expected to drain into the ground. If this changes and storm water drains off the site, then straw wattle will be installed to help mitigate any contamination.

9.) Refuse and acid or toxic producing materials are not expected to be exposed during mining and if any are, mining activities will cease, and appropriate agencies will be contacted for further guidance.

10.) The deposit will not be processed on-site. There will not be any crushing or screening onsite.

11.) All of the topsoil that will be removed (6-12") will also be replaced during reclaim.

12.) We will be expecting to seed into late fall (October/November).

13.) We will be de-compacting the subgrade approx. 12" deep and we are expecting there to be approx. 6" of topsoil. (18" total)

14.) We will not be fertilizing the site. We will be performing drill seeding.

15.) Please see attached "Seed Mix".

16.) We will not be using mulch during the seeding process.

17.) Please see attached "Affidavit for Stockpile" and "Affidavit for the stockpile to be placed outside of the pit boundaries".

18.) We will not be reclaiming the two track. This is only here due to that being the rout the landowner took through their property.

19.) Please see attached "EXHIBIT E 1" "EXHIBIT E 2".

20.) Please see attached "EXHIBIT E 2".

21.) There will be no overburden material to replace. Please see attached "EXHIBIT E 2".

22.) Please see attached "EXHIBIT I".

23.) We will be mining the pit at a 4:1 slope along with the reclaim plan.

Proof of Publication

STATE OF COLORADO)
) ss.
County of Kit Carson)

Thomas E. Bredehoft

being duly sworn, deposes and says:

1. That he is publisher of The Flagler News, a weekly newspaper printed and published in the town of Flagler, County of Kit Carson and State of Colorado.

2. That the said The Flagler News is printed and published at regular intervals, one time each week on Thursday, and that it has a general circulation in the County of Kit Carson and elsewhere.

3. That the said The Flagler News was established and has been printed and published in said County uninterruptedly and continuously during a period of at least fifty-two consecutive weeks next prior to the first issue thereof in which was published a legal notice entitled

Public Notice Blattner Energy

_____, a copy of which is hereto attached.

4. That the said The Flagler News is a weekly newspaper of general circulation, and is printed and published in whole or in part in the said County of Kit Carson in which said notice is required by law to be published, a copy of which is hereunto attached.

5. That the said The Flagler News is a weekly newspaper within the meaning of "An Act Concerning Legal Notices, Advertisements and Publications and Fees of Printers and Publishers Thereof and to Repeal being Chapter 139 of the Session Laws of Colorado of 1923 as amended by Chapter 113 of the Session Laws of Colorado of 1931. The act amended and repeated by Chapter 139 of the Session Laws of Colorado of 1921, the same being sections 5392 to 5400, both inclusive, of the Compiled Laws of the State of Colorado of 1921.

6. That the said annexed notice was published in the regular and entire edition of The Flagler News, a duly qualified weekly newspaper for that purpose, within the terms and meanings of the above named Acts.

7. That the said annexed notice is a full, true and correct copy of the original which was regularly published in each of the regular and entire issues of said newspaper, a legally qualified paper for that purpose,

once each week, on the same day of the week for 1

successive weeks by 1 insertions and that the first

publication thereof was in the issue dated March 9, 2023 and

that the last publication was in the issue dated March 9, 2023

Thomas E. Bredehoft Publisher.

Subscribed and sworn to before me this 9th

day of March 2023.

Cynthia Hawks Notary Public.

My commission expires 12/29/26.

PUBLIC NOTICES

"BECAUSE THE PEOPLE MUST KNOW"

PUBLIC NOTICE

Blattner Energy, 392 County Road 50 Avon, MN 56310, (320)356-7351, has filed an application for a Construction Materials Limited Impact (110) Reclamation Permit with the Colorado Mined Land Reclamation Board under provisions of the Colorado Land Reclamation Act for the Extraction of Construction Materials. The proposed mine is known as the Bronco Plains II (West Pit), and is located at or near Section 33, Township 11, Range 51, West of the Prime Meridian.

The proposed date of commencement is Apr. 1, 2023, and the proposed date of completion is May 1, 2024. The proposed future use of the land is Range Land.

Additional information and tentative decision date may be obtained from the Division of Reclamation, Mining, and Safety, 1313 Sherman Street, Room 215, Denver, Colorado 80203, (303) 866-3567, or at the Kit Carson County Clerk and Recorder's office; 251 16th St, Burlington, CO 80807, or the above-named applicant. A complete copy of the application is available at the above-named County Clerk and Recorder's office and at the Division's office.

Comments concerning the application and exhibits must be in writing and must be received by the Division of Reclamation, Mining, and Safety by 4:00 p.m. on March 19th, 2023.

Published In
The Flagler News
March 9, 2023

CYNTHIA HAWKS
NOTARY PUBLIC - STATE OF COLORADO
NOTARY ID 20184038648
MY COMMISSION EXPIRES DEC 29, 2026

USPS TRACKING #



DENVER CO 602

13 MAR 2023PM 7 L




First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

9590 9402 7346 2028 4546 32

United States
Postal Service

• Sender: Please print your name, address, and ZIP+4® in this box•

Maxwell Ammann
7481 CR. N Z100
West Union, IL 62477



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:
Robert + Catherine Bledsoe
PO Box 435
Hugo, CO 80821



9590 9402 7346 2028 4546 32

2. Article Number (Transfer from service label)

7022 2410 0002 8148 8755

COMPLETE THIS SECTION ON DELIVERY

A. Signature
☒ *Cathy Bledsoe* ☐ Agent ☒ Addressee

B. Received by (Printed Name) *Cathy Bledsoe* C. Date of Delivery *3-13-23*

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☒ No

3. Service Type

<input type="checkbox"/> Adult Signature	<input type="checkbox"/> Priority Mail Express®
<input type="checkbox"/> Adult Signature Restricted Delivery	<input type="checkbox"/> Registered Mail™
<input checked="" type="checkbox"/> Certified Mail®	<input type="checkbox"/> Registered Mail Restricted Delivery
<input type="checkbox"/> Certified Mail Restricted Delivery	<input type="checkbox"/> Signature Confirmation™
<input type="checkbox"/> Collect on Delivery	<input type="checkbox"/> Signature Confirmation Restricted Delivery
<input type="checkbox"/> Collect on Delivery Restricted Delivery	

Restricted Delivery

SITE DESCRIPTION

EXHIBIT B

Soils Information

The below chart was obtained from the basic soils and vegetation information found through the USDA's National Soils information page and the Soil Survey of Kit Carson County.



Map Unit Legend



Kit Carson County, Colorado (CO063)

Kit Carson County, Colorado (CO063)



Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
4	Ascalon sandy loam, 0 to 3 percent slopes	18.9	41.8%
22	Eckley-Wages complex, 4 to 20 percent slopes	26.3	58.2%
Totals for Area of Interest		45.2	100.0%

Map Unit Description



[Printable Version](#)

Report — Map Unit Description



Kit Carson County, Colorado

4—Ascalon sandy loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 2swl3

Elevation: 3,870 to 5,960 feet

Mean annual precipitation: 12 to 16 inches

Mean annual air temperature: 46 to 57 degrees F

Frost-free period: 135 to 160 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Ascalon and similar soils: 85 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Ascalon

Setting

Landform: Interfluves

Landform position (two-dimensional): Summit

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Wind-reworked alluvium and/or calcareous sandy eolian deposits

Typical profile

Ap - 0 to 6 inches: sandy loam

Bt1 - 6 to 12 inches: sandy clay loam

Bt2 - 12 to 19 inches: sandy clay loam

Bk - 19 to 35 inches: sandy clay loam

C - 35 to 80 inches: sandy loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat):

Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 10 percent

Maximum salinity: Nonsaline to very slightly saline (0.1 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 10 percent
Maximum salinity: Nonsaline to very slightly saline (0.1 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Moderate (about 7.7 inches)

Interpretive groups

Land capability classification (irrigated): 3e
Land capability classification (nonirrigated): 4c
Hydrologic Soil Group: B
Ecological site: R067BY024CO - Sandy Plains
Hydric soil rating: No

Minor Components

Olnest

Percent of map unit: 10 percent
Landform: Interfluves
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Tread
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: R067BY024CO - Sandy Plains
Hydric soil rating: No

Vona

Percent of map unit: 5 percent
Landform: Interfluves
Landform position (two-dimensional): Summit
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: R067BY024CO - Sandy Plains
Hydric soil rating: No



Report — Map Unit Description

**Kit Carson County, Colorado****22—Eckley-Wages complex, 4 to 20 percent slopes****Map Unit Setting**

National map unit symbol: 37r0

Elevation: 4,300 to 5,200 feet

Mean annual precipitation: 13 to 17 inches

Mean annual air temperature: 45 to 50 degrees F

Frost-free period: 145 to 148 days

Farmland classification: Not prime farmland

Map Unit Composition

Eckley and similar soils: 40 percent

Wages and similar soils: 30 percent

Minor components: 30 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Eckley**Setting**

Landform: Hills

Landform position (two-dimensional): Shoulder

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Fine-loamy eolian deposits over sandy and gravelly alluvium

Typical profile

A - 0 to 4 inches: gravelly sandy loam

Bt - 4 to 12 inches: gravelly sandy clay loam

BC - 12 to 15 inches: gravelly sandy loam

2C1 - 15 to 22 inches: gravelly sand

2C2 - 22 to 60 inches: gravelly sand

Properties and qualities

Slope: 4 to 20 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat):

Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Available water supply, 0 to 60 inches: Very low (about 1.7 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 6e
Hydrologic Soil Group: B
Ecological site: R067BY063CO - Gravel Breaks
Hydric soil rating: No

Description of Wages

Setting

Landform: Hills
Landform position (three-dimensional): Side slope
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Fine-loamy eolian deposits over fine-loamy alluvium

Typical profile

A - 0 to 5 inches: loam
Bt - 5 to 12 inches: loam
Bk - 12 to 17 inches: loam
C - 17 to 60 inches: loam

Properties and qualities

Slope: 4 to 12 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Medium
Capacity of the most limiting layer to transmit water (Ksat):
Moderately high to high (0.57 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Available water supply, 0 to 60 inches: Moderate (about 9.0 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 6e
Hydrologic Soil Group: B
Ecological site: R067BY002CO - Loamy Plains
Hydric soil rating: No

Minor Components

Ascalon

Percent of map unit: 10 percent
Landform: Hills
Landform position (three-dimensional): Side slope
Ecological site: R067BY024CO - Sandy Plains
Other vegetative classification: SANDY PLAINS (067XY024CO_1)
Hydric soil rating: No

Hydric soil rating: No

Minor Components

Ascalon

Percent of map unit: 10 percent

Landform: Hills

Landform position (three-dimensional): Side slope

Ecological site: R067BY024CO - Sandy Plains

Other vegetative classification: SANDY PLAINS (067XY024CO_1)

Hydric soil rating: No

Rock outcrop

Percent of map unit: 5 percent

Landform: Hills

Landform position (three-dimensional): Side slope

Hydric soil rating: No

Altvan

Percent of map unit: 5 percent

Landform: Hills

Landform position (three-dimensional): Side slope

Ecological site: R067BY063CO - Gravel Breaks

Other vegetative classification: LOAMY PLAINS (072XY001CO_1)

Hydric soil rating: No

Sampson

Percent of map unit: 5 percent

Landform: Drainageways

Ecological site: R067BY036CO - Overflow

Hydric soil rating: No

Manter

Percent of map unit: 5 percent

Landform: Hills

Landform position (three-dimensional): Side slope

Ecological site: R067BY024CO - Sandy Plains

Hydric soil rating: No

Description — Map Unit Description




Permanent Man-Made Structures

There are no existing man-made structures within 200 feet of the pit.

Water Resources

There are no substantial water sources near the area of operation. The only one of note is North of the mining area, approximately 350' there is a small no named Tributary body of water that feeds SE towards the town of Kit Karson. Eventually running into Big Sandy Creek approximately 26mi SE. There is no concern with the water table being 100+ feet deep. Please see the attached DWR well permit documents about a nearby well for the water table level.





COLORADO'S

Decision Support Systems


CWCB / DWR


DWR Well Permit Research


Search...





HomeDrawMeasureFind


Home


Identify


Pan


Zoom In


Zoom Out


Initial View


Previous Extent


Next Extent


Bookmarks


Export

Upload Data

Add Layers

Layer Catalog


Share


Print


NavigationSharing


Well Constructed 19608-MH

Quick Tools











Description


Receipt = 0019608
Permit = 19608-MH
Well Name =
Applicant = BLED SOE, CARL
Case No =
Aquifers = ALL UNNAMED AQUIFERS
Uses = Monitoring/Sampling
Yield =
Well Depth = 126
Location Accuracy = Spotted from quarters

Details

More Info
<https://dwr.state.co.us/Tools/WellPermits/0019608>
Receipt
0019608
Permit
19608-MH
WDID
N/A
CurrStatus
Well Constructed
WellName
N/A
CaseNo
N/A

Layers

Well Constructed 1960...

Imagery

UTM Zone 13, NAD83

X 664793.25595

Y 4324184.55407

Scale 1: 9,028

Go

0

300

600ft

Maxar | Bureau of Land Management, Esri, HERE, Garmin, INCREMENT P, Intermap, USGS, METI/NASA, EPA, I

FORM NO.
GWS-31
11/90

WELL CONSTRUCTION AND TEST REPORT
STATE OF COLORADO, OFFICE OF THE STATE ENGINEER

For Office Use only

RECEIVED

SEP 30 '92

WATER RESOURCES
STATE ENGINEER
COLO.

1. WELL PERMIT NUMBER MH-19608

2. OWNER NAME(S) Carl Bledsoe
Mailing Address 3374 Rd. D
City, St. Zip Flagler, Co. 80815
Phone (719) 765-4450

3. WELL LOCATION AS DRILLED: 1/4 NE 1/4, Sec. 34 Twp. 11 S, Range 51 W
DISTANCES FROM SEC. LINES:
660 ft. from North Sec. line. and 660 ft. from East Sec. line. OR
(north or south) (east or west)
SUBDIVISION: LOT BLOCK FILING(UNIT)
STREET ADDRESS AT WELL LOCATION:

4. GROUND SURFACE ELEVATION ft. DRILLING METHOD Rotary
DATE COMPLETED 8-28-92 TOTAL DEPTH 126 ft. DEPTH COMPLETED 126 ft.

5. GEOLOGIC LOG:

Depth Description of Material (Type, Size, Color, Water Location)

0	80	sandstone and sand
80	100	10' clay 10' sand
100	114	coarse sand
114	126	shale

6. HOLE DIAM. (in.) From (ft) To (ft)
8" 0 126'

7. PLAIN CASING

OD (in)	Kind	Wall Size	From(ft)	To(ft)
<u>5.5</u>	<u>PVC</u>	<u>.227</u>	<u>0</u>	<u>106'</u>

PERF. CASING: Screen Slot Size: .030

<u>5.5</u>	<u>PVC</u>	<u>.227</u>	<u>106</u>	<u>126</u>
------------	------------	-------------	------------	------------

8. FILTER PACK:

Material Silica Sand
Size 8-12
Interval

9. PACKER PLACEMENT:

Type
Depth

10. GROUTING RECORD:

Material	Amount	Density	Interval	Placement
<u>Grout</u>	<u>25AC</u>		<u>0-20</u>	<u>GRAVITY</u>
<u>Fill</u>	<u>Sand</u>		<u>20-100</u>	
<u>8-12 SILICA</u>			<u>100-126</u>	

REMARKS: NO Aquifer

11. DISINFECTION: Type Amt. Used

12. WELL TEST DATA: ☐ Check box if Test Data is submitted on Supplemental Form.

TESTING METHOD Submersible Pump
Static Level ft. Date/Time measured 9-24-92 Production Rate 0 gpm.
Pumping level ft. Date/Time measured 9-24-92 Test length (hrs.)
Remarks

13. I have read the statements made herein and know the contents thereof, and that they are true to my knowledge. [Pursuant to Section 24-4-104 (13)(a) C.R.S., the making of false statements herein constitutes perjury in the second degree and is punishable as a class 1 misdemeanor.]

CONTRACTOR Schaal Drilling, Co. Phone (719) 346-8032 Lic. No. 803
Mailing Address PO Box 416/Burlington, Co. 80807

Name/Title (Please type or print)
Schaal Drilling, Co.
Ruben Schaal/ Owner

Signature
Ruben Schaal

Date
9-24-92

ROY ROMER
Governor



HAROLD (HAL) D. SIMPSON
State Engineer

**OFFICE OF THE STATE ENGINEER
DIVISION OF WATER RESOURCES**

1313 Sherman Street-Room 818
Denver, Colorado 80203
(303) 866-3581
FAX [303] 866-3589
August 25, 1992

**STATE ENGINEER
FILE COPY**

Ruben Schaal
Schaal Drilling Co.
P.O. Box 416
Burlington, CO 80807

Lic. No. 803
I.D. 2 County 09 67
Basin _____ M.D. _____

RE: Monitoring and Observation Hole(s)

File No. MH- 19608
Owner: Carl Bledsoe

NE 1/4
Township 11S

Section 34
Range 51W

Dear Mr. Schaal:

Thank you for your letter of August 17, 1992, notifying this office of your intent to construct the subject monitoring and observation hole(s). The construction of the hole(s) must be completed within three (3) months of the date of this acknowledgement. Testing and/or pumping shall not exceed a total of seven (7) days unless prior written approval is obtained from the State Engineer. The water diverted during testing shall not be used for beneficial purposes. The well owner or his agent shall be responsible for obtaining permits and complying with all rules and regulations pertaining to the discharge of all fluids produced during testing. The hole(s) must be plugged within one (1) year after construction unless a well permit has been obtained from the State Engineer.

A copy of this acknowledgement must accompany the drilling rig. All work must be in compliance with the Water Well and Pump Installation Rules. Construction details, geologic logs, and test data, in the form of well construction and test reports (form GWS-31), must be submitted to this office within sixty (60) days of the completion of the work by the licensed contractor or authorized individual. In addition, the well owner should maintain records of any water quality testing and submit this data to the Division upon plugging of the hole or our request. Please refer to the above file number and owner to identify the documents when submitted. Upon completion of plugging, abandonment reports (form GWS-9) must be submitted affirming the dates the holes were plugged, the intervals and types of materials used, and by whom the holes were plugged.

Acknowledgement of this monitoring and observation hole notice does not indicate that well permits can be approved. If you have any questions, contact this office.

Sincerely,

Fred M. Loo
Water Resources Engineer

FML:cq
cc Div. 2
Schaal.FML/FORM MONHOLE

Schaal Drilling Co.

RUBEN T. SCHAAL JR. • PHONE NO. (719) 346-8032 • P.O. BOX 416 • BURLINGTON, COLORADO 80807

August 17, 1992

RECEIVED

AUG 19 '92

**WATER RESOURCES
STATE ENGINEER
COLO.**

State of Colorado
Division of Water Resources
1313 Sherman Street
Denver, Co. 80203

To: Rick Nielsen

RE: Colorado Division of Water Resources, Rules and
Regulations 6.3. Notice of Intent to Construct

Landowner's name: Carl Beverley Bledsoe

Well owner's name: Carl Beverley Bledsoe

Approximate date of constructions: August 26, 1992

Location 1/4 section: NE-34

Township and Range: 11S-51W


Number and type of holes or wells: One or more Observation and Monitoring
Holes.

Estimated total depths: 200'

Purpose: Monitoring and observation of ground water availability
and observation of Geological Formation.

Thank you for your prompt attention.

Respectfully yours,


Ruben T. Schaal

RTS/jw

cc

Grass/Grasslike
**Ann
(poi)**

<u>Group</u>	<u>Group name</u>	<u>Common name</u>	<u>Symbol</u>	<u>Scientific name</u>	<u>Low</u>
1					553
		Grass, perennial	2GP		9
		Indian ricegrass	ACHY	<i>Achnatherum hymenoides</i>	0
		Fendler threeawn	ARPUL	<i>Aristida purpurea</i> var. <i>longiseta</i>	0
		sideoats grama	BOCU	<i>Bouteloua curtipendula</i>	85
		buffalograss	BODA2	<i>Bouteloua dactyloides</i>	0
		blue grama	BOGR2	<i>Bouteloua gracilis</i>	128
		threadleaf sedge	CAFI	<i>Carex filifolia</i>	0
		sun sedge	CAINH2	<i>Carex inops</i> subsp. <i>heliophila</i>	0
		saltgrass	DISP	<i>Distichlis spicata</i>	0
		squirreltail	ELELE	<i>Elymus elymoides</i> subsp. <i>elymoides</i>	0
		needle and thread	HECOC8	<i>Hesperostipa comata</i> subsp. <i>comata</i>	0
		prairie Junegrass	KOMA	<i>Koeleria macrantha</i>	0
		ring muhly	MUTO2	<i>Muhlenbergia torreyi</i>	0
		green needlegrass	NAVI4	<i>Nassella viridula</i>	43
		western wheatgrass	PASM	<i>Pascopyrum smithii</i>	170
		little bluestem	SCSC	<i>Schizachyrium scoparium</i>	9
		alkali sacaton	SPAI	<i>Sporobolus airoides</i>	170
		sand dropseed	SPCR	<i>Sporobolus cryptandrus</i>	0

Catherine L. Bledsoe
I Robert C. Bledsoe

Will be using the 2,000 CY stockpiled material that will be left behind for personal use only and I am not planning on selling this material to anyone after the pit is reclaimed.


Catherine L. Bledsoe
X Robert C. Bledsoe

Date: 4/15/2023

Catherine L. Bledsoe
I, Robert C. Bledsoe want the 2,000 CY stockpile of material that will be left
behind for my personal use to be placed outside of the pits boundaries.

Catherine L. Bledsoe
X Robert C. Bledsoe







Date: 4/15/2023



Blattner Energy, LLC
 Bronco Plains II West Pit
 Map Exhibit E-1 Mining Plan
 Prepared on 3/31/2023

The boarder of the image is 200 Feet or more from the Pit boarder. The only land owner of the afected property or 200 Feet away is "Robert C. Bledsoe Trust and Catherine L. Bledsoe Trust"

Legend:

-  Mine Setbacks (15ft) / Permit Boundaries
-  Mine Area
-  Access Road
-  Topsoil Piles
-  Gravel Stockpile
-  Previously mined areas

Scale: Approx. 1"= 200'

Section: 33

Township: 11


Range: 51


Section: SE

Quarter/Quatyer Section: SW







Max





Blattner Energy, LLC
 Bronco Plains II West Pit
 Map Exhibit E-2 Reclamation Plan Map
 Prepared on 3/31/2023

Legend:

-  4:1 Slope
-  Reclaimed Area
-  Access Road
-  Gravel Left behind

Scale: Approx. 1"= 200'

Section: 33

Township: 11

Range: 51


Section: SE

Quarter/Quatyer Section: SW



Max

We will be replacing the topsoil over the entire pit returning the land to Range Land. The plan is to slope the grade at a 4:1 towered the previously mined area. There will be a small amount or gravel left behind for the land owner per there request. There will be no shrub or trees planted. We are expecting 6-12" of topsoil. There will be no overburden material to replace.





Blattner Energy Pit

Maxwell Ammann <MAmmann@blattnerenergy.com>
To: "Russell - DNR, Elliott" <elliott.russell@state.co.us>

Mon, May 8, 2023 at 10:29 AM

Elliott,

Please see attached for all of the updates I will verify that they sent the Check.

Thank you,

Maxwell Ammann

Project Construction Coordinator

Blattner Energy

cell (320) 247-9793

[website](#) | [linkedin_](#) | [facebook](#) | [twitter](#)

Confidentiality Notice: This e-mail message and any attachments are confidential and intended only for the use of individuals or entities named above. If the reader of this message is not an intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is prohibited. Please delete said communication and notify us immediately at the originating e-mail address.



Adequacy Review Responce.zip
12062K

PROOF OF FILING WITH CLERK AND RECORDER

EXHIBIT I

April 4, 2023

We are delivering to you here with a copy of an application for the Bronco Plains II Gravel Pit, a Limited Impact (110) Construction Materials permit Updated pages, to be operated by Blattner Energy Inc. Two copies of the application are on file with the Division of Reclamation, Mining & Safety (ORMS).

Please acknowledge receipt of this copy of the permit application by signing in the appropriate space provided below and returning one copy of this letter to the person delivering the book.

X

Kit Carson County Clerk and Recorder

Date: _____

PROOF OF FILING WITH CLERK AND RECORDER

EXHIBIT I

April 4, 2023

We are delivering to you here with a copy of an application for the Bronco Plains II Gravel Pit, a Limited Impact (110) Construction Materials permit Updated pages, to be operated by Blattner Energy Inc. Two copies of the application are on file with the Division of Reclamation, Mining & Safety (ORMS).

Please acknowledge receipt of this copy of the permit application by signing in the appropriate space provided below and returning one copy of this letter to the person delivering the book.

X Nancy Gilley
Kit Carson County Clerk and Recorder, Deputy

Date: 5-1-2023



Blattner Energy Pit

Maxwell Ammann <MAmmann@blattnerenergy.com>
To: "Russell - DNR, Elliott" <elliott.russell@state.co.us>

Mon, May 8, 2023 at 12:13 PM

Russell,

1. Please provide me the PLS/acre seeding rate of each species in the seed mix or a percentage of each species with an overall seeding rate of the whole mix per acre. I am not sure if all the species on the list are intended to be seeded or if just the 6 that have a value in the far right column, but this will be more clear once you get me the seeding rate. Percentage.

It will just be those 6. The #'s indicate Pounds per Acre. Below will be the %.

Grass, Perennial: 1.466%

Sideoats Grama: 13.844%

Blue Grama: 20.847%

Green Needlegrass: 7.003%

Western Wheatgrass: 27.687%

Little Bluestem: 1.466%

Alkali Sacaton: 27.687%

2. Exhibit I (County Clerk update) was left blank.

Attached is the filed out Exhibit I

Thank you,

Maxwell Ammann

Project Construction Coordinator

Blattner Energy

cell (320) 247-9793

[website](#) | [linkedin](#) | [facebook](#) | [twitter](#)

Confidentiality Notice: This e-mail message and any attachments are confidential and intended only for the use of individuals or entities named above. If the reader of this message is not an intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is prohibited. Please delete said communication and notify us immediately at the originating e-mail address.

From: Russell - DNR, Elliott <elliott.russell@state.co.us>
Sent: Monday, May 8, 2023 10:55 AM
To: Maxwell Ammann <MAmmann@blattnerenergy.com>
Subject: Re: Blattner Energy Pit

CAUTION: This email message was sent from an EXTERNAL sender. Please DO NOT open attachments or click links from unknown senders or unexpected email.

Hi Max,

Can you provide me with the follow additional items/information:

1. Please provide me the PLS/acre seeding rate of each species in the seed mix or a percentage of each species with an overall seeding rate of the whole mix per acre. I am not sure if all the species on the list are intended to be seeded or if just the 6 that have a value in the far right column, but this will be more clear once you get me the seeding rate.percentage.
2. Exhibit I (County Clerk update) was left blank.

Thank you and please let me know if you have any questions.

Elliott Russell

Environmental Protection Specialist

Minerals Regulatory Program



COLORADO
Division of Reclamation,
Mining and Safety
Department of Natural Resources

I am working remotely and can be reached at 303.903.4456

*****Please note the Division's mailing address has changed*****

P 303.866.3567 x8132 | F 303.832.8106 | C 303.903.4456

Physical: 1313 Sherman Street, Room 215, Denver, CO 80203

Mailing: DRMS Room 215, 1001 E 62nd Ave, Denver, CO 80216

Elliott.Russell@state.co.us | <https://drms.colorado.gov>

On Mon, May 8, 2023 at 10:31 AM Maxwell Ammann <MAmmann@blattnerenergy.com> wrote:

Elliott,

Please see attached for all of the updates I will verify that they sent the Check.

Thank you,

Maxwell Ammann

Project Construction Coordinator

Blattner Energy

cell (320) 247-9793

[website](#) | [linkedin_](#) | [facebook](#) | [twitter](#)

Confidentiality Notice: This e-mail message and any attachments are confidential and intended only for the use of individuals or entities named above. If the reader of this message is not an intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is prohibited. Please delete said communication and notify us immediately at the originating e-mail address.



Exhibit I.pdf
257K