



COLORADO
**Division of Reclamation,
Mining and Safety**
Department of Natural Resources
Rm 215
1001 E 62nd Ave
Denver CO 80216

July 19, 2023

Jodi Schreiber
Fremont Paving & Redi-Mix, Inc.
839 Mckenzie Ave.
PO Box 841
Canon City, CO 81215

RE: Two Rivers, Permit No. M-1998-038, Response to Inspection Problems #3 and #4, Preliminary Adequacy Review

Dear Ms. Schreiber:

The Division of Reclamation, Mining and Safety (Division) is in the process of reviewing the above referenced responses to the Division's *Inspection Problem Updated Deadlines* notice dated June 26, 2023. During review of the material submitted, the Division determined that the following issues of concern need to be adequately addressed before the inspection problems can be considered abated:

1. The corrective actions for Item #3 include the following: "Please provide a written explanation explaining what this material is, how it is used, why it is stored onsite, and how it will be disposed of by the corrective action date."
 - a. Please elaborate how this material is used and how it will be disposed of upon reclamation.
2. The corrective actions for Item #4 include the following: "The boundaries of the affected area must be marked by monuments or other markers that are clearly visible and adequate to delineate such boundaries."
 - a. According to the image provided in your submittal, it appears that the boundary markers for the 200' buffer have been installed along a portion of the south-west side of the permit. While this likely also shows the affected area boundary in this portion of the permit, Rule 3.1.12 requires the affected area boundary markers to encompass the entire affected area boundary.
 - i. This item may not be eligible for abatement until the responses to your Technical Revision (TR-7), submitted to address Item #1 in the Division's letter, have been approved. Once the area to be affected has been determined and included on an approved map, this item may be complied with via the installation of boundary markers around the entire area to be affected.

The corrective action deadlines for both of these items is currently set for **July 26, 2023**. Please submit your response(s) to the above listed issue(s) at least three days prior to the decision date in order to allow the Division sufficient time for review. If you cannot address the above issues by this date, please request




an extension to the decision due date to ensure adequate time for the Division to review materials. If any adequacy issues remain by the decision due date the Division may deny your request.

The Division will continue to review your Technical Revision and will contact you if additional information is needed.

If you require additional information, or have questions or concerns, please contact me via email at amber.michels@state.co.us or by telephone at (720) 836-0967.

Sincerely,

A handwritten signature in black ink, appearing to read 'Amber Michels', with a stylized, cursive script.

Amber Michels
Environmental Protection Specialist

Ec: Jared Ebert, Senior EPS, DRMS