



Cripple Creek & Victor  
Gold Mining Company  
100 North 3<sup>rd</sup> Street  
P.O. Box 191  
Victor, Colorado 80860

P 719.689.2977  
F 719.689.3254  
[newmont.com](http://newmont.com)

## SENT VIA ELECTRONIC MAIL

July 27, 2023

Mr. Elliott Russell  
Environmental Protection Specialist  
Colorado Department of Natural  
Resources Division of Reclamation,  
Mining, and Safety Office of Mined  
Land Reclamation  
1313 Sherman Street, Room 215  
Denver, Colorado 80203

**RE: Cresson Project Permit M-1980-244:**  
**Ground Water Monitoring Data: 2<sup>nd</sup> Quarter 2023**  
**Surface Water Monitoring Data: 2<sup>nd</sup> Quarter 2023**

Dear Mr. Russell:

Cripple Creek & Victor Gold Mining Company ("CC&V") hereby provides the ground water & surface water monitoring report for the Cresson Project compliance locations for the 2<sup>nd</sup> quarter, (April through June) 2023.

In the 2<sup>nd</sup> quarter, CC&V monitored all specified groundwater wells and collected all possible groundwater samples as outlined in Permit No. M-1980-244. CC&V also collected the first samples from the newly installed compliance wells PGMW-5 and SGMW-8 completed on 4/13/23 and 5/11/23 respectively. During the quarter CC&V was unable to collect water samples at: Arequa Gulch monitor well CRMW-5A as there was insufficient water to collect a sample; Poverty Gulch monitoring wells PGMW-2 and PGMW-4 as they were reported dry; Maize Gulch monitoring wells SGMW-5, SGMW-6A, SGMW-7A, and SGMW-7B as they were reported dry; and Grassy Valley well GVMW-8B as it was reported dry.

In the 2<sup>nd</sup> quarter, CC&V monitored all accessible surface water monitoring locations as specified in Permit No. M-1980-244. CC&V was able to collect samples from all surface water monitoring locations during the 2<sup>nd</sup> quarter.

CC&V Collected 8 QA/QC samples in Q2, 2023. Two duplicate samples were collected in Q2, one duplicate sample from monitoring well CRMW-5C was collected on 4/5/23 and the second duplicate sample was collected from surface monitoring location AG-2.0 on 4/4/23. Five rinse blanks were collected this quarter and were sent with samples to the analytical laboratory. Rinse blanks were collected during quarterly, and grassy valley sample collections. Rinse blanks were collected on 4/10/23, 4/25/23, 5/9/23, 5/15/23, and 6/12/23. Relative percent difference calculations completed for the duplicate monitoring well samples are included within the QA/QC section. One trip blank sample was collected on 4/18/23.

Second quarter exceedances recorded in the Grassy Valley drainage were from monitoring wells



Cripple Creek & Victor  
Gold Mining Company  
100 North 3<sup>rd</sup> Street  
P.O. Box 191  
Victor, Colorado 80860

P 719.689.2977  
F 719.689.3254  
[newmont.com](http://newmont.com)

GVMW-8A, GVMW-22A, and GVMW-25 and from surface water monitoring locations GV-02 and GV-03. Exceedances for monitoring well GVMW-8A and GVMW-22A pertained to the analyte fluoride, whereas exceedances for monitoring well GVMW-25 pertained to analytes aluminum, arsenic, beryllium, cadmium, cobalt, fluoride, manganese, nickel, pH, sulfate, uranium, and zinc. GVMW-25 exceedances were reported to the Division in the monthly grassy valley report updates. Exceedances for surface water monitoring location GV-02 pertain to Cadmium, Manganese, pH, Sulfate, and Zinc, whereas exceedances for surface water location GV-03 pertain to pH and Zinc (Dissolved).

Second quarter exceedances recorded in the Arequa Gulch drainage were from monitoring wells CRMW-3A, CRMW-3B, CRMW-3C, CRMW-5B, CRMW-5C, and CRMW-5D. Monitoring wells CRMW-3A, CRMW-3B, CRMW-3C, CRMW-5B, CRMW-5C, and CRMW-5D exceeded for fluoride, monitoring wells CRMW-3A and CRMW-3C exceeded for sulfate. All exceedances recorded within the Arequa Gulch drainage for fluoride and sulfate are consistent with previously reported concentrations.

Exceedances recorded in the Maize Gulch drainage from samples collected in the second quarter from monitoring well SGMW-6B pertain to beryllium, fluoride, iron, manganese, and sulfate. The observed concentrations are consistent with previously recorded concentrations.

Exceedances recorded in the Poverty Gulch drainage from samples collected in the second quarter from monitoring well PGMW-3 pertain to aluminum, cadmium, copper, fluoride, manganese, cobalt, pH, and sulfate. Second quarter 2023 Poverty Gulch concentrations are generally consistent with previously reported concentrations. The water quality from the first sample of the new Poverty Gulch Compliance Well PGMW-5 was collected during the second quarter. The water quality was compared with water quality from existing wells and determined that the first sample from the new well may be a potential outlier. There are some instances where the first few sampling events of a well are not representative of actual aquifer conditions. No new or anomalous concentrations are reported for this drainage.

Exceedances recorded in the Vindicator valley drainage from samples collected in the second quarter from monitoring well VIN-2A and VIN-2B pertain to sulfate. Second quarter 2023 vindicator valley concentrations for VIN-2A are generally consistent with previously reported concentrations. Second quarter concentrations for sulfate at VIN-2B is slightly elevated from previously reported concentrations. CC&V will continue to monitor sulfate within this drainage.

There were no exceedances recorded in the Wilson Creek drainage from samples collected in the second quarter from monitoring wells WCMW-3 or WCMW-6. No new or anomalous concentrations are reported for this drainage.

As reported on April 27, 2023, CC&V collected second quarter compliance groundwater samples from monitoring wells CRMW-5B and CRMW-5D on April 4, 2023 and from CRMW-5C on April 5, 2023. CC&V collected second quarter compliance groundwater samples from monitoring wells CRMW-5B and CRMW-5D on April 4, 2023 and from CRMW-5C on April 5, 2023.

Table 1.

Location	Sample Date	Parameter	Value (mg/L)	NPL (mg/L)	Table Value Standard (mg/L)
CRMW-5B	4/4/2023	Fluoride	3.30	2	2
CRMW-5D	4/4/2023	Fluoride	3.64	2	2
CRMW-5C	4/5/2023	Fluoride	3.20	2	2

As reported on May 4, 2023, CC&V collected second quarter compliance groundwater samples from monitoring wells GVMW-8A on April 10, 2023 and from SGMW-6B on April 12, 2023.

Upon review of received analytical reports, CC&V determined monitoring well GVMW-8A exceeded established numeric protection levels for fluoride. Monitoring well SGMW-6B exceeded established numeric protection levels for Fluoride, Iron, and Manganese and exceeded table value standards for Beryllium and Sulfate. Table 2 below lists these exceedances by the location and the associated parameter.

Table 2.

Location	Sample Date	Parameter	Value (mg/L)	NPL (mg/L)	Table Value Standard (mg/L)
GVMW-8A	4/10/2023	Fluoride	2.62	2	2
SGMW-6B	4/12/2023	Beryllium	0.0628	0.004	0.004
SGMW-6B	4/12/2023	Fluoride	7.48	2	2
SGMW-6B	4/12/2023	Iron	14.4	14	0.3
SGMW-6B	4/12/2023	Manganese	8.75	3	0.05
SGMW-6B	4/12/2023	Sulfate	1220	250	250

As reported on May 25, 2023, CC&V collected second quarter compliance groundwater samples from monitoring wells CRMW-3B, CRMW-3C, and VIN-2A on May 3, 2023. Upon review of received analytical reports, CC&V determined monitoring well CRMW-3B exceeded established numeric protection levels for fluoride. Monitoring well CRMW-3C exceeded established numeric protection levels for Fluoride and exceeded the table value standard for Sulfate. Monitoring well VIN-2A exceeded the table value standard for Sulfate. Table 3 below lists these exceedances by the location and the associated parameter.

Table 3.

Location	Sample Date	Parameter	Value (mg/L)	NPL (mg/L)	Table Value Standard (mg/L)
CRMW-3B	5/3/2023	Fluoride	4.02	2	2
CRMW-3C	5/3/2023	Fluoride	3.38	2	2
CRMW-3C	5/3/2023	Sulfate	873	250	250
VIN-2A	5/3/2023	Sulfate	671	250	250

As reported on May 31, 2023, CC&V collected second quarter compliance groundwater samples from monitoring wells PGMW-3 and VIN-2B on May 9, 2023. Upon review of received analytical reports, CC&V determined monitoring well PGMW-3 exceeded established numeric protection levels for Aluminum,



Cripple Creek & Victor  
Gold Mining Company  
100 North 3<sup>rd</sup> Street  
P.O. Box 191  
Victor, Colorado 80860

P 719.689.2977  
F 719.689.3254  
newmont.com

Cadmium, Copper, Fluoride, Manganese, pH, and the established table value standards for Cobalt and Sulfate. Monitoring well VIN-2B exceeded the established numeric protection level for Sulfate.

Table 4 below lists these exceedances by the location and the associated parameter.

Table 4.

Location	Sample Date	Parameter	Value (mg/L)	NPL (mg/L)	Table Value Standard (mg/L)
PGMW-3	5/9/2023	Aluminum	11.5	7	5
PGMW-3	5/9/2023	Cadmium	0.0109	0.005	0.005
PGMW-3	5/9/2023	Copper	0.375	0.2	0.2
PGMW-3	5/9/2023	Fluoride	2.84	2	2
PGMW-3	5/9/2023	Manganese	14.7	3	0.05
PGMW-3	5/9/2023	Cobalt	0.0612	0.05	0.05
PGMW-3	5/9/2023	Sulfate	577	250	250
PGMW-3	5/9/2023	pH	4.48	6.0-8.5	6.5-8.5
VIN-2B	5/9/2023	Sulfate	857	800	250

As reported on June 8, 2023, CC&V collected second quarter compliance surface water samples from GV-03 on May 15, 2023 and from GV-02 on May 16, 2023. Upon review of received analytical reports, CC&V determined surface water location GV-02 exceeded the site specific (COARUA24) value for pH in Colorado Regulation Number 32 – Classification and Numeric Standards for Arkansas River Basin and the TVS for Sulfate, Cadmium, Manganese, and Zinc in Colorado Regulation Number 31 – The Basic Standards and Methodologies for Surface Water. Surface water location GV-03 exceeded the site specific (COARUA24) value for pH in Colorado Regulation Number 32 – Classification and Numeric Standards for Arkansas River Basin and the TVS for Cadmium in Colorado Regulation Number 31 – The Basic Standards and Methodologies for Surface Water. Table 5 below lists these exceedances by the location and the associated parameter.

Table 5.

Surface Water					
Location	Sample Date	Parameter	Value (mg/L)	5 CCR 1002-31 (TVS) Value (mg/L)	5 CCR 1002-32 (COARUA24) Value (mg/L)
GV-02	5/16/2023	pH	6.47		6.5 - 9.0
GV-02	5/16/2023	Sulfate (Total)	479	250	
GV-02	5/16/2023	Cadmium (Dissolved)	0.0191	0.00222	
GV-02	5/16/2023	Manganese (Dissolved)	4.88	2.72	
GV-02	5/16/2023	Zinc (Dissolved)	5.37	0.476	
GV-03	5/15/2023	pH	5.7		6.5 - 9.0
GV-03	5/15/2023	Cadmium (Dissolved)	0.00117	0.00052	

As reported on June 27, 2023, CC&V collected second quarter compliance groundwater compliance samples from CRMW-3A on May 23, 2023. Upon review of received analytical reports, CC&V determined groundwater location CRMW-3A exceeded the established Numeric Protection Level for Fluoride and





Cripple Creek & Victor  
Gold Mining Company  
100 North 3<sup>rd</sup> Street  
P.O. Box 191  
Victor, Colorado 80860

P 719.689.2977  
F 719.689.3254  
[newmont.com](http://newmont.com)

the Table Value Standard for Sulfate. Table 6 below lists these exceedances by the location and the associated parameter.

Table 6.

Location	Sample Date	Parameter	Value (mg/L)	NPL (mg/L)	Table Value Standard (mg/L)
CRMW-3A	5/23/2023	Fluoride	3.49	2	
CRMW-3A	5/23/2023	Sulfate	540		250

As reported on July 13, 2023, CC&V collected second quarter compliance groundwater samples from monitoring well GVMW-22A on June 14, 2023. Upon review of received analytical reports, CC&V determined monitoring well GVMW-22A exceeded established numeric protection levels for fluoride. Table 7 below lists these exceedances by the location and the associated parameter.

Table 7.

Location	Sample Date	Parameter	Value (mg/L)	NPL (mg/L)	Table Value Standard (mg/L)
CRMW-3A	5/23/2023	Fluoride	3.49	2	
CRMW-3A	5/23/2023	Sulfate	540		250

Should you require additional information please do not hesitate to contact Antonio Matarrese at 719.851.4185 or [Antonio.Matarrese@Newmont.com](mailto:Antonio.Matarrese@Newmont.com) or myself at 719.689.4048 or [Katie.Blake@Newmont.com](mailto:Katie.Blake@Newmont.com)

Sincerely,

DocuSigned by:  
  
5A3D013B629844B...

Katie Blake  
Sustainability & External Relations Manager  
Cripple Creek & Victor Gold Mining Company

EC: P. Lennberg  
M. Cunningham  
K. Blake  
J. Gonzalez  
N. Townley

File: "C:\Users\19012214\Newmont USA Limited\CC&V – S&ER Environmental - Environmental Compliance\Water\DRMS\Quarterly\Q2\Final Report"



Cripple Creek & Victor  
Gold Mining Company  
100 North 3<sup>rd</sup> Street  
P.O. Box 191  
Victor, Colorado 80860

P 719.689.2977  
F 719.689.3254  
[newmont.com](http://newmont.com)

## Appendix A




Cripple Creek & Victor  
Gold Mining Company  
100 North 3<sup>rd</sup> Street  
P.O. Box 191  
Victor, Colorado 80860

P 719.689.2977  
F 719.689.3254  
[newmont.com](http://newmont.com)

## Location Maps





### Legend

- Ground Water
- Surface Water

**Newmont**  
CRIPPLE CREEK & VICTOR

**NEWMONT**

**Cripple Creek and Victor Gold Mining Company**

## CC&V Monitoring Locations



Author: A. Matarrese

File: CC&V Sampling Locations

Date: 07/2023

0 2,750 5,500 11,000 Feet



GV-02

GV-03

GVMW 8B  
GVMW 8A




GVMW-25

GVMW 22B

GVMW 22A

GV-06

### Legend


-  Ground Water
-  Surface Water
-  A13 Boundary



**NEWMONT**

**Cripple Creek and Victor Gold Mining Company**


## CC&V Grassy Valley Monitoring Locations



Author: A. Matarrese




File: CC&V Sampling Locations

Date: 07/2023





### Legend

-  Ground Water
-  Surface Water
-  A13 Boundary



**NEWMONT**

**Cripple Creek and Victor Gold Mining Company**

## CC&V Vindicator Valley Monitoring Locations




Author: A. Matarrese

File: CC&V Sampling Locations

Date: 07/2023

0 700 1,400 2,800 Feet







CRMW-5C CRMW-5D  
CRMW-5A AG-2.0  
CRMW-5B

CRMW-3C CRMW-3B  
CRMW-3A

ESPMW-1

ADR1

## Legend

- Ground Water
- Surface Water
- A13 Boundary

**Newmont**  
CRIPPLE CREEK & VICTOR

**NEWMONT**

**Cripple Creek and Victor Gold Mining Company**

**CC&V Arequa Gulch  
Monitoring Locations**




Author: A. Matarrese

File: CC&V Sampling Locations

Date: 07/2023



0 550 1,100 2,200 Feet





**Legend**

- Ground Water
- Surface Water
- A13 Boundary



**Cripple Creek and Victor Gold Mining Company**

**CC&V Maize Gulch  
Monitoring Locations**

Author: A. Matarrese

Date: 07/2023

05501,1002,200

Feet





Cripple Creek




PGMW-4

PGMW-3

PGMW-5

PGMW-2

### Legend

-  Ground Water
-  Surface Water
-  A13 Boundary

**Newmont**  
CRIPPLE CREEK & VICTOR

**NEWMONT**

**Cripple Creek and Victor Gold Mining Company**

**CC&V Poverty Gulch  
Monitoring Locations**



Author: A. Matarrese

File: CC&V Sampling Locations

Date: 07/2023

0 550 1,100 2,200 Feet





Cripple Creek & Victor  
Gold Mining Company  
100 North 3<sup>rd</sup> Street  
P.O. Box 191  
Victor, Colorado 80860

P 719.689.2977  
F 719.689.3254  
[newmont.com](http://newmont.com)

## Field Sheets

Newmont Mining Co

Cripple Creek &amp; Victor Gold Mining Co

## Groundwater Sampling Log

Location :

Arequa Gulch

Date:

5/23/23

Technician:

P. Banerla

Quarter:

2

Static Water Level (DTW):

23

Well ID:

CBMW-3A

Well Depth:

35

Is well Dry?

NO

If so Dry at:

—

feet

	Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
	12:24		6.02	1489	9.0	started Pumping 15 4/p
23.9	12:24	0.9	6.48	1521	8.2	
24	12:34	1	6.65	1557	8.2	
24.1	12:39	1.1	6.72	1561	7.5	
24.2	12:44	1.2	6.71	1557	7.6	
24.3	12:49	1.3	6.81	1555	8.2	
24.4	12:54	1.4	6.81	1566	8.3	
24.5	12:59	1.5	6.85	1572	8.7	
24.6	1:04	1.6	6.76	1573	8.5	
24.6	1:09	1.6	6.77	1566	8.2	
24.7	1:14	1.7	6.71	1582	8.9 <sup>78</sup>	
24.7	1:19	1.7	6.74	1584	8.0	
24.7	1:24	1.7	6.71	1586	8.3	

Sample Method:

Low Flow

Rate (gpm):

~4Time Start: 12:24 Time End:

Final Parameters	Stabilization Guidance	Met?	Comments
pH	6.71	0.1	Y/N
Conductivity	1586	3%	Y/N
Temp@	8.3	10%	Y/N
Final H2O level	24.7	feet	

O/G visible:

Y/N

Turbid?

Y/N

Equipment Decontaminated:

Y/N


Decontamination procedure used:

Triple rinse w/liquinox. use new tubing & filterwater has a bad smell

Weather:

clear, warm

Signature:



**Newmont Mining Co****Cripple Creek & Victor Gold Mining Co****Surface Water Sampling Log****Location:** CBMW-3B**Date:** 5-3-23**Technician:** P. Barcia**Quarter:** 2

Time	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
1:25 PM	6.87	2372	41.6°	

**Sample Method:** Grab**Oil/Gas visible** ☒ Y ☐ N**Turbid** ☒ Y ☐ N**Clear** ☐ Y ☒ N**Weather:** Warm, Partly Cloudy**Signature:** **Comments:**

continues pump back  
used new filter & tubing

**Newmont Mining Co****Cripple Creek & Victor Gold Mining Co****Surface Water Sampling Log****Location:** CBMW-3C**Date:** 5-3-23**Technician:** P. Barila**Quarter:** 2

Time	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
1:56	7.412	2211	38.1	

**Sample Method:** Grab**Oil/Gas visible** [Y/☒N]**Turbid** [Y/☒N]**Clear** [☒Y/N]**Weather:** warm, partly cloudy**Signature:** **Comments:**Continues Pump backUsed new Filter and tubing



Signature: 

Signature: 

Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co

Groundwater Sampling Log

Location: Arequa Gulch

Date: 4-5-23

Technician: P. Barela

Quarter: 2

Static Water Level (DTW): 28.4

Well ID: CBMW-5C

Well Depth: 60

Is well Dry? NO

If so Dry at: —

feet

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
10:06	1.8	7.02	169.0	7.7	6.5 L/P
10:16	4.3	7.19	174.0	5.0	
10:26	5.1	7.24	192.7	4.0	
10:32	5.5	7.22	200.1	5.8	
10:37	5.7	<del>7.24</del> 7.21	204.3	5.7	

30.2  
32.7  
33.5  
33.9  
34.1

Sample Method: Low Flow Rate (gpm): 6.54p Time Start: 10:06 Time End: 10:37

Final Parameters	Stabilization Guidance	Met?	Comments
pH	7.21	0.1	<input checked="" type="checkbox"/> Y/N
Conductivity	204.3	3%	<input checked="" type="checkbox"/> Y/N
Temp@	5.7	10%	<input checked="" type="checkbox"/> Y/N
Final H2O level	34.1	feet	

O/G visible: ☒ Y/N

Turbid? ☒ Y/N

Equipment Decontaminated: ☒ Y/N

Decontamination procedure used:

dedicated Pump, used new tubing & Filter.

Signature: [Signature]

Weather: cold, clear, sunny





## Newmont Mining Co

## Cripple Creek &amp; Victor Gold Mining Co

## Groundwater Sampling Log

Location: Aregua GulchDate: 5/8/23 / 5/9/23Technician: P. BarilaQuarter: 2Static Water Level (DTW): 184.9Well ID: RSPNW-1Well Depth: 220Is well Dry? NOIf so Dry at: —

feet

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
9:07 am		7.25	536.1	7.4	Dry by 9:10 am
					Sander stopped at 214 ft
5/9/23					
8:46 am	DTW 199.2	7.14	504.5	6.3	Dry at 220

Sample Method: purge & returnRate (gpm): —Time Start: 9:07Time End: 8:46

Final Parameters	Stabilization Guidance	Met?	Comments
pH		0.1	Y/N
Conductivity		3%	Y/N
Temp@		10%	Y/N
Final H2O level		feet	

O/G visible: Y/NTurbid? Y/NEquipment Decontaminated: Y/NDecontamination procedure used: Dedicated pump, no decontamination neededDO NOT COLLECT CYANIDE Collect cyanide onlyWeather: Sunny, clearSignature: P. Barila

Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co

Groundwater Sampling Log

Location : Grassy valley

Date: 4.10.23

Technician: P. Barela

Quarter: 2

Static Water Level (DTW): 163.5

Well ID: GVMW 8A

Well Depth: ~~100~~ 250.

Is well Dry? NO

If so Dry at: — feet

	Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
165.7	12:48	2.2	6.94	441.8	9.3	started Pumping 12:43
166	12:58	2.5	7.03	438.8	10.6	
166.9	1:08	3.4	7.00	420.7	10.0	
166.9	1:18	3.4	7.00	400.3	9.2	
166.6	1:23	3.1	7.03	395.0	10.4	
166.8	1:28	3.3	7.03	390.6	10.3	

Sample Method: Low Flow Rate (gpm): 6 1/2 Time Start: 12:48 Time End: 1:28

Final Parameters	Stabilization Guidance	Met?	Comments
pH	<u>7.03</u>	0.1	<u>Y/N</u>
Conductivity	<u>390.6</u>	3%	<u>Y/N</u>
Temp@	<u>10.3</u>	10%	<u>Y/N</u>
Final H2O level	<u><del>163.5</del> 83.2</u>	feet	

O/G visible: Y/N

Turbid? Y/N

Equipment Decontaminated: Y/N

Decontamination procedure used: dedicated Pump

Signature: P. Barela

Weather: Sunny, Clear, warm

Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co

Groundwater Sampling Log

Location : Gruiser valley

Date: 4.10.23

Technician: P. Barola

Quarter: 2

Static Water Level (DTW): —

Well ID: GVMW 8B

Well Depth: 50

Is well Dry? yes

If so Dry at: 49 feet

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
12:21	—	—	—	—	Dry at 49

Sample Method:   Rate (gpm):   Time Start:   Time End:  

Final Parameters	Stabilization Guidance	Met?	Comments
pH	0.1	Y/N	
Conductivity	3%	Y/N	
Temp@	10%	Y/N	
Final H2O level	feet		

O/G visible: Y/N

Turbid? Y/N

Equipment Decontaminated: Y/N

Decontamination procedure used:  

Signature: 

Weather: Sunny, clear, warm

Used sounder. Dry at 49 ft. Sounder came back dry as well



Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co  
Groundwater Sampling Log

Location: Grassy valley

Date: 6/14/23

Technician: P. Barcla

Quarter: 2

Static Water Level (DTW): 2.3

Well ID: GVMW-~~22~~ 22A

Well Depth: ~~70~~ 70

Is well Dry? NO

If so Dry at: —

feet

	Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
	11:38		7.90	383.0	7.0	started Pumping 6 1/2 p
14.4	11:43	12.1	7.84	384.0	6.3	
18.2	11:48	15.9	7.81	372.1	7.0	
19.4	11:53	17.1	7.81	366.9	7.1	
22.5	11:58	20.2	7.87	362.1	7.0	
	12:03					stopped Pumping / warning
23	12:07	20.7	7.86	381.0	6.9	stopped Pumping / warning
<del>23.8</del>			7.84	381.3		
19.2	12:37		8.04	382.1	7.3	Started Pump / collect sample

Sample Method: LOW FLOW Rate (gpm): ~1.5 Time Start: 11:38 Time End: 12:37

Final Parameters	Stabilization Guidance	Met?	Comments
pH	<u>8.04</u>	0.1	Y/N
Conductivity	<u>382.1</u>	3%	Y/N
Temp@	<u>7.3</u>	10%	Y/N
Final H2O level	<u>19.2</u>	feet	

O/G visible: Y/N

Turbid? Y/N

Equipment Decontaminated: Y/N

Decontamination procedure used: Triple rinse w/ Liquefix Pump & Sander

Use new tubing & Filter

Weather: Sunny, clear

Signature: [Signature]

Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co

Groundwater Sampling Log

Location: Grassy valley

Date: 4.10.23

Technician: P. Barcia

Quarter: 2

Static Water Level (DTW): 4.5

Well ID: GVMW-22B

Is well Dry? NO

If so Dry at: — feet

Well Depth: 30

	Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
9.9	10:31	5.4	6.49	414.8	6.8	started pumping 10:26
10.1	10:36	6.2	6.61	383.2	7.0	
12.8	10:42	9.3	6.69	365.5	7.6	
15.1	10:47	10.6	6.73	373.1	7.5	
15.7	10:52	11.2	6.70	379.8	6.8	
16.7	11:00	12.2	6.87	377.8	5.9	
18.2	11:05	13.7	6.90	378.8	7.3	
18.7	11:10	14.2	6.94	381.6	7.2	
18.9	11:15	14.4	6.98	385.9	6.8	
18.9	11:20	14.4	6.81	390.2	6.6	
18.9	11:25	14.4	6.88	391.4	6.1	

Sample Method: Low Flow Rate (gpm): 5.45 <sup>1</sup>/<sub>10</sub> Time Start: 10:31 Time End: 11:25

Final Parameters	Stabilization Guidance	Met?	Comments
pH	6.86	0.1	<u>Y/N</u>
Conductivity	391.4	3%	<u>Y/N</u>
Temp@	6.1	10%	<u>Y/N</u>
Final H2O level	14.4	feet	

O/G visible: Y/N

Turbid? Y/N

Equipment Decontaminated: Y/N

Decontamination procedure used: Triple rinse w/liquinox. Used new filter and tubing

Signature: [Signature]

Weather: Sunny, hot, clear

Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co

Groundwater Sampling Log

Location : Grassy Valley

Date: 4.10.23

Technician: P. Barela

Quarter: 2

Static Water Level (DTW): 69.2

Well ID: GVMW-25

Well Depth: 79

Is well Dry? NO

If so Dry at: —

feet

71.4  
74  
75.9  
77.6  
78.5

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
9:10	2.2	5.43	1433	6.8	started pumping 9:06
9:17	4.8	5.11	1446	6.6	
9:22	6.7	5.05	1475	6.8	
9:27	8.4	5.16	1501	6.6	pump
9:30					Dry at 78.6
1:55		6.13	1336	13.0	

Sample Method: Surged and returned Rate (gpm): 2.85 <sup>1/2</sup> Time Start: 9:10 Time End: 1:55

Final Parameters	Stabilization Guidance	Met?	Comments
pH	6.13	0.1	Y/N
Conductivity	1336	3%	Y/N
Temp@	13.0	10%	Y/N
Final H2O level	4.5	feet	

O/G visible: Y/N

Turbid? Y/N

Equipment Decontaminated: Y/N

Decontamination procedure used:

Triple rinse w/liquinox - used new tubing and

filter

Signature: [Signature]

Weather:

sunny, clear, warm

Newmont Mining Co

Cripple Creek &amp; Victor Gold Mining Co

## Groundwater Sampling Log

Location: Grassy valleyDate: 5/15/23Technician: P. BarelaQuarter: 2Static Water Level (DTW): 65.1Well ID: GVMW-25Is well Dry? NOIf so Dry at: — feetWell Depth: 79

67.3  
67.7  
67.9  
68  
67.1  
67.8  
68  
68.1  
68.2  
68.5

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
9:47		5.05	1228	6.8	~12.97 4p
9:52	2.2	4.57	1561	7.0	
9:57	2.6	4.47	1842	7.5	
10:02	2.8	4.42	1873	7.2	
10:07	2.9	4.38	1893	7.3	Pump stopped working
10:19	2	4.44	1899	8.0	
10:24	2.7	4.47	1963	7.6	
10:29	2.9	4.42	2031	7.8	
10:34	3	4.34	2114	7.6	
10:39	3.1	4.34	2098	7.6	
10:44	3.4	4.33	2090	7.5	

Sample Method: Low Flow Rate (gpm): ~3.43 Time Start: 9:47 Time End: 10:44

Final Parameters	Stabilization Guidance	Met?	Comments
pH	4.33	0.1	Y/N
Conductivity	2090	3%	Y/N
Temp@	7.5	10%	Y/N
Final H2O level	68.5	feet	

O/G visible: Y/NTurbid? Y/NEquipment Decontaminated: Y/NDecontamination procedure used: Triple rinse w/ Liquidox before pumping. usenew filter & tubingSignature: [Signature]Weather: sunny, clear



Newmont Mining Co

Cripple Creek &amp; Victor Gold Mining Co

## Groundwater Sampling Log

Location : Grassy valleyDate: 6/12/23Technician: P. BarelaQuarter: 2Static Water Level (DTW): 35.3Well ID: GVMW-25Is well Dry? NOIf so Dry at:       Well Depth: 79

feet

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
8:22 am		4.33	2182	6.0	started pumping 6.87 c/p
38.2 8:32 am	2.9	4.28	1698	5.9	
38.2 8:42	2.9	4.28	1701	6.0	
38.6 8:52	3.3	4.28	1715	6.0	
38.7 9:02	3.4	4.26	1742	6.1	
38.7 9:12	3.4	4.28	1767	6.5	
38.8 9:22	3.5	4.29	1777	6.7	
38.8 9:32	3.5	4.30	1804	6.2	
38.8 9:42	3.5	4.28	1807	6.3	

Sample Method: Low Flow Rate (gpm): ~1.81 Time Start: 8:22 Time End: 9:42

Final Parameters	Stabilization Guidance	Met?	Comments
pH	4.28	0.1	Y/N
Conductivity	1807	3%	Y/N
Temp©	6.3	10%	Y/N
Final H2O level	38.8	feet	

O/G visible: Y/NTurbid? Y/NEquipment Decontaminated: Y/NDecontamination procedure used: Triple rinse w/ liquorox before pumpinguse new tubing & FilterWeather: CloudySignature: [Signature]

**Newmont Mining Co Cripple Creek &  
Victor Gold Mining Co**

**Groundwater Sampling Log**

Location: Pavertt Gulch

Date: 4-11-23

Technician: A. Barcia

Quarter: 2

Static Water Level: —

Well ID: PGMW-2

Is well Dry? yes

If so Dry at: 218 feet

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
2:18 pm	—	—	—	—	Dry at 218 ft

Sample Method: — Rate (gpm): — Time Start: — Time End: —

Final Parameters	Stabilization Guidance	Met?	Comments
pH	0.1	Y/N	
Conductivity	3%	Y/N	
Temp	10%	Y/N	
Final H2O level	feet		

Turbid? Y/N

O/G visible: Y/N

Equipment Decontaminated: Y/N

Decontamination procedure used: —

Weather: Sunny, hot, clear

Signature: 

used sounder

Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co

## Groundwater Sampling Log

Location: Poverty GulchDate: 5/8/23 / 5/9/23Technician: P. BarlaQuarter: 2Static Water Level (DTW): 50.6Well ID: PGMW-3Is well Dry? NOIf so Dry at: —Well Depth: 56

feet

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
12:40 pm		5.17	1182	10.4	Dry at 53.6 ft
5/9/23					
9:50 am	52.3 DTW	4.48	1147	13.6	Dry at 53 ft - very bad smell

Sample Method: Purge & return Rate (gpm): — Time Start: 12:40 pm Time End: 9:50 am

Final Parameters	Stabilization Guidance	Met?	Comments
pH		0.1	Y/N
Conductivity		3%	Y/N
Temp@		10%	Y/N
Final H2O level		feet	

O/G visible: Y/NTurbid? Y/NEquipment Decontaminated: Y/NDecontamination procedure used: Triple rinse with LiquiNOX - Use new tubingSignature: P. BarlaWeather: Clear, Sunny



Newmont Mining Co

Cripple Creek &amp; Victor Gold Mining Co

## Groundwater Sampling Log

Location : Poverty GulchDate: 4-24-23Technician: P. BarelaQuarter: 2Static Water Level (DTW): —Well ID: PGMW-4Is well Dry? yesIf so Dry at: 39 feetWell Depth: 39

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
10:50 am	—	—	—	—	Dry

Sample Method: — Rate (gpm): — Time Start: — Time End: —

Final Parameters	Stabilization Guidance	Met?	Comments
pH	/	Y/N	/
Conductivity	/	Y/N	/
Temp©	/	Y/N	/
Final H2O level	/	feet	/

O/G visible: Y/NTurbid? Y/NEquipment Decontaminated: Y/NDecontamination procedure used:  Weather: clear, sunnySignature: 

used sounder

Newmont Mining Co

Cripple Creek &amp; Victor Gold Mining Co

## Groundwater Sampling Log

Location : PGMW-5 Poverty GulchDate: 5/23/23Technician: P. BirelaQuarter: 2Static Water Level (DTW): 21.5Well ID: PGMW-5Well Depth: 51Is well Dry? NOIf so Dry at: — feet

	Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
	10:37		3.76	1745	7.9	started pumping 7.85 <sub>sc</sub>
30.6	10:42	9.1	3.72	1760	7.4	0.075 <sub>4p</sub>
32.9	10:47	11.4	3.75	1761	7.3	
35.7	10:52	14.2	3.81	1783	7.2	
38.3	10:57	16.8	3.84	1814	7.5	
38.3	11:02	16.8	3.88	1797	7.9	
39.2	11:07	17.7	3.90	1800	7.1	
41.6	11:12	20.1	3.90	1810	6.9	

Sample Method: Low Flow Rate (gpm): ~.019 Time Start: 10:37 Time End: 11:12

Final Parameters	Stabilization Guidance	Met?	Comments
pH	3.90	0.1	<input checked="" type="checkbox"/> Y/N
Conductivity	1810	3%	<input checked="" type="checkbox"/> Y/N
Temp@	6.9	10%	<input checked="" type="checkbox"/> Y/N
Final H2O level	41.6	feet	

O/G visible: ☒ Y/NTurbid? ☒ Y/NEquipment Decontaminated: ☒ Y/NDecontamination procedure used: Triple rinse w/ isopropyl. use new tubing & FilterWeather: cloudy, warmSignature: [Signature]

Newmont Mining Co

Cripple Creek &amp; Victor Gold Mining Co

## Groundwater Sampling Log

Location: Poverty GulchDate: 6/27/23 / 6/28/23Technician: P. BarlaQuarter: 2Static Water Level (DTW): 25.5Well ID: DGMW-5Well Depth: 51Is well Dry? NOIf so Dry at: —

feet

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
1:57		—	—	—	started Pumping
40.2 2:19	14.7	3.57	2126	7.2	
44.8 2:28	19.3	3.60	2142	7.0	stopped Pumping at 45.1 ft
<hr/>					
6/28/23	DTW 26 ft				
33 10:10	7	3.29	2139	7.3	

Sample Method: Purge & returnRate (gpm): —Time Start: 6/27/23 157Time End: 6/28/23 10:10

Final Parameters	Stabilization Guidance	Met?	Comments
pH	3.29	0.1	Y/N
Conductivity	2139	3%	Y/N
Temp@	7.3	10%	Y/N
Final H2O level	33	feet	

O/G visible: Y/NTurbid? Y/NEquipment Decontaminated: Y/NDecontamination procedure used: Triple rinse sampler & pump with liquidax.Use new Filter & tubingWeather: Sunny, HotSignature: [Signature]

Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co  
Groundwater Sampling Log

Location : Sagaw Gulch Date: 4-11-23  
 Technician: P. Barera Quarter: 2  
 Static Water Level (DTW): — Well ID: SGMW-5  
 Is well Dry? yes If so Dry at: 256 Well Depth: 256 feet

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
11:30 am	—	—	—	—	Dry at 256

Sample Method: — Rate (gpm): — Time Start: — Time End: —

Final Parameters	Stabilization Guidance	Met?	Comments
pH	0.1	Y/N	
Conductivity	3%	Y/N	
Temp©	10%	Y/N	
Final H2O level	feet		

O/G visible: Y/N Turbid? Y/N  
 Equipment Decontaminated: Y/N  
 Decontamination procedure used:  

Signature:   
 Weather: Sunny, clear, hot

— used sounder

used sounder



Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co  
Groundwater Sampling Log

Location : Squaw GulchDate: 4-12-23Technician: P. BarelaQuarter: 2Static Water Level (DTW): 26.3Well ID: SGMW-6BWell Depth: 60Is well Dry? NOIf so Dry at: —

feet

	Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
33.4	10:03	7.1	6.03	2436	10.4	Started pumping 9:58 am
36.1	10:08	9.8	6.00	2438	10.4	
38.1	10:13	11.8	6.05	2459	10.3	
40.3	10:18	14	6.10	2470	10.4	
41.5	10:23	15.2	6.05	2471	10.7	
42.3	10:28	16	6.06	2469	11.0	

Sample Method: Low Flow Rate (gpm): 6.6 <sup>1</sup>/<sub>2</sub> Time Start: 9:58 am Time End: 10:28  
~ 1.74 gpm

Final Parameters	Stabilization Guidance	Met?	Comments
pH	<u>6.06</u>	<u>Y/N</u>	
Conductivity	<u>24.69</u>	<u>Y/N</u>	
Temp@	<u>11.0</u>	<u>Y/N</u>	
Final H2O level	<u>17.7</u>	feet	

O/G visible: Y(N)Turbid? Y/N slight turbidEquipment Decontaminated: Y(N)Decontamination procedure used: Dedicated Pump. used new Filter and tubingWeather: Sunny, clear, warmSignature: 

used sounder



- Used sounder

Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co  
Groundwater Sampling Log

Location : Squaw Gulch

Date: 6/27/23 / 6/28/23

Technician: P. Parela

Quarter: 2

Static Water Level (DTW): 213.5

Well ID: SGMW-8

Well Depth: 222

Is well Dry? NO

If so Dry at: — feet

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
8:45		7.48	1508	8.5	USE bailer
7:32	213.7 pt (DTW)				
7:44		6.94	1503	8.5	Every 5 bail
8:08		7.63	1514	8.9	
8:18		7.53	1528	8.1	
8:29		7.52	1535	8.0	
8:39	316.2	7.55	1526	8.1	

Sample Method: Low Flow Rate (gpm): — Time Start: 7:32 Time End: 8:39

Final Parameters	Stabilization Guidance	Met?	Comments
pH	7.55	Y/N	
Conductivity	1526	Y/N	
Temp@	8.1	Y/N	
Final H2O level	feet		

O/G visible: Y/N

Turbid? Y/N

Equipment Decontaminated: Y/N

Decontamination procedure used: Triple rinse sampler, use new tubing & Filter

Weather: clear, sunny

Signature: [Signature]



Newmont Mining Co

Cripple Creek &amp; Victor Gold Mining Co

## Groundwater Sampling Log

Location : Vindicator ValleyDate: 5/3/23Technician: P. BarriaQuarter: 2Static Water Level (DTW): 251.7Well ID: VEN-2AWell Depth: 270Is well Dry? noIf so Dry at: — feet

	Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
251.8	2:39	0.1	8.03	1176	9.5	.25 L/p
252.2	2:44	0.5	7.68	1177	7.5	
252.3	2:49	0.6	7.77	1175	7.4	
252.7	2:54	1	7.70	1173	7.2	
253.	2:59	1.3	7.59	1172	7.2	
253.3	3:04	1.6	7.61	1172	7.1	

Sample Method: Low Flow Rate (gpm): ~0.06 Time Start: 2:39 Time End: 3:04

Final Parameters	Stabilization Guidance	Met?	Comments
pH	7.61	0.1	<input checked="" type="checkbox"/> N
Conductivity	1172	3%	<input checked="" type="checkbox"/> N
Temp@	7.1	10%	<input checked="" type="checkbox"/> N
Final H2O level	253.3	feet	

O/G visible: ☒ NTurbid? ☒ NEquipment Decontaminated: ☒ NDecontamination procedure used: Dedicated Pump : use new tubing and filterWeather: Partly CloudySignature: [Signature]

Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co

Groundwater Sampling Log

Location: Vindicator Valley

Date: 5/8/23 / 5/9/23

Technician: P. Barela

Quarter: 2

Static Water Level (DTW): 93.2

Well ID: VIN-2B

Is well Dry? NO

If so Dry at: —

Well Depth: 140  
feet

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
8:08		7.15	1308	12.7	Dry at 140 ft.
<del>8</del>					
5/9/23					
7:53 AM	DTW 97.5	7.05	1312	9.0	

Sample Method: Purge & return Rate (gpm): — Time Start: 8:08 Time End: 7:53

Final Parameters	Stabilization Guidance	Met?	Comments
pH		0.1	Y/N
Conductivity		3%	Y/N
Temp@		10%	Y/N
Final H2O level		feet	

O/G visible: Y/N

Turbid? Y/N

Equipment Decontaminated: Y/N

Decontamination procedure used: Dedicated pump, no decontamination needed

Signature: [Signature]

Weather: Sunny & Clear



Newmont Mining Co

Cripple Creek &amp; Victor Gold Mining Co

## Groundwater Sampling Log

Location : Wilson CreekDate: 4-18-23Technician: P. BarelaQuarter: 2Static Water Level (DTW): 65Well ID: WCMW-03Well Depth: 134Is well Dry? NOIf so Dry at:       

feet

	Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
	12:50		<del>7.8</del>	-	<del>8.6</del>	Started Pumping 13.75 gpm
74.6	12:55	9.6	7.81	423.2	8.6	
75.4	1:00	10.4	7.71	426.5	8.5	
76	1:05	11.0	7.77	426.0	8.4	
76.5	1:10	11.5	7.79	427.4	8.2	
76.7	1:15	11.7	7.77	426.9	8.3	
76.9	1:20	11.9	7.70	426.9	8.5	
77	1:25	12	7.70	427.9	8.1	

Sample Method: Low Flow Rate (gpm): ~4.36 Time Start: 12:50 Time End: 1:25

Final Parameters	Stabilization Guidance	Met?	Comments
pH	7.70	0.1	<input checked="" type="checkbox"/> N
Conductivity	427.9	3%	<input checked="" type="checkbox"/> N
Temp@	8.1	10%	<input checked="" type="checkbox"/> N
Final H2O level	77	feet	

O/G visible: ☒ NTurbid? ☒ NEquipment Decontaminated: ☒ NDecontamination procedure used: Triple rinse with Liquinox use new tubing and FilterWeather: Sunny, windySignature: P. Barela

Newmont Mining Co  
Cripple Creek & Victor Gold Mining Co

Groundwater Sampling Log

Location: Wilson Creek

Date: 4-25-23

Technician: P. Barela

Quarter: 2

Static Water Level (DTW): 5.0

Well ID: WCMW-6

Well Depth: 234

Is well Dry? NO

If so Dry at: — feet

Time	Drawdown (ft)	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
10:05 <sup>am</sup>					started Pumping 8.79 L/P
29.4 10:10	24.4	7.00	361.4	8.7	
32. 10:17	27.	7.23	362.0	8.5	
33.4 10:22	28.4	7.18	405.9	8.5	
34.6 10:27	29.6	7.22	413.9	8.6	
35.1 10:32	30.1	7.18	416.4	8.7	
35.4 10:37	30.4	7.17	416.7	8.6	
35.7 10:42	30.7	7.15	416.3	8.6	
35.9 10:47	30.9	7.16	415.3	8.6	

Sample Method: LOW FLOW Rate (gpm): ~2.3 Time Start: 10:05 Time End: 10:47

Final Parameters	Stabilization Guidance	Met?	Comments
pH	7.16	0.1	N/N
Conductivity	415.3	3%	N/N
Temp@	8.6	10%	N/N
Final H2O level	35.9	feet	

O/G visible: Y/N

Turbid? Y/N

Equipment Decontaminated: Y/N

Decontamination procedure used: Triple rinse w/liquinox. used new Filter & tubing

Signature: [Signature]

Weather: Sunny, clear



**Newmont Mining Co****Cripple Creek & Victor Gold Mining Co****Surface Water Sampling Log****Location:** AG-2.0**Date:** 4-4-23**Technician:** B. Barela**Quarter:** 2

Time	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
12:30 pm	8.26	109.4	2.8	1 GPM <del>3.0 GPM</del>

**Sample Method:** Grab**Oil/Gas visible** [Y/N] N**Turbid** [Y/N] N**Clear** [Y/N] Y**Weather:** cold, cloudy**Signature:** **Comments:**used new tubing & Filter

**Newmont Mining Co****Cripple Creek & Victor Gold Mining Co****Surface Water Sampling Log**Location: GV-02Date: 5/16/23Technician: P. BarelaQuarter: 2

Time	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
11:55 <sup>am</sup>	6.47	989.9	9.6	.25 GPM

Sample Method: GrabOil/Gas visible [Y/☒N]Turbid [Y/☒N]Clear [☒Y/N]Weather: Warm, SunnySignature: 

Comments:

USE new Filter & tubing



**Newmont Mining Co****Cripple Creek & Victor Gold Mining Co****Surface Water Sampling Log**Location: Gv-03Date: 5-15-23Technician: P. BarelaQuarter: 2

Time	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
10:17 am	5.70	276.0	3.7	2.5 Gpm

Sample Method: GrabOil/Gas visible [Y/N] ☒ Y ☐ NTurbid [Y/N] ☒ Y ☐ N slightClear [Y/N] ☐ Y ☒ NWeather: clear, sunnySignature: **Comments:**Slight dirty, w/ some debris in it

**Newmont Mining Co****Cripple Creek & Victor Gold Mining Co****Surface Water Sampling Log****Location :** T-2**Date:** 5/23/23**Technician:** P. Barela**Quarter:** 2

Time	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
9:45 am	6.55	603.9	8.1	

**Sample Method:** Grab**Oil/Gas visible** [Y/N]**Turbid** [Y/N]**Clear** [Y/N]**Weather:** Cloudy**Signature:** **Comments:**

Trash in the Flaming are



**Newmont Mining Co****Cripple Creek & Victor Gold Mining Co****Surface Water Sampling Log**Location: WCSW-01Date: 5/16/23Technician: P. BarelaQuarter: 2

Time	pH (S.U.)	Cond. (uS/cm)	Temp. (°C)	Notes
12:55 pm	7.410	378.7	12.8	0.7 gpm

Sample Method: Grab

Oil/Gas visible [Y/N]

Turbid [Y/N]

Clear [(Y) N]

Weather: Cloudy, warmSignature: 

Comments:

Use new Filter & tubing



Cripple Creek & Victor  
Gold Mining Company  
100 North 3<sup>rd</sup> Street  
P.O. Box 191  
Victor, Colorado 80860

P 719.689.2977  
F 719.689.3254  
[newmont.com](http://newmont.com)

# Groundwater



**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** CRMW 3A-35**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3E0416-08
Sample Date	-	5/23/2023
Lab Test Date	-	6/16/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00200
Arsenic - Dissolved (mg/L)	0.0100	<0.00200
Barium - Dissolved (mg/L)	2.0000	0.0159
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	0.0752
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	170
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	0.0168
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	0.0143
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	3.49
Iron - Dissolved (mg/L)	14.0000	<0.100
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	0.083
Manganese - Dissolved (mg/L)	3.0000	<0.0080
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	0.0538
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	2.69
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	2.69
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.00-8.50	6.71
Selenium - Dissolved (mg/L)	0.0240	<0.00200
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	67.2
Sulfate - Total (mg/L)	250.00	540
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	1110
Total Suspended Solids (mg/L)	---	9.0
Uranium - Dissolved (mg/L)	0.0300	0.00364
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	<0.0100

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** CRMW 3B-63**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3E0078-02
Sample Date	-	5/3/2023
Lab Test Date	-	5/22/2023
Sampled By	-	pb

Aluminium - Dissolved (mg/L)	7.0000	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00200
Arsenic - Dissolved (mg/L)	0.0100	<0.00200
Barium - Dissolved (mg/L)	2.0000	0.0160
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	0.0823
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	309
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	0.0397
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	0.0074
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	4.02
Iron - Dissolved (mg/L)	14.0000	<0.100
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	0.089
Manganese - Dissolved (mg/L)	8.1000	5.06
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	0.383
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	0.383
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.00-9.00	6.87
Selenium - Dissolved (mg/L)	0.0240	<0.00200
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	105
Sulfate - Total (mg/L)	1070.00	915
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	1750
Total Suspended Solids (mg/L)	---	14.0
Uranium - Dissolved (mg/L)	0.0300	0.0265
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	0.0711



**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** CRMW 3C-124**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3E0078-01
Sample Date	-	5/3/2023
Lab Test Date	-	5/22/2023
Sampled By	-	pb

Aluminium - Dissolved (mg/L)	7.0000	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00200
Arsenic - Dissolved (mg/L)	0.0100	<0.00200
Barium - Dissolved (mg/L)	2.0000	0.0057
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	0.0808
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	299
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	0.0324
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	0.0054
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	3.38
Iron - Dissolved (mg/L)	14.0000	<0.100
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	0.071
Manganese - Dissolved (mg/L)	3.0000	1.91
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	0.085
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	0.257
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.00-8.50	7.42
Selenium - Dissolved (mg/L)	0.0240	<0.00200
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	97.2
Sulfate - Total (mg/L)	250.00	873
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	1690
Total Suspended Solids (mg/L)	---	11.0
Uranium - Dissolved (mg/L)	0.0300	0.0258
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	0.0244

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** CRMW 5B-143**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0066-06
Sample Date	-	4/4/2023
Lab Test Date	-	4/20/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00100
Arsenic - Dissolved (mg/L)	0.0100	<0.00100
Barium - Dissolved (mg/L)	2.0000	0.0058
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	6.11
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	<0.0060
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	3.30
Iron - Dissolved (mg/L)	14.0000	<0.100
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040
Manganese - Dissolved (mg/L)	3.0000	<0.0080
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	0.094
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	<0.100
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.00-8.50	8.14
Selenium - Dissolved (mg/L)	0.0240	<0.00200
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	7.89
Sulfate - Total (mg/L)	250.00	27.9
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	155
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	0.0300	0.00399
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	<0.0100



**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** CRMW 5C-60**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0098-01
Sample Date	-	4/5/2023
Lab Test Date	-	4/26/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	0.162
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00100
Arsenic - Dissolved (mg/L)	0.0100	<0.00100
Barium - Dissolved (mg/L)	2.0000	0.0062
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	6.25
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	<0.0060
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	3.20
Iron - Dissolved (mg/L)	14.0000	0.106
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040
Manganese - Dissolved (mg/L)	3.0000	<0.0080
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	0.092
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	<0.100
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.00-8.50	7.21
Selenium - Dissolved (mg/L)	0.0240	<0.00100
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	8.61
Sulfate - Total (mg/L)	250.00	32.2
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	134
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	0.0300	0.000761
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	<0.0100

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** CRMW 5D-27**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0066-05
Sample Date	-	4/4/2023
Lab Test Date	-	4/20/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	0.360
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00100
Arsenic - Dissolved (mg/L)	0.0100	<0.00100
Barium - Dissolved (mg/L)	2.0000	0.0278
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	5.18
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	<0.0060
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	3.64
Iron - Dissolved (mg/L)	14.0000	0.249
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040
Manganese - Dissolved (mg/L)	3.0000	<0.0080
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	0.0146
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	0.105
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	0.105
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.00-8.50	8.20
Selenium - Dissolved (mg/L)	0.0240	<0.00200
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	5.37
Sulfate - Total (mg/L)	250.00	14.4
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	110
Total Suspended Solids (mg/L)	---	97.0
Uranium - Dissolved (mg/L)	0.0300	0.000176
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	<0.0100



**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :**       ESPMW       **Collar Elv (ft) :**       N/A       **Reporting Period**       2023 2nd Qtr      **Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3E0203-02
Sample Date	-	5/9/2023
Lab Test Date	-	5/26/2023
Sampled By	-	PB

Cyanide - WAD (mg/L)	0.2000	<0.0050
pH Field (pH unit)	6.00-8.50	7.14

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** GVMW 22A-70**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3F0257-06
Sample Date	-	6/14/2023
Lab Test Date	-	7/10/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	<0.080
Ammonia (mg/L)	---	<0.060
Antimony - Dissolved (mg/L)	0.0060	<0.00100
Arsenic - Dissolved (mg/L)	0.0100	<0.00100
Barium - Dissolved (mg/L)	2.0000	0.111
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	4.21
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	<0.0060
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	2.08
Iron - Dissolved (mg/L)	14.0000	<0.100
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040
Manganese - Dissolved (mg/L)	3.0000	0.0081
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	0.0086
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	<0.050
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	<0.100
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.00-8.50	8.04
Selenium - Dissolved (mg/L)	0.0240	<0.00100
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	37.6
Sulfate - Total (mg/L)	250.00	37.0
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	228
Total Suspended Solids (mg/L)	---	5.0
Uranium - Dissolved (mg/L)	0.0300	0.00384
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	<0.0100

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** GVMW 22B-30**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0152-05
Sample Date	-	4/10/2023
Lab Test Date	-	4/27/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00100
Arsenic - Dissolved (mg/L)	0.0100	<0.00100
Barium - Dissolved (mg/L)	2.0000	0.0657
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	18.1
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	<0.0060
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	0.384
Iron - Dissolved (mg/L)	14.0000	<0.100
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040
Manganese - Dissolved (mg/L)	3.0000	0.0575
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	0.581
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	0.584
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.00-8.50	6.86
Selenium - Dissolved (mg/L)	0.0240	<0.00100
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	22.5
Sulfate - Total (mg/L)	250.00	92.2
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	252
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	0.0300	0.00120
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	<0.0100



**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** GVMW 8A-250**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0152-04
Sample Date	-	4/10/2023
Lab Test Date	-	4/27/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00100
Arsenic - Dissolved (mg/L)	0.0100	<0.00100
Barium - Dissolved (mg/L)	2.0000	<0.0020
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	46.4
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	<0.0060
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	2.62
Iron - Dissolved (mg/L)	14.0000	<0.100
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040
Manganese - Dissolved (mg/L)	1.0000	0.324
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	0.132
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	0.135
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.50-8.50	7.03
Selenium - Dissolved (mg/L)	0.0240	<0.00100
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	23.7
Sulfate - Total (mg/L)	250.00	63.2
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	244
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	0.0300	0.00914
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	<0.0100

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244**

**SAMPLE LOCATION :** GVMW-25 **Collar Elv (ft) :** N/A **Reporting Period** 2023 2nd Qtr

**Results of Profile / Analyses**

Description	Standards	2nd Qtr		
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.	SVL Analytical, Inc.	SVL Analytical, Inc.
Lab Reference #	-	X3D0152-01	X3E0267-04	X3F0212-04
Sample Date	-	4/10/2023	5/15/2023	6/12/2023
Lab Test Date	-	4/27/2023	6/2/2023	7/19/2023
Sampled By	-	PB	PB	PB

Aluminium - Dissolved (mg/L)	7.0000	1.35	30.6	18.4
Ammonia (mg/L)	---	<0.030	<0.030	<0.060
Antimony - Dissolved (mg/L)	0.0060	<0.00100	<0.00200	<0.00100
Arsenic - Dissolved (mg/L)	0.0100	<0.00100	0.0107	0.00787
Barium - Dissolved (mg/L)	2.0000	0.0144	0.0133	0.0114
Beryllium - Dissolved (mg/L)	0.0040	0.00307	0.0536	0.0367
Boron - Dissolved (mg/L)	0.7500	<0.0400	<0.0400	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	0.0253	0.108	0.0755
Chloride - Total (mg/L)	---	13.2	15.6	49
Chromium - Dissolved (mg/L)	0.1000	<0.0060	<0.0060	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	0.0110	0.0517	0.0393
Copper - Dissolved (mg/L)	0.2000	<0.0100	0.0572	0.0407
Cyanide - Free (mg/L)	0.2000	<0.0050	<0.0050	<0.0050
Cyanide - Total (mg/L)	---	<0.0050	<0.0050	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050	<0.0050	<0.0050
Fluoride - Total F (mg/L)	2.0000	1.54	3.98	4.71
Iron - Dissolved (mg/L)	14.0000	<0.100	<0.100	0.18
Lead - Dissolved (mg/L)	0.0500	<0.0075	<0.0075	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040	0.043	<0.040
Manganese - Dissolved (mg/L)	3.0000	4.53	15.2	10.9
Mercury - Dissolved (mg/L)	0.00200000	<0.000200	<0.000200	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080	<0.0080	<0.0080
Nickel - Dissolved (mg/L)	0.2000	0.0612	0.234	0.156
Nitrate as Nitrogen (mg/L)	10.0000	1.64	2.26	2.59
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	1.64	2.26	2.59
Nitrite as Nitrogen (mg/L)	1.0000	<0.050	<0.050	<0.050
pH Field (pH unit)	6.00-8.50	6.13	4.33	4.28
Selenium - Dissolved (mg/L)	0.0240	0.00211	0.00538	<0.0100
Silver - Dissolved (mg/L)	0.0500	<0.0050	<0.0050	<0.0050
Sodium - Dissolved (mg/L)	---	24.7	32.4	31.4
Sulfate - Total (mg/L)	250.00	817	1480	1090
Thallium - Dissolved (mg/L)	0.0020	<0.00100	<0.00100	<0.00100
Total Dissolved Solids (mg/L)	---	1150	1960	1680
Total Suspended Solids (mg/L)	---	297	12.0	<5.0
Uranium - Dissolved (mg/L)	0.0300	0.00593	0.0648	0.0438
Vanadium - Dissolved (mg/L)	0.1000	<0.0050	<0.0050	<0.0050
Zinc - Dissolved (mg/L)	2.0000	0.686	3.41	2.47

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244**

**SAMPLE LOCATION :** PGMW-3 **Collar Elv (ft) :** N/A **Reporting Period** 2023 2nd Qtr

**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3E0203-03
Sample Date	-	5/9/2023
Lab Test Date	-	5/26/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	11.5
Ammonia (mg/L)	---	2.16
Antimony - Dissolved (mg/L)	0.0060	<0.00100
Arsenic - Dissolved (mg/L)	0.0100	0.00284
Barium - Dissolved (mg/L)	2.0000	0.0236
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	0.0109
Chloride - Total (mg/L)	---	42.7
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	0.0612
Copper - Dissolved (mg/L)	0.2000	0.375
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	2.84
Iron - Dissolved (mg/L)	14.0000	2.10
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040
Manganese - Dissolved (mg/L)	3.0000	14.7
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080
Nickel - Dissolved (mg/L)	0.2000	0.121
Nitrate as Nitrogen (mg/L)	10.0000	7.62
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	7.76
Nitrite as Nitrogen (mg/L)	1.0000	0.138
pH Field (pH unit)	6.00-8.50	4.48
Selenium - Dissolved (mg/L)	0.0240	0.00112
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	24.3
Sulfate - Total (mg/L)	250.00	577
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	886
Total Suspended Solids (mg/L)	---	49.0
Uranium - Dissolved (mg/L)	0.0300	0.000941
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	1.45



**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT:****SAMPLE LOCATION :** PGMW-5**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr	
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.	SVL Analytical, Inc.
Lab Reference #	-	X3E0416-07	X3F0491-01RE1
Sample Date	-	5/23/2023	6/28/2023
Lab Test Date	-	6/16/2023	7/25/2023
Sampled By	-	PB	PB

Aluminium - Dissolved (mg/L)	---	48.9	106
Ammonia (mg/L)	---	<0.030	<0.030
Antimony - Dissolved (mg/L)	---	<0.00200	<0.00100
Arsenic - Dissolved (mg/L)	---	<0.00200	0.0118
Barium - Dissolved (mg/L)	---	0.0452	0.0158
Beryllium - Dissolved (mg/L)	---	0.00891	0.0121
Boron - Dissolved (mg/L)	---	<0.0400	<0.0400
Cadmium - Dissolved (mg/L)	---	0.0485	0.0657
Chloride - Total (mg/L)	---	59.9	47.1
Chromium - Dissolved (mg/L)	---	<0.0060	<0.0060
Cobalt - Dissolved (mg/L)	---	0.254	0.288
Copper - Dissolved (mg/L)	---	1.23	2.05
Cyanide - Free (mg/L)	---	<0.0050	<0.0050
Cyanide - Total (mg/L)	---	<0.0050	<0.0050
Cyanide - WAD (mg/L)	---	<0.0050	<0.0050
Fluoride - Total F (mg/L)	---	11.2	26.9
Iron - Dissolved (mg/L)	---	0.140	0.135
Lead - Dissolved (mg/L)	---	<0.0075	<0.0075
Lithium - Dissolved (mg/L)	---	0.058	0.136
Manganese - Dissolved (mg/L)	---	49.7	67.3
Mercury - Dissolved (mg/L)	---	<0.000200	<0.000200
Molybdenum - Dissolved (mg/L)	---	<0.0080	<0.0080
Nickel - Dissolved (mg/L)	---	0.396	0.501
Nitrate as Nitrogen (mg/L)	---	3.64	3.18
Nitrite + Nitrate as Nitrogen (mg/L)	---	3.64	3.18
Nitrite as Nitrogen (mg/L)	---	<0.050	<0.050
pH Field (pH unit)	---	3.90	3.29
Selenium - Dissolved (mg/L)	---	0.0124	0.00228
Silver - Dissolved (mg/L)	---	<0.0050	0.0075
Sodium - Dissolved (mg/L)	---	42.4	34.4
Sulfate - Total (mg/L)	---	1090	2250
Thallium - Dissolved (mg/L)	---	<0.00100	<0.00100
Total Dissolved Solids (mg/L)	---	1640	2140
Total Suspended Solids (mg/L)	---	233	8.0
Uranium - Dissolved (mg/L)	---	0.0169	0.0482
Vanadium - Dissolved (mg/L)	---	<0.0050	<0.0050
Zinc - Dissolved (mg/L)	---	5.97	7.92

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** SGMW 6B-60**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0194-03
Sample Date	-	4/12/2023
Lab Test Date	-	4/27/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	0.337
Ammonia (mg/L)	---	0.072
Antimony - Dissolved (mg/L)	0.0060	<0.00200
Arsenic - Dissolved (mg/L)	0.0100	<0.00200
Barium - Dissolved (mg/L)	2.0000	0.0104
Beryllium - Dissolved (mg/L)	0.0040	0.0628
Boron - Dissolved (mg/L)	0.7500	0.0964
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	168
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	0.0197
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	7.48
Iron - Dissolved (mg/L)	14.0000	14.4
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	0.085
Manganese - Dissolved (mg/L)	3.0000	8.75
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080
Nickel - Dissolved (mg/L)	0.2000	0.0302
Nitrate as Nitrogen (mg/L)	10.0000	<0.050
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	0.138
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.00-8.50	6.06
Selenium - Dissolved (mg/L)	0.0240	<0.00200
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	66.2
Sulfate - Total (mg/L)	250.00	1220
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	2090
Total Suspended Solids (mg/L)	---	6.0
Uranium - Dissolved (mg/L)	0.0300	0.00690
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	0.167

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT:**

**SAMPLE LOCATION :** SGMW-8 **Collar Elv (ft) :** N/A **Reporting Period** 2023 2nd Qtr

**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3F049102
Sample Date	-	6/28/2023
Lab Test Date	-	7/25/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	---	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	---	0.00108
Arsenic - Dissolved (mg/L)	---	<0.00100
Barium - Dissolved (mg/L)	---	0.0699
Beryllium - Dissolved (mg/L)	---	<0.00200
Boron - Dissolved (mg/L)	---	0.0986
Cadmium - Dissolved (mg/L)	---	<0.0020
Chloride - Total (mg/L)	---	27.3
Chromium - Dissolved (mg/L)	---	<0.0060
Cobalt - Dissolved (mg/L)	---	<0.0060
Copper - Dissolved (mg/L)	---	<0.0100
Cyanide - Free (mg/L)	---	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	---	<0.0050
Fluoride - Total F (mg/L)	---	1.06
Iron - Dissolved (mg/L)	---	<0.100
Lead - Dissolved (mg/L)	---	<0.0075
Lithium - Dissolved (mg/L)	---	<0.040
Manganese - Dissolved (mg/L)	---	1.19
Mercury - Dissolved (mg/L)	---	<0.000200
Molybdenum - Dissolved (mg/L)	---	0.0313
Nickel - Dissolved (mg/L)	---	0.0498
Nitrate as Nitrogen (mg/L)	---	0.154
Nitrite + Nitrate as Nitrogen (mg/L)	---	0.154
Nitrite as Nitrogen (mg/L)	---	<0.050
pH Field (pH unit)	---	7.55
Selenium - Dissolved (mg/L)	---	0.00275
Silver - Dissolved (mg/L)	---	<0.0050
Sodium - Dissolved (mg/L)	---	36.6
Sulfate - Total (mg/L)	---	950
Thallium - Dissolved (mg/L)	---	<0.00100
Total Dissolved Solids (mg/L)	---	1230
Total Suspended Solids (mg/L)	---	5050
Uranium - Dissolved (mg/L)	---	0.0283
Vanadium - Dissolved (mg/L)	---	<0.0050
Zinc - Dissolved (mg/L)	---	<0.0100



**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** VIN 2A-270**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3E0078-03
Sample Date	-	5/3/2023
Lab Test Date	-	5/22/2023
Sampled By	-	pb

Aluminium - Dissolved (mg/L)	7.0000	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00200
Arsenic - Dissolved (mg/L)	0.0100	<0.00200
Barium - Dissolved (mg/L)	2.0000	0.0084
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	7.03
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	0.0089
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	0.300
Iron - Dissolved (mg/L)	14.0000	<0.100
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040
Manganese - Dissolved (mg/L)	3.0000	0.210
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	<0.050
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	0.101
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.00-8.50	7.61
Selenium - Dissolved (mg/L)	0.0240	<0.00200
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	23.5
Sulfate - Total (mg/L)	250.00	671
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	1050
Total Suspended Solids (mg/L)	---	12.0
Uranium - Dissolved (mg/L)	0.0300	0.00342
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	0.446

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** VIN 2B-140**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3E0203-01
Sample Date	-	5/9/2023
Lab Test Date	-	5/26/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00100
Arsenic - Dissolved (mg/L)	0.0100	<0.00100
Barium - Dissolved (mg/L)	2.0000	0.0058
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	10.3
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	0.0061
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	0.143
Iron - Dissolved (mg/L)	14.0000	<0.100
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040
Manganese - Dissolved (mg/L)	4.0000	2.10
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	<0.050
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	<0.100
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.50-8.50	7.05
Selenium - Dissolved (mg/L)	0.0240	<0.00100
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	36.1
Sulfate - Total (mg/L)	800.00	857
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	1040
Total Suspended Solids (mg/L)	---	6.0
Uranium - Dissolved (mg/L)	0.0300	0.000182
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	<0.0100

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** WCMW 3-134**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0264-02
Sample Date	-	4/18/2023
Lab Test Date	-	5/3/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00100
Arsenic - Dissolved (mg/L)	0.0100	<0.00100
Barium - Dissolved (mg/L)	2.0000	0.0644
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	1.12
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	<0.0060
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	0.726
Iron - Dissolved (mg/L)	14.0000	<0.100
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040
Manganese - Dissolved (mg/L)	0.5000	0.0125
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	<0.0080
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	0.062
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	<0.100
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.00-9.00	7.70
Selenium - Dissolved (mg/L)	0.0240	0.00399
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	9.67
Sulfate - Total (mg/L)	250.00	26.0
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	239
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	0.0300	0.00664
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	<0.0100



**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** WCMW 6-234**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0358-01
Sample Date	-	4/25/2023
Lab Test Date	-	5/10/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	7.0000	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	0.0060	<0.00100
Arsenic - Dissolved (mg/L)	0.0100	0.00438
Barium - Dissolved (mg/L)	2.0000	0.0488
Beryllium - Dissolved (mg/L)	0.0040	<0.00200
Boron - Dissolved (mg/L)	0.7500	<0.0400
Cadmium - Dissolved (mg/L)	0.0050	<0.0020
Chloride - Total (mg/L)	---	2.06
Chromium - Dissolved (mg/L)	0.1000	<0.0060
Cobalt - Dissolved (mg/L)	0.0500	<0.0060
Copper - Dissolved (mg/L)	0.2000	<0.0100
Cyanide - Free (mg/L)	0.2000	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	0.2000	<0.0050
Fluoride - Total F (mg/L)	2.0000	1.99
Iron - Dissolved (mg/L)	14.0000	0.898
Lead - Dissolved (mg/L)	0.0500	<0.0075
Lithium - Dissolved (mg/L)	2.5000	<0.040
Manganese - Dissolved (mg/L)	0.2000	0.179
Mercury - Dissolved (mg/L)	0.00200000	<0.000200
Molybdenum - Dissolved (mg/L)	0.2100	0.0118
Nickel - Dissolved (mg/L)	0.2000	<0.0100
Nitrate as Nitrogen (mg/L)	10.0000	<0.050
Nitrite + Nitrate as Nitrogen (mg/L)	11.0000	<0.100
Nitrite as Nitrogen (mg/L)	1.0000	<0.050
pH Field (pH unit)	6.50-8.50	7.16
Selenium - Dissolved (mg/L)	0.0240	<0.00100
Silver - Dissolved (mg/L)	0.0500	<0.0050
Sodium - Dissolved (mg/L)	---	20.1
Sulfate - Total (mg/L)	250.00	73.6
Thallium - Dissolved (mg/L)	0.0020	<0.00100
Total Dissolved Solids (mg/L)	---	268
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	0.0300	0.00217
Vanadium - Dissolved (mg/L)	0.1000	<0.0050
Zinc - Dissolved (mg/L)	2.0000	<0.0100



Cripple Creek & Victor  
Gold Mining Company  
100 North 3<sup>rd</sup> Street  
P.O. Box 191  
Victor, Colorado 80860

P 719.689.2977  
F 719.689.3254  
[newmont.com](http://newmont.com)

## Surface Water

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** AG 2.0**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0066-03
Sample Date	-	4/4/2023
Lab Test Date	-	4/20/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	11	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	---	<0.00100
Arsenic - Dissolved (mg/L)	0.34	<0.00100
Arsenic - Total Recoverable in Water (m	0.1	<0.00100
Barium - Dissolved (mg/L)	---	0.0298
Beryllium - Dissolved (mg/L)	---	<0.00200
Boron - Total (mg/L)	0.75	<0.0400
Cadmium - Dissolved (mg/L)	0.0003	<0.000100
Calcium - Dissolved (mg/L)	---	11.3
Chloride - Total (mg/L)	---	7.70
Chromium - Dissolved (mg/L)	---	<0.00100
Copper - Dissolved (mg/L)	0.0037	0.00079
Cyanide - Free (mg/L)	0.005	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	---	<0.0050
Fluoride - Total F (mg/L)	---	2.63
Iron - Dissolved (mg/L)	---	<0.100
Lead - Dissolved (mg/L)	0.0008	<0.00020
Manganese - Dissolved (mg/L)	3.674	<0.0080
Mercury - Dissolved (mg/L)	---	<0.000200
Molybdenum - Dissolved (mg/L)	---	<0.0080
Nickel - Dissolved (mg/L)	0.0219	<0.0100
Nitrate as Nitrogen (mg/L)	100	0.077
Nitrite + Nitrate as Nitrogen (mg/L)	---	<0.100
Nitrite as Nitrogen (mg/L)	0.05	<0.050
pH Field (pH unit)	6.0-9.0	8.26
Selenium - Dissolved (mg/L)	0.0046	<0.00200
Silver - Dissolved (mg/L)	0.000055	<0.000160
Sodium - Dissolved (mg/L)	---	5.75
Sulfate - Total (mg/L)	---	13.1
Thallium - Dissolved (mg/L)	---	<0.00100
Total Dissolved Solids (mg/L)	---	82
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	0.4867	0.000126
Zinc - Dissolved (mg/L)	0.6	<0.0100



**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244**

**SAMPLE LOCATION :** GV-02 **Collar Elv (ft) :** N/A **Reporting Period** 2023 2nd Qtr

**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3E0300-01
Sample Date	-	5/16/2023
Lab Test Date	-	5/31/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	---	4.80
Ammonia (mg/L)	6.69	<0.030
Antimony - Dissolved (mg/L)	---	<0.00100
Arsenic - Dissolved (mg/L)	0.34	<0.00100
Arsenic - Total Recoverable in Water (m	0.00002	<0.00100
Barium - Dissolved (mg/L)	---	0.0331
Beryllium - Dissolved (mg/L)	---	0.00638
Boron - Total (mg/L)	0.75	<0.0400
Cadmium - Dissolved (mg/L)	0.0022	0.0191
Calcium - Dissolved (mg/L)	---	123
Chloride - Total (mg/L)	---	24.1
Chromium - Dissolved (mg/L)	---	<0.00100
Copper - Dissolved (mg/L)	0.03	0.00152
Cyanide - Free (mg/L)	0.005	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	---	<0.0050
Fluoride - Total F (mg/L)	---	7.86
Iron - Dissolved (mg/L)	0.3	<0.100
Lead - Dissolved (mg/L)	0.123	<0.00020
Manganese - Dissolved (mg/L)	2.72	4.88
Mercury - Dissolved (mg/L)	0.00001	<0.000200
Molybdenum - Dissolved (mg/L)	---	<0.0080
Nickel - Dissolved (mg/L)	0.185	0.180
Nitrate as Nitrogen (mg/L)	10	0.436
Nitrite + Nitrate as Nitrogen (mg/L)	---	0.436
Nitrite as Nitrogen (mg/L)	0.05	<0.050
pH Field (pH unit)	6.5-9.0	6.47
Selenium - Dissolved (mg/L)	0.0046	<0.00100
Silver - Dissolved (mg/L)	0.00425	<0.00008
Sodium - Dissolved (mg/L)	---	10.6
Sulfate - Total (mg/L)	250	479
Thallium - Dissolved (mg/L)	---	<0.00100
Total Dissolved Solids (mg/L)	---	759
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	7.87	0.000110
Zinc - Dissolved (mg/L)	0.48	5.37

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244**

**SAMPLE LOCATION :** GV-03 **Collar Elv (ft) :** N/A **Reporting Period** 2023 2nd Qtr

**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3E0267-03
Sample Date	-	5/15/2023
Lab Test Date	-	6/2/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	---	0.149
Ammonia (mg/L)	7.017	0.065
Antimony - Dissolved (mg/L)	---	<0.00200
Arsenic - Dissolved (mg/L)	0.34	<0.00200
Arsenic - Total Recoverable in Water (m	0.00002	<0.00100
Barium - Dissolved (mg/L)	---	0.101
Beryllium - Dissolved (mg/L)	---	<0.00200
Boron - Total (mg/L)	0.75	<0.0400
Cadmium - Dissolved (mg/L)	0.000515	0.00117
Calcium - Dissolved (mg/L)	---	16.9
Chloride - Total (mg/L)	---	18.7
Chromium - Dissolved (mg/L)	---	<0.00200
Copper - Dissolved (mg/L)	0.006	0.00568
Cyanide - Free (mg/L)	0.005	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	---	<0.0050
Fluoride - Total F (mg/L)	---	0.995
Iron - Dissolved (mg/L)	0.3	<0.100
Lead - Dissolved (mg/L)	0.00155	<0.00040
Manganese - Dissolved (mg/L)	1.42	0.0709
Mercury - Dissolved (mg/L)	---	<0.000200
Molybdenum - Dissolved (mg/L)	---	<0.0080
Nickel - Dissolved (mg/L)	0.036	<0.0100
Nitrate as Nitrogen (mg/L)	10	0.710
Nitrite + Nitrate as Nitrogen (mg/L)	---	0.726
Nitrite as Nitrogen (mg/L)	0.05	<0.050
pH Field (pH unit)	6.5-9.0	5.70
Selenium - Dissolved (mg/L)	0.0046	<0.00200
Silver - Dissolved (mg/L)	0.00015	<0.000160
Sodium - Dissolved (mg/L)	---	3.14
Sulfate - Total (mg/L)	250	77.0
Thallium - Dissolved (mg/L)	---	<0.00100
Total Dissolved Solids (mg/L)	---	270
Total Suspended Solids (mg/L)	---	46.0
Uranium - Dissolved (mg/L)	0.922	0.00102
Zinc - Dissolved (mg/L)	0.081	0.0554

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT:****SAMPLE LOCATION :** GV-06**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr	
Name of Certified Lab	(mg/L)*	Field	SVL Analytical, Inc.
Lab Reference #	-		X3F0212-01
Sample Date	-	4/5/2023	6/12/2023
Lab Test Date	-		7/19/2023
Sampled By	-		PB

Aluminium - Dissolved (mg/L)	---		<0.080
Ammonia (mg/L)	7.08		<0.030
Antimony - Dissolved (mg/L)	---		<0.00100
Arsenic - Dissolved (mg/L)	0.34		<0.00100
Arsenic - Total Recoverable in Water (m	0.00002		<0.00100
Barium - Dissolved (mg/L)	---		0.104
Beryllium - Dissolved (mg/L)	---		<0.00200
Boron - Total (mg/L)	0.75		<0.0400
Cadmium - Dissolved (mg/L)	0.001		<0.000100
Calcium - Dissolved (mg/L)	---		44.3
Chloride - Total (mg/L)	---		8.3
Chromium - Dissolved (mg/L)	---		<0.00100
Copper - Dissolved (mg/L)	0.013		<0.00040
Cyanide - Free (mg/L)	0.005		<0.0050
Cyanide - Total (mg/L)	---		<0.0050
Cyanide - WAD (mg/L)	---		<0.0050
Fluoride - Total F (mg/L)	---		0.59
Iron - Dissolved (mg/L)	0.3		0.462
Lead - Dissolved (mg/L)	0.004		<0.00020
Manganese - Dissolved (mg/L)	1.92		0.815
Mercury - Dissolved (mg/L)	---		<0.000200
Molybdenum - Dissolved (mg/L)	---		<0.0080
Nickel - Dissolved (mg/L)	0.0765		<0.0100
Nitrate as Nitrogen (mg/L)	10		<0.050
Nitrite + Nitrate as Nitrogen (mg/L)	---		<0.100
Nitrite as Nitrogen (mg/L)	0.05		<0.050
pH Field (pH unit)	6.5-9.0		6.72
Selenium - Dissolved (mg/L)	0.0046		<0.00100
Silver - Dissolved (mg/L)	0.0007		0.000082
Sodium - Dissolved (mg/L)	---		13.3
Sulfate - Total (mg/L)	250		89.3
Thallium - Dissolved (mg/L)	---		<0.00100
Total Dissolved Solids (mg/L)	---		244
Total Suspended Solids (mg/L)	---		<5.0
Uranium - Dissolved (mg/L)	2.48		0.000742
Zinc - Dissolved (mg/L)	2.48		<0.0100
No Sample Reason	---	Frozen	

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244**

**SAMPLE LOCATION :** T2 **Collar Elv (ft) :** N/A **Reporting Period** 2023 2nd Qtr

**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3E0416-06
Sample Date	-	5/23/2023
Lab Test Date	-	6/16/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	---	<0.080
Ammonia (mg/L)	6.62	<0.030
Antimony - Dissolved (mg/L)	---	<0.00200
Arsenic - Dissolved (mg/L)	0.34	<0.00200
Arsenic - Total Recoverable in Water (m	0.1	<0.00100
Barium - Dissolved (mg/L)	---	0.0667
Beryllium - Dissolved (mg/L)	---	<0.00200
Boron - Total (mg/L)	0.75	0.0716
Cadmium - Dissolved (mg/L)	0.0014	<0.000200
Calcium - Dissolved (mg/L)	---	70.9
Chloride - Total (mg/L)	---	20.6
Chromium - Dissolved (mg/L)	---	<0.00200
Copper - Dissolved (mg/L)	0.0199	0.00102
Cyanide - Free (mg/L)	0.005	<0.0050
Cyanide - Total (mg/L)	---	0.0215
Cyanide - WAD (mg/L)	---	<0.0050
Fluoride - Total F (mg/L)	---	0.616
Iron - Dissolved (mg/L)	---	<0.100
Lead - Dissolved (mg/L)	0.0068	<0.00040
Manganese - Dissolved (mg/L)	2.25	0.0611
Mercury - Dissolved (mg/L)	---	<0.000200
Molybdenum - Dissolved (mg/L)	---	<0.0080
Nickel - Dissolved (mg/L)	0.1144	<0.0100
Nitrate as Nitrogen (mg/L)	100	0.924
Nitrite + Nitrate as Nitrogen (mg/L)	---	0.924
Nitrite as Nitrogen (mg/L)	0.05	<0.050
pH Field (pH unit)	6.5-9.0	6.55
Selenium - Dissolved (mg/L)	0.0046	<0.00200
Silver - Dissolved (mg/L)	0.0016	<0.000160
Sodium - Dissolved (mg/L)	---	21.9
Sulfate - Total (mg/L)	---	233
Thallium - Dissolved (mg/L)	---	<0.00100
Total Dissolved Solids (mg/L)	---	418
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	4.19	<0.000200
Zinc - Dissolved (mg/L)	0.28	0.0340



**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: M-1980-244****SAMPLE LOCATION :** WCSW-01**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr	
Name of Certified Lab	(mg/L)*	Field	SVL Analytical, Inc.
Lab Reference #	-		X3E0300-02
Sample Date	-	4/25/2023	5/16/2023
Lab Test Date	-		5/31/2023
Sampled By	-		PB


Aluminium - Dissolved (mg/L)	---		0.095
Ammonia (mg/L)	4.73		<0.030
Antimony - Dissolved (mg/L)	---		<0.00100
Arsenic - Dissolved (mg/L)	0.34		<0.00100
Arsenic - Total Recoverable in Water (m	0.1		<0.00100
Barium - Dissolved (mg/L)	---		0.0420
Beryllium - Dissolved (mg/L)	---		<0.00200
Boron - Total (mg/L)	0.75		0.0751
Cadmium - Dissolved (mg/L)	0.001		<0.000100
Calcium - Dissolved (mg/L)	---		47.9
Chloride - Total (mg/L)	---		14.6
Chromium - Dissolved (mg/L)	---		<0.00100
Copper - Dissolved (mg/L)	0.013		0.00094
Cyanide - Free (mg/L)	0.005		<0.0050
Cyanide - Total (mg/L)	---		<0.0050
Cyanide - WAD (mg/L)	---		<0.0050
Fluoride - Total F (mg/L)	---		0.625
Iron - Dissolved (mg/L)	---		<0.100
Lead - Dissolved (mg/L)	0.004		<0.00020
Manganese - Dissolved (mg/L)	1.92		<0.0080
Mercury - Dissolved (mg/L)	---		<0.000200
Molybdenum - Dissolved (mg/L)	---		<0.0080
Nickel - Dissolved (mg/L)	0.076		<0.0100
Nitrate as Nitrogen (mg/L)	100		<0.050
Nitrite + Nitrate as Nitrogen (mg/L)	---		<0.100
Nitrite as Nitrogen (mg/L)	0.05		<0.050
pH Field (pH unit)	6.5-9.0		7.40
Selenium - Dissolved (mg/L)	0.0046		<0.00100
Silver - Dissolved (mg/L)	0.0007		<0.00008
Sodium - Dissolved (mg/L)	---		12.0
Sulfate - Total (mg/L)	---		114
Thallium - Dissolved (mg/L)	---		<0.00100
Total Dissolved Solids (mg/L)	---		258
Total Suspended Solids (mg/L)	---		<5.0
Uranium - Dissolved (mg/L)	2.47		0.000224
Zinc - Dissolved (mg/L)	0.18		<0.0100
No Sample Reason	---	No flow/ Frozen	




Cripple Creek & Victor  
Gold Mining Company  
100 North 3<sup>rd</sup> Street  
P.O. Box 191  
Victor, Colorado 80860


P 719.689.2977  
F 719.689.3254  
[newmont.com](http://newmont.com)


# Graphs





























































































































































Cripple Creek & Victor  
Gold Mining Company  
100 North 3<sup>rd</sup> Street  
P.O. Box 191  
Victor, Colorado 80860

P 719.689.2977  
F 719.689.3254  
[newmont.com](http://newmont.com)

QA/QC

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: QA/QC**

**SAMPLE LOCATION :** Rinse Blank      **Collar Elv (ft) :** N/A      **Reporting Period** 2023 2nd Qtr

**Results of Profile / Analyses**

Description	Standards	2nd Qtr			
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.	SVL Analytical, Inc.	SVL Analytical, Inc.	SVL Analytical, Inc.
Lab Reference #	-	X3D0152-06	X3D0358-02	X3E0203-04	X3E0267-06
Sample Date	-	4/10/2023	4/25/2023	5/9/2023	5/15/2023
Lab Test Date	-	4/27/2023	5/10/2023	5/26/2023	6/2/2023
Sampled By	-	PB	PB	PB	PB

Aluminium - Dissolved (mg/L)	---	<0.080	<0.080	<0.080	0.086
Ammonia (mg/L)	---	<0.030	<0.030	<0.030	<0.030
Antimony - Dissolved (mg/L)	---	<0.00100	<0.00100	<0.00100	<0.00100
Arsenic - Dissolved (mg/L)	---	<0.00100	<0.00100	<0.00100	<0.00100
Barium - Dissolved (mg/L)	---	<0.0020	<0.0020	<0.0020	<0.0020
Beryllium - Dissolved (mg/L)	---	<0.00200	<0.00200	<0.00200	<0.00200
Boron - Dissolved (mg/L)	---	<0.0400	<0.0400	<0.0400	<0.0400
Cadmium - Dissolved (mg/L)	---	<0.0020	<0.0020	<0.0020	<0.0020
Chloride - Total (mg/L)	---	<0.20	<0.20	<0.20	<0.20
Chromium - Dissolved (mg/L)	---	<0.0060	<0.0060	<0.0060	<0.0060
Cobalt - Dissolved (mg/L)	---	<0.0060	<0.0060	<0.0060	<0.0060
Copper - Dissolved (mg/L)	---	<0.0100	<0.0100	<0.0100	<0.0100
Cyanide - Free (mg/L)	---	<0.0050	<0.0050	<0.0050	<0.0050
Cyanide - Total (mg/L)	---	<0.0050	<0.0050	<0.0050	<0.0050
Cyanide - WAD (mg/L)	---	<0.0050	<0.0050	<0.0050	<0.0050
Fluoride - Total F (mg/L)	---	<0.100	<0.100	<0.100	<0.100
Iron - Dissolved (mg/L)	---	<0.100	<0.100	<0.100	<0.100
Lead - Dissolved (mg/L)	---	<0.0075	<0.0075	<0.0075	<0.0075
Lithium - Dissolved (mg/L)	---	<0.040	<0.040	<0.040	<0.040
Manganese - Dissolved (mg/L)	---	<0.0080	<0.0080	<0.0080	0.0150
Mercury - Dissolved (mg/L)	---	<0.000200	<0.000200	<0.000200	<0.000200
Molybdenum - Dissolved (mg/L)	---	<0.0080	<0.0080	<0.0080	<0.0080
Nickel - Dissolved (mg/L)	---	<0.0100	<0.0100	<0.0100	<0.0100
Nitrate as Nitrogen (mg/L)	---	<0.050	<0.050	<0.050	<0.050
Nitrite + Nitrate as Nitrogen (mg/L)	---	<0.100	<0.100	<0.100	<0.100
Nitrite as Nitrogen (mg/L)	---	<0.050	<0.050	<0.050	<0.050
pH Field (pH unit)	---	7.93	8.23	8.12	8.06
Selenium - Dissolved (mg/L)	---	<0.00100	<0.00100	<0.00100	<0.00100
Silver - Dissolved (mg/L)	---	<0.0050	<0.0050	<0.0050	<0.0050
Sodium - Dissolved (mg/L)	---	<0.50	<0.50	1.74	8.61
Sulfate - Total (mg/L)	---	0.81	<0.30	0.73	0.36
Thallium - Dissolved (mg/L)	---	<0.00100	<0.00100	<0.00100	<0.00100
Total Dissolved Solids (mg/L)	---	10	12	<10	19
Total Suspended Solids (mg/L)	---	<5.0	<5.0	<5.0	<5.0
Uranium - Dissolved (mg/L)	---	<0.000100	<0.000100	<0.000100	<0.000100
Vanadium - Dissolved (mg/L)	---	<0.0050	<0.0050	<0.0050	<0.0050
Zinc - Dissolved (mg/L)	---	<0.0100	<0.0100	<0.0100	<0.0100

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT: QA/QC****SAMPLE LOCATION :** Rinse Blank**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

		<b>2nd Qtr</b>
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3F0212-06
Sample Date	-	6/12/2023
Lab Test Date	-	7/19/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	---	<0.080
Ammonia (mg/L)	---	<0.060
Antimony - Dissolved (mg/L)	---	<0.00100
Arsenic - Dissolved (mg/L)	---	<0.00100
Barium - Dissolved (mg/L)	---	<0.0020
Beryllium - Dissolved (mg/L)	---	<0.00200
Boron - Dissolved (mg/L)	---	<0.0400
Cadmium - Dissolved (mg/L)	---	<0.0020
Chloride - Total (mg/L)	---	<0.20
Chromium - Dissolved (mg/L)	---	<0.0060
Cobalt - Dissolved (mg/L)	---	<0.0060
Copper - Dissolved (mg/L)	---	<0.0100
Cyanide - Free (mg/L)	---	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	---	<0.0050
Fluoride - Total F (mg/L)	---	<0.100
Iron - Dissolved (mg/L)	---	<0.100
Lead - Dissolved (mg/L)	---	<0.0075
Lithium - Dissolved (mg/L)	---	<0.040
Manganese - Dissolved (mg/L)	---	<0.0080
Mercury - Dissolved (mg/L)	---	<0.000200
Molybdenum - Dissolved (mg/L)	---	<0.0080
Nickel - Dissolved (mg/L)	---	<0.0100
Nitrate as Nitrogen (mg/L)	---	<0.050
Nitrite + Nitrate as Nitrogen (mg/L)	---	<0.100
Nitrite as Nitrogen (mg/L)	---	<0.050
pH Field (pH unit)	---	7.55
Selenium - Dissolved (mg/L)	---	<0.00100
Silver - Dissolved (mg/L)	---	<0.0050
Sodium - Dissolved (mg/L)	---	<0.50
Sulfate - Total (mg/L)	---	<0.30
Thallium - Dissolved (mg/L)	---	<0.00100
Total Dissolved Solids (mg/L)	---	<10
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	---	<0.000100
Vanadium - Dissolved (mg/L)	---	<0.0050
Zinc - Dissolved (mg/L)	---	0.0126



**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT:**

**SAMPLE LOCATION :** Trip Blank **Collar Elv (ft) :** N/A **Reporting Period** 2023 2nd Qtr

**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0264-01
Sample Date	-	4/18/2023
Lab Test Date	-	5/3/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	---	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	---	<0.00100
Arsenic - Dissolved (mg/L)	---	<0.00100
Barium - Dissolved (mg/L)	---	<0.0020
Beryllium - Dissolved (mg/L)	---	<0.00200
Boron - Dissolved (mg/L)	---	<0.0400
Cadmium - Dissolved (mg/L)	---	<0.0020
Chloride - Total (mg/L)	---	<0.20
Chromium - Dissolved (mg/L)	---	<0.0060
Cobalt - Dissolved (mg/L)	---	<0.0060
Copper - Dissolved (mg/L)	---	<0.0100
Cyanide - Free (mg/L)	---	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	---	<0.0050
Fluoride - Total F (mg/L)	---	<0.100
Iron - Dissolved (mg/L)	---	<0.100
Lead - Dissolved (mg/L)	---	<0.0075
Lithium - Dissolved (mg/L)	---	<0.040
Manganese - Dissolved (mg/L)	---	<0.0080
Mercury - Dissolved (mg/L)	---	<0.000200
Molybdenum - Dissolved (mg/L)	---	<0.0080
Nickel - Dissolved (mg/L)	---	<0.0100
Nitrate as Nitrogen (mg/L)	---	<0.050
Nitrite + Nitrate as Nitrogen (mg/L)	---	<0.100
Nitrite as Nitrogen (mg/L)	---	<0.050
pH Field (pH unit)	---	7.78
Selenium - Dissolved (mg/L)	---	<0.00100
Silver - Dissolved (mg/L)	---	<0.0050
Sodium - Dissolved (mg/L)	---	<0.50
Sulfate - Total (mg/L)	---	<0.30
Thallium - Dissolved (mg/L)	---	<0.00100
Total Dissolved Solids (mg/L)	---	<10
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	---	<0.000100
Vanadium - Dissolved (mg/L)	---	<0.0050
Zinc - Dissolved (mg/L)	---	<0.0100

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT:****SAMPLE LOCATION :** CRMW-5C\_Duplicate**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0098-02
Sample Date	-	4/5/2023
Lab Test Date	-	4/26/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	---	0.173
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	---	<0.00100
Arsenic - Dissolved (mg/L)	---	<0.00100
Barium - Dissolved (mg/L)	---	0.0063
Beryllium - Dissolved (mg/L)	---	<0.00200
Boron - Dissolved (mg/L)	---	<0.0400
Cadmium - Dissolved (mg/L)	---	<0.0020
Chloride - Total (mg/L)	---	6.34
Chromium - Dissolved (mg/L)	---	<0.0060
Cobalt - Dissolved (mg/L)	---	<0.0060
Copper - Dissolved (mg/L)	---	<0.0100
Cyanide - Free (mg/L)	---	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	---	<0.0050
Fluoride - Total F (mg/L)	---	3.23
Iron - Dissolved (mg/L)	---	0.104
Lead - Dissolved (mg/L)	---	<0.0075
Lithium - Dissolved (mg/L)	---	<0.040
Manganese - Dissolved (mg/L)	---	<0.0080
Mercury - Dissolved (mg/L)	---	<0.000200
Molybdenum - Dissolved (mg/L)	---	<0.0080
Nickel - Dissolved (mg/L)	---	<0.0100
Nitrate as Nitrogen (mg/L)	---	0.087
Nitrite + Nitrate as Nitrogen (mg/L)	---	<0.100
Nitrite as Nitrogen (mg/L)	---	<0.050
pH Field (pH unit)	---	7.21
Selenium - Dissolved (mg/L)	---	<0.00100
Silver - Dissolved (mg/L)	---	<0.0050
Sodium - Dissolved (mg/L)	---	8.58
Sulfate - Total (mg/L)	---	32.5
Thallium - Dissolved (mg/L)	---	<0.00100
Total Dissolved Solids (mg/L)	---	132
Total Suspended Solids (mg/L)	---	5.0
Uranium - Dissolved (mg/L)	---	0.000782
Vanadium - Dissolved (mg/L)	---	<0.0050
Zinc - Dissolved (mg/L)	---	<0.0100

**Newmont USA Limited****DIVISION OF RECLAMATION MINING AND SAFETY PERMIT:****SAMPLE LOCATION :** AG-2.0 Duplicate**Collar Elv (ft) :** N/A**Reporting Period** 2023 2nd Qtr**Results of Profile / Analyses**

Description	Standards	2nd Qtr
Name of Certified Lab	(mg/L)*	SVL Analytical, Inc.
Lab Reference #	-	X3D0066-04
Sample Date	-	4/4/2023
Lab Test Date	-	4/20/2023
Sampled By	-	PB

Aluminium - Dissolved (mg/L)	---	<0.080
Ammonia (mg/L)	---	<0.030
Antimony - Dissolved (mg/L)	---	<0.00100
Arsenic - Dissolved (mg/L)	---	<0.00100
Arsenic - Total Recoverable in Water (m	---	<0.00100
Barium - Dissolved (mg/L)	---	0.0296
Beryllium - Dissolved (mg/L)	---	<0.00200
Boron - Total (mg/L)	---	<0.0400
Cadmium - Dissolved (mg/L)	---	<0.000100
Calcium - Dissolved (mg/L)	---	11.3
Chloride - Total (mg/L)	---	7.69
Chromium - Dissolved (mg/L)	---	<0.00100
Copper - Dissolved (mg/L)	---	0.00068
Cyanide - Free (mg/L)	---	<0.0050
Cyanide - Total (mg/L)	---	<0.0050
Cyanide - WAD (mg/L)	---	<0.0050
Fluoride - Total F (mg/L)	---	2.63
Iron - Dissolved (mg/L)	---	<0.100
Lead - Dissolved (mg/L)	---	<0.00020
Manganese - Dissolved (mg/L)	---	<0.0080
Mercury - Dissolved (mg/L)	---	<0.000200
Molybdenum - Dissolved (mg/L)	---	<0.0080
Nickel - Dissolved (mg/L)	---	<0.0100
Nitrate as Nitrogen (mg/L)	---	0.073
Nitrite + Nitrate as Nitrogen (mg/L)	---	<0.100
Nitrite as Nitrogen (mg/L)	---	<0.050
pH Field (pH unit)	---	8.26
Selenium - Dissolved (mg/L)	---	<0.00200
Silver - Dissolved (mg/L)	---	<0.000160
Sodium - Dissolved (mg/L)	---	5.68
Sulfate - Total (mg/L)	---	12.8
Thallium - Dissolved (mg/L)	---	<0.00100
Total Dissolved Solids (mg/L)	---	67
Total Suspended Solids (mg/L)	---	<5.0
Uranium - Dissolved (mg/L)	---	0.000121
Zinc - Dissolved (mg/L)	---	<0.0100

## Relative Percent Difference Calculations:

The Division has requested that relative percent difference calculations be completed for duplicate samples collected within the same quarter. In the second quarter, 2023 CC&V submitted duplicate samples for monitoring well CRMW-5C, collected on 4/5/2023 and surface water monitoring location AG-2.0, collected on 4/4/2023. For all data where a calculation is applicable, the RPD is presented below. When laboratory analysis for both samples was below reporting limit, a RPD was not calculated. When one sample result was above the reporting limit, and one sample was below the reporting limit CC&V used the reporting limit in the RPD calculation for the sample whose analytical value was below the reporting limit. CC&V used the following formula to determine Relative Percent Difference (RPD):

$$RPD = \frac{|X_1 - X_2|}{(X_1 + X_2)/2} \times 100$$

where,

$RPD$  = Relative Percent Difference (as %)

$|X_1 - X_2|$  = Absolute value (always positive) of  $X_1 - X_2$

$X_1$  = Original sample concentration

$X_2$  = Duplicate sample concentration

Analyte	CRMW 5C-60	CRMW-5C Duplicate	CRMW-5C Relative Percent Difference (RPD, %)
Aluminium - Dissolved (mg/L)	0.162	0.173	6.57
Barium - Dissolved (mg/L)	0.0062	0.0063	1.60
Calcium - Dissolved (mg/L)	25.8	25.9	0.39
Chloride - Total (mg/L)	6.25	6.34	1.43
Fluoride - Total F (mg/L)	3.2	3.23	0.93
Iron - Dissolved (mg/L)	0.106	0.104	1.90
Nitrate as Nitrogen (mg/L)	0.092	0.087	5.59
pH Field	7.21	7.21	0.00
Sodium - Dissolved (mg/L)	8.61	8.58	0.35
Sulfate - Total (mg/L)	32.2	32.5	0.93
Total Dissolved Solids (mg/L)	134	132	1.50
Uranium - Dissolved (mg/L)	0.000761	0.000782	2.72

Analyte	AG 2.0	AG-2.0 Duplicate	AG-2.0 Relative Percent Difference (RPD, %)
Barium - Dissolved (mg/L)	0.0298	0.0296	0.67
Chloride - Total (mg/L)	7.7	7.69	0.13
Fluoride - Total F (mg/L)	2.63	2.63	0.00
Calcium - Dissolved (mg/L)	11.3	11.3	0.00
Copper - Dissolved (mg/L)	0.00079	0.00068	14.97
Nitrate as Nitrogen (mg/L)	0.077	0.073	5.33
pH Field	8.26	8.26	0.00
Sodium - Dissolved (mg/L)	5.75	5.68	1.22
Sulfate - Total (mg/L)	13.1	12.8	2.32
Uranium - Dissolved (mg/L)	0.000126	0.000121	4.05