



Login

General Information

Permit Number *

C1981008

Select Revision *

If there are no options available it's because there are no open revisions of the selected type for the selected permit number

TR-107 Johnson Access Road.

Operation Name

New Horizon Mine

Revision Application Form Selection *

TR (Technical Revision
Application)

Revision Sequence *

If this does not populate, please contact your specialist to determine which sequence number to use.

107

The following pages will show the contact information we have on file for this permit. If any of it is inaccurate, you will have the opportunity to correct it after this form has been submitted.

1. Upon submission of this form you will be presented with a link to the contact information update form.
2. There is a question asking about the accuracy of this information. Indicating that it is inaccurate will send an e-mail to notify your administrator to make the appropriate changes.

Contact Information

Permittee Contact Information

Permittee Name

Elk Ridge Mining and Reclamation, LLC

Permittee Contact

Barbara Waltz

Permittee Address 1

PO Box 33695

Permittee Address 2**Permittee City**

Denver

Permittee State

CO

Permittee Zip Code

802330695

Permittee Contact Email Address**Permittee Contact Phone Number**

Permitting Contact Info

Permitting Name

Tri-State Generation and Transmission Assoc., Inc

Permitting Contact

Chris Gilbreath

Permitting Address 1

P.O. Box 33695

Permitting Address 2**Permitting City**

Denver

Permitting State

CO

Permitting Zip Code

802330695

Permitting Contact Email Address

cgilbreath@tristategt.org

Permitting Contact Phone Number

3032543291

Inspection Contact Info

Inspection Name

Elk Ridge Mining and Reclamation, LLC

Inspection Contact

Tony Tennyson

Inspection Address 1

P.O. Box 628

Inspection Address 2

27646 West 5th Avenue

Inspection City

Nucla

Inspection State

CO

Inspection Zip Code

81424

Inspection Contact Email Address

ttennyson@tristategt.org

Inspection Contact Phone Number

9708241232

Is the contact information listed above correct? If it is not correct your organization's Administrator will receive an email notification. *

☒ Yes ☐ No

Once this form is submitted you will see a link to update contact information, which you may do if you're an admin.

Surface Area Changes

Revision

Revision Title * (?)

TR-107 Johnson Access Road.

Short description

Narrative Description of Revision * (?)

TR-107 proposes the Johnson Access Road which will provide long-term access from the north side of BB Road down to the Pond 013 area.

Detailed description used for notifications

Bond Amount Change? *

☒ Yes ☐ No

Additional Surface Disturbance? *

☐ Yes ☒ No

Proposed Acreage Revisions

Permit Area

Current Value

342.25

Proposed Change Value * (?)

0.00

Calculated Revised Total

342.25

This value must equal the total of all Surface and Mineral Acreage changes

Affected Area

Current Value

300.96

Proposed Change Value * (?)

0.00

Calculated Revised Total

300.96

Disturbed Area

Current Value

300.96

Proposed Change Value * (?)

0.00

Calculated Revised Total

300.96

Attachments & Maps

Proposed Public Notice Attachment

Do you have attachments? *

☒ Yes ☐ No

Attachments

Standard Uploads

Document, NOT Confidential

230728 TR-107 Adequacy Gilbreath
to Wein.pdf 359.71KB

Map, NOT Confidential

Proof of Publication

Confidential Uploads

CONFIDENTIAL Document

CONFIDENTIAL Map

Document / Map List

New or Revised Documents / Pages *

If none exist, enter NONE in the comment box below.
Please see attached change sheet.

New or Revised Maps *

If none exist, enter NONE in the comment box below.
Please see attached change sheet.

Deleted Documents / Pages *

If none exist, enter NONE in the comment box below.
Please see attached change sheet.

Deleted Maps *

If none exist, enter NONE in the comment box below.
Please see attached change sheet.

Signature

Date

07/31/23

By checking this box you have thoroughly reviewed this Coal Revision form and are ready to submit this form to DRMS.

☒ I Agree