

July 28, 2023

Mr. Patrick Lennberg Division of Reclamation, Mining and Safety 1313 Sherman Street, Room 215 Denver, CO 80203

RE: M-1977-439 CT-1 Response Extension

Dear Mr. Patrick Lennberg:

In response to the complaint filed by Loveland Ready Mix (LRM), while we acknowledge that they may have some wetter than normal conditions, there are many areas of our properties that didn't have a lined cell on them that have also been wetter than usual. I pulled data from the Colorado Climate Center for Fort Collins and as you can see in the table attached, this whole area has almost received more rain in the first 5 months of this year than it received in total for the previous year. July seems to be drier than June and we would like an additional 30 days to evaluate and address LRM concerns. Please accept this letter as our request to extend the date in which we need to respond to the items contained within the complaint from July 28, 2023 to August 28, 2023.

I can be reached at 970-407-3631 if any additional information is needed at this time.

Sincerely,

ulee Mikulan

Julie Mikulas Regional Land Manager

Rocky Mountain Division – Northern Office 1800 N Taft Hill Road, Fort Collins, CO 80534 julie.mikulas@martinmarietta.com www.martinmarietta.com Mr. Patrick Lennberg July 28, 2023 Page 2

2022	2023
0.85	0.79
0.98	0.41
0.97	1.15
0.11	1.27
2.37	3.33
0.94	5.60
3.84	
0.51	
1.22	
0.33	
0.79	
0.32	
13.23	12.55
	0.85 0.98 0.97 0.11 2.37 0.94 3.84 0.51 1.22 0.33 0.79 0.32

,

Colorado State University - Colorado Climate Center Data - Precipitation pcpn in inches FT COLLINS - Station ID 053005 (Longitude -105.0857 Latitude 40.5763 Elevation 5004 ft)