



COLORADO
Division of Reclamation,
Mining and Safety
Department of Natural Resources

August 10, 2023

Julie Mikulas
Martin Marietta Materials, Inc.
1800 N Taft Hill Road
Fort Collins, CO
80521

Re: Extension Request Approval, Corrective Actions, Cortner Pit, Permit File No. M-1986-159

Dear Julie Mikulas,

On August 10, 2023, the Division of Reclamation, Mining and Safety (DRMS/Division) received Martin Marietta Materials, Inc.'s request to extend the deadline for the following corrective actions to the following dates:

1. DRMS' CORRECTIVE ACTION: Operator shall submit an Acreage Reduction by the corrective action date.
MARTIN MARIETTA MATERIALS, INC.'S RESPONSE: "Please accept is letter as our request for a one-month extension to 9/11/23. Having difficulty finding someone with time to survey in the stakes to match what we think will be the map for the reduction request."
2. DRMS' CORRECTIVE ACTION: Operator shall implement the existing weed control plan and provide photo evidence to the Division.
MARTIN MARIETTA MATERIALS, INC.'S RESPONSE: "Please accept is letter as our request for a one-month extension to 9/11/23 so we can remove the tamarisk. The weather has caused some delays in getting a contractor out there"
3. DRMS' CORRECTIVE ACTION: Operator shall conduct a survey and replace the boundary markers in the correct locations and provide photo evidence to the Division.
MARTIN MARIETTA MATERIALS, INC.'S RESPONSE: "Please accept is letter as our request for a one-month extension to 9/11/23 to complete the survey work."

The Division hereby approves the extension requests for each of these items. The new due date for these problems is set for September 11, 2023.

If you need additional information or have any questions, please contact me by telephone at (720) 836-0967, or by email at amber.michels@state.co.us.

Sincerely,



A handwritten signature in black ink, appearing to read 'Amber Michels', with a stylized, cursive script.

Amber Michels
Environmental Protection Specialist

cc: Jared Ebert, DRMS