



Login

### General Information

**Permit Number \***

C1981019

**Revision Application Form Selection \***

MR (Minor Revision Application)

**Select Revision \***

If there are no options available it's because there are no open revisions of the selected type for the selected permit number

MR-252 Magnesium Chloride Tank

**Revision Sequence \***

If this does not populate, please contact your specialist to determine which sequence number to use.

252

**Operation Name**

Colowyo Coal Mine

The following pages will show the contact information we have on file for this permit. If any of it is inaccurate, you will have the opportunity to correct it after this form has been submitted.

1. Upon submission of this form you will be presented with a link to the contact information update form.
2. There is a question asking about the accuracy of this information. Indicating that it is inaccurate will send an e-mail to notify your administrator to make the appropriate changes.

## Contact Information

### Permittee Contact Information

**Permittee Name**

Colowyo Coal Company L.P.

**Permittee Contact**

Barbara Waltz

**Permittee Address 1**

P.O. Box 33695

**Permittee Address 2****Permittee City**

Denver

**Permittee State**

CO

**Permittee Zip Code**

802330695

**Permittee Contact Email Address****Permittee Contact Phone Number**

### Permitting Contact Info

**Permitting Name**

Tri-State Generation and Transmission Association

**Permitting Contact**

Chris Gilbreath

**Permitting Address 1**

1100 West 116th Avenue

**Permitting Address 2****Permitting City**

Westminster

**Permitting State**

CO

**Permitting Zip Code**

802340000

**Permitting Contact Email Address**

cgilbreath@tristategt.org

**Permitting Contact Phone Number**

3032543291

### Inspection Contact Info

**Inspection Name**

Colowyo Coal Company L.P.

**Inspection Contact**

Tony Tennyson

**Inspection Address 1**

5731 State Highway 13

## Inspection Address 2

**Inspection City**

Meeker

**Inspection State**

CO

**Inspection Zip Code**

816410000

**Inspection Contact Email Address**

ttennyson@tristategt.org

**Inspection Contact Phone Number**

9708241232

**Is the contact information listed above correct? If it is not correct your organization's Administrator will receive an email notification. \***

☒ Yes ☐ No

Once this form is submitted you will see a link to update contact information, which you may do if you're an admin.

# Surface Area Changes

## Revision

Revision Title \* (?)

MR-252 Magnesium Chloride Tank

Short description

Narrative Description of Revision \* (?)

MR-252 proposes to add another magnesium chloride tank at the Gossard Loadout Facility.

Detailed description used for notifications

Bond Amount Change? \*

☒ Yes ☐ No

Additional Surface Disturbance? \*

☐ Yes ☒ No

## Proposed Acreage Revisions

### Permit Area

Current Value

26173.14

Proposed Change Value \* (?)

0.00

Calculated Revised Total

26173.14

This value must equal the total of all Surface and Mineral Acreage changes

### Affected Area

Current Value

6896.10

Proposed Change Value \* (?)

0.00

Calculated Revised Total

6896.10

### Disturbed Area

Current Value

5384.00

Proposed Change Value \* (?)

0.00

Calculated Revised Total

5384.00

## Attachments & Maps

Do you have attachments? \*

☒ Yes ☐ No

### Attachments

Standard Uploads

**Document, NOT Confidential**

230824 MR-252 Adequacy Gilbreath  
to Trujillo.pdf 467.65KB

**Map, NOT Confidential**

**Proof of Publication**

Confidential Uploads

**CONFIDENTIAL Document**

**CONFIDENTIAL Map**

### Document / Map List

**New or Revised Documents / Pages \***

If none exist, enter NONE in the comment box below.

Please see attached change sheet.

**New or Revised Maps \***

If none exist, enter NONE in the comment box below.

Please see attached change sheet.

**Deleted Documents / Pages \***

If none exist, enter NONE in the comment box below.

Please see attached change sheet.

**Deleted Maps \***

If none exist, enter NONE in the comment box below.

Please see attached change sheet.

### Signature

**Date**

08/24/23

**By checking this box you have thoroughly reviewed this Coal Revision form and are ready to submit this form to DRMS.**

☒ I Agree