

Dedicated to protecting and improving the health and environment of the people of Colorado

COG500000 Annual Report Form

Sand and Gravel Mining and Processing Applicable to Stormwater-only discharges FOR INTERNAL USE ONLY
Reviewer: ______
Further Review: Yes No

Part A: Permit Identification				Part B: Reporting Period Jan 1 through Dec 31				
General Permit Number: COG500000				(Check one. Report due by February 28 of the following year.)				
Facility Certification Number COG50 <u>1064</u>				2021	2022	2023 🗙	2024	
Part C: Permitte	ee Information							
Organization:	Buildore Aggregato Co							
Mailing Address:								
	City: Fort Morgan State: Colorado Zip: 80701							
Part D: Facility	Information							
Facility Name: Builders Aggregate, Co								
							-	
Facility Address: 18825 Hwy 52							-	
							_	
_{City:} Fort Morgan								
Facility Contact Name: James Miner							_	
Title: President							_	
Telephone No: 970-768-6545								
Email Address: jminer149@hotmail.com								
Part E: Permitt	ee-conducted	nsner	rtions					
Check the box f		•		s to the permit	ted facility. Pa	rt I.J.:		
Active Site - 4 inspe			Inactive Site w/ No		-	e w/ Exposure - 6		
(Quarterly)		Х	inspections annually	•		annually (Every 2 months)	1	
Provide the date(s) the inspections were conducted, as required by Part I.J of the permit:								
If an increation ()		a a a a widow a a a widow a a a a a a a a	the near the difference		a avalanation of whe		
i in an inspection(s) was not conduct	lea m	accordance with	the required free	quency, attach al	n explanation of why	/•	



pe	rt F: Required Monitoring (Indicate if the following monitoring i rmitted facility. Refer to the facility's permit certification for in quired monitoring.)	YES	NO					
-	Visual Monitoring (Part I.I.1) (If any of the characteristics in Parobserved, attach a summary)	✓						
-	Benchmark Monitoring (Part I.I.2)		 					
-	Water Quality Standards Monitoring (Part I.I.3)		✓					
-	Additional Monitoring Required by Division (Part I.I.4)			✓				
Part G: Corrective Actions (Indicate whether any of the following conditionsYESNOoccurred at the permitted facility.)								
-	An unauthorized release or discharge observed (e.g., spill, leak non-stormwater not authorized under COG500000 or another p		~					
-	Facility control measures are not stringent enough for the disch applicable water quality standards;		~					
-	Modifications to the facility control measures are necessary to based effluent limits in this permit;		~					
-	The permittee finds in a facility inspection, that facility contron not properly selected, designed, installed, operated or mainta		~					
-	Construction or a change in design, operation, or maintenance significantly changes the nature of pollutants discharged in sto facility, or significantly increases the quantity of pollutants dis		~					
-	The average of quarterly sampling results as described in Part I permit exceeds an applicable benchmark.		~					
If the answer to any of the above is "YES," provide a description of the conditions that met the criterion/criteria and describe the corrective action(s) taken (attach additional pages as needed):								
Part H: Required Certification Signature [Reg 61.4(1)(h)] "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."								
Na 	^{me:} James S. Miner	^{Fitle:} President						
		Date signed: 8/7/2023						
<u>.</u>								

TEMPORARY COVID19 SUBMISSION, digitally signed documents may be emailed to: cdphe.wqrecordscenter@state.co.us