

11783 Highway 337 S.
PO Box 100, Tijeras, NM 87123

505.286.6026
svance@gcc.com



July 14, 2023

State of Colorado
Division of Reclamation, Mining & Safety
1313 Sherman St., Room 215
Denver, CO 80203

Attn: Clayton Wein, Environmental Protection Specialist

Re: GCC Energy, LLC, King II Mine
CDRMS Permit # C-1981-035
Water Monitoring Analysis; King I & King II
2nd Quarter 2023

Mr. Wein:

Please find enclosed a copy of quarterly water analysis reports for the 2nd quarter of 2023 for the following water monitoring locations:

Wiltse Well
#1 Up-gradient Monitoring Well
#2 Down-gradient Monitoring Well
Hay Gulch Irrigation Ditch, Down-gradient
Hay Gulch Irrigation Ditch, Up-gradient
MW-1-A
MW-3-MI, MW-3-A, MW-3-C
MW-4-MI, MW-4-A & Blind Duplicate MW-99, MW-4-C
MW-5-MI
MW-HGA-4
MW-6-LM
MW-7-EAA & Blind Duplicate MW-98
MW-8-EAA, MW-8-MI, MW-8-LM, MW-8-PL
Seep 1, 2, & 3

Also enclosed are summary sheets for the above water monitoring locations which include field collection data.

Please contact me at 505.238.8272 or svance@gcc.com if you have any questions or require any additional information.

Sincerely,

A handwritten signature in blue ink that reads "Sarah Vance".

Sarah Vance
Environmental Manager
GCC Energy, LLC

GCC Energy Hydrologic Monitoring Data

Well #1 Upgradient																																								
Year	2016										2017						2018					2019					2020				2021				2022				2023	
	Quarter	Q2				Q3				Q4			Q1			Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	6	8	12	2	5	8	11	3	6	8	12	3	5		
Sample Date	3/30	4/27	5/26	6/23	7/19	8/24	9/21	10/24	11/30	12/14	1/18	2/27	3/22	6/28	9/28	11/29	2/22	5/14	8/9	11/7	2/25	5/23	8/16	11/14	2/13	6/1	8/31	12/14	2/11	5/19	8/12	11/12	3/1	6/2	8/17	12/16	3/29	5/19		
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																																								
Purge Flow Rate	gpm	1.5	7.9	7.1	5.8	7.1	7.4	6.8	7.5	9.3	7.5	7.7	7.5	8.2	7.0	7.1	7.5	7.2	7.2	10	7.2	10.0	8.3	11.0	6.5	8.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
Total Purged	gal	306	522	870	297	280	284	288	300	280	295	298	297	291	286	259	287	268	280	267	305	300	321	327	293	314	300	291	280	302	324	300	400	300	300	400	350	270	280	
Depth to Water	ft bgs	4.40	5.07	4.60	4.95	5.55	6.30	6.03	5.73	5.69	5.08	4.30	3.80	3.82	4.50	5.51	5.50	5.40	5.77	5.65	6.50	5.98	4.50	5.68	6.08	5.55	4.17	6.25	3.72	6.48	5.82	7.25	6.55	6.47	6.80	6.80	6.30	4.92	4.42	
Temperature	deg C	8.8	13.1	11.9	14.2	14.1	12.7	12.5	12.6	10.6	11.3	10.9	10.4	11.2	11.9	11.8	11.6	11.5	11.7	12.0	12.5	11.7	11.5	11.8	12.9	11.6	12.1	12.3	11.5	11.6	12.2	12.3	12.0	12.0	12.3	12.0	11.7	11.8	11.7	
pH	SU	7.77	7.57	7.46	7.6	7.69	7.59	7.67	7.77	7.72	7.68	7.6	7.67	7.67	7.59	7.6	7.58	7.56	7.49	7.35	7.34	7.39	7.37	7.32	7.37	7.38	7.57	7.6	7.54	7.56	7.59	7.57	7.46	7.54	7.49	6.84	7.67	7.53		
Specific Conductance	µS/cm	1224	1199	1284	1246	1226	1143	1176	1223	1280	1305	1392	1415	1351	1159	1162	1241	1278	1218	1289	1204	1235	1308	1253	1232	1277	1268	1067	1190	1142	1235	1212	1301	1235	1301	1235	1282	1313	1375	
Oxygen Reduction Potential	mV	-123.1	-162.2	-142.5	-185.4	-156.6	-196.8	-140.6	-148.9	-152.9	-141.0	-143.6	-125.6	-132.2	-201	-176.9	-213.20	-185.3	-219.3	-251.6	-273.0	-232.0	-194.0	-192.0	-159.9	-193.0	-221.7	-187.2	-138.1	-153.4	-208.9	-202.5	-272.2	-306.3	-231.9	-351.0	-306.7	-162.0	-126.9	
Lab Analytical Results:																																								
Hardness as CaCO3	mg/L	230			306			216		271				391	277	215	280	274	275	369	287	252	350	303	263	290	319	255	247	298	313	236	286	271	311	281	317	334	561	
pH (Lab)	SU	7.73			7.57			7.58		7.59				7.46	7.74	7.66	7.56	7.75	7.95	7.48	7.50	7.77	7.56	7.23	7.35	7.12	7.26	7.53	7.72	7.39	7.33	7.47	7.23	7.51	7.67	7.46	7.39	7.43	NA*	
Total Dissolved Solids (Lab)	mg/L	760			745			735		725				775	725	705	790	745	770	835	730	735	860	780	705	700	775	710	690	755	785	750	745	725	790	735	745	765	835	
Calcium	mg/L	44.0			59.7			42.4		51.7				75.7	54.0	41.6	55.6	53.4	71.5	56.7	49.1	67.8	58.2	51.5	56.5	61.6	49.6	47.4	58.1	60.9	45.4	54.8	53.3	60.3	52.1	60.2	64.2	107		
Magnesium	mg/L	29.1			38.2			26.7		34.5				49.1	34.6	27.1	34.4	34.2	34.1	46.4	35.4	31.4	43.8	38.3	32.7	36.1	40.0	31.7	31.1	37.2	39.1	29.8	36.1	33.5	39.0	36.6	40.5	42.2	71.2	
Sodium	mg/L	199			196			210		189				167	189	203	195	183	191	154	212	196	172	167	198	183	178	193	196	204	172	177	182	185	172	179	166	168	106	
Potassium	mg/L	3.00			3.15			3.01		3.01				3.30	3.00	3.09	2.99	3.09	3.03	3.16	3.15	3.01	3.32	3.01	3.01	<5	3.05	3.05	3.02	<5.00	3.00	<5.00	<5.00	2.93	3.09	2.94	<5.00	<5.00	3.04	
Alkalinity, Total	mg/L	610			660			620		615				640	585	670	625	620	595	630	640	610	615	615	590	600	576	520	605	570	620	600	770	640	650	570	615	640	590	
Alkalinity, Bicarbonate	mg/L	570			660			620		615				640	585	670	625	620	595	630	640	610	615	615	590	600	576	520	587	570	620	600	770	640	590	570	615	640	590	
Alkalinity, Carbonate	mg/L	40.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	18	<10.0	<10.0	<10.0	<10.0	<10.0	60.0	<10.0	<10.0	<10.0	<10.0		
Alkalinity, Hydroxide	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0		
Chloride	mg/L	4.33			6.12			4.30		4.44				4.53	4.32	6.21	4.39	4.30	4.35	4.34	4.23	4.35	4.59	4.36	6.19	4.76	4.76	4.62	4.34	4.27	4.91	4.89	4.93	4.46	4.50	4.75	4.78	4.77	6.43	
Fluoride	mg/L	0.347			<0.5			0.353		0.337				0.337	0.362	<0.500	0.358	0.354	0.335	0.390	0.359	0.355	0.349	0.335	<0.500	0.348	0.366	0.356	0.342	0.311	0.338	0.35	0.284	0.349	0.268	0.332	0.334	0.340	0.320	
Sulfate as SO4	mg/L	90.1			108			83.8		117				156	97.4	74.0	101	106	97.2	147	89.9	91.4	131	112	92.1	104	110	79.6	87.9	102	110	98.5	122	96.4	114	103	114	122	174	
Total Organic Carbon (TOC)	mg/L	2.54			3.3			2.80		3.18				3.84	5.82	2.84	3.33	3.37	3.5	3.94	3.35	3.31	3.70	3.53	3.14	3.29	3.37	3.32	3.17	3.26	3.27	3.23	3.23	3.04	3.46	3.45	1.82	3.36	4.62	
Nitrate/Nitrite as N	mg/L	<0.020			<0.020			<0.020		<0.200				<0.020	<0.400	<0.400	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050			<0.050			<0.050		<0.050				<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.250	<0.050	<0.150	<0.050	<0.250	<0.050	<0.250	<0.250	<0.050	<0.050	<0.050	<0.250	<0.250	<0.250	<0.100	
Arsenic	mg/L	<0.0005			<0.0005			<0.0005		<0.0005				0.0009	<0.0005	<0.0005	<0.0005	0.0005	0.0005	0.0005	<0.0005	0.0005	0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0010	0.0008	<0.0025	0.0005	<0.0005	<0.0025	<0.0005	0.0006	<0.0005	<0.0025	<0.0025	0.0013	
Cadmium	mg/L	<0.0001			<0.0001			<0.0001		<0.0001				<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0010	
Copper	mg/L	0.0035			0.003			0.0021		0.0041				0.0020	0.0020	0.0030	0.0027	0.0035	0.003	0.0022	0.0025	0.0042	0.0015	0.0019	0.0012	0.0017	0.0017	0.0021	0.0007	<0.0025	0.0039	0.0038	0.0059	0.0053	0.0067	0.0069	0.0067			

GCC Energy Hydrologic Monitoring Data

MW-1-MI																																			
Year		2017						2018								2019				2020				2021				2022				2023			
Quarter		Q2	Q3			Q4			Q1			Q2		Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2				
Month		6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	6	9	12	3	6
Sample Date		6/7	7/18	8/23	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	11/17	3/17	6/14	9/12	12/4	3/18	6/14
Lab Analysis (Y/N)		Y	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																																			
Purge Flow Rate	gpm	NM	NM*	NM	NM	dry	dry	dry	dry	dry	dry	dry	dry	***	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry		
Total Purged	gal	19.5	NM*	<0.5	NM																														
Depth to Water	ft bgs	259.99	NM*	258.29	258.34																														
Temperature	deg C	15.8	NM*	11.8	21.7																														
pH	SU	8	NM*	7.94	7.86																														
Specific Conductance	µS/cm	2032	NM*	2137	2119																														
Oxygen Reduction Potential	mV	160.5	NM*	65.7	61.4																														
Lab Analytical Results:																																			
Hardness as CaCO3	mg/L	231																																	
pH (Lab)	SU	8.14																																	
Total Dissolved Solids (Lab)	mg/L	1520																																	
Calcium	mg/L	46.7																																	
Magnesium	mg/L	27.9																																	
Sodium	mg/L	470																																	
Potassium	mg/L	2.55																																	
Alkalinity, Total	mg/L	600																																	
Alkalinity, Bicarbonate	mg/L	600																																	
Alkalinity, Carbonate	mg/L	<10.0																																	
Alkalinity, Hydroxide	mg/L	<10.0																																	
Chloride	mg/L	7.69																																	
Fluoride	mg/L	1.14																																	
Sulfate as SO4	mg/L	739																																	
Total Organic Carbon (TOC)	mg/L	5.14																																	
Nitrate/Nitrite as N	mg/L	0.103																																	
Aluminum	mg/L	<0.050																																	
Arsenic	mg/L	0.0029																																	
Cadmium	mg/L	<0.0001																																	
Copper	mg/L	0.0067																																	
Iron	mg/L	<0.050																																	
Lead	mg/L	0.0010																																	
Manganese	mg/L	0.0445																																	
Mercury (dissolved)	mg/L	<0.0002																																	
Mercury (dissolved low-level)	ng/L																																		
Molybdenum	mg/L	0.0796																																	
Selenium	mg/L	0.0028																																	
Silica (SiO2)	mg/L	11.6																																	
Silicon	mg/L	5.44																																	
Uranium	mg/L	0.0505																																	
Zinc	mg/L	1.52																																	

Notes & Definitions:

- *** La Plata County stage 3 fire restrictions prevented sampling activity

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

ng/L nanogram per liter
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-2-A																																
Year	2017							2018							2019				2020				2021				2022				2023	
Quarter	Q1	Q2	Q3		Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	6	9	12	3	6
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	3/23	6/14	9/8	12/4	3/31	6/14
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																																
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
Total Purged	gal																															
Depth to Water	ft bgs																															
Temperature	deg C																															
pH	SU																															
Specific Conductance	µS/cm																															
Oxygen Reduction Potential	mV																															
Lab Analytical Results:																																
Hardness as CaCO3	mg/L																															
pH (Lab)	SU																															
Total Dissolved Solids (Lab)	mg/L																															
Calcium	mg/L																															
Magnesium	mg/L																															
Sodium	mg/L																															
Potassium	mg/L																															
Alkalinity, Total	mg/L																															
Alkalinity, Bicarbonate	mg/L																															
Alkalinity, Carbonate	mg/L																															
Alkalinity, Hydroxide	mg/L																															
Chloride	mg/L																															
Fluoride	mg/L																															
Sulfate as SO4	mg/L																															
Total Organic Carbon (TOC)	mg/L																															
Nitrate/Nitrite as N	mg/L																															
Aluminum	mg/L																															
Arsenic	mg/L																															
Cadmium	mg/L																															
Copper	mg/L																															
Iron	mg/L																															
Lead	mg/L																															
Manganese	mg/L																															
Mercury (dissolved)	mg/L																															
Mercury (dissolved low-level)	ng/L																															
Molybdenum	mg/L																															
Selenium	mg/L																															
Silica (SiO2)	mg/L																															
Silicon	mg/L																															
Uranium	mg/L																															
Zinc	mg/L																															

Notes & Definitions:		
Y/N	yes or no	1. " $<$ " values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
µS/cm	microsiemens per centimeter	
mV	millivolts	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	
ng/L	nanogram per liter	

GCC Energy Hydrologic Monitoring Data

[illegible]

Notes & Definitions:

Y/N	yes or no	1. "<i><</i>" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	
ng/L	nanogram per liter	

1. "*<*" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO₃.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-A																										
Year	2018	2019										2020				2021				2022				2023		
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2	5	8	11	3	5	
Sample Date	12/28	1/31	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	11/9	2/15	5/10	8/31	11/25	3/13	5/18	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	
Field Parameters:																										
Purge Flow Rate	gpm	NM	NM	0.10	2.00	0.03	0.03	0.03	0.06	0.03	0.02	0.01	0.05	0.13	0.05	0.05	0.05	0.02	0.13	0.02	0.05	0.10	dry	dry	dry	dry
Total Purged	gal	36.3	0.5	0.5	2.0	2.0	1.3	1.0	1.3	1.1	1.3	1.5	1.1	1.0	1.3	1.0	1.0	1.0	1.0	1.0	1.0					
Depth to Water	ft bgs	304.33	306.41	307.40	309.60	311.05	312.50	314.20	315.75	316.43	NM	318.70	315.46	319.63	319.64	319.65	319.66	319.66	319.64	319.66	320.30	320.68				
Temperature	deg C	7.4	10.7	8.1	7.5	9.6	7.3	12.5	12.3	11.9	10.4	10.4	7.8	9.8	19.5	8.0	9.7	12.6	19.4	10.7	11.5	17.3				
pH	SU	7.32	6.64	6.66	6.74	6.65	6.73	6.76	6.75	6.76	6.80	6.79	6.89	6.95	6.97	7.10	7.03	7.10	7.11	7.11	7.02	7.05				
Specific Conductance	µS/cm	6573	6053	6072	6107	6012	6057	5725	5598	5562	5451	5108	5043	4779	4339	4656	4051	3198	4238	4465	4486	4477				
Oxygen Reduction Potential	mV	-22.8	19.4	24.6	12.6	11.8	34.8	86.6	25.8	6.5	29.2	20.5	36.7	51.7	62.3	55.2	73.5	83.5	5.2	26.5	-56.1	2.4				
Lab Analytical Results:																										
Hardness as CaCO3	mg/L	4360		4190			3920			3540		3070	3200	2780	2690	2710	2660	2550	2740	2510	2440	2490				
pH (Lab)	SU	7.10		6.85			6.77			6.85		6.87	6.9	6.93	6.66	7.04	7.20	6.93	7.1	6.98	7.19	7.26				
Total Dissolved Solids (Lab)	mg/L	6520		6520			120*			6080		5210	4980	4670	4490	4570	4480	4390	4440	4310	4440	4450				
Calcium	mg/L	615		559			553			492		431	467	400	398	406	398	378	415	370	359	365				
Magnesium	mg/L	687		678			617			560		484	495	431	411	413	404	390	413	385	374	383				
Sodium	mg/L	294		283			296			304		276	296	274	261	273	272	266	263	254	257	268				
Potassium	mg/L	15.0		14.4			12.4			12.8		11.1	<20.0	10.6	10.3	10.5	11.1	10.7	11	10.4	10.7	10.6				
Alkalinity, Total	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295	285	270				
Alkalinity, Bicarbonate	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295	285	270				
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0				
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0				
Chloride	mg/L	97.4		28.6			27.3			29.9		29.6	28.4	29.0	26.0	26.6	24.9	25.8	26	26.6	26.2	26.1				
Fluoride	mg/L	2.83		<0.500			<0.500			<0.500		<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500				
Sulfate as SO4	mg/L	205		4300			4280			4260		3460	3080	3020	3160	2890	2620	2740	2780	2790	2870	2820				
Total Organic Carbon (TOC)	mg/L	3.45		3.08			2.91			3.57		3.10	3.16	3.39	3.31	3.26	1.71	3.82	3.33	3.25	3.26	3.14				
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020		<0.020	0.049	0.154	0.117	0.093	0.039	0.156	0.118	0.096	0.131	0.103				
Ammonia as N ^	mg/L	NA		NA			NA			NA		2.72	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA		<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Aluminum	mg/L	<0.500		<0.250			<0.250			<0.250		<0.250	<1.00	<0.500	<0.250	<0.500	<0.250	<0.250	<0.250	<0.250	<0.250	<0.250				
Arsenic	mg/L	<0.0025		<0.0025			0.0009			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025				
Cadmium	mg/L	<0.0005		<0.0005			0.0001			<0.0005		<0.0005	<0.0005	<0.0010	<0.0005	<0.0010	<0.0005	<0.0005	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025			
Copper	mg/L	0.0116		0.0081			0.0035			0.0039		0.0017	0.0028	<0.0050	<0.0025	<0.0050	<0.0025	0.0068	0.0082	0.0063	0.0065	0.0093				
Iron	mg/L	1.37		3.75			3.93			3.22		2.72	1.95	1.38	1.10	1.24	1.17	0.890	1.48	1.15	1.41	1.37				
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025				
Manganese	mg/L	0.788		0.802			0.724			0.690		0.585	0.551	0.526	0.520	0.454	0.437	0.397	0.407	0.391	0.420	0.431				
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002				
Mercury (dissolved low-level)	ng/L																					<5.00				
Molybdenum	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025				
Selenium	mg/L	<0.0050		<0.0050			0.0028			<0.0050		<0.0050	<0.005	<0.0100	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	<0.0100	<0.0040	<0.0050				
Silica (SiO2)	mg/L	12.3		11.9			14.3			13.4		12.5	<21.4	11.0	11.4	12.3	11.9	13.2	14.3	13.6	12.7	12.3				
Silicon	mg/L	5.77		5.57			6.69			6.28		5.83	<10.00	5.17	5.35	5.76	5.58	6.17	6.67	6.36	5.96	5.73				
Uranium	mg/L	<0.0005		<0.0005			<0.0001			<0.0005		<0.0005	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025				
Zinc	mg/L	0.0689		<0.0100			0.0082			0.0108		0.0117	0.0107	<0.0200	0.0159	<0.0200	<0.0100	<0.0100	<0.0100	<0.0100	<0.0080	<0.0100				

Notes & Definitions:

- * Anomalous value under review

^ one-time analysis

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

ng/L nanogram per liter

1. "*<*" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-MI																											
Year	2018	2019											2020				2021				2022				2023		
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2		
Month	12	1	2	3	4	5	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2	5	8	11	3	5	
Sample Date	12/29	1/31	2/25	3/21	4/19	5/20	5/30	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/24	2/9	5/17	8/9	11/9	2/15	5/10	8/1	11/25	3/13	5/31	
Lab Analysis (Y/N)	Y	N	Y	N	N	N [#]	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																											
Purge Flow Rate	gpm	NM	NM	NM	0.5	0.1	0.015	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
Total Purged	gal	11.3	0.5	1.5	0.5	1.0	0.9																				
Depth to Water	ft bgs	374.49	368.09	367.92	370.49	369.50	371.00																				
Temperature	deg C	14.3	13.6	10.8	9.7	16.7	3.9																				
pH	SU	8.26	7.43	7.21	7.55	7.97	7.84																				
Specific Conductance	µS/cm	3390	3620	3132	2619	2202	2527																				
Oxygen Reduction Potential	mV	103.0	-80.2	77.6	59.8	38.3	64.9																				
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	679		147																							
pH (Lab)	SU	8.18		8.35																							
Total Dissolved Solids (Lab)	mg/L	2480		1880																							
Calcium	mg/L	104		23.4																							
Magnesium	mg/L	102		21.6																							
Sodium	mg/L	646		565																							
Potassium	mg/L	12.0		5.30																							
Alkalinity, Total	mg/L	395		615																							
Alkalinity, Bicarbonate	mg/L	345		615																							
Alkalinity, Carbonate	mg/L	50.0		<10.0																							
Alkalinity, Hydroxide	mg/L	<10.0		<10.0																							
Chloride	mg/L	175		178																							
Fluoride	mg/L	2.06		2.46																							
Sulfate as SO4	mg/L	1210		585																							
Total Organic Carbon (TOC)	mg/L	3.63		4.55																							
Nitrate/Nitrite as N	mg/L	0.023		<0.020																							
Aluminum	mg/L	<0.100		<0.100																							
Arsenic	mg/L	0.0084		0.0144																							
Cadmium	mg/L	<0.0001		<0.0002																							
Copper	mg/L	0.0113		0.0112																							
Iron	mg/L	<0.100		<0.100																							
Lead	mg/L	<0.0005		<0.0010																							
Manganese	mg/L	0.0500		0.0224																							
Mercury (dissolved)	mg/L	<0.0002		<0.0002																							
Mercury (dissolved low-level)	ng/L																										
Molybdenum	mg/L	0.0558		0.0690																							
Selenium	mg/L	0.0098		0.0127																							
Silica (SiO2)	mg/L	9.93		9.05																							
Silicon	mg/L	4.64		4.23																							
Uranium	mg/L	0.0200		0.0118																							
Zinc	mg/L	0.0092		0.0143																							

Notes & Definitions:

- #

No sample collected, due to low yield, insufficient volume for lab sample after field parameters we measured
- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- pCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)
- ng/L

nanogram per liter
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-C																									
Year	2018	2019										2020				2021				2022				2023	
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2	5	8	11	3	5
Sample Date	12/24	1/30	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/12	8/11	11/24	2/9	5/17	8/9	11/9	2/15	5/10	8/1	11/25	3/13	5/18
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																									
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
Total Purged	gal																								
Depth to Water	ft bgs																								
Temperature	deg C																								
pH	SU																								
Specific Conductance	µS/cm																								
Oxygen Reduction Potential	mV																								
Lab Analytical Results:																									
Hardness as CaCO3	mg/L																								
pH (Lab)	SU																								
Total Dissolved Solids (Lab)	mg/L																								
Calcium	mg/L																								
Magnesium	mg/L																								
Sodium	mg/L																								
Potassium	mg/L																								
Alkalinity, Total	mg/L																								
Alkalinity, Bicarbonate	mg/L																								
Alkalinity, Carbonate	mg/L																								
Alkalinity, Hydroxide	mg/L																								
Chloride	mg/L																								
Fluoride	mg/L																								
Sulfate as SO4	mg/L																								
Total Organic Carbon (TOC)	mg/L																								
Nitrate/Nitrite as N	mg/L																								
Aluminum	mg/L																								
Arsenic	mg/L																								
Cadmium	mg/L																								
Copper	mg/L																								
Iron	mg/L																								
Lead	mg/L																								
Manganese	mg/L																								
Mercury (dissolved)	mg/L																								
Mercury (dissolved low-level)	ng/L																								
Molybdenum	mg/L																								
Selenium	mg/L																								
Silica (SiO2)	mg/L																								
Silicon	mg/L																								
Uranium	mg/L																								
Zinc	mg/L																								

Notes & Definitions:

Y/N	yes or no
gpm	gallons per minute
deg C	degrees Celsius
SU	standard pH units
µS/cm	microsiemens per centimeter
mV	millivolts
mg/L	milligram per liter
pCi/L	picocuries per liter
NM	not measured (field)
NA	not analyzed (lab)
ng/L	nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO₃.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-LM																											
Year	2018	2019											2020				2021				2022				2023		
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	2	5	8	11	3	5	
Sample Date	12/30	1/31	2/25	3/21	4/23	5/20	6/19	7/23	8/15	9/24	10/28	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	11/9	2/15	5/10	8/31	11/25	3/13	5/31	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																											
Purge Flow Rate	gpm	NM	NM	0.06	2.00	0.03	0.03	0.10	0.06	0.03	0.02	0.01	0.03	0.01	0.13	0.01	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.20	0.06	0.03	
Total Purged	gal	0.5	0.5	1.5	2.0	2.0	2.3	1.3	1.3	1.8	2.0	1.5	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.5	1.0	1.2	1.0	1.5	
Depth to Water	ft bgs	535.72	538.73	539.34	540.64	539.98	537.58	540.00	540.35	540.24	540.17	539.80	540.18	539.70	539.45	539.98	540.30	539.78	540.20	541.25	541.34	541.00	541.30	542.20	541.30	541.37	541.50
Temperature	deg C	7.9	14.3	7.8	8.1	9.1	9.3	11.7	14.0	13.4	11.6	10.1	12.4	10.5	11.3	14.8	11.4	10.2	11.6	14.4	11.1	11.0	11.8	13.1	10.4	8.7	14.4
pH	SU	7.64	7.38	7.51	7.54	7.49	7.54	7.67	7.80	7.65	7.43	7.45	7.37	7.39	7.54	7.44	7.47	7.44	7.54	7.52	7.49	7.46	7.56	7.64	7.70	7.77	7.58
Specific Conductance	µS/cm	6011	3784	3503	1461	1164	1296	1400	1272	1532	2104	2267	2113	2283	2287	2442	2495	2136	1629	2531	2478	2362	2297	2053	1889	1599	1321
Oxygen Reduction Potential	mV	185.3	10.7	40.9	-32.8	-35.8	-111.0	-194.5	-163.6	-67.2	6.4	-48.0	19.9	-128.9	-222.9	32.1	21.8	3.5	-188.8	-2.6	-36.6	-135.8	-112.6	-181.6	-132.5	-80.3	-41.7
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	2260		1270			431			621			843	1060	965	1130	1160	1120	1010	1280	1130	1030	954	971	870	687	456
pH (Lab)	SU	7.60		7.52			7.47			7.59			7.32	7.43	7.18	6.95	7.45	7.49	7.45	7.37	7.57	7.54	7.60	7.90	7.60	7.75	7.58
Total Dissolved Solids (Lab)	mg/L	5100		2840			875			1150			1630	1840	1840	2040	2020	1990	1830	2290	2050	1990	1840	1870	1620	1290	940
Calcium	mg/L	367		216			75.9			103			136	173	150	179	184	176	154	201	174	159	145	152	133	109	76.8
Magnesium	mg/L	325		177			58.7			88.3			122	153	143	165	171	166	152	189	170	154	144	143	131	101	64.2
Sodium	mg/L	459		248			129			153			172	203	188	194	194	188	169	177	166	162	158	163	150	139	125
Potassium	mg/L	173		64.5			14.0			13.7			11.3	11	7.82	7.20	6.04	5.96	5.22	5.69	4.99	5.22	<5.00	4.84	4.34	4.04	3.14
Alkalinity, Total	mg/L	205		315			371			381			355	320	353	335	329	336	346	330	380	365	365	337	310	368	470
Alkalinity, Bicarbonate	mg/L	205		315			371			381			355	320	353	335	329	336	346	330	380	365	365	337	310	368	470
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	256		43.7			5.73			8.70			11.4	11	11.7	12.2	12.4	11	10.5	12.6	11.1	10.5	10.9	10.7	9.29	6.75	5.09
Fluoride	mg/L	0.530		<0.500			0.324			<0.500			<0.500	0.352	<0.500	0.346	0.356	0.318	0.340	0.418	0.306	0.328	<0.500	0.310	0.322	0.328	0.254
Sulfate as SO4	mg/L	3050		1790			338			492			830	951	904	1260	1170	1020	978	1300	1100	555	931	1010	848	563	366
Total Organic Carbon (TOC)	mg/L	3.46		2.61			1.57			1.78			1.85	1.76	1.84	1.87	1.93	3.17	1.81	1.91	1.94	1.83	1.74	2.08	1.29	2.13	<2.5
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.022
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150	<0.100	<0.100	<0.250	<0.250	<0.100	<0.100	<0.100	<0.100
Arsenic	mg/L	0.0039		0.0049			0.0036			0.0038			0.0035	0.0044	0.0034	0.0038	0.0036	0.0038	0.0038	0.0039	0.0038	0.0042	0.0034	0.0034	0.0043	0.0054	0.0030
Cadmium	mg/L	<0.0005		<0.0005			<0.0001			<0.0001			<0.0002	<0.0002	<0.0005	<0.0003	<0.0005	<0.0005	<0.0015	<0.0010	<0.0010	<0.0010	<0.0025	<0.001	<0.0010	<0.0025	<0.0010
Copper	mg/L	0.0135		0.0064			0.0017			0.0018			0.0069	0.0014	<0.0025	<0.0015	<0.0025	<0.0025	0.0042	0.0046	0.0040	0.0044	0.0038	0.0054	0.0030	0.0100	0.0016
Iron	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150	<0.100	<0.100	<0.250	<0.250	<0.100	<0.100	0.152	<0.1
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0005			<0.0010	<0.001	<0.0025	<0.0015	<0.0025	<0.0025	<0.0015	<0.0010	<0.0010	<0.0010	<0.0025	<0.001	<0.0010	<0.0025	<0.001
Manganese	mg/L	0.383		0.223			0.0692			0.148			0.166	0.184	0.171	0.267	0.292	0.253	0.203	0.257	0.263	0.339	0.249	0.174	0.220	0.221	0.0961
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002					
Mercury (dissolved low-level)	ng/L																						<5.00	<100	<100	<100	<100
Molybdenum	mg/L	0.0490		0.0169			0.0037			0.0025			0.0022	0.002	<0.0025	0.0023	<0.0025	<0.0025	<0.0015	0.0016	0.0013	0.0013	<0.0025	0.0014	0.0011	<0.0025	<0.0010
Selenium	mg/L	0.0080		<0.0050			<0.0010			<0.0010			<0.0020	<0.002	<0.0050	<0.0030	<0.0050	0.0151	<0.0030	<0.0020	<0.0040	<0.0020	<0.0050	0.0028	0.0026	0.0060	0.0028
Silica (SiO2)	mg/L	10.5		13.5			17.0			17.4			15.9	17.1	15.1	14.7	16.0	15.6	16.4	16.8	16.6	16.0	15.5	17.3	16.7	16.8	17.4
Silicon	mg/L	4.91		6.29			7.96			8.12			7.43	7.97	7.07	6.88	7.47	7.3	7.68	7.85	7.75	7.49	7.24	8.07	7.80	7.84	8.12
Uranium	mg/L	0.0230		0.0075			0.0039			0.0054			0.0047	0.0055	0.0043	0.0046	0.0042	0.0039	0.0030	0.0037	0.0032	0.0028	0.0025	0.0026	0.0025	<0.0025	0.0011
Zinc	mg/L	0.0323		<0.0100			<0.0020			<0.0040			<0.0040	<0.004	<0.0100	0.0069	<0.0100	<0.0100	<0.0060	<0.0040	<0.0040	<0.0040	<0.0100	<0.0040	<0.0040	<0.0100	<0.0040

Notes & Definitions:

- ^

one-time analysis
- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- pCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)
- ng/L

nanogram per liter

1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-7-EAA																											
Year	2018	2019											2020				2021				2022				2023		
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	11	3	6	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	11/28	3/18	6/14	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																											
Purge Flow Rate	gpm	1.10	1.10	1.00	3.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.25	0.13	0.25	0.25	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.20	0.11	
Total Purged	gal	15.0	18.0	15.0	3.0	15.0	16.0	15.3	15.3	17.0	15.0	15.0	36.5	15.0	16.0	17.0	15.0	17.0	17.0	18.0	18.0	17.0	17.0	0.5	0.4	0.4	
Depth to Water	ft bgs	36.13	36.27	36.45	36.52	36.70	36.25	36.22	36.48	36.49	36.88	36.85	36.72	35.40	36.35	37.10	36.20	35.33	36.91	35.92	35.90	35.70	36.71	36.40	35.85	29.10	
Temperature	deg C	10.0	10.0	10.0	9.9	10.1	10.4	10.4	10.6	10.5	10.3	10.4	10.4	12.1	10.3	10.3	10.1	10.5	10.9	10.6	10.5	10.7	10.8	11.1	13.1	11.7	
pH	SU	6.99	7.01	7.04	6.93	7.00	7.06	7.07	6.28	6.95	7.06	6.91	6.91	7.17	7.09	7.12	7.14	7.19	7.24	7.23	7.12	7.15	7.14	6.28	7.28	7.16	
Specific Conductance	µS/cm	2001	1910	1910	1926	1912	1767	1836	1885	1890	1913	1936	1922	1993	1890	1772	1672	1805	1814	1878	1882	1896	1880	1808	1754	1785	
Oxygen Reduction Potential	mV	-68.0	-36.7	-41.4	-38.1	-48.8	14.1	-13.8	-33.9	-37.8	-29.5	-25.6	-21.3	0.9	-49.2	17.6	-8.6	2.2	-55.8	-41.9	-20.4	-133.6	-73.8	-196.7	-86.9	-10.9	-32.4
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	936		1030			982			997			1020	963	1020	1080	939	1090	958	986	957	1040	958	916	962	1020	952
pH (Lab)	SU	7.2		7.37			7.17			7.09			6.99	6.92	6.89	7.23	7.06	6.99	6.92	7.03	7.01	7.11	7.12	7.24	7.18	6.95	6.95
Total Dissolved Solids (Lab)	mg/L	1460		1480			1490						1530	1520	1430	1480	1450	1590	1460	1510	1580	1500	1500	1490	1420	1500	1400
Calcium	mg/L	170		179			171			173			162	165	175	183	157	186	167	167	164	173	166	154	165	174	161
Magnesium	mg/L	124		142			135			137			144	134	142	150	133	152	131	138	133	149	132	129	134	143	134
Sodium	mg/L	75.3		81.3			75.0			75.2			74.9	73.7	76.0	80.9	73.4	81.4	75	74.6	72.0	77.8	71.9	71.6	72.3	76.3	75.6
Potassium	mg/L	3.87		3.9			<5.00			3.74			3.74	3.82	<5.00	<5.00	<5.00	4.25	<5.00	<5.00	3.69	3.88	3.59	3.71	3.66	<5.00	3.63
Alkalinity, Total	mg/L	380		367			405			392			350	357	355	268	430	420	395	340	440	425	425	400	310	378	410
Alkalinity, Bicarbonate	mg/L	380		367			405			392			425	357	355	268	430	420	395	340	440	425	425	400	310	378	410
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	11.9		10.7			10.8			10.9			11.6	10.3	10.7	10.2	10.1	10.4	10.1	10.5	10.3	10.1	10.3	11.2	11.0	11.1	10.8
Fluoride	mg/L	<0.500		0.332			0.322			0.322			<0.500	0.354	0.330	0.322	0.322	0.300	0.304	0.312	0.260	0.292	<0.200	0.310	0.306	0.340	0.262
Sulfate as SO4	mg/L	732		736			733			844			746	774	803	767	742	757	746	796	751	755	743	759	761	827	709
Total Organic Carbon (TOC)	mg/L	3.72		3.57			3.73			3.70			3.45	3.42	3.63	4.01	3.39	3.00	3.42	3.63	3.38	3.50	3.42	3.38	2.12	3.68	3.31
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.178	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.250	<0.250	<0.100	<0.050	<0.050	<0.100	<0.100	<0.250	<0.250
Arsenic	mg/L	0.0014		0.0015			0.0013			0.0016			0.0013	0.0013	0.0011	<0.0015	<0.0025	0.0016	<0.0025	<0.0025	0.0011	0.0009	0.0014	<0.0025	0.0013	<0.0025	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0002	<0.0002	<0.0002	<0.0003	<0.0005	<0.0001	<0.0025	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010	<0.0025	<0.0025
Copper	mg/L	0.0003		0.0018			0.0011			0.0008			0.0006	<0.0010	<0.0010	<0.0015	<0.0025	0.0007	<0.0025	<0.0025	0.0018	0.0021	0.0036	<0.0025	0.0030	<0.0025	0.0028
Iron	mg/L	1.82		1.95			1.81			2.12			2.00	1.84	1.71	2.16	2.15	2.08	1.92	1.75	1.63	2.05	1.69	1.75	1.57	1.99	0.265
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.001	<0.0010	<0.0015	<0.0025	<0.0005	<0.0025	<0.0025	<0.0010	<0.0025	<0.0005	<0.0025	<0.0025	<0.0025	<0.0025
Manganese	mg/L	3.72		4.49			4.01			4.22			4.76	4.86	3.63	4.49	4.42	5.22	4.21	4.39	4.66	4.48	4.58	4.61	4.75	4.69	4.22
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002					
Mercury (dissolved low-level)	ng/L																						<5.00	<100	<100	<100	<100
Molybdenum	mg/L	0.0008		0.0011			0.0007			0.0009			<0.0010	0.001	<0.0010	<0.0015	<0.0025	0.0006	<0.0025	<0.0025	<0.0010	0.0007	0.0007	<0.0025	<0.0010	<0.0025	<0.0025
Selenium	mg/L	<0.0020		<0.0020			<0.0010			0.0011			<0.0020	<0.002	<0.0020	<0.0030	<0.0050	<0.0010	<0.0050	<0.0050	<0.0020	<0.0010	0.0012	<0.0050	<0.0020	<0.0050	<0.0050
Silica (SiO2)	mg/L	16.6		16.1			16.1			16.9			16.8	16.4	15.8	16.9	14.9	17.7	17.1	16.7	17.2	18.3	16.8	16.1	16.9	17.5	17.0
Silicon	mg/L	7.75		7.52			7.55			7.90			7.83	7.67	7.37	7.91	6.96	8.28	7.97	7.81	8.03	8.57	7.86	7.54	7.92	8.16	7.95
Uranium	mg/L	0.0021		0.0018			0.0017			0.0018			0.0020	0.0019	0.0016	0.0018	<0.0025	0.0018	<0.0025	<0.0025	0.0015	<0.0025	0.0018	<0.0025	0.0016	<0.0025	0.0018
Zinc	mg/L	<0.0050		<0.0040			0.0021			0.0020			<0.0040	<0.004	<0.0040	<0.0060	<0.0100	0.0022	<0.0100	<0.0100	<0.0040	<0.0020	0.0041	<0.0100	<0.0040	<0.0100	<0.0100

Notes & Definitions:

- ^

one-time analysis
- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- pCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)
- ng/L

nanogram per liter

1. "*<*" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-EAA																											
Year	2018	2019										2020				2021				2022				2023			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	11	3	6	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	11/28	3/18	6/14	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																											
Purge Flow Rate	gpm	0.85	1.10	0.50	3.00	0.50	0.75	1.00	1.00	0.75	0.50	1.00	0.25	1.00	0.25	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.33	0.11	
Total Purged	gal	18.0	14.0	15.0	3.0	15.0	17.0	15.3	15.3	18.0	15.3	15.5	15.0	15.2	15.0	16.0	15.0	15.0	14.0	15.0	15.0	16.0	0.5	0.5	0.4		
Depth to Water	ft bgs	40.00	39.95	40.10	43.45	40.44	40.05	39.94	40.10	40.08	40.25	40.31	40.22	40.40	40.45	34.50	40.83	41.22	41.00	40.98	48.04	40.95	41.00	41.30	41.30	41.50	37.19
Temperature	deg C	10.3	10.2	10.0	9.9	10.3	10.5	10.6	10.5	10.6	10.3	10.2	11.2	10.5	11.0	11.1	11.0	10.9	11.0	11.2	10.7	10.7	10.8	10.7	9.7	11.0	11.6
pH	SU	7.12	7.09	7.13	7.17	7.09	7.02	7.17	7.09	7.05	7.03	6.99	6.99	6.99	7.14	7.19	7.19	7.20	7.27	7.31	7.30	7.18	7.23	7.23	6.59	7.20	7.27
Specific Conductance	µS/cm	1781	1696	1720	1725	1729	1628	1676	1699	172	1739	1774	1739	1758	1760	1675	1716	1570	1642	1671	1746	1750	1763	1763	1793	1665	1766
Oxygen Reduction Potential	mV	-65.0	-52.8	-51.8	-53.0	-59.7	11.0	-29.5	-46.6	-44.8	-33.5	-38.8	-39.2	-18.2	-72.4	1.4	-14.7	-20.2	-63.3	-57.4	-37.2	-156.9	-111.7	-230.9	-23.9	182.6	-81.5
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	870		861			864			883			867	861	907	937	810	914	838	859	859	937	867	831	871	940	932
pH (Lab)	SU	7.28		7.36			7.13			7.05			7.01	7.11	6.96	7.18	7.1	7.03	6.97	7.06	6.81	7.19	7.16	7.27	7.25	7.05	7.03
Total Dissolved Solids (Lab)	mg/L	1220		1290			1240			1280			1380	1290	1260	1280	1310	1400	1320	1320	1340	1380	1330	1360	1300	1320	1350
Calcium	mg/L	152		151			148			154			143	149	153	160	134	156	146	146	149	158	150	143	149	163	159
Magnesium	mg/L	119		118			120			121			124	119	127	130	115	127	115	120	118	131	119	115	121	130	130
Sodium	mg/L	81.7		82.6			77.2			78.6			77.1	77.2	77.7	82.9	74.3	80.9	76.1	75.8	74.9	81.2	75.0	75.0	75.3	80.5	79.8
Potassium	mg/L	3.80		3.27			3.55			3.18			3.52	3.8	<5.00	<5.00	<5.00	3.63	3.49	<5.00	3.36	3.65	3.35	3.45	3.42	<5.00	3.73
Alkalinity, Total	mg/L	400		435			450			431			445	404	385	288	480	450	445	385	490	460	465	480	430	417	448
Alkalinity, Bicarbonate	mg/L	400		435			450			431			445	404	385	288	480	450	445	385	490	460	465	480	430	417	448
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	9.83		10.5			10.3			11.1			11.0	10.2	10.3	10.1	11.3	10.4	10.2	10.3	10.5	10.5	10.6	11.7	11.4	11.6	11.8
Fluoride	mg/L	0.380		0.370			0.338			0.342			<0.500	0.33	0.346	0.336	0.334	0.292	0.306	0.35	0.272	0.304	0.204	0.332	0.316	0.358	0.284
Sulfate as SO4	mg/L	533		559			606			643			577	602	625	605	582	609	595	615	599	608	597	627	619	686	675
Total Organic Carbon (TOC)	mg/L	3.77		3.59			3.77			3.68			3.52	3.49	3.56	3.82	3.54	3.04	3.65	3.71	3.48	3.49	3.56	3.64	1.82	3.63	3.25
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.493	<0.020	
Ammonia as N ^	mg/L	NA		NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.100		<0.100			<0.050			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.100	<0.250	<0.250
Arsenic	mg/L	0.0020		0.0018			0.0018			0.0021			0.0018	0.0017	0.0017	0.0018	<0.0025	0.0018	0.0018	<0.0025	0.0017	0.0015	0.0019	<0.0025	0.0020	0.0027	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010	<0.0025	<0.0025
Copper	mg/L	0.0004		0.0024			0.0023			0.0008			0.0010	0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	0.0017	0.0021	0.0031	<0.0025	0.0021	<0.0025	0.0084
Iron	mg/L	2.12		2.13			2.42			2.46			2.30	2.28	2.29	2.31	0.762	2.33	2.25	2.2	2.22	2.52	2.22	2.28	2.27	2.43	2.43
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.001	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Manganese	mg/L	3.17		3.52			3.06			3.37			3.39	3.7	3.36	3.54	3.81	3.55	3.5	3.6	3.66	3.77	3.70	3.77	3.87	3.98	3.85
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002						
Mercury (dissolved low-level)	ng/L																						<5.00	<100	<100	<100	<100
Molybdenum	mg/L	0.0009		0.0011			0.0008			0.0011			0.0008	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	0.0009	0.0009	<0.0025	<0.0010	<0.0025	<0.0025
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0013			<0.0010	<0.0020	<0.0020	<0.0030	<0.0050	0.0046	<0.0030	<0.0050	0.0035	<0.0010	0.0015	<0.0050	<0.0020	<0.0050	<0.0050
Silica (SiO2)	mg/L	16.3		15.3			15.7			16.1			15.9	15.7	15.0	16.1	14.2	16.0	16.5	15.5	16.4	17.3	16.0	15.4	16.2	16.9	16.6
Silicon	mg/L	7.63		7.15			7.32			7.52			7.42	7.32	7.02	7.53	6.63	7.48	7.72	7.24	7.68	8.10	7.47	7.18	7.60	7.89	7.75
Uranium	mg/L	0.0021		0.0017			0.0016			0.0018			0.0019	0.0019	0.0017	0.0017	<0.0025	0.0016	0.0016	<0.0025	0.0015	<0.0025	<0.0025	<0.0025	0.0016	<0.0025	0.0017
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	<0.0020	0.0021	<0.0100	<0.0040	<0.0100	0.0063

Notes & Definitions:

- ^

one-time analysis
- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- pCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)
- ng/L

nanogram per liter

1. "*<*" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-MI																											
Year	2018	2019											2020				2021				2022				2023		
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	11	3	6	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	11/28	3/18	6/14	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																											
Purge Flow Rate	gpm	1.10	1.00	0.50	3.00	0.50	0.50	0.25	0.50	0.75	0.50	1.00	0.25	0.25	0.13	0.10	0.25	0.25	0.13	0.25	0.25	0.25	0.13	0.15	0.50	0.12	0.13
Total Purged	gal	27.5	18.0	1.0	3.0	1.5	2.5	2.5	2.3	3.0	2.0	2.5	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	0.8	0.5	0.5	0.6	0.6	
Depth to Water	ft bgs	45.75	43.48	43.50	44.30	44.47	44.10	44.24	44.45	44.59	44.90	45.12	45.10	45.20	45.42	45.84	46.24	46.38	46.54	47.27	46.84	47.69	48.00	48.00	48.25	47.75	44.65
Temperature	deg C	10.8	10.8	10.6	11.2	10.4	11.1	11.4	11.0	11.4	10.9	10.3	11.4	10.2	11.3	13.1	11.3	10.0	11.6	11.9	11.1	10.9	12.5	14.3	9.9	11.7	11.5
pH	SU	7.57	7.50	7.48	7.47	7.34	7.31	7.48	7.42	7.38	7.30	7.23	7.15	7.08	7.44	7.44	7.43	7.47	7.59	7.55	7.56	7.41	7.54	7.59	6.92	7.52	7.54
Specific Conductance	µS/cm	1786	1667	1651	1658	1643	1595	1639	1645	1658	1637	1689	1642	1651	1659	1598	1628	1468	1616	1554	1629	1596	1575	1505	1631	1632	1607
Oxygen Reduction Potential	mV	-84.4	-177.1	-122.1	-113.3	-87.2	-54.4	-97.1	-116.4	-119.4	-88.4	-82.0	-59.3	-136.6	-184.9	-107.0	-112.2	-72.0	-131.9	-123.1	-115.9	-195.3	-150.6	-262.2	-172.4	-79.7	-134.6
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	167		249			273			253			267	254	309	355	339	376	288	377	317	406	378	374	390	405	388
pH (Lab)	SU	7.73		7.54			7.24			7.46			7.44	7.53	7.25	7.34	7.27	7.33	7.36	7.31	7.06	7.36	7.38	7.70	7.45	7.30	7.36
Total Dissolved Solids (Lab)	mg/L	1050		1030			1100			1110			1050	1060	1040	1010	1040	1060	1040	1000	1100	1050	1040	1050	990	1050	995
Calcium	mg/L	34.0		48.5			52.4			49.7			51.3	48.7	58.5	65.9	62.6	69.7	54	70.3	59.8	75.5	71.2	69.2	72.3	76.0	72.1
Magnesium	mg/L	19.9		31.0			34.5			31.4			33.8	32.1	39.6	46.2	44.4	49.1	37.2	48.9	40.8	52.7	48.7	48.8	50.8	52.3	50.4
Sodium	mg/L	344		312			289			289			275	269	272	260	232	237	256	229	238	226	220	213	210	230	236
Potassium	mg/L	4.47		5.25			<5.00			4.55			5.07	4.71	5.00	5.56	5.22	5.88	5.05	5.69	5.14	5.98	5.47	5.59	5.63	5.44	6.18
Alkalinity, Total	mg/L	500		565			560			573			585	543	545	448	590	590	575	570	605	590	590	500	540	550	568
Alkalinity, Bicarbonate	mg/L	500		565			560			573			585	543	545	448	590	590	575	570	605	590	590	500	540	550	568
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	12.7		10.0			9.33			9.06			9.66	8.19	8.23	8.12	7.91	7.96	8.07	7.85	7.91	7.70	8.36	8.88	8.60	8.56	8.39
Fluoride	mg/L	<0.500		<0.200			<0.200			<0.200			<0.500	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.112
Sulfate as SO4	mg/L	347		353			343			366			317	314	316	335	319	326	314	324	312	325	322	352	351	335	327
Total Organic Carbon (TOC)	mg/L	2.73		2.83			2.81			2.74			2.65	2.6	2.94	2.87	2.76	2.6	2.74	2.97	2.66	2.77	2.77	2.96	1.66	2.75	2.62
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.31	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.100	<0.250	<0.250
Arsenic	mg/L	0.0008		<0.0010			0.0006			0.0005			0.0005	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005	0.0006	<0.0025	0.0010	<0.0025	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001	<0.0002	<0.0002	<0.0001			<0.0001	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010	<0.0025	<0.0025
Copper	mg/L	0.0031		0.0066			0.0036			0.0035			0.0037	0.0027	<0.0010	<0.0015	<0.0025	0.0015	0.0046	0.0047	0.0054	0.0055	0.0087	0.0038	0.0044	0.0025	0.0104
Iron	mg/L	0.137		0.162			<0.250			0.129			0.130	0.108	<0.250	<0.250	<0.250	<0.150	0.113	<0.250	0.168	0.113	0.090	<0.100	<0.100	<0.250	0.082
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.0495		0.0383			0.0327			0.0351			0.0377	0.0391	0.0393	0.0551	0.0546	0.0579	0.0412	0.0544	0.0443	0.0603	0.0553	0.0597	0.0693	0.0569	0.0560
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Mercury (dissolved low-level)	ng/L																						<5.00	<100	<100	<100	<100
Molybdenum	mg/L	0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010	<0.0025	<0.0025
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0010			<0.0010	<0.0020	0.0020	<0.0030	<0.0050	0.0425	0.0037	0.0072	0.0264	0.0016	0.0040	<0.0050	0.0183	0.0119	0.0049
Silica (SiO2)	mg/L	12.1		12.4			12.8			12.5			12.6	12.2	11.9	12.9	12.1	13.5	13.2	13.6	13.7	15.2	14.0	13.6	14.0	13.7	13.9
Silicon	mg/L	5.65		5.78			5.99			5.83			5.88	5.71	5.55	6.05	5.67	6.32	6.17	6.35	6.39	7.08	6.57	6.35	6.52	6.42	6.48
Uranium	mg/L	0.0002		0.0002			0.0002			0.0001			0.0001	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025	<0.0010	<0.0025	<0.0025
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	<0.0020	<0.0020	<0.0100	<0.0040	<0.0100	0.0047

Notes & Definitions:

- ^

one-time analysis
- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- pCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)
- ng/L

nanogram per liter

1. "

<

" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-LM																												
Year	2018	2019											2020				2021				2022				2023			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2		
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	11	3	6		
Sample Date	12/28	1/29	2/19	3/21	4/16	5/29	6/18	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	11/28	3/18	6/14		
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																												
Purge Flow Rate	gpm	NM	1.00	0.25	1.00	0.50	0.10	0.25	0.25	0.50	0.25	0.12	0.25	0.25	0.25	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.15	NM	0.14	0.03	
Total Purged	gal	30	4.0	1.5	1.0	2.0	1.3	6.8	2.0	2.0	1.0	1.0	1.5	1.0	1.0	2.0	1.0	2.0	1.5	1.0	1.0	1.0	1.0	1.0	NM	0.7	0.7	
Depth to Water	ft bgs	136.39	130.52	134.30	144.03	140.03	137.48	142.23	144.15	138.06	137.50	137.60	137.34	139.15	129.70	127.90	125.75	126.72	126.13	125.25	123.55	124.10	123.75	126.81	NM	126.10	125.80	
Temperature	deg C	4.1	13.9	13.2	8.7	13.6	13.9	12.8	13.7	13.4	13.0	11.7	13.3	11.4	13.4	13.6	8.8	12.1	12.8	13.5	12.5	12.3	14.1	13.4	11.9	12.7	13.0	
pH	SU	8.37	8.70	8.71	8.41	8.70	8.50	8.66	8.64	8.58	8.44	8.47	7.98	8.76	8.83	8.81	8.82	8.90	8.90	8.91	8.79	8.84	8.82	8.29	8.88	8.88		
Specific Conductance	µS/cm	2306	1274	1265	1310	1262	1234	1264	1226	1269	1252	1299	1255	1294	1282	1055	1117	1132	1121	1196	1262	1260	1232	1255	1276	1233	1252	
Oxygen Reduction Potential	mV	37.5	-114.3	112.8	77.0	-36.2	33.2	-63.9	-93.5	-103.0	-115.9	-94.4	-47.4	-106.6	-204.5	-106.9	-93.6	-87.8	-164.1	-106.1	-99.3	-241.3	-149.4	-247.4	-66.9	-58.6	-137.0	
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	45.0		7.29			16.9			6.67			6.38	6.79	7.76	7.53	6.35	6.93	7.23	4.65	7.11	7.29	6.61	6.43	6.29	4.01	6.22	
pH (Lab)	SU	8.57		8.63			8.02			8.56			8.52	8.55	8.41	8.45	8.48	8.54	8.57	8.48	8.31	8.61	8.63	8.99	8.59	8.47	8.51	
Total Dissolved Solids (Lab)	mg/L	1420		770			780			785			780	840	730	740	700	795	720	740	760	740	795	755	685	765	745	
Calcium	mg/L	10.8		1.93			3.84			1.78			1.68	1.77	2.09	2.05	1.71	1.87	1.92	1.86	1.88	1.96	1.77	1.70	1.65	1.61	1.71	
Magnesium	mg/L	4.39		0.600			1.77			0.541			0.528	0.574	0.620	0.587	0.502	0.550	0.592	<0.500	0.587	0.580	0.530	0.532	0.524	<0.500	0.473	
Sodium	mg/L	382		341			317			306			305	309	315	337	304	319	315	308	291	316	298	298	301	287	315	
Potassium	mg/L	45.7		3.49			<5.00			2.27			2.18	2.06	<5.00	<5.00	<5.00	<3.00	2.24	<5.00	2.12	2.31	2.06	<2.00	2.12	<5.00	1.85	
Alkalinity, Total	mg/L	615		720			745			731			745	685	630	675	780	730	755	750	770	780	765	760	750	714	732	
Alkalinity, Bicarbonate	mg/L	535		610			645			645			685	595	530	585	680	630	645	650	620	640	655	580	510	666	732	
Alkalinity, Carbonate	mg/L	80.0		110			100			86.0			60.0	90	100	90	100	100	110	100	150	140	110	180	240	48.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	175		5.11			6.80			2.63			2.48	3.04	3.01	2.98	2.47	2.5	2.48	2.55	2.47	2.47	2.49	2.64	2.65	2.66	2.76	
Fluoride	mg/L	2.06		3.91			3.95			3.97			3.88	3.61	3.63	3.53	3.66	3.58	3.48	3.67	3.40	3.44	3.25	3.79	3.73	3.84	3.65	
Sulfate as SO4	mg/L	190		3.79			9.58			1.02			<1.00	<2.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	0.886	
Total Organic Carbon (TOC)	mg/L	2.80		1.80			3.33			1.94			1.69	1.69	1.92	1.82	1.66	1.2	1.71	1.79	1.60	1.70	1.72	1.77	1.13	1.73	1.43	
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.282	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.050	<0.250	<0.250	
Arsenic	mg/L	0.0106		<0.0010			0.0006			0.0007			0.0006	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	0.0008	0.0008	<0.0025	<0.0005	<0.0025	<0.0015	
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0001	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0005	<0.0025	<0.0015	
Copper	mg/L	0.0337		0.0077			0.0047			0.0041			0.0051	0.0033	0.0012	0.0017	<0.0025	0.0025	0.0057	0.0068	0.0065	0.0075	0.0167	0.0052	0.0079	0.0043	0.0155	
Iron	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.050	<0.250	<0.250	
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0025	0.0002	
Manganese	mg/L	0.0258		0.0038			0.0150			0.0020			0.0026	0.0025	0.0029	0.0026	0.0028	0.0024	0.0021	0.0025	0.0023	0.0022	0.0027	<0.0025	0.0027	0.0028	0.0027	
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002							
Mercury (dissolved low-level)	ng/L																							<5.00	<100	<100	<100	<100
Molybdenum	mg/L	0.0142		<0.0010			0.0009			<0.0005			<0.0005	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0005	<0.0025	<0.0015	
Selenium	mg/L	0.0020		<0.0020			<0.0010			<0.0010			<0.0010	<0.0010	<0.0020	<0.0030	<0.0050	0.0031	<0.0030	<0.0050	<0.0020	<0.0010	<0.0010	<0.0050	<0.0010	<0.0050	<0.0030	
Silica (SiO2)	mg/L	9.09		8.45			8.68			8.28			7.77	7.62	7.40	7.84	7.4	8.17	8.21	7.82	8.28	8.44	8.13	7.63	8.45	6.83	7.53	
Silicon	mg/L	4.25		3.95			4.06			3.87			3.63	3.56	3.46	3.67	3.46	3.82	3.84	3.66	3.87	3.95	3.80	3.56	3.95	3.19	3.52	
Uranium	mg/L	0.0044		<0.0002			0.0001			0.0001			<0.0002	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0025	<0.0015	
Zinc	mg/L	0.0080		<0.0040			0.0023			<0.0020			<0.0020	<0.002	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	<0.0020	0.0079	<0.0100	0.0022	<0.0100	0.0032	

Notes & Definitions:

- ^

one-time analysis
- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- pCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)
- ng/L

nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-PL																											
Year	2018	2019										2020				2021				2022				2023			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	11	3	6	
Sample Date	12/27	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	11/28	3/18	6/14	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																											
Purge Flow Rate	gpm	0.25	1.00	0.50	3.00	0.50	0.25	0.50	1.00	0.50	0.50	0.75	0.25	0.25	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.13	1.00	0.22	0.18	
Total Purged	gal	20.0	5.0	2.0	3.0	2.0	3.0	2.5	2.3	2.5	2.0	2.5	1.3	2.0	2.0	2.3	2.0	2.0	2.0	2.0	2.0	2.0	1.8	1.0	1.0	1.0	
Depth to Water	ft bgs	125.97	126.29	126.40	127.10	126.98	126.70	126.82	127.25	127.38	127.42	127.48	127.59	127.32	127.34	128.00	127.31	127.50	127.83	127.89	127.90	128.30	128.40	128.53	128.75	128.10	128.05
Temperature	deg C	10.3	14.2	13.4	12.9	13.2	14.2	14.8	14.7	14.9	14.0	13.2	14.9	13.8	14.8	14.9	14.1	12.9	14.6	14.8	13.4	14.1	14.1	14.3	12.8	13.2	14.2
pH	SU	7.50	7.30	7.49	7.30	7.29	7.31	7.57	7.56	7.52	7.45	7.47	7.52	7.55	7.47	7.52	7.52	7.53	7.58	7.55	7.57	7.43	7.49	7.44	7.67	7.61	7.56
Specific Conductance	µS/cm	1690	1531	1571	1558	1554	1411	1326	1165	1083	947	940	900	862	844	792	827	760	813	816	836	817	826	822	848	853	825
Oxygen Reduction Potential	mV	30.2	-116.5	97.9	-108.7	-110.6	34.2	-57.6	-74.0	-79.5	-51.3	-52.5	-30.8	-59.9	-101.9	-38.0	-37.3	-11.5	-76.6	-64.4	-53.5	-161.9	-94.6	-215.9	-104.0	-36.3	-87.6
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	617		644			596			411			294	278	298	292	268	281	283	280	272	292	276	275	274	303	282
pH (Lab)	SU	7.28		7.40			7.26			7.22			7.39	7.47	7.19	7.16	7.41	7.36	7.41	7.29	7.16	7.42	7.47	7.88	7.39	7.33	7.36
Total Dissolved Solids (Lab)	mg/L	1150		1090			995			705			620	500	490	525	465	525	505	475	465	485	505	500	430	500	465
Calcium	mg/L	112		120			105			73.1			52.1	49.3	53.8	53.3	49.1	52.2	53.3	53	51.1	55.7	53.1	52.4	52.0	57.9	53.3
Magnesium	mg/L	82.1		83.8			81.4			55.4			39.7	37.6	39.7	38.5	35.4	36.6	36.5	35.9	35.0	37.1	34.9	35.1	34.9	38.4	36.1
Sodium	mg/L	106		124			102			91.7			83.3	78.5	80.4	81.6	77.2	78.6	79.7	77.8	73.7	80.8	75.4	76.3	75.0	81.7	77.4
Potassium	mg/L	5.14		5.62			<5.00			2.80			2.35	2.32	2.11	<2.00	<2.00	1.78	1.73	<2.00	1.54	1.71	1.48	1.53	1.55	<2.00	1.59
Alkalinity, Total	mg/L	370		415			435			393			390	339	340	315	410	370	385	360	385	362	380	356	410	350	388
Alkalinity, Bicarbonate	mg/L	370		415			435			393			390	339	340	315	410	370	385	360	385	362	380	340	410	338	388
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	16.0	<10.0	12.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	18.8		18.5			9.03			5.61			5.66	3.51	3.38	3.33	3.32	3.39	3.30	3.33	3.38	3.33	3.34	3.66	3.51	3.70	3.61
Fluoride	mg/L	0.505		0.474			0.290			0.291			<0.500	0.258	0.240	0.233	0.224	0.219	0.200	0.222	0.196	0.195	0.159	0.198	0.187	0.218	0.175
Sulfate as SO4	mg/L	478		471			390			232			127	109	103	99.2	99	101	96.3	102	98.4	100	94.7	106	107	107	106
Total Organic Carbon (TOC)	mg/L	4.17		4.02			2.92			2.21			1.75	1.63	1.63	1.61	1.44	0.928	1.42	1.54	1.40	1.54	1.36	1.60	0.774	1.44	1.15
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.052	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.199	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.050
Arsenic	mg/L	0.0074		0.0124			0.0190			0.0156			0.0104	0.0073	0.0075	0.0064	0.0058	0.0074	0.0055	0.0017	0.0051	0.0046	0.0047	0.0042	0.0037	0.0033	0.0036
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0001	<0.0002	<0.0002	<0.0001	<0.0010	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005
Copper	mg/L	0.0016		0.0025			0.0017			0.0011			0.0004	0.001	<0.0025	<0.001	0.0014	0.0005	0.0013	<0.0010	0.0015	0.0023	0.0040	0.0014	0.0015	0.0028	0.0027
Iron	mg/L	<0.050		0.352			<0.250			0.129			0.075	0.054	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100	0.070	0.079	<0.050	0.063	0.057	<0.100	0.062
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010	<0.0025	<0.0025	<0.0005
Manganese	mg/L	1.31		1.22			0.697			0.505			0.313	0.303	0.307	0.259	0.219	0.196	0.175	0.0772	0.161	0.163	0.150	0.145	0.134	0.122	0.111
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002					
Mercury (dissolved low-level)	ng/L																						<5.00	<100	<100	<100	<100
Molybdenum	mg/L	0.0090		0.0068			0.0020			0.0021			0.0017	0.0008	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005
Selenium	mg/L	0.0012		<0.0020			<0.0010			<0.0010			<0.0010	<0.001	<0.0010	<0.0020	<0.0020	0.0038	<0.0020	<0.0020	0.0031	<0.0010	0.0014	<0.0020	0.0012	<0.0050	0.0006
Silica (SiO2)	mg/L	14.1		16.3			17.7			18.5			18.0	18.9	18.7	19.9	18.5	20.1	21.5	20	20.8	22.2	20.4	20.8	20.9	22.6	21.5
Silicon	mg/L	6.58		7.64			8.28			8.67			8.42	8.82	8.75	9.28	8.66	9.40	10.00	9.37	9.71	10.4	9.54	9.75	9.75	10.6	10.0
Uranium	mg/L	0.0052		0.0040			0.0010			0.0009			0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.001	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010	<0.0005	<0.0025	0.0001
Zinc	mg/L	0.0344		<0.0040			<0.0020			<0.0080			<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0020	<0.004	<0.0040	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020	<0.0100	0.0009

Notes & Definitions:

- ^

one-time analysis
- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- pCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)
- ng/L

nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

02 June 2023

Landon Beck
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 05/19/23 16:44. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'. The signature is written in a cursive, flowing style.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-17

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon Beck

Reported:
06/02/23 15:34

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Wiltse Well	2305249-01	Water	05/19/23 13:02	05/19/23 16:44	
Well #1 Upgradient	2305249-02	Water	05/19/23 14:42	05/19/23 16:44	
Well #2 Downgradient	2305249-03	Water	05/19/23 15:21	05/19/23 16:44	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon Beck

Reported:
06/02/23 15:34

Wiltse Well

2305249-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	435	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Alkalinity, Bicarbonate as CaCO ₃ *	435	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Cation/Anion Balance	-1.27	-100	-100	%	1	05/31/23 17:19	Calculation		JDA
Chloride*	73.0	5.00	0.278	mg/L	5	06/01/23 22:49	EPA300.0		AWG
Fluoride*	<0.500	0.500	0.0486	mg/L	5	06/01/23 22:49	EPA300.0		AWG
Nitrate/Nitrite as N*	0.619	0.020	0.009	mg/L as N	1	06/01/23 12:10	EPA353.2		AWG
Sulfate*	1060	15.0	1.86	mg/L	15	06/01/23 23:10	EPA300.0		AWG
Total Dissolved Solids*	1980	10.0		mg/L	1	05/24/23 15:13	EPA160.1		AES
Total Organic Carbon*	5.82	2.50	0.874	mg/L	5	05/30/23 12:59	5310C		AWG

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	05/31/23 18:14	EPA200.7		AES
Calcium*	269	0.500	0.309	mg/L	5	05/31/23 18:13	EPA200.7		AES
Hardness as CaCO ₃	1340	3.31	1.49	mg/L	5	05/31/23 18:14	2340 B		AES
Iron*	0.252	0.250	0.076	mg/L	5	05/31/23 18:14	EPA200.7		AES
Magnesium*	162	0.500	0.176	mg/L	5	05/31/23 18:14	EPA200.7		AES
Potassium*	5.12	5.00	0.519	mg/L	5	05/31/23 18:13	EPA200.7		AES
Silica (SiO ₂)	14.7	5.35	0.814	mg/L	5	05/31/23 18:14	Calculation		AES
Silicon	6.85	2.50	0.381	mg/L	5	05/31/23 18:14	EPA200.7		AES
Sodium*	94.2	5.00	2.05	mg/L	5	05/31/23 18:13	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	05/31/23 10:14	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	05/31/23 10:14	EPA200.8		AES
Copper*	0.0043	0.0025	0.0021	mg/L	5	05/31/23 10:14	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	05/31/23 10:14	EPA200.8		AES
Manganese*	0.842	0.0025	0.0009	mg/L	5	05/31/23 10:14	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	05/31/23 10:14	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	05/31/23 10:14	EPA200.8		AES
Uranium	0.0036	0.0025	0.0002	mg/L	5	05/31/23 10:14	EPA200.8		AES
Zinc*	0.0152	0.0100	0.0024	mg/L	5	05/31/23 10:14	EPA200.8		AES

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon Beck

Reported:
06/02/23 15:34

Wiltse Well

2305249-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	05/31/23 15:09	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon Beck

Reported:
06/02/23 15:34

Well #1 Upgradient

2305249-02 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	590	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Alkalinity, Bicarbonate as CaCO ₃ *	590	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Cation/Anion Balance	4.48	-100	-100	%	1	05/31/23 17:19	Calculation		JDA
Chloride*	6.43	2.00	0.111	mg/L	2	06/02/23 00:13	EPA300.0		AWG
Fluoride*	0.320	0.200	0.0194	mg/L	2	06/02/23 00:13	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/01/23 12:16	EPA353.2		AWG
Sulfate*	174	2.00	0.248	mg/L	2	06/02/23 00:13	EPA300.0		AWG
Total Dissolved Solids*	835	10.0		mg/L	1	05/24/23 15:15	EPA160.1		AES
Total Organic Carbon*	4.62	2.50	0.874	mg/L	5	05/30/23 13:24	5310C		AWG

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	05/31/23 18:18	EPA200.7		AES
Calcium*	107	0.200	0.124	mg/L	2	05/31/23 18:18	EPA200.7		AES
Hardness as CaCO ₃	561	1.32	0.598	mg/L	2	05/31/23 18:18	2340 B		AES
Iron*	4.63	0.100	0.030	mg/L	2	05/31/23 18:18	EPA200.7		AES
Magnesium*	71.2	0.200	0.070	mg/L	2	05/31/23 18:18	EPA200.7		AES
Potassium*	3.04	2.00	0.208	mg/L	2	05/31/23 18:18	EPA200.7		AES
Silica (SiO ₂)	14.4	2.14	0.326	mg/L	2	05/31/23 18:18	Calculation		AES
Silicon	6.74	1.00	0.152	mg/L	2	05/31/23 18:18	EPA200.7		AES
Sodium*	106	2.00	0.818	mg/L	2	05/31/23 18:18	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0013	0.0010	0.0007	mg/L	2	05/31/23 10:15	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	05/31/23 10:15	EPA200.8		AES
Copper*	0.0022	0.0010	0.0008	mg/L	2	05/31/23 10:15	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	05/31/23 10:15	EPA200.8		AES
Manganese*	0.922	0.0010	0.0003	mg/L	2	05/31/23 10:15	EPA200.8		AES
Molybdenum*	0.0013	0.0010	0.0004	mg/L	2	05/31/23 10:15	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	05/31/23 10:15	EPA200.8		AES
Uranium	<0.0010	0.0010	0.00009	mg/L	2	05/31/23 10:15	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	05/31/23 10:15	EPA200.8		AES

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon Beck

Reported:
06/02/23 15:34

Well #1 Upgradient

2305249-02 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	05/31/23 15:11	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon BeckReported:
06/02/23 15:34

Well #2 Downgradient

2305249-03 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	395	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Alkalinity, Bicarbonate as CaCO ₃ *	395	10.0	6.06	mg/L	5	05/31/23 16:30	2320 B		AWG
Cation/Anion Balance	0.670	-100	-100	%	1	05/31/23 17:19	Calculation		JDA
Chloride*	54.4	2.00	0.111	mg/L	2	06/02/23 00:54	EPA300.0		AWG
Fluoride*	0.210	0.200	0.0194	mg/L	2	06/02/23 00:54	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/01/23 12:17	EPA353.2		AWG
Sulfate*	258	2.00	0.248	mg/L	2	06/02/23 00:54	EPA300.0		AWG
Total Dissolved Solids*	775	10.0		mg/L	1	05/24/23 15:17	EPA160.1		AES
Total Organic Carbon*	3.14	2.50	0.874	mg/L	5	05/30/23 13:50	5310C		AWG

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	05/31/23 18:25	EPA200.7		AES
Calcium*	101	0.200	0.124	mg/L	2	05/31/23 18:25	EPA200.7		AES
Hardness as CaCO ₃	641	1.32	0.598	mg/L	2	05/31/23 18:25	2340 B		AES
Iron*	<0.100	0.100	0.030	mg/L	2	05/31/23 18:25	EPA200.7		AES
Magnesium*	94.7	0.200	0.070	mg/L	2	05/31/23 18:25	EPA200.7		AES
Potassium*	2.51	2.00	0.208	mg/L	2	05/31/23 18:25	EPA200.7		AES
Silica (SiO ₂)	11.4	2.14	0.326	mg/L	2	05/31/23 18:25	Calculation		AES
Silicon	5.35	1.00	0.152	mg/L	2	05/31/23 18:25	EPA200.7		AES
Sodium*	30.7	2.00	0.818	mg/L	2	05/31/23 18:25	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0007	mg/L	2	05/31/23 10:17	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	05/31/23 10:17	EPA200.8		AES
Copper*	0.0017	0.0010	0.0008	mg/L	2	05/31/23 10:17	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	05/31/23 10:17	EPA200.8		AES
Manganese*	0.293	0.0010	0.0003	mg/L	2	05/31/23 10:17	EPA200.8		AES
Molybdenum*	0.0027	0.0010	0.0004	mg/L	2	05/31/23 10:17	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	05/31/23 10:17	EPA200.8		AES
Uranium	0.0022	0.0010	0.00009	mg/L	2	05/31/23 10:17	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	05/31/23 10:17	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon Beck

Reported:
06/02/23 15:34

Well #2 Downgradient

2305249-03 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	05/31/23 15:19	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon Beck

Reported:
06/02/23 15:34

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231364 - General Prep - Wet Chem

Blank (B231364-BLK1)

Prepared & Analyzed: 05/24/23

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B231364-SRM1)

Prepared & Analyzed: 05/24/23

Total Dissolved Solids	376	10.0	mg/L	370	102	85-115
------------------------	-----	------	------	-----	-----	--------

Batch B231380 - General Prep - Wet Chem

Blank (B231380-BLK1)

Prepared & Analyzed: 05/26/23

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B231380-BS1)

Prepared & Analyzed: 05/26/23

Total Organic Carbon	9.61	0.500	mg/L	10.0	96.1	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B231380-BSD1)

Prepared & Analyzed: 05/26/23

Total Organic Carbon	10.1	0.500	mg/L	10.0	101	85-115	4.54	20
----------------------	------	-------	------	------	-----	--------	------	----

Batch B231435 - Lachat

Blank (B231435-BLK1)

Prepared: 05/31/23 Analyzed: 06/01/23

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B231435-BS1)

Prepared: 05/31/23 Analyzed: 06/01/23

Nitrate/Nitrite as N	1.04	0.020	mg/L as N	1.00	104	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B231435-BSD1)

Prepared: 05/31/23 Analyzed: 06/01/23

Nitrate/Nitrite as N	1.04	0.020	mg/L as N	1.00	104	90-110	0.366	20
----------------------	------	-------	-----------	------	-----	--------	-------	----

Batch B231446 - IC- Ion Chromatograph

Blank (B231446-BLK1)

Prepared: 05/31/23 Analyzed: 06/01/23

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B231446-BS1)

Prepared: 05/31/23 Analyzed: 06/01/23

Chloride	25.2	1.00	mg/L	25.0	101	90-110
Fluoride	2.53	0.100	mg/L	2.50	101	90-110
Sulfate	24.6	1.00	mg/L	25.0	98.6	90-110

LCS Dup (B231446-BSD1)

Prepared: 05/31/23 Analyzed: 06/01/23

Chloride	25.9	1.00	mg/L	25.0	104	90-110	2.93	20
----------	------	------	------	------	-----	--------	------	----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon Beck

Reported:
06/02/23 15:34

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B231446 - IC- Ion Chromatograph (Continued)

LCS Dup (B231446-BSD1) (Continued)

Prepared: 05/31/23 Analyzed: 06/01/23

Fluoride	2.61	0.100	mg/L	2.50		104	90-110	3.19	20	
Sulfate	25.5	1.00	mg/L	25.0		102	90-110	3.32	20	

Batch B231448 - General Prep - Wet Chem

Blank (B231448-BLK1)

Prepared & Analyzed: 05/31/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B231448-BS1)

Prepared & Analyzed: 05/31/23

Alkalinity, Total as CaCO ₃	98.0	10.0	mg/L	100		98.0	85-115			
--	------	------	------	-----	--	------	--------	--	--	--

LCS Dup (B231448-BSD1)

Prepared & Analyzed: 05/31/23

Alkalinity, Total as CaCO ₃	99.0	10.0	mg/L	100		99.0	85-115	1.02	20	
--	------	------	------	-----	--	------	--------	------	----	--

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon Beck

Reported:
06/02/23 15:34

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231346 - Dissolved ICP

Blank (B231346-BLK1)

Prepared: 05/22/23 Analyzed: 05/31/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B231346-BS1)

Prepared: 05/22/23 Analyzed: 05/31/23

Aluminum	4.03	0.050	mg/L	4.00	101	85-115
Calcium	4.01	0.100	mg/L	4.00	100	85-115
Iron	4.12	0.050	mg/L	4.00	103	85-115
Magnesium	20.3	0.100	mg/L	20.0	102	85-115
Potassium	8.24	1.00	mg/L	8.00	103	85-115
Silicon	4.19	0.500	mg/L	4.00	105	85-115
Sodium	3.23	1.00	mg/L	3.24	99.8	85-115

LCS Dup (B231346-BSD1)

Prepared: 05/22/23 Analyzed: 05/31/23

Aluminum	4.05	0.050	mg/L	4.00	101	85-115	0.324	20
Calcium	3.87	0.100	mg/L	4.00	96.8	85-115	3.66	20
Iron	4.12	0.050	mg/L	4.00	103	85-115	0.0324	20
Magnesium	20.2	0.100	mg/L	20.0	101	85-115	0.556	20
Potassium	8.18	1.00	mg/L	8.00	102	85-115	0.732	20
Silicon	4.12	0.500	mg/L	4.00	103	85-115	1.59	20
Sodium	3.20	1.00	mg/L	3.24	98.9	85-115	0.906	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon BeckReported:
06/02/23 15:34

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231390 - Dissolved ICPMS

Blank (B231390-BLK1)

Prepared: 05/25/23 Analyzed: 05/31/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B231390-BS1)

Prepared: 05/25/23 Analyzed: 05/31/23

Arsenic	0.0496	0.0005	mg/L	0.0500	99.3	85-115
Cadmium	0.0497	0.0005	mg/L	0.0500	99.4	85-115
Copper	0.0477	0.0005	mg/L	0.0500	95.4	85-115
Lead	0.0479	0.0005	mg/L	0.0500	95.9	85-115
Manganese	0.0498	0.0005	mg/L	0.0500	99.7	85-115
Molybdenum	0.0477	0.0005	mg/L	0.0500	95.5	85-115
Selenium	0.243	0.0010	mg/L	0.250	97.3	85-115
Uranium	0.0508	0.0005	mg/L	0.0500	102	85-115
Zinc	0.0490	0.0020	mg/L	0.0500	98.1	85-115

LCS Dup (B231390-BSD1)

Prepared: 05/25/23 Analyzed: 05/31/23

Arsenic	0.0508	0.0005	mg/L	0.0500	102	85-115	2.33	20
Cadmium	0.0500	0.0005	mg/L	0.0500	100	85-115	0.596	20
Copper	0.0479	0.0005	mg/L	0.0500	95.7	85-115	0.285	20
Lead	0.0475	0.0005	mg/L	0.0500	95.0	85-115	0.936	20
Manganese	0.0497	0.0005	mg/L	0.0500	99.3	85-115	0.353	20
Molybdenum	0.0495	0.0005	mg/L	0.0500	99.0	85-115	3.57	20
Selenium	0.252	0.0010	mg/L	0.250	101	85-115	3.44	20
Uranium	0.0508	0.0005	mg/L	0.0500	102	85-115	0.0808	20
Zinc	0.0487	0.0020	mg/L	0.0500	97.4	85-115	0.675	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Landon Beck

Reported:
06/02/23 15:34

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B231428 - EPA 245.7

Blank (B231428-BLK1)

Prepared: 05/30/23 Analyzed: 05/31/23

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B231428-BS1)

Prepared: 05/30/23 Analyzed: 05/31/23

Mercury	2050	100	ng/L	2000		102	76-113			
---------	------	-----	------	------	--	-----	--------	--	--	--

LCS Dup (B231428-BSD1)

Prepared: 05/30/23 Analyzed: 05/31/23

Mercury	2090	100	ng/L	2000		105	76-113	2.31	20	
---------	------	-----	------	------	--	-----	--------	------	----	--

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Just Click Printing Form #17-0301

Project Information

Printed: 05/22/2023 8:53 am

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Jeremy D Allen

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC GW Baseline

Project Number: GCC GW Baseline

Client PM: Tom Bird

Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
----------	---------

200.2 Metals Digest

Alkalinity, Total

Aluminum Dissolved by ICP

Arsenic Dissolved by ICPMS

CAB

Cadmium Dissolved by ICPMS

Chloride [IC]

Copper Dissolved by ICPMS

Fluoride [IC]

Hardness [DISSOLVED]

Iron Dissolved by ICP

Lead Dissolved by ICPMS

Manganese Dissolved by ICPMS

Mercury Dissolved by CVAFS

Molybdenum Dissolved by ICPMS

Nitrate/Nitrite [LACHAT]

pH - pH out of Hold, will not run

Potassium Dissolved by ICP

Selenium Dissolved by ICPMS

Silica Dissolved by ICP

Sodium Dissolved by ICP

Sulfate [IC]

Total Dissolved Solids [TDS]

Total Organic Carbon [TOC]

Uranium Dissolved by ICPMS

Zinc Dissolved by ICPMS

Hardness [DISSOLVED] subanalyses:

Calcium Dissolved by ICP

Magnesium Dissolved by ICP

Silica Dissolved by ICP subanalyses:

Silicon Dissolved by ICP

All metals are field filtered. Send out preserved bottles

SAMPLE CONDITION RECEIPT FORM

Client Name: GCC Energy

Work Order # 2305-249

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo

Custody Seals on Box/Cooler Present: ☐ Yes ☒ No

Seals Intact: ☐ Yes ☐ No

Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ No

Type of Ice: ☒ Wet ☐ Blue ☐ None

Cooler Temp: Observed Temp: 7.6 °C Correction Factor: 0 °C Final Temp: 7.6 °C

* Temp should be above freezing to 6°C

Date/Initials of person
examining contents: MPN 5/22/23

Labeled by Initials:
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☐ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>pH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11.
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix:	<u>WT</u> SL OT	
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☒ N/A	

Client Notification/Resolution:

Person Contacted: Landon Beck

Date/Time: 5/22/23

Comments/Resolution: emailed him re: pH being out of hold He emailed back to say to not analyze the pH.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

02 June 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC SW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 05/18/23 16:22. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-17

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHg
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:15

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Hay Gulch Upgradient	2305233-01	Water	05/18/23 13:13	05/18/23 16:22	
Hay Gulch Downgradient	2305233-02	Water	05/18/23 15:03	05/18/23 16:22	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHG
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:15

Hay Gulch Upgradient

2305233-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	179	10.0	6.06	mg/L	1	05/30/23 14:29	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	05/30/23 14:29	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	05/30/23 14:29	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	179	10.0	6.06	mg/L	1	05/30/23 14:29	2320 B		KRW
Cation/Anion Balance	3.40	-100	-100	%	1	05/31/23 17:19	Calculation		JDA
Chloride*	36.1	1.00	0.0555	mg/L	1	05/30/23 17:48	EPA300.0		AWG
Fluoride*	0.185	0.100	0.00971	mg/L	1	05/30/23 17:48	EPA300.0		AWG
Nitrate/Nitrite as N*	0.133	0.020	0.009	mg/L as N	1	05/30/23 12:35	EPA353.2		AWG
Oil & Grease (HEM)	<5.00	5.00	2.87	mg/L	1	06/01/23 10:00	EPA1664 A		JDA
pH*	7.91			pH Units	1	05/19/23 16:22	EPA150.1		KRW
pH Temperature, degrees C	23.0			pH Units	1	05/19/23 16:22	EPA150.1		KRW
SAR	0.46			No Unit	1	05/24/23 23:13	Calculation		AES
Sulfate*	116	1.00	0.124	mg/L	1	05/30/23 17:48	EPA300.0		AWG
Total Dissolved Solids*	380	10.0		mg/L	1	05/24/23 15:03	EPA160.1		AES
Total Organic Carbon*	6.04	2.50	0.874	mg/L	5	05/30/23 12:13	5310C		AWG
Total Suspended Solids*	38.0	2.50		mg/L	1	05/22/23 15:12	2540 D		CAI

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.044	mg/L	1	05/24/23 23:13	EPA200.7		AES
Calcium*	63.5	0.100	0.062	mg/L	1	05/24/23 23:13	EPA200.7		AES
Hardness as CaCO ₃	293	0.662	0.299	mg/L	1	05/24/23 23:13	2340 B		AES
Iron*	<0.050	0.050	0.015	mg/L	1	05/25/23 18:17	EPA200.7		AES
Magnesium*	32.6	0.100	0.035	mg/L	1	05/24/23 23:13	EPA200.7		AES
Potassium*	2.79	1.00	0.104	mg/L	1	05/24/23 23:13	EPA200.7		AES
Silica (SiO ₂)	12.0	1.07	0.163	mg/L	1	05/24/23 23:13	Calculation		AES
Silicon	5.61	0.500	0.076	mg/L	1	05/24/23 23:13	EPA200.7		AES
Sodium*	18.1	1.00	0.409	mg/L	1	05/24/23 23:13	EPA200.7		AES

Total Recoverable Metals by ICPMS (E200.8)

Mercury	<0.0100	0.0100	0.00430	ug/L	1	06/01/23 14:11	EPA200.8		AES
---------	---------	--------	---------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHg
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:15

Hay Gulch Upgradient

2305233-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Arsenic*	0.0006	0.0005	0.0004	mg/L	1	05/31/23 09:58	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	05/31/23 09:58	EPA200.8		AES
Copper*	0.0036	0.0005	0.0004	mg/L	1	05/31/23 09:58	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00004	mg/L	1	05/31/23 09:58	EPA200.8		AES
Manganese*	0.0989	0.0005	0.0002	mg/L	1	05/31/23 09:58	EPA200.8		AES
Molybdenum*	0.0008	0.0005	0.0002	mg/L	1	05/31/23 09:58	EPA200.8		AES
Selenium*	<0.0010	0.0010	0.0004	mg/L	1	05/31/23 09:58	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00004	mg/L	1	05/31/23 09:58	EPA200.8		AES
Zinc*	0.0047	0.0020	0.0005	mg/L	1	05/31/23 09:58	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHG
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:15

Hay Gulch Downgradient

2305233-02 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	218	10.0	6.06	mg/L	1	05/30/23 14:29	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	05/30/23 14:29	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	05/30/23 14:29	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	218	10.0	6.06	mg/L	1	05/30/23 14:29	2320 B		KRW
Cation/Anion Balance	1.58	-100	-100	%	1	05/31/23 17:19	Calculation		JDA
Chloride*	39.4	1.00	0.0555	mg/L	1	05/30/23 18:50	EPA300.0		AWG
Fluoride*	0.202	0.100	0.00971	mg/L	1	05/30/23 18:50	EPA300.0		AWG
Nitrate/Nitrite as N*	0.170	0.020	0.009	mg/L as N	1	05/30/23 12:36	EPA353.2		AWG
Oil & Grease (HEM)	<5.00	5.00	2.87	mg/L	1	06/01/23 10:00	EPA1664 A		JDA
pH*	8.09			pH Units	1	05/19/23 16:22	EPA150.1		KRW
pH Temperature, degrees C	22.6			pH Units	1	05/19/23 16:22	EPA150.1		KRW
SAR	0.44			No Unit	1	05/24/23 23:15	Calculation		AES
Sulfate*	127	1.00	0.124	mg/L	1	05/30/23 18:50	EPA300.0		AWG
Total Dissolved Solids*	475	10.0		mg/L	1	05/24/23 15:05	EPA160.1		AES
Total Organic Carbon*	6.19	2.50	0.874	mg/L	5	05/30/23 12:39	5310C		AWG
Total Suspended Solids*	62.0	2.50		mg/L	1	05/22/23 15:12	2540 D		CAI

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.044	mg/L	1	05/24/23 23:15	EPA200.7		AES
Calcium*	75.8	0.100	0.062	mg/L	1	05/24/23 23:15	EPA200.7		AES
Hardness as CaCO ₃	337	0.662	0.299	mg/L	1	05/24/23 23:15	2340 B		AES
Iron*	<0.050	0.050	0.015	mg/L	1	05/25/23 18:19	EPA200.7		AES
Magnesium*	35.8	0.100	0.035	mg/L	1	05/24/23 23:15	EPA200.7		AES
Potassium*	2.77	1.00	0.104	mg/L	1	05/24/23 23:15	EPA200.7		AES
Silica (SiO ₂)	11.8	1.07	0.163	mg/L	1	05/24/23 23:15	Calculation		AES
Silicon	5.50	0.500	0.076	mg/L	1	05/24/23 23:15	EPA200.7		AES
Sodium*	18.5	1.00	0.409	mg/L	1	05/24/23 23:15	EPA200.7		AES

Total Recoverable Metals by ICPMS (E200.8)

Mercury	<0.0100	0.0100	0.00430	ug/L	1	06/01/23 14:14	EPA200.8		AES
---------	---------	--------	---------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHg
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:15

Hay Gulch Downgradient

2305233-02 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Arsenic*	0.0009	0.0005	0.0004	mg/L	1	05/31/23 10:06	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	05/31/23 10:06	EPA200.8		AES
Copper*	0.0026	0.0005	0.0004	mg/L	1	05/31/23 10:06	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00004	mg/L	1	05/31/23 10:06	EPA200.8		AES
Manganese*	0.0233	0.0005	0.0002	mg/L	1	05/31/23 10:06	EPA200.8		AES
Molybdenum*	0.0009	0.0005	0.0002	mg/L	1	05/31/23 10:06	EPA200.8		AES
Selenium*	0.0010	0.0010	0.0004	mg/L	1	05/31/23 10:06	EPA200.8		AES
Uranium	0.0007	0.0005	0.00004	mg/L	1	05/31/23 10:06	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0005	mg/L	1	05/31/23 10:06	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHg
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:15

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B231271 - General Prep - Wet Chem										
Blank (B231271-BLK1)				Prepared & Analyzed: 05/19/23						
Oil & Grease (HEM)	ND	5.00	mg/L							
LCS (B231271-BS1)				Prepared & Analyzed: 05/19/23						
Oil & Grease (HEM)	38.7	5.00	mg/L	40.0		96.8	85-115			
LCS Dup (B231271-BSD1)				Prepared & Analyzed: 05/19/23						
Oil & Grease (HEM)	36.5	5.00	mg/L	40.0		91.3	85-115	5.85	20	
Batch B231341 - General Prep - Wet Chem										
Blank (B231341-BLK1)				Prepared & Analyzed: 05/22/23						
Total Suspended Solids	ND	2.50	mg/L							
Reference (B231341-SRM1)				Prepared & Analyzed: 05/22/23						
Total Suspended Solids	86.0	2.50	mg/L	100		86.0	85-115			
Batch B231344 - Dissolved ICP										
Blank (B231344-BLK1)				Prepared: 05/22/23 Analyzed: 05/24/23						
SAR	0.00		No Unit							
Batch B231364 - General Prep - Wet Chem										
Blank (B231364-BLK1)				Prepared & Analyzed: 05/24/23						
Total Dissolved Solids	ND	10.0	mg/L							
Reference (B231364-SRM1)				Prepared & Analyzed: 05/24/23						
Total Dissolved Solids	376	10.0	mg/L	370		102	85-115			
Batch B231380 - General Prep - Wet Chem										
Blank (B231380-BLK1)				Prepared & Analyzed: 05/26/23						
Total Organic Carbon	ND	0.500	mg/L							
LCS (B231380-BS1)				Prepared & Analyzed: 05/26/23						
Total Organic Carbon	9.61	0.500	mg/L	10.0		96.1	85-115			
LCS Dup (B231380-BSD1)				Prepared & Analyzed: 05/26/23						
Total Organic Carbon	10.1	0.500	mg/L	10.0		101	85-115	4.54	20	
Batch B231409 - General Prep - Wet Chem										

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline w-LLHg
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
06/02/23 15:15General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231409 - General Prep - Wet Chem (Continued)

Reference (B231409-SRM1)

Prepared & Analyzed: 05/19/23

pH	6.96		pH Units	7.00		99.4	98.57-101.42			
----	------	--	----------	------	--	------	--------------	--	--	--

Batch B231417 - Lachat

Blank (B231417-BLK1)

Prepared & Analyzed: 05/30/23

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

LCS (B231417-BS1)

Prepared & Analyzed: 05/30/23

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00		103	90-110			
----------------------	------	-------	-----------	------	--	-----	--------	--	--	--

LCS Dup (B231417-BSD1)

Prepared & Analyzed: 05/30/23

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110	1.14	20	
----------------------	------	-------	-----------	------	--	-----	--------	------	----	--

Batch B231419 - IC- Ion Chromatograph

Blank (B231419-BLK1)

Prepared & Analyzed: 05/30/23

Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

LCS (B231419-BS1)

Prepared & Analyzed: 05/30/23

Chloride	24.7	1.00	mg/L	25.0		98.7	90-110			
Fluoride	2.47	0.100	mg/L	2.50		98.7	90-110			
Sulfate	24.5	1.00	mg/L	25.0		98.2	90-110			

LCS Dup (B231419-BSD1)

Prepared & Analyzed: 05/30/23

Chloride	24.7	1.00	mg/L	25.0		98.6	90-110	0.0568	20	
Fluoride	2.47	0.100	mg/L	2.50		98.6	90-110	0.0405	20	
Sulfate	24.5	1.00	mg/L	25.0		97.9	90-110	0.269	20	

Batch B231421 - General Prep - Wet Chem

Blank (B231421-BLK1)

Prepared & Analyzed: 05/30/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B231421-BS1)

Prepared & Analyzed: 05/30/23

Alkalinity, Total as CaCO ₃	100	10.0	mg/L	100		100	85-115			
--	-----	------	------	-----	--	-----	--------	--	--	--

LCS Dup (B231421-BSD1)

Prepared & Analyzed: 05/30/23

Alkalinity, Total as CaCO ₃	103	10.0	mg/L	100		103	85-115	2.96	20	
--	-----	------	------	-----	--	-----	--------	------	----	--

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHg
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:15

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B231344 - Dissolved ICP

Blank (B231344-BLK1)

Prepared: 05/22/23 Analyzed: 05/24/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B231344-BS1)

Prepared: 05/22/23 Analyzed: 05/24/23

Aluminum	4.00	0.050	mg/L	4.00	99.9	85-115
Calcium	3.51	0.100	mg/L	4.00	87.7	85-115
Iron	4.07	0.050	mg/L	4.00	102	85-115
Magnesium	19.0	0.100	mg/L	20.0	94.9	85-115
Potassium	7.60	1.00	mg/L	8.00	95.0	85-115
Silicon	3.84	0.500	mg/L	4.00	96.1	85-115
Sodium	3.12	1.00	mg/L	3.24	96.3	85-115

LCS Dup (B231344-BSD1)

Prepared: 05/22/23 Analyzed: 05/24/23

Aluminum	3.93	0.050	mg/L	4.00	98.2	85-115	1.77	20
Calcium	3.54	0.100	mg/L	4.00	88.5	85-115	0.876	20
Iron	4.06	0.050	mg/L	4.00	102	85-115	0.202	20
Magnesium	18.8	0.100	mg/L	20.0	94.0	85-115	0.958	20
Potassium	7.49	1.00	mg/L	8.00	93.6	85-115	1.41	20
Silicon	3.78	0.500	mg/L	4.00	94.4	85-115	1.80	20
Sodium	3.06	1.00	mg/L	3.24	94.4	85-115	1.96	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHg
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:15

Total Recoverable Metals by ICPMS (E200.8) - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231461 - Mercury by 200.8

Blank (B231461-BLK1)

Prepared & Analyzed: 06/01/23

Mercury	ND	0.0100	ug/L							
---------	----	--------	------	--	--	--	--	--	--	--

LCS (B231461-BS1)

Prepared & Analyzed: 06/01/23

Mercury	0.104	0.0100	ug/L	0.100		104	85-115			
---------	-------	--------	------	-------	--	-----	--------	--	--	--

LCS Dup (B231461-BSD1)

Prepared & Analyzed: 06/01/23

Mercury	0.104	0.0100	ug/L	0.100		104	85-115	0.365	20	
---------	-------	--------	------	-------	--	-----	--------	-------	----	--

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHg
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:15

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231390 - Dissolved ICPMS

Blank (B231390-BLK1)

Prepared: 05/25/23 Analyzed: 05/31/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B231390-BS1)

Prepared: 05/25/23 Analyzed: 05/31/23

Arsenic	0.0496	0.0005	mg/L	0.0500	99.3	85-115
Cadmium	0.0497	0.0005	mg/L	0.0500	99.4	85-115
Copper	0.0477	0.0005	mg/L	0.0500	95.4	85-115
Lead	0.0479	0.0005	mg/L	0.0500	95.9	85-115
Manganese	0.0498	0.0005	mg/L	0.0500	99.7	85-115
Molybdenum	0.0477	0.0005	mg/L	0.0500	95.5	85-115
Selenium	0.243	0.0010	mg/L	0.250	97.3	85-115
Uranium	0.0508	0.0005	mg/L	0.0500	102	85-115
Zinc	0.0490	0.0020	mg/L	0.0500	98.1	85-115

LCS Dup (B231390-BSD1)

Prepared: 05/25/23 Analyzed: 05/31/23

Arsenic	0.0508	0.0005	mg/L	0.0500	102	85-115	2.33	20
Cadmium	0.0500	0.0005	mg/L	0.0500	100	85-115	0.596	20
Copper	0.0479	0.0005	mg/L	0.0500	95.7	85-115	0.285	20
Lead	0.0475	0.0005	mg/L	0.0500	95.0	85-115	0.936	20
Manganese	0.0497	0.0005	mg/L	0.0500	99.3	85-115	0.353	20
Molybdenum	0.0495	0.0005	mg/L	0.0500	99.0	85-115	3.57	20
Selenium	0.252	0.0010	mg/L	0.250	101	85-115	3.44	20
Uranium	0.0508	0.0005	mg/L	0.0500	102	85-115	0.0808	20
Zinc	0.0487	0.0020	mg/L	0.0500	97.4	85-115	0.675	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHg
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:15

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Just Click Printing Form #17-030

Project Information

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Jeremy D Allen

Phone:(970) 385-4528

Fax:(970) 385-4638

GCC Energy

5/18/2023

Project Name: GCC SW Baseline w-LLHg

Project Number: GCC SW Baseline 2021

Client PM: Tom Bird

Comments:

Analysis	Comment
200.2 Metals Digest	
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury 200.8 Low Level	Do not field filter
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
Oil & Grease	Needs 2 bottles
pH	
Potassium Dissolved by ICP	
SAR-Calc	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Total Suspended Solids [TSS]	Label bottle TSS
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	

Hardness [DISSOLVED] subanalyses:

Calcium Dissolved by ICP

Magnesium Dissolved by ICP

Silica Dissolved by ICP subanalyses:

Silicon Dissolved by ICP

The GCC SW Baseline bottle set has two poly 250 ml bottles for metals. One is for LL Hg totals so does not get field-filtered, while the other metals bottle gets field-filtered. Please label one metals bottle in each set "DO NOT FIELD FILTER, LL Hg" as a

Project Information

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: **Jeremy D Allen**

Phone:(970) 385-4528

Fax:(970) 385-4638

GCC Energy

5/18/2023

reminder for them out in the field. Please make a note in LIMS for this to be standard quarterly practice.

SAMPLE CONDITION RECEIPT FORM

Client Name: GCC Energy

Work Order # 2305-233

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo

Custody Seals on Box/Cooler Present: ☐ Yes ☒ No

Seals Intact: ☐ Yes ☐ No

Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ No

Type of Ice: ☒ Wet ☐ Blue ☐ None

Cooler Temp: Observed Temp: 12.7 °C Correction Factor: 0 °C Final Temp: 12.7 °C

* Temp should be above freezing to 6°C

Date/Initials of person
examining contents: MPW 5/18/23

Labeled by Initials:
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>PH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11.
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix:	☒ WT ☐ SL ☐ OT	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☐ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

13 July 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 06/15/23 16:35. This data replaces the previous report (See case narrative). The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'. The signature is written in a cursive, flowing style.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-17

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 09:03

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-1-A	2306172-01	Water	06/14/23 12:05	06/15/23 16:35	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 09:03

This report has been revised due to client request to report to RL. This replaces the previously issued report titled 2306172
GAL FINAL 06 27 23 1020

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 09:03

MW-1-A

2306172-01 (Ground Water)
Sampled Date: 06/14/23 12:05

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	391	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	391	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	-4.11	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	2.71	2.00	0.111	mg/L	2	06/23/23 13:57	EPA300.0		AWG
Fluoride*	<0.200	0.200	0.0194	mg/L	2	06/23/23 13:57	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.040	0.040	0.017	mg/L as N	2	06/23/23 17:00	EPA353.2	M5	AWG
pH*	7.20			pH Units	1	06/16/23 14:41	EPA150.1	H4	KRW
pH Temperature, degrees C	23.3			pH Units	1	06/16/23 14:41	EPA150.1	H4	KRW
Sulfate*	607	5.00	0.620	mg/L	5	06/23/23 14:18	EPA300.0		AWG
Total Dissolved Solids*	1180	10.0		mg/L	1	06/19/23 16:08	EPA160.1		CAI
Total Organic Carbon*	1.76	0.500	0.175	mg/L	1	06/19/23 19:14	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	06/19/23 16:19	EPA200.7		AES
Calcium*	29.9	0.500	0.309	mg/L	5	06/19/23 16:19	EPA200.7		AES
Hardness as CaCO ₃	158	3.31	1.49	mg/L	5	06/19/23 16:19	2340 B		AES
Iron*	<0.250	0.250	0.076	mg/L	5	06/19/23 16:19	EPA200.7		AES
Magnesium*	20.2	0.500	0.176	mg/L	5	06/19/23 16:19	EPA200.7		AES
Potassium*	<5.00	5.00	0.519	mg/L	5	06/19/23 16:19	EPA200.7		AES
Silica (SiO ₂)	10.6	5.35	0.814	mg/L	5	06/19/23 16:19	Calculation		AES
Silicon	4.95	2.50	0.381	mg/L	5	06/19/23 16:19	EPA200.7		AES
Sodium*	345	5.00	2.05	mg/L	5	06/19/23 16:19	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	06/19/23 13:23	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	06/19/23 13:23	EPA200.8		AES
Copper*	0.0193	0.0025	0.0021	mg/L	5	06/19/23 13:23	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:23	EPA200.8		AES
Manganese*	0.0027	0.0025	0.0009	mg/L	5	06/19/23 13:23	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	06/19/23 13:23	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	06/19/23 13:23	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:23	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	06/19/23 13:23	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 09:03

MW-1-A

2306172-01 (Ground Water)
Sampled Date: 06/14/23 12:05

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 10:19	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 09:03

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231716 - General Prep - Wet Chem

Blank (B231716-BLK1)

Prepared & Analyzed: 06/19/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B231716-BS1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	115	10.0	mg/L	100	115	85-115
--	-----	------	------	-----	-----	--------

LCS Dup (B231716-BSD1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	105	10.0	mg/L	100	105	85-115	9.09	20
--	-----	------	------	-----	-----	--------	------	----

Reference (B231716-SRM1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	54.0	10.0	mg/L	61.8	87.4	85-115
--	------	------	------	------	------	--------

Batch B231723 - General Prep - Wet Chem

Reference (B231723-SRM1)

Prepared & Analyzed: 06/16/23

pH	7.00		pH Units	7.00	100	98.57-101.42
----	------	--	----------	------	-----	--------------

Batch B231724 - General Prep - Wet Chem

Blank (B231724-BLK1)

Prepared & Analyzed: 06/19/23

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B231724-SRM1)

Prepared & Analyzed: 06/19/23

Total Dissolved Solids	385	10.0	mg/L	400	96.2	85-115
------------------------	-----	------	------	-----	------	--------

Batch B231731 - General Prep - Wet Chem

Blank (B231731-BLK1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B231731-BS1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	10.2	0.500	mg/L	10.0	102	85-115
----------------------	------	-------	------	------	-----	--------

LCS Dup (B231731-BSD1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	10.3	0.500	mg/L	10.0	103	85-115	1.37	20
----------------------	------	-------	------	------	-----	--------	------	----

Batch B231782 - Lachat

Blank (B231782-BLK1)

Prepared & Analyzed: 06/23/23

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/13/23 09:03General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231782 - Lachat (Continued)

Blank (B231782-BLK1) (Continued)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N ND 0.020 mg/L as N

LCS (B231782-BS1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N 1.03 0.020 mg/L as N 1.00 103 90-110

LCS Dup (B231782-BSD1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N 1.03 0.020 mg/L as N 1.00 103 90-110 0.447 20

Batch B231784 - IC- Ion Chromatograph

Blank (B231784-BLK1)

Prepared & Analyzed: 06/23/23

Chloride ND 1.00 mg/L
Fluoride ND 0.100 mg/L
Sulfate ND 1.00 mg/L

LCS (B231784-BS1)

Prepared & Analyzed: 06/23/23

Chloride 25.0 1.00 mg/L 25.0 99.9 90-110
Fluoride 2.48 0.100 mg/L 2.50 99.1 90-110
Sulfate 24.1 1.00 mg/L 25.0 96.6 90-110

LCS Dup (B231784-BSD1)

Prepared & Analyzed: 06/23/23

Chloride 25.0 1.00 mg/L 25.0 100 90-110 0.0881 20
Fluoride 2.49 0.100 mg/L 2.50 99.5 90-110 0.363 20
Sulfate 24.1 1.00 mg/L 25.0 96.6 90-110 0.0207 20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 09:03

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231726 - Dissolved ICP

Blank (B231726-BLK1)

Prepared & Analyzed: 06/19/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B231726-BS1)

Prepared & Analyzed: 06/19/23

Aluminum	4.11	0.050	mg/L	4.00	103	85-115
Calcium	3.96	0.100	mg/L	4.00	99.1	85-115
Iron	4.00	0.050	mg/L	4.00	100	85-115
Magnesium	20.4	0.100	mg/L	20.0	102	85-115
Potassium	8.00	1.00	mg/L	8.00	100	85-115
Silicon	4.11	0.500	mg/L	4.00	103	85-115
Sodium	3.28	1.00	mg/L	3.24	101	85-115

LCS Dup (B231726-BSD1)

Prepared & Analyzed: 06/19/23

Aluminum	4.09	0.050	mg/L	4.00	102	85-115	0.450	20
Calcium	3.91	0.100	mg/L	4.00	97.8	85-115	1.31	20
Iron	3.94	0.050	mg/L	4.00	98.6	85-115	1.42	20
Magnesium	20.2	0.100	mg/L	20.0	101	85-115	0.912	20
Potassium	7.96	1.00	mg/L	8.00	99.6	85-115	0.432	20
Silicon	4.06	0.500	mg/L	4.00	102	85-115	1.17	20
Sodium	3.24	1.00	mg/L	3.24	100	85-115	0.983	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/13/23 09:03

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231729 - Dissolved ICPMS

Blank (B231729-BLK1)

Prepared & Analyzed: 06/19/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B231729-BS1)

Prepared & Analyzed: 06/19/23

Arsenic	0.0484	0.0005	mg/L	0.0500	96.7	85-115
Cadmium	0.0485	0.0005	mg/L	0.0500	97.0	85-115
Copper	0.0481	0.0005	mg/L	0.0500	96.2	85-115
Lead	0.0496	0.0005	mg/L	0.0500	99.2	85-115
Manganese	0.0520	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0488	0.0005	mg/L	0.0500	97.5	85-115
Selenium	0.241	0.0010	mg/L	0.250	96.3	85-115
Uranium	0.0509	0.0005	mg/L	0.0500	102	85-115
Zinc	0.0497	0.0020	mg/L	0.0500	99.5	85-115

LCS Dup (B231729-BSD1)

Prepared & Analyzed: 06/19/23

Arsenic	0.0483	0.0005	mg/L	0.0500	96.6	85-115	0.148	20
Cadmium	0.0490	0.0005	mg/L	0.0500	98.0	85-115	1.03	20
Copper	0.0479	0.0005	mg/L	0.0500	95.8	85-115	0.461	20
Lead	0.0496	0.0005	mg/L	0.0500	99.2	85-115	0.0445	20
Manganese	0.0523	0.0005	mg/L	0.0500	105	85-115	0.587	20
Molybdenum	0.0490	0.0005	mg/L	0.0500	98.0	85-115	0.473	20
Selenium	0.243	0.0010	mg/L	0.250	97.2	85-115	0.972	20
Uranium	0.0516	0.0005	mg/L	0.0500	103	85-115	1.37	20
Zinc	0.0498	0.0020	mg/L	0.0500	99.6	85-115	0.106	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 09:03

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231725 - EPA 245.7

Blank (B231725-BLK1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B231725-BS1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1540	100	ng/L	2000		77.0	76-113			
---------	------	-----	------	------	--	------	--------	--	--	--

LCS Dup (B231725-BSD1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1550	100	ng/L	2000		77.5	76-113	0.667	20	
---------	------	-----	------	------	--	------	--------	-------	----	--

Notes and Definitions

M5	Sample was chosen for matrix spike. Spike recovery did not meet laboratory acceptance criteria, possible matrix interference in sample.
H4	pH analysis performed more than 48 hours after sampling.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

[illegible]

Project Information

Printed: 06/15/2023 4:40 pm

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC GW Baseline
Project Number: GCC GW Baseline
Client PM: Tom Bird
Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

All metals are field filtered. Send out preserved bottles

SAMPLE CONDITION RECEIPT FORM

Client Name: GCC Energy

Work Order # 2306-172

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo

Custody Seals on Box/Cooler Present: ☐ Yes ☒ No

Seals Intact: ☐ Yes ☐ No

Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ No

Type of Ice: ☒ Wet ☐ Blue ☐ None

Cooler Temp: Observed Temp: 4.9 °C Correction Factor: 0 °C Final Temp: 4.9 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: MRN 6/16/2

Labeled by initials: _____
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>pH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11. <u>Diss Metals</u>
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix:	☒ WT ☐ SL ☐ OT	
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☒ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

05 July 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 06/15/23 16:35. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'. The signature is written in a cursive, flowing style.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-17

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/05/23 16:57

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-3-MI	2306177-01	Water	06/15/23 13:48	06/15/23 16:35	
MW-3-A	2306177-02	Water	06/15/23 14:14	06/15/23 16:35	
MW-3-C	2306177-03	Water	06/15/23 14:38	06/15/23 16:35	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/05/23 16:57

MW-3-MI

2306177-01 (Ground Water)
Sampled Date: 06/15/23 13:48

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	700	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	128	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	572	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	-2.75	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	10.8	2.00	0.111	mg/L	2	06/23/23 22:40	EPA300.0		AWG
Fluoride*	1.02	0.200	0.0194	mg/L	2	06/23/23 22:40	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/23/23 16:31	EPA353.2		AWG
pH*	8.71			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	22.2			pH Units	1	06/16/23 14:41	EPA150.1		KRW
Sulfate*	243	2.00	0.248	mg/L	2	06/23/23 22:40	EPA300.0		AWG
Total Dissolved Solids*	1100	10.0		mg/L	1	06/19/23 16:34	EPA160.1		CAI
Total Organic Carbon*	4.22	2.50	0.874	mg/L	5	06/21/23 16:15	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	06/26/23 17:38	EPA200.7		AES
Calcium*	1.11	0.500	0.309	mg/L	5	06/26/23 17:38	EPA200.7		AES
Hardness as CaCO ₃	<3.31	3.31	1.49	mg/L	5	06/26/23 17:38	2340 B		AES
Iron*	<0.250	0.250	0.076	mg/L	5	06/26/23 17:38	EPA200.7		AES
Magnesium*	<0.500	0.500	0.176	mg/L	5	06/26/23 17:38	EPA200.7		AES
Potassium*	<5.00	5.00	0.519	mg/L	5	06/26/23 17:38	EPA200.7		AES
Silica (SiO ₂)	7.81	5.35	0.814	mg/L	5	06/26/23 17:38	Calculation		AES
Silicon	3.65	2.50	0.381	mg/L	5	06/26/23 17:38	EPA200.7		AES
Sodium*	408	5.00	2.05	mg/L	5	06/26/23 17:38	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0094	0.0025	0.0018	mg/L	5	06/26/23 13:41	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	06/26/23 13:41	EPA200.8		AES
Copper*	0.0187	0.0025	0.0021	mg/L	5	06/26/23 13:41	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	06/26/23 13:41	EPA200.8		AES
Manganese*	0.0058	0.0025	0.0009	mg/L	5	06/26/23 13:41	EPA200.8		AES
Molybdenum*	0.0143	0.0025	0.0009	mg/L	5	06/26/23 13:41	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	06/26/23 13:41	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	06/26/23 13:41	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	06/26/23 13:41	EPA200.8		AES

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/05/23 16:57

MW-3-MI

2306177-01 (Ground Water)
Sampled Date: 06/15/23 13:48

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 12:25	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica J. Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/05/23 16:57

MW-3-A

2306177-02 (Ground Water)

Sampled Date: 06/15/23 14:14

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	458	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	458	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	-2.05	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	16.1	2.00	0.111	mg/L	2	06/23/23 23:22	EPA300.0		AWG
Fluoride*	0.316	0.200	0.0194	mg/L	2	06/23/23 23:22	EPA300.0		AWG
Nitrate/Nitrite as N*	0.061	0.020	0.009	mg/L as N	1	06/23/23 16:32	EPA353.2		AWG
pH*	7.97			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	20.1			pH Units	1	06/16/23 14:41	EPA150.1		KRW
Sulfate*	573	5.00	0.620	mg/L	5	06/23/23 23:43	EPA300.0		AWG
Total Dissolved Solids*	1310	10.0		mg/L	1	06/19/23 16:36	EPA160.1		CAI
Total Organic Carbon*	<2.50	2.50	0.874	mg/L	5	06/21/23 16:40	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	06/26/23 17:40	EPA200.7		AES
Calcium*	2.51	0.500	0.309	mg/L	5	06/26/23 17:40	EPA200.7		AES
Hardness as CaCO ₃	8.76	3.31	1.49	mg/L	5	06/26/23 17:40	2340 B		AES
Iron*	<0.250	0.250	0.076	mg/L	5	06/26/23 17:40	EPA200.7		AES
Magnesium*	0.603	0.500	0.176	mg/L	5	06/26/23 17:40	EPA200.7		AES
Potassium*	<5.00	5.00	0.519	mg/L	5	06/26/23 17:40	EPA200.7		AES
Silica (SiO ₂)	9.89	5.35	0.814	mg/L	5	06/26/23 17:40	Calculation		AES
Silicon	4.63	2.50	0.381	mg/L	5	06/26/23 17:40	EPA200.7		AES
Sodium*	456	5.00	2.05	mg/L	5	06/26/23 17:40	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	06/26/23 13:42	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	06/26/23 13:42	EPA200.8		AES
Copper*	0.0196	0.0025	0.0021	mg/L	5	06/26/23 13:42	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	06/26/23 13:42	EPA200.8		AES
Manganese*	0.0096	0.0025	0.0009	mg/L	5	06/26/23 13:42	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	06/26/23 13:42	EPA200.8		AES
Selenium*	0.0174	0.0050	0.0018	mg/L	5	06/26/23 13:42	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	06/26/23 13:42	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	06/26/23 13:42	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/05/23 16:57

MW-3-A

2306177-02 (Ground Water)

Sampled Date: 06/15/23 14:14

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 12:28	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/05/23 16:57

MW-3-C

2306177-03 (Ground Water)

Sampled Date: 06/15/23 14:38

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	1410	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	1410	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	-4.08	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	360	5.00	0.278	mg/L	5	06/24/23 00:04	EPA300.0		AWG
Fluoride*	1.96	0.500	0.0486	mg/L	5	06/24/23 00:04	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/23/23 16:34	EPA353.2		AWG
pH*	8.29			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	20.5			pH Units	1	06/16/23 14:41	EPA150.1		KRW
Sulfate*	252	5.00	0.620	mg/L	5	06/24/23 00:04	EPA300.0		AWG
Total Dissolved Solids*	2310	10.0		mg/L	1	06/19/23 16:38	EPA160.1		CAI
Total Organic Carbon*	5.72	2.50	0.874	mg/L	5	06/20/23 18:14	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	07/05/23 12:00	EPA200.7		AES
Calcium*	3.32	0.500	0.309	mg/L	5	07/05/23 12:00	EPA200.7		AES
Hardness as CaCO ₃	13.7	3.31	1.49	mg/L	5	07/05/23 12:00	2340 B		AES
Iron*	<0.250	0.250	0.076	mg/L	5	07/05/23 12:00	EPA200.7		AES
Magnesium*	1.33	0.500	0.176	mg/L	5	07/05/23 12:00	EPA200.7		AES
Potassium*	<5.00	5.00	0.519	mg/L	5	07/05/23 12:00	EPA200.7		AES
Silica (SiO ₂)	8.03	5.35	0.814	mg/L	5	07/05/23 12:00	Calculation		AES
Silicon	3.75	2.50	0.381	mg/L	5	07/05/23 12:00	EPA200.7		AES
Sodium*	906	5.00	2.05	mg/L	5	07/05/23 12:00	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0206	0.0035	0.0026	mg/L	7	06/26/23 13:44	EPA200.8		AES
Cadmium*	<0.0035	0.0035	0.0002	mg/L	7	06/26/23 13:44	EPA200.8		AES
Copper*	0.0571	0.0035	0.0029	mg/L	7	06/26/23 13:44	EPA200.8		AES
Lead*	<0.0035	0.0035	0.0003	mg/L	7	06/26/23 13:44	EPA200.8		AES
Manganese*	0.0065	0.0035	0.0012	mg/L	7	06/26/23 13:44	EPA200.8		AES
Molybdenum*	0.0093	0.0035	0.0013	mg/L	7	06/26/23 13:44	EPA200.8		AES
Selenium*	0.0396	0.0070	0.0026	mg/L	7	06/26/23 13:44	EPA200.8		AES
Uranium	0.0044	0.0035	0.0003	mg/L	7	06/26/23 13:44	EPA200.8		AES
Zinc*	0.0229	0.0140	0.0033	mg/L	7	06/26/23 13:44	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/05/23 16:57

MW-3-C

2306177-03 (Ground Water)
Sampled Date: 06/15/23 14:38

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 12:31	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/05/23 16:57

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231716 - General Prep - Wet Chem

Blank (B231716-BLK1)

Prepared & Analyzed: 06/19/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B231716-BS1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	115	10.0	mg/L	100	115	85-115
--	-----	------	------	-----	-----	--------

LCS Dup (B231716-BSD1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	105	10.0	mg/L	100	105	85-115	9.09	20
--	-----	------	------	-----	-----	--------	------	----

Reference (B231716-SRM1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	54.0	10.0	mg/L	61.8	87.4	85-115
--	------	------	------	------	------	--------

Batch B231723 - General Prep - Wet Chem

Reference (B231723-SRM1)

Prepared & Analyzed: 06/16/23

pH	7.00		pH Units	7.00	100	98.57-101.42
----	------	--	----------	------	-----	--------------

Batch B231724 - General Prep - Wet Chem

Blank (B231724-BLK1)

Prepared & Analyzed: 06/19/23

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B231724-SRM1)

Prepared & Analyzed: 06/19/23

Total Dissolved Solids	385	10.0	mg/L	400	96.2	85-115
------------------------	-----	------	------	-----	------	--------

Batch B231731 - General Prep - Wet Chem

Blank (B231731-BLK1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B231731-BS1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	10.2	0.500	mg/L	10.0	102	85-115
----------------------	------	-------	------	------	-----	--------

LCS Dup (B231731-BSD1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	10.3	0.500	mg/L	10.0	103	85-115	1.37	20
----------------------	------	-------	------	------	-----	--------	------	----

Batch B231782 - Lachat

Blank (B231782-BLK1)

Prepared & Analyzed: 06/23/23

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/05/23 16:57

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B231782 - Lachat (Continued)

Blank (B231782-BLK1) (Continued)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B231782-BS1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00	103	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B231782-BSD1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00	103	90-110	0.447	20
----------------------	------	-------	-----------	------	-----	--------	-------	----

Batch B231784 - IC- Ion Chromatograph

Blank (B231784-BLK1)

Prepared & Analyzed: 06/23/23

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B231784-BS1)

Prepared & Analyzed: 06/23/23

Chloride	25.0	1.00	mg/L	25.0	99.9	90-110
Fluoride	2.48	0.100	mg/L	2.50	99.1	90-110
Sulfate	24.1	1.00	mg/L	25.0	96.6	90-110

LCS Dup (B231784-BSD1)

Prepared & Analyzed: 06/23/23

Chloride	25.0	1.00	mg/L	25.0	100	90-110	0.0881	20
Fluoride	2.49	0.100	mg/L	2.50	99.5	90-110	0.363	20
Sulfate	24.1	1.00	mg/L	25.0	96.6	90-110	0.0207	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/05/23 16:57

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231795 - Dissolved ICP

Blank (B231795-BLK1)

Prepared & Analyzed: 06/26/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B231795-BS1)

Prepared & Analyzed: 06/26/23

Aluminum	4.10	0.050	mg/L	4.00	103	85-115
Calcium	3.92	0.100	mg/L	4.00	97.9	85-115
Iron	4.02	0.050	mg/L	4.00	101	85-115
Magnesium	20.5	0.100	mg/L	20.0	102	85-115
Potassium	8.06	1.00	mg/L	8.00	101	85-115
Silicon	4.06	0.500	mg/L	4.00	101	85-115
Sodium	3.24	1.00	mg/L	3.24	99.9	85-115

LCS Dup (B231795-BSD1)

Prepared & Analyzed: 06/26/23

Aluminum	4.04	0.050	mg/L	4.00	101	85-115	1.59	20
Calcium	3.80	0.100	mg/L	4.00	95.0	85-115	3.01	20
Iron	3.94	0.050	mg/L	4.00	98.5	85-115	2.14	20
Magnesium	20.0	0.100	mg/L	20.0	100	85-115	2.18	20
Potassium	7.86	1.00	mg/L	8.00	98.3	85-115	2.40	20
Silicon	3.97	0.500	mg/L	4.00	99.4	85-115	2.03	20
Sodium	3.16	1.00	mg/L	3.24	97.5	85-115	2.38	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/05/23 16:57

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231796 - Dissolved ICPMS

Blank (B231796-BLK1)

Prepared & Analyzed: 06/26/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B231796-BS1)

Prepared & Analyzed: 06/26/23

Arsenic	0.0512	0.0005	mg/L	0.0500	102	85-115
Cadmium	0.0511	0.0005	mg/L	0.0500	102	85-115
Copper	0.0511	0.0005	mg/L	0.0500	102	85-115
Lead	0.0499	0.0005	mg/L	0.0500	99.8	85-115
Manganese	0.0542	0.0005	mg/L	0.0500	108	85-115
Molybdenum	0.0534	0.0005	mg/L	0.0500	107	85-115
Selenium	0.258	0.0010	mg/L	0.250	103	85-115
Uranium	0.0546	0.0005	mg/L	0.0500	109	85-115
Zinc	0.0528	0.0020	mg/L	0.0500	106	85-115

LCS Dup (B231796-BSD1)

Prepared & Analyzed: 06/26/23

Arsenic	0.0513	0.0005	mg/L	0.0500	103	85-115	0.255	20
Cadmium	0.0507	0.0005	mg/L	0.0500	101	85-115	0.841	20
Copper	0.0516	0.0005	mg/L	0.0500	103	85-115	1.01	20
Lead	0.0497	0.0005	mg/L	0.0500	99.3	85-115	0.473	20
Manganese	0.0548	0.0005	mg/L	0.0500	110	85-115	1.17	20
Molybdenum	0.0522	0.0005	mg/L	0.0500	104	85-115	2.28	20
Selenium	0.257	0.0010	mg/L	0.250	103	85-115	0.448	20
Uranium	0.0558	0.0005	mg/L	0.0500	112	85-115	2.27	20
Zinc	0.0533	0.0020	mg/L	0.0500	107	85-115	0.870	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/05/23 16:57

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231725 - EPA 245.7

Blank (B231725-BLK1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B231725-BS1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1540	100	ng/L	2000		77.0	76-113			
---------	------	-----	------	------	--	------	--------	--	--	--

LCS Dup (B231725-BS1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1550	100	ng/L	2000		77.5	76-113	0.667	20	
---------	------	-----	------	------	--	------	--------	-------	----	--


Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Just Click Printing Form #17-0301

Project Information

Printed: 06/15/2023 4:40 pm

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC GW Baseline
Project Number: GCC GW Baseline
Client PM: Tom Bird
Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

All metals are field filtered. Send out preserved bottles

SAMPLE CONDITION RECEIPT FORM

Client Name: LCC ENERGY

Work Order # 2306.177

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo

Custody Seals on Box/Cooler Present: ☐ Yes ☒ No Seals Intact: ☐ Yes ☒ No

Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ No

Type of Ice: ☒ Wet ☐ Blue ☐ None

Cooler Temp: Observed Temp: 4.9 °C Correction Factor: 0 °C Final Temp: 4.9 °C

*Temp should be above freezing to 6°C

**Date/Initials of person
examining contents:** 6/16/23
EE

Labeled by initials: _____
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>PH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11. <u>Diss Metals</u>
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix:	<u>WT</u> ☐ SL ☐ OT	
Trip Blank Present:	☐ Yes ☒ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☒ No ☐ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

02 June 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 05/18/23 16:22. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'. The signature is written in a cursive, flowing style.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-17

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:10

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-HGA-4	2305232-01	Water	05/18/23 13:49	05/18/23 16:22	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:10

MW-HGA-4

2305232-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	420	10.0	6.06	mg/L	10	05/30/23 14:29	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	10	05/30/23 14:29	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	10	05/30/23 14:29	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	420	10.0	6.06	mg/L	10	05/30/23 14:29	2320 B		KRW
Cation/Anion Balance	1.24	-100	-100	%	1	05/31/23 17:19	Calculation		JDA
Chloride*	3.41	1.00	0.0555	mg/L	1	05/30/23 16:45	EPA300.0		AWG
Fluoride*	0.357	0.100	0.00971	mg/L	1	05/30/23 16:45	EPA300.0		AWG
Nitrate/Nitrite as N*	<5.00	5.00	2.14	mg/L as N	250	05/30/23 12:52	EPA353.2	M5	AWG
pH*	7.37			pH Units	1	05/19/23 16:22	EPA150.1		KRW
pH Temperature, degrees C	23.1			pH Units	1	05/19/23 16:22	EPA150.1		KRW
Sulfate*	161	1.00	0.124	mg/L	1	05/30/23 16:45	EPA300.0	M5	AWG
Total Dissolved Solids*	545	10.0		mg/L	1	05/24/23 15:01	EPA160.1		AES
Total Organic Carbon*	6.87	5.00	1.75	mg/L	10	05/30/23 15:26	5310C	M5	AWG

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.044	mg/L	1	05/31/23 17:55	EPA200.7		AES
Calcium*	84.9	0.100	0.062	mg/L	1	05/31/23 17:55	EPA200.7		AES
Hardness as CaCO ₃	448	0.662	0.299	mg/L	1	05/31/23 17:55	2340 B		AES
Iron*	10.5	0.050	0.015	mg/L	1	05/31/23 17:55	EPA200.7		AES
Magnesium*	57.2	0.100	0.035	mg/L	1	05/31/23 17:55	EPA200.7		AES
Potassium*	2.40	1.00	0.104	mg/L	1	05/31/23 17:55	EPA200.7		AES
Silica (SiO ₂)	14.1	1.07	0.163	mg/L	1	05/31/23 17:55	Calculation		AES
Silicon	6.59	0.500	0.076	mg/L	1	05/31/23 17:55	EPA200.7		AES
Sodium*	39.4	1.00	0.409	mg/L	1	05/31/23 17:55	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0040	0.0005	0.0004	mg/L	1	05/31/23 09:56	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	05/31/23 09:56	EPA200.8		AES
Copper*	0.0027	0.0005	0.0004	mg/L	1	05/31/23 09:56	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00004	mg/L	1	05/31/23 09:56	EPA200.8		AES
Manganese*	0.441	0.0005	0.0002	mg/L	1	05/31/23 09:56	EPA200.8		AES
Molybdenum*	0.0055	0.0005	0.0002	mg/L	1	05/31/23 09:56	EPA200.8		AES
Selenium*	<0.0010	0.0010	0.0004	mg/L	1	05/31/23 09:56	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00004	mg/L	1	05/31/23 09:56	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0005	mg/L	1	05/31/23 09:56	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:10

MW-HGA-4

2305232-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	05/31/23 15:06	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:10

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231364 - General Prep - Wet Chem

Blank (B231364-BLK1)

Prepared & Analyzed: 05/24/23

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B231364-SRM1)

Prepared & Analyzed: 05/24/23

Total Dissolved Solids	376	10.0	mg/L	370	102	85-115
------------------------	-----	------	------	-----	-----	--------

Batch B231380 - General Prep - Wet Chem

Blank (B231380-BLK1)

Prepared & Analyzed: 05/26/23

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B231380-BS1)

Prepared & Analyzed: 05/26/23

Total Organic Carbon	9.61	0.500	mg/L	10.0	96.1	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B231380-BSD1)

Prepared & Analyzed: 05/26/23

Total Organic Carbon	10.1	0.500	mg/L	10.0	101	85-115	4.54	20
----------------------	------	-------	------	------	-----	--------	------	----

Batch B231409 - General Prep - Wet Chem

Reference (B231409-SRM1)

Prepared & Analyzed: 05/19/23

pH	6.96		pH Units	7.00	99.4	98.57-101.42
----	------	--	----------	------	------	--------------

Batch B231417 - Lachat

Blank (B231417-BLK1)

Prepared & Analyzed: 05/30/23

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B231417-BS1)

Prepared & Analyzed: 05/30/23

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00	103	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B231417-BSD1)

Prepared & Analyzed: 05/30/23

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00	102	90-110	1.14	20
----------------------	------	-------	-----------	------	-----	--------	------	----

Batch B231419 - IC- Ion Chromatograph

Blank (B231419-BLK1)

Prepared & Analyzed: 05/30/23

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B231419-BS1)

Prepared & Analyzed: 05/30/23

Chloride	24.7	1.00	mg/L	25.0	98.7	90-110
----------	------	------	------	------	------	--------

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
06/02/23 15:10General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231419 - IC- Ion Chromatograph (Continued)

LCS (B231419-BS1) (Continued)

Prepared & Analyzed: 05/30/23

Fluoride	2.47	0.100	mg/L	2.50		98.7	90-110			
Sulfate	24.5	1.00	mg/L	25.0		98.2	90-110			

LCS Dup (B231419-BSD1)

Prepared & Analyzed: 05/30/23

Chloride	24.7	1.00	mg/L	25.0		98.6	90-110	0.0568	20	
Fluoride	2.47	0.100	mg/L	2.50		98.6	90-110	0.0405	20	
Sulfate	24.5	1.00	mg/L	25.0		97.9	90-110	0.269	20	

Batch B231421 - General Prep - Wet Chem

Blank (B231421-BLK1)

Prepared & Analyzed: 05/30/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B231421-BS1)

Prepared & Analyzed: 05/30/23

Alkalinity, Total as CaCO ₃	100	10.0	mg/L	100		100	85-115			
--	-----	------	------	-----	--	-----	--------	--	--	--

LCS Dup (B231421-BSD1)

Prepared & Analyzed: 05/30/23

Alkalinity, Total as CaCO ₃	103	10.0	mg/L	100		103	85-115	2.96	20	
--	-----	------	------	-----	--	-----	--------	------	----	--

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:10

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231346 - Dissolved ICP

Blank (B231346-BLK1)

Prepared: 05/22/23 Analyzed: 05/31/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B231346-BS1)

Prepared: 05/22/23 Analyzed: 05/31/23

Aluminum	4.03	0.050	mg/L	4.00	101	85-115
Calcium	4.01	0.100	mg/L	4.00	100	85-115
Iron	4.12	0.050	mg/L	4.00	103	85-115
Magnesium	20.3	0.100	mg/L	20.0	102	85-115
Potassium	8.24	1.00	mg/L	8.00	103	85-115
Silicon	4.19	0.500	mg/L	4.00	105	85-115
Sodium	3.23	1.00	mg/L	3.24	99.8	85-115

LCS Dup (B231346-BSD1)

Prepared: 05/22/23 Analyzed: 05/31/23

Aluminum	4.05	0.050	mg/L	4.00	101	85-115	0.324	20
Calcium	3.87	0.100	mg/L	4.00	96.8	85-115	3.66	20
Iron	4.12	0.050	mg/L	4.00	103	85-115	0.0324	20
Magnesium	20.2	0.100	mg/L	20.0	101	85-115	0.556	20
Potassium	8.18	1.00	mg/L	8.00	102	85-115	0.732	20
Silicon	4.12	0.500	mg/L	4.00	103	85-115	1.59	20
Sodium	3.20	1.00	mg/L	3.24	98.9	85-115	0.906	20

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:10

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231390 - Dissolved ICPMS

Blank (B231390-BLK1)

Prepared: 05/25/23 Analyzed: 05/31/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B231390-BS1)

Prepared: 05/25/23 Analyzed: 05/31/23

Arsenic	0.0496	0.0005	mg/L	0.0500	99.3	85-115
Cadmium	0.0497	0.0005	mg/L	0.0500	99.4	85-115
Copper	0.0477	0.0005	mg/L	0.0500	95.4	85-115
Lead	0.0479	0.0005	mg/L	0.0500	95.9	85-115
Manganese	0.0498	0.0005	mg/L	0.0500	99.7	85-115
Molybdenum	0.0477	0.0005	mg/L	0.0500	95.5	85-115
Selenium	0.243	0.0010	mg/L	0.250	97.3	85-115
Uranium	0.0508	0.0005	mg/L	0.0500	102	85-115
Zinc	0.0490	0.0020	mg/L	0.0500	98.1	85-115

LCS Dup (B231390-BSD1)

Prepared: 05/25/23 Analyzed: 05/31/23

Arsenic	0.0508	0.0005	mg/L	0.0500	102	85-115	2.33	20
Cadmium	0.0500	0.0005	mg/L	0.0500	100	85-115	0.596	20
Copper	0.0479	0.0005	mg/L	0.0500	95.7	85-115	0.285	20
Lead	0.0475	0.0005	mg/L	0.0500	95.0	85-115	0.936	20
Manganese	0.0497	0.0005	mg/L	0.0500	99.3	85-115	0.353	20
Molybdenum	0.0495	0.0005	mg/L	0.0500	99.0	85-115	3.57	20
Selenium	0.252	0.0010	mg/L	0.250	101	85-115	3.44	20
Uranium	0.0508	0.0005	mg/L	0.0500	102	85-115	0.0808	20
Zinc	0.0487	0.0020	mg/L	0.0500	97.4	85-115	0.675	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/02/23 15:10

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231428 - EPA 245.7

Blank (B231428-BLK1)

Prepared: 05/30/23 Analyzed: 05/31/23

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B231428-BS1)

Prepared: 05/30/23 Analyzed: 05/31/23

Mercury	2050	100	ng/L	2000		102	76-113			
---------	------	-----	------	------	--	-----	--------	--	--	--

LCS Dup (B231428-BSD1)

Prepared: 05/30/23 Analyzed: 05/31/23

Mercury	2090	100	ng/L	2000		105	76-113	2.31	20	
---------	------	-----	------	------	--	-----	--------	------	----	--

Notes and Definitions

M5	Sample was chosen for matrix spike. Spike recovery did not meet laboratory acceptance criteria, possible matrix interference in sample.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Just Click Printing Form #17-030

SAMPLE CONDITION RECEIPT FORM

Client Name: GCC ENERGY

Work Order # 2305-232

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo

Custody Seals on Box/Cooler Present: ☐ Yes ☒ No

Seals Intact: ☐ Yes ☒ No

Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ No

Type of Ice: ☒ Wet ☐ Blue ☐ None

Cooler Temp: Observed Temp: 12.7 °C Correction Factor: 0 °C Final Temp: 12.7 °C

* Temp should be above freezing to 6°C

Date/Initials of person examining contents: 5/13/22
[Signature]

Labeled by Initials:
(if different than above) [Signature]

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>PH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☐ Yes ☒ No	11.
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix:	☒ WT ☐ SL ☐ OT	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☐ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____

Project Information

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Jeremy D Allen

Phone:(970) 385-4528

Fax:(970) 385-4638

GCC Energy

5/18/2023

Project Name: GCC GW Baseline
Project Number: GCC GW Baseline
Client PM: Tom Bird
Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
200.2 Metals Digest	
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

All metals are field filtered. Send out preserved bottles



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

13 July 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 06/15/23 16:35. This data replaces the previous report (See case narrative). The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'. The signature is written in a cursive, flowing style.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-17

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-4-A	2306173-01	Water	06/15/23 13:10	06/15/23 16:35	
M-99	2306173-02	Water	06/14/23 15:50	06/15/23 16:35	
M-98	2306173-03	Water	06/14/23 15:01	06/15/23 16:35	
MW-7-EAA	2306173-04	Water	06/14/23 14:58	06/15/23 16:35	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

This report has been revised due to client request to report to RL. This replaces the previously issued report titled 2306173
GAL FINAL 06 27 23 1027

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

MW-4-A

2306173-01 (Ground Water)
Sampled Date: 06/15/23 13:10

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	579	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	579	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	-0.300	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	10.3	5.00	0.278	mg/L	5	06/23/23 14:39	EPA300.0		AWG
Fluoride*	<0.500	0.500	0.0486	mg/L	5	06/23/23 14:39	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/23/23 16:16	EPA353.2		AWG
pH*	8.12			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	23.2			pH Units	1	06/16/23 14:41	EPA150.1		KRW
Sulfate*	594	5.00	0.620	mg/L	5	06/23/23 14:39	EPA300.0		AWG
Total Dissolved Solids*	1480	10.0		mg/L	1	06/19/23 16:10	EPA160.1		CAI
Total Organic Carbon*	3.35	2.50	0.874	mg/L	5	06/21/23 10:48	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	06/19/23 16:22	EPA200.7		AES
Calcium*	1.83	0.500	0.309	mg/L	5	06/19/23 16:22	EPA200.7		AES
Hardness as CaCO ₃	8.02	3.31	1.49	mg/L	5	06/19/23 16:22	2340 B		AES
Iron*	<0.250	0.250	0.076	mg/L	5	06/19/23 16:22	EPA200.7		AES
Magnesium*	0.839	0.500	0.176	mg/L	5	06/19/23 16:22	EPA200.7		AES
Potassium*	<5.00	5.00	0.519	mg/L	5	06/19/23 16:22	EPA200.7		AES
Silica (SiO ₂)	9.55	5.35	0.814	mg/L	5	06/19/23 16:22	Calculation		AES
Silicon	4.46	2.50	0.381	mg/L	5	06/19/23 16:22	EPA200.7		AES
Sodium*	535	5.00	2.05	mg/L	5	06/19/23 16:22	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	06/19/23 13:27	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	06/19/23 13:27	EPA200.8		AES
Copper*	0.0201	0.0025	0.0021	mg/L	5	06/19/23 13:27	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:27	EPA200.8		AES
Manganese*	0.0030	0.0025	0.0009	mg/L	5	06/19/23 13:27	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	06/19/23 13:27	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	06/19/23 13:27	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:27	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	06/19/23 13:27	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

MW-4-A

2306173-01 (Ground Water)
Sampled Date: 06/15/23 13:10

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 10:27	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

M-99

2306173-02 (Ground Water)
Sampled Date: 06/14/23 15:50

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	563	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	563	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	1.27	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	8.38	2.00	0.111	mg/L	2	06/23/23 15:00	EPA300.0		AWG
Fluoride*	<0.200	0.200	0.0194	mg/L	2	06/23/23 15:00	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/23/23 16:17	EPA353.2		AWG
pH*	7.28			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	23.7			pH Units	1	06/16/23 14:41	EPA150.1		KRW
Sulfate*	327	2.00	0.248	mg/L	2	06/23/23 15:00	EPA300.0		AWG
Total Dissolved Solids*	1040	10.0		mg/L	1	06/19/23 16:12	EPA160.1		CAI
Total Organic Carbon*	2.66	2.50	0.874	mg/L	5	06/21/23 11:14	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	06/19/23 16:24	EPA200.7		AES
Calcium*	70.1	0.500	0.309	mg/L	5	06/19/23 16:24	EPA200.7		AES
Hardness as CaCO ₃	380	3.31	1.49	mg/L	5	06/19/23 16:24	2340 B		AES
Iron*	<0.250	0.250	0.076	mg/L	5	06/19/23 16:24	EPA200.7		AES
Magnesium*	49.7	0.500	0.176	mg/L	5	06/19/23 16:24	EPA200.7		AES
Potassium*	5.68	5.00	0.519	mg/L	5	06/19/23 16:24	EPA200.7		AES
Silica (SiO ₂)	13.6	5.35	0.814	mg/L	5	06/19/23 16:24	Calculation		AES
Silicon	6.35	2.50	0.381	mg/L	5	06/19/23 16:24	EPA200.7		AES
Sodium*	233	5.00	2.05	mg/L	5	06/19/23 16:24	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	06/19/23 13:29	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	06/19/23 13:29	EPA200.8		AES
Copper*	0.0081	0.0025	0.0021	mg/L	5	06/19/23 13:29	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:29	EPA200.8		AES
Manganese*	0.0533	0.0025	0.0009	mg/L	5	06/19/23 13:29	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	06/19/23 13:29	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	06/19/23 13:29	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:29	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	06/19/23 13:29	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

M-99

2306173-02 (Ground Water)
Sampled Date: 06/14/23 15:50

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 11:05	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

M-98

2306173-03 (Ground Water)
Sampled Date: 06/14/23 15:01

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	410	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	410	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	0.800	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	11.0	2.00	0.111	mg/L	2	06/23/23 15:42	EPA300.0		AWG
Fluoride*	0.262	0.200	0.0194	mg/L	2	06/23/23 15:42	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/23/23 16:18	EPA353.2		AWG
pH*	6.95			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	23.6			pH Units	1	06/16/23 14:41	EPA150.1		KRW
Sulfate*	721	5.00	0.620	mg/L	5	06/23/23 16:44	EPA300.0		AWG
Total Dissolved Solids*	1400	10.0		mg/L	1	06/19/23 16:14	EPA160.1		CAI
Total Organic Carbon*	3.31	2.50	0.874	mg/L	5	06/21/23 11:40	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	06/19/23 16:27	EPA200.7		AES
Calcium*	161	0.500	0.309	mg/L	5	06/19/23 16:27	EPA200.7		AES
Hardness as CaCO ₃	952	3.31	1.49	mg/L	5	06/19/23 16:27	2340 B		AES
Iron*	0.271	0.250	0.076	mg/L	5	06/19/23 16:27	EPA200.7		AES
Magnesium*	134	0.500	0.176	mg/L	5	06/19/23 16:27	EPA200.7		AES
Potassium*	<5.00	5.00	0.519	mg/L	5	06/19/23 16:27	EPA200.7		AES
Silica (SiO ₂)	17.0	5.35	0.814	mg/L	5	06/19/23 16:27	Calculation		AES
Silicon	7.95	2.50	0.381	mg/L	5	06/19/23 16:27	EPA200.7		AES
Sodium*	76.0	5.00	2.05	mg/L	5	06/19/23 16:27	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	06/19/23 13:31	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	06/19/23 13:31	EPA200.8		AES
Copper*	0.0028	0.0025	0.0021	mg/L	5	06/19/23 13:31	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:31	EPA200.8		AES
Manganese*	4.22	0.0025	0.0009	mg/L	5	06/19/23 13:31	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	06/19/23 13:31	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	06/19/23 13:31	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:31	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	06/19/23 13:31	EPA200.8		AES

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

M-98

2306173-03 (Ground Water)
Sampled Date: 06/14/23 15:01

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 10:32	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

MW-7-EAA

2306173-04 (Ground Water)
Sampled Date: 06/14/23 14:58

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	428	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	428	10.0	6.06	mg/L	1	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	0.760	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	10.8	2.00	0.111	mg/L	2	06/23/23 17:05	EPA300.0		AWG
Fluoride*	0.264	0.200	0.0194	mg/L	2	06/23/23 17:05	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/23/23 16:19	EPA353.2		AWG
pH*	7.00			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	21.8			pH Units	1	06/16/23 14:41	EPA150.1		KRW
Sulfate*	709	5.00	0.620	mg/L	5	06/23/23 17:26	EPA300.0		AWG
Total Dissolved Solids*	1410	10.0		mg/L	1	06/19/23 16:16	EPA160.1		CAI
Total Organic Carbon*	3.56	2.50	0.874	mg/L	5	06/21/23 12:06	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	06/19/23 16:34	EPA200.7		AES
Calcium*	161	0.500	0.309	mg/L	5	06/19/23 16:34	EPA200.7		AES
Hardness as CaCO ₃	960	3.31	1.49	mg/L	5	06/19/23 16:34	2340 B		AES
Iron*	0.265	0.250	0.076	mg/L	5	06/19/23 16:34	EPA200.7		AES
Magnesium*	135	0.500	0.176	mg/L	5	06/19/23 16:34	EPA200.7		AES
Potassium*	<5.00	5.00	0.519	mg/L	5	06/19/23 16:34	EPA200.7		AES
Silica (SiO ₂)	17.2	5.35	0.814	mg/L	5	06/19/23 16:34	Calculation		AES
Silicon	8.05	2.50	0.381	mg/L	5	06/19/23 16:34	EPA200.7		AES
Sodium*	75.6	5.00	2.05	mg/L	5	06/19/23 16:34	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	06/19/23 13:32	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	06/19/23 13:32	EPA200.8		AES
Copper*	0.0042	0.0025	0.0021	mg/L	5	06/19/23 13:32	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:32	EPA200.8		AES
Manganese*	4.39	0.0025	0.0009	mg/L	5	06/19/23 13:32	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	06/19/23 13:32	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	06/19/23 13:32	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:32	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	06/19/23 13:32	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

MW-7-EAA

2306173-04 (Ground Water)
Sampled Date: 06/14/23 14:58

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 10:34	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/13/23 08:57

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231716 - General Prep - Wet Chem

Blank (B231716-BLK1)

Prepared & Analyzed: 06/19/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B231716-BS1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	115	10.0	mg/L	100	115	85-115
--	-----	------	------	-----	-----	--------

LCS Dup (B231716-BSD1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	105	10.0	mg/L	100	105	85-115	9.09	20
--	-----	------	------	-----	-----	--------	------	----

Reference (B231716-SRM1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	54.0	10.0	mg/L	61.8	87.4	85-115
--	------	------	------	------	------	--------

Batch B231723 - General Prep - Wet Chem

Reference (B231723-SRM1)

Prepared & Analyzed: 06/16/23

pH	7.00	pH Units	7.00	100	98.57-101.42
----	------	----------	------	-----	--------------

Batch B231724 - General Prep - Wet Chem

Blank (B231724-BLK1)

Prepared & Analyzed: 06/19/23

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B231724-SRM1)

Prepared & Analyzed: 06/19/23

Total Dissolved Solids	385	10.0	mg/L	400	96.2	85-115
------------------------	-----	------	------	-----	------	--------

Batch B231731 - General Prep - Wet Chem

Blank (B231731-BLK1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B231731-BS1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	10.2	0.500	mg/L	10.0	102	85-115
----------------------	------	-------	------	------	-----	--------

LCS Dup (B231731-BSD1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	10.3	0.500	mg/L	10.0	103	85-115	1.37	20
----------------------	------	-------	------	------	-----	--------	------	----

Batch B231782 - Lachat

Blank (B231782-BLK1)

Prepared & Analyzed: 06/23/23

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/13/23 08:57General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B231782 - Lachat (Continued)

Blank (B231782-BLK1) (Continued)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N ND 0.020 mg/L as N

LCS (B231782-BS1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N 1.03 0.020 mg/L as N 1.00 103 90-110

LCS Dup (B231782-BSD1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N 1.03 0.020 mg/L as N 1.00 103 90-110 0.447 20

Batch B231784 - IC- Ion Chromatograph

Blank (B231784-BLK1)

Prepared & Analyzed: 06/23/23

Chloride ND 1.00 mg/L
Fluoride ND 0.100 mg/L
Sulfate ND 1.00 mg/L

LCS (B231784-BS1)

Prepared & Analyzed: 06/23/23

Chloride 25.0 1.00 mg/L 25.0 99.9 90-110
Fluoride 2.48 0.100 mg/L 2.50 99.1 90-110
Sulfate 24.1 1.00 mg/L 25.0 96.6 90-110

LCS Dup (B231784-BSD1)

Prepared & Analyzed: 06/23/23

Chloride 25.0 1.00 mg/L 25.0 100 90-110 0.0881 20
Fluoride 2.49 0.100 mg/L 2.50 99.5 90-110 0.363 20
Sulfate 24.1 1.00 mg/L 25.0 96.6 90-110 0.0207 20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231726 - Dissolved ICP

Blank (B231726-BLK1)

Prepared & Analyzed: 06/19/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B231726-BS1)

Prepared & Analyzed: 06/19/23

Aluminum	4.11	0.050	mg/L	4.00	103	85-115
Calcium	3.96	0.100	mg/L	4.00	99.1	85-115
Iron	4.00	0.050	mg/L	4.00	100	85-115
Magnesium	20.4	0.100	mg/L	20.0	102	85-115
Potassium	8.00	1.00	mg/L	8.00	100	85-115
Silicon	4.11	0.500	mg/L	4.00	103	85-115
Sodium	3.28	1.00	mg/L	3.24	101	85-115

LCS Dup (B231726-BSD1)

Prepared & Analyzed: 06/19/23

Aluminum	4.09	0.050	mg/L	4.00	102	85-115	0.450	20
Calcium	3.91	0.100	mg/L	4.00	97.8	85-115	1.31	20
Iron	3.94	0.050	mg/L	4.00	98.6	85-115	1.42	20
Magnesium	20.2	0.100	mg/L	20.0	101	85-115	0.912	20
Potassium	7.96	1.00	mg/L	8.00	99.6	85-115	0.432	20
Silicon	4.06	0.500	mg/L	4.00	102	85-115	1.17	20
Sodium	3.24	1.00	mg/L	3.24	100	85-115	0.983	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/13/23 08:57

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231729 - Dissolved ICPMS

Blank (B231729-BLK1)

Prepared & Analyzed: 06/19/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B231729-BS1)

Prepared & Analyzed: 06/19/23

Arsenic	0.0484	0.0005	mg/L	0.0500	96.7	85-115
Cadmium	0.0485	0.0005	mg/L	0.0500	97.0	85-115
Copper	0.0481	0.0005	mg/L	0.0500	96.2	85-115
Lead	0.0496	0.0005	mg/L	0.0500	99.2	85-115
Manganese	0.0520	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0488	0.0005	mg/L	0.0500	97.5	85-115
Selenium	0.241	0.0010	mg/L	0.250	96.3	85-115
Uranium	0.0509	0.0005	mg/L	0.0500	102	85-115
Zinc	0.0497	0.0020	mg/L	0.0500	99.5	85-115

LCS Dup (B231729-BSD1)

Prepared & Analyzed: 06/19/23

Arsenic	0.0483	0.0005	mg/L	0.0500	96.6	85-115	0.148	20
Cadmium	0.0490	0.0005	mg/L	0.0500	98.0	85-115	1.03	20
Copper	0.0479	0.0005	mg/L	0.0500	95.8	85-115	0.461	20
Lead	0.0496	0.0005	mg/L	0.0500	99.2	85-115	0.0445	20
Manganese	0.0523	0.0005	mg/L	0.0500	105	85-115	0.587	20
Molybdenum	0.0490	0.0005	mg/L	0.0500	98.0	85-115	0.473	20
Selenium	0.243	0.0010	mg/L	0.250	97.2	85-115	0.972	20
Uranium	0.0516	0.0005	mg/L	0.0500	103	85-115	1.37	20
Zinc	0.0498	0.0020	mg/L	0.0500	99.6	85-115	0.106	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:57

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231725 - EPA 245.7

Blank (B231725-BLK1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B231725-BS1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1540	100	ng/L	2000		77.0	76-113			
---------	------	-----	------	------	--	------	--------	--	--	--

LCS Dup (B231725-BSD1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1550	100	ng/L	2000		77.5	76-113	0.667	20	
---------	------	-----	------	------	--	------	--------	-------	----	--

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com
75 Suttle St Durango, CO 81303

FORM-006
COC - Revision 6.0

[illegible]

Project Information

Printed: 06/15/2023 4:40 pm

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC GW Baseline
Project Number: GCC GW Baseline
Client PM: Tom Bird
Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

All metals are field filtered. Send out preserved bottles

SAMPLE CONDITION RECEIPT FORM

Client Name: GCC Energy

Work Order # 2306-173

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo

Custody Seals on Box/Cooler Present: ☐ Yes ☒ No

Seals Intact: ☐ Yes ☐ No

Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ No

Type of Ice: ☒ Wet ☐ Blue ☐ None

Cooler Temp: Observed Temp: 4.9 °C Correction Factor: 0 °C Final Temp: 4.9 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: MRN 6/16/2

Labeled by initials: _____
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>pH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11. <u>Diss Metals</u>
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC:	☒ Yes ☐ No	12.
-Includes Date/Time/ID		
Matrix:	☒ WT ☐ SL ☐ OT	
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☒ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

20 June 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 05/31/23 16:17. This data replaces the previous report (See case narrative). The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'. The signature is written in a cursive, flowing style.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-17

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-4-MI	2306007-01	Water	05/31/23 14:30	05/31/23 16:17	
MW-4-C	2306007-02	Water	05/31/23 15:04	05/31/23 16:17	
MW-6-LM	2306007-03	Water	05/31/23 13:38	05/31/23 16:17	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

This report has been revised due to client request to investigate why TDS is high on sample 02. We found that the data entry on the volume of sample used was input incorrectly. This has been corrected. This replaces the previously issued report titled 2306007 GAL FINAL 06 14 23 16:10

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

MW-4-MI

2306007-01 (Ground Water)

Sampled Date: 05/31/23 14:30

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	965	10.0	6.06	mg/L	5	06/05/23 09:06	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	06/05/23 09:06	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	100	10.0	6.06	mg/L	5	06/05/23 09:06	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	865	10.0	6.06	mg/L	5	06/05/23 09:06	2320 B		KRW
Cation/Anion Balance	-1.68	-100	-100	%	1	06/12/23 11:35	Calculation		JDA
Chloride*	3.91	2.00	0.111	mg/L	2	06/12/23 17:44	EPA300.0		AWG
Fluoride*	5.31	0.200	0.0194	mg/L	2	06/12/23 17:44	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/07/23 12:42	EPA353.2		AWG
pH*	8.41			pH Units	1	06/01/23 09:11	EPA150.1		KRW
pH Temperature, degrees C	17.1			pH Units	1	06/01/23 09:11	EPA150.1		KRW
Sulfate*	10.1	2.00	0.248	mg/L	2	06/12/23 17:44	EPA300.0		AWG
Total Dissolved Solids*	1030	10.0		mg/L	1	06/02/23 15:02	EPA160.1		CAI
Total Organic Carbon*	4.52	2.50	0.874	mg/L	5	06/07/23 11:29	5310C		AWG

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	06/12/23 15:14	EPA200.7		AES
Calcium*	1.02	0.200	0.124	mg/L	2	06/12/23 15:14	EPA200.7		AES
Hardness as CaCO ₃	4.11	1.32	0.598	mg/L	2	06/12/23 15:14	2340 B		AES
Iron*	<0.100	0.100	0.030	mg/L	2	06/12/23 15:14	EPA200.7		AES
Magnesium*	0.381	0.200	0.070	mg/L	2	06/12/23 15:14	EPA200.7		AES
Potassium*	<2.00	2.00	0.208	mg/L	2	06/12/23 15:14	EPA200.7		AES
Silica (SiO ₂)	8.23	2.14	0.326	mg/L	2	06/12/23 15:14	Calculation		AES
Silicon	3.85	1.00	0.152	mg/L	2	06/12/23 15:14	EPA200.7		AES
Sodium*	427	2.00	0.818	mg/L	2	06/12/23 15:14	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0074	0.0025	0.0018	mg/L	5	06/05/23 13:04	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	06/05/23 13:04	EPA200.8		AES
Copper*	0.0049	0.0025	0.0021	mg/L	5	06/05/23 13:04	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	06/05/23 13:04	EPA200.8		AES
Manganese*	0.0077	0.0025	0.0009	mg/L	5	06/05/23 13:04	EPA200.8		AES
Molybdenum*	0.0052	0.0025	0.0009	mg/L	5	06/05/23 13:04	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	06/05/23 13:04	EPA200.8		AES
Uranium	0.0063	0.0025	0.0002	mg/L	5	06/05/23 13:04	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	06/05/23 13:04	EPA200.8		AES

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

MW-4-MI

2306007-01 (Ground Water)
Sampled Date: 05/31/23 14:30

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/07/23 14:29	EPA245.7		AES
Cation/Anion Balance	-1.68								

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

MW-4-C

2306007-02 (Ground Water)
Sampled Date: 05/31/23 15:04

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	2240	10.0	6.06	mg/L	10	06/05/23 09:06	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	10	06/05/23 09:06	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	10	06/05/23 09:06	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	2240	10.0	6.06	mg/L	10	06/05/23 09:06	2320 B		KRW
Cation/Anion Balance	-0.920	-100	-100	%	1	06/12/23 11:35	Calculation		JDA
Chloride*	581	5.00	0.278	mg/L	5	06/12/23 18:05	EPA300.0		AWG
Fluoride*	2.15	0.500	0.0486	mg/L	5	06/12/23 18:05	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/07/23 12:43	EPA353.2		AWG
pH*	8.12			pH Units	1	06/01/23 09:11	EPA150.1		KRW
pH Temperature, degrees C	17.1			pH Units	1	06/01/23 09:11	EPA150.1		KRW
Sulfate*	<5.00	5.00	0.620	mg/L	5	06/12/23 18:05	EPA300.0		AWG
Total Dissolved Solids*	3450	10.0		mg/L	1	06/02/23 15:04	EPA160.1		CAI
Total Organic Carbon*	5.54	2.50	0.874	mg/L	5	06/07/23 11:44	5310C		AWG

Dissolved Metals by ICP

Aluminum*	<0.500	0.500	0.440	mg/L	10	06/12/23 15:24	EPA200.7		AES
Calcium*	4.78	1.00	0.618	mg/L	10	06/12/23 15:24	EPA200.7		AES
Hardness as CaCO ₃	21.0	6.62	2.99	mg/L	10	06/12/23 15:24	2340 B		AES
Iron*	0.572	0.500	0.151	mg/L	10	06/12/23 15:24	EPA200.7		AES
Magnesium*	2.20	1.00	0.351	mg/L	10	06/12/23 15:24	EPA200.7		AES
Potassium*	<10.0	10.0	1.04	mg/L	10	06/12/23 15:24	EPA200.7		AES
Silica (SiO ₂)	<10.7	10.7	1.63	mg/L	10	06/12/23 15:24	Calculation		AES
Silicon	<5.00	5.00	0.761	mg/L	10	06/12/23 15:24	EPA200.7		AES
Sodium*	1360	10.0	4.09	mg/L	10	06/12/23 15:24	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0155	0.0050	0.0037	mg/L	10	06/05/23 13:05	EPA200.8		AES
Cadmium*	<0.0050	0.0050	0.0003	mg/L	10	06/05/23 13:05	EPA200.8		AES
Copper*	0.0160	0.0050	0.0042	mg/L	10	06/05/23 13:05	EPA200.8		AES
Lead*	<0.0050	0.0050	0.0004	mg/L	10	06/05/23 13:05	EPA200.8		AES
Manganese*	<0.0050	0.0050	0.0017	mg/L	10	06/05/23 13:05	EPA200.8		AES
Molybdenum*	<0.0050	0.0050	0.0018	mg/L	10	06/05/23 13:05	EPA200.8		AES
Selenium*	0.0194	0.0100	0.0037	mg/L	10	06/05/23 13:05	EPA200.8		AES
Uranium	<0.0050	0.0050	0.0004	mg/L	10	06/05/23 13:05	EPA200.8		AES
Zinc*	<0.0200	0.0200	0.0047	mg/L	10	06/05/23 13:05	EPA200.8		AES

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

MW-4-C

2306007-02 (Ground Water)

Sampled Date: 05/31/23 15:04

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/07/23 14:32	EPA245.7		AES
Cation/Anion Balance	-92								

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

MW-6-LM

2306007-03 (Ground Water)
Sampled Date: 05/31/23 13:38

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	470	10.0	6.06	mg/L	5	06/05/23 09:06	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	06/05/23 09:06	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	06/05/23 09:06	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	470	10.0	6.06	mg/L	5	06/05/23 09:06	2320 B		KRW
Cation/Anion Balance	-4.17	-100	-100	%	1	06/12/23 11:35	Calculation		JDA
Chloride*	5.09	2.00	0.111	mg/L	2	06/12/23 18:25	EPA300.0		AWG
Fluoride*	0.254	0.200	0.0194	mg/L	2	06/12/23 18:25	EPA300.0		AWG
Nitrate/Nitrite as N*	0.022	0.020	0.009	mg/L as N	1	06/07/23 12:44	EPA353.2		AWG
pH*	7.58			pH Units	1	06/01/23 09:11	EPA150.1		KRW
pH Temperature, degrees C	17.3			pH Units	1	06/01/23 09:11	EPA150.1		KRW
Sulfate*	366	2.00	0.248	mg/L	2	06/12/23 18:25	EPA300.0		AWG
Total Dissolved Solids*	940	10.0		mg/L	1	06/02/23 15:06	EPA160.1		CAI
Total Organic Carbon*	<2.50	2.50	0.874	mg/L	5	06/07/23 12:10	5310C		AWG

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	06/12/23 15:26	EPA200.7		AES
Calcium*	76.8	0.200	0.124	mg/L	2	06/12/23 15:26	EPA200.7		AES
Hardness as CaCO ₃	456	1.32	0.598	mg/L	2	06/12/23 15:26	2340 B		AES
Iron*	<0.100	0.100	0.030	mg/L	2	06/12/23 15:26	EPA200.7		AES
Magnesium*	64.2	0.200	0.070	mg/L	2	06/12/23 15:26	EPA200.7		AES
Potassium*	3.14	2.00	0.208	mg/L	2	06/12/23 15:26	EPA200.7		AES
Silica (SiO ₂)	17.4	2.14	0.326	mg/L	2	06/12/23 15:26	Calculation		AES
Silicon	8.12	1.00	0.152	mg/L	2	06/12/23 15:26	EPA200.7		AES
Sodium*	125	2.00	0.818	mg/L	2	06/12/23 15:26	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0030	0.0010	0.0007	mg/L	2	06/05/23 13:07	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	06/05/23 13:07	EPA200.8		AES
Copper*	0.0016	0.0010	0.0008	mg/L	2	06/05/23 13:07	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	06/05/23 13:07	EPA200.8		AES
Manganese*	0.0961	0.0010	0.0003	mg/L	2	06/05/23 13:07	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0004	mg/L	2	06/05/23 13:07	EPA200.8		AES
Selenium*	0.0028	0.0020	0.0007	mg/L	2	06/05/23 13:07	EPA200.8		AES
Uranium	0.0011	0.0010	0.00009	mg/L	2	06/05/23 13:07	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	06/05/23 13:07	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

MW-6-LM

2306007-03 (Ground Water)
Sampled Date: 05/31/23 13:38

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/07/23 14:34	EPA245.7		AES
Cation/Anion Balance	-4.17								

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231480 - General Prep - Wet Chem

Blank (B231480-BLK1)

Prepared & Analyzed: 06/02/23

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B231480-SRM1)

Prepared & Analyzed: 06/02/23

Total Dissolved Solids	375	10.0	mg/L	370	101	85-115
------------------------	-----	------	------	-----	-----	--------

Batch B231493 - General Prep - Wet Chem

Blank (B231493-BLK1)

Prepared & Analyzed: 06/05/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B231493-BS1)

Prepared & Analyzed: 06/05/23

Alkalinity, Total as CaCO ₃	100	10.0	mg/L	100	100	85-115
--	-----	------	------	-----	-----	--------

LCS Dup (B231493-BSD1)

Prepared & Analyzed: 06/05/23

Alkalinity, Total as CaCO ₃	102	10.0	mg/L	100	102	85-115	1.98	20
--	-----	------	------	-----	-----	--------	------	----

Batch B231509 - General Prep - Wet Chem

Reference (B231509-SRM1)

Prepared & Analyzed: 06/01/23

pH	7.01		pH Units	7.00	100	8.57-101.42
----	------	--	----------	------	-----	-------------

Batch B231528 - General Prep - Wet Chem

Blank (B231528-BLK1)

Prepared & Analyzed: 06/07/23

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B231528-BS1)

Prepared & Analyzed: 06/06/23

Total Organic Carbon	10.2	0.500	mg/L	10.0	102	85-115
----------------------	------	-------	------	------	-----	--------

LCS Dup (B231528-BSD1)

Prepared & Analyzed: 06/06/23

Total Organic Carbon	10.0	0.500	mg/L	10.0	100	85-115	1.29	20
----------------------	------	-------	------	------	-----	--------	------	----

Batch B231570 - Lachat

Blank (B231570-BLK1)

Prepared & Analyzed: 06/07/23

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B231570-BS1)

Prepared & Analyzed: 06/07/23

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B231570 - Lachat (Continued)

LCS (B231570-BS1) (Continued)

Prepared & Analyzed: 06/07/23

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00		103	90-110			
----------------------	------	-------	-----------	------	--	-----	--------	--	--	--

LCS Dup (B231570-BSD1)

Prepared & Analyzed: 06/07/23

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00		103	90-110	0.00974	20	
----------------------	------	-------	-----------	------	--	-----	--------	---------	----	--

Batch B231628 - IC- Ion Chromatograph

Blank (B231628-BLK1)

Prepared & Analyzed: 06/12/23

Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

LCS (B231628-BS1)

Prepared & Analyzed: 06/12/23

Chloride	25.3	1.00	mg/L	25.0		101	90-110			
Fluoride	2.49	0.100	mg/L	2.50		99.4	90-110			
Sulfate	24.6	1.00	mg/L	25.0		98.4	90-110			

LCS Dup (B231628-BSD1)

Prepared & Analyzed: 06/12/23

Chloride	25.4	1.00	mg/L	25.0		101	90-110	0.0907	20	
Fluoride	2.49	0.100	mg/L	2.50		99.6	90-110	0.201	20	
Sulfate	24.7	1.00	mg/L	25.0		98.7	90-110	0.264	20	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231615 - Dissolved ICP

Blank (B231615-BLK1)

Prepared & Analyzed: 06/12/23

Aluminum	ND	0.050	mg/L							
Calcium	ND	0.100	mg/L							
Iron	ND	0.050	mg/L							
Magnesium	ND	0.100	mg/L							
Potassium	ND	1.00	mg/L							
Silicon	ND	0.500	mg/L							
Sodium	ND	1.00	mg/L							

LCS (B231615-BS1)

Prepared & Analyzed: 06/12/23

Aluminum	3.91	0.050	mg/L	4.00		97.8	85-115			
Calcium	3.73	0.100	mg/L	4.00		93.2	85-115			
Iron	3.74	0.050	mg/L	4.00		93.4	85-115			
Magnesium	19.3	0.100	mg/L	20.0		96.6	85-115			
Potassium	7.64	1.00	mg/L	8.00		95.5	85-115			
Silicon	3.90	0.500	mg/L	4.00		97.5	85-115			
Sodium	3.13	1.00	mg/L	3.24		96.6	85-115			

LCS Dup (B231615-BSD1)

Prepared & Analyzed: 06/12/23

Aluminum	3.88	0.050	mg/L	4.00		97.0	85-115	0.855	20	
Calcium	3.71	0.100	mg/L	4.00		92.6	85-115	0.621	20	
Iron	3.71	0.050	mg/L	4.00		92.7	85-115	0.808	20	
Magnesium	19.2	0.100	mg/L	20.0		96.1	85-115	0.548	20	
Potassium	7.55	1.00	mg/L	8.00		94.3	85-115	1.24	20	
Silicon	3.87	0.500	mg/L	4.00		96.8	85-115	0.727	20	
Sodium	3.11	1.00	mg/L	3.24		96.1	85-115	0.550	20	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
06/20/23 16:37

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231499 - Dissolved ICPMS

Blank (B231499-BLK1)

Prepared: 06/02/23 Analyzed: 06/05/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B231499-BS1)

Prepared: 06/02/23 Analyzed: 06/05/23

Arsenic	0.0519	0.0005	mg/L	0.0500	104	85-115
Cadmium	0.0497	0.0005	mg/L	0.0500	99.3	85-115
Copper	0.0454	0.0005	mg/L	0.0500	90.8	85-115
Lead	0.0472	0.0005	mg/L	0.0500	94.4	85-115
Manganese	0.0502	0.0005	mg/L	0.0500	100	85-115
Molybdenum	0.0497	0.0005	mg/L	0.0500	99.5	85-115
Selenium	0.255	0.0010	mg/L	0.250	102	85-115
Uranium	0.0519	0.0005	mg/L	0.0500	104	85-115
Zinc	0.0466	0.0020	mg/L	0.0500	93.3	85-115

LCS Dup (B231499-BSD1)

Prepared: 06/02/23 Analyzed: 06/05/23

Arsenic	0.0496	0.0005	mg/L	0.0500	99.3	85-115	4.35	20
Cadmium	0.0487	0.0005	mg/L	0.0500	97.4	85-115	1.95	20
Copper	0.0466	0.0005	mg/L	0.0500	93.2	85-115	2.59	20
Lead	0.0476	0.0005	mg/L	0.0500	95.1	85-115	0.754	20
Manganese	0.0506	0.0005	mg/L	0.0500	101	85-115	0.921	20
Molybdenum	0.0494	0.0005	mg/L	0.0500	98.9	85-115	0.589	20
Selenium	0.249	0.0010	mg/L	0.250	99.5	85-115	2.38	20
Uranium	0.0525	0.0005	mg/L	0.0500	105	85-115	1.09	20
Zinc	0.0482	0.0020	mg/L	0.0500	96.4	85-115	3.31	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
06/20/23 16:37

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231521 - EPA 245.7

Blank (B231521-BLK1)

Prepared: 06/05/23 Analyzed: 06/07/23

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B231521-BS1)

Prepared: 06/05/23 Analyzed: 06/07/23

Mercury	1690	100	ng/L	2000	84.5	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B231521-BSD1)

Prepared: 06/05/23 Analyzed: 06/07/23

Mercury	1670	100	ng/L	2000	83.3	76-113	1.42	20
---------	------	-----	------	------	------	--------	------	----

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Just Click Printing Form #17-0301

Project Information

Printed: 05/31/2023 5:10 pm

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC GW Baseline

Project Number: GCC GW Baseline

Client PM: Tom Bird

Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

All metals are field filtered. Send out preserved bottles

SAMPLE CONDITION RECEIPT FORM

Client Name: GCC Energy

Work Order # 2306-007

Carrier: ☐ Fed Ex ☒ UPS ☐ USPS ☐ Other ☐ Kangaroo

Custody Seals on Box/Cooler Present: ☐ Yes ☒ No

Seals Intact: ☐ Yes ☒ No

Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ No

Type of Ice: ☒ Wet ☐ Blue ☐ None

Cooler Temp: Observed Temp: 9.1 °C Correction Factor: 4 °C Final Temp: 9.1 °C

* Temp should be above freezing to 6°C

Date/Initials of person
examining contents: 5/31/23
[Signature]

Labeled by Initials:
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>FIA</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11.
Field Filtered: ☒ Yes ☐ No		12.
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	
Matrix:	<u>WT</u> <u>SL</u> <u>OT</u>	
Trip Blank Present:	☐ Yes ☒ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☒ No ☐ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

13 July 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 06/15/23 16:35. This data replaces the previous report (See case narrative). The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'. The signature is written in a cursive, flowing style.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-17

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:47

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-5-MI	2306174-01	Water	06/14/23 13:51	06/15/23 16:35	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:47

This report has been revised due to client request to report to RL. This replaces the previously issued report titled 2306174
GAL FINAL 06 27 23 1031

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:47

MW-5-MI

2306174-01 (Ground Water)
Sampled Date: 06/14/23 13:51

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	960	10.0	6.06	mg/L	5	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	960	10.0	6.06	mg/L	5	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	-2.38	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	5.47	2.00	0.111	mg/L	2	06/23/23 17:47	EPA300.0		AWG
Fluoride*	0.286	0.200	0.0194	mg/L	2	06/23/23 17:47	EPA300.0		AWG
Nitrate/Nitrite as N*	0.020	0.020	0.009	mg/L as N	1	06/23/23 16:21	EPA353.2		AWG
pH*	8.21			pH Units	1	06/16/23 14:41	EPA150.1	H5	KRW
pH Temperature, degrees C	21.3			pH Units	1	06/16/23 14:41	EPA150.1	H5	KRW
Sulfate*	7.52	2.00	0.248	mg/L	2	06/23/23 17:47	EPA300.0		AWG
Total Dissolved Solids*	990	10.0		mg/L	1	06/19/23 16:18	EPA160.1		CAI
Total Organic Carbon*	<2.50	2.50	0.874	mg/L	5	06/21/23 12:32	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	06/19/23 16:37	EPA200.7		AES
Calcium*	2.30	0.500	0.309	mg/L	5	06/19/23 16:37	EPA200.7		AES
Hardness as CaCO ₃	9.10	3.31	1.49	mg/L	5	06/19/23 16:37	2340 B		AES
Iron*	<0.250	0.250	0.076	mg/L	5	06/19/23 16:37	EPA200.7		AES
Magnesium*	0.813	0.500	0.176	mg/L	5	06/19/23 16:37	EPA200.7		AES
Potassium*	<5.00	5.00	0.519	mg/L	5	06/19/23 16:37	EPA200.7		AES
Silica (SiO ₂)	7.33	5.35	0.814	mg/L	5	06/19/23 16:37	Calculation		AES
Silicon	3.43	2.50	0.381	mg/L	5	06/19/23 16:37	EPA200.7		AES
Sodium*	412	5.00	2.05	mg/L	5	06/19/23 16:37	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0085	0.0025	0.0018	mg/L	5	06/19/23 13:34	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	06/19/23 13:34	EPA200.8		AES
Copper*	0.0174	0.0025	0.0021	mg/L	5	06/19/23 13:34	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:34	EPA200.8		AES
Manganese*	0.0139	0.0025	0.0009	mg/L	5	06/19/23 13:34	EPA200.8		AES
Molybdenum*	0.0025	0.0025	0.0009	mg/L	5	06/19/23 13:34	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	06/19/23 13:34	EPA200.8		AES
Uranium	0.0074	0.0025	0.0002	mg/L	5	06/19/23 13:34	EPA200.8		AES
Zinc*	0.0712	0.0100	0.0024	mg/L	5	06/19/23 13:34	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:47

MW-5-MI

2306174-01 (Ground Water)
Sampled Date: 06/14/23 13:51

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 11:40	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/13/23 08:47

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231716 - General Prep - Wet Chem

Blank (B231716-BLK1)

Prepared & Analyzed: 06/19/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B231716-BS1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	115	10.0	mg/L	100	115	85-115
--	-----	------	------	-----	-----	--------

LCS Dup (B231716-BSD1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	105	10.0	mg/L	100	105	85-115	9.09	20
--	-----	------	------	-----	-----	--------	------	----

Reference (B231716-SRM1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	54.0	10.0	mg/L	61.8	87.4	85-115
--	------	------	------	------	------	--------

Batch B231723 - General Prep - Wet Chem

Reference (B231723-SRM1)

Prepared & Analyzed: 06/16/23

pH	7.00	pH Units	7.00	100	98.57-101.42
----	------	----------	------	-----	--------------

Batch B231724 - General Prep - Wet Chem

Blank (B231724-BLK1)

Prepared & Analyzed: 06/19/23

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B231724-SRM1)

Prepared & Analyzed: 06/19/23

Total Dissolved Solids	385	10.0	mg/L	400	96.2	85-115
------------------------	-----	------	------	-----	------	--------

Batch B231731 - General Prep - Wet Chem

Blank (B231731-BLK1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B231731-BS1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	10.2	0.500	mg/L	10.0	102	85-115
----------------------	------	-------	------	------	-----	--------

LCS Dup (B231731-BSD1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	10.3	0.500	mg/L	10.0	103	85-115	1.37	20
----------------------	------	-------	------	------	-----	--------	------	----

Batch B231782 - Lachat

Blank (B231782-BLK1)

Prepared & Analyzed: 06/23/23

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:47

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B231782 - Lachat (Continued)

Blank (B231782-BLK1) (Continued)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B231782-BS1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00	103	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B231782-BSD1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00	103	90-110	0.447	20
----------------------	------	-------	-----------	------	-----	--------	-------	----

Batch B231784 - IC- Ion Chromatograph

Blank (B231784-BLK1)

Prepared & Analyzed: 06/23/23

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B231784-BS1)

Prepared & Analyzed: 06/23/23

Chloride	25.0	1.00	mg/L	25.0	99.9	90-110
Fluoride	2.48	0.100	mg/L	2.50	99.1	90-110
Sulfate	24.1	1.00	mg/L	25.0	96.6	90-110

LCS Dup (B231784-BSD1)

Prepared & Analyzed: 06/23/23

Chloride	25.0	1.00	mg/L	25.0	100	90-110	0.0881	20
Fluoride	2.49	0.100	mg/L	2.50	99.5	90-110	0.363	20
Sulfate	24.1	1.00	mg/L	25.0	96.6	90-110	0.0207	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:47

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231726 - Dissolved ICP

Blank (B231726-BLK1)

Prepared & Analyzed: 06/19/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B231726-BS1)

Prepared & Analyzed: 06/19/23

Aluminum	4.11	0.050	mg/L	4.00	103	85-115
Calcium	3.96	0.100	mg/L	4.00	99.1	85-115
Iron	4.00	0.050	mg/L	4.00	100	85-115
Magnesium	20.4	0.100	mg/L	20.0	102	85-115
Potassium	8.00	1.00	mg/L	8.00	100	85-115
Silicon	4.11	0.500	mg/L	4.00	103	85-115
Sodium	3.28	1.00	mg/L	3.24	101	85-115

LCS Dup (B231726-BSD1)

Prepared & Analyzed: 06/19/23

Aluminum	4.09	0.050	mg/L	4.00	102	85-115	0.450	20
Calcium	3.91	0.100	mg/L	4.00	97.8	85-115	1.31	20
Iron	3.94	0.050	mg/L	4.00	98.6	85-115	1.42	20
Magnesium	20.2	0.100	mg/L	20.0	101	85-115	0.912	20
Potassium	7.96	1.00	mg/L	8.00	99.6	85-115	0.432	20
Silicon	4.06	0.500	mg/L	4.00	102	85-115	1.17	20
Sodium	3.24	1.00	mg/L	3.24	100	85-115	0.983	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/13/23 08:47

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231729 - Dissolved ICPMS

Blank (B231729-BLK1)

Prepared & Analyzed: 06/19/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B231729-BS1)

Prepared & Analyzed: 06/19/23

Arsenic	0.0484	0.0005	mg/L	0.0500	96.7	85-115
Cadmium	0.0485	0.0005	mg/L	0.0500	97.0	85-115
Copper	0.0481	0.0005	mg/L	0.0500	96.2	85-115
Lead	0.0496	0.0005	mg/L	0.0500	99.2	85-115
Manganese	0.0520	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0488	0.0005	mg/L	0.0500	97.5	85-115
Selenium	0.241	0.0010	mg/L	0.250	96.3	85-115
Uranium	0.0509	0.0005	mg/L	0.0500	102	85-115
Zinc	0.0497	0.0020	mg/L	0.0500	99.5	85-115

LCS Dup (B231729-BSD1)

Prepared & Analyzed: 06/19/23

Arsenic	0.0483	0.0005	mg/L	0.0500	96.6	85-115	0.148	20
Cadmium	0.0490	0.0005	mg/L	0.0500	98.0	85-115	1.03	20
Copper	0.0479	0.0005	mg/L	0.0500	95.8	85-115	0.461	20
Lead	0.0496	0.0005	mg/L	0.0500	99.2	85-115	0.0445	20
Manganese	0.0523	0.0005	mg/L	0.0500	105	85-115	0.587	20
Molybdenum	0.0490	0.0005	mg/L	0.0500	98.0	85-115	0.473	20
Selenium	0.243	0.0010	mg/L	0.250	97.2	85-115	0.972	20
Uranium	0.0516	0.0005	mg/L	0.0500	103	85-115	1.37	20
Zinc	0.0498	0.0020	mg/L	0.0500	99.6	85-115	0.106	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:47

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231725 - EPA 245.7

Blank (B231725-BLK1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B231725-BS1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1540	100	ng/L	2000		77.0	76-113			
---------	------	-----	------	------	--	------	--------	--	--	--

LCS Dup (B231725-BSD1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1550	100	ng/L	2000		77.5	76-113	0.667	20	
---------	------	-----	------	------	--	------	--------	-------	----	--

Notes and Definitions

H5 Sample was analyzed within 2-hours of its 24 or 48 hour hold-time limit.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis
*Results reported on as received basis unless designated as dry.

RPD Relative Percent Difference

LCS Laboratory Control Sample (Blank Spike)

RL Report Limit

MDL Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

[illegible]

Project Information

Printed: 06/15/2023 4:40 pm

GCC Energy, LLC

6473 CR 120
Hesperus, CO 81326
Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528
Fax: (970) 385-4638

Project Name: GCC GW Baseline
Project Number: GCC GW Baseline
Client PM: Tom Bird
Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

All metals are field filtered. Send out preserved bottles

SAMPLE CONDITION RECEIPT FORM

Client Name: GCC Energy

Work Order # 2306-174

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo

Custody Seals on Box/Cooler Present: ☐ Yes ☒ No

Seals Intact: ☐ Yes ☐ No

Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ No

Type of Ice: ☒ Wet ☐ Blue ☐ None

Cooler Temp: Observed Temp: 4.9 °C Correction Factor: 0 °C Final Temp: 4.9 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: MRN 6/16/2
Labeled by initials:
(if different than above) _____

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>PH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11. <u>Diss Metals</u>
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix: <u>WT</u> <u>SL</u> <u>OT</u>		
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☒ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

13 July 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 06/15/23 16:35. This data replaces the previous report (See case narrative). The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'. The signature is written in a cursive, flowing style.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-17

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-8-MI	2306175-01	Water	06/14/23 15:42	06/15/23 16:35	
MW-8-EAA	2306175-02	Water	06/14/23 15:24	06/15/23 16:35	
MW-8-PL	2306175-03	Water	06/14/23 16:09	06/15/23 16:35	
MW-8-LM	2306175-04	Water	06/14/23 16:29	06/15/23 16:35	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

This report has been revised due to client request to report to RL. This replaces the previously issued report titled 2306175
GAL FINAL 06 27 23 1635

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

MW-8-MI

2306175-01 (Ground Water)
Sampled Date: 06/14/23 15:42

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	568	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	568	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	1.85	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	8.39	2.00	0.111	mg/L	2	06/23/23 18:29	EPA300.0		AWG
Fluoride*	<0.200	0.200	0.0194	mg/L	2	06/23/23 18:29	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/23/23 16:22	EPA353.2		AWG
pH*	7.36			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	22.0			pH Units	1	06/16/23 14:41	EPA150.1		KRW
Sulfate*	327	2.00	0.248	mg/L	2	06/23/23 18:29	EPA300.0		AWG
Total Dissolved Solids*	995	10.0		mg/L	1	06/19/23 16:20	EPA160.1		CAI
Total Organic Carbon*	2.62	2.50	0.874	mg/L	5	06/21/23 12:58	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	06/19/23 16:39	EPA200.7		AES
Calcium*	72.1	0.500	0.309	mg/L	5	06/19/23 16:39	EPA200.7		AES
Hardness as CaCO ₃	388	3.31	1.49	mg/L	5	06/19/23 16:39	2340 B		AES
Iron*	<0.250	0.250	0.076	mg/L	5	06/19/23 16:39	EPA200.7		AES
Magnesium*	50.4	0.500	0.176	mg/L	5	06/19/23 16:39	EPA200.7		AES
Potassium*	6.18	5.00	0.519	mg/L	5	06/19/23 16:39	EPA200.7		AES
Silica (SiO ₂)	13.9	5.35	0.814	mg/L	5	06/19/23 16:39	Calculation		AES
Silicon	6.48	2.50	0.381	mg/L	5	06/19/23 16:39	EPA200.7		AES
Sodium*	236	5.00	2.05	mg/L	5	06/19/23 16:39	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	06/19/23 13:35	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	06/19/23 13:35	EPA200.8		AES
Copper*	0.0104	0.0025	0.0021	mg/L	5	06/19/23 13:35	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:35	EPA200.8		AES
Manganese*	0.0560	0.0025	0.0009	mg/L	5	06/19/23 13:35	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	06/19/23 13:35	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	06/19/23 13:35	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:35	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	06/19/23 13:35	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

MW-8-MI

2306175-01 (Ground Water)
Sampled Date: 06/14/23 15:42

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 11:42	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

MW-8-EAA

2306175-02 (Ground Water)
Sampled Date: 06/14/23 15:24

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	448	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	448	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	0.670	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	11.8	2.00	0.111	mg/L	2	06/23/23 19:11	EPA300.0		AWG
Fluoride*	0.284	0.200	0.0194	mg/L	2	06/23/23 19:11	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.200	0.200	0.086	mg/L as N	10	06/20/23 12:27	EPA353.2		AWG
pH*	7.03			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	22.6			pH Units	1	06/16/23 14:41	EPA150.1		KRW
Sulfate*	675	5.00	0.620	mg/L	5	06/23/23 19:32	EPA300.0		AWG
Total Dissolved Solids*	1350	10.0		mg/L	1	06/19/23 16:22	EPA160.1		CAI
Total Organic Carbon*	3.25	2.50	0.874	mg/L	5	06/21/23 13:17	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	06/19/23 16:42	EPA200.7		AES
Calcium*	159	0.500	0.309	mg/L	5	06/19/23 16:42	EPA200.7		AES
Hardness as CaCO ₃	932	3.31	1.49	mg/L	5	06/19/23 16:42	2340 B		AES
Iron*	2.43	0.250	0.076	mg/L	5	06/19/23 16:42	EPA200.7		AES
Magnesium*	130	0.500	0.176	mg/L	5	06/19/23 16:42	EPA200.7		AES
Potassium*	<5.00	5.00	0.519	mg/L	5	06/19/23 16:42	EPA200.7		AES
Silica (SiO ₂)	16.6	5.35	0.814	mg/L	5	06/19/23 16:42	Calculation		AES
Silicon	7.75	2.50	0.381	mg/L	5	06/19/23 16:42	EPA200.7		AES
Sodium*	79.8	5.00	2.05	mg/L	5	06/19/23 16:42	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	06/19/23 13:37	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	06/19/23 13:37	EPA200.8		AES
Copper*	0.0084	0.0025	0.0021	mg/L	5	06/19/23 13:37	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:37	EPA200.8		AES
Manganese*	3.85	0.0025	0.0009	mg/L	5	06/19/23 13:37	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	06/19/23 13:37	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	06/19/23 13:37	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	06/19/23 13:37	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	06/19/23 13:37	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

MW-8-EAA

2306175-02 (Ground Water)
Sampled Date: 06/14/23 15:24

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 11:50	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

MW-8-PL

2306175-03 (Ground Water)
Sampled Date: 06/14/23 16:09

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	388	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	388	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	1.94	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	3.61	1.00	0.0555	mg/L	1	06/23/23 19:53	EPA300.0		AWG
Fluoride*	0.175	0.100	0.00971	mg/L	1	06/23/23 19:53	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/23/23 16:23	EPA353.2		AWG
pH*	7.36			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	23.1			pH Units	1	06/16/23 14:41	EPA150.1		KRW
Sulfate*	106	1.00	0.124	mg/L	1	06/23/23 19:53	EPA300.0		AWG
Total Dissolved Solids*	465	10.0		mg/L	1	06/19/23 16:24	EPA160.1		CAI
Total Organic Carbon*	<2.50	2.50	0.874	mg/L	5	06/21/23 13:42	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.044	mg/L	1	06/19/23 16:44	EPA200.7		AES
Calcium*	53.3	0.100	0.062	mg/L	1	06/19/23 16:44	EPA200.7		AES
Hardness as CaCO ₃	282	0.662	0.299	mg/L	1	06/19/23 16:44	2340 B		AES
Iron*	0.062	0.050	0.015	mg/L	1	06/19/23 16:44	EPA200.7		AES
Magnesium*	36.1	0.100	0.035	mg/L	1	06/19/23 16:44	EPA200.7		AES
Potassium*	1.59	1.00	0.104	mg/L	1	06/19/23 16:44	EPA200.7		AES
Silica (SiO ₂)	21.5	1.07	0.163	mg/L	1	06/19/23 16:44	Calculation		AES
Silicon	10.0	0.500	0.076	mg/L	1	06/19/23 16:44	EPA200.7		AES
Sodium*	77.4	1.00	0.409	mg/L	1	06/19/23 16:44	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0036	0.0005	0.0004	mg/L	1	06/19/23 13:39	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	06/19/23 13:39	EPA200.8		AES
Copper*	0.0027	0.0005	0.0004	mg/L	1	06/19/23 13:39	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00004	mg/L	1	06/19/23 13:39	EPA200.8		AES
Manganese*	0.111	0.0005	0.0002	mg/L	1	06/19/23 13:39	EPA200.8		AES
Molybdenum*	<0.0005	0.0005	0.0002	mg/L	1	06/19/23 13:39	EPA200.8		AES
Selenium*	<0.0010	0.0010	0.0004	mg/L	1	06/19/23 13:39	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00004	mg/L	1	06/19/23 13:39	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0005	mg/L	1	06/19/23 13:39	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

MW-8-PL

2306175-03 (Ground Water)
Sampled Date: 06/14/23 16:09

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 11:52	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

MW-8-LM

2306175-04 (Ground Water)
Sampled Date: 06/14/23 16:29

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	732	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	732	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	-1.88	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	2.76	2.00	0.111	mg/L	2	06/23/23 20:55	EPA300.0		AWG
Fluoride*	3.65	0.200	0.0194	mg/L	2	06/23/23 20:55	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/23/23 16:27	EPA353.2		AWG
pH*	8.51			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	23.0			pH Units	1	06/16/23 14:41	EPA150.1		KRW
Sulfate*	<2.00	2.00	0.248	mg/L	2	06/23/23 20:55	EPA300.0		AWG
Total Dissolved Solids*	745	10.0		mg/L	1	06/19/23 16:26	EPA160.1		CAI
Total Organic Carbon*	<2.00	2.00	0.699	mg/L	4	06/21/23 14:46	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	06/19/23 16:47	EPA200.7		AES
Calcium*	1.71	0.500	0.309	mg/L	5	06/19/23 16:47	EPA200.7		AES
Hardness as CaCO ₃	4.27	3.31	1.49	mg/L	5	06/19/23 16:47	2340 B		AES
Iron*	<0.250	0.250	0.076	mg/L	5	06/19/23 16:47	EPA200.7		AES
Magnesium*	<0.500	0.500	0.176	mg/L	5	06/19/23 16:47	EPA200.7		AES
Potassium*	<5.00	5.00	0.519	mg/L	5	06/19/23 16:47	EPA200.7		AES
Silica (SiO ₂)	7.53	5.35	0.814	mg/L	5	06/19/23 16:47	Calculation		AES
Silicon	3.52	2.50	0.381	mg/L	5	06/19/23 16:47	EPA200.7		AES
Sodium*	315	5.00	2.05	mg/L	5	06/19/23 16:47	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0015	0.0015	0.0011	mg/L	3	06/19/23 13:40	EPA200.8		AES
Cadmium*	<0.0015	0.0015	0.00008	mg/L	3	06/19/23 13:40	EPA200.8		AES
Copper*	0.0155	0.0015	0.0013	mg/L	3	06/19/23 13:40	EPA200.8		AES
Lead*	<0.0015	0.0015	0.0001	mg/L	3	06/19/23 13:40	EPA200.8		AES
Manganese*	0.0027	0.0015	0.0005	mg/L	3	06/19/23 13:40	EPA200.8		AES
Molybdenum*	<0.0015	0.0015	0.0005	mg/L	3	06/19/23 13:40	EPA200.8		AES
Selenium*	<0.0030	0.0030	0.0011	mg/L	3	06/19/23 13:40	EPA200.8		AES
Uranium	<0.0015	0.0015	0.0001	mg/L	3	06/19/23 13:40	EPA200.8		AES
Zinc*	<0.0060	0.0060	0.0014	mg/L	3	06/19/23 13:40	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

MW-8-LM

2306175-04 (Ground Water)
Sampled Date: 06/14/23 16:29

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	06/21/23 11:55	EPA245.7		AES
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/13/23 08:39

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B231713 - Lachat										
Blank (B231713-BLK1)				Prepared: 06/19/23 Analyzed: 06/20/23						
Nitrate/Nitrite as N	ND	0.020	mg/L as N							
LCS (B231713-BS1)				Prepared: 06/19/23 Analyzed: 06/20/23						
Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00		103	90-110			
LCS Dup (B231713-BSD1)				Prepared: 06/19/23 Analyzed: 06/20/23						
Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00		103	90-110	0.0968	20	
Batch B231716 - General Prep - Wet Chem										
Blank (B231716-BLK1)				Prepared & Analyzed: 06/19/23						
Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							
LCS (B231716-BS1)				Prepared & Analyzed: 06/19/23						
Alkalinity, Total as CaCO ₃	115	10.0	mg/L	100		115	85-115			
LCS Dup (B231716-BSD1)				Prepared & Analyzed: 06/19/23						
Alkalinity, Total as CaCO ₃	105	10.0	mg/L	100		105	85-115	9.09	20	
Reference (B231716-SRM1)				Prepared & Analyzed: 06/19/23						
Alkalinity, Total as CaCO ₃	54.0	10.0	mg/L	61.8		87.4	85-115			
Batch B231723 - General Prep - Wet Chem										
Reference (B231723-SRM1)				Prepared & Analyzed: 06/16/23						
pH	7.00		pH Units	7.00		100	8.57-101.42			
Batch B231724 - General Prep - Wet Chem										
Blank (B231724-BLK1)				Prepared & Analyzed: 06/19/23						
Total Dissolved Solids	ND	10.0	mg/L							
Reference (B231724-SRM1)				Prepared & Analyzed: 06/19/23						
Total Dissolved Solids	385	10.0	mg/L	400		96.2	85-115			
Batch B231731 - General Prep - Wet Chem										
Blank (B231731-BLK1)				Prepared & Analyzed: 06/19/23						

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/13/23 08:39General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231731 - General Prep - Wet Chem (Continued)

Blank (B231731-BLK1) (Continued)

Prepared & Analyzed: 06/19/23

Total Organic Carbon ND 0.500 mg/L

LCS (B231731-BS1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon 10.2 0.500 mg/L 10.0 102 85-115

LCS Dup (B231731-BSD1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon 10.3 0.500 mg/L 10.0 103 85-115 1.37 20

Batch B231782 - Lachat

Blank (B231782-BLK1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N ND 0.020 mg/L as N

LCS (B231782-BS1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N 1.03 0.020 mg/L as N 1.00 103 90-110

LCS Dup (B231782-BSD1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N 1.03 0.020 mg/L as N 1.00 103 90-110 0.447 20

Batch B231784 - IC- Ion Chromatograph

Blank (B231784-BLK1)

Prepared & Analyzed: 06/23/23

Chloride ND 1.00 mg/L

Fluoride ND 0.100 mg/L

Sulfate ND 1.00 mg/L

LCS (B231784-BS1)

Prepared & Analyzed: 06/23/23

Chloride 25.0 1.00 mg/L 25.0 99.9 90-110

Fluoride 2.48 0.100 mg/L 2.50 99.1 90-110

Sulfate 24.1 1.00 mg/L 25.0 96.6 90-110

LCS Dup (B231784-BSD1)

Prepared & Analyzed: 06/23/23

Chloride 25.0 1.00 mg/L 25.0 100 90-110 0.0881 20

Fluoride 2.49 0.100 mg/L 2.50 99.5 90-110 0.363 20

Sulfate 24.1 1.00 mg/L 25.0 96.6 90-110 0.0207 20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231726 - Dissolved ICP

Blank (B231726-BLK1)

Prepared & Analyzed: 06/19/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B231726-BS1)

Prepared & Analyzed: 06/19/23

Aluminum	4.11	0.050	mg/L	4.00	103	85-115
Calcium	3.96	0.100	mg/L	4.00	99.1	85-115
Iron	4.00	0.050	mg/L	4.00	100	85-115
Magnesium	20.4	0.100	mg/L	20.0	102	85-115
Potassium	8.00	1.00	mg/L	8.00	100	85-115
Silicon	4.11	0.500	mg/L	4.00	103	85-115
Sodium	3.28	1.00	mg/L	3.24	101	85-115

LCS Dup (B231726-BSD1)

Prepared & Analyzed: 06/19/23

Aluminum	4.09	0.050	mg/L	4.00	102	85-115	0.450	20
Calcium	3.91	0.100	mg/L	4.00	97.8	85-115	1.31	20
Iron	3.94	0.050	mg/L	4.00	98.6	85-115	1.42	20
Magnesium	20.2	0.100	mg/L	20.0	101	85-115	0.912	20
Potassium	7.96	1.00	mg/L	8.00	99.6	85-115	0.432	20
Silicon	4.06	0.500	mg/L	4.00	102	85-115	1.17	20
Sodium	3.24	1.00	mg/L	3.24	100	85-115	0.983	20

Green Analytical Laboratories

Veronica J. Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom BirdReported:
07/13/23 08:39

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231729 - Dissolved ICPMS

Blank (B231729-BLK1)

Prepared & Analyzed: 06/19/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B231729-BS1)

Prepared & Analyzed: 06/19/23

Arsenic	0.0484	0.0005	mg/L	0.0500	96.7	85-115
Cadmium	0.0485	0.0005	mg/L	0.0500	97.0	85-115
Copper	0.0481	0.0005	mg/L	0.0500	96.2	85-115
Lead	0.0496	0.0005	mg/L	0.0500	99.2	85-115
Manganese	0.0520	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0488	0.0005	mg/L	0.0500	97.5	85-115
Selenium	0.241	0.0010	mg/L	0.250	96.3	85-115
Uranium	0.0509	0.0005	mg/L	0.0500	102	85-115
Zinc	0.0497	0.0020	mg/L	0.0500	99.5	85-115

LCS Dup (B231729-BSD1)

Prepared & Analyzed: 06/19/23

Arsenic	0.0483	0.0005	mg/L	0.0500	96.6	85-115	0.148	20
Cadmium	0.0490	0.0005	mg/L	0.0500	98.0	85-115	1.03	20
Copper	0.0479	0.0005	mg/L	0.0500	95.8	85-115	0.461	20
Lead	0.0496	0.0005	mg/L	0.0500	99.2	85-115	0.0445	20
Manganese	0.0523	0.0005	mg/L	0.0500	105	85-115	0.587	20
Molybdenum	0.0490	0.0005	mg/L	0.0500	98.0	85-115	0.473	20
Selenium	0.243	0.0010	mg/L	0.250	97.2	85-115	0.972	20
Uranium	0.0516	0.0005	mg/L	0.0500	103	85-115	1.37	20
Zinc	0.0498	0.0020	mg/L	0.0500	99.6	85-115	0.106	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GW Baseline
Project Manager: Tom Bird

Reported:
07/13/23 08:39

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231725 - EPA 245.7

Blank (B231725-BLK1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B231725-BS1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1540	100	ng/L	2000		77.0	76-113			
---------	------	-----	------	------	--	------	--------	--	--	--

LCS Dup (B231725-BSD1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1550	100	ng/L	2000		77.5	76-113	0.667	20	
---------	------	-----	------	------	--	------	--------	-------	----	--

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



(970) 247-4220
Fax: (970) 247-4227
dzufelt@greenanalytical.com
75 Suttle St Durango, CO 81303

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

Company or Client: GCC Energy		P.O. #:		Bill to (if different):		ANALYSIS REQUEST	
Address: 6473 CR 120		Company:					
City: Hesperus		State: CO		Zip: 81326			
Phone #: 970.385.4528		Attn:					
Contact Person: Tom Bird for billing, Landon Beck for logistical or technical		Address:					
Email Report to: Tom@haygulchservices.com; LBECK@resourcehydrogeologic.com		City:					
Project Name(optional):		State:		Zip:			
Phone #:		Email:					
Sample Name (Print): <u>Barrow's Wagoner</u>		Matrix (check one)		# of containers			
Sample Name or Location		Collected					
		Date	Time				
GROUNDWATER							
SURFACEWATER							
WASTEWATER							
PRODUCEDWATER							
SOIL							
DRINKING WATER							
OTHER :							
No preservation (general)							
HNO ₃							
HCl							
H ₂ SO ₄							
Other:							
Other:							
GCC GW Baseline							
GCC S&S Baseline							
GCC SW Baseline							
2306-175							
MW-8-M1		6-14-23 15:42					
MW-8-EAA		6-14-23 15:24					
MW-8-PL		6-14-23 16:09					
MW-8-LM		6-14-23 16:29					
61							
Relinquished By:		Date: 6-15-23		Received By: <u>[Signature]</u>		Yes ☐ No ☒	
Relinquished By:		Date:		Received By:		Report to State? (Circle)	
Relinquished By:		Date:		Received By:		Temperature at receipt: <u>4.9°C</u>	
Relinquished By:		Date:		Received By:		CHECKED BY: <u>APR</u>	
Relinquished By:		Date:		Received By:		On Ice ☒	
Relinquished By:		Date:		Received By:		No Ice ☐	

* Chain of Custody must be signed in "Relinquished By:" as an acceptance of services and all applicable charges.

Project Information

Printed: 06/15/2023 4:40 pm

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC GW Baseline
Project Number: GCC GW Baseline
Client PM: Tom Bird
Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

All metals are field filtered. Send out preserved bottles



SAMPLE CONDITION RECEIPT FORM

Client Name: GCC Energy

Work Order # 2306-175

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo

Custody Seals on Box/Cooler Present: ☐ Yes ☒ No

Seals Intact: ☐ Yes ☐ No

Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ No

Type of Ice: ☒ Wet ☐ Blue ☐ None

Cooler Temp: Observed Temp: 4.9 °C Correction Factor: 0 °C Final Temp: 4.9 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: MEN 6/16/2

Labeled by initials:
(if different than above) _____

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>PH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11. <u>Diss Metals</u>
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix: <u>WT</u> ☐ SL ☐ OT		
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☒ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

28 June 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: S&S Baseline

Enclosed are the results of analyses for samples received by the laboratory on 06/15/23 16:35. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'. The signature is written in a cursive, flowing style.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-17

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom Bird

Reported:
06/28/23 14:18

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Seep #2	2306176-01	Water	06/14/23 17:59	06/15/23 16:35	
Seep #1	2306176-02	Water	06/15/23 10:18	06/15/23 16:35	
Seep #3	2306176-03	Water	06/14/23 17:32	06/15/23 16:35	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom BirdReported:
06/28/23 14:18

Seep #2

2306176-01 (Surface Water)
Sampled Date: 06/14/23 17:59

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	192	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	192	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	4.98	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	2.77	1.00	0.0555	mg/L	1	06/23/23 21:16	EPA300.0		AWG
Fluoride*	0.160	0.100	0.00971	mg/L	1	06/23/23 21:16	EPA300.0		AWG
Nitrate/Nitrite as N*	0.022	0.020	0.009	mg/L as N	1	06/23/23 16:28	EPA353.2		AWG
pH*	7.82			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	22.6			pH Units	1	06/16/23 14:41	EPA150.1		KRW
SAR	0.58			No Unit	1	06/26/23 17:26	Calculation		AES
Sulfate*	141	1.00	0.124	mg/L	1	06/23/23 21:16	EPA300.0		AWG
Total Dissolved Solids*	335	10.0		mg/L	1	06/19/23 16:28	EPA160.1		CAI
Total Organic Carbon*	4.59	2.50	0.874	mg/L	5	06/21/23 15:30	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.044	mg/L	1	06/19/23 16:49	EPA200.7		AES
Calcium*	47.0	0.100	0.062	mg/L	1	06/19/23 16:49	EPA200.7		AES
Hardness as CaCO ₃	276	0.662	0.299	mg/L	1	06/19/23 16:49	2340 B		AES
Iron*	<0.050	0.050	0.015	mg/L	1	06/19/23 16:49	EPA200.7		AES
Magnesium*	38.5	0.100	0.035	mg/L	1	06/19/23 16:49	EPA200.7		AES
Potassium*	2.71	1.00	0.104	mg/L	1	06/19/23 16:49	EPA200.7		AES
Silica (SiO ₂)	15.2	1.07	0.163	mg/L	1	06/19/23 16:49	Calculation		AES
Silicon	7.10	0.500	0.076	mg/L	1	06/19/23 16:49	EPA200.7		AES
Sodium*	22.6	1.00	0.409	mg/L	1	06/19/23 16:49	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0008	0.0005	0.0004	mg/L	1	06/19/23 13:42	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	06/19/23 13:42	EPA200.8		AES
Copper*	0.0061	0.0005	0.0004	mg/L	1	06/19/23 13:42	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00004	mg/L	1	06/19/23 13:42	EPA200.8		AES
Manganese*	0.0332	0.0005	0.0002	mg/L	1	06/19/23 13:42	EPA200.8		AES
Molybdenum*	0.0005	0.0005	0.0002	mg/L	1	06/19/23 13:42	EPA200.8		AES
Selenium*	0.0019	0.0010	0.0004	mg/L	1	06/19/23 13:42	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00004	mg/L	1	06/19/23 13:42	EPA200.8		AES
Zinc*	0.0103	0.0020	0.0005	mg/L	1	06/19/23 13:42	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom Bird

Reported:
06/28/23 14:18

Seep #2

2306176-01 (Surface Water)
Sampled Date: 06/14/23 17:59

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	06/21/23 11:58	EPA245.7		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom Bird

Reported:
06/28/23 14:18

Seep #1

2306176-02 (Surface Water)
Sampled Date: 06/15/23 10:18

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	268	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	268	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	1.79	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	22.2	10.0	0.555	mg/L	10	06/23/23 21:37	EPA300.0		AWG
Fluoride*	<1.00	1.00	0.0971	mg/L	10	06/23/23 21:37	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/23/23 16:29	EPA353.2		AWG
pH*	7.41			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	22.3			pH Units	1	06/16/23 14:41	EPA150.1		KRW
SAR	3.42			No Unit	1	06/26/23 17:28	Calculation		AES
Sulfate*	4420	25.0	3.10	mg/L	25	06/23/23 21:58	EPA300.0		AWG
Total Dissolved Solids*	6490	10.0		mg/L	1	06/19/23 16:30	EPA160.1		CAI
Total Organic Carbon*	6.81	2.50	0.874	mg/L	5	06/21/23 15:56	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.500	0.500	0.440	mg/L	10	06/26/23 17:28	EPA200.7		AES
Calcium*	657	1.00	0.618	mg/L	10	06/26/23 17:28	EPA200.7		AES
Hardness as CaCO ₃	3920	6.62	2.99	mg/L	10	06/26/23 17:28	2340 B		AES
Iron*	<0.500	0.500	0.151	mg/L	10	06/26/23 17:28	EPA200.7		AES
Magnesium*	555	1.00	0.351	mg/L	10	06/26/23 17:28	EPA200.7		AES
Potassium*	15.1	10.0	1.04	mg/L	10	06/26/23 17:28	EPA200.7		AES
Silica (SiO ₂)	19.8	10.7	1.63	mg/L	10	06/26/23 17:28	Calculation		AES
Silicon	9.27	5.00	0.761	mg/L	10	06/26/23 17:28	EPA200.7		AES
Sodium*	493	10.0	4.09	mg/L	10	06/26/23 17:28	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0050	0.0050	0.0037	mg/L	10	06/19/23 13:46	EPA200.8		AES
Cadmium*	<0.0050	0.0050	0.0003	mg/L	10	06/19/23 13:46	EPA200.8		AES
Copper*	0.0230	0.0050	0.0042	mg/L	10	06/19/23 13:46	EPA200.8		AES
Lead*	<0.0050	0.0050	0.0004	mg/L	10	06/19/23 13:46	EPA200.8		AES
Manganese*	0.137	0.0050	0.0017	mg/L	10	06/19/23 13:46	EPA200.8		AES
Molybdenum*	<0.0050	0.0050	0.0018	mg/L	10	06/19/23 13:46	EPA200.8		AES
Selenium*	<0.0100	0.0100	0.0037	mg/L	10	06/19/23 13:46	EPA200.8		AES
Uranium	<0.0050	0.0050	0.0004	mg/L	10	06/19/23 13:46	EPA200.8		AES
Zinc*	0.0325	0.0200	0.0047	mg/L	10	06/19/23 13:46	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom Bird

Reported:
06/28/23 14:18

Seep #1

2306176-02 (Surface Water)
Sampled Date: 06/15/23 10:18

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	06/21/23 12:00	EPA245.7		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom BirdReported:
06/28/23 14:18

Seep #3

2306176-03 (Surface Water)
Sampled Date: 06/14/23 17:32

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	312	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Alkalinity, Bicarbonate as CaCO ₃ *	312	10.0	6.06	mg/L	2	06/19/23 10:20	2320 B		KRW
Cation/Anion Balance	1.95	-100	-100	%	1	06/27/23 09:20	Calculation		JDA
Chloride*	4.85	2.00	0.111	mg/L	2	06/23/23 22:19	EPA300.0		AWG
Fluoride*	0.272	0.200	0.0194	mg/L	2	06/23/23 22:19	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.009	mg/L as N	1	06/23/23 16:30	EPA353.2		AWG
pH*	7.93			pH Units	1	06/16/23 14:41	EPA150.1		KRW
pH Temperature, degrees C	22.0			pH Units	1	06/16/23 14:41	EPA150.1		KRW
SAR	0.93			No Unit	1	06/26/23 17:33	Calculation		AES
Sulfate*	377	2.00	0.248	mg/L	2	06/23/23 22:19	EPA300.0		AWG
Total Dissolved Solids*	1020	10.0		mg/L	1	06/19/23 16:32	EPA160.1		CAI
Total Organic Carbon*	10.9	2.50	0.874	mg/L	5	06/20/23 17:05	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	06/26/23 17:33	EPA200.7		AES
Calcium*	105	0.200	0.124	mg/L	2	06/26/23 17:33	EPA200.7		AES
Hardness as CaCO ₃	573	1.32	0.598	mg/L	2	06/26/23 17:33	2340 B		AES
Iron*	<0.100	0.100	0.030	mg/L	2	06/26/23 17:33	EPA200.7		AES
Magnesium*	75.3	0.200	0.070	mg/L	2	06/26/23 17:33	EPA200.7		AES
Potassium*	4.92	2.00	0.208	mg/L	2	06/26/23 17:33	EPA200.7		AES
Silica (SiO ₂)	14.6	2.14	0.326	mg/L	2	06/26/23 17:33	Calculation		AES
Silicon	6.81	1.00	0.152	mg/L	2	06/26/23 17:33	EPA200.7		AES
Sodium*	51.1	2.00	0.818	mg/L	2	06/26/23 17:33	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0020	0.0010	0.0007	mg/L	2	06/26/23 13:39	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	06/26/23 13:39	EPA200.8		AES
Copper*	0.0099	0.0010	0.0008	mg/L	2	06/26/23 13:39	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	06/26/23 13:39	EPA200.8		AES
Manganese*	0.670	0.0010	0.0003	mg/L	2	06/26/23 13:39	EPA200.8		AES
Molybdenum*	0.0023	0.0010	0.0004	mg/L	2	06/26/23 13:39	EPA200.8		AES
Selenium*	0.0231	0.0020	0.0007	mg/L	2	06/26/23 13:39	EPA200.8		AES
Uranium	0.0019	0.0010	0.00009	mg/L	2	06/26/23 13:39	EPA200.8		AES
Zinc*	0.0067	0.0040	0.0009	mg/L	2	06/26/23 13:39	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom Bird

Reported:
06/28/23 14:18

Seep #3

2306176-03 (Surface Water)
Sampled Date: 06/14/23 17:32

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	06/21/23 12:03	EPA245.7		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom BirdReported:
06/28/23 14:18

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231716 - General Prep - Wet Chem

Blank (B231716-BLK1)

Prepared & Analyzed: 06/19/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B231716-BS1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	115	10.0	mg/L	100	115	85-115
--	-----	------	------	-----	-----	--------

LCS Dup (B231716-BSD1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	105	10.0	mg/L	100	105	85-115	9.09	20
--	-----	------	------	-----	-----	--------	------	----

Reference (B231716-SRM1)

Prepared & Analyzed: 06/19/23

Alkalinity, Total as CaCO ₃	54.0	10.0	mg/L	61.8	87.4	85-115
--	------	------	------	------	------	--------

Batch B231723 - General Prep - Wet Chem

Reference (B231723-SRM1)

Prepared & Analyzed: 06/16/23

pH	7.00		pH Units	7.00	100	98.57-101.42
----	------	--	----------	------	-----	--------------

Batch B231724 - General Prep - Wet Chem

Blank (B231724-BLK1)

Prepared & Analyzed: 06/19/23

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B231724-SRM1)

Prepared & Analyzed: 06/19/23

Total Dissolved Solids	385	10.0	mg/L	400	96.2	85-115
------------------------	-----	------	------	-----	------	--------

Batch B231731 - General Prep - Wet Chem

Blank (B231731-BLK1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B231731-BS1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	10.2	0.500	mg/L	10.0	102	85-115
----------------------	------	-------	------	------	-----	--------

LCS Dup (B231731-BSD1)

Prepared & Analyzed: 06/19/23

Total Organic Carbon	10.3	0.500	mg/L	10.0	103	85-115	1.37	20
----------------------	------	-------	------	------	-----	--------	------	----

Batch B231782 - Lachat

Blank (B231782-BLK1)

Prepared & Analyzed: 06/23/23

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom Bird

Reported:
06/28/23 14:18

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B231782 - Lachat (Continued)

Blank (B231782-BLK1) (Continued)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B231782-BS1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00	103	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B231782-BSD1)

Prepared & Analyzed: 06/23/23

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00	103	90-110	0.447	20
----------------------	------	-------	-----------	------	-----	--------	-------	----

Batch B231784 - IC- Ion Chromatograph

Blank (B231784-BLK1)

Prepared & Analyzed: 06/23/23

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B231784-BS1)

Prepared & Analyzed: 06/23/23

Chloride	25.0	1.00	mg/L	25.0	99.9	90-110
Fluoride	2.48	0.100	mg/L	2.50	99.1	90-110
Sulfate	24.1	1.00	mg/L	25.0	96.6	90-110

LCS Dup (B231784-BSD1)

Prepared & Analyzed: 06/23/23

Chloride	25.0	1.00	mg/L	25.0	100	90-110	0.0881	20
Fluoride	2.49	0.100	mg/L	2.50	99.5	90-110	0.363	20
Sulfate	24.1	1.00	mg/L	25.0	96.6	90-110	0.0207	20

Batch B231795 - Dissolved ICP

Blank (B231795-BLK1)

Prepared & Analyzed: 06/26/23

SAR	0.00	No Unit
-----	------	---------

Green Analytical Laboratories

Veronica J. Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom BirdReported:
06/28/23 14:18

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231726 - Dissolved ICP

Blank (B231726-BLK1)

Prepared & Analyzed: 06/19/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B231726-BS1)

Prepared & Analyzed: 06/19/23

Aluminum	4.11	0.050	mg/L	4.00	103	85-115
Calcium	3.96	0.100	mg/L	4.00	99.1	85-115
Iron	4.00	0.050	mg/L	4.00	100	85-115
Magnesium	20.4	0.100	mg/L	20.0	102	85-115
Potassium	8.00	1.00	mg/L	8.00	100	85-115
Silicon	4.11	0.500	mg/L	4.00	103	85-115
Sodium	3.28	1.00	mg/L	3.24	101	85-115

LCS Dup (B231726-BS1)

Prepared & Analyzed: 06/19/23

Aluminum	4.09	0.050	mg/L	4.00	102	85-115	0.450	20
Calcium	3.91	0.100	mg/L	4.00	97.8	85-115	1.31	20
Iron	3.94	0.050	mg/L	4.00	98.6	85-115	1.42	20
Magnesium	20.2	0.100	mg/L	20.0	101	85-115	0.912	20
Potassium	7.96	1.00	mg/L	8.00	99.6	85-115	0.432	20
Silicon	4.06	0.500	mg/L	4.00	102	85-115	1.17	20
Sodium	3.24	1.00	mg/L	3.24	100	85-115	0.983	20

Batch B231795 - Dissolved ICP

Blank (B231795-BLK1)

Prepared & Analyzed: 06/26/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B231795-BS1)

Prepared & Analyzed: 06/26/23

Aluminum	4.10	0.050	mg/L	4.00	103	85-115
Calcium	3.92	0.100	mg/L	4.00	97.9	85-115
Iron	4.02	0.050	mg/L	4.00	101	85-115

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom Bird

Reported:
06/28/23 14:18

**Dissolved Metals by ICP - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B231795 - Dissolved ICP (Continued)

LCS (B231795-BS1) (Continued)

Prepared & Analyzed: 06/26/23

Magnesium	20.5	0.100	mg/L	20.0		102	85-115			
Potassium	8.06	1.00	mg/L	8.00		101	85-115			
Silicon	4.06	0.500	mg/L	4.00		101	85-115			
Sodium	3.24	1.00	mg/L	3.24		99.9	85-115			

LCS Dup (B231795-BS1)

Prepared & Analyzed: 06/26/23

Aluminum	4.04	0.050	mg/L	4.00		101	85-115	1.59	20	
Calcium	3.80	0.100	mg/L	4.00		95.0	85-115	3.01	20	
Iron	3.94	0.050	mg/L	4.00		98.5	85-115	2.14	20	
Magnesium	20.0	0.100	mg/L	20.0		100	85-115	2.18	20	
Potassium	7.86	1.00	mg/L	8.00		98.3	85-115	2.40	20	
Silicon	3.97	0.500	mg/L	4.00		99.4	85-115	2.03	20	
Sodium	3.16	1.00	mg/L	3.24		97.5	85-115	2.38	20	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom BirdReported:
06/28/23 14:18

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231729 - Dissolved ICPMS

Blank (B231729-BLK1)

Prepared & Analyzed: 06/19/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B231729-BS1)

Prepared & Analyzed: 06/19/23

Arsenic	0.0484	0.0005	mg/L	0.0500	96.7	85-115
Cadmium	0.0485	0.0005	mg/L	0.0500	97.0	85-115
Copper	0.0481	0.0005	mg/L	0.0500	96.2	85-115
Lead	0.0496	0.0005	mg/L	0.0500	99.2	85-115
Manganese	0.0520	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0488	0.0005	mg/L	0.0500	97.5	85-115
Selenium	0.241	0.0010	mg/L	0.250	96.3	85-115
Uranium	0.0509	0.0005	mg/L	0.0500	102	85-115
Zinc	0.0497	0.0020	mg/L	0.0500	99.5	85-115

LCS Dup (B231729-BSD1)

Prepared & Analyzed: 06/19/23

Arsenic	0.0483	0.0005	mg/L	0.0500	96.6	85-115	0.148	20
Cadmium	0.0490	0.0005	mg/L	0.0500	98.0	85-115	1.03	20
Copper	0.0479	0.0005	mg/L	0.0500	95.8	85-115	0.461	20
Lead	0.0496	0.0005	mg/L	0.0500	99.2	85-115	0.0445	20
Manganese	0.0523	0.0005	mg/L	0.0500	105	85-115	0.587	20
Molybdenum	0.0490	0.0005	mg/L	0.0500	98.0	85-115	0.473	20
Selenium	0.243	0.0010	mg/L	0.250	97.2	85-115	0.972	20
Uranium	0.0516	0.0005	mg/L	0.0500	103	85-115	1.37	20
Zinc	0.0498	0.0020	mg/L	0.0500	99.6	85-115	0.106	20

Batch B231796 - Dissolved ICPMS

Blank (B231796-BLK1)

Prepared & Analyzed: 06/26/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom BirdReported:
06/28/23 14:18**Dissolved Metals by ICPMS - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B231796 - Dissolved ICPMS (Continued)**Blank (B231796-BLK1) (Continued)**

Prepared & Analyzed: 06/26/23

Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B231796-BS1)

Prepared & Analyzed: 06/26/23

Arsenic	0.0512	0.0005	mg/L	0.0500	102	85-115
Cadmium	0.0511	0.0005	mg/L	0.0500	102	85-115
Copper	0.0511	0.0005	mg/L	0.0500	102	85-115
Lead	0.0499	0.0005	mg/L	0.0500	99.8	85-115
Manganese	0.0542	0.0005	mg/L	0.0500	108	85-115
Molybdenum	0.0534	0.0005	mg/L	0.0500	107	85-115
Selenium	0.258	0.0010	mg/L	0.250	103	85-115
Uranium	0.0546	0.0005	mg/L	0.0500	109	85-115
Zinc	0.0528	0.0020	mg/L	0.0500	106	85-115

LCS Dup (B231796-BSD1)

Prepared & Analyzed: 06/26/23

Arsenic	0.0513	0.0005	mg/L	0.0500	103	85-115	0.255	20
Cadmium	0.0507	0.0005	mg/L	0.0500	101	85-115	0.841	20
Copper	0.0516	0.0005	mg/L	0.0500	103	85-115	1.01	20
Lead	0.0497	0.0005	mg/L	0.0500	99.3	85-115	0.473	20
Manganese	0.0548	0.0005	mg/L	0.0500	110	85-115	1.17	20
Molybdenum	0.0522	0.0005	mg/L	0.0500	104	85-115	2.28	20
Selenium	0.257	0.0010	mg/L	0.250	103	85-115	0.448	20
Uranium	0.0558	0.0005	mg/L	0.0500	112	85-115	2.27	20
Zinc	0.0533	0.0020	mg/L	0.0500	107	85-115	0.870	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: S&S Baseline
Project Manager: Tom Bird

Reported:
06/28/23 14:18

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B231725 - EPA 245.7

Blank (B231725-BLK1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B231725-BS1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1540	100	ng/L	2000		77.0	76-113			
---------	------	-----	------	------	--	------	--------	--	--	--

LCS Dup (B231725-BS1)

Prepared: 06/19/23 Analyzed: 06/21/23

Mercury	1550	100	ng/L	2000		77.5	76-113	0.667	20	
---------	------	-----	------	------	--	------	--------	-------	----	--

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

FORM-006
COC - Revision 6.0

FORM-006

* Chain of Custody must be signed in "Relinquished By:" as an acceptance of services and all applicable charges.

Project Information

Printed: 06/15/2023 4:40 pm

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC S&S Baseline
Project Number: GCC S&S Baseline
Client PM: Tom Bird
Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
SAR-Calc	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

SAMPLE CONDITION RECEIPT FORM

Client Name: BCC Energy

Work Order # 2306-176

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo

Custody Seals on Box/Cooler Present: ☐ Yes ☒ No

Seals Intact: ☐ Yes ☐ No

Thermometer Used: #2 Samples on ice, cooling process has begun: ☐ Yes ☐ No

Type of Ice: ☒ Wet ☐ Blue ☐ None

Cooler Temp: Observed Temp: 4.9 °C Correction Factor: 0 °C Final Temp: 4.9 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: 6/16/23
[Signature]

Labeled by initials:
(if different than above) _____

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>pH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11. <u>Diss Metals</u>
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12. <u>02 on bottles was "1" on COC III</u>
Matrix:	<u>WT</u> SL OT	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☐ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____
