

Permit

Report Dates & Status	NetDMR Validated
Monitoring Period: From 09/01/23 to 09/30/23	10/28/23 Status:

Considerations for Farm Completion

TSS & Total Recoverable Iron Limits will be waived, and settleable solids limit applied for $\leq 10YR, 24hr$ precip event. 30 day avg is highest monthly avg during period reported;

Principal Executive Officer	
First Name:	MIKE
Title:	PRESIDENT
Telephone:	970-929-5122

Last Name: **LUDLOW**

No Data Indicator (NODI)

[illegible]

Code	Location	Sample	Quantity 1	Quantity 2	Units	Value 1	Quantity 3	Value 2	Quantity 4	Units	Value 3	GR - GRAB
00400	pH	1 - Effluent Gross	0	-				>=	6.5 MINIMUM C - No Discharge		9.0 MAXIMUM C - No Discharge	01/30 - Monthly
00530	Solids, total suspended	1 - Effluent Gross	0	-				<=	35.0 30DA AVG C - No Discharge		70.0 MX 7D AV C - No Discharge	01/30 - Monthly
00980	Iron, total recoverable	1 - Effluent Gross	0	-				<=	1000.0 30DA AVG C - No Discharge		6000.0 DAILY MX C - No Discharge	01/30 - Monthly
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-					0.039 30DA AVG C - No Discharge		Req Mon DAILY MX 03 - MGD C - No Discharge	01/30 - Monthly

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

[illegible]

STRAVINSKY

Attachments

No attachments.

Report Last Saved By

Oxbow Minino LLC

Year: _____

1991

Name: _____

E-Mail:

Date/Time:

Report Last Signed

User:

5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843

Name: _____

E-Mail:

Date/Time:

100

Permit #: CO0000132 Major: No		Permittee: Oxbow Mining LLC PO Box 535 Somerset, CO 81434-0535 Discharge: 009-Q Quarterly Monitoring for 001A		Facility: SANBORN CRK & ELK CRK MINES 3737 HIGHWAY 133 SOMERSET, CO 81434		
Permitted Feature: 009 External Outfall		DMR Due Date: 10/28/23		Status: NotDMR Validated		
Report Dates & Status Monitoring Period: From 07/01/23 to 09/30/23 Considerations for Form Completion: Quarterly monitoring - see Appendix B, #34, pg 17. Principal Executive Officer: MIKE LUDLOW First Name: MIKE Last Name: LUDLOW No Data Indicator (NODI): - Form NODI: -						
Code	Parameter Name	Monitoring Location Section #	Section #	Sample Permit Req. Value NODI	Quantity at Location Qualifier 1 Value 1 Qualifier 2 Value 2 Qualifier 3 Value 3	# of Ex. Frequency at Analysis Sample Type
00940	Chloride [as Cl]	1 - Effluent Gross	0	-	Req Mon 30DA AVG C - No Discharge	19 - mg/L 01/90 - Quarterly GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0	-	Req Mon 30DA AVG C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB
01055	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	-	Req Mon 30DA AVG C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	-	Req Mon 30DA AVG C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	-	Req Mon DAILY MX C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	-	Req Mon DAILY MX C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	-	Req Mon DAILY MX C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	-	Req Mon DAILY MX C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	-	Req Mon 30DA AVG C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	-	Req Mon DAILY MX C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	-	Req Mon DAILY MX C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	-	Req Mon DAILY MX C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	-	Req Mon DAILY MX C - No Discharge	28 - ug/L 01/90 - Quarterly GR - GRAB

04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	-		Sample Permit Recd Value NODF	Req Mon DAILY MX C - No Discharge	28 - ug/L	0190 - Quarterly	GR - GRAB
50286	Mercury, total [low level]	1 - Effluent Gross	0	-		Sample Permit Recd Value NODF	Req Mon 30DA AVG C - No Discharge	28 - ug/L	0190 - Quarterly	GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	-		Sample Permit Recd Value NODF	Req Mon 30DA AVG C - No Discharge	19 - mg/L	0190 - Quarterly	GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	-		Sample Permit Recd Value NODF	Req Mon 30DA AVG C - No Discharge	19 - mg/L	0190 - Quarterly	GR - GRAB
82057	Boron, total	1 - Effluent Gross	0	-		Sample Permit Recd Value NODF	Req Mon 30DA AVG C - No Discharge	19 - mg/L	0190 - Quarterly	GR - GRAB

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

[Edit Check Errors](#)

No errors.

Comments

Attachments

No attachments

Report Last Saved By

Oxbow Mining LLC

User:

GHGSMITHOXBOW

Douglas Smith

doug.smith@oxbow.com

2023-10-02 09:10 (Time Zone: -06:00)

Date/Time:

Report Last Signed By

User:

GHGSMITHOXBOW

Douglas Smith

doug.smith@oxbow.com

2023-10-02 09:11 (Time Zone: -06:00)

Date/Time:

DMR Copy of Record

Permit

Permit #:	C00000132	Permittee:	Oxbow Mining LLC	Facility:	SANBORN CRK & ELK CRK MINES
Major:	No	Permittee Address:	PO Box 535 Someset, CO 81434-0535	Facility Location:	3737 HIGHWAY 133 SOMERSET, CO 81434
Permitted Feature:	012 External Outfall	Discharge:	012-A Sediment Pond to Elk Creek		

Report Dates & Status

Monitoring Period:	From 09/01/23 to 09/30/23	DMR Due Date:	10/28/23	Status:	Not DMR Validated
--------------------	---------------------------	---------------	----------	---------	-------------------

Considerations for Form Completion

TSS & Total Recoverable Iron limits will be waived, and Settleable Solids Limit applied for <=10yr, 24hr precip event. 30 day avg is highest monthly avg during period reported. Report calculated SAR at MLOC=EG; adjusted SAR at MLOC=P.

Principal Executive Officer

First Name:	MIKE	Title:	PRESIDENT	Telephone:	970-929-5122
Last Name:	LUDLOW				

No Data Indicator (NOD)

Code	Parameter Name	Monitoring Location	Reason # Param NOD	Sample Permit Rec Value NOD	Quantity of Loading Qualifier 1 Value 1	Quantity of Loading Qualifier 2 Value 2	Quality at Concentration Qualifier 1 Value 1	Quality at Concentration Qualifier 2 Value 2	Qualifier 3	Units	# of Ex Frequency of Analysis	Sample Type
------	----------------	---------------------	--------------------	-----------------------------	---	---	--	--	-------------	-------	-------------------------------	-------------

00010	Temperature, water deg, centigrade	1 - Effluent Gross	0	-	Sample Permit Rec Value NOD		Req Mon MX MX AV C - No Discharge	Req Mon DAILY MX C - No Discharge	04 - deg C	9999 - Continuous	RC - Recorder (auto)
00094	Conductivity	1 - Effluent Gross	0	-	Sample Permit Rec Value NOD		Req Mon 30DA AVG C - No Discharge	78 - dS/m	0230 - Twice Per Month GR	GR - GRAB	
00400	pH	1 - Effluent Gross	0	-	Sample Permit Rec Value NOD		>= 6.5 MINIMUM C - No Discharge	<= 9.0 MAXIMUM C - No Discharge	12 - SU	0130 - Monthly	GR - GRAB
00440	Bicarbonate Ion- [as HCO3]	1 - Effluent Gross	0	-	Sample Permit Rec Value NOD		Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	19 - mg/L	0230 - Twice Per Month GR	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	-	Sample Permit Rec Value NOD		<= 30.0 30DA AVG C - No Discharge	45.0 MX TD AV C - No Discharge	19 - mg/L	0130 - Monthly	GR - GRAB
00518	Calcium, total recoverable	1 - Effluent Gross	0	-	Sample Permit Rec Value NOD		Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	19 - mg/L	0230 - Twice Per Month GR	GR - GRAB
00521	Magnesium, total recoverable	1 - Effluent Gross	0	-	Sample Permit Rec Value NOD		Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	19 - mg/L	0230 - Twice Per Month GR	GR - GRAB
00523	Sodium, total recoverable	1 - Effluent Gross	0	-	Sample Permit Rec Value NOD		Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	19 - mg/L	0230 - Twice Per Month GR	GR - GRAB
00931	Sodium adsorption ratio	EG - Effluent Gross	0	-	Sample Permit Rec Value NOD		Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	1U - Ratio	0230 - Twice Per Month CA	CALC/D
00931	Sodium adsorption ratio	P - See Comments	0	-	Sample Permit Rec Value NOD		Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	1U - Ratio	0230 - Twice Per Month CA	CALC/D
00940	Chloride [as Cl]	1 - Effluent Gross	0	-	Sample Permit Rec Value NOD		Req Mon 30DA AVG C - No Discharge	19 - mg/L	0230 - Twice Per Month GR	GR - GRAB	
00978	Arsenic, total recoverable	1 - Effluent Gross	0	-	Sample Permit Rec Value NOD		Req Mon 30DA AVG C - No Discharge	28 - ug/L	0230 - Twice Per Month GR	GR - GRAB	
00980	Iron, total recoverable	1 - Effluent Gross	0	-	Sample Permit Rec Value NOD		<= 1000.0 30DA AVG C - No Discharge	28 - ug/L	0130 - Monthly	GR - GRAB	

01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01113	Cadmium, total recoverable	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon DAILY MX C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon DAILY MX C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon DAILY MX C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01313	Cadmium, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon DAILY MX C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon DAILY MX C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon DAILY MX C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	10.0 INST MAX C - No Discharge	19 - mg/L	77177 - Contingent GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon DAILY MX C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	0.004 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	0130 - Monthly IN - INSTAN
50286	Mercury, total [low level]	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	0230 - Twice Per Month GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	0230 - Twice Per Month GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	-	Sample Permit Rec Value NOOI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	0230 - Twice Per Month GR - GRAB

[illegible]

DMR Copy of Record

Permit		Permit #:		CO0000132		Permittee:		Oxbow Mining LLC		Facility:		SAMBORN CRK & ELK CRK MINES	
Major:		No		PO Box 535		Permittee Address:		Someset, CO 81434-0535		Facility Location:		3737 HIGHWAY 133 SOMERSET, CO 81434	
Permitted Feature:		012 External Outfall		012-Q		Discharge:		Quarterly Monitoring for 012A					
Report Dates & Status		Monitoring Period:		From 07/01/23 to 09/30/23		DMR Due Date:		10/28/23		Status:		Not DMR Validated	
Considerations for Form Completion		Quarterly monitoring - see Appendix B, #34, pg 17.											
Principal/Executive Officer		First Name:		MIKE		Title:		PRESIDENT		Telephone:		970-929-5122	
Last Name:		LUDLOW											
Form NODI:		No Data Indicator (NODI)											
Code		Parameter		Sample		Quantity of Loading		Quality or Concentration		Req Mon 30DA AVG		Req Mon DAILY MAX	
		Monitoring Location Section # Param. NODI		Sample		Qualifier 1 Value 1 Qualifier 2 Value 2 Units Qualifier 3 Value 3		Qualifier 3		C - No Discharge		0100 - Quarterly	
				Printed Name									
				Value NODI									

70295	Solids, total dissolved	1 - Effluent Gross	0	-									GR - GRAB
-------	-------------------------	--------------------	---	---	--	--	--	--	--	--	--	--	-----------

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

Comments

Attachments

No attachments.

Report Last Saved By

Oxbow Mining LLC

User:

Name:

Douglas Smith

E-Mail:

doug.smith@oxbow.com

Date/Time:

2023-10-02 09:08 (Time Zone: -06:00)

Report Last Signed By

User:

Name:

Douglas Smith

E-Mail:

doug.smith@oxbow.com

Date/Time:

2023-10-02 09:11 (Time Zone: -06:00)

DMR Copy of Record

Permit #:	C00000132	Permittee:	Oxbow Mining LLC	Facility:	SANBORN CRK & ELK CRK MINES
Major:	No	Permittee Address:	PO Box 535 Someset, CO 81434-0535	Facility Location:	3737 HIGHWAY 133 SOMERSET, CO 81434
Permitted Feature:	012 External Outfall	Discharge:	012-X Chronic WET Testing for 012A		
Report Dates & Status		DMR Due Date:	10/28/23	Status:	Not DMR Validated
Monitoring Period:	From 07/01/23 to 09/30/23				
Considerations for Form Completion					
See I.D.1 for details of test procedure. Rpt NOEC using test code "S". Rpt IC25 using test code "P". Beginning 10-1-21, rpt highest number between "P" and "S" at "T" for each parameter. IWC=100%					
Principal/Executive Officer:					
First Name:	MIKE	Title:	PRESIDENT	Telephone:	970-929-5122
Last Name:	LUDLOW				
No Data Indicator (NODI)					

Code	Parameter Name	Monitoring Location	Season	Param. NODI	Sample Period Beg. Value NODI	Sample Period End. Value NODI	Qualifier 1 Value 1 Qualifier 2 Value 2 Units Qualifier 3	Qualifier 1 Value 1 Qualifier 2 Value 2 Qualifier 3 Value 3 Units	Quantity or Concentration Qualifier 2 Value 2 Qualifier 3 Value 3 Units	# of Ex. Frequency of Analysis Sample Type
TKP3B	Static Renewal 7 Day Chronic Ceriodaphnia dubia	P - See Comments	0	-			Req Mon SINGSAMP C - No Discharge	2G - tox chronic	01/00 - Quarterly	G3 - GRAB-3
TKP3B	Static Renewal 7 Day Chronic Ceriodaphnia dubia	S - See Comments	0	-			Req Mon MN VALUE C - No Discharge	2G - tox chronic	01/00 - Quarterly	G3 - GRAB-3
TKP3B	Static Renewal 7 Day Chronic Ceriodaphnia dubia	T - See Comments	0	-			Req Mon MN VALUE C - No Discharge	2G - tox chronic	01/00 - Quarterly	G3 - GRAB-3
TKP6C	Static Renewal 7 Day Chronic Pimephales promelas	P - See Comments	0	-			Req Mon SINGSAMP C - No Discharge	2G - tox chronic	01/00 - Quarterly	G3 - GRAB-3
TKP6C	Static Renewal 7 Day Chronic Pimephales promelas	S - See Comments	0	-			Req Mon MN VALUE C - No Discharge	2G - tox chronic	01/00 - Quarterly	G3 - GRAB-3
TKP6C	Static Renewal 7 Day Chronic Pimephales promelas	T - See Comments	0	-			Req Mon MN VALUE C - No Discharge	2G - tox chronic	01/00 - Quarterly	G3 - GRAB-3

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Report Last Saved By
Oxbow Mining LLC

User:
Name: GHGSMITHOXBOW
Douglas Smith
E-Mail: doug.smith@oxbow.com
Date/Time: 2023-10-02 09:07 (Time Zone: -06:00)

Report Last Signed By

User:
Name: GHGSMITHOXBOW
Douglas Smith
E-Mail: doug.smith@oxbow.com
Date/Time: 2023-10-02 09:11 (Time Zone: -06:00)