

11783 Highway 337 S.
PO Box 100, Tijeras, NM 87123

505.286.6026
svance@gcc.com



January 25, 2024

State of Colorado
Division of Reclamation, Mining & Safety
1313 Sherman St., Room 215
Denver, CO 80203

Attn: Clayton Wein, Environmental Protection Specialist

Re: GCC Energy, LLC, King II Mine
CDRMS Permit # C-1981-035
Water Monitoring Analysis; King I & King II
4th Quarter 2023

Mr. Wein:

Please find enclosed a copy of quarterly water analysis reports for the 4th quarter of 2023 for the following water monitoring locations:

Wiltse Well
#1 Up-gradient Monitoring Well & Blind Duplicate MW-98
#2 Down-gradient Monitoring Well
Hay Gulch Irrigation Ditch, Down-gradient & Resample
Hay Gulch Irrigation Ditch, Up-gradient
MW-1-A
MW-3-MI, MW-3-A, MW-3-C
MW-4-MI & Blind Duplicate MW-99, MW-4-A, MW-4-C
MW-5-MI
MW-HGA-4
MW-6-LM
MW-7-EAA
MW-8-EAA, MW-8-MI, MW-8-LM, MW-8-PL
Seep 1
Seep 3

Also enclosed are summary sheets for the above water monitoring locations which include field collection data.

Please contact me at 505.238.8272 or svance@gcc.com if you have any questions or require any additional information.

Sincerely,

A handwritten signature in blue ink that reads "Sarah Vance".

Sarah Vance
Environmental Manager
GCC Energy, LLC

GCC Energy Hydrologic Monitoring Data

MW-1-MI																														
Year	2018									2019				2020				2021				2022				2023				
Quarter	Q1			Q2		Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	6	9	12	3	6	8	11	
Sample Date	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	11/17	3/17	6/14	9/12	12/4	3/18	6/14	8/16	11/14	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																														
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	***	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
Total Purged	gal																													
Depth to Water	ft bgs																													
Temperature	deg C																													
pH	SU																													
Specific Conductance	µS/cm																													
Oxygen Reduction Potential	mV																													
Lab Analytical Results:																														
Hardness as CaCO3	mg/L																													
pH (Lab)	SU																													
Total Dissolved Solids (Lab)	mg/L																													
Calcium	mg/L																													
Magnesium	mg/L																													
Sodium	mg/L																													
Potassium	mg/L																													
Alkalinity, Total	mg/L																													
Alkalinity, Bicarbonate	mg/L																													
Alkalinity, Carbonate	mg/L																													
Alkalinity, Hydroxide	mg/L																													
Chloride	mg/L																													
Fluoride	mg/L																													
Sulfate as SO4	mg/L																													
Total Organic Carbon (TOC)	mg/L																													
Nitrate/Nitrite as N	mg/L																													
Aluminum	mg/L																													
Arsenic	mg/L																													
Cadmium	mg/L																													
Copper	mg/L																													
Iron	mg/L																													
Lead	mg/L																													
Manganese	mg/L																													
Mercury (dissolved)	mg/L																													
Mercury (dissolved low-level)	ng/L																													
Molybdenum	mg/L																													
Selenium	mg/L																													
Silica (SiO2)	mg/L																													
Silicon	mg/L																													
Uranium	mg/L																													
Zinc	mg/L																													

Notes & Definitions:

- Historical data prior to 2018 can be found in earlier posted versions of this table

*** La Plata County stage 3 fire restrictions prevented sampling activity

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

ng/L nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

[illegible]

Notes & Definitions:

Historical data prior to 2018 can be found in earlier posted versions of this table

Y/N	yes or no	1. "<i><</i>" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	
ng/L	nanogram per liter	

GCC Energy Hydrologic Monitoring Data

MW-2-MI																											
Year	2018							2019				2020				2021				2022				2023			
Quarter	Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	6	9	12	3	6	8	11
Sample Date	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	3/23	6/14	9/8	12/4	3/31	6/14	8/18	11/13
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																											
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
Total Purged	gal																										
Depth to Water	ft bgs																										
Temperature	deg C																										
pH	SU																										
Specific Conductance	µS/cm																										
Oxygen Reduction Potential	mV																										
Lab Analytical Results:																											
Hardness as CaCO3	mg/L																										
pH (Lab)	SU																										
Total Dissolved Solids (Lab)	mg/L																										
Calcium	mg/L																										
Magnesium	mg/L																										
Sodium	mg/L																										
Potassium	mg/L																										
Alkalinity, Total	mg/L																										
Alkalinity, Bicarbonate	mg/L																										
Alkalinity, Carbonate	mg/L																										
Alkalinity, Hydroxide	mg/L																										
Chloride	mg/L																										
Fluoride	mg/L																										
Sulfate as SO4	mg/L																										
Total Organic Carbon (TOC)	mg/L																										
Nitrate/Nitrite as N	mg/L																										
Aluminum	mg/L																										
Arsenic	mg/L																										
Cadmium	mg/L																										
Copper	mg/L																										
Iron	mg/L																										
Lead	mg/L																										
Manganese	mg/L																										
Mercury (dissolved)	mg/L																										
Mercury (dissolved low-level)	ng/L																										
Molybdenum	mg/L																										
Selenium	mg/L																										
Silica (SiO2)	mg/L																										
Silicon	mg/L																										
Uranium	mg/L																										
Zinc	mg/L																										

Notes & Definitions:

Historical data prior to 2018 can be found in earlier posted versions of this table

- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- pCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)
- ng/L

nanogram per liter
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

[illegible]

Notes & Definitions:

Historical data prior to 2018 can be found in earlier posted versions of this table

- | | | |
|-------|-----------------------------|---|
| Y/N | yes or no | <ol style="list-style-type: none"> 1. "<i><</i>" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO₃. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table. |
| gpm | gallons per minute | |
| deg C | degrees Celsius | |
| SU | standard pH units | |
| µS/cm | microsiemens per centimeter | |
| mV | millivolts | |
| mg/L | milligram per liter | |
| pCi/L | picocuries per liter | |
| NM | not measured (field) | |
| NA | not analyzed (lab) | |
| ng/L | nanogram per liter | |

GCC Energy Hydrologic Monitoring Data

MW-3-MI																												
Year	2018							2019				2020				2021				2022				2023				
Quarter	Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2	5	9	11	3	6	8	11	
Sample Date	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/21	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10	11/9	2/24	5/11	9/6	11/18	3/16	6/15	8/8	11/16	
Lab Analysis (Y/N)	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	NM	0.10	NM	0.10	0.10	0.10	0.10	0.12	0.12	0.06	0.25	0.50	0.25	0.13	0.13	0.10	0.13	0.13	0.25	0.25	0.25	0.15	0.10	0.11	0.12	0.26	0.33
Total Purged	gal	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	2.0	1.0	1.5	1.3	1.8	1.3	1.3	1.5	1.5	1.3	1.5	2.0	1.3	1.3	1.1	1.1	1.1	1.1
Depth to Water	ft bgs	240.73	240.55	240.65	240.84	241.04	241.97	242.13	242.15	242.32	246.55	243.07	242.85	243.05	243.6	243.9	243.93	244.25	244.28	244.15	242.90	244.05	244.65	244.3	243.83	249.55	242.86	242.65
Temperature	deg C	11.9	11.3	11.9	11.8	12.6	13.0	12.4	11.6	11.3	13.2	12.3	11.6	12.6	12.8	11.7	11.5	12.8	13.0	11.9	11.4	13.2	13.7	11.6	11.7	12.5	13.1	12.3
pH	SU	8.84	8.83	8.84	8.51	8.48	8.49	8.46	8.51	8.55	8.71	8.75	8.71	8.92	9.01	9.09	9.03	9.06	9.13	9.11	9.07	9.04	9.03	8.81	9.06	9.03	9.00	8.89
Specific Conductance	µS/cm	1790	1810	1771	1772	1727	1709	1746	1753	1739	1691	1739	1758	1737	1560	1555	1519	1232	1647	1765	1705	1686	1720	1739	1609	1737	1702	1784
Oxygen Reduction Potential	mV	-136.0	-131.4	-160.7	-99.9	-103.9	-127.8	-176.5	-113.0	-84.5	43.9	-130.8	-104.3	-174.5	-111.0	-132.4	-94.6	-120.4	-142.9	-163.3	-207.2	-104.2	-184.3	-158.9	-186.8	-192.3	-213.0	-263.6
Lab Analytical Results:																												
Hardness as CaCO3	mg/L		9.92			8.65	8.63	8.88	7.63	6.84	7.98	6.64	6.50	7.25	6.39	5.94	6.63	5.06	5.39	5.21	5.28	5.13	<3.31	<3.31	<3.31	<3.31	< 3.31	5.20
pH (Lab)	SU		8.66			8.56	8.58	8.34	8.5	8.45	8.58	8.62	8.61	8.59	8.87	8.77	8.72	8.84	8.81	8.88	8.78	8.87	8.76	8.78	8.63	8.71	8.84	8.85
Total Dissolved Solids (Lab)	mg/L		1170			1210	1110	1120	1120	1170	1010	1130	1130	1130	1060	1160	1120	1110	1180	1130	1070	1140	1080	1070	1140	1100	1070	1050
Calcium	mg/L		2.22			1.91	1.95	2.03	1.87	1.7	2.04	1.73	1.63	1.76	1.62	1.42	1.66	1.28	1.34	1.25	1.30	1.32	1.14	1.15	1.24	1.11	1.10	1.34
Magnesium	mg/L		1.07			0.945	0.911	0.926	0.715	0.629	0.703	0.561	0.591	0.694	0.570	0.579	0.606	0.454	0.5	0.508	0.496	0.442	<0.500	<0.500	<0.500	<0.500	< 0.500	0.449
Sodium	mg/L		459			417	446	476	434	419	454	437	437	427	431	431	468	410	403	390	413	415	374	389	397	408	398	405
Potassium	mg/L		<2.00			1.63	<2.00	<2.00	1.39	1.65	<2.00	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00	<2.00	1.27	<2.00	<5.00	<5.00	<5.00	<5.00	< 5.00	< 2.00
Alkalinity, Total	mg/L		700			680	730	720	685	755	720	690	705	680	625	770	690	690	705	705	740	740	780	760	680	700	660	630
Alkalinity, Bicarbonate	mg/L		600			500	630	610	485	605	590	610	645	550	465	690	450	550	555	565	580	580	480	540	620	572	590	510
Alkalinity, Carbonate	mg/L		100			180	100	110	200	150	130	80.0	60.0	130	160	80	240	140	150	140	160	160	300	220	60.0	128	70.0	120
Alkalinity, Hydroxide	mg/L		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	< 10.0	< 10.0	
Chloride	mg/L		10.7			10.7	8.54	8.83	9.21	9.25	10.2	9.13	9.21	9.61	9.45	10	9.84	10.5	10.4	10.4	10.6	10.2	11.2	10.7	10.9	10.8	10.8	10.7
Fluoride	mg/L		1.30			1.2	1.16	1.19	1.21	1.22	1.19	1.19	1.13	1.13	1.09	1.12	1.03	1.09	1.07	0.980	1.10	0.982	1.11	1.08	1.10	1.02	0.862	0.924
Sulfate as SO4	mg/L		245			250	226	230	232	229	236	224	227	231	222	110	223	227	228	230	233	213	240	238	240	243	242	241
Total Organic Carbon (TOC)	mg/L		9.24			8.67	7.83	7.28	6.73	6.56	6.17	5.78	5.58	6.07	5.79	5.46	5.34	5.33	5.4	5.26	5.14	4.94	5.06	2.89	5.14	4.22	4.72	4.52
Nitrate/Nitrite as N	mg/L		<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.034	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	< 0.020	< 0.020	2.42
Ammonia as N ^	mg/L		NA			NA	NA	NA	NA	NA	NA	0.317	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L		NA			NA	NA	NA	NA	NA	NA	0.348	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L		<0.100			<0.050	<0.050	<0.10	<0.050	<0.050	0.167	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.050	<0.100	<0.250	<0.250	<0.250	<0.250	< 0.250	< 0.100
Arsenic	mg/L		0.0160			0.0152	0.0127	0.0104	0.0149	0.0107	0.0142	0.0099	0.0093	0.0086	0.0061	0.007	0.0083	0.0091	0.0091	0.0078	0.0095	0.0082	0.0084	0.0085	0.0078	0.0094	0.0076	0.0084
Cadmium	mg/L		<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0001	<0.0002	<0.0002	<0.0005	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	< 0.0025	< 0.0010
Copper	mg/L		0.0122			0.0048	0.0071	0.0073	0.0068	0.0063	0.0049	0.0037	0.0024	<0.0025	0.0046	0.0045	0.0031	0.0131	0.0143	0.0097	0.0072	0.0126	0.0170	0.0089	0.0143	0.0187	0.0080	0.0081
Iron	mg/L		<0.100			<0.05	<0.05	<0.1	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.050	<0.100	<0.250	<0.250	<0.250	<0.250	< 0.250	< 0.100
Lead	mg/L		<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0010	<0.0010	<0.0025	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0020	<0.0010	<0.0025	<0.0025	< 0.0025	< 0.0010
Manganese	mg/L		0.0049			0.006	0.0054	0.0072	0.0078	0.0082	0.0079	0.0099	0.0095	0.0102	0.0072	0.007	0.0069	0.0057	0.0058	0.0054	0.0051	0.0049	0.0047	0.0058	0.0063	0.0058	0.0055	0.0059
Mercury (dissolved)	mg/L		<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002								
Mercury (dissolved low-level)	ng/L																					<5.00	<100	<100	<100	<100	< 100	< 100
Molybdenum	mg/L																											

GCC Energy Hydrologic Monitoring Data

MW-3-C																												
Year	2018							2019				2020				2021				2022				2023				
Quarter	Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	1	2	3	4	5	8	11	2	5	9	11	3	5	8	12	2	5	8	11	2	5	9	12	3	6	8	11	
Sample Date	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	9/17	11/12	3/13	5/26	8/31	12/1	2/10	5/18	8/10	11/10	2/24	5/11	9/6	12/13	3/29	6/15	8/8	11/16	
Lab Analysis (Y/N)	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	NM	0.10	NM	0.10	0.10	0.10	0.06	0.06	0.13	0.13	0.10	0.03	0.08	0.13	0.13	0.13	0.13	0.13	0.15	0.10	0.15	0.03	0.24	0.09	0.11	0.10	
Total Purged	gal	1.5	1.5	1.5	1.0	1.3	1.3	1.1	1.3	1.5	10.0	1.5	11.0	1.1	1.3	1.5	1.3	1.5	1.3	1.5	1.5	1.5	1.0	1.0	1.1	1.1	1.1	
Depth to Water	ft bgs	297.01	296.66	296.57	296.62	296.78	297.12	296.80	296.39	295.56	295.70	295.50	299.35	294.99	294.60	295.26	295.97	295.25	295.70	295.68	294.45	295.11	295.45	295.10	294.25	293.70	294.46	294.41
Temperature	deg C	11.7	11.4	11.6	12.2	13.0	13.3	11.5	11.0	11.4	13.5	12.5	11.3	13.4	15.0	14.0	9.9	12.3	15.6	9.6	9.4	13.2	14.4	1.9	13.2	12.9	14.6	11.7
pH	SU	8.43	8.43	8.45	8.25	8.28	8.26	8.17	8.28	8.29	8.31	8.20	7.98	8.44	8.45	8.73	8.71	8.50	8.71	8.85	8.62	8.43	8.29	9.15	8.44	8.42	8.37	8.26
Specific Conductance	µS/cm	4923	4864	5063	5019	4916	4953	5127	5155	5184	5144	5144	4921	3143	5039	4251	4426	3755	4571	5244	4564	4694	5306	2397	5300	5353	5283	5584
Oxygen Reduction Potential	mV	-187.9	-183.5	-155.4	-154.7	-161.4	-180.5	-217.6	-185.4	-188.5	-151.8	-184.4	-155.0	-240.5	-174.4	-150.0	-202.7	-149.6	-255.3	-227.4	-325.6	-223.4	-307.9	-277.2	57.8	-199.5	-202.4	-275.0
Lab Analytical Results:																												
Hardness as CaCO3	mg/L		16.1			40.3	17.9	21.7	17.3	16.8	18.6	18.6	18.3	16.0	18.1	16.9	18.5	14.8	16.9	16.7	16.0	17.4	20.4	16.4	17.1	13.7	16.1	17.7
pH (Lab)	SU		8.35			8.34	8.31	8.24	8.2	8.23	8.31	8.12	7.98	8.41	8.36	8.36	8.43	8.38	8.47	8.87	8.44	8.47	8.18	8.49	8.81	8.29	8.21	8.27
Total Dissolved Solids (Lab)	mg/L		3540			3610	3520	3360	3300	3440	3500	3390	3220	3180	3170	3280	3200	3230	3300	3200	3270	3250	3280	3140	3150	2310	3220	3300
Calcium	mg/L		3.81			7.28	4.01	4.70	4.05	3.74	4.30	4.23	4.26	3.81	3.97	3.72	4.25	3.59	3.84	3.76	3.66	4.10	4.49	3.68	3.91	3.32	3.63	3.97
Magnesium	mg/L		1.59			5.38	1.92	2.41	1.75	1.8	1.91	1.94	1.86	1.58	1.98	1.84	1.92	1.42	1.77	1.78	1.67	1.74	2.23	1.75	1.77	1.33	1.70	1.89
Sodium	mg/L		1200			1350	1220	1460	1270	1100	1360	1300	1280	1240	1250	1250	1360	1220	1220	1170	1200	1260	1360	1170	1260	906	1240	1270
Potassium	mg/L		<10.0			<5.00	<5.00	<5.00	<5.00	5.24	<5.00	<10.0	<10.0	<10.0	<10.0	<10.0	<6.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<10.0	<5.00	< 10.0	< 10.0
Alkalinity, Total	mg/L		1910			1760	1730	2050	2000	2110	2190	2130	2160	2050	1820	2090	2170	2130	2140	2230	2180	2170	2110	2120	2220	1410	2140	2140
Alkalinity, Bicarbonate	mg/L		1810			1600	1670	1900	1830	2000	2020	2070	2000	1800	1690	1970	1710	1910	1950	1950	1820	1870	1990	2120	1920	1410	2070	2060
Alkalinity, Carbonate	mg/L		100			160	60.0	150	170	110	170	60.0	160	250	130	120	460	220	190	280	360	300	120	<10.0	300	<10.0	70.0	80.0
Alkalinity, Hydroxide	mg/L		<10.0			<10.0	NA	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	< 10.0	< 10.0	
Chloride	mg/L		549			544	524	561	577	575	620	542	549	555	552	578	574	577	582	462	608	605	613	604	622	360	639	644
Fluoride	mg/L		4.15			3.52	3.84	4.04	4.04	3.91	3.78	3.66	3.61	3.51	3.47	3.53	3.37	3.34	3.36	3.16	3.37	3.06	3.51	3.25	3.38	1.96	2.59	2.91
Sulfate as SO4	mg/L		<10.0			<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<10.0	252	< 10.0	< 10.0	
Total Organic Carbon (TOC)	mg/L		337			343	306	141	122	129	132	107	81.9	23.4	17.1	15.7	15.7	16.3	15.7	16.4	17.9	16.2	16.1	10.4	19.2	5.72	18.9	19.2
Nitrate/Nitrite as N	mg/L		<0.020			<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.040	<0.020	<0.020	<0.100	<0.020	<0.020	< 0.020	< 0.020	
Ammonia as N ^	mg/L		NA			NA	NA	NA	NA	NA	NA	0.500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L		NA			NA	NA	NA	NA	NA	NA	0.212	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L		<0.500			1.47	<0.500	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250	<0.250	<0.250	<0.250	<0.250	<0.500	<0.250	< 0.500	< 0.500	
Arsenic	mg/L		0.0194			0.0168	0.0148	0.0155	0.0218	0.0171	0.0192	0.0188	0.0087	0.0133	0.0106	0.0125	0.0113	0.0163	0.0195	0.0170	0.0157	0.0130	0.0151	0.0146	0.0194	0.0206	0.0149	0.0170
Cadmium	mg/L		<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.001	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.0035	< 0.0050	< 0.0050
Copper	mg/L		0.0409			0.0183	0.0257	0.0227	0.0223	0.0168	0.0102	0.0109	0.0069	0.0064	0.0136	0.0156	0.0102	0.0499	0.0434	0.0323	0.0287	0.0347	0.0555	0.0268	0.0220	0.0571	0.0185	0.0293
Iron	mg/L		<0.500			0.252	<0.500	<0.250	<0.250	0.344	0.328	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	0.464	0.310	0.260	0.305	0.427	<0.250	<0.500	<0.25	< 0.500	< 0.500
Lead	mg/L		<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.0035	< 0.0050	< 0.0050	
Manganese	mg/L		0.0307			0.0275	0.0243	0.0252	0.0483	0.063	0.0378	0.0266	0.0245	0.0175	0.0102	0.0079	0.0052	0.0046	0.0034	0.0032	0.0028	0.0040	0.0025	0.0034	0.0054	0.0065	< 0.0050	< 0.0050
Mercury (dissolved)	mg/L		<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002							
Mercury (dissolved low-level)	ng/L																					<5.00	<500	<100	<100			

GCC Energy Hydrologic Monitoring Data

MW-4-A																												
Year	2018							2019				2020				2021				2022				2023				
Quarter	Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11	2	5	9	11	3	6	8	11	
Sample Date	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	11/10	2/23	5/11	9/1	11/17	3/9	6/15	8/7	11/16	
Lab Analysis (Y/N)	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	NM	0.10	NM	0.10	0.10	0.10	0.06	0.06	0.06	0.13	0.03	0.03	0.13	0.13	0.05	0.13	0.25	0.20	0.22	0.13	0.13	0.06	0.05	0.03	0.08	0.05	
Total Purged	gal	1.3	1.5	1.5	1.0	1.5	1.5	1.1	1.5	1.3	1.1	1.0	1.5	1.2	1.3	1.3	1.3	1.5	1.3	1.8	1.5	1.0	1.1	1.1	1.1	1.1	1.1	
Depth to Water	ft bgs	334.31	334.73	334.81	335.07	335.58	336.06	336.73	335.6	335.07	335.21	335.16	336.35	337.16	336.88	336.13	335.46	335.72	335.93	336.16	336.01	336.31	336.74	337.16	337.66	330.46	335.36	335.49
Temperature	deg C	10.9	9.8	11.4	10.9	17.8	12.9	11.6	11.1	10.4	13.6	11.6	10.3	12.5	14.0	12.3	10.3	11.2	12.1	11.6	9.4	12.4	15.6	12.4	11.6	15.0	15.2	12.4
pH	SU	8.33	8.37	8.41	8.19	8.20	8.10	8.12	8.15	8.08	8.02	8.11	8.07	8.19	8.27	8.30	8.25	8.30	8.38	8.38	8.35	8.34	8.33	8.77	8.41	8.38	8.33	8.25
Specific Conductance	µS/cm	2259	2267	2207	2214	2183	2192	2246	2205	2237	2201	2211	2271	2273	2165	2249	2052	1618	2205	2268	2294	2244	2236	2236	2090	2246	2171	2298
Oxygen Reduction Potential	mV	-35.2	-75.9	-117.3	-77.9	-81.8	-137.5	-157.6	-92.3	-89.3	-54.3	-19.8	15.3	-71.3	-11.5	-10.6	29.0	-63.4	-48.7	-77.3	-153.2	-78.6	-203.9	-66.6	35.8	-41.9	-76.5	-167.0
Lab Analytical Results:																												
Hardness as CaCO3	mg/L		7.73			7.84	7.69	8.81	7.76	7.31	8.62	8.00	8.19	7.46	7.87	7.77	8.87	7.02	5.81	7.54	8.32	7.88	8.44	7.41	7.78	8.02	6.50	7.47
pH (Lab)	SU		8.28			8.31	8.21	8.24	8.05	8.08	8.15	8.02	8.11	7.90	8.19	8.16	8.04	8.15	8.09	8.21	8.24	8.24	8.50	8.29	8.10	8.12	8.23	8.30
Total Dissolved Solids (Lab)	mg/L		1490			1470	1430	1350	1450	1410	1540	1490	1500	1480	1460	1560	1370	1430	1510	1470	1400	1540	1480	1430	1390	1480	1480	1400
Calcium	mg/L		1.81			1.75	1.71	1.92	1.77	1.68	1.94	1.82	1.88	1.67	1.79	1.73	2.04	1.65	1.41	1.76	1.87	1.88	1.95	1.67	1.73	1.83	1.58	1.75
Magnesium	mg/L		0.778			0.846	0.832	0.973	0.809	0.756	0.914	0.837	0.850	0.798	0.826	0.836	0.917	0.704	0.555	0.765	0.890	0.771	0.868	0.783	0.842	0.839	0.616	0.751
Sodium	mg/L		507			528	531	568	535	515	548	529	551	498	533	531	565	507	411	488	504	523	520	482	559	535	503	509
Potassium	mg/L		<2.00			1.5	<2.00	<2.00	<2.00	<2.00	4.75	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	<3.00	<5.00	<2.00	<2.00	<2.00	<5.00	<5.00	1.24	< 5.00	< 5.00	
Alkalinity, Total	mg/L		530			560	575	575	545	565	575	544	560	585	605	538	620	590	580	670	535	605	590	480	569	579	562	515
Alkalinity, Bicarbonate	mg/L		490			560	555	575	505	544	535	528	560	545	565	530	620	530	580	670	485	455	590	480	531	579	524	515
Alkalinity, Carbonate	mg/L		40.0			<10.0	20.0	<10.0	40	32	40.0	16.0	<10.0	40.0	40	<10.0	<10.0	60	<10.0	<10.0	50.0	150	<10.0	<10.0	38.0	<10.0	38.0	< 10.0
Alkalinity, Hydroxide	mg/L		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	< 10.0	< 10.0	
Chloride	mg/L		10.0			9.94	9.55	8.60	8.93	8.99	8.91	8.76	8.83	8.89	10.1	9.15	8.79	9.15	9.17	9.04	9.04	8.97	9.89	9.61	9.72	10.3	10.6	10.3
Fluoride	mg/L		<0.500			<0.500	<0.500	0.143	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.500	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.500	<0.500	0.165	< 0.500	< 0.500	
Sulfate as SO4	mg/L		579			561	522	450	567	584	615	559	557	580	542	607	561	577	593	551	581	525	580	590	602	594	571	583
Total Organic Carbon (TOC)	mg/L		3.46			3.59	3.60	3.59	3.47	3.40	3.33	3.25	3.10	3.49	3.48	3.27	3.42	3.42	3.23	3.28	3.31	3.32	3.40	1.99	3.78	3.35	3.44	2.86
Nitrate/Nitrite as N	mg/L		<0.020			<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.255	<0.020	<0.020	<0.020	<0.020	< 0.020	< 0.020	
Ammonia as N ^	mg/L		NA			NA	NA	NA	NA	NA	NA	0.312	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L		NA			NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L		<0.100			<0.05	<0.05	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100	<0.100	<0.100	<0.250	<0.250	<0.250	< 0.250	< 0.250	
Arsenic	mg/L		0.0019			0.0005	<0.0025	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	0.0005	<0.0010	<0.0010	0.0008	<0.0010	<0.001	<0.001	<0.0025	<0.0025	< 0.0025	< 0.0025
Cadmium	mg/L		<0.0001			<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.001	<0.001	<0.0025	<0.0025	< 0.0025	< 0.0025
Copper	mg/L		0.0124			0.0077	0.0105	0.0084	0.0081	0.0061	0.0120	0.0037	0.0034	0.0020	0.0056	0.0053	0.0036	0.0135	0.0161	0.0126	0.0097	0.0133	0.0215	0.0213	0.0207	0.0201	0.0044	0.0108
Iron	mg/L		<0.100			<0.050	<0.050	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100	<0.100	<0.100	<0.250	<0.250	<0.250	< 0.250	< 0.250	
Lead	mg/L		<0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010	<0.0010	<0.0005	<0.001	<0.002	<0.0010	<0.0025	<0.0025	< 0.0025	< 0.0025
Manganese	mg/L		0.0035			0.0033	<0.0075	0.0034	0.0032	0.0031	0.0026	0.0016	0.0033	0.0031	0.0029	0.0035	0.0029	0.0029	0.003	0.0030	0.0032	0.0033	0.0035	0.0031	0.0036	0.0030	0.0032	0.0029
Mercury (dissolved)	mg/L		<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002								
Mercury (dissolved low-level)	ng/L																				<5.00	<100	<100	<100	<100	< 1		

GCC Energy Hydrologic Monitoring Data

MW-4-MI																												
Year	2018							2019				2020				2021				2022				2023				
Quarter	Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11	2	5	9	11	3	5	8	11	
Sample Date	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	11/10	2/23	5/11	9/1	11/17	3/9	5/31	8/7	11/16	
Lab Analysis (Y/N)	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	NM	0.10	NM	0.10	0.10	0.10	0.06	0.06	0.13	0.25	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.15	0.09	0.22	0.13	0.91	0.12	
Total Purged	gal	1.3	1.5	1.5	1.0	1.3	1.8	1.6	2.0	1.3	1.1	1.0	1.3	1.2	1.3	1.5	1.3	1.5	1.5	1.3	1.5	1.0	1.3	1.1	1.1	1.1	1.2	
Depth to Water	ft bgs	330.52	330.42	330.53	330.5	329.62	331.1	336.57	331.1	331.06	331.92	332.1	332.5	332.87	332.45	333.29	333.22	329.27	333.57	333.65	333.45	333.8	334.22	334.15	334.35	334.85	335.3	335.55
Temperature	deg C	11.2	11.0	10.5	10.9	10.1	11.8	11.3	11.1	10.8	13.3	11.6	11.8	12.2	12.9	11.8	10.8	11.6	12.1	11.7	11.0	12.0	13.0	11.5	11.5	12.9	12.5	12.1
pH	SU	8.62	8.48	8.53	8.01	8.50	8.14	8.25	8.38	8.23	8.14	8.26	8.18	8.42	8.45	8.57	8.57	8.60	8.59	8.59	8.46	8.56	8.51	7.87	8.62	8.62	8.62	8.53
Specific Conductance	µS/cm	1848	1856	1841	1816	1739	1756	1808	1716	1800	1830	1776	1795	1794	1730	1777	1605	1258	1711	1761	1745	1727	1718	1749	1673	1728	1710	1791
Oxygen Reduction Potential	mV	-112.5	-151.3	-145.7	-117.7	-130.0	-178.2	-202.3	-140.4	-154.7	-127.3	-76.8	-50.6	-131.2	-92.0	-87.7	-53.9	-105.9	-97.8	-118.1	-141.5	-128.8	-247.1	-131.9	85.0	-139.7	-81.2	-267.6
Lab Analytical Results:																												
Hardness as CaCO3	mg/L		6.01			5.88	6.06	6.39	5.35	4.93	5.65	3.31	4.70	<3.31	5.19	2.84	4.91	3.79	4.59	4.53	4.17	4.15	4.59	<3.31	3.84	4.11	< 3.31	3.91
pH (Lab)	SU		8.47			8.48	8.31	8.47	8.35	8.3	8.44	8.08	8.33	8.02	8.28	8.38	8.21	8.38	8.28	8.59	8.35	8.42	8.68	8.48	8.25	8.41	8.44	8.59
Total Dissolved Solids (Lab)	mg/L		1220			1140	1120	1100	1130	1130	1140	1120	1110	1110	1070	1170	1130	1100	1130	1090	1100	1140	1070	1060	1030	1030	1060	1050
Calcium	mg/L		1.64			1.55	1.56	1.60	1.44	1.3	1.51	1.32	1.21	1.22	1.32	1.14	1.97	1.05	1.23	1.09	1.05	1.13	1.13	0.971	0.979	1.02	0.838	0.982
Magnesium	mg/L		0.465			0.49	0.524	0.580	0.428	0.408	0.458	<0.500	0.406	<0.500	0.459	<0.400	<0.500	0.285	0.37	0.441	0.372	0.321	0.431	<0.500	0.338	0.381	< 0.500	0.354
Sodium	mg/L		447			471	470	500	462	458	496	477	441	460	459	458	476	431	427	418	430	443	448	384	468	427	428	424
Potassium	mg/L		<2.00			1.39	<2.00	<2.00	1.43	1.77	2.03	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<5.00	<2.00	<2.00	< 5.00	< 2.00
Alkalinity, Total	mg/L		965			955	968	995	510	890	970	978	985	1030	1020	1010	990	1020	985	1140	935	1020	1180	920	1040	965	955	985
Alkalinity, Bicarbonate	mg/L		875			865	896	885	420	650	880	886	895	935	940	965	910	900	865	1020	825	870	1040	720	980	865	907	945
Alkalinity, Carbonate	mg/L		90.0			90	72.0	110	90	240	90.0	92.0	90.0	90.0	80	40	80	120	120	120	110	150	140	200	60.0	100	48.0	40.0
Alkalinity, Hydroxide	mg/L		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10	< 10.0	< 10.0
Chloride	mg/L		8.74			7.99	5.68	5.38	5.98	5.98	5.83	5.47	5.37	5.11	5.02	4.97	4.89	4.85	4.91	4.98	4.55	4.36	4.29	<5.00	25.4	3.91	< 5.00	3.62
Fluoride	mg/L		5.02			4.82	4.84	4.94	5.49	5.44	5.38	5.31	5.11	5.16	5	5.27	4.92	5.03	5.2	4.78	5.16	4.73	5.42	5.13	5.42	5.31	4.32	4.83
Sulfate as SO4	mg/L		68.6			54.4	48.3	47.6	38.7	34.4	31.9	28.2	24.6	21.9	20	18.7	17.1	16.1	16.4	13.7	13.4	12.4	12.7	11.7	21.8	10.1	< 5.00	8.16
Total Organic Carbon (TOC)	mg/L		9.54			9.25	8.94	8.48	8.37	8.25	7.81	6.42	6.63	6.55	5.93	5.77	5.78	5.36	5.29	5.09	4.80	4.28	4.73	2.31	4.82	4.52	4.06	4.05
Nitrate/Nitrite as N	mg/L		<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.040	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	< 0.020	< 0.020	< 0.020
Ammonia as N ^	mg/L		NA			NA	NA	NA	NA	NA	NA	0.240	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L		NA			NA	NA	NA	NA	NA	NA	0.280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L		<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.100	<0.100	<0.250	<0.100	<0.100	< 0.250	< 0.100	< 0.100
Arsenic	mg/L		0.0139			0.0153	0.014	0.0119	0.0164	0.0111	0.0116	0.0107	0.0127	0.0139	0.0084	0.0092	0.0088	0.011	0.0099	0.0093	0.0120	0.0092	0.0094	0.0090	0.0100	0.0074	0.0090	0.0101
Cadmium	mg/L		<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	< 0.0025	< 0.0010
Copper	mg/L		0.0079			0.0063	0.0071	0.0078	0.0087	0.0153	0.0051	0.0027	0.0028	0.0020	0.0052	0.0045	0.004	0.0103	0.0134	0.0107	0.0116	0.0107	0.0177	0.0177	0.0196	0.0049	0.0039	0.0086
Iron	mg/L		<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.250	<0.100	<0.100	< 0.250	< 0.100
Lead	mg/L		<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.002	<0.0010	<0.001	<0.0025	< 0.0025	< 0.0010
Manganese	mg/L		0.0080			0.007	0.0068	0.0084	0.0091	0.0084	0.0084	0.0073	0.0085	0.0086	0.0086	0.0092	0.0094	0.0073	0.0075	0.0077	0.0076	0.0080	0.0078	0.0084	0.0076	0.0077	0.0079	0.0074
Mercury (dissolved)	mg/L		<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002							
Mercury (dissolved low-level)	ng/L																					<5.00	<100	<100	<100	<100	<	

GCC Energy Hydrologic Monitoring Data

MW-4-C																												
Year	2018							2019				2020				2021				2022				2023				
Quarter	Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2	5	9	11	3	5	8	11	
Sample Date	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/4	5/26	8/27	12/1	2/10	5/18	8/10	11/10	2/23	5/11	9/1	11/17	3/9	5/31	8/18	11/16	
Lab Analysis (Y/N)	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	NM	0.10	NM	0.10	0.10	0.10	0.20	0.12	0.06	0.13	0.13	0.13	0.13	0.13	0.10	0.13	0.13	0.13	0.25	0.25	0.18	0.08	0.09	0.16	0.08	0.08	
Total Purged	gal	1.5	1.5	1.5	1.0	1.5	1.0	1.3	1.5	1.3	1.1	1.0	1.5	1.2	1.5	1.3	1.5	1.5	1.5	1.5	1.5	1.0	1.1	1.1	1.1	1.1	1.1	
Depth to Water	ft bgs	282.35	281.30	303.30	304.05	NM	302.55	302.17	302.45	303.93	304.93	305.73	306.44	304.90	307.80	308.05	308.65	308.58	309.32	309.90	309.80	311.45	310.88	311.37	310.15	311.45	311.85	311.55
Temperature	deg C	11.7	10.8	12.5	11.4	12.4	12.9	11.5	11.3	11.2	12.5	11.7	11.2	12.7	13.0	11.4	10.0	11.4	12.3	11.7	10.3	12.2	13.8	12.1	11.1	13.8	13.7	12.4
pH	SU	7.80	7.88	7.94	7.75	7.79	7.76	7.79	7.87	7.86	7.81	7.85	7.87	7.97	8.00	8.05	8.02	8.05	8.12	8.11	8.06	8.05	8.06	8.28	8.15	8.09	8.17	8.02
Specific Conductance	µS/cm	5834	5903	5628	5792	5592	5583	5775	5710	5712	5930	5636	5729	5636	5429	5665	5106	4047	5454	5687	5698	5645	5589	5649	5116	5678	5560	5842
Oxygen Reduction Potential	mV	-123.8	-154.3	-131.3	-134.9	-129.3	-157.6	-209.0	-160.1	-180.1	-156.8	-148.7	-135.9	-147.7	-132.1	-128.7	-106.2	-100.6	-142.3	-173.0	-255.6	-178.7	-278.7	-161.3	-158.1	-168.9	-182.7	-255.3
Lab Analytical Results:																												
Hardness as CaCO3	mg/L		26.5			26.2	25.9	28.6	23.6	22.5	25.2	24.4	24.0	22.7	23	21.8	25.6	19.6	21.9	20.9	22.2	21.4	26.0	20.1	21.1	21.0	24.3	22.1
pH (Lab)	SU		7.84			7.97	7.96	8.27	7.9	7.92	7.95	7.85	7.95	7.76	7.92	7.94	7.96	7.97	7.96	8.08	8.01	8.07	8.19	8.15	7.98	8.12	8.04	8.13
Total Dissolved Solids (Lab)	mg/L		3730			3660	3650	3590	3580	3590	3610	3610	3580	3570	3510	3610	3720	3540	3600	3630	3520	3580	3670	3530	3620	3450	3390	3560
Calcium	mg/L		6.32			6.15	5.90	6.60	5.5	5.21	5.83	5.61	5.57	5.31	5.3	5.15	5.98	4.64	5.07	4.77	5.04	5.14	6.01	4.65	4.78	4.78	5.69	5.15
Magnesium	mg/L		2.61			2.62	2.72	2.94	2.39	2.3	2.57	2.53	2.44	2.30	2.36	2.18	2.58	1.95	2.25	2.19	2.33	2.07	2.68	2.07	2.22	2.20	2.45	2.23
Sodium	mg/L		1410			1400	1410	1590	1410	1370	1440	1430	1440	1390	1400	1400	1520	1310	1340	1270	1360	1350	1530	1290	1410	1360	1440	1360
Potassium	mg/L		<10.0			<5.00	<5.00	5.36	<5.00	<5.00	5.42	<10.0	<5.00	<10.0	<10.0	<10.0	<10.0	<6.00	<5.00	<5.00	<5.00	<5.00	<5.00	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Total	mg/L		2600			2410	2480	2450	2470	2550	2500	2470	2480	2460	2500	2950	2470	2500	2410	2630	2360	2500	2430	2250	2580	2240	2460	2460
Alkalinity, Bicarbonate	mg/L		2600			2330	2480	2450	2470	2350	2390	2410	2420	2340	2390	2880	2430	2360	2290	2410	2180	2300	2430	2250	2490	2240	2330	2420
Alkalinity, Carbonate	mg/L		<10.0			80	<10.0	<10.0	<10.0	200	110	60.0	60.0	120	110	70	40	140	120	220	180	200	<10.0	<10.0	90.0	<10.0	130	40.0
Alkalinity, Hydroxide	mg/L		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L		592			573	533	590	575	554	580	525	528	555	543	565	557	553	572	561	562	563	570	583	576	581	566	586
Fluoride	mg/L		2.53			2.52	2.48	2.54	2.64	2.62	2.59	2.51	2.41	2.36	2.34	2.37	2.21	2.16	2.28	2.04	2.26	2.02	2.34	2.22	2.23	2.15	2.10	2.02
Sulfate as SO4	mg/L		34.5			27	18.7	11.2	5.07	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<10.0	<10.0	<5.00	<10.0	<10.0	
Total Organic Carbon (TOC)	mg/L		3.23			3.23	2.80	3.46	3.24	2.62	2.63	4.18	2.23	2.50	2.31	3.72	4.57	4.92	4.81	4.70	5.93	4.91	4.39	3.19	4.75	5.54	7.10	19.6
Nitrate/Nitrite as N	mg/L		<0.020			<0.020	<0.020	<0.020	0.061	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.040	<0.020	<0.100	<0.020	<0.020	<0.02	<0.020	<0.020
Ammonia as N ^	mg/L		NA			NA	NA	NA	NA	NA	NA	0.424	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L		NA			NA	NA	NA	NA	NA	NA	0.182	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L		<0.500			<0.250	<0.250	<0.250	<0.250	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250	<0.250	<0.250	<0.250	<0.500	<0.500	<0.500	<0.500	<0.500	
Arsenic	mg/L		0.0246			0.0195	0.0202	0.0164	0.0211	0.0171	0.0178	0.0179	0.0203	0.0195	0.015	0.0182	0.0177	0.0212	0.0248	0.0213	0.0213	0.0172	0.0219	0.0207	0.0218	0.0155	0.0237	0.0179
Cadmium	mg/L		<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.0001	<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.001	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0050
Copper	mg/L		0.0482			0.0389	0.0280	0.0230	0.0249	0.0382	0.0198	0.0107	0.0111	0.0069	0.0151	0.0148	0.0111	0.0464	0.0499	0.0370	0.0302	0.0371	0.0618	0.0573	0.0606	0.0160	0.0731	0.0292
Iron	mg/L		<0.500			0.373	0.397	0.474	0.279	0.391	0.522	0.619	0.591	0.551	<0.500	0.553	0.837	0.355	0.793	0.551	0.598	0.801	0.795	<0.500	0.731	0.572	0.630	0.604
Lead	mg/L		<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.0005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.005	<0.0050	<0.0050
Manganese	mg/L		0.0647			0.0529	0.0381	0.0283	0.0268	0.0174	0.0162	0.0096	0.0209	0.0103	0.008	0.0076	0.0059	0.0063	0.005	0.0047	0.0051	0.0046	0.0049	0.0046	<0.0050	<0.005	<0.0050	<0.0050
Mercury (dissolved)	mg/L		<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002								
Mercury (dissolved low-level)	ng/L																					<5.00	<500	<100	<100	<100	<100	<100
Molybdenum	mg/L		0.0086			0.0072	0.0071	0.0057	0.0074	0.007	0.0056	0.0047	0.0045	0.0044	<0.005	<0.005	<0.0050	0.0037	0.0031	0.0031	0.0033	0.0031	0.0036	0.0034	<0.0050	<0.005	<0.0050	<0.0050
Selenium	mg/L		0.0378			0.0317	0.0260	0.0211	0.0339	0.0195	0.0195	0.0156	0.0140	0.0129	0.0112	0.0182	<0.0100	0.0186	0.028	0.0269	0.0219	0.0146	0.0218	0.0256	0.0258	0.0194	0.0119	0.0216
Silica (SiO2)	mg/L		<10.7			11	11.2	12.8	10.1	10.5	11.3	11.0	9.88	<10.7	<10.7	<10.7	10.8	8.35	9.54	9.37	9.28	8.56	10.4	<10.7	<10.7	<10.7	<10.7	
Silicon	mg/L		<5.00			5.16	5.24	6.00	4.7	4.89	5.29	5.14	4.62	<5.00	<5.00	<5.00	5.06	3.91	4.46	4.38	4.34	4.00	4.87	<5.00	<5.00	<5.00	<5.00	
Uranium	mg/L		0.0311			0.0311	0.0277	0.0246	0.0215	0.0154	0.0086	0.0073	0.0063	0.0039	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0050	
Zinc	mg/L		<0.0100			<0.0100	<0.0100	<0.0100	<0.0100	0.0038	<0.0100	<0.0100	<0.0100	<0														

GCC Energy Hydrologic Monitoring Data

MW-6-A																												
Year	2018	2019										2020				2021				2022				2023				
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2	5	8	11	3	5	8	11	
Sample Date	12/28	1/31	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	11/9	2/15	5/10	8/31	11/25	3/13	5/18	8/8	11/16	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	N	N	
Field Parameters:																												
Purge Flow Rate	gpm	NM	NM	0.10	2.00	0.03	0.03	0.03	0.06	0.03	0.02	0.01	0.05	0.13	0.05	0.05	0.05	0.02	0.13	0.02	0.05	0.10	dry	dry	dry	dry	dry	dry
Total Purged	gal	36.3	0.5	0.5	2.0	2.0	1.3	1.0	1.3	1.1	1.3	1.5	1.1	1.0	1.3	1.0	1.0	1.0	1.0	1.0	1.0							
Depth to Water	ft bgs	304.33	306.41	307.40	309.60	311.05	312.50	314.20	315.75	316.43	NM	318.70	315.46	319.63	319.64	319.65	319.66	319.66	319.64	319.66	320.30	320.68						
Temperature	deg C	7.4	10.7	8.1	7.5	9.6	7.3	12.5	12.3	11.9	10.4	10.4	7.8	9.8	19.5	8.0	9.7	12.6	19.4	10.7	11.5	17.3						
pH	SU	7.32	6.64	6.66	6.74	6.65	6.73	6.76	6.75	6.76	6.80	6.79	6.89	6.95	6.97	7.10	7.03	7.10	7.11	7.11	7.02	7.05						
Specific Conductance	µS/cm	6573	6053	6072	6107	6012	6057	5725	5598	5562	5451	5108	5043	4779	4339	4656	4051	3198	4238	4465	4486	4477						
Oxygen Reduction Potential	mV	-22.8	19.4	24.6	12.6	11.8	34.8	86.6	25.8	6.5	29.2	20.5	36.7	51.7	62.3	55.2	73.5	83.5	5.2	26.5	-56.1	2.4						
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	4360		4190			3920			3540		3070	3200	2780	2690	2710	2660	2550	2740	2510	2440	2490						
pH (Lab)	SU	7.10		6.85			6.77			6.85		6.87	6.9	6.93	6.66	7.04	7.20	6.93	7.1	6.98	7.19	7.26						
Total Dissolved Solids (Lab)	mg/L	6520		6520			120*			6080		5210	4980	4670	4490	4570	4480	4390	4440	4310	4440	4450						
Calcium	mg/L	615		559			553			492		431	467	400	398	406	398	378	415	370	359	365						
Magnesium	mg/L	687		678			617			560		484	495	431	411	413	404	390	413	385	374	383						
Sodium	mg/L	294		283			296			304		276	296	274	261	273	272	266	263	254	257	268						
Potassium	mg/L	15.0		14.4			12.4			12.8		11.1	<20.0	10.6	10.3	10.5	11.1	10.7	11	10.4	10.7	10.6						
Alkalinity, Total	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295	285	270						
Alkalinity, Bicarbonate	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295	285	270						
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0						
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0						
Chloride	mg/L	97.4		28.6			27.3			29.9		29.6	28.4	29.0	26.0	26.6	24.9	25.8	26	26.6	26.2	26.1						
Fluoride	mg/L	2.83		<0.500			<0.500			<0.500		<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500						
Sulfate as SO4	mg/L	205		4300			4280			4260		3460	3080	3020	3160	2890	2620	2740	2780	2790	2870	2820						
Total Organic Carbon (TOC)	mg/L	3.45		3.08			2.91			3.57		3.10	3.16	3.39	3.31	3.26	1.71	3.82	3.33	3.25	3.26	3.14						
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020		<0.020	0.049	0.154	0.117	0.093	0.039	0.156	0.118	0.096	0.131	0.103						
Ammonia as N ^	mg/L	NA		NA			NA			NA		2.72	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA						
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA		<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA						
Aluminum	mg/L	<0.500		<0.250			<0.250			<0.250		<0.250	<1.00	<0.500	<0.250	<0.500	<0.250	<0.250	<0.250	<0.250	<0.250	<0.250						
Arsenic	mg/L	<0.0025		<0.0025			0.0009			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025						
Cadmium	mg/L	<0.0005		<0.0005			0.0001			<0.0005		<0.0005	<0.0005	<0.0010	<0.0005	<0.0010	<0.0005	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025						
Copper	mg/L	0.0116		0.0081			0.0035			0.0039		0.0017	0.0028	<0.0050	<0.0025	<0.0050	<0.0025	0.0068	0.0082	0.0063	0.0065	0.0093						
Iron	mg/L	1.37		3.75			3.93			3.22		2.72	1.95	1.38	1.10	1.24	1.17	0.890	1.48	1.15	1.41	1.37						
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025						
Manganese	mg/L	0.788		0.802			0.724			0.690		0.585	0.551	0.526	0.520	0.454	0.437	0.397	0.407	0.391	0.420	0.431						
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002							
Mercury (dissolved low-level)	ng/L																					<5.00						
Molybdenum	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025						
Selenium	mg/L	<0.0050		<0.0050			0.0028			<0.0050		<0.0050	<0.005	<0.0100	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0040	<0.0050					
Silica (SiO2)	mg/L	12.3		11.9			14.3			13.4		12.5	<21.4	11.0	11.4	12.3	11.9	13.2	14.3	13.6	12.7	12.3						
Silicon	mg/L	5.77		5.57			6.69			6.28		5.83	<10.00	5.17	5.35	5.76	5.58	6.17	6.67	6.36	5.96	5.73						
Uranium	mg/L	<0.0005		<0.0005			<0.0001			<0.0005		<0.0005	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	<0.0025						
Zinc	mg/L	0.0689		<0.0100			0.0082			0.0108		0.0117	0.0107	<0.0200	0.0159	<0.0200	<0.0100	<0.0100	<0.0100	<0.0100	<0.0080	<0.0100						

Notes & Definitions:

- * Anomalous value under review

^ one-time analysis

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

ng/L nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
- Page 19 of 27

GCC Energy Hydrologic Monitoring Data

[illegible]

Notes & Definitions:

#	No sample collected, due to low yield, insufficient volume for lab sample after field parameters we measured	
Y/N	yes or no	1. " $<$ " values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO_3 .
$\mu\text{S}/\text{cm}$	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
NM	not measured (field)	
NA	not analyzed (lab)	
ng/L	nanogram per liter	

GCC Energy Hydrologic Monitoring Data

[illegible]

Notes & Definitions:

Y/N	yes or no	1. "$<$" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO_3. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	
$\mu\text{S}/\text{cm}$	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	
ng/L	nanogram per liter	



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

11 December 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: [none]

Enclosed are the results of analyses for samples received by the laboratory on 11/29/23 14:03. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'. The signature is written in a cursive, flowing style.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-18

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16

Table of Contents

Samples in Report	3
Sample Results	4
Quality Assurance Results	10
Notes and Definitions	15
Qualifier Summary	16
Chain of Custody & Attachments	17



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Wiltse Well	2311320-01	Water	11/29/23 11:12	11/29/23 14:03	
Hay Gulch Ditch Up Gradient (HGDUG)	2311320-02	Water	11/29/23 12:32	11/29/23 14:03	
MW-HGA-4	2311320-03	Water	11/29/23 12:07	11/29/23 14:03	

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

Wiltse Well**2311320-01 (Ground Water)****Sampled Date: 11/29/23 11:12**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	465	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	465	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Cation/Anion Balance	-2.13	-100	-100	%	1	12/07/23 09:28	Calculation		JDA
Chloride*	62.2	5.00	0.278	mg/L	5	12/05/23 21:37	EPA300.0		AWG
Fluoride*	<0.500	0.500	0.0486	mg/L	5	12/05/23 21:37	EPA300.0		AWG
Nitrate/Nitrite as N*	2.85	0.100	0.014	mg/L as N	5	12/07/23 14:29	EPA353.2		AWG
pH*	7.45			pH Units	1	11/30/23 12:25	EPA150.1		CAI
pH Temperature, degrees C	17.0			pH Units	1	11/30/23 12:25	EPA150.1		CAI
Sulfate*	1020	10.0	1.24	mg/L	10	12/06/23 09:40	EPA300.0		AWG
Total Dissolved Solids*	2050	10.0		mg/L	1	12/04/23 15:55	EPA160.1		IDB/CAI
Total Organic Carbon*	3.96	0.500	0.175	mg/L	1	12/05/23 18:44	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	12/05/23 19:21	EPA200.7		AES
Calcium*	251	0.500	0.309	mg/L	5	12/05/23 19:21	EPA200.7		AES
Hardness as CaCO ₃	1320	3.31	1.49	mg/L	5	12/05/23 19:21	2340 B		AES
Iron*	<0.250	0.250	0.076	mg/L	5	12/05/23 19:21	EPA200.7		AES
Magnesium*	168	0.500	0.176	mg/L	5	12/05/23 19:21	EPA200.7		AES
Potassium*	5.31	5.00	0.519	mg/L	5	12/05/23 19:21	EPA200.7		AES
Silica (SiO ₂)	14.7	5.35	0.814	mg/L	5	12/05/23 19:21	Calculation		AES
Silicon	6.89	2.50	0.381	mg/L	5	12/05/23 19:21	EPA200.7		AES
Sodium*	78.9	5.00	2.05	mg/L	5	12/05/23 19:21	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	12/04/23 17:43	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	12/04/23 17:43	EPA200.8		AES
Copper*	<0.0100	0.0100	0.0021	mg/L	5	12/04/23 17:43	EPA200.8	B3	AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	12/04/23 17:43	EPA200.8		AES
Manganese*	1.33	0.0025	0.0009	mg/L	5	12/04/23 17:43	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	12/04/23 17:43	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	12/04/23 17:43	EPA200.8		AES
Uranium	0.0030	0.0025	0.0002	mg/L	5	12/04/23 17:43	EPA200.8		AES
Zinc*	0.0164	0.0100	0.0024	mg/L	5	12/04/23 17:43	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

Wiltse Well

2311320-01 (Ground Water)

Sampled Date: 11/29/23 11:12

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	12/06/23 13:03	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

Hay Gulch Ditch Up Gradient (HGDUG)**2311320-02 (Surface Water)****Sampled Date: 11/29/23 12:32**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	300	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	300	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Cation/Anion Balance	3.21	-100	-100	%	1	12/07/23 09:28	Calculation		JDA
Chloride*	45.8	1.00	0.0555	mg/L	1	12/05/23 21:57	EPA300.0		AWG
Fluoride*	0.189	0.100	0.00971	mg/L	1	12/05/23 21:57	EPA300.0		AWG
Nitrate/Nitrite as N*	0.113	0.020	0.003	mg/L as N	1	12/07/23 14:30	EPA353.2		AWG
Oil & Grease (HEM)	<5.00	5.00	2.87	mg/L	1	12/07/23 09:30	EPA1664 A		IDB
pH*	7.85			pH Units	1	11/30/23 12:25	EPA150.1		CAI
pH Temperature, degrees C	17.4			pH Units	1	11/30/23 12:25	EPA150.1		CAI
SAR	0.66			No Unit	1	12/05/23 19:26	Calculation		AES
Sulfate*	152	1.00	0.124	mg/L	1	12/05/23 21:57	EPA300.0		AWG
Total Dissolved Solids*	600	10.0		mg/L	1	12/04/23 15:55	EPA160.1		IDB/CAI
Total Organic Carbon*	6.45	0.500	0.175	mg/L	1	12/05/23 19:03	5310C		AES
Total Suspended Solids*	<2.50	2.50		mg/L	1	12/04/23 00:00	2540 D		CAI/IDB

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	12/05/23 19:26	EPA200.7		AES
Calcium*	86.3	0.200	0.124	mg/L	2	12/05/23 19:26	EPA200.7		AES
Hardness as CaCO ₃	434	1.32	0.598	mg/L	2	12/05/23 19:26	2340 B		AES
Iron*	<0.100	0.100	0.030	mg/L	2	12/05/23 19:26	EPA200.7		AES
Magnesium*	53.0	0.200	0.070	mg/L	2	12/05/23 19:26	EPA200.7		AES
Potassium*	6.33	2.00	0.208	mg/L	2	12/05/23 19:26	EPA200.7		AES
Silica (SiO ₂)	14.0	2.14	0.326	mg/L	2	12/05/23 19:26	Calculation		AES
Silicon	6.53	1.00	0.152	mg/L	2	12/05/23 19:26	EPA200.7		AES
Sodium*	31.6	2.00	0.818	mg/L	2	12/05/23 19:26	EPA200.7		AES

Total Recoverable Metals by ICPMS (E200.8)

Mercury	<0.0100	0.0100	0.00430	ug/L	1	12/07/23 10:24	EPA200.8		AES
---------	---------	--------	---------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

Hay Gulch Ditch Up Gradient (HGDUG)

2311320-02 (Surface Water)

Sampled Date: 11/29/23 12:32

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0007	mg/L	2	12/04/23 17:47	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	12/04/23 17:47	EPA200.8		AES
Copper*	<0.0040	0.0040	0.0008	mg/L	2	12/04/23 17:47	EPA200.8	B3	AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	12/04/23 17:47	EPA200.8		AES
Manganese*	0.317	0.0010	0.0003	mg/L	2	12/04/23 17:47	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0004	mg/L	2	12/04/23 17:47	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	12/04/23 17:47	EPA200.8		AES
Uranium	<0.0010	0.0010	0.00009	mg/L	2	12/04/23 17:47	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	12/04/23 17:47	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

MW-HGA-4**2311320-03 (Ground Water)****Sampled Date: 11/29/23 12:07**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	370	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	370	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Cation/Anion Balance	4.24	-100	-100	%	1	12/07/23 09:28	Calculation		JDA
Chloride*	3.56	1.00	0.0555	mg/L	1	12/05/23 22:17	EPA300.0		AWG
Fluoride*	0.331	0.100	0.00971	mg/L	1	12/05/23 22:17	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	12/07/23 14:33	EPA353.2		AWG
pH*	7.41			pH Units	1	11/30/23 12:25	EPA150.1		CAI
pH Temperature, degrees C	16.4			pH Units	1	11/30/23 12:25	EPA150.1		CAI
Sulfate*	143	1.00	0.124	mg/L	1	12/05/23 22:17	EPA300.0		AWG
Total Dissolved Solids*	555	10.0		mg/L	1	12/04/23 15:55	EPA160.1		IDB/CAI
Total Organic Carbon*	3.84	1.00	0.350	mg/L	2	12/06/23 11:29	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	12/05/23 19:28	EPA200.7		AES
Calcium*	79.3	0.200	0.124	mg/L	2	12/05/23 19:28	EPA200.7		AES
Hardness as CaCO ₃	424	1.32	0.598	mg/L	2	12/05/23 19:28	2340 B		AES
Iron*	9.53	0.100	0.030	mg/L	2	12/05/23 19:28	EPA200.7		AES
Magnesium*	54.9	0.200	0.070	mg/L	2	12/05/23 19:28	EPA200.7		AES
Potassium*	2.21	2.00	0.208	mg/L	2	12/05/23 19:28	EPA200.7		AES
Silica (SiO ₂)	13.0	2.14	0.326	mg/L	2	12/05/23 19:28	Calculation		AES
Silicon	6.06	1.00	0.152	mg/L	2	12/05/23 19:28	EPA200.7		AES
Sodium*	38.0	2.00	0.818	mg/L	2	12/05/23 19:28	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0039	0.0010	0.0007	mg/L	2	12/04/23 17:49	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	12/04/23 17:49	EPA200.8		AES
Copper*	<0.0040	0.0040	0.0008	mg/L	2	12/04/23 17:49	EPA200.8	B3	AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	12/04/23 17:49	EPA200.8		AES
Manganese*	0.454	0.0010	0.0003	mg/L	2	12/04/23 17:49	EPA200.8		AES
Molybdenum*	0.0055	0.0010	0.0004	mg/L	2	12/04/23 17:49	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	12/04/23 17:49	EPA200.8		AES
Uranium	<0.0010	0.0010	0.00009	mg/L	2	12/04/23 17:49	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	12/04/23 17:49	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

MW-HGA-4

2311320-03 (Ground Water)

Sampled Date: 11/29/23 12:07

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	12/06/23 13:10	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233574 - General Prep - Wet Chem

Blank (B233574-BLK1)

Prepared & Analyzed: 12/01/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B233574-BS1)

Prepared & Analyzed: 12/01/23

Alkalinity, Total as CaCO ₃	100	10.0	mg/L	100		100	85-115			
--	-----	------	------	-----	--	-----	--------	--	--	--

LCS Dup (B233574-BSD1)

Prepared & Analyzed: 12/01/23

Alkalinity, Total as CaCO ₃	98.0	10.0	mg/L	100		98.0	85-115	2.02	20	
--	------	------	------	-----	--	------	--------	------	----	--

Reference (B233574-SRM1)

Prepared & Analyzed: 12/01/23

Alkalinity, Total as CaCO ₃	75.0	10.0	mg/L	72.7		103	85-115			
--	------	------	------	------	--	-----	--------	--	--	--

Batch B233576 - General Prep - Wet Chem

Reference (B233576-SRM1)

Prepared & Analyzed: 11/30/23

pH	7.05		pH Units	7.00		101	98.57-101.42			
----	------	--	----------	------	--	-----	--------------	--	--	--

Batch B233587 - General Prep - Wet Chem

Blank (B233587-BLK1)

Prepared: 12/01/23 Analyzed: 12/04/23

Total Suspended Solids	ND	2.50	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Reference (B233587-SRM1)

Prepared: 12/01/23 Analyzed: 12/04/23

Total Suspended Solids	86.0	2.50	mg/L	100		86.0	85-115			
------------------------	------	------	------	-----	--	------	--------	--	--	--

Batch B233591 - Dissolved ICP

Blank (B233591-BLK1)

Prepared: 12/04/23 Analyzed: 12/05/23

SAR	0.00		No Unit							
-----	------	--	---------	--	--	--	--	--	--	--

Batch B233596 - General Prep - Wet Chem

Blank (B233596-BLK1)

Prepared & Analyzed: 12/04/23

Total Dissolved Solids	ND	10.0	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Reference (B233596-SRM1)

Prepared & Analyzed: 12/04/23

Total Dissolved Solids	370	10.0	mg/L	400		92.5	85-115			
------------------------	-----	------	------	-----	--	------	--------	--	--	--

Batch B233608 - General Prep - Wet Chem

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

General Chemistry - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233608 - General Prep - Wet Chem (Continued)

Blank (B233608-BLK1)

Prepared & Analyzed: 12/05/23

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B233608-BS1)

Prepared & Analyzed: 12/05/23

Total Organic Carbon	9.88	0.500	mg/L	10.0	98.8	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B233608-BSD1)

Prepared & Analyzed: 12/05/23

Total Organic Carbon	9.79	0.500	mg/L	10.0	97.9	85-115	0.925	20
----------------------	------	-------	------	------	------	--------	-------	----

Batch B233612 - IC- Ion Chromatograph

Blank (B233612-BLK1)

Prepared & Analyzed: 12/05/23

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B233612-BS1)

Prepared & Analyzed: 12/05/23

Chloride	25.1	1.00	mg/L	25.0	100	90-110
Fluoride	2.45	0.100	mg/L	2.50	98.0	90-110
Sulfate	24.4	1.00	mg/L	25.0	97.4	90-110

Batch B233626 - Lachat

Blank (B233626-BLK1)

Prepared: 12/06/23 Analyzed: 12/07/23

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B233626-BS1)

Prepared: 12/06/23 Analyzed: 12/07/23

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00	102	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B233626-BSD1)

Prepared: 12/06/23 Analyzed: 12/07/23

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00	102	90-110	0.499	20
----------------------	------	-------	-----------	------	-----	--------	-------	----

Batch B233636 - General Prep - Wet Chem

Blank (B233636-BLK1)

Prepared & Analyzed: 12/07/23

Oil & Grease (HEM)	ND	5.00	mg/L
--------------------	----	------	------

LCS (B233636-BS1)

Prepared & Analyzed: 12/07/23

Oil & Grease (HEM)	37.6	5.00	mg/L	40.0	94.0	85-115
--------------------	------	------	------	------	------	--------

LCS Dup (B233636-BSD1)

Prepared & Analyzed: 12/07/23

Oil & Grease (HEM)	37.2	5.00	mg/L	40.0	93.0	85-115	1.07	20
--------------------	------	------	------	------	------	--------	------	----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233591 - Dissolved ICP

Blank (B233591-BLK1)

Prepared: 12/04/23 Analyzed: 12/05/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B233591-BS1)

Prepared: 12/04/23 Analyzed: 12/05/23

Aluminum	4.12	0.050	mg/L	4.00	103	85-115
Calcium	3.83	0.100	mg/L	4.00	95.8	85-115
Iron	3.91	0.050	mg/L	4.00	97.8	85-115
Magnesium	19.9	0.100	mg/L	20.0	99.5	85-115
Potassium	8.23	1.00	mg/L	8.00	103	85-115
Silicon	4.12	0.500	mg/L	4.00	103	85-115
Sodium	3.37	1.00	mg/L	3.24	104	85-115

LCS Dup (B233591-BSD1)

Prepared: 12/04/23 Analyzed: 12/05/23

Aluminum	4.07	0.050	mg/L	4.00	102	85-115	1.19	20
Calcium	3.80	0.100	mg/L	4.00	95.0	85-115	0.794	20
Iron	3.83	0.050	mg/L	4.00	95.7	85-115	2.24	20
Magnesium	19.8	0.100	mg/L	20.0	98.8	85-115	0.718	20
Potassium	8.18	1.00	mg/L	8.00	102	85-115	0.558	20
Silicon	4.06	0.500	mg/L	4.00	102	85-115	1.42	20
Sodium	3.32	1.00	mg/L	3.24	102	85-115	1.50	20

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

Total Recoverable Metals by ICPMS (E200.8) - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233555 - Mercury by 200.8

Blank (B233555-BLK1)

Prepared & Analyzed: 12/07/23

Mercury	ND	0.0100	ug/L							
---------	----	--------	------	--	--	--	--	--	--	--

LCS (B233555-BS1)

Prepared & Analyzed: 12/07/23

Mercury	0.0910	0.0100	ug/L	0.100		91.0	85-115			
---------	--------	--------	------	-------	--	------	--------	--	--	--

LCS Dup (B233555-BSD1)

Prepared & Analyzed: 12/07/23

Mercury	0.0907	0.0100	ug/L	0.100		90.7	85-115	0.329	20	
---------	--------	--------	------	-------	--	------	--------	-------	----	--

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233592 - Dissolved ICPMS

Blank (B233592-BLK1)

Prepared & Analyzed: 12/04/23

Arsenic	ND	0.0005	mg/L							
Cadmium	ND	0.0005	mg/L							
Copper	0.0010	0.0005	mg/L							B3
Lead	ND	0.0005	mg/L							
Manganese	ND	0.0005	mg/L							
Molybdenum	ND	0.0005	mg/L							
Selenium	ND	0.0010	mg/L							
Uranium	ND	0.0005	mg/L							
Zinc	ND	0.0020	mg/L							

LCS (B233592-BS1)

Prepared & Analyzed: 12/04/23

Arsenic	0.0572	0.0005	mg/L	0.0500	114	85-115
Cadmium	0.0519	0.0005	mg/L	0.0500	104	85-115
Copper	0.0501	0.0005	mg/L	0.0500	100	85-115
Lead	0.0502	0.0005	mg/L	0.0500	100	85-115
Manganese	0.0519	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0498	0.0005	mg/L	0.0500	99.6	85-115
Selenium	0.280	0.0010	mg/L	0.250	112	85-115
Uranium	0.0503	0.0005	mg/L	0.0500	101	85-115
Zinc	0.0493	0.0020	mg/L	0.0500	98.6	85-115

LCS Dup (B233592-BSD1)

Prepared & Analyzed: 12/04/23

Arsenic	0.0572	0.0005	mg/L	0.0500	114	85-115	0.0217	20
Cadmium	0.0515	0.0005	mg/L	0.0500	103	85-115	0.834	20
Copper	0.0504	0.0005	mg/L	0.0500	101	85-115	0.569	20
Lead	0.0495	0.0005	mg/L	0.0500	99.1	85-115	1.32	20
Manganese	0.0522	0.0005	mg/L	0.0500	104	85-115	0.542	20
Molybdenum	0.0501	0.0005	mg/L	0.0500	100	85-115	0.565	20
Selenium	0.282	0.0010	mg/L	0.250	113	85-115	0.437	20
Uranium	0.0497	0.0005	mg/L	0.0500	99.3	85-115	1.18	20
Zinc	0.0501	0.0020	mg/L	0.0500	100	85-115	1.67	20

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233601 - EPA 245.7

Blank (B233601-BLK1)

Prepared: 12/04/23 Analyzed: 12/06/23

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B233601-BS1)

Prepared: 12/04/23 Analyzed: 12/06/23

Mercury	1700	100	ng/L	2000	84.9	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B233601-BSD1)

Prepared: 12/04/23 Analyzed: 12/06/23

Mercury	1700	100	ng/L	2000	85.0	76-113	0.123	20
---------	------	-----	------	------	------	--------	-------	----

Notes and Definitions

B3	Target analyte detected in method blank or continuing calibration blank. Reporting limit elevated to account for blank result.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 14:14

Qualifier Summary

<u>LabNumber</u>	<u>Analysis</u>	<u>Analyte</u>	<u>Qualifier</u>	<u>TextBody</u>
2311320-01	Copper Dissolved by ICPMS	Copper	B3	Target analyte detected in method blank or continuing calibration blank. Reporting limit elevated to account for blank result.
2311320-02	Copper Dissolved by ICPMS	Copper	B3	Target analyte detected in method blank or continuing calibration blank. Reporting limit elevated to account for blank result.
2311320-03	Copper Dissolved by ICPMS	Copper	B3	Target analyte detected in method blank or continuing calibration blank. Reporting limit elevated to account for blank result.
B233592-BLK1	Copper Dissolved by ICPMS	Copper	B3	Target analyte detected in method blank or continuing calibration blank. Reporting limit elevated to account for blank result.

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

(970) 247-4220
Fax: (970) 247-4227

dzufelt@greenanalytical.com
75 Suttle St Durango, CO 81303

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

[illegible]

Project Information

Table of Contents
Printed: 11/29/2023 2:46 pm

GCC Energy, LLC

6473 CR 120
Hesperus, CO 81326
Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528
Fax: (970) 385-4638

Project Name: GCC GW Baseline
Project Number:
Client PM: Tom Bird
Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

All metals are field filtered. Send out preserved bottles

Project Information

Table of Contents

Printed: 11/29/2023 2:47 pm

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC SW Baseline w-LLHg

Project Number: GCC SW Baseline 2021

Client PM: Tom Bird

Comments:

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury 200.8 Low Level	Do not field filter
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
Oil & Grease	
pH	
Potassium Dissolved by ICP	
SAR-Calc	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Total Suspended Solids [TSS]	Label bottle TSS
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	

Hardness [DISSOLVED] subanalyses:

Calcium Dissolved by ICP

Magnesium Dissolved by ICP

Silica Dissolved by ICP subanalyses:

Silicon Dissolved by ICP

The GCC SW Baseline bottle set has two poly 250 ml bottles for metals. One is for LL Hg totals so does not get field-filtered, while the other metals bottle gets field-filtered. Please label one metals bottle in each set "DO NOT FIELD FILTER, LL Hg" as a reminder for them out in the field. Please make a note in LIMS for this to be standard quarterly practice.



SAMPLE CONDITION RECEIPT FORM

Client Name: G.C.C. EnergyWork Order # 2311-320Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ KangarooCustody Seals on Box/Cooler Present: ☐ Yes ☒ NoSeals Intact: ☐ Yes ☐ NoThermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ NoType of Ice: ☒ Wet ☐ Blue ☐ NoneCooler Temp: Observed Temp: 7.9 °C Correction Factor: 0 °C Final Temp: 7.9 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: 11/29/23
GTLabeled by initials: _____
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☐ Yes ☒ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☐ Yes ☒ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>PH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11.
Field Filtered: ☒ Yes ☐ No		12.
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	
Matrix: <u>WT</u> ☐ SL ☐ OT		
Trip Blank Present:	☐ Yes ☒ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☒ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

11 December 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: [none]

Enclosed are the results of analyses for samples received by the laboratory on 11/21/23 15:25. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, reading 'Jeremy D. Allen', is written in a cursive style.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-18

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16

Table of Contents

Samples in Report	3
Sample Results	4
Quality Assurance Results	12
Notes and Definitions	17
Chain of Custody & Attachments	18



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Well #2 Down Gradient	2311270-01	Water	11/21/23 11:23	11/21/23 15:25	
Well #1 Up Gradient	2311270-02	Water	11/21/23 13:45	11/21/23 15:25	
Hay Gulch Ditch Down Gradient	2311270-03	Water	11/21/23 12:00	11/21/23 15:25	
M-98	2311270-04	Water	11/21/23 14:45	11/21/23 15:25	

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

Well #2 Down Gradient**2311270-01 (Ground Water)****Sampled Date: 11/21/23 11:23**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	390	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	390	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Cation/Anion Balance	0.820	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	46.9	2.00	0.111	mg/L	2	12/04/23 19:44	EPA300.0		AWG
Fluoride*	<0.200	0.200	0.0194	mg/L	2	12/04/23 19:44	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	12/01/23 15:35	EPA353.2		AES
pH*	7.45			pH Units	1	11/22/23 14:00	EPA150.1		CAI
pH Temperature, degrees C	19.5			pH Units	1	11/22/23 14:00	EPA150.1		CAI
Sulfate*	214	2.00	0.248	mg/L	2	12/04/23 19:44	EPA300.0		AWG
Total Dissolved Solids*	745	10.0		mg/L	1	11/28/23 17:06	EPA160.1		CAI
Total Organic Carbon*	1.65	0.500	0.175	mg/L	1	11/28/23 00:00	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/28/23 20:24	EPA200.7		AES
Calcium*	88.3	0.200	0.124	mg/L	2	11/28/23 20:24	EPA200.7		AES
Hardness as CaCO ₃	582	1.32	0.598	mg/L	2	11/28/23 20:24	2340 B		AES
Iron*	<0.100	0.100	0.030	mg/L	2	11/28/23 20:24	EPA200.7		AES
Magnesium*	87.8	0.200	0.070	mg/L	2	11/28/23 20:24	EPA200.7		AES
Potassium*	2.26	2.00	0.208	mg/L	2	11/28/23 20:24	EPA200.7		AES
Silica (SiO ₂)	12.2	2.14	0.326	mg/L	2	11/28/23 20:24	Calculation		AES
Silicon	5.70	1.00	0.152	mg/L	2	11/28/23 20:24	EPA200.7		AES
Sodium*	29.3	2.00	0.818	mg/L	2	11/28/23 20:24	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0007	mg/L	2	11/27/23 13:43	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 13:43	EPA200.8		AES
Copper*	0.0023	0.0010	0.0008	mg/L	2	11/27/23 13:43	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 13:43	EPA200.8		AES
Manganese*	0.464	0.0010	0.0003	mg/L	2	11/27/23 13:43	EPA200.8		AES
Molybdenum*	0.0032	0.0010	0.0004	mg/L	2	11/27/23 13:43	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	11/27/23 13:43	EPA200.8		AES
Uranium	0.0019	0.0010	0.00009	mg/L	2	11/27/23 13:43	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 13:43	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

Well #2 Down Gradient

2311270-01 (Ground Water)

Sampled Date: 11/21/23 11:23

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	12/01/23 12:41	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

Well #1 Up Gradient**2311270-02 (Ground Water)****Sampled Date: 11/21/23 13:45**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	610	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	610	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Cation/Anion Balance	0.870	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	4.83	2.00	0.111	mg/L	2	12/04/23 20:24	EPA300.0		AWG
Fluoride*	0.268	0.200	0.0194	mg/L	2	12/04/23 20:24	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	12/01/23 15:36	EPA353.2		AES
pH*	7.44			pH Units	1	11/22/23 14:00	EPA150.1		CAI
pH Temperature, degrees C	19.2			pH Units	1	11/22/23 14:00	EPA150.1		CAI
Sulfate*	102	2.00	0.248	mg/L	2	12/04/23 20:24	EPA300.0		AWG
Total Dissolved Solids*	755	10.0		mg/L	1	11/28/23 17:08	EPA160.1		CAI
Total Organic Carbon*	2.99	1.00	0.350	mg/L	2	11/28/23 13:21	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/28/23 20:27	EPA200.7		AES
Calcium*	58.1	0.200	0.124	mg/L	2	11/28/23 20:26	EPA200.7		AES
Hardness as CaCO ₃	303	1.32	0.598	mg/L	2	11/28/23 20:27	2340 B		AES
Iron*	1.81	0.100	0.030	mg/L	2	11/28/23 20:27	EPA200.7		AES
Magnesium*	38.4	0.200	0.070	mg/L	2	11/28/23 20:27	EPA200.7		AES
Potassium*	2.89	2.00	0.208	mg/L	2	11/28/23 20:26	EPA200.7		AES
Silica (SiO ₂)	13.9	2.14	0.326	mg/L	2	11/28/23 20:27	Calculation		AES
Silicon	6.51	1.00	0.152	mg/L	2	11/28/23 20:27	EPA200.7		AES
Sodium*	174	2.00	0.818	mg/L	2	11/28/23 20:26	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0007	mg/L	2	11/27/23 13:44	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 13:44	EPA200.8		AES
Copper*	0.0035	0.0010	0.0008	mg/L	2	11/27/23 13:44	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 13:44	EPA200.8		AES
Manganese*	0.422	0.0010	0.0003	mg/L	2	11/27/23 13:44	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0004	mg/L	2	11/27/23 13:44	EPA200.8		AES
Selenium*	0.0113	0.0020	0.0007	mg/L	2	11/27/23 13:44	EPA200.8		AES
Uranium	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 13:44	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 13:44	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

Well #1 Up Gradient

2311270-02 (Ground Water)

Sampled Date: 11/21/23 13:45

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	12/01/23 12:44	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

Hay Gulch Ditch Down Gradient

2311270-03 (Surface Water)

Sampled Date: 11/21/23 12:00

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	325	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	325	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Cation/Anion Balance	3.51	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	42.7	1.00	0.0555	mg/L	1	12/04/23 20:44	EPA300.0		AWG
Fluoride*	0.201	0.100	0.00971	mg/L	1	12/04/23 20:44	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	12/01/23 15:37	EPA353.2		AES
Oil & Grease (HEM)	9.10	5.00	2.87	mg/L	1	12/04/23 16:04	EPA1664 A		JDA
pH*	8.07			pH Units	1	11/22/23 14:00	EPA150.1		CAI
pH Temperature, degrees C	19.5			pH Units	1	11/22/23 14:00	EPA150.1		CAI
SAR	0.44			No Unit	1	11/28/23 20:29	Calculation		AES
Sulfate*	138	1.00	0.124	mg/L	1	12/04/23 20:44	EPA300.0		AWG
Total Dissolved Solids*	575	10.0		mg/L	1	11/28/23 17:10	EPA160.1		CAI
Total Organic Carbon*	4.04	0.500	0.175	mg/L	1	11/28/23 00:50	5310C		JDA
Total Suspended Solids*	3.38	2.50		mg/L	1	11/22/23 12:15	2540 D		JDA

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.044	mg/L	1	11/28/23 20:29	EPA200.7		AES
Calcium*	110	0.100	0.062	mg/L	1	11/28/23 20:29	EPA200.7		AES
Hardness as CaCO ₃	467	0.662	0.299	mg/L	1	11/28/23 20:29	2340 B		AES
Iron*	<0.050	0.050	0.015	mg/L	1	11/28/23 20:29	EPA200.7		AES
Magnesium*	47.1	0.100	0.035	mg/L	1	11/28/23 20:29	EPA200.7		AES
Potassium*	4.82	1.00	0.104	mg/L	1	11/28/23 20:29	EPA200.7		AES
Silica (SiO ₂)	13.8	1.07	0.163	mg/L	1	11/28/23 20:29	Calculation		AES
Silicon	6.47	0.500	0.076	mg/L	1	11/28/23 20:29	EPA200.7		AES
Sodium*	21.7	1.00	0.409	mg/L	1	11/28/23 20:29	EPA200.7		AES

Total Recoverable Metals by ICPMS (E200.8)

Mercury	<0.0100	0.0100	0.00430	ug/L	1	12/07/23 10:21	EPA200.8		AES
---------	---------	--------	---------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

Hay Gulch Ditch Down Gradient

2311270-03 (Surface Water)

Sampled Date: 11/21/23 12:00

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Arsenic*	<0.0005	0.0005	0.0004	mg/L	1	11/27/23 13:46	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	11/27/23 13:46	EPA200.8		AES
Copper*	0.0025	0.0005	0.0004	mg/L	1	11/27/23 13:46	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00004	mg/L	1	11/27/23 13:46	EPA200.8		AES
Manganese*	0.0490	0.0005	0.0002	mg/L	1	11/27/23 13:46	EPA200.8		AES
Molybdenum*	0.0008	0.0005	0.0002	mg/L	1	11/27/23 13:46	EPA200.8		AES
Selenium*	0.0013	0.0010	0.0004	mg/L	1	11/27/23 13:46	EPA200.8		AES
Uranium	0.0009	0.0005	0.00004	mg/L	1	11/27/23 13:46	EPA200.8		AES
Zinc*	0.0032	0.0020	0.0005	mg/L	1	11/27/23 13:46	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

M-98**2311270-04 (Ground Water)****Sampled Date: 11/21/23 14:45**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	600	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	600	10.0	6.06	mg/L	5	12/01/23 11:00	2320 B		IDB
Cation/Anion Balance	0.540	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	4.85	2.00	0.111	mg/L	2	12/04/23 21:04	EPA300.0		AWG
Fluoride*	0.268	0.200	0.0194	mg/L	2	12/04/23 21:04	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	12/01/23 15:38	EPA353.2		AES
pH*	7.79			pH Units	1	11/22/23 14:00	EPA150.1		CAI
pH Temperature, degrees C	18.0			pH Units	1	11/22/23 14:00	EPA150.1		CAI
Sulfate*	101	2.00	0.248	mg/L	2	12/04/23 21:04	EPA300.0		AWG
Total Dissolved Solids*	725	10.0		mg/L	1	11/28/23 17:12	EPA160.1		CAI
Total Organic Carbon*	2.97	1.00	0.350	mg/L	2	11/28/23 13:49	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/28/23 20:34	EPA200.7		AES
Calcium*	53.8	0.200	0.124	mg/L	2	11/28/23 20:34	EPA200.7		AES
Hardness as CaCO ₃	285	1.32	0.598	mg/L	2	11/28/23 20:34	2340 B		AES
Iron*	1.54	0.100	0.030	mg/L	2	11/28/23 20:34	EPA200.7		AES
Magnesium*	36.6	0.200	0.070	mg/L	2	11/28/23 20:34	EPA200.7		AES
Potassium*	2.84	2.00	0.208	mg/L	2	11/28/23 20:34	EPA200.7		AES
Silica (SiO ₂)	13.5	2.14	0.326	mg/L	2	11/28/23 20:34	Calculation		AES
Silicon	6.30	1.00	0.152	mg/L	2	11/28/23 20:34	EPA200.7		AES
Sodium*	176	2.00	0.818	mg/L	2	11/28/23 20:34	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0007	mg/L	2	11/27/23 13:47	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 13:47	EPA200.8		AES
Copper*	0.0032	0.0010	0.0008	mg/L	2	11/27/23 13:47	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 13:47	EPA200.8		AES
Manganese*	0.387	0.0010	0.0003	mg/L	2	11/27/23 13:47	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0004	mg/L	2	11/27/23 13:47	EPA200.8		AES
Selenium*	0.0130	0.0020	0.0007	mg/L	2	11/27/23 13:47	EPA200.8		AES
Uranium	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 13:47	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 13:47	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

M-98

2311270-04 (Ground Water)

Sampled Date: 11/21/23 14:45

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	12/01/23 12:46	EPA245.7		CAI

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B233378 - General Prep - Wet Chem										
Blank (B233378-BLK1)				Prepared & Analyzed: 11/10/23						
Oil & Grease (HEM)	ND	5.00	mg/L							
LCS (B233378-BS1)				Prepared & Analyzed: 11/10/23						
Oil & Grease (HEM)	35.4	5.00	mg/L	40.0		88.5	85-115			
LCS Dup (B233378-BSD1)				Prepared & Analyzed: 11/10/23						
Oil & Grease (HEM)	34.1	5.00	mg/L	40.0		85.3	85-115	3.74	20	
Batch B233504 - General Prep - Wet Chem										
Blank (B233504-BLK1)				Prepared & Analyzed: 11/22/23						
Total Suspended Solids	ND	2.50	mg/L							
Reference (B233504-SRM1)				Prepared & Analyzed: 11/22/23						
Total Suspended Solids	93.0	2.50	mg/L	100		93.0	85-115			
Batch B233524 - General Prep - Wet Chem										
Reference (B233524-SRM1)				Prepared & Analyzed: 11/22/23						
pH	7.00		pH Units	7.00		100	98.57-101.42			
Batch B233530 - General Prep - Wet Chem										
Blank (B233530-BLK1)				Prepared & Analyzed: 11/27/23						
Total Organic Carbon	ND	0.500	mg/L							
LCS (B233530-BS1)				Prepared & Analyzed: 11/27/23						
Total Organic Carbon	9.66	0.500	mg/L	10.0		96.6	85-115			
LCS Dup (B233530-BSD1)				Prepared & Analyzed: 11/27/23						
Total Organic Carbon	9.81	0.500	mg/L	10.0		98.1	85-115	1.53	20	
Batch B233537 - Dissolved ICP										
Blank (B233537-BLK1)				Prepared: 11/27/23 Analyzed: 11/28/23						
SAR	0.00		No Unit							
Batch B233547 - General Prep - Wet Chem										
Blank (B233547-BLK1)				Prepared & Analyzed: 11/28/23						
Total Dissolved Solids	ND	10.0	mg/L							

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

General Chemistry - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233547 - General Prep - Wet Chem (Continued)

Reference (B233547-SRM1)

Prepared & Analyzed: 11/28/23

Total Dissolved Solids	390	10.0	mg/L	400	97.5	85-115
------------------------	-----	------	------	-----	------	--------

Batch B233574 - General Prep - Wet Chem

Blank (B233574-BLK1)

Prepared & Analyzed: 12/01/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B233574-BS1)

Prepared & Analyzed: 12/01/23

Alkalinity, Total as CaCO ₃	100	10.0	mg/L	100	100	85-115
--	-----	------	------	-----	-----	--------

LCS Dup (B233574-BSD1)

Prepared & Analyzed: 12/01/23

Alkalinity, Total as CaCO ₃	98.0	10.0	mg/L	100	98.0	85-115	2.02	20
--	------	------	------	-----	------	--------	------	----

Reference (B233574-SRM1)

Prepared & Analyzed: 12/01/23

Alkalinity, Total as CaCO ₃	75.0	10.0	mg/L	72.7	103	85-115
--	------	------	------	------	-----	--------

Batch B233582 - Lachat

Blank (B233582-BLK1)

Prepared & Analyzed: 12/01/23

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B233582-BS1)

Prepared & Analyzed: 12/01/23

Nitrate/Nitrite as N	1.06	0.020	mg/L as N	1.00	106	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B233582-BSD1)

Prepared & Analyzed: 12/01/23

Nitrate/Nitrite as N	1.06	0.020	mg/L as N	1.00	106	90-110	0.113	20
----------------------	------	-------	-----------	------	-----	--------	-------	----

Batch B233588 - IC- Ion Chromatograph

Blank (B233588-BLK1)

Prepared & Analyzed: 12/04/23

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B233588-BS1)

Prepared & Analyzed: 12/04/23

Chloride	24.4	1.00	mg/L	25.0	97.4	90-110
Fluoride	2.44	0.100	mg/L	2.50	97.5	90-110
Sulfate	23.7	1.00	mg/L	25.0	94.7	90-110

LCS Dup (B233588-BSD1)

Prepared & Analyzed: 12/04/23

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

General Chemistry - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233588 - IC- Ion Chromatograph (Continued)

LCS Dup (B233588-BSD1) (Continued)

Prepared & Analyzed: 12/04/23

Chloride	25.1	1.00	mg/L	25.0		100	90-110	2.88	20	
Fluoride	2.51	0.100	mg/L	2.50		100	90-110	2.75	20	
Sulfate	24.4	1.00	mg/L	25.0		97.6	90-110	2.98	20	

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233537 - Dissolved ICP

Blank (B233537-BLK1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	ND	0.050	mg/L							
Calcium	ND	0.100	mg/L							
Iron	ND	0.050	mg/L							
Magnesium	ND	0.100	mg/L							
Potassium	ND	1.00	mg/L							
Silicon	ND	0.500	mg/L							
Sodium	ND	1.00	mg/L							

LCS (B233537-BS1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	4.00	0.050	mg/L	4.00		100	85-115			
Calcium	3.84	0.100	mg/L	4.00		95.9	85-115			
Iron	3.78	0.050	mg/L	4.00		94.5	85-115			
Magnesium	19.7	0.100	mg/L	20.0		98.7	85-115			
Potassium	7.68	1.00	mg/L	8.00		96.0	85-115			
Silicon	4.06	0.500	mg/L	4.00		102	85-115			
Sodium	3.26	1.00	mg/L	3.24		101	85-115			

LCS Dup (B233537-BSD1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	4.01	0.050	mg/L	4.00		100	85-115	0.188	20	
Calcium	3.95	0.100	mg/L	4.00		98.8	85-115	2.95	20	
Iron	3.82	0.050	mg/L	4.00		95.5	85-115	1.04	20	
Magnesium	20.0	0.100	mg/L	20.0		100	85-115	1.29	20	
Potassium	7.61	1.00	mg/L	8.00		95.2	85-115	0.873	20	
Silicon	4.10	0.500	mg/L	4.00		102	85-115	0.850	20	
Sodium	3.23	1.00	mg/L	3.24		99.6	85-115	0.956	20	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

Total Recoverable Metals by ICPMS (E200.8) - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233555 - Mercury by 200.8

Blank (B233555-BLK1)

Prepared & Analyzed: 12/07/23

Mercury	ND	0.0100	ug/L							
---------	----	--------	------	--	--	--	--	--	--	--

LCS (B233555-BS1)

Prepared & Analyzed: 12/07/23

Mercury	0.0910	0.0100	ug/L	0.100		91.0	85-115			
---------	--------	--------	------	-------	--	------	--------	--	--	--

LCS Dup (B233555-BSD1)

Prepared & Analyzed: 12/07/23

Mercury	0.0907	0.0100	ug/L	0.100		90.7	85-115	0.329	20	
---------	--------	--------	------	-------	--	------	--------	-------	----	--

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233529 - Dissolved ICPMS

Blank (B233529-BLK1)

Prepared & Analyzed: 11/27/23

Arsenic	ND	0.0005	mg/L							
Cadmium	ND	0.0005	mg/L							
Copper	ND	0.0005	mg/L							
Lead	ND	0.0005	mg/L							
Manganese	ND	0.0005	mg/L							
Molybdenum	ND	0.0005	mg/L							
Selenium	ND	0.0010	mg/L							
Uranium	ND	0.0005	mg/L							
Zinc	ND	0.0020	mg/L							

LCS (B233529-BS1)

Prepared & Analyzed: 11/27/23

Arsenic	0.0523	0.0005	mg/L	0.0500	105	85-115				
Cadmium	0.0516	0.0005	mg/L	0.0500	103	85-115				
Copper	0.0499	0.0005	mg/L	0.0500	99.8	85-115				
Lead	0.0498	0.0005	mg/L	0.0500	99.6	85-115				
Manganese	0.0531	0.0005	mg/L	0.0500	106	85-115				
Molybdenum	0.0509	0.0005	mg/L	0.0500	102	85-115				
Selenium	0.263	0.0010	mg/L	0.250	105	85-115				
Uranium	0.0537	0.0005	mg/L	0.0500	107	85-115				
Zinc	0.0484	0.0020	mg/L	0.0500	96.9	85-115				

LCS Dup (B233529-BSD1)

Prepared & Analyzed: 11/27/23

Arsenic	0.0524	0.0005	mg/L	0.0500	105	85-115	0.0608	20		
Cadmium	0.0514	0.0005	mg/L	0.0500	103	85-115	0.431	20		
Copper	0.0510	0.0005	mg/L	0.0500	102	85-115	2.20	20		
Lead	0.0502	0.0005	mg/L	0.0500	100	85-115	0.707	20		
Manganese	0.0530	0.0005	mg/L	0.0500	106	85-115	0.170	20		
Molybdenum	0.0511	0.0005	mg/L	0.0500	102	85-115	0.380	20		
Selenium	0.261	0.0010	mg/L	0.250	104	85-115	0.607	20		
Uranium	0.0530	0.0005	mg/L	0.0500	106	85-115	1.32	20		
Zinc	0.0494	0.0020	mg/L	0.0500	98.8	85-115	2.00	20		

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/11/23 09:52

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233526 - EPA 245.7

Blank (B233526-BLK1)

Prepared: 11/27/23 Analyzed: 12/01/23

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B233526-BS1)

Prepared: 11/27/23 Analyzed: 12/01/23

Mercury	1900	100	ng/L	2000		94.9	76-113			
---------	------	-----	------	------	--	------	--------	--	--	--

LCS Dup (B233526-BSD1)

Prepared: 11/27/23 Analyzed: 12/01/23

Mercury	1830	100	ng/L	2000		91.6	76-113	3.49	20	
---------	------	-----	------	------	--	------	--------	------	----	--

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

(970) 247-4220
Fax: (970) 247-4227

dzufelt@greenanalytical.com
75 Suttle St Durango, CO 81303

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

[illegible]

Project Information

Table of Contents
Printed: 11/21/2023 4:11 pm

GCC Energy, LLC

6473 CR 120
Hesperus, CO 81326
Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528
Fax: (970) 385-4638

Project Name: GCC GW Baseline
Project Number:
Client PM: Tom Bird
Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

All metals are field filtered. Send out preserved bottles

Project Information

Table of Contents

Printed: 11/21/2023 4:14 pm

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC SW Baseline w-LLHg

Project Number: GCC SW Baseline 2021

Client PM: Tom Bird

Comments:

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury 200.8 Low Level	Do not field filter
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
Oil & Grease	
pH	
Potassium Dissolved by ICP	
SAR-Calc	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Total Suspended Solids [TSS]	Label bottle TSS
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	

Hardness [DISSOLVED] subanalyses:

Calcium Dissolved by ICP

Magnesium Dissolved by ICP

Silica Dissolved by ICP subanalyses:

Silicon Dissolved by ICP

The GCC SW Baseline bottle set has two poly 250 ml bottles for metals. One is for LL Hg totals so does not get field-filtered, while the other metals bottle gets field-filtered. Please label one metals bottle in each set "DO NOT FIELD FILTER, LL Hg" as a reminder for them out in the field. Please make a note in LIMS for this to be standard quarterly practice.



SAMPLE CONDITION RECEIPT FORM

Client Name: GCC ENERGYWork Order # 2311-270Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ KangarooCustody Seals on Box/Cooler Present: ☐ Yes ☒ NoSeals Intact: ☐ Yes ☐ NoThermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ NoType of Ice: ☒ Wet ☐ Blue ☐ NoneCooler Temp: Observed Temp: 8.1 °C Correction Factor: 0 °C Final Temp: 8.1 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: 11/21/23
ELLabeled by initials: _____
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>PH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11. <u>Piss</u>
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC:	☒ Yes ☐ No	12.
-Includes Date/Time/ID		
Matrix:	☒ WT ☐ SL ☐ OT	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☐ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
jeremy.allen@greenanalytical.com

02 January 2024

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: [none]

Enclosed are the results of analyses for samples received by the laboratory on 12/19/23 16:40. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-18

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16

Table of Contents

Samples in Report	3
Sample Results	4
Quality Assurance Results	5
Notes and Definitions	5
Chain of Custody & Attachments	6



GCC Energy, LLC
 6473 CR 120
 Hesperus CO, 81326

Project: GCC SW Baseline w-LLHg
 Project Name / Number: [none]
 Project Manager: Tom Bird

Reported:
 01/02/24 09:41

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Hay Gulch Down Gradient	2312168-01	Water	12/19/23 11:10	12/19/23 16:40	

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHg
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
01/02/24 09:41

Hay Gulch Down Gradient

2312168-01 (Surface Water)

Sampled Date: 12/19/23 11:10

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Oil & Grease (HEM)	<5.00	5.00	2.87	mg/L	1	12/29/23 12:56	EPA1664 A		IDB
--------------------	-------	------	------	------	---	----------------	-----------	--	-----

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline w-LLHg
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
01/02/24 09:41

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B233636 - General Prep - Wet Chem										
Blank (B233636-BLK1)				Prepared & Analyzed: 12/07/23						
Oil & Grease (HEM)	ND	5.00	mg/L							
LCS (B233636-BS1)				Prepared & Analyzed: 12/07/23						
Oil & Grease (HEM)	37.6	5.00	mg/L	40.0		94.0	85-115			
LCS Dup (B233636-BSD1)				Prepared & Analyzed: 12/07/23						
Oil & Grease (HEM)	37.2	5.00	mg/L	40.0		93.0	85-115	1.07	20	


Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

Page 6 of 7 2312168 GAL FINAL 01 02 24 0941 01/02/24 09:41:54



SAMPLE CONDITION RECEIPT FORM

Client Name: GCC EnergyWork Order # 2312-168Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ KangarooCustody Seals on Box/Cooler Present: ☐ Yes ☒ NoSeals Intact: ☐ Yes ☐ NoThermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ NoType of Ice: ☒ Wet ☐ Blue ☐ NoneCooler Temp: Observed Temp: 5.8 °C Correction Factor: 0 °C Final Temp: 5.8 °C

*Temp should be above freezing to 6°C

Date/Initials of person examining contents: MPN 12/19/2Labeled by initials: _____
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☐ Yes ☒ No	11.
Field Filtered: ☐ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix:	☒ WT ☐ SL ☐ OT	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☐ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

30 November 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: [none]

Enclosed are the results of analyses for samples received by the laboratory on 11/14/23 16:30. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'. The signature is written in a cursive, flowing style.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-18

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 14:45

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-1-A	2311176-01	Water	11/14/23 11:19	11/14/23 16:30	
MW-5-M1	2311176-02	Water	11/14/23 12:32	11/14/23 16:30	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom BirdReported:
11/30/23 14:45

MW-1-A

2311176-01 (Ground Water)
Sampled Date: 11/14/23 11:19

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	375	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	375	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Cation/Anion Balance	0.0800	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	2.50	2.00	0.111	mg/L	2	11/27/23 19:55	EPA300.0		AWG
Fluoride*	<0.200	0.200	0.0194	mg/L	2	11/27/23 19:55	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/28/23 10:07	EPA353.2		AWG
pH*	7.39			pH Units	1	11/15/23 15:00	EPA150.1		CAI
pH Temperature, degrees C	19.0			pH Units	1	11/15/23 15:00	EPA150.1		CAI
Sulfate*	510	5.00	0.620	mg/L	5	11/27/23 20:15	EPA300.0		AWG
Total Dissolved Solids*	1110	10.0		mg/L	1	11/20/23 17:39	EPA160.1		JDA
Total Organic Carbon*	1.55	0.500	0.175	mg/L	1	11/27/23 20:45	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/28/23 18:13	EPA200.7		AES
Calcium*	31.2	0.200	0.124	mg/L	2	11/28/23 18:13	EPA200.7		AES
Hardness as CaCO ₃	166	1.32	0.598	mg/L	2	11/28/23 18:13	2340 B		AES
Iron*	0.437	0.100	0.030	mg/L	2	11/28/23 18:13	EPA200.7		AES
Magnesium*	21.3	0.200	0.070	mg/L	2	11/28/23 18:13	EPA200.7		AES
Potassium*	<2.00	2.00	0.208	mg/L	2	11/28/23 18:13	EPA200.7		AES
Silica (SiO ₂)	11.3	2.14	0.326	mg/L	2	11/28/23 18:13	Calculation		AES
Silicon	5.28	1.00	0.152	mg/L	2	11/28/23 18:13	EPA200.7		AES
Sodium*	324	2.00	0.818	mg/L	2	11/28/23 18:13	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0007	mg/L	2	11/27/23 12:27	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 12:27	EPA200.8		AES
Copper*	0.0079	0.0010	0.0008	mg/L	2	11/27/23 12:27	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 12:27	EPA200.8		AES
Manganese*	0.0400	0.0010	0.0003	mg/L	2	11/27/23 12:27	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0004	mg/L	2	11/27/23 12:27	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	11/27/23 12:27	EPA200.8		AES
Uranium	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 12:27	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 12:27	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 14:45

MW-1-A

2311176-01 (Ground Water)
Sampled Date: 11/14/23 11:19

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	11/27/23 14:12	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 14:45

MW-5-M1

2311176-02 (Ground Water)
Sampled Date: 11/14/23 12:32

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	920	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	20.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	900	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Cation/Anion Balance	-3.17	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	5.40	2.00	0.111	mg/L	2	11/27/23 20:34	EPA300.0		AWG
Fluoride*	<0.200	0.200	0.0194	mg/L	2	11/27/23 20:34	EPA300.0		AWG
Nitrate/Nitrite as N*	0.141	0.020	0.003	mg/L as N	1	11/28/23 10:11	EPA353.2		AWG
pH*	8.30			pH Units	1	11/15/23 15:00	EPA150.1		CAI
pH Temperature, degrees C	19.3			pH Units	1	11/15/23 15:00	EPA150.1		CAI
Sulfate*	5.71	2.00	0.248	mg/L	2	11/27/23 20:34	EPA300.0		AWG
Total Dissolved Solids*	990	10.0		mg/L	1	11/20/23 17:41	EPA160.1		JDA
Total Organic Carbon*	2.40	0.500	0.175	mg/L	1	11/27/23 21:09	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/28/23 18:18	EPA200.7		AES
Calcium*	2.29	0.200	0.124	mg/L	2	11/28/23 18:18	EPA200.7		AES
Hardness as CaCO ₃	9.05	1.32	0.598	mg/L	2	11/28/23 18:18	2340 B		AES
Iron*	<0.100	0.100	0.030	mg/L	2	11/28/23 18:18	EPA200.7		AES
Magnesium*	0.808	0.200	0.070	mg/L	2	11/28/23 18:18	EPA200.7		AES
Potassium*	<2.00	2.00	0.208	mg/L	2	11/28/23 18:18	EPA200.7		AES
Silica (SiO ₂)	8.05	2.14	0.326	mg/L	2	11/28/23 18:18	Calculation		AES
Silicon	3.76	1.00	0.152	mg/L	2	11/28/23 18:18	EPA200.7		AES
Sodium*	386	2.00	0.818	mg/L	2	11/28/23 18:18	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0108	0.0010	0.0007	mg/L	2	11/27/23 12:28	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 12:28	EPA200.8		AES
Copper*	0.0090	0.0010	0.0008	mg/L	2	11/27/23 12:28	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 12:28	EPA200.8		AES
Manganese*	0.0155	0.0010	0.0003	mg/L	2	11/27/23 12:28	EPA200.8		AES
Molybdenum*	0.0019	0.0010	0.0004	mg/L	2	11/27/23 12:28	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	11/27/23 12:28	EPA200.8		AES
Uranium	0.0063	0.0010	0.00009	mg/L	2	11/27/23 12:28	EPA200.8		AES
Zinc*	0.0750	0.0040	0.0009	mg/L	2	11/27/23 12:28	EPA200.8		AES

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 14:45

MW-5-M1

2311176-02 (Ground Water)
Sampled Date: 11/14/23 12:32

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	11/27/23 14:15	EPA245.7		CAI

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom BirdReported:
11/30/23 14:45

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233443 - General Prep - Wet Chem

Reference (B233443-SRM1)

Prepared & Analyzed: 11/15/23

pH	7.08		pH Units	7.00		101	98.57-101.42			
----	------	--	----------	------	--	-----	--------------	--	--	--

Batch B233463 - General Prep - Wet Chem

Blank (B233463-BLK1)

Prepared & Analyzed: 11/17/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B233463-BS1)

Prepared & Analyzed: 11/17/23

Alkalinity, Total as CaCO ₃	101	10.0	mg/L	100		101	85-115			
--	-----	------	------	-----	--	-----	--------	--	--	--

LCS Dup (B233463-BSD1)

Prepared & Analyzed: 11/17/23

Alkalinity, Total as CaCO ₃	99.0	10.0	mg/L	100		99.0	85-115	2.00	20	
--	------	------	------	-----	--	------	--------	------	----	--

Reference (B233463-SRM1)

Prepared & Analyzed: 11/17/23

Alkalinity, Total as CaCO ₃	73.0	10.0	mg/L	72.7		100	85-115			
--	------	------	------	------	--	-----	--------	--	--	--

Batch B233467 - General Prep - Wet Chem

Blank (B233467-BLK1)

Prepared: 11/17/23 Analyzed: 11/20/23

Total Dissolved Solids	ND	10.0	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Reference (B233467-SRM1)

Prepared: 11/17/23 Analyzed: 11/20/23

Total Dissolved Solids	380	10.0	mg/L	400		95.0	85-115			
------------------------	-----	------	------	-----	--	------	--------	--	--	--

Batch B233511 - IC- Ion Chromatograph

Blank (B233511-BLK1)

Prepared & Analyzed: 11/27/23

Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

LCS (B233511-BS1)

Prepared & Analyzed: 11/27/23

Chloride	24.9	1.00	mg/L	25.0		99.6	90-110			
Fluoride	2.41	0.100	mg/L	2.50		96.6	90-110			
Sulfate	24.1	1.00	mg/L	25.0		96.5	90-110			

LCS Dup (B233511-BSD1)

Prepared & Analyzed: 11/27/23

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom BirdReported:
11/30/23 14:45General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233511 - IC- Ion Chromatograph (Continued)

LCS Dup (B233511-BSD1) (Continued)

Prepared & Analyzed: 11/27/23

Chloride	24.9	1.00	mg/L	25.0		99.5	90-110	0.100	20	
Fluoride	2.44	0.100	mg/L	2.50		97.6	90-110	1.03	20	
Sulfate	24.2	1.00	mg/L	25.0		97.0	90-110	0.476	20	

Batch B233512 - Lachat

Blank (B233512-BLK1)

Prepared: 11/27/23 Analyzed: 11/28/23

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

LCS (B233512-BS1)

Prepared: 11/27/23 Analyzed: 11/28/23

Nitrate/Nitrite as N	1.05	0.020	mg/L as N	1.00		105	90-110			
----------------------	------	-------	-----------	------	--	-----	--------	--	--	--

LCS Dup (B233512-BSD1)

Prepared: 11/27/23 Analyzed: 11/28/23

Nitrate/Nitrite as N	1.06	0.020	mg/L as N	1.00		106	90-110	0.379	20	
----------------------	------	-------	-----------	------	--	-----	--------	-------	----	--

Batch B233530 - General Prep - Wet Chem

Blank (B233530-BLK1)

Prepared & Analyzed: 11/27/23

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B233530-BS1)

Prepared & Analyzed: 11/27/23

Total Organic Carbon	9.66	0.500	mg/L	10.0		96.6	85-115			
----------------------	------	-------	------	------	--	------	--------	--	--	--

LCS Dup (B233530-BSD1)

Prepared & Analyzed: 11/27/23

Total Organic Carbon	9.81	0.500	mg/L	10.0		98.1	85-115	1.53	20	
----------------------	------	-------	------	------	--	------	--------	------	----	--

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 14:45

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233535 - Dissolved ICP

Blank (B233535-BLK1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B233535-BS1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	4.12	0.050	mg/L	4.00	103	85-115
Calcium	3.92	0.100	mg/L	4.00	97.9	85-115
Iron	3.93	0.050	mg/L	4.00	98.2	85-115
Magnesium	20.5	0.100	mg/L	20.0	102	85-115
Potassium	7.83	1.00	mg/L	8.00	97.9	85-115
Silicon	4.25	0.500	mg/L	4.00	106	85-115
Sodium	3.30	1.00	mg/L	3.24	102	85-115

LCS Dup (B233535-BSD1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	4.12	0.050	mg/L	4.00	103	85-115	0.0157	20
Calcium	3.93	0.100	mg/L	4.00	98.3	85-115	0.384	20
Iron	3.95	0.050	mg/L	4.00	98.9	85-115	0.637	20
Magnesium	20.5	0.100	mg/L	20.0	102	85-115	0.0544	20
Potassium	7.84	1.00	mg/L	8.00	98.0	85-115	0.102	20
Silicon	4.24	0.500	mg/L	4.00	106	85-115	0.200	20
Sodium	3.24	1.00	mg/L	3.24	100	85-115	1.79	20

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 14:45

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233491 - Dissolved ICPMS

Blank (B233491-BLK1)

Prepared: 11/21/23 Analyzed: 11/27/23

Arsenic	ND	0.0005	mg/L							
Cadmium	ND	0.0005	mg/L							
Copper	ND	0.0005	mg/L							
Lead	ND	0.0005	mg/L							
Manganese	ND	0.0005	mg/L							
Molybdenum	ND	0.0005	mg/L							
Selenium	ND	0.0010	mg/L							
Uranium	ND	0.0005	mg/L							
Zinc	ND	0.0020	mg/L							

LCS (B233491-BS1)

Prepared: 11/21/23 Analyzed: 11/27/23

Arsenic	0.0512	0.0005	mg/L	0.0500		102	85-115			
Cadmium	0.0511	0.0005	mg/L	0.0500		102	85-115			
Copper	0.0504	0.0005	mg/L	0.0500		101	85-115			
Lead	0.0497	0.0005	mg/L	0.0500		99.4	85-115			
Manganese	0.0520	0.0005	mg/L	0.0500		104	85-115			
Molybdenum	0.0500	0.0005	mg/L	0.0500		100	85-115			
Selenium	0.253	0.0010	mg/L	0.250		101	85-115			
Uranium	0.0522	0.0005	mg/L	0.0500		104	85-115			
Zinc	0.0492	0.0020	mg/L	0.0500		98.3	85-115			

LCS Dup (B233491-BSD1)

Prepared: 11/21/23 Analyzed: 11/27/23

Arsenic	0.0524	0.0005	mg/L	0.0500		105	85-115	2.43	20	
Cadmium	0.0509	0.0005	mg/L	0.0500		102	85-115	0.460	20	
Copper	0.0502	0.0005	mg/L	0.0500		100	85-115	0.367	20	
Lead	0.0496	0.0005	mg/L	0.0500		99.1	85-115	0.296	20	
Manganese	0.0521	0.0005	mg/L	0.0500		104	85-115	0.154	20	
Molybdenum	0.0504	0.0005	mg/L	0.0500		101	85-115	0.852	20	
Selenium	0.254	0.0010	mg/L	0.250		102	85-115	0.537	20	
Uranium	0.0528	0.0005	mg/L	0.0500		106	85-115	1.07	20	
Zinc	0.0496	0.0020	mg/L	0.0500		99.2	85-115	0.839	20	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom BirdReported:
11/30/23 14:45

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233450 - EPA 245.7

Blank (B233450-BLK1)

Prepared: 11/16/23 Analyzed: 11/27/23

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B233450-BS1)

Prepared: 11/16/23 Analyzed: 11/27/23

Mercury	1750	100	ng/L	2000	87.7	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B233450-BSD1)

Prepared: 11/16/23 Analyzed: 11/27/23

Mercury	1720	100	ng/L	2000	86.2	76-113	1.76	20
---------	------	-----	------	------	------	--------	------	----

Notes and Definitions

Q8	Sample(s) not received on ice.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

[illegible]

Project Information

Printed: 11/14/2023 4:31 pm

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC GW Baseline

Project Number: GCC GW Baseline

Client PM: Tom Bird

Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
----------	---------

Alkalinity, Total

Aluminum Dissolved by ICP

Arsenic Dissolved by ICPMS

CAB

Cadmium Dissolved by ICPMS

Chloride [IC]

Copper Dissolved by ICPMS

Fluoride [IC]

Hardness [DISSOLVED]

Iron Dissolved by ICP

Lead Dissolved by ICPMS

Manganese Dissolved by ICPMS

Mercury Dissolved by CVAFS

Molybdenum Dissolved by ICPMS

Nitrate/Nitrite [LACHAT]

pH

Potassium Dissolved by ICP

Selenium Dissolved by ICPMS

Silica Dissolved by ICP

Sodium Dissolved by ICP

Sulfate [IC]

Total Dissolved Solids [TDS]

Total Organic Carbon [TOC]

Uranium Dissolved by ICPMS

Zinc Dissolved by ICPMS

Hardness [DISSOLVED] subanalyses:

Calcium Dissolved by ICP

Magnesium Dissolved by ICP

Silica Dissolved by ICP subanalyses:

Silicon Dissolved by ICP

All metals are field filtered. Send out preserved bottles



SAMPLE CONDITION RECEIPT FORM

Client Name: G.C.C. ENERGY

Work Order # 2311-176

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo

Custody Seals on Box/Cooler Present: ☐ Yes ☒ No Seals Intact: ☐ Yes ☐ No

Thermometer Used: 1/2 Samples on ice, cooling process has begun: ☐ Yes ☒ No

Type of Ice: ☐ Wet ☐ Blue ☒ None

Cooler Temp: Observed Temp: 14.1 °C Correction Factor: 0 °C Final Temp: 14.1 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: 11/14/23
SE

Labeled by initials:
(if different than above) _____

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>PH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11.
Field Filtered:	☒ Yes ☐ No	
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix:	<u>WT</u> <u>SL</u> <u>OT</u>	
Trip Blank Present:	☐ Yes ☒ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☒ No ☐ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

06 December 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: [none]

Enclosed are the results of analyses for samples received by the laboratory on 11/16/23 15:57. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-18

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16

Table of Contents

Samples in Report	3
Sample Results	4
Quality Assurance Results	20
Notes and Definitions	24
Chain of Custody & Attachments	25



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-6-LM	2311227-01	Water	11/16/23 11:08	11/16/23 15:57	
MW-4-MI	2311227-02	Water	11/16/23 12:11	11/16/23 15:57	
MW-4-A	2311227-03	Water	11/16/23 12:52	11/16/23 15:57	
MW-4-C	2311227-04	Water	11/16/23 13:27	11/16/23 15:57	
MW-99	2311227-05	Water	11/16/23 13:11	11/16/23 15:57	
MW-3-MI	2311227-06	Water	11/16/23 14:10	11/16/23 15:57	
MW-3-A	2311227-07	Water	11/16/23 14:41	11/16/23 15:57	
MW-3-C	2311227-08	Water	11/16/23 15:10	11/16/23 15:57	

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-6-LM

2311227-01 (Ground Water)

Sampled Date: 11/16/23 11:08

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	355	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	355	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Cation/Anion Balance	2.60	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	6.09	2.00	0.111	mg/L	2	11/28/23 19:11	EPA300.0		AWG
Fluoride*	0.240	0.200	0.0194	mg/L	2	11/28/23 19:11	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:28	EPA353.2		AWG
pH*	7.76			pH Units	1	11/17/23 11:30	EPA150.1		AES
pH Temperature, degrees C	20.6			pH Units	1	11/17/23 11:30	EPA150.1		AES
Sulfate*	534	5.00	0.620	mg/L	5	11/28/23 19:31	EPA300.0		AWG
Total Dissolved Solids*	1060	10.0		mg/L	1	11/22/23 16:06	EPA160.1		AES
Total Organic Carbon*	0.764	0.500	0.175	mg/L	1	11/23/23 00:18	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/28/23 19:06	EPA200.7		AES
Calcium*	99.1	0.200	0.124	mg/L	2	11/28/23 19:06	EPA200.7		AES
Hardness as CaCO ₃	621	1.32	0.598	mg/L	2	11/28/23 19:06	2340 B		AES
Iron*	<0.100	0.100	0.030	mg/L	2	11/28/23 19:06	EPA200.7		AES
Magnesium*	90.6	0.200	0.070	mg/L	2	11/28/23 19:06	EPA200.7		AES
Potassium*	3.34	2.00	0.208	mg/L	2	11/28/23 19:06	EPA200.7		AES
Silica (SiO ₂)	17.2	2.14	0.326	mg/L	2	11/28/23 19:06	Calculation		AES
Silicon	8.06	1.00	0.152	mg/L	2	11/28/23 19:06	EPA200.7		AES
Sodium*	132	2.00	0.818	mg/L	2	11/28/23 19:06	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0040	0.0010	0.0007	mg/L	2	11/27/23 13:08	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 13:08	EPA200.8		AES
Copper*	0.0032	0.0010	0.0008	mg/L	2	11/27/23 13:08	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 13:08	EPA200.8		AES
Manganese*	0.0727	0.0010	0.0003	mg/L	2	11/27/23 13:08	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0004	mg/L	2	11/27/23 13:08	EPA200.8		AES
Selenium*	0.0031	0.0020	0.0007	mg/L	2	11/27/23 13:08	EPA200.8		AES
Uranium	0.0020	0.0010	0.00009	mg/L	2	11/27/23 13:08	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 13:08	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-6-LM

2311227-01 (Ground Water)

Sampled Date: 11/16/23 11:08

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	12/01/23 11:44	EPA245.7		CAI

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-4-MI**2311227-02 (Ground Water)****Sampled Date: 11/16/23 12:11**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	985	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	40.0	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	945	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Cation/Anion Balance	-2.78	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	3.62	2.00	0.111	mg/L	2	11/28/23 20:31	EPA300.0		AWG
Fluoride*	4.83	0.200	0.0194	mg/L	2	11/28/23 20:31	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:34	EPA353.2		AWG
pH*	8.59			pH Units	1	11/17/23 11:30	EPA150.1		AES
pH Temperature, degrees C	20.1			pH Units	1	11/17/23 11:30	EPA150.1		AES
Sulfate*	8.16	2.00	0.248	mg/L	2	11/28/23 20:31	EPA300.0		AWG
Total Dissolved Solids*	1050	10.0		mg/L	1	11/22/23 16:08	EPA160.1		AES
Total Organic Carbon*	4.05	0.500	0.175	mg/L	1	11/23/23 02:14	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/28/23 19:11	EPA200.7		AES
Calcium*	0.982	0.200	0.124	mg/L	2	11/28/23 19:11	EPA200.7		AES
Hardness as CaCO ₃	3.91	1.32	0.598	mg/L	2	11/28/23 19:11	2340 B		AES
Iron*	<0.100	0.100	0.030	mg/L	2	11/28/23 19:11	EPA200.7		AES
Magnesium*	0.354	0.200	0.070	mg/L	2	11/28/23 19:11	EPA200.7		AES
Potassium*	<2.00	2.00	0.208	mg/L	2	11/28/23 19:11	EPA200.7		AES
Silica (SiO ₂)	8.64	2.14	0.326	mg/L	2	11/28/23 19:11	Calculation		AES
Silicon	4.04	1.00	0.152	mg/L	2	11/28/23 19:11	EPA200.7		AES
Sodium*	424	2.00	0.818	mg/L	2	11/28/23 19:11	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0101	0.0010	0.0007	mg/L	2	11/27/23 13:10	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 13:10	EPA200.8		AES
Copper*	0.0086	0.0010	0.0008	mg/L	2	11/27/23 13:10	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 13:10	EPA200.8		AES
Manganese*	0.0074	0.0010	0.0003	mg/L	2	11/27/23 13:10	EPA200.8		AES
Molybdenum*	0.0050	0.0010	0.0004	mg/L	2	11/27/23 13:10	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	11/27/23 13:10	EPA200.8		AES
Uranium	0.0070	0.0010	0.00009	mg/L	2	11/27/23 13:10	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 13:10	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-4-MI

2311227-02 (Ground Water)

Sampled Date: 11/16/23 12:11

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	12/01/23 11:52	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-4-A**2311227-03 (Ground Water)****Sampled Date: 11/16/23 12:52**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	515	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	515	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Cation/Anion Balance	0.500	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	10.3	5.00	0.278	mg/L	5	11/28/23 21:11	EPA300.0		AWG
Fluoride*	<0.500	0.500	0.0486	mg/L	5	11/28/23 21:11	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:35	EPA353.2		AWG
pH*	8.30			pH Units	1	11/17/23 11:30	EPA150.1		AES
pH Temperature, degrees C	21.2			pH Units	1	11/17/23 11:30	EPA150.1		AES
Sulfate*	583	5.00	0.620	mg/L	5	11/28/23 21:11	EPA300.0		AWG
Total Dissolved Solids*	1400	10.0		mg/L	1	11/22/23 16:10	EPA160.1		AES
Total Organic Carbon*	2.86	1.00	0.350	mg/L	2	11/27/23 15:04	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.220	mg/L	5	11/28/23 19:16	EPA200.7		AES
Calcium*	1.75	0.500	0.309	mg/L	5	11/28/23 19:16	EPA200.7		AES
Hardness as CaCO ₃	7.47	3.31	1.49	mg/L	5	11/28/23 19:16	2340 B		AES
Iron*	<0.250	0.250	0.076	mg/L	5	11/28/23 19:16	EPA200.7		AES
Magnesium*	0.751	0.500	0.176	mg/L	5	11/28/23 19:16	EPA200.7		AES
Potassium*	<5.00	5.00	0.519	mg/L	5	11/28/23 19:15	EPA200.7		AES
Silica (SiO ₂)	9.58	5.35	0.814	mg/L	5	11/28/23 19:16	Calculation		AES
Silicon	4.48	2.50	0.381	mg/L	5	11/28/23 19:16	EPA200.7		AES
Sodium*	509	5.00	2.05	mg/L	5	11/28/23 19:15	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	11/27/23 13:11	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	11/27/23 13:11	EPA200.8		AES
Copper*	0.0108	0.0025	0.0021	mg/L	5	11/27/23 13:11	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	11/27/23 13:11	EPA200.8		AES
Manganese*	0.0029	0.0025	0.0009	mg/L	5	11/27/23 13:11	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	11/27/23 13:11	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0018	mg/L	5	11/27/23 13:11	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	11/27/23 13:11	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	11/27/23 13:11	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-4-A

2311227-03 (Ground Water)

Sampled Date: 11/16/23 12:52

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	12/01/23 11:54	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-4-C

2311227-04 (Ground Water)

Sampled Date: 11/16/23 13:27

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	2460	10.0	6.06	mg/L	20	11/17/23 15:20	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	20	11/17/23 15:20	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	40.0	10.0	6.06	mg/L	20	11/17/23 15:20	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	2420	10.0	6.06	mg/L	20	11/17/23 15:20	2320 B		IDB
Cation/Anion Balance	-4.36	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	586	10.0	0.555	mg/L	10	11/28/23 21:51	EPA300.0		AWG
Fluoride*	2.02	1.00	0.0971	mg/L	10	11/28/23 21:51	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:36	EPA353.2		AWG
pH*	8.13			pH Units	1	11/17/23 11:30	EPA150.1		AES
pH Temperature, degrees C	21.3			pH Units	1	11/17/23 11:30	EPA150.1		AES
Sulfate*	<10.0	10.0	1.24	mg/L	10	11/28/23 21:51	EPA300.0		AWG
Total Dissolved Solids*	3560	20.0		mg/L	2	11/22/23 16:12	EPA160.1		AES
Total Organic Carbon*	19.6	2.50	0.874	mg/L	5	11/23/23 03:11	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.500	0.500	0.440	mg/L	10	11/28/23 19:24	EPA200.7		AES
Calcium*	5.15	1.00	0.618	mg/L	10	11/28/23 19:24	EPA200.7		AES
Hardness as CaCO ₃	22.1	6.62	2.99	mg/L	10	11/28/23 19:24	2340 B		AES
Iron*	0.604	0.500	0.151	mg/L	10	11/28/23 19:24	EPA200.7		AES
Magnesium*	2.23	1.00	0.351	mg/L	10	11/28/23 19:24	EPA200.7		AES
Potassium*	<10.0	10.0	1.04	mg/L	10	11/28/23 19:23	EPA200.7		AES
Silica (SiO ₂)	<10.7	10.7	1.63	mg/L	10	11/28/23 19:24	Calculation		AES
Silicon	<5.00	5.00	0.761	mg/L	10	11/28/23 19:24	EPA200.7		AES
Sodium*	1360	10.0	4.09	mg/L	10	11/28/23 19:23	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0179	0.0050	0.0037	mg/L	10	11/27/23 13:16	EPA200.8		AES
Cadmium*	<0.0050	0.0050	0.0003	mg/L	10	11/27/23 13:16	EPA200.8		AES
Copper*	0.0292	0.0050	0.0042	mg/L	10	11/27/23 13:16	EPA200.8		AES
Lead*	<0.0050	0.0050	0.0004	mg/L	10	11/27/23 13:16	EPA200.8		AES
Manganese*	<0.0050	0.0050	0.0017	mg/L	10	11/27/23 13:16	EPA200.8		AES
Molybdenum*	<0.0050	0.0050	0.0018	mg/L	10	11/27/23 13:16	EPA200.8		AES
Selenium*	0.0216	0.0100	0.0037	mg/L	10	11/27/23 13:16	EPA200.8		AES
Uranium	<0.0050	0.0050	0.0004	mg/L	10	11/27/23 13:16	EPA200.8		AES
Zinc*	<0.0200	0.0200	0.0047	mg/L	10	11/27/23 13:16	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-4-C

2311227-04 (Ground Water)

Sampled Date: 11/16/23 13:27

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	12/01/23 11:57	EPA245.7		CAI

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-99**2311227-05 (Ground Water)****Sampled Date: 11/16/23 13:11**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	980	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	50.0	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	930	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Cation/Anion Balance	-2.07	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	3.66	2.00	0.111	mg/L	2	11/28/23 22:31	EPA300.0		AWG
Fluoride*	4.83	0.200	0.0194	mg/L	2	11/28/23 22:31	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:37	EPA353.2		AWG
pH*	8.64			pH Units	1	11/17/23 11:30	EPA150.1		AES
pH Temperature, degrees C	21.1			pH Units	1	11/17/23 11:30	EPA150.1		AES
Sulfate*	8.12	2.00	0.248	mg/L	2	11/28/23 22:31	EPA300.0		AWG
Total Dissolved Solids*	1030	10.0		mg/L	1	11/22/23 16:14	EPA160.1		AES
Total Organic Carbon*	3.26	1.00	0.350	mg/L	2	11/27/23 15:25	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/28/23 19:26	EPA200.7		AES
Calcium*	0.988	0.200	0.124	mg/L	2	11/28/23 19:26	EPA200.7		AES
Hardness as CaCO ₃	3.76	1.32	0.598	mg/L	2	11/28/23 19:26	2340 B		AES
Iron*	<0.100	0.100	0.030	mg/L	2	11/28/23 19:26	EPA200.7		AES
Magnesium*	0.313	0.200	0.070	mg/L	2	11/28/23 19:26	EPA200.7		AES
Potassium*	<2.00	2.00	0.208	mg/L	2	11/28/23 19:26	EPA200.7		AES
Silica (SiO ₂)	8.64	2.14	0.326	mg/L	2	11/28/23 19:26	Calculation		AES
Silicon	4.04	1.00	0.152	mg/L	2	11/28/23 19:26	EPA200.7		AES
Sodium*	428	2.00	0.818	mg/L	2	11/28/23 19:26	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0099	0.0010	0.0007	mg/L	2	11/27/23 13:17	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 13:17	EPA200.8		AES
Copper*	0.0081	0.0010	0.0008	mg/L	2	11/27/23 13:17	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 13:17	EPA200.8		AES
Manganese*	0.0074	0.0010	0.0003	mg/L	2	11/27/23 13:17	EPA200.8		AES
Molybdenum*	0.0050	0.0010	0.0004	mg/L	2	11/27/23 13:17	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	11/27/23 13:17	EPA200.8		AES
Uranium	0.0070	0.0010	0.00009	mg/L	2	11/27/23 13:17	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 13:17	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-99

2311227-05 (Ground Water)

Sampled Date: 11/16/23 13:11

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	12/01/23 11:59	EPA245.7		CAI

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-3-MI**2311227-06 (Ground Water)****Sampled Date: 11/16/23 14:10**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	630	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	120	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	510	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Cation/Anion Balance	1.00	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	10.7	2.00	0.111	mg/L	2	11/28/23 23:11	EPA300.0		AWG
Fluoride*	0.924	0.200	0.0194	mg/L	2	11/28/23 23:11	EPA300.0		AWG
Nitrate/Nitrite as N*	2.42	0.100	0.014	mg/L as N	5	11/22/23 16:44	EPA353.2		AWG
pH*	8.85			pH Units	1	11/17/23 11:30	EPA150.1		AES
pH Temperature, degrees C	21.6			pH Units	1	11/17/23 11:30	EPA150.1		AES
Sulfate*	241	2.00	0.248	mg/L	2	11/28/23 23:11	EPA300.0		AWG
Total Dissolved Solids*	1050	10.0		mg/L	1	11/22/23 16:16	EPA160.1		AES
Total Organic Carbon*	4.52	0.500	0.175	mg/L	1	11/23/23 04:00	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/28/23 19:31	EPA200.7		AES
Calcium*	1.34	0.200	0.124	mg/L	2	11/28/23 19:31	EPA200.7		AES
Hardness as CaCO ₃	5.20	1.32	0.598	mg/L	2	11/28/23 19:31	2340 B		AES
Iron*	<0.100	0.100	0.030	mg/L	2	11/28/23 19:31	EPA200.7		AES
Magnesium*	0.449	0.200	0.070	mg/L	2	11/28/23 19:31	EPA200.7		AES
Potassium*	<2.00	2.00	0.208	mg/L	2	11/28/23 19:31	EPA200.7		AES
Silica (SiO ₂)	9.17	2.14	0.326	mg/L	2	11/28/23 19:31	Calculation		AES
Silicon	4.29	1.00	0.152	mg/L	2	11/28/23 19:31	EPA200.7		AES
Sodium*	405	2.00	0.818	mg/L	2	11/28/23 19:31	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0084	0.0010	0.0007	mg/L	2	11/27/23 13:19	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 13:19	EPA200.8		AES
Copper*	0.0081	0.0010	0.0008	mg/L	2	11/27/23 13:19	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 13:19	EPA200.8		AES
Manganese*	0.0059	0.0010	0.0003	mg/L	2	11/27/23 13:19	EPA200.8		AES
Molybdenum*	0.0139	0.0010	0.0004	mg/L	2	11/27/23 13:19	EPA200.8		AES
Selenium*	0.0032	0.0020	0.0007	mg/L	2	11/27/23 13:19	EPA200.8		AES
Uranium	0.0026	0.0010	0.00009	mg/L	2	11/27/23 13:19	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 13:19	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-3-MI

2311227-06 (Ground Water)

Sampled Date: 11/16/23 14:10

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	12/01/23 12:26	EPA245.7		CAI

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-3-A

2311227-07 (Ground Water)

Sampled Date: 11/16/23 14:41

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	465	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	455	10.0	6.06	mg/L	5	11/17/23 15:20	2320 B		IDB
Cation/Anion Balance	-0.840	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	16.2	2.00	0.111	mg/L	2	11/29/23 00:31	EPA300.0		AWG
Fluoride*	0.284	0.200	0.0194	mg/L	2	11/29/23 00:31	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:40	EPA353.2		AWG
pH*	8.37			pH Units	1	11/17/23 11:30	EPA150.1		AES
pH Temperature, degrees C	21.3			pH Units	1	11/17/23 11:30	EPA150.1		AES
Sulfate*	552	5.00	0.620	mg/L	5	11/29/23 00:51	EPA300.0		AWG
Total Dissolved Solids*	1290	10.0		mg/L	1	11/22/23 16:18	EPA160.1		AES
Total Organic Carbon*	2.93	0.500	0.175	mg/L	1	11/23/23 04:19	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.150	0.150	0.132	mg/L	3	11/28/23 19:36	EPA200.7		AES
Calcium*	2.57	0.300	0.185	mg/L	3	11/28/23 19:36	EPA200.7		AES
Hardness as CaCO ₃	9.30	1.98	0.897	mg/L	3	11/28/23 19:36	2340 B		AES
Iron*	<0.150	0.150	0.045	mg/L	3	11/28/23 19:36	EPA200.7		AES
Magnesium*	0.702	0.300	0.105	mg/L	3	11/28/23 19:36	EPA200.7		AES
Potassium*	<3.00	3.00	0.311	mg/L	3	11/28/23 19:36	EPA200.7		AES
Silica (SiO ₂)	10.9	3.21	0.488	mg/L	3	11/28/23 19:36	Calculation		AES
Silicon	5.09	1.50	0.228	mg/L	3	11/28/23 19:36	EPA200.7		AES
Sodium*	459	3.00	1.23	mg/L	3	11/28/23 19:36	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0018	mg/L	5	11/27/23 13:21	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0001	mg/L	5	11/27/23 13:21	EPA200.8		AES
Copper*	0.0096	0.0025	0.0021	mg/L	5	11/27/23 13:21	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0002	mg/L	5	11/27/23 13:21	EPA200.8		AES
Manganese*	0.0091	0.0025	0.0009	mg/L	5	11/27/23 13:21	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0009	mg/L	5	11/27/23 13:21	EPA200.8		AES
Selenium*	0.0094	0.0050	0.0018	mg/L	5	11/27/23 13:21	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	11/27/23 13:21	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0024	mg/L	5	11/27/23 13:21	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-3-A

2311227-07 (Ground Water)

Sampled Date: 11/16/23 14:41

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	12/01/23 12:28	EPA245.7		CAI

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-3-C

2311227-08 (Ground Water)

Sampled Date: 11/16/23 15:10

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	2140	10.0	6.06	mg/L	20	11/17/23 15:20	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	20	11/17/23 15:20	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	80.0	10.0	6.06	mg/L	20	11/17/23 15:20	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	2060	10.0	6.06	mg/L	20	11/17/23 15:20	2320 B		IDB
Cation/Anion Balance	-4.19	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	644	10.0	0.555	mg/L	10	11/29/23 01:11	EPA300.0		AWG
Fluoride*	2.91	1.00	0.0971	mg/L	10	11/29/23 01:11	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:41	EPA353.2		AWG
pH*	8.27			pH Units	1	11/17/23 11:30	EPA150.1		AES
pH Temperature, degrees C	21.1			pH Units	1	11/17/23 11:30	EPA150.1		AES
Sulfate*	<10.0	10.0	1.24	mg/L	10	11/29/23 01:11	EPA300.0		AWG
Total Dissolved Solids*	3300	20.0		mg/L	2	11/22/23 16:20	EPA160.1		AES
Total Organic Carbon*	19.2	5.00	1.75	mg/L	10	11/27/23 15:45	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.500	0.500	0.440	mg/L	10	11/28/23 19:40	EPA200.7		AES
Calcium*	3.97	1.00	0.618	mg/L	10	11/28/23 19:40	EPA200.7		AES
Hardness as CaCO ₃	17.7	6.62	2.99	mg/L	10	11/28/23 19:40	2340 B		AES
Iron*	<0.500	0.500	0.151	mg/L	10	11/28/23 19:40	EPA200.7		AES
Magnesium*	1.89	1.00	0.351	mg/L	10	11/28/23 19:40	EPA200.7		AES
Potassium*	<10.0	10.0	1.04	mg/L	10	11/28/23 19:40	EPA200.7		AES
Silica (SiO ₂)	<10.7	10.7	1.63	mg/L	10	11/28/23 19:40	Calculation		AES
Silicon	<5.00	5.00	0.761	mg/L	10	11/28/23 19:40	EPA200.7		AES
Sodium*	1270	10.0	4.09	mg/L	10	11/28/23 19:40	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0170	0.0050	0.0037	mg/L	10	11/27/23 13:22	EPA200.8		AES
Cadmium*	<0.0050	0.0050	0.0003	mg/L	10	11/27/23 13:22	EPA200.8		AES
Copper*	0.0293	0.0050	0.0042	mg/L	10	11/27/23 13:22	EPA200.8		AES
Lead*	<0.0050	0.0050	0.0004	mg/L	10	11/27/23 13:22	EPA200.8		AES
Manganese*	<0.0050	0.0050	0.0017	mg/L	10	11/27/23 13:22	EPA200.8		AES
Molybdenum*	0.0059	0.0050	0.0018	mg/L	10	11/27/23 13:22	EPA200.8		AES
Selenium*	0.0282	0.0100	0.0037	mg/L	10	11/27/23 13:22	EPA200.8		AES
Uranium	<0.0050	0.0050	0.0004	mg/L	10	11/27/23 13:22	EPA200.8		AES
Zinc*	<0.0200	0.0200	0.0047	mg/L	10	11/27/23 13:22	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

MW-3-C

2311227-08 (Ground Water)

Sampled Date: 11/16/23 15:10

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	12/01/23 12:31	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B233369 - General Prep - Wet Chem										
Blank (B233369-BLK1)				Prepared & Analyzed: 11/22/23						
Total Organic Carbon	ND	0.500	mg/L							
LCS (B233369-BS1)				Prepared & Analyzed: 11/22/23						
Total Organic Carbon	9.62	0.500	mg/L	10.0		96.2	85-115			
LCS Dup (B233369-BSD1)				Prepared & Analyzed: 11/22/23						
Total Organic Carbon	9.54	0.500	mg/L	10.0		95.4	85-115	0.804	20	
Batch B233465 - General Prep - Wet Chem										
Blank (B233465-BLK1)				Prepared & Analyzed: 11/17/23						
Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							
LCS (B233465-BS1)				Prepared & Analyzed: 11/17/23						
Alkalinity, Total as CaCO ₃	91.0	10.0	mg/L	100		91.0	85-115			
LCS Dup (B233465-BSD1)				Prepared & Analyzed: 11/17/23						
Alkalinity, Total as CaCO ₃	102	10.0	mg/L	100		102	85-115	11.4	20	
Reference (B233465-SRM1)				Prepared & Analyzed: 11/17/23						
Alkalinity, Total as CaCO ₃	75.0	10.0	mg/L	72.7		103	85-115			
Batch B233466 - General Prep - Wet Chem										
Reference (B233466-SRM1)				Prepared: 11/17/23 Analyzed: 11/22/23						
pH	7.02		pH Units	7.00		100	98.57-101.42			
Batch B233471 - Lachat										
Blank (B233471-BLK1)				Prepared: 11/20/23 Analyzed: 11/22/23						
Nitrate/Nitrite as N	ND	0.020	mg/L as N							
LCS (B233471-BS1)				Prepared: 11/20/23 Analyzed: 11/22/23						
Nitrate/Nitrite as N	1.01	0.020	mg/L as N	1.00		101	90-110			
LCS Dup (B233471-BSD1)				Prepared: 11/20/23 Analyzed: 11/22/23						
Nitrate/Nitrite as N	1.04	0.020	mg/L as N	1.00		104	90-110	3.00	20	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

General Chemistry - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B233485 - General Prep - Wet Chem

Blank (B233485-BLK1)

Prepared: 11/21/23 Analyzed: 11/22/23

Total Dissolved Solids	ND	10.0	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Reference (B233485-SRM1)

Prepared: 11/21/23 Analyzed: 11/22/23

Total Dissolved Solids	360	10.0	mg/L	400		90.0	85-115			
------------------------	-----	------	------	-----	--	------	--------	--	--	--

Batch B233552 - IC- Ion Chromatograph

Blank (B233552-BLK1)

Prepared: 11/28/23 Analyzed: 11/29/23

Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

LCS (B233552-BS1)

Prepared: 11/28/23 Analyzed: 11/29/23

Chloride	25.3	1.00	mg/L	25.0		101	90-110			
Fluoride	2.54	0.100	mg/L	2.50		102	90-110			
Sulfate	24.7	1.00	mg/L	25.0		98.8	90-110			

LCS Dup (B233552-BSD1)

Prepared: 11/28/23 Analyzed: 11/29/23

Chloride	25.2	1.00	mg/L	25.0		101	90-110	0.0713	20	
Fluoride	2.55	0.100	mg/L	2.50		102	90-110	0.432	20	
Sulfate	24.7	1.00	mg/L	25.0		98.9	90-110	0.0809	20	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233535 - Dissolved ICP

Blank (B233535-BLK1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	ND	0.050	mg/L							
Calcium	ND	0.100	mg/L							
Iron	ND	0.050	mg/L							
Magnesium	ND	0.100	mg/L							
Potassium	ND	1.00	mg/L							
Silicon	ND	0.500	mg/L							
Sodium	ND	1.00	mg/L							

LCS (B233535-BS1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	4.12	0.050	mg/L	4.00		103	85-115			
Calcium	3.92	0.100	mg/L	4.00		97.9	85-115			
Iron	3.93	0.050	mg/L	4.00		98.2	85-115			
Magnesium	20.5	0.100	mg/L	20.0		102	85-115			
Potassium	7.83	1.00	mg/L	8.00		97.9	85-115			
Silicon	4.25	0.500	mg/L	4.00		106	85-115			
Sodium	3.30	1.00	mg/L	3.24		102	85-115			

LCS Dup (B233535-BS1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	4.12	0.050	mg/L	4.00		103	85-115	0.0157	20	
Calcium	3.93	0.100	mg/L	4.00		98.3	85-115	0.384	20	
Iron	3.95	0.050	mg/L	4.00		98.9	85-115	0.637	20	
Magnesium	20.5	0.100	mg/L	20.0		102	85-115	0.0544	20	
Potassium	7.84	1.00	mg/L	8.00		98.0	85-115	0.102	20	
Silicon	4.24	0.500	mg/L	4.00		106	85-115	0.200	20	
Sodium	3.24	1.00	mg/L	3.24		100	85-115	1.79	20	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233529 - Dissolved ICPMS

Blank (B233529-BLK1)

Prepared & Analyzed: 11/27/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B233529-BS1)

Prepared & Analyzed: 11/27/23

Arsenic	0.0523	0.0005	mg/L	0.0500	105	85-115
Cadmium	0.0516	0.0005	mg/L	0.0500	103	85-115
Copper	0.0499	0.0005	mg/L	0.0500	99.8	85-115
Lead	0.0498	0.0005	mg/L	0.0500	99.6	85-115
Manganese	0.0531	0.0005	mg/L	0.0500	106	85-115
Molybdenum	0.0509	0.0005	mg/L	0.0500	102	85-115
Selenium	0.263	0.0010	mg/L	0.250	105	85-115
Uranium	0.0537	0.0005	mg/L	0.0500	107	85-115
Zinc	0.0484	0.0020	mg/L	0.0500	96.9	85-115

LCS Dup (B233529-BSD1)

Prepared & Analyzed: 11/27/23

Arsenic	0.0524	0.0005	mg/L	0.0500	105	85-115	0.0608	20
Cadmium	0.0514	0.0005	mg/L	0.0500	103	85-115	0.431	20
Copper	0.0510	0.0005	mg/L	0.0500	102	85-115	2.20	20
Lead	0.0502	0.0005	mg/L	0.0500	100	85-115	0.707	20
Manganese	0.0530	0.0005	mg/L	0.0500	106	85-115	0.170	20
Molybdenum	0.0511	0.0005	mg/L	0.0500	102	85-115	0.380	20
Selenium	0.261	0.0010	mg/L	0.250	104	85-115	0.607	20
Uranium	0.0530	0.0005	mg/L	0.0500	106	85-115	1.32	20
Zinc	0.0494	0.0020	mg/L	0.0500	98.8	85-115	2.00	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:40

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233526 - EPA 245.7

Blank (B233526-BLK1)

Prepared: 11/27/23 Analyzed: 12/01/23

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B233526-BS1)

Prepared: 11/27/23 Analyzed: 12/01/23

Mercury	1900	100	ng/L	2000	94.9	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B233526-BSD1)

Prepared: 11/27/23 Analyzed: 12/01/23

Mercury	1830	100	ng/L	2000	91.6	76-113	3.49	20
---------	------	-----	------	------	------	--------	------	----


Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com
75 Suttle St Durango, CO 81303

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

Page 25 of 27 2311227 GAL FINAL 12 06 23 1340 12/06/23 13:40:52

Project Information

Table of Contents
Printed: 11/16/2023 3:59 pm

GCC Energy, LLC

6473 CR 120
Hesperus, CO 81326
Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528
Fax: (970) 385-4638

Project Name: GCC GW Baseline
Project Number:
Client PM: Tom Bird
Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

All metals are field filtered. Send out preserved bottles



SAMPLE CONDITION RECEIPT FORM

Client Name: G.C.C. PhorayWork Order # 2311-222Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ KangarooCustody Seals on Box/Cooler Present: ☐ Yes ☒ NoSeals Intact: ☐ Yes ☐ NoThermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ NoType of Ice: ☒ Wet ☐ Blue ☐ NoneCooler Temp: Observed Temp: 9.3 °C Correction Factor: 0 °C Final Temp: 9.3 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: 11/16/23
SLLabeled by initials: _____
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☐ Yes ☒ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>2H</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11.
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC:	☒ Yes ☐ No	12.
-Includes Date/Time/ID		
Matrix:	<u>WT</u> <u>SL</u> <u>OT</u>	
Trip Blank Present:	☐ Yes ☒ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☒ No ☐ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

30 November 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: [none]

Enclosed are the results of analyses for samples received by the laboratory on 11/13/23 15:45. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-18

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 12:48

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-8-EAA	2311155-01	Water	11/13/23 12:01	11/13/23 15:45	
MW-8-MI	2311155-02	Water	11/13/23 12:34	11/13/23 15:45	
MW-8-PL	2311155-03	Water	11/13/23 13:12	11/13/23 15:45	
MW-8-LM	2311155-04	Water	11/13/23 13:35	11/13/23 15:45	
MW-7-EAA	2311155-05	Water	11/13/23 14:24	11/13/23 15:45	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 12:48

MW-8-EAA

2311155-01 (Ground Water)
Sampled Date: 11/13/23 12:01

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	415	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	415	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Cation/Anion Balance	-2.59	-100	-100	%	1	11/22/23 11:56	Calculation		JDA
Chloride*	12.2	2.00	0.111	mg/L	2	11/27/23 14:16	EPA300.0		AWG
Fluoride*	0.266	0.200	0.0194	mg/L	2	11/27/23 14:16	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:18	EPA353.2		AWG
pH*	7.43			pH Units	1	11/14/23 15:01	EPA150.1		CAI
pH Temperature, degrees C	19.6			pH Units	1	11/14/23 15:01	EPA150.1		CAI
Sulfate*	748	5.00	0.620	mg/L	5	11/27/23 15:15	EPA300.0		AWG
Total Dissolved Solids*	1430	10.0		mg/L	1	11/20/23 17:25	EPA160.1		JDA
Total Organic Carbon*	3.64	0.500	0.175	mg/L	1	11/22/23 23:49	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/21/23 14:56	EPA200.7		JDA
Calcium*	156	0.200	0.124	mg/L	2	11/21/23 14:55	EPA200.7		JDA
Hardness as CaCO ₃	901	1.32	0.598	mg/L	2	11/21/23 14:55	2340 B		JDA
Iron*	2.24	0.100	0.030	mg/L	2	11/21/23 14:56	EPA200.7		JDA
Magnesium*	125	0.200	0.070	mg/L	2	11/21/23 14:55	EPA200.7		JDA
Potassium*	3.24	2.00	0.208	mg/L	2	11/21/23 14:55	EPA200.7		JDA
Silica (SiO ₂)	16.5	2.14	0.326	mg/L	2	11/21/23 14:56	Calculation		JDA
Silicon	7.72	1.00	0.152	mg/L	2	11/21/23 14:56	EPA200.7		JDA
Sodium*	77.4	2.00	0.818	mg/L	2	11/21/23 14:55	EPA200.7		JDA

Dissolved Metals by ICPMS

Arsenic*	0.0020	0.0010	0.0007	mg/L	2	11/27/23 12:18	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 12:18	EPA200.8		AES
Copper*	0.0020	0.0010	0.0008	mg/L	2	11/27/23 12:18	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 12:18	EPA200.8		AES
Manganese*	4.16	0.0050	0.0017	mg/L	10	11/27/23 16:30	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0004	mg/L	2	11/27/23 12:18	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	11/27/23 12:18	EPA200.8		AES
Uranium	0.0019	0.0010	0.00009	mg/L	2	11/27/23 12:18	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 12:18	EPA200.8		AES

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 12:48

MW-8-EAA

2311155-01 (Ground Water)
Sampled Date: 11/13/23 12:01

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	11/27/23 13:55	EPA245.7		CAI

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom BirdReported:
11/30/23 12:48

MW-8-MI

2311155-02 (Ground Water)

Sampled Date: 11/13/23 12:34

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	560	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	560	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Cation/Anion Balance	-1.32	-100	-100	%	1	11/22/23 11:56	Calculation		JDA
Chloride*	8.35	2.00	0.111	mg/L	2	11/27/23 15:36	EPA300.0		AWG
Fluoride*	<0.200	0.200	0.0194	mg/L	2	11/27/23 15:36	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:22	EPA353.2		AWG
pH*	7.66			pH Units	1	11/14/23 15:01	EPA150.1		CAI
pH Temperature, degrees C	20.0			pH Units	1	11/14/23 15:01	EPA150.1		CAI
Sulfate*	320	2.00	0.248	mg/L	2	11/27/23 15:36	EPA300.0		AWG
Total Dissolved Solids*	1050	10.0		mg/L	1	11/20/23 17:27	EPA160.1		JDA
Total Organic Carbon*	2.76	0.500	0.175	mg/L	1	11/27/23 18:25	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/21/23 15:00	EPA200.7		JDA
Calcium*	66.3	0.200	0.124	mg/L	2	11/21/23 15:00	EPA200.7		JDA
Hardness as CaCO ₃	361	1.32	0.598	mg/L	2	11/21/23 15:00	2340 B		JDA
Iron*	<0.100	0.100	0.030	mg/L	2	11/21/23 15:00	EPA200.7		JDA
Magnesium*	47.5	0.200	0.070	mg/L	2	11/21/23 15:00	EPA200.7		JDA
Potassium*	5.12	2.00	0.208	mg/L	2	11/21/23 15:00	EPA200.7		JDA
Silica (SiO ₂)	13.8	2.14	0.326	mg/L	2	11/21/23 15:00	Calculation		JDA
Silicon	6.45	1.00	0.152	mg/L	2	11/21/23 15:00	EPA200.7		JDA
Sodium*	215	2.00	0.818	mg/L	2	11/21/23 15:00	EPA200.7		JDA

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0007	mg/L	2	11/27/23 12:20	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 12:20	EPA200.8		AES
Copper*	0.0044	0.0010	0.0008	mg/L	2	11/27/23 12:20	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 12:20	EPA200.8		AES
Manganese*	0.0562	0.0010	0.0003	mg/L	2	11/27/23 12:20	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0004	mg/L	2	11/27/23 12:20	EPA200.8		AES
Selenium*	0.0076	0.0020	0.0007	mg/L	2	11/27/23 12:20	EPA200.8		AES
Uranium	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 12:20	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 12:20	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 12:48

MW-8-MI

2311155-02 (Ground Water)
Sampled Date: 11/13/23 12:34

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	11/27/23 14:02	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 12:48

MW-8-PL

2311155-03 (Ground Water)

Sampled Date: 11/13/23 13:12

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	335	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	335	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Cation/Anion Balance	5.76	-100	-100	%	1	11/22/23 11:56	Calculation		JDA
Chloride*	3.58	1.00	0.0555	mg/L	1	11/27/23 16:15	EPA300.0		AWG
Fluoride*	0.159	0.100	0.00971	mg/L	1	11/27/23 16:15	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:23	EPA353.2		AWG
pH*	7.70			pH Units	1	11/14/23 15:01	EPA150.1		CAI
pH Temperature, degrees C	19.9			pH Units	1	11/14/23 15:01	EPA150.1		CAI
Sulfate*	104	1.00	0.124	mg/L	1	11/27/23 16:15	EPA300.0		AWG
Total Dissolved Solids*	505	10.0		mg/L	1	11/20/23 17:29	EPA160.1		JDA
Total Organic Carbon*	<1.00	1.00	0.350	mg/L	2	11/28/23 12:31	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.044	mg/L	1	11/21/23 15:05	EPA200.7		JDA
Calcium*	51.4	0.100	0.062	mg/L	1	11/21/23 15:05	EPA200.7		JDA
Hardness as CaCO ₃	269	0.662	0.299	mg/L	1	11/21/23 15:05	2340 B		JDA
Iron*	0.051	0.050	0.015	mg/L	1	11/21/23 15:05	EPA200.7		JDA
Magnesium*	34.1	0.100	0.035	mg/L	1	11/21/23 15:05	EPA200.7		JDA
Potassium*	1.46	1.00	0.104	mg/L	1	11/21/23 15:05	EPA200.7		JDA
Silica (SiO ₂)	20.8	1.07	0.163	mg/L	1	11/21/23 15:05	Calculation		JDA
Silicon	9.71	0.500	0.076	mg/L	1	11/21/23 15:05	EPA200.7		JDA
Sodium*	75.1	1.00	0.409	mg/L	1	11/21/23 15:05	EPA200.7		JDA

Dissolved Metals by ICPMS

Arsenic*	0.0030	0.0005	0.0004	mg/L	1	11/27/23 12:21	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.00003	mg/L	1	11/27/23 12:21	EPA200.8		AES
Copper*	0.0026	0.0005	0.0004	mg/L	1	11/27/23 12:21	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00004	mg/L	1	11/27/23 12:21	EPA200.8		AES
Manganese*	0.105	0.0005	0.0002	mg/L	1	11/27/23 12:21	EPA200.8		AES
Molybdenum*	<0.0005	0.0005	0.0002	mg/L	1	11/27/23 12:21	EPA200.8		AES
Selenium*	<0.0010	0.0010	0.0004	mg/L	1	11/27/23 12:21	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00004	mg/L	1	11/27/23 12:21	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0005	mg/L	1	11/27/23 12:21	EPA200.8		AES

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 12:48

MW-8-PL

2311155-03 (Ground Water)
Sampled Date: 11/13/23 13:12

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	11/27/23 14:05	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica J. Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 12:48

MW-8-LM

2311155-04 (Ground Water)
Sampled Date: 11/13/23 13:35

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	700	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	80.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	620	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Cation/Anion Balance	-1.83	-100	-100	%	1	11/22/23 11:56	Calculation		JDA
Chloride*	2.75	2.00	0.111	mg/L	2	11/27/23 16:35	EPA300.0		AWG
Fluoride*	3.42	0.200	0.0194	mg/L	2	11/27/23 16:35	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:24	EPA353.2		AWG
pH*	8.84			pH Units	1	11/14/23 15:01	EPA150.1		CAI
pH Temperature, degrees C	19.8			pH Units	1	11/14/23 15:01	EPA150.1		CAI
Sulfate*	<2.00	2.00	0.248	mg/L	2	11/27/23 16:35	EPA300.0		AWG
Total Dissolved Solids*	755	10.0		mg/L	1	11/20/23 17:31	EPA160.1		JDA
Total Organic Carbon*	1.70	0.500	0.175	mg/L	1	11/27/23 19:56	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.044	mg/L	1	11/21/23 15:07	EPA200.7		JDA
Calcium*	1.87	0.100	0.062	mg/L	1	11/21/23 15:07	EPA200.7		JDA
Hardness as CaCO ₃	7.08	0.662	0.299	mg/L	1	11/21/23 15:07	2340 B		JDA
Iron*	<0.050	0.050	0.015	mg/L	1	11/21/23 15:07	EPA200.7		JDA
Magnesium*	0.583	0.100	0.035	mg/L	1	11/21/23 15:07	EPA200.7		JDA
Potassium*	2.07	1.00	0.104	mg/L	1	11/21/23 15:07	EPA200.7		JDA
Silica (SiO ₂)	8.14	1.07	0.163	mg/L	1	11/21/23 15:07	Calculation		JDA
Silicon	3.80	0.500	0.076	mg/L	1	11/21/23 15:07	EPA200.7		JDA
Sodium*	299	1.00	0.409	mg/L	1	11/21/23 15:07	EPA200.7		JDA

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0007	mg/L	2	11/27/23 12:24	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 12:24	EPA200.8		AES
Copper*	0.0068	0.0010	0.0008	mg/L	2	11/27/23 12:24	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 12:24	EPA200.8		AES
Manganese*	0.0027	0.0010	0.0003	mg/L	2	11/27/23 12:24	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0004	mg/L	2	11/27/23 12:24	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	11/27/23 12:24	EPA200.8		AES
Uranium	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 12:24	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 12:24	EPA200.8		AES

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 12:48

MW-8-LM

2311155-04 (Ground Water)
Sampled Date: 11/13/23 13:35

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	11/27/23 14:07	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom BirdReported:
11/30/23 12:48

MW-7-EAA

2311155-05 (Ground Water)

Sampled Date: 11/13/23 14:24

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	425	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	425	10.0	6.06	mg/L	5	11/17/23 09:30	2320 B		IDB
Cation/Anion Balance	-1.91	-100	-100	%	1	11/22/23 11:56	Calculation		JDA
Chloride*	11.9	2.00	0.111	mg/L	2	11/27/23 16:55	EPA300.0		AWG
Fluoride*	0.238	0.200	0.0194	mg/L	2	11/27/23 16:55	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	11/22/23 16:25	EPA353.2		AWG
pH*	7.16			pH Units	1	11/14/23 15:01	EPA150.1		CAI
pH Temperature, degrees C	19.9			pH Units	1	11/14/23 15:01	EPA150.1		CAI
Sulfate*	828	5.00	0.620	mg/L	5	11/27/23 17:15	EPA300.0		AWG
Total Dissolved Solids*	1560	10.0		mg/L	1	11/20/23 17:33	EPA160.1		JDA
Total Organic Carbon*	4.24	1.00	0.350	mg/L	2	11/28/23 12:53	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.088	mg/L	2	11/21/23 15:12	EPA200.7		JDA
Calcium*	173	0.200	0.124	mg/L	2	11/21/23 15:12	EPA200.7		JDA
Hardness as CaCO ₃	1010	1.32	0.598	mg/L	2	11/21/23 15:12	2340 B		JDA
Iron*	0.251	0.100	0.030	mg/L	2	11/21/23 15:12	EPA200.7		JDA
Magnesium*	141	0.200	0.070	mg/L	2	11/21/23 15:12	EPA200.7		JDA
Potassium*	3.46	2.00	0.208	mg/L	2	11/21/23 15:12	EPA200.7		JDA
Silica (SiO ₂)	16.5	2.14	0.326	mg/L	2	11/21/23 15:12	Calculation		JDA
Silicon	7.72	1.00	0.152	mg/L	2	11/21/23 15:12	EPA200.7		JDA
Sodium*	77.1	2.00	0.818	mg/L	2	11/21/23 15:12	EPA200.7		JDA

Dissolved Metals by ICPMS

Arsenic*	0.0010	0.0010	0.0007	mg/L	2	11/27/23 12:25	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.00005	mg/L	2	11/27/23 12:25	EPA200.8		AES
Copper*	0.0018	0.0010	0.0008	mg/L	2	11/27/23 12:25	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00009	mg/L	2	11/27/23 12:25	EPA200.8		AES
Manganese*	4.40	0.0050	0.0017	mg/L	10	11/27/23 16:31	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.0004	mg/L	2	11/27/23 12:25	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0007	mg/L	2	11/27/23 12:25	EPA200.8		AES
Uranium	0.0025	0.0010	0.00009	mg/L	2	11/27/23 12:25	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0009	mg/L	2	11/27/23 12:25	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
11/30/23 12:48

MW-7-EAA

2311155-05 (Ground Water)
Sampled Date: 11/13/23 14:24

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	11/27/23 14:10	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom BirdReported:
11/30/23 12:48

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233369 - General Prep - Wet Chem

Blank (B233369-BLK1)

Prepared & Analyzed: 11/22/23

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B233369-BS1)

Prepared & Analyzed: 11/22/23

Total Organic Carbon	9.62	0.500	mg/L	10.0	96.2	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B233369-BSD1)

Prepared & Analyzed: 11/22/23

Total Organic Carbon	9.54	0.500	mg/L	10.0	95.4	85-115	0.804	20
----------------------	------	-------	------	------	------	--------	-------	----

Batch B233414 - General Prep - Wet Chem

Reference (B233414-SRM1)

Prepared & Analyzed: 11/14/23

pH	6.98		pH Units	7.00	99.7	98.57-101.42
----	------	--	----------	------	------	--------------

Batch B233463 - General Prep - Wet Chem

Blank (B233463-BLK1)

Prepared & Analyzed: 11/17/23

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L

LCS (B233463-BS1)

Prepared & Analyzed: 11/17/23

Alkalinity, Total as CaCO ₃	101	10.0	mg/L	100	101	85-115
--	-----	------	------	-----	-----	--------

LCS Dup (B233463-BSD1)

Prepared & Analyzed: 11/17/23

Alkalinity, Total as CaCO ₃	99.0	10.0	mg/L	100	99.0	85-115	2.00	20
--	------	------	------	-----	------	--------	------	----

Reference (B233463-SRM1)

Prepared & Analyzed: 11/17/23

Alkalinity, Total as CaCO ₃	73.0	10.0	mg/L	72.7	100	85-115
--	------	------	------	------	-----	--------

Batch B233467 - General Prep - Wet Chem

Blank (B233467-BLK1)

Prepared: 11/17/23 Analyzed: 11/20/23

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B233467-SRM1)

Prepared: 11/17/23 Analyzed: 11/20/23

Total Dissolved Solids	380	10.0	mg/L	400	95.0	85-115
------------------------	-----	------	------	-----	------	--------

Batch B233471 - Lachat

Blank (B233471-BLK1)

Prepared: 11/20/23 Analyzed: 11/22/23

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom BirdReported:
11/30/23 12:48General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B233471 - Lachat (Continued)

Blank (B233471-BLK1) (Continued)

Prepared: 11/20/23 Analyzed: 11/22/23

Nitrate/Nitrite as N ND 0.020 mg/L as N

LCS (B233471-BS1)

Prepared: 11/20/23 Analyzed: 11/22/23

Nitrate/Nitrite as N 1.01 0.020 mg/L as N 1.00 101 90-110

LCS Dup (B233471-BSD1)

Prepared: 11/20/23 Analyzed: 11/22/23

Nitrate/Nitrite as N 1.04 0.020 mg/L as N 1.00 104 90-110 3.00 20

Batch B233511 - IC- Ion Chromatograph

Blank (B233511-BLK1)

Prepared & Analyzed: 11/27/23

Chloride ND 1.00 mg/L
Fluoride ND 0.100 mg/L
Sulfate ND 1.00 mg/L

LCS (B233511-BS1)

Prepared & Analyzed: 11/27/23

Chloride 24.9 1.00 mg/L 25.0 99.6 90-110
Fluoride 2.41 0.100 mg/L 2.50 96.6 90-110
Sulfate 24.1 1.00 mg/L 25.0 96.5 90-110

LCS Dup (B233511-BSD1)

Prepared & Analyzed: 11/27/23

Chloride 24.9 1.00 mg/L 25.0 99.5 90-110 0.100 20
Fluoride 2.44 0.100 mg/L 2.50 97.6 90-110 1.03 20
Sulfate 24.2 1.00 mg/L 25.0 97.0 90-110 0.476 20

Batch B233530 - General Prep - Wet Chem

Blank (B233530-BLK1)

Prepared & Analyzed: 11/27/23

Total Organic Carbon ND 0.500 mg/L

LCS (B233530-BS1)

Prepared & Analyzed: 11/27/23

Total Organic Carbon 9.66 0.500 mg/L 10.0 96.6 85-115

LCS Dup (B233530-BSD1)

Prepared & Analyzed: 11/27/23

Total Organic Carbon 9.81 0.500 mg/L 10.0 98.1 85-115 1.53 20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom BirdReported:
11/30/23 12:48

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233489 - Dissolved ICP

Blank (B233489-BLK1)

Prepared & Analyzed: 11/21/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B233489-BS1)

Prepared & Analyzed: 11/21/23

Aluminum	4.91	0.050	mg/L	5.00	98.2	85-115
Calcium	4.68	0.100	mg/L	5.00	93.6	85-115
Iron	4.74	0.050	mg/L	5.00	94.8	85-115
Magnesium	24.4	0.100	mg/L	25.0	97.4	85-115
Potassium	9.73	1.00	mg/L	10.0	97.3	85-115
Silicon	5.01	0.500	mg/L	5.00	100	85-115
Sodium	3.91	1.00	mg/L	4.05	96.5	85-115

LCS Dup (B233489-BSD1)

Prepared & Analyzed: 11/21/23

Aluminum	4.85	0.050	mg/L	5.00	97.0	85-115	1.31	20
Calcium	4.69	0.100	mg/L	5.00	93.7	85-115	0.125	20
Iron	4.68	0.050	mg/L	5.00	93.5	85-115	1.36	20
Magnesium	24.1	0.100	mg/L	25.0	96.6	85-115	0.876	20
Potassium	9.48	1.00	mg/L	10.0	94.8	85-115	2.68	20
Silicon	4.96	0.500	mg/L	5.00	99.1	85-115	1.11	20
Sodium	3.83	1.00	mg/L	4.05	94.7	85-115	1.90	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom BirdReported:
11/30/23 12:48

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233491 - Dissolved ICPMS

Blank (B233491-BLK1)

Prepared: 11/21/23 Analyzed: 11/27/23

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B233491-BS1)

Prepared: 11/21/23 Analyzed: 11/27/23

Arsenic	0.0512	0.0005	mg/L	0.0500	102	85-115
Cadmium	0.0511	0.0005	mg/L	0.0500	102	85-115
Copper	0.0504	0.0005	mg/L	0.0500	101	85-115
Lead	0.0497	0.0005	mg/L	0.0500	99.4	85-115
Manganese	0.0520	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0500	0.0005	mg/L	0.0500	100	85-115
Selenium	0.253	0.0010	mg/L	0.250	101	85-115
Uranium	0.0522	0.0005	mg/L	0.0500	104	85-115
Zinc	0.0492	0.0020	mg/L	0.0500	98.3	85-115

LCS Dup (B233491-BSD1)

Prepared: 11/21/23 Analyzed: 11/27/23

Arsenic	0.0524	0.0005	mg/L	0.0500	105	85-115	2.43	20
Cadmium	0.0509	0.0005	mg/L	0.0500	102	85-115	0.460	20
Copper	0.0502	0.0005	mg/L	0.0500	100	85-115	0.367	20
Lead	0.0496	0.0005	mg/L	0.0500	99.1	85-115	0.296	20
Manganese	0.0521	0.0005	mg/L	0.0500	104	85-115	0.154	20
Molybdenum	0.0504	0.0005	mg/L	0.0500	101	85-115	0.852	20
Selenium	0.254	0.0010	mg/L	0.250	102	85-115	0.537	20
Uranium	0.0528	0.0005	mg/L	0.0500	106	85-115	1.07	20
Zinc	0.0496	0.0020	mg/L	0.0500	99.2	85-115	0.839	20

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: [none]
Project Manager: Tom BirdReported:
11/30/23 12:48

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233450 - EPA 245.7

Blank (B233450-BLK1)

Prepared: 11/16/23 Analyzed: 11/27/23

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B233450-BS1)

Prepared: 11/16/23 Analyzed: 11/27/23

Mercury	1750	100	ng/L	2000	87.7	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B233450-BSD1)

Prepared: 11/16/23 Analyzed: 11/27/23

Mercury	1720	100	ng/L	2000	86.2	76-113	1.76	20
---------	------	-----	------	------	------	--------	------	----

Notes and Definitions

Q8	Sample(s) not received on ice.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

[illegible]

Project Information

Printed: 11/13/2023 3:44 pm

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC GW Baseline

Project Number: GCC GW Baseline

Client PM: Tom Bird

Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	

All metals are field filtered. Send out preserved bottles



SAMPLE CONDITION RECEIPT FORM

Client Name: BCC EnergyWork Order # 2311-155Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ KangarooCustody Seals on Box/Cooler Present: ☐ Yes ☒ NoSeals Intact: ☐ Yes ☐ NoThermometer Used: #2 Samples on ice, cooling process has begun: ☐ Yes ☒ NoType of Ice: ☐ Wet ☐ Blue ☒ NoneCooler Temp: Observed Temp: 13.8 °C Correction Factor: 0 °C Final Temp: 13.8 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: 11/13/23
ETLabeled by initials: _____
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☐ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>3H</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☐ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11.
Field Filtered: ☒ Yes ☐ No	<u>Van 11-14</u>	
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix:	<u>WT</u> SL OT	
Trip Blank Present:	☐ Yes ☒ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☒ No ☐ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

06 December 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: [none]

Enclosed are the results of analyses for samples received by the laboratory on 11/17/23 16:19. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, reading 'Jeremy D. Allen', is written in a cursive style.

Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-18

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16

Table of Contents

Samples in Report	3
Sample Results	4
Quality Assurance Results	6
Notes and Definitions	10
Chain of Custody & Attachments	11



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:44

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
SEEP #1	2311249-01	Water	11/17/23 14:32	11/17/23 16:19	

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:44

SEEP #1

2311249-01 (Water)

Sampled Date: 11/17/23 14:32

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	250	10.0	6.06	mg/L	5	11/21/23 08:40	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/21/23 08:40	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	11/21/23 08:40	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	250	10.0	6.06	mg/L	5	11/21/23 08:40	2320 B		IDB
Cation/Anion Balance	-0.520	-100	-100	%	1	11/30/23 14:25	Calculation		JDA
Chloride*	23.5	10.0	0.555	mg/L	10	11/30/23 11:43	EPA300.0		AWG
Fluoride*	<1.00	1.00	0.0971	mg/L	10	11/30/23 11:43	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	12/01/23 15:33	EPA353.2		AES
pH*	7.66			pH Units	1	11/17/23 15:38	EPA150.1		AES
pH Temperature, degrees C	17.8			pH Units	1	11/17/23 15:38	EPA150.1		AES
SAR	4.32			No Unit	1	11/28/23 19:43	Calculation		AES
Sulfate*	4430	25.0	3.10	mg/L	25	11/30/23 12:03	EPA300.0		AWG
Total Dissolved Solids*	6980	40.0		mg/L	4	11/22/23 18:12	EPA160.1		AES
Total Organic Carbon*	5.64	0.500	0.175	mg/L	1	11/27/23 23:38	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.500	0.500	0.440	mg/L	10	11/28/23 19:43	EPA200.7		AES
Calcium*	514	1.00	0.618	mg/L	10	11/28/23 19:43	EPA200.7		AES
Hardness as CaCO ₃	3470	6.62	2.99	mg/L	10	11/28/23 19:43	2340 B		AES
Iron*	<0.500	0.500	0.151	mg/L	10	11/28/23 19:43	EPA200.7		AES
Magnesium*	532	1.00	0.351	mg/L	10	11/28/23 19:43	EPA200.7		AES
Potassium*	12.7	10.0	1.04	mg/L	10	11/28/23 19:43	EPA200.7		AES
Silica (SiO ₂)	25.1	10.7	1.63	mg/L	10	11/28/23 19:43	Calculation		AES
Silicon	11.7	5.00	0.761	mg/L	10	11/28/23 19:43	EPA200.7		AES
Sodium*	585	10.0	4.09	mg/L	10	11/28/23 19:43	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0050	0.0050	0.0037	mg/L	10	11/27/23 13:24	EPA200.8		AES
Cadmium*	<0.0050	0.0050	0.0003	mg/L	10	11/27/23 13:24	EPA200.8		AES
Copper*	0.0141	0.0050	0.0042	mg/L	10	11/27/23 13:24	EPA200.8		AES
Lead*	<0.0050	0.0050	0.0004	mg/L	10	11/27/23 13:24	EPA200.8		AES
Manganese*	0.314	0.0050	0.0017	mg/L	10	11/27/23 13:24	EPA200.8		AES
Molybdenum*	<0.0050	0.0050	0.0018	mg/L	10	11/27/23 13:24	EPA200.8		AES
Selenium*	<0.0100	0.0100	0.0037	mg/L	10	11/27/23 13:24	EPA200.8		AES
Uranium	<0.0050	0.0050	0.0004	mg/L	10	11/27/23 13:24	EPA200.8		AES
Zinc*	<0.0200	0.0200	0.0047	mg/L	10	11/27/23 13:24	EPA200.8		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:44

SEEP #1

2311249-01 (Water)

Sampled Date: 11/17/23 14:32

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAFS

Mercury	<100	100	24.8	ng/L	1	12/01/23 12:33	EPA245.7		CAI
---------	------	-----	------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:44

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B233472 - General Prep - Wet Chem										
Reference (B233472-SRM1)				Prepared & Analyzed: 11/17/23						
pH	7.02		pH Units	7.00		100	98.57-101.42			
Batch B233483 - General Prep - Wet Chem										
Blank (B233483-BLK1)				Prepared: 11/20/23 Analyzed: 11/21/23						
Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							
LCS (B233483-BS1)				Prepared: 11/20/23 Analyzed: 11/21/23						
Alkalinity, Total as CaCO ₃	102	10.0	mg/L	100		102	85-115			
LCS Dup (B233483-BSD1)				Prepared: 11/20/23 Analyzed: 11/21/23						
Alkalinity, Total as CaCO ₃	99.0	10.0	mg/L	100		99.0	85-115	2.99	20	
Reference (B233483-SRM1)				Prepared: 11/20/23 Analyzed: 11/21/23						
Alkalinity, Total as CaCO ₃	71.0	10.0	mg/L	72.7		97.7	85-115			
Batch B233500 - General Prep - Wet Chem										
Blank (B233500-BLK1)				Prepared & Analyzed: 11/22/23						
Total Dissolved Solids	ND	10.0	mg/L							
Reference (B233500-SRM1)				Prepared & Analyzed: 11/22/23						
Total Dissolved Solids	380	10.0	mg/L	400		95.0	85-115			
Batch B233530 - General Prep - Wet Chem										
Blank (B233530-BLK1)				Prepared & Analyzed: 11/27/23						
Total Organic Carbon	ND	0.500	mg/L							
LCS (B233530-BS1)				Prepared & Analyzed: 11/27/23						
Total Organic Carbon	9.66	0.500	mg/L	10.0		96.6	85-115			
LCS Dup (B233530-BSD1)				Prepared & Analyzed: 11/27/23						
Total Organic Carbon	9.81	0.500	mg/L	10.0		98.1	85-115	1.53	20	
Batch B233535 - Dissolved ICP										
Blank (B233535-BLK1)				Prepared: 11/27/23 Analyzed: 11/28/23						

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:44

General Chemistry - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233535 - Dissolved ICP (Continued)

Blank (B233535-BLK1) (Continued)

Prepared: 11/27/23 Analyzed: 11/28/23

SAR	0.00		No Unit
-----	------	--	---------

Batch B233557 - IC- Ion Chromatograph

Blank (B233557-BLK1)

Prepared & Analyzed: 11/29/23

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B233557-BS1)

Prepared & Analyzed: 11/29/23

Chloride	25.3	1.00	mg/L	25.0	101	90-110
Fluoride	2.51	0.100	mg/L	2.50	100	90-110
Sulfate	24.6	1.00	mg/L	25.0	98.6	90-110

LCS Dup (B233557-BSD1)

Prepared & Analyzed: 11/29/23

Chloride	25.0	1.00	mg/L	25.0	100	90-110	1.07	20
Fluoride	2.50	0.100	mg/L	2.50	100	90-110	0.200	20
Sulfate	24.4	1.00	mg/L	25.0	97.8	90-110	0.831	20

Batch B233582 - Lachat

Blank (B233582-BLK1)

Prepared & Analyzed: 12/01/23

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B233582-BS1)

Prepared & Analyzed: 12/01/23

Nitrate/Nitrite as N	1.06	0.020	mg/L as N	1.00	106	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B233582-BSD1)

Prepared & Analyzed: 12/01/23

Nitrate/Nitrite as N	1.06	0.020	mg/L as N	1.00	106	90-110	0.113	20
----------------------	------	-------	-----------	------	-----	--------	-------	----

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:44

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233535 - Dissolved ICP

Blank (B233535-BLK1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B233535-BS1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	4.12	0.050	mg/L	4.00	103	85-115
Calcium	3.92	0.100	mg/L	4.00	97.9	85-115
Iron	3.93	0.050	mg/L	4.00	98.2	85-115
Magnesium	20.5	0.100	mg/L	20.0	102	85-115
Potassium	7.83	1.00	mg/L	8.00	97.9	85-115
Silicon	4.25	0.500	mg/L	4.00	106	85-115
Sodium	3.30	1.00	mg/L	3.24	102	85-115

LCS Dup (B233535-BS1)

Prepared: 11/27/23 Analyzed: 11/28/23

Aluminum	4.12	0.050	mg/L	4.00	103	85-115	0.0157	20
Calcium	3.93	0.100	mg/L	4.00	98.3	85-115	0.384	20
Iron	3.95	0.050	mg/L	4.00	98.9	85-115	0.637	20
Magnesium	20.5	0.100	mg/L	20.0	102	85-115	0.0544	20
Potassium	7.84	1.00	mg/L	8.00	98.0	85-115	0.102	20
Silicon	4.24	0.500	mg/L	4.00	106	85-115	0.200	20
Sodium	3.24	1.00	mg/L	3.24	100	85-115	1.79	20

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:44

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233529 - Dissolved ICPMS

Blank (B233529-BLK1)

Prepared & Analyzed: 11/27/23

Arsenic	ND	0.0005	mg/L							
Cadmium	ND	0.0005	mg/L							
Copper	ND	0.0005	mg/L							
Lead	ND	0.0005	mg/L							
Manganese	ND	0.0005	mg/L							
Molybdenum	ND	0.0005	mg/L							
Selenium	ND	0.0010	mg/L							
Uranium	ND	0.0005	mg/L							
Zinc	ND	0.0020	mg/L							

LCS (B233529-BS1)

Prepared & Analyzed: 11/27/23

Arsenic	0.0523	0.0005	mg/L	0.0500		105	85-115			
Cadmium	0.0516	0.0005	mg/L	0.0500		103	85-115			
Copper	0.0499	0.0005	mg/L	0.0500		99.8	85-115			
Lead	0.0498	0.0005	mg/L	0.0500		99.6	85-115			
Manganese	0.0531	0.0005	mg/L	0.0500		106	85-115			
Molybdenum	0.0509	0.0005	mg/L	0.0500		102	85-115			
Selenium	0.263	0.0010	mg/L	0.250		105	85-115			
Uranium	0.0537	0.0005	mg/L	0.0500		107	85-115			
Zinc	0.0484	0.0020	mg/L	0.0500		96.9	85-115			

LCS Dup (B233529-BSD1)

Prepared & Analyzed: 11/27/23

Arsenic	0.0524	0.0005	mg/L	0.0500		105	85-115	0.0608	20	
Cadmium	0.0514	0.0005	mg/L	0.0500		103	85-115	0.431	20	
Copper	0.0510	0.0005	mg/L	0.0500		102	85-115	2.20	20	
Lead	0.0502	0.0005	mg/L	0.0500		100	85-115	0.707	20	
Manganese	0.0530	0.0005	mg/L	0.0500		106	85-115	0.170	20	
Molybdenum	0.0511	0.0005	mg/L	0.0500		102	85-115	0.380	20	
Selenium	0.261	0.0010	mg/L	0.250		104	85-115	0.607	20	
Uranium	0.0530	0.0005	mg/L	0.0500		106	85-115	1.32	20	
Zinc	0.0494	0.0020	mg/L	0.0500		98.8	85-115	2.00	20	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/06/23 13:44

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233526 - EPA 245.7

Blank (B233526-BLK1)

Prepared: 11/27/23 Analyzed: 12/01/23

Mercury	ND	100	ng/L							
---------	----	-----	------	--	--	--	--	--	--	--

LCS (B233526-BS1)

Prepared: 11/27/23 Analyzed: 12/01/23

Mercury	1900	100	ng/L	2000		94.9	76-113			
---------	------	-----	------	------	--	------	--------	--	--	--

LCS Dup (B233526-BSD1)

Prepared: 11/27/23 Analyzed: 12/01/23

Mercury	1830	100	ng/L	2000		91.6	76-113	3.49	20	
---------	------	-----	------	------	--	------	--------	------	----	--


Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

* Chain of Custody must be signed in "Relinquished By" as an acceptance of services and all applicable charges.

Project Information

Table of Contents
Printed: 11/17/2023 4:27 pm

GCC Energy, LLC

6473 CR 120
Hesperus, CO 81326
Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528
Fax: (970) 385-4638

Project Name: GCC S&S Baseline
Project Number: GCC S&S Baseline
Client PM: Tom Bird
Comments: All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
SAR-Calc	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	



SAMPLE CONDITION RECEIPT FORM

Client Name: G.C.C. EnergyWork Order # 2311-249Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ KangarooCustody Seals on Box/Cooler Present: ☐ Yes ☒ No Seals Intact: ☐ Yes ☐ NoThermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ NoType of Ice: ☒ Wet ☐ Blue ☐ NoneCooler Temp: Observed Temp: 9.5 °C Correction Factor: 0 °C Final Temp: 9.5 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: 11/12/23
[Signature]Labeled by initials:
(if different than above) _____

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>7H</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☒ Yes ☐ No	11.
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix:	WT SL OT	
Trip Blank Present:	☐ Yes ☒ No ☐ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☒ No ☐ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

14 December 2023

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: [none]

Enclosed are the results of analyses for samples received by the laboratory on 12/01/23 13:34. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells
Project Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-23-18

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-23-16

Table of Contents

Samples in Report	3
Sample Results	4
Quality Assurance Results	6
Notes and Definitions	10
Qualifier Summary	11
Chain of Custody & Attachments	12



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/14/23 10:50

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Seep #3	2312009-01	Water	11/30/23 07:46	12/01/23 13:34	

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/14/23 10:50

Seep #3

2312009-01 (Surface Water)

Sampled Date: 11/30/23 07:46

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Total as CaCO ₃ *	435	10.0	6.06	mg/L	5	12/11/23 09:00	2320 B		IDB
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/11/23 09:00	2320 B		IDB
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0	6.06	mg/L	5	12/11/23 09:00	2320 B		IDB
Alkalinity, Bicarbonate as CaCO ₃ *	435	10.0	6.06	mg/L	5	12/11/23 09:00	2320 B		IDB
Cation/Anion Balance	-2.10	-100	-100	%	1	12/07/23 09:28	Calculation		JDA
Chloride*	8.58	2.00	0.111	mg/L	2	12/12/23 11:52	EPA300.0		AWG
Fluoride*	0.314	0.200	0.0194	mg/L	2	12/12/23 11:52	EPA300.0		AWG
Nitrate/Nitrite as N*	<0.020	0.020	0.003	mg/L as N	1	12/07/23 14:38	EPA353.2		AWG
pH*	7.89			pH Units	1	12/01/23 16:50	EPA150.1		CAI
pH Temperature, degrees C	15.5			pH Units	1	12/01/23 16:50	EPA150.1		CAI
SAR	1.29			No Unit	1	12/05/23 20:04	Calculation		AES
Sulfate*	552	5.00	0.620	mg/L	5	12/12/23 12:11	EPA300.0		AWG
Total Dissolved Solids*	1240	10.0		mg/L	1	12/04/23 15:55	EPA160.1		IDB/CAI
Total Organic Carbon*	6.66	0.500	0.175	mg/L	1	12/05/23 22:12	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.150	0.150	0.132	mg/L	3	12/05/23 20:04	EPA200.7		AES
Calcium*	128	0.300	0.185	mg/L	3	12/05/23 20:04	EPA200.7		AES
Hardness as CaCO ₃	754	1.98	0.897	mg/L	3	12/05/23 20:04	2340 B		AES
Iron*	0.155	0.150	0.045	mg/L	3	12/05/23 20:04	EPA200.7		AES
Magnesium*	105	0.300	0.105	mg/L	3	12/05/23 20:04	EPA200.7		AES
Potassium*	4.89	3.00	0.311	mg/L	3	12/05/23 20:04	EPA200.7		AES
Silica (SiO ₂)	13.2	3.21	0.488	mg/L	3	12/05/23 20:04	Calculation		AES
Silicon	6.16	1.50	0.228	mg/L	3	12/05/23 20:04	EPA200.7		AES
Sodium*	81.1	3.00	1.23	mg/L	3	12/05/23 20:04	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0015	0.0015	0.0011	mg/L	3	12/04/23 18:13	EPA200.8		AES
Cadmium*	<0.0015	0.0015	0.00008	mg/L	3	12/04/23 18:13	EPA200.8		AES
Copper*	<0.0060	0.0060	0.0013	mg/L	3	12/04/23 18:13	EPA200.8	B3	AES
Lead*	<0.0015	0.0015	0.0001	mg/L	3	12/04/23 18:13	EPA200.8		AES
Manganese*	0.580	0.0015	0.0005	mg/L	3	12/04/23 18:13	EPA200.8		AES
Molybdenum*	<0.0015	0.0015	0.0005	mg/L	3	12/04/23 18:13	EPA200.8		AES
Selenium*	<0.0030	0.0030	0.0011	mg/L	3	12/04/23 18:13	EPA200.8		AES
Uranium	0.0026	0.0015	0.0001	mg/L	3	12/04/23 18:13	EPA200.8		AES
Zinc*	<0.0060	0.0060	0.0014	mg/L	3	12/04/23 18:13	EPA200.8		AES

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/14/23 10:50

Seep #3

2312009-01 (Surface Water)

Sampled Date: 11/30/23 07:46

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
Dissolved Mercury by CVAFS									
Mercury	<100	100	24.8	ng/L	1	12/06/23 13:13	EPA245.7		CAI

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/14/23 10:50

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B233591 - Dissolved ICP										
Blank (B233591-BLK1)				Prepared: 12/04/23 Analyzed: 12/05/23						
SAR	0.00		No Unit							
Batch B233596 - General Prep - Wet Chem										
Blank (B233596-BLK1)				Prepared & Analyzed: 12/04/23						
Total Dissolved Solids	ND	10.0	mg/L							
Reference (B233596-SRM1)				Prepared & Analyzed: 12/04/23						
Total Dissolved Solids	370	10.0	mg/L	400		92.5	85-115			
Batch B233603 - General Prep - Wet Chem										
Reference (B233603-SRM1)				Prepared & Analyzed: 12/01/23						
pH	7.06		pH Units	7.00		101	98.57-101.42			
Batch B233608 - General Prep - Wet Chem										
Blank (B233608-BLK1)				Prepared & Analyzed: 12/05/23						
Total Organic Carbon	ND	0.500	mg/L							
LCS (B233608-BS1)				Prepared & Analyzed: 12/05/23						
Total Organic Carbon	9.88	0.500	mg/L	10.0		98.8	85-115			
LCS Dup (B233608-BSD1)				Prepared & Analyzed: 12/05/23						
Total Organic Carbon	9.79	0.500	mg/L	10.0		97.9	85-115	0.925	20	
Batch B233626 - Lachat										
Blank (B233626-BLK1)				Prepared: 12/06/23 Analyzed: 12/07/23						
Nitrate/Nitrite as N	ND	0.020	mg/L as N							
LCS (B233626-BS1)				Prepared: 12/06/23 Analyzed: 12/07/23						
Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110			
LCS Dup (B233626-BSD1)				Prepared: 12/06/23 Analyzed: 12/07/23						
Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110	0.499	20	
Batch B233687 - General Prep - Wet Chem										
Blank (B233687-BLK1)				Prepared & Analyzed: 12/11/23						
Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/14/23 10:50

General Chemistry - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233687 - General Prep - Wet Chem (Continued)

Blank (B233687-BLK1) (Continued)

Prepared & Analyzed: 12/11/23

Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B233687-BS1)

Prepared & Analyzed: 12/11/23

Alkalinity, Total as CaCO ₃	97.0	10.0	mg/L	100		97.0	85-115			
--	------	------	------	-----	--	------	--------	--	--	--

LCS Dup (B233687-BSD1)

Prepared & Analyzed: 12/11/23

Alkalinity, Total as CaCO ₃	98.0	10.0	mg/L	100		98.0	85-115	1.03	20	
--	------	------	------	-----	--	------	--------	------	----	--

Reference (B233687-SRM1)

Prepared & Analyzed: 12/11/23

Alkalinity, Total as CaCO ₃	76.0	10.0	mg/L	72.7		105	85-115			
--	------	------	------	------	--	-----	--------	--	--	--

Batch B233690 - IC- Ion Chromatograph

Blank (B233690-BLK1)

Prepared: 12/11/23 Analyzed: 12/12/23

Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

LCS (B233690-BS1)

Prepared: 12/11/23 Analyzed: 12/12/23

Chloride	23.1	1.00	mg/L	25.0		92.5	90-110			
Fluoride	2.40	0.100	mg/L	2.50		95.8	90-110			
Sulfate	22.8	1.00	mg/L	25.0		91.3	90-110			

LCS Dup (B233690-BSD1)

Prepared: 12/11/23 Analyzed: 12/12/23

Chloride	24.8	1.00	mg/L	25.0		99.4	90-110	7.17	20	
Fluoride	2.53	0.100	mg/L	2.50		101	90-110	5.56	20	
Sulfate	24.5	1.00	mg/L	25.0		97.8	90-110	6.92	20	

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/14/23 10:50

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233591 - Dissolved ICP

Blank (B233591-BLK1)

Prepared: 12/04/23 Analyzed: 12/05/23

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B233591-BS1)

Prepared: 12/04/23 Analyzed: 12/05/23

Aluminum	4.12	0.050	mg/L	4.00	103	85-115
Calcium	3.83	0.100	mg/L	4.00	95.8	85-115
Iron	3.91	0.050	mg/L	4.00	97.8	85-115
Magnesium	19.9	0.100	mg/L	20.0	99.5	85-115
Potassium	8.23	1.00	mg/L	8.00	103	85-115
Silicon	4.12	0.500	mg/L	4.00	103	85-115
Sodium	3.37	1.00	mg/L	3.24	104	85-115

LCS Dup (B233591-BSD1)

Prepared: 12/04/23 Analyzed: 12/05/23

Aluminum	4.07	0.050	mg/L	4.00	102	85-115	1.19	20
Calcium	3.80	0.100	mg/L	4.00	95.0	85-115	0.794	20
Iron	3.83	0.050	mg/L	4.00	95.7	85-115	2.24	20
Magnesium	19.8	0.100	mg/L	20.0	98.8	85-115	0.718	20
Potassium	8.18	1.00	mg/L	8.00	102	85-115	0.558	20
Silicon	4.06	0.500	mg/L	4.00	102	85-115	1.42	20
Sodium	3.32	1.00	mg/L	3.24	102	85-115	1.50	20

Green Analytical Laboratories

Veronica J Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/14/23 10:50

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233592 - Dissolved ICPMS

Blank (B233592-BLK1)

Prepared & Analyzed: 12/04/23

Arsenic	ND	0.0005	mg/L							
Cadmium	ND	0.0005	mg/L							
Copper	0.0010	0.0005	mg/L							B3
Lead	ND	0.0005	mg/L							
Manganese	ND	0.0005	mg/L							
Molybdenum	ND	0.0005	mg/L							
Selenium	ND	0.0010	mg/L							
Uranium	ND	0.0005	mg/L							
Zinc	ND	0.0020	mg/L							

LCS (B233592-BS1)

Prepared & Analyzed: 12/04/23

Arsenic	0.0572	0.0005	mg/L	0.0500	114	85-115
Cadmium	0.0519	0.0005	mg/L	0.0500	104	85-115
Copper	0.0501	0.0005	mg/L	0.0500	100	85-115
Lead	0.0502	0.0005	mg/L	0.0500	100	85-115
Manganese	0.0519	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0498	0.0005	mg/L	0.0500	99.6	85-115
Selenium	0.280	0.0010	mg/L	0.250	112	85-115
Uranium	0.0503	0.0005	mg/L	0.0500	101	85-115
Zinc	0.0493	0.0020	mg/L	0.0500	98.6	85-115

LCS Dup (B233592-BSD1)

Prepared & Analyzed: 12/04/23

Arsenic	0.0572	0.0005	mg/L	0.0500	114	85-115	0.0217	20
Cadmium	0.0515	0.0005	mg/L	0.0500	103	85-115	0.834	20
Copper	0.0504	0.0005	mg/L	0.0500	101	85-115	0.569	20
Lead	0.0495	0.0005	mg/L	0.0500	99.1	85-115	1.32	20
Manganese	0.0522	0.0005	mg/L	0.0500	104	85-115	0.542	20
Molybdenum	0.0501	0.0005	mg/L	0.0500	100	85-115	0.565	20
Selenium	0.282	0.0010	mg/L	0.250	113	85-115	0.437	20
Uranium	0.0497	0.0005	mg/L	0.0500	99.3	85-115	1.18	20
Zinc	0.0501	0.0020	mg/L	0.0500	100	85-115	1.67	20

Green Analytical Laboratories

Veronica J. Wells

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/14/23 10:50

Dissolved Mercury by CVAFS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B233601 - EPA 245.7

Blank (B233601-BLK1)

Prepared: 12/04/23 Analyzed: 12/06/23

Mercury	ND	100	ng/L
---------	----	-----	------

LCS (B233601-BS1)

Prepared: 12/04/23 Analyzed: 12/06/23

Mercury	1700	100	ng/L	2000	84.9	76-113
---------	------	-----	------	------	------	--------

LCS Dup (B233601-BSD1)

Prepared: 12/04/23 Analyzed: 12/06/23

Mercury	1700	100	ng/L	2000	85.0	76-113	0.123	20
---------	------	-----	------	------	------	--------	-------	----

Notes and Definitions

B3	Target analyte detected in method blank or continuing calibration blank. Reporting limit elevated to account for blank result.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC S&S Baseline
Project Name / Number: [none]
Project Manager: Tom Bird

Reported:
12/14/23 10:50

Qualifier Summary

<u>LabNumber</u>	<u>Analysis</u>	<u>Analyte</u>	<u>Qualifier</u>	<u>TextBody</u>
2312009-01	Copper Dissolved by ICPMS	Copper	B3	Target analyte detected in method blank or continuing calibration blank. Reporting limit elevated to account for blank result.
B233592-BLK1	Copper Dissolved by ICPMS	Copper	B3	Target analyte detected in method blank or continuing calibration blank. Reporting limit elevated to account for blank result.

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Veronica J. Wells'.

Veronica Wells, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

[illegible]

Project Information

GCC Energy, LLC

6473 CR 120

Hesperus, CO 81326

Laboratory PM: Veronica Wells

GCC Energy

Phone: (970) 385-4528

Fax: (970) 385-4638

Project Name: GCC S&S Baseline**Project Number:****Client PM:** Tom Bird**Comments:** All Metals Are Field Filtered. Send Out PRESERVED bottles per Landon. 11-01-18

Analysis	Comment
Alkalinity, Total	
Aluminum Dissolved by ICP	
Arsenic Dissolved by ICPMS	
CAB	
Cadmium Dissolved by ICPMS	
Chloride [IC]	
Copper Dissolved by ICPMS	
Fluoride [IC]	
Hardness [DISSOLVED]	
Iron Dissolved by ICP	
Lead Dissolved by ICPMS	
Manganese Dissolved by ICPMS	
Mercury Dissolved by CVAFS	
Molybdenum Dissolved by ICPMS	
Nitrate/Nitrite [LACHAT]	
pH	
Potassium Dissolved by ICP	
SAR-Calc	
Selenium Dissolved by ICPMS	
Silica Dissolved by ICP	
Sodium Dissolved by ICP	
Sulfate [IC]	
Total Dissolved Solids [TDS]	
Total Organic Carbon [TOC]	
Uranium Dissolved by ICPMS	
Zinc Dissolved by ICPMS	
Hardness [DISSOLVED] subanalyses:	
Calcium Dissolved by ICP	
Magnesium Dissolved by ICP	
Silica Dissolved by ICP subanalyses:	
Silicon Dissolved by ICP	



SAMPLE CONDITION RECEIPT FORM

Client Name: G.C.C. EnergyWork Order # 2512-009Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ KangarooCustody Seals on Box/Cooler Present: ☐ Yes ☒ No Seals Intact: ☐ Yes ☐ NoThermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ NoType of Ice: ☒ Wet ☐ Blue ☐ NoneCooler Temp: Observed Temp: 2.1 °C Correction Factor: 0 °C Final Temp: 2.1 °C

*Temp should be above freezing to 6°C

Date/Initials of person
examining contents: 12/1/25
SLLabeled by initials: _____
(if different than above)

Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☐ Yes ☒ No	3.
Sampler Name and Signature on COC:	☒ Yes ☐ No	4.
Samples arrived within hold time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6. <u>pH</u>
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
Containers Intact:	☒ Yes ☐ No	10.
Dissolved Testing Needed:	☐ Yes ☒ No	11.
Field Filtered: ☒ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	12.
Matrix: <u>WT</u> SL OT		
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	13.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☒ N/A	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____