



February 22, 2024

Michael B. Toelle
Holcim (US) Inc.
3500 Highway 120
Florence, CO 81226

**Re: Portland Limestone Quarry - File No. M-1977-344;
Second Adequacy Review Complete for 112 Construction Materials Reclamation
Permit Amendment Application (AM-2)**

Dear Mr. Toelle:

The Division of Reclamation, Mining and Safety (DRMS) has completed its review of your responses related to the Sampling and Analysis Plan (SAP, Comment # 28). We have determined the responses were adequate. Therefore, no further responses to the SAP are necessary.

The DRMS acknowledges based on February 21, 2024, conversations between Patrick Lennberg (DRMS) and Dr. Angela Bellantoni (Environmental Alternatives) that Holcim will propose modifications to the analyte list for the water quality monitoring program as part of the pending responses to our February 15th Second Adequacy Review letter.

Please remember that the current decision date for this application is March 22, 2024. If you are unable to provide satisfactory responses to any inadequacies prior to this date, it will be your responsibility to request an extension of time to allow for continued review of this application.

If there are still unresolved issues when the decision date arrives and no extension has been requested, the application may be denied. If you have any questions, please contact me at (303) 328-5229 or Hunter Ridley at (720) 868-7757.

Sincerely,

Timothy A. Cazier, P.E.
Environmental Protection Specialist

cc: Russ Means, DRMS
DRMS file
Patrick Lennberg, DRMS

Hunter Ridley, DRMS
Dr. Angela Bellantoni, EAI

