



Login

General Information

Permit Number *

C1981019

Select Revision *

If there are no options available it's because there are no open revisions of the selected type for the selected permit number

TR-162 GD-3 Channel

Revision Application Form Selection *

TR (Technical Revision
Application)

Revision Sequence *

If this does not populate, please contact your specialist to determine which sequence number to use.

162

Operation Name

Colowyo Coal Mine

The following pages will show the contact information we have on file for this permit. If any of it is inaccurate, you will have the opportunity to correct it after this form has been submitted.

1. Upon submission of this form you will be presented with a link to the contact information update form.
2. There is a question asking about the accuracy of this information. Indicating that it is inaccurate will send an e-mail to notify your administrator to make the appropriate changes.

Contact Information

Permittee Contact Information

Permittee Name

Colowyo Coal Company L.P.

Permittee Contact

Jerome Sturhahn

Permittee Address 1

P.O. Box 33695

Permittee Address 2**Permittee City**

Denver

Permittee State

CO

Permittee Zip Code

802330695

Permittee Contact Email Address

jay.sturhahn@tristategt.org

Permittee Contact Phone Number

Permitting Contact Info

Permitting Name

Tri-State Generation and Transmission Association

Permitting Contact

Chris Gilbreath

Permitting Address 1

1100 West 116th Avenue

Permitting Address 2**Permitting City**

Westminster

Permitting State

CO

Permitting Zip Code

802340000

Permitting Contact Email Address

chris.gilbreath@tristategt.org

Permitting Contact Phone Number

3032543291

Inspection Contact Info

Inspection Name

Colowyo Coal Company L.P.

Inspection Contact

Tony Tennyson

Inspection Address 1

5731 State Highway 13

Inspection Address 2

Inspection City

Meeker

Inspection State

CO

Inspection Zip Code

816410000

Inspection Contact Email Address

tony.tennyson@tristategt.org

Inspection Contact Phone Number

9708241232

Is the contact information listed above correct? If it is not correct your organization's Administrator will receive an email notification. *

☒ Yes ☐ No

Once this form is submitted you will see a link to update contact information, which you may do if you're an admin.

Surface Area Changes

Revision

Revision Title * (?)

TR-162 GD-3 Channel
Short description

Narrative Description of Revision * (?)

TR-162 proposes the GD-3 channel to route surface water runoff from the intersection of Haul Road A and the Collom Haul Road to the Gossard Pond.
Detailed description used for notifications

Bond Amount Change? *

☒ Yes ☐ No

Additional Surface Disturbance? *

☒ Yes ☐ No

Proposed Acreage Revisions

Permit Area

Current Value

26173.14

Proposed Change Value * (?)

0.00

Calculated Revised Total

26173.14

This value must equal the total of all Surface and Mineral Acreage changes

Affected Area

Current Value

6919.70

Proposed Change Value * (?)

3.20

Calculated Revised Total

6922.90

Disturbed Area

Current Value

5407.60

Proposed Change Value * (?)

3.20

Calculated Revised Total

5410.80

Attachments & Maps

Proposed Public Notice Attachment

Do you have attachments? *

☒ Yes ☐ No

Attachments

Standard Uploads

Document, NOT Confidential

TR-162 Adequacy Response.pdf 541.72KB

Map, NOT Confidential

Proof of Publication

Confidential Uploads

CONFIDENTIAL Document

CONFIDENTIAL Map

Document / Map List

New or Revised Documents / Pages *

If none exist, enter NONE in the comment box below.
Please see attached change sheet.

New or Revised Maps *

If none exist, enter NONE in the comment box below.
Please see attached change sheet.

Deleted Documents / Pages *

If none exist, enter NONE in the comment box below.
Please see attached change sheet.

Deleted Maps *

If none exist, enter NONE in the comment box below.
Please see attached change sheet.

Signature

Date

03/11/24

By checking this box you have thoroughly reviewed this Coal Revision form and are ready to submit this form to DRMS.

☒ I Agree