

FIELD MEASUREMENTS

Period	Sample Date	Units	Time Sampled	Water Depth (ft)	Outside Temp (°C)	pH	Conductivity (ms/cm)	Water Temp (°C)
LM-MW2 MILL SITE								
2022-Q4	29-Dec-22	-	4:00pm	50.5	6	7.57	0.979	5.98
2023-Q1	16-Jan-23	-	1:48pm	50.7	(4)	-	-	Dry well.
2023-Q2	08-Jun-23	-	1:37pm	51.6	17	-	-	Dry well.
2023-Q3	29-Sep-23	-	-	53.6	15	-	-	Dry well.
2023-Q4	27-Dec-23	-	-	53.6	(3)	-	-	Dry well.
2024-Q1	30-Mar-24	-	12:11am	53.6	3	-	-	Dry well.
2024-Q2		-						
2024-Q3		-						
2024-Q4		-						
LM-MW3 MILL SITE								
2022-Q4	29-Dec-22	-	3:24pm	63.3	6	6.63	0.874	6.34
2023-Q1	16-Jan-23	-	1:25pm	62.3	(4)	7.06	0.467	6.99
2023-Q2	08-Jun-23	-	1:06pm	60.6	17	-	-	Dry well.
2023-Q3	29-Sep-23	-	-	65.6	15	-	-	Dry well.
2023-Q4	27-Dec-23	-	-	65.6	(3)	-	-	Dry well.
2024-Q1	30-Mar-24	-	11:58am	65.6	3	-	-	Dry well.
2024-Q2		-						
2024-Q3		-						
2024-Q4		-						
BMW-1 UPGRADIENT BACKGROUND								
2022-Q4	29-Dec-22	-	2:45pm	19.9	6	6.48	0.204	6.92
2023-Q1	16-Jan-23	-	2:34pm	17.9	(3)	9.62	0.147	7.40
2023-Q2	08-Jun-23	-	3:10p	18.1	17	8.75	0.493	8.48
2023-Q3	29-Sep-23	-	10:51a	19.4	15	8.96	185	8.03
2023-Q4	27-Dec-23	-	11:15a	18.8	(3)	9.16	191	7.80
2024-Q1	30-Mar-24	-	11:03am	18.8	2	8.73	192	7.48
2024-Q2		-						
2024-Q3		-						
2024-Q4		-						
PZ-4 UPGRADIENT BACKGROUND (aka BMW-1A)								
2022-Q4(3)	08-Jan-23	-	Not sampled.					
2023-Q1	16-Jan-23	-	3:47pm	102.3	(3)	8.37	0.314	5.44
2023-Q2	08-Jun-23	-	2:16pm	102.8	17	8.90	0.211	9.10
2023-Q3	29-Sep-23	-	11:22pm	100.4	15	7.34	605	8.99
2023-Q4	27-Dec-23	-	11:37am	102.5	(3)	7.78	573	8.05
2024-Q1	30-Mar-24	-	11:31am	102.7	2	7.36	585.000	8.11
2024-Q2		-						
2024-Q3		-						
2024-Q4		-						
MW-13 DOWN GRADIENT BACKGROUND								
2022-Q4	29-Dec-22	-	12:37pm	26.3	(8)	7.91	1.050	6.70
2023-Q1	16-Jan-23	-	12:27pm	24.1	(4)	7.80	0.877	8.10
2023-Q2	08-Jun-23	-	12:02pm	25.1	14	7.73	0.930	11.58
2023-Q3	29-Sep-23	-	10:12a	20.7	15	5.32	1,128	7.10
2023-Q4	27-Dec-23	-	12:20p	21.6	(3)	5.19	1,175	7.13
2024-Q1	30-Mar-24	-	10:24am	22.8	0	5.12	1,190	6.09
2024-Q2		-						
2024-Q3		-						
2024-Q4		-						

GROUND WATER TEST RESULTS

PRINTED: 5/28/24-12:38 PM

MW-13A DOWN GRADIENT BACKGROUND								
2022-Q4	29-Dec-22	-	1:30pm	21.0	(8)	no stable	no stable	7.30
2023-Q1	16-Jan-23	-	12:57pm	20.0	(4)	6.57	1.144	7.05
2023-Q2	08-Jun-23	-	12:43pm	20.6	16	6.01	1.028	12.11
2023-Q3	29-Sep-23	-	9:47am	25.5	15	7.07	1,013	7.27
2023-Q4	27-Dec-23	-	12:05pm	26.4	(3)	7.05	958	6.81
2024-Q1	30-Mar-24	-	10:06am	27.1	(1)	971	971	6.81
2024-Q2		-						
2024-Q3		-						
2024-Q4		-						
MA1TMW-4 PIMA PLACER								
2022-Q4	29-Dec-22	-						
2023-Q1	16-Jan-23	-						
2023-Q2	08-Jun-23	-						
2023-Q3	29-Sep-23	-						
2023-Q4	27-Dec-23	-	13:11pm	78.2	(2)	7.02	512	6.76
2024-Q1	30-Mar-24	-	12:56pm	79.4	4	7.41	510	7.20
2024-Q2		-						
2024-Q3		-						
2024-Q4		-						

Notes: (1) A

"0" value

EPA 200.7 REV 4.4 - METALS (ICP) - TOTAL RECOVERABLE

Period	Sample Date	Units	Aluminum (Al)	Boron (B)	Calcium (Ca)	Iron (Fe)	Sodium (Na)
LM-MW2 MILL SITE							
2022-Q4	29-Dec-22	ug/L	400	0	130,000	26,000	23,000
2023-Q1	16-Jan-23	ug/L	Dry well				
2023-Q2	08-Jun-23	ug/L	Dry well				
2023-Q3	29-Sep-23	ug/L	Dry well				
2023-Q4	27-Dec-23	ug/L	Dry well				
2024-Q1	30-Mar-24	ug/L	Dry well				
2024-Q2		ug/L					
2024-Q3		ug/L					
2024-Q4		ug/L					
LM-MW3 MILL SITE							
2022-Q4	29-Dec-22	ug/L	710	0	110,000	3,400	19,000
2023-Q1	16-Jan-23	ug/L	260	0	110,000	6,100	18,000
2023-Q2	08-Jun-23	ug/L	Dry well				
2023-Q3	29-Sep-23	ug/L	Dry well				
2023-Q4	27-Dec-23	ug/L	Dry well				
2024-Q1	30-Mar-24	ug/L	Dry well				
2024-Q2		ug/L					
2024-Q3		ug/L					
2024-Q4		ug/L					
BMW-1 UPGRADIENT BACKGROUND							
2022-Q4	29-Dec-22	ug/L	0	0	6,900	0	31,000
2023-Q1	16-Jan-23	ug/L	0	0	7,100	0	30,000
2023-Q2	08-Jun-23	ug/L	0	0	7,900	0	29,000
2023-Q3	29-Sep-23	ug/L	0	0	6,400	0	29,000
2023-Q4	27-Dec-23	ug/L	0	0	6,200	0	31,000
2024-Q1	30-Mar-24	ug/L	0	0	6,200	0	29,000
2024-Q2		ug/L					
2024-Q3		ug/L					
2024-Q4		ug/L					
PZ-4 UPGRADIENT BACKGROUND (aka BMW-1A)							
2022-Q4(3)	08-Jan-23	ug/L	13,000	0	110,000	12,000	6,300
2023-Q1	16-Jan-23	ug/L	36,000	0	120,000	38,000	7,000
2023-Q2	08-Jun-23	ug/L	0	0	56,000	140	32,000
2023-Q3	29-Sep-23	ug/L	0	0	97,000	0	5,800
2023-Q4	27-Dec-23	ug/L	0	0	91,000	0	6,100
2024-Q1	30-Mar-24	ug/L	0	0	100,000	0	6,400
2024-Q2		ug/L					
2024-Q3		ug/L					
2024-Q4		ug/L					
MW-13 DOWN GRADIENT BACKGROUND							
2022-Q4	29-Dec-22	ug/L	7,000	0	150,000	11,000	13,000
2023-Q1	16-Jan-23	ug/L	1,100	0	150,000	1,600	13,000
2023-Q2	08-Jun-23	ug/L	2,000	0	150,000	3,400	12,000
2023-Q3	29-Sep-23	ug/L	730	0	140,000	120	15,000
2023-Q4	27-Dec-23	ug/L	500	0	140,000	0	15,000
2024-Q1	30-Mar-24	ug/L	460	0	150,000	0	15,000
2024-Q2		ug/L					
2024-Q3		ug/L					
2024-Q4		ug/L					
MW-13A DOWN GRADIENT BACKGROUND							
2022-Q4	29-Dec-22	ug/L	11,000	0	150,000	4,900	16,000
2023-Q1	16-Jan-23	ug/L	2,000	0	140,000	690	16,000
2023-Q2	08-Jun-23	ug/L	1,900	0	150,000	810	15,000
2023-Q3	29-Sep-23	ug/L	0	0	150,000	0	12,000
2023-Q4	27-Dec-23	ug/L	0	0	140,000	0	12,000
2024-Q1	30-Mar-24	ug/L	0	0	140,000	0	12,000
2024-Q2		ug/L					
2024-Q3		ug/L					
2024-Q4		ug/L					
MA1TMW-4							
2022-Q4	29-Dec-22	ug/L					
2023-Q1	16-Jan-23	ug/L					
2023-Q2	08-Jun-23	ug/L					
2023-Q3	29-Sep-23	ug/L					
2023-Q4	27-Dec-23	ug/L	0	0	63,000	0	12,000
2024-Q1	30-Mar-24	ug/L	0	0	66,000	0	12,000
2024-Q2		ug/L					
2024-Q3		ug/L					
2024-Q4		ug/L					

Notes: (1) A "0" value denotes NOT DETECTABLE laboratory result, (2) A "blank" cell in the table denotes no data collected, (3) Pump failed on 29-Dec on well PZ-4. Sample collected using bailer.

EPA 200.8 REV 4.4 - METALS (ICP/MS) - TOTAL RECOVERABLE

Period	Sample Date	Units	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Lead (Pb)	Manganese (Mn)	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Th)	Uranium (U)	Vanadium ^v	Zinc (Zn)
LM-MW2 MILL SITE																			
2022-Q4	29-Dec-22	ug/L	0	0	29	0	0	110	0	0	120	0	2.9	0	0	0	11	0	23
2023-Q1	16-Jan-23	ug/L	Dry Well																
2023-Q2	08-Jun-23	ug/L	Dry Well																
2023-Q3	29-Sep-23	ug/L	Dry Well																
2023-Q4	27-Dec-23	ug/L	Dry Well																
2024-Q1	30-Mar-24	ug/L	Dry Well																
2024-Q2		ug/L																	
2024-Q3		ug/L																	
2024-Q4		ug/L																	
LM-MW3 MILL SITE																			
2022-Q4	29-Dec-22	ug/L	0	0	50	0	0	0	0	13	45	0	3	0	0	0	6	0	280
2023-Q1	16-Jan-23	ug/L	0	0	45	0	0	0	0	17	40	0	3	0	0	0	6	0	300
2023-Q2	08-Jun-23	ug/L	Dry Well																
2023-Q3	29-Sep-23	ug/L	Dry Well																
2023-Q4	27-Dec-23	ug/L	Dry Well																
2024-Q1	30-Mar-24	ug/L	Dry Well																
2024-Q2		ug/L																	
2024-Q3		ug/L																	
2024-Q4		ug/L																	
BMW-1 UPGRADIENT BACKGROUND																			
2022-Q4	29-Dec-22	ug/L	0	0	110	0	0	0	0	0	3.2	3.3	0	0	0	0	0	0	0
2023-Q1	16-Jan-23	ug/L	0	0	110	0	0	0	0	0	4.8	3.3	0	0	0	0	0	0	0
2023-Q2	08-Jun-23	ug/L	0	0	110	0	0	0	0	0	5.6	3.3	0	0	0	0	0	0	0
2023-Q3	29-Sep-23	ug/L	0	0	100	0	0	0	0	0	0.0	2.8	0	0	0	0	0	0	0
2023-Q4	27-Dec-23	ug/L	0	0	110	0	0	0	0	0	0.0	3.3	0	0	0	0	0	0	0
2024-Q1	30-Mar-24	ug/L	0	0	84	0	0	0	0	0	0.0	2.3	0	0	0	0	0	0	0
2024-Q2		ug/L																	
2024-Q3		ug/L																	
2024-Q4		ug/L																	
PZ-4 UPGRADIENT BACKGROUND (aka BMW-1A)																			
2022-Q4(3)	08-Jan-23	ug/L	0	0	340	0	0	4.0	4.2	20	360	4.6	4.8	0	0	0	15	8.5	53
2023-Q1	16-Jan-23	ug/L	0	17	560	1.9	0	18.0	8.1	69	500	2.9	19	0	0	0	17	30.0	120
2023-Q2	08-Jun-23	ug/L	0	0	180	0	0	0	0	2	8.3	0	0	0	0	0	6.6	0	32
2023-Q3	29-Sep-23	ug/L	0	0	240	0	0	0	0	0	0	0	0	0	0	0	13	0	0
2023-Q4	27-Dec-23	ug/L	0	0	250	0	0	0	0	0	0	0	0	0	0	0	13	0	0
2024-Q1	30-Mar-24	ug/L	0	0	120	0	0	0	0	0	0	0	0	0	0	0	6.8	0	0
2024-Q2		ug/L																	
2024-Q3		ug/L																	
2024-Q4		ug/L																	
MW-13 DOWN GRADIENT BACKGROUND																			
2022-Q4	29-Dec-22	ug/L	0	11	140	1.2	0.0	17.0	6.1	32	330	0	8.9	6.1	4.6	0	14	16.0	160
2023-Q1	16-Jan-23	ug/L	0	0	36	0.0	0.0	3.2	3.7	3.9	42	0	0	6.0	0	0	11	0	24
2023-Q2	08-Jun-23	ug/L	0	0	34	0.0	0.0	3.1	4.0	4.7	73	0	0	6.5	1.1	0	10	0	32
2023-Q3	29-Sep-23	ug/L	0	0	13	1.4	270	0.0	2.7	1.5	9,900	0	66	0	0	0	0	0	42,000
2023-Q4	27-Dec-23	ug/L	0	0	10	0.0	240	13	2.8	0.0	9,400	0	65	0	0	0	0	0	37,000
2024-Q1	30-Mar-24	ug/L	0	0	8.1	0.0	220.0	0.0	1.9	0.0	7,200	0.0	59	0	0	0	0	0	38,000
2024-Q2		ug/L																	
2024-Q3		ug/L																	
2024-Q4		ug/L																	
MW-13A DOWN GRADIENT BACKGROUND																			
2022-Q4	29-Dec-22	ug/L	0	44	1,200	6.5	260	37.0	27.0	200	16,000	3.8	110	0	3.3	0	18.0	58.0	38,000
2023-Q1	16-Jan-23	ug/L	0	23	740	3.0	240	16.0	14.0	97	120,000	2.4	85	0	1.6	0	6.7	27.0	37,000
2023-Q2	08-Jun-23	ug/L	0	0	37	1.3	250	0	3.7	6.1	9,500	0	70	0	0	0	1.6	0	35,000
2023-Q3	29-Sep-23	ug/L	2.2	0	19	0	0	0	3.5	0	0	0	0	6.1	0	0	10	0	0
2023-Q4	27-Dec-23	ug/L	0	0	19	0	0	0	3.7	0	15	0	0	6.7	0	0	10	0	13
2024-Q1	30-Mar-24	ug/L	0	0	19	0	0	0	3.4	0	0	0	0	6.2	0	0	9.8	0	0
2024-Q2		ug/L																	
2024-Q3		ug/L																	
2024-Q4		ug/L																	
MA1TMW-4																			
2022-Q4	29-Dec-22	ug/L																	
2023-Q1	16-Jan-23	ug/L																	
2023-Q2	08-Jun-23	ug/L																	
2023-Q3	29-Sep-23	ug/L																	
2023-Q4	27-Dec-23	ug/L	0	0	25	0	0	0	0	0	3.0	0	0	0.0	0	0	3.0	0	0
2024-Q1	30-Mar-24	ug/L	0	0	26	0	0	0	0	0	0	0	0	0	0	0	3.1	0	0
2024-Q2		ug/L																	
2024-Q3		ug/L																	
2024-Q4		ug/L																	

Notes: (1) A "0" value denotes NOT DETECTABLE laboratory result, (2) A "blank" cell in the table denotes no data collected, (3) Pump failed on 29-Dec on well PZ-4. Sample collected using bailer.

EPA 245.1 - MERCURY (CVAA)

Period	Sample Date	Units	Mercury (Hg)		
LM-MW2 MILL SITE					
2022-Q4	29-Dec-22	ug/L	0		
2023-Q1	16-Jan-23	ug/L	Dry Well		
2023-Q2	08-Jun-23	ug/L	Dry Well		
2023-Q3	29-Sep-23	ug/L	Dry Well		
2023-Q4	27-Dec-23	ug/L	Dry Well		
2024-Q1	30-Mar-24	ug/L	Dry Well		
2024-Q2		ug/L			
2024-Q3		ug/L			
2024-Q4		ug/L			
LM-MW3 MILL SITE					
2022-Q4	29-Dec-22	ug/L	0		
2023-Q1	16-Jan-23	ug/L	0		
2023-Q2	08-Jun-23	ug/L	Dry Well		
2023-Q3	29-Sep-23	ug/L	Dry Well		
2023-Q4	27-Dec-23	ug/L	Dry Well		
2024-Q1	30-Mar-24	ug/L	Dry Well		
2024-Q2		ug/L			
2024-Q3		ug/L			
2024-Q4		ug/L			
BMW-1 UPGRADE BACKGROUND					
2022-Q4	29-Dec-22	ug/L	0		
2023-Q1	16-Jan-23	ug/L	0		
2023-Q2	08-Jun-23	ug/L	0		
2023-Q3	29-Sep-23	ug/L	0		
2023-Q4	27-Dec-23	ug/L	0		
2024-Q1	30-Mar-24	ug/L	0		
2024-Q2		ug/L			
2024-Q3		ug/L			
2024-Q4		ug/L			
PZ-4 UPGRADE BACKGROUND (aka BMW-1A)					
2022-Q4(3)	08-Jan-23	ug/L	0		
2023-Q1	16-Jan-23	ug/L	0		
2023-Q2	08-Jun-23	ug/L	0		
2023-Q3	29-Sep-23	ug/L	0		
2023-Q4	27-Dec-23	ug/L	0		
2024-Q1	30-Mar-24	ug/L	0		
2024-Q2		ug/L			
2024-Q3		ug/L			
2024-Q4		ug/L			
MW-13 DOWN GRADIENT BACKGROUND					
2022-Q4	29-Dec-22	ug/L	0		
2023-Q1	16-Jan-23	ug/L	0		
2023-Q2	08-Jun-23	ug/L	0		
2023-Q3	29-Sep-23	ug/L	0		
2023-Q4	27-Dec-23	ug/L	0		
2024-Q1	30-Mar-24	ug/L	0		
2024-Q2		ug/L			
2024-Q3		ug/L			
2024-Q4		ug/L			
MW-13A DOWN GRADIENT BACKGROUND					
2022-Q4	29-Dec-22	ug/L	0		
2023-Q1	16-Jan-23	ug/L	0		
2023-Q2	08-Jun-23	ug/L	0		
2023-Q3	29-Sep-23	ug/L	0		
2023-Q4	27-Dec-23	ug/L	0		
2024-Q1	30-Mar-24	ug/L	0		
2024-Q2		ug/L			
2024-Q3		ug/L			
2024-Q4		ug/L			
MA1TMW-4					
2022-Q4	29-Dec-22	ug/L			
2023-Q1	16-Jan-23	ug/L			
2023-Q2	08-Jun-23	ug/L			
2023-Q3	29-Sep-23	ug/L			
2023-Q4	27-Dec-23	ug/L	0		
2024-Q1	30-Mar-24	ug/L	0		
2024-Q2		ug/L			
2024-Q3		ug/L			
2024-Q4		ug/L			

Notes: (1) A "0" value denotes NOT DETECTABLE laboratory result, (2) A "blank" cell in the table denotes no data collected, (3) Pump failed on 29-Dec on well PZ-4. Sample collected using bailer.

GENERAL CHEMISTRY

Period	Sample Date	Units	Chloride	Nitrate as N	Fluoride	Nitrite as N	Sulfate	Nitrogen Kjeldahl	Nitrate Nitrite as N	Cyanide, Total	SW846 9012A	Alkalinity	Bicarbonate Alkalinity as CaCO3	Carbonate Alkalinity	Hydroxide Alkalinity	Total Dissolved Solids	Nitrogen, Total (EPA Total)
LM-MW2 MILL SITE																	
2022-Q4	29-Dec-22	ug/L	33.0	2.3	0	0	330	0	1.9	0	190	190	0	0	680	1.9	
2023-Q1	16-Jan-23	ug/L	Dry Well														
2023-Q2	08-Jun-23	ug/L	Dry Well														
2023-Q3	29-Sep-23	ug/L	Dry Well														
2023-Q4	27-Dec-23	ug/L	Dry Well														
2024-Q1	30-Mar-24	ug/L	Dry Well														
2024-Q2		ug/L															
2024-Q3		ug/L															
2024-Q4		ug/L															
LM-MW3 MILL SITE																	
2022-Q4	29-Dec-22	ug/L	23	2.7	0	0	300	0	5.4	0	130	130	0	0	620	5.4	
2023-Q1	16-Jan-23	ug/L	21	4.4	0	0	310	0	4.8	0	130	130	0	0	610	4.8	
2023-Q2	08-Jun-23	ug/L	Dry Well														
2023-Q3	29-Sep-23	ug/L	Dry Well														
2023-Q4	27-Dec-23	ug/L	Dry Well														
2024-Q1	30-Mar-24	ug/L	Dry Well														
2024-Q2		ug/L															
2024-Q3		ug/L															
2024-Q4		ug/L															
BMW-1 UPGRADE BACKGROUND																	
2022-Q4	29-Dec-22	ug/L	0	0	0	1.0	15	0	140	0	96	96	0	0	140	0	
2023-Q1	16-Jan-23	ug/L	0	0	0	0	17	0	0	0	94	94	0	0	130	0	
2023-Q2	08-Jun-23	ug/L	0	0	0	0	15	0	0	0	95	95	0	0	130	0	
2023-Q3	29-Sep-23	ug/L	0	0	0	0	15	0	0	0	100	90	15	0	140	0	
2023-Q4	27-Dec-23	ug/L	0	0	0	0	15	0	0	0	96	94	0	0	130	0	
2024-Q1	30-Mar-24	ug/L	0	0	0	0	16	0	0	0	100	95	0	0	130	0	
2024-Q2		ug/L															
2024-Q3		ug/L															
2024-Q4		ug/L															
PZ-4 UPGRADE BACKGROUND (aka BMW-1A)																	
2022-Q4(3)	08-Jan-23	ug/L	28	3.5	0	0	85	0	3.7	0	200	200	0	0	380	4*	
2023-Q1	16-Jan-23	ug/L	26	3.8	0	0	87	0	3.8	0	200	200	0	0	410	3.8	
2023-Q2	08-Jun-23	ug/L	25	3.7	0	0	85	1.0	3.5	0	110	110	0	0	310	4.5	
2023-Q3	29-Sep-23	ug/L	26	3.5	0	0	85	0	3.7	0	200	200	0	0	390	3.7	
2023-Q4	27-Dec-23	ug/L	26	3.4	0	0	88	0	3.7	0	190	190	0	0	380	3.7	
2024-Q1	30-Mar-24	ug/L	27	3.6	0	0	88	0	3.6	0	190	190	0	0	370	3.6	
2024-Q2		ug/L															
2024-Q3		ug/L															
2024-Q4		ug/L															
MW-13 DOWN GRADIENT BACKGROUND																	
2022-Q4	29-Dec-22	ug/L	7.8	2.5	0	0	440	0	5.0	0	120	120	0	0	740	5.0	
2023-Q1	16-Jan-23	ug/L	8.0	2.3	0	0	400	0	5.0	0	120	120	0	0	760	5.0	
2023-Q2	08-Jun-23	ug/L	15	4.8	0	0	400	0	4.4	0.012	110	110	0	0	740	4.4	
2023-Q3	29-Sep-23	ug/L	15	3.0	0	0	670	0	3.2	0	0	0	0	0	1,000	3.2	
2023-Q4	27-Dec-23	ug/L	15	2.9	0	0	660	0	3.0	0	0	0	0	0	960	3.0	
2024-Q1	30-Mar-24	ug/L	15	2.8	0	0	520.0	0	3	0	0	0	0	0	1,000	2.8	
2024-Q2		ug/L															
2024-Q3		ug/L															
2024-Q4		ug/L															
MW-13A DOWN GRADIENT BACKGROUND																	
2022-Q4	29-Dec-22	ug/L	16	4.1	0	0	620	0	3.6	0	0	0	0	0	900	3.6	
2023-Q1	16-Jan-23	ug/L	15	3.5	0	0	650	0	3.5	0	0	0	0	0	1,000	3.5	
2023-Q2	08-Jun-23	ug/L	15	3.3	0	0	570	0	3.2	0	0	0	0	0	1,000	3.2	
2023-Q3	29-Sep-23	ug/L	16	4.7	0	0	430	0	4.8	0	120	120	0	0	770	4.8	
2023-Q4	27-Dec-23	ug/L	15	4.5	0	0	420	0	4.8	0	120	120	0	0	760	4.8	
2024-Q1	30-Mar-24	ug/L	15	5	0	0	300	0	4.8	0.011	120	120	0	0	770	4.8	
2024-Q2		ug/L															
2024-Q3		ug/L															
2024-Q4		ug/L															
MA1TMW-4																	
2022-Q4	29-Dec-22	ug/L															
2023-Q1	16-Jan-23	ug/L															
2023-Q2	08-Jun-23	ug/L															
2023-Q3	29-Sep-23	ug/L															
2023-Q4	27-Dec-23	ug/L	18	2.9	0	0	120	0	3.0	0	130	130	0	0	340	3.0	
2024-Q1	30-Mar-24	ug/L	19	3.1	0	0	120	0	3.1	0	130	130	0	0	340	3.1	
2024-Q2		ug/L															
2024-Q3		ug/L															
2024-Q4		ug/L															

Notes: (1) A "0" value denotes NOT DETECTABLE laboratory result, (2) A "blank" cell in the table denotes no data collected, (3) Pump failed on 29-Dec on well PZ-4. Sample collected using bailer. (4) Not Reported.