

**STATE OF
COLORADO****Carter - DNR, Jocelyn** <jocelyn.carter@state.co.us>

East Rigden Pit Permit No. M-1979-097 Technical Revision TR-11 Adequacy Review

Carter - DNR, Jocelyn <jocelyn.carter@state.co.us>

Thu, Jun 13, 2024 at 5:03 PM

To: Matt Parker <MParker@fcgov.com>

Good afternoon Matt,

Please see the attached adequacy review letter. As a reminder, the decision date for the TR-8 application is June 20, 2024. If more time is required to address the issue outlined in the letter, please request an extension to the Division before the decision date.

If you have any questions or concerns, please let me know.

Thanks,
Jocelyn

[Quoted text hidden]



20240613_M1979097_TR8_SecondAdequacyReview.pdf
191K



June 13, 2024

Matthew Parker
City of Fort Collins
P.O. Box 580
Fort Collins, CO 80522

RE: East Rigden Pit, Permit No. M-1979-097; Technical Revision for Construction of Poudre River Trail, Second Adequacy Review

Dear Mr. Parker,

On May 21, 2024, the Division of Reclamation, Mining, and Safety (Division/DRMS) received the Technical Revision application (TR-8) to include the construction of the Poudre River Trail. The following adequacy issues remain and need to be addressed prior to the Division issuing a decision.

1. Provide a revised Exhibit F – Reclamation Plan Map that meets all the requirements outlined in Rule 6.2.1(2) and Rule 6.4.6. Specifically, the map provided does not depict the reclaimed slope and direction of flow. Please resubmit the map to show the reclaimed topography/contour of the affected area.

This concludes the preliminary adequacy review for the TR-8 application. The decision date is scheduled for **June 20, 2024**. If additional time is necessary to address the above issues, a request to extend the decision date must be submitted to the Division prior to the decision date.

If you have any questions or concerns, I can be reached by email at Jocelyn.carter@state.co.us or by phone at (720) 666-1065.

Sincerely,

Jocelyn Carter
Environmental Protection Specialist

Ec: Amy Eschberger, DRMS

