

AWES, LLC.

Sample Delivery Group: L1601872
Samples Received: 04/04/2023
Project Number: 2022-RM-01
Description:

Report To: Joby Adams
4809 Four Star Court
Fort Collins, CO 80524

Entire Report Reviewed By:



Chris Ward
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	4
Sr: Sample Results	5
MW-12 L1601872-01	5
MW-12 L1601872-02	6
MW-12 L1601872-03	7
Qc: Quality Control Summary	8
Gravimetric Analysis by Method 2540 C-2011	8
Wet Chemistry by Method 9056A	9
Mercury by Method 7470A	11
Metals (ICP) by Method 6010B	12
Metals (ICPMS) by Method 6020	13
Gl: Glossary of Terms	14
Al: Accreditations & Locations	15
Sc: Sample Chain of Custody	16



SAMPLE SUMMARY

MW-12 L1601872-01 GW

Collected by
GV

Collected date/time
03/31/23 16:30

Received date/time
04/04/23 10:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Mercury by Method 7470A	WG2036396	1	04/07/23 11:47	04/08/23 14:53	LAS	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2036505	1	04/08/23 09:17	04/10/23 15:14	ABL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2036879	1	04/09/23 22:31	04/10/23 11:18	SJM	Mt. Juliet, TN

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

MW-12 L1601872-02 GW

Collected by
GV

Collected date/time
03/31/23 16:35

Received date/time
04/04/23 10:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG2036615	1	04/06/23 07:12	04/06/23 07:12	GEB	Mt. Juliet, TN

MW-12 L1601872-03 GW

Collected by
GV

Collected date/time
03/31/23 16:45

Received date/time
04/04/23 10:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2036980	1	04/06/23 18:10	04/06/23 23:50	MMF	Mt. Juliet, TN

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward
Project Manager

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Mercury by Method 7470A

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Mercury,Dissolved	ND		0.000200	1	04/08/2023 14:53	WG2036396

Metals (ICP) by Method 6010B

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Arsenic,Dissolved	ND		0.0100	1	04/10/2023 15:14	WG2036505
Cadmium,Dissolved	ND		0.00200	1	04/10/2023 15:14	WG2036505
Chromium,Dissolved	ND		0.0100	1	04/10/2023 15:14	WG2036505
Copper,Dissolved	ND		0.0100	1	04/10/2023 15:14	WG2036505
Lead,Dissolved	ND		0.00600	1	04/10/2023 15:14	WG2036505
Manganese,Dissolved	0.114		0.0100	1	04/10/2023 15:14	WG2036505
Nickel,Dissolved	ND		0.0100	1	04/10/2023 15:14	WG2036505
Selenium,Dissolved	ND		0.0100	1	04/10/2023 15:14	WG2036505
Zinc,Dissolved	ND		0.0500	1	04/10/2023 15:14	WG2036505

Metals (ICPMS) by Method 6020

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Uranium,Dissolved	0.00573	Q1	0.00100	1	04/10/2023 11:18	WG2036879

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Wet Chemistry by Method 9056A

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Nitrate as (N)	0.949	T8	0.100	1	04/06/2023 07:12	WG2036615
Sulfate	165		5.00	1	04/06/2023 07:12	WG2036615

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	550		10.0	1	04/06/2023 23:50	WG2036980

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3911911-1 04/06/23 23:50

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/l		mg/l	mg/l
Dissolved Solids	U		10.0	10.0

L1602302-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1602302-12 04/06/23 23:50 • (DUP) R3911911-3 04/06/23 23:50

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/l	mg/l		%		%
Dissolved Solids	918	896	1	2.43		5

L1602302-13 Original Sample (OS) • Duplicate (DUP)

(OS) L1602302-13 04/06/23 23:50 • (DUP) R3911911-4 04/06/23 23:50

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/l	mg/l		%		%
Dissolved Solids	996	916	1	8.37	J3	5

Laboratory Control Sample (LCS)

(LCS) R3911911-2 04/06/23 23:50

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/l	mg/l	%	%	
Dissolved Solids	8800	8280	94.1	77.3-123	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R3910157-1 04/05/23 19:35

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/l		mg/l	mg/l
Nitrate	U		0.0480	0.100
Sulfate	U		0.594	5.00

L1602093-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1602093-02 04/05/23 23:00 • (DUP) R3910157-3 04/05/23 23:13

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/l	mg/l		%		%
Nitrate	0.248	0.244	1	1.34		15
Sulfate	ND	ND	1	1.45		15

L1601359-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1601359-01 04/06/23 04:57 • (DUP) R3910157-6 04/06/23 05:11

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/l	mg/l		%		%
Nitrate	ND	ND	1	0.000		15
Sulfate	67.6	67.7	1	0.229		15

Laboratory Control Sample (LCS)

(LCS) R3910157-2 04/05/23 19:49

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/l	mg/l	%	%	
Nitrate	8.00	7.84	98.0	80.0-120	
Sulfate	40.0	39.3	98.3	80.0-120	

L1602093-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1602093-02 04/05/23 23:00 • (MS) R3910157-4 04/05/23 23:25 • (MSD) R3910157-5 04/05/23 23:37

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
Nitrate	5.00	0.248	5.21	5.28	99.3	101	1	80.0-120			1.39	15
Sulfate	50.0	ND	51.5	52.2	97.6	98.9	1	80.0-120			1.26	15

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

L1601359-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1601359-01 04/06/23 04:57 • (MS) R3910157-7 04/06/23 05:24

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Nitrate	5.00	ND	5.09	102	1	80.0-120	
Sulfate	50.0	67.6	115	93.9	1	80.0-120	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3910993-1 04/08/23 14:22

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Mercury,Dissolved	U		0.000100	0.000200

Laboratory Control Sample (LCS)

(LCS) R3910993-2 04/08/23 14:24

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Mercury,Dissolved	0.00300	0.00318	106	80.0-120	

L1602135-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1602135-04 04/08/23 14:27 • (MS) R3910993-3 04/08/23 14:29 • (MSD) R3910993-4 04/08/23 14:35

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Mercury,Dissolved	0.00300	ND	0.00317	0.00327	106	109	1	75.0-125			3.11	20

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Method Blank (MB)

(MB) R3911432-1 04/10/23 14:58

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic,Dissolved	U		0.00440	0.0100
Cadmium,Dissolved	U		0.000479	0.00200
Chromium,Dissolved	U		0.00140	0.0100
Copper,Dissolved	U		0.00368	0.0100
Lead,Dissolved	U		0.00299	0.00600
Manganese,Dissolved	U		0.000934	0.0100
Nickel,Dissolved	U		0.00161	0.0100
Selenium,Dissolved	U		0.00735	0.0100
Zinc,Dissolved	U		0.00652	0.0500

Laboratory Control Sample (LCS)

(LCS) R3911432-2 04/10/23 15:01

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic,Dissolved	1.00	0.899	89.9	80.0-120	
Cadmium,Dissolved	1.00	0.986	98.6	80.0-120	
Chromium,Dissolved	1.00	0.962	96.2	80.0-120	
Copper,Dissolved	1.00	0.998	99.8	80.0-120	
Lead,Dissolved	1.00	1.00	100	80.0-120	
Manganese,Dissolved	1.00	0.951	95.1	80.0-120	
Nickel,Dissolved	1.00	0.969	96.9	80.0-120	
Selenium,Dissolved	1.00	0.976	97.6	80.0-120	
Zinc,Dissolved	1.00	0.997	99.7	80.0-120	

L1601947-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1601947-01 04/10/23 15:03 • (MS) R3911432-4 04/10/23 15:08 • (MSD) R3911432-5 04/10/23 15:11

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic,Dissolved	1.00	ND	0.881	0.891	87.6	88.6	1	75.0-125			1.16	20
Cadmium,Dissolved	1.00	ND	1.01	1.01	101	101	1	75.0-125			0.272	20
Chromium,Dissolved	1.00	ND	0.959	0.960	95.9	96.0	1	75.0-125			0.118	20
Copper,Dissolved	1.00	ND	1.01	1.02	101	102	1	75.0-125			0.155	20
Lead,Dissolved	1.00	ND	1.02	1.02	102	102	1	75.0-125			0.209	20
Manganese,Dissolved	1.00	3.21	4.08	4.08	87.1	87.4	1	75.0-125			0.0715	20
Nickel,Dissolved	1.00	0.0118	0.995	0.997	98.3	98.6	1	75.0-125			0.271	20
Selenium,Dissolved	1.00	ND	1.01	0.985	101	98.5	1	75.0-125			2.09	20
Zinc,Dissolved	1.00	ND	1.01	1.00	101	100	1	75.0-125			0.345	20

1

Cp

2

Tc

3

Ss

4

Cn

5

Sr

6

Qc

7

Gl

8

Al

9

Sc

Method Blank (MB)

(MB) R3911319-1 04/10/23 11:11

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Uranium,Dissolved	U		0.0000789	0.00100

Laboratory Control Sample (LCS)

(LCS) R3911319-2 04/10/23 11:14

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Uranium,Dissolved	1.00	0.889	88.9	80.0-120	

L1601872-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1601872-01 04/10/23 11:18 • (MS) R3911319-4 04/10/23 11:24 • (MSD) R3911319-5 04/10/23 11:27

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Uranium,Dissolved	1.00	0.00573	0.939	0.950	93.3	94.5	1	75.0-125	E	E	1.20	20

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J3	The associated batch QC was outside the established quality control range for precision.
O1	The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.
T8	Sample(s) received past/too close to holding time expiration.



ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Company Name/Address: AWES, LLC 4809 Four Star Court Fort Collins, CO 80524			Billing Information: Joby Adams 4809 Four Star Ct., Fort Collins, CO 80524			Analysis / Container / Preservative Pres Chk As, CD, Cr, Pb, Mn, Hg, Ni, Se, U, Zn, Cu 250 mL pres w HNO3 Nitrate, Sulfate - 250 mL no pres Gross Alpha Particle 500 mL pres HNO3 Total dissolved solids 1L no pres			Chain of Custody Page ____ of ____ PEOPLE ADVANCING SCIENCE 32065 Lebanon Rd Mount Airy, TN 37122 Phone: 615-750-5859 Alt: 800-767-5859 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/files/pace-standard-terms.pdf																																																																																																																																																																																																																																																																																																																																										
Report to: Joby Adams/Garrett Varra			Email To: joby@awes.com.co			As, CD, Cr, Pb, Mn, Hg, Ni, Se, U, Zn, Cu 250 mL pres w HNO3 Nitrate, Sulfate - 250 mL no pres Gross Alpha Particle 500 mL pres HNO3 Total dissolved solids 1L no pres			SDG # <u>C1001632</u> Table # Acctnum: AWESFCCO Template: Prelogin: PM: PB: Shipped Via: Remarks Sample # (lab only)																																																																																																																																																																																																																																																																																																																																										
Project Description: Two Rivers Groundwater Quality			City/State Collected: Evans, CO								Please Circle: PT ☒ MT ☐ CT ☐ ET ☐																																																																																																																																																																																																																																																																																																																																								
Phone: 970-590-3807		Client Project # 2022-RM-01		Lab Project #																																																																																																																																																																																																																																																																																																																																															
Collected by (print): Garrett Varra		Site/Facility ID # P 124		P.O. #																																																																																																																																																																																																																																																																																																																																															
Collected by (signature): 		Rush? (Lab MUST Be Notified) ☐ Same Day ☒ Five Day ☐ Next Day ☐ 5 Day (Rad Only) ☐ Two Day ☐ 10 Day (Rad Only) ☐ Three Day			Quote # Date Results Needed Normal Turn		No. of Cntrs																																																																																																																																																																																																																																																																																																																																												
Immediately Packed on Ice N ☐ Y ☒																																																																																																																																																																																																																																																																																																																																																			
<table border="1" style="width:100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Sample ID</th> <th>Comp/Grab</th> <th>Matrix*</th> <th>Depth</th> <th>Date</th> <th>Time</th> <th>No. of Cntrs</th> <th>As</th> <th>CD</th> <th>Cr</th> <th>Pb</th> <th>Mn</th> <th>Hg</th> <th>Ni</th> <th>Se</th> <th>U</th> <th>Zn</th> <th>Cu</th> <th>Nitrate</th> <th>Sulfate</th> <th>Gross Alpha</th> <th>Total Dissolved Solids</th> </tr> </thead> <tbody> <tr> <td>MW-12</td> <td>Grab</td> <td>GW</td> <td></td> <td>3/31/23</td> <td>16:30</td> <td>1</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-12</td> <td>Grab</td> <td>GW</td> <td></td> <td>3/31/23</td> <td>16:35</td> <td>1</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-12</td> <td>Grab</td> <td>GW</td> <td></td> <td>3/31/23</td> <td>16:40</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-12</td> <td>Grab</td> <td>GW</td> <td></td> <td>3/31/23</td> <td>16:45</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>										Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	As	CD	Cr	Pb	Mn	Hg	Ni	Se	U	Zn	Cu	Nitrate	Sulfate	Gross Alpha	Total Dissolved Solids	MW-12	Grab	GW		3/31/23	16:30	1	X	X														MW-12	Grab	GW		3/31/23	16:35	1				X												MW-12	Grab	GW		3/31/23	16:40	1							X									MW-12	Grab	GW		3/31/23	16:45	1									X																																																																																																																																																																																																																																		
Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	As	CD	Cr	Pb	Mn	Hg	Ni	Se	U	Zn	Cu	Nitrate	Sulfate	Gross Alpha	Total Dissolved Solids																																																																																																																																																																																																																																																																																																																														
MW-12	Grab	GW		3/31/23	16:30	1	X	X																																																																																																																																																																																																																																																																																																																																											
MW-12	Grab	GW		3/31/23	16:35	1				X																																																																																																																																																																																																																																																																																																																																									
MW-12	Grab	GW		3/31/23	16:40	1							X																																																																																																																																																																																																																																																																																																																																						
MW-12	Grab	GW		3/31/23	16:45	1									X																																																																																																																																																																																																																																																																																																																																				
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other _____		Remarks: Not a discharge sample, dissolved metals Samples returned via: ☐ UPS ☒ FedEx ☐ Courier _____ Tracking # _____								pH _____ Temp _____ Flow _____ Other _____																																																																																																																																																																																																																																																																																																																																									
Relinquished by: (Signature) 		Date: <u>4/3/23</u>		Time: <u>09:30</u>		Received by: (Signature) 		Trip Blank Received: Yes ☒ No ☐ HCL / MeOH TBR		COC Seal Present/Intact: ☒ N ☐ Y COC Signed/Accurate: ☒ N ☐ Y Bottles arrive intact: ☒ N ☐ Y Correct bottles used: ☒ N ☐ Y Sufficient volume sent: ☒ N ☐ Y if Applicable VOA Zero Headspace: ☒ N ☐ Y Preservation Correct/Checked: ☒ N ☐ Y RAD Screen <0.5 mR/hr: ☒ N ☐ Y																																																																																																																																																																																																																																																																																																																																									
Relinquished by: (Signature)		Date:		Time:		Received by: (Signature)		Temp: °C <u>3.0 to 3.6</u> Bottles Received: <u>4</u>		If preservation required by Login: Date/Time																																																																																																																																																																																																																																																																																																																																									
Relinquished by: (Signature)		Date:		Time:		Received for lab by: (Signature) 		Date: <u>4/4/23</u> Time: <u>1000</u>		Hold: Condition: <u>NCF</u> / OK																																																																																																																																																																																																																																																																																																																																									

4/5 NCF-AWESFCCO L1601872

Shortholds

Time estimate: oh

Time spent: oh

Members



Nicolle Faulk (responsible)



Chris Ward

Due on 12 April 2023 5:00 PM for target Done

- ☒ Parameter(s) past holding time
- ☐ Temperature not in range
- ☐ Improper container type
- ☐ pH not in range
- ☐ Insufficient sample volume
- ☐ Sample is biphasic
- ☐ Vials received with headspace
- ☐ Broken container
- ☐ Sufficient sample remains
- ☐ If broken container: Insufficient packing material around container
- ☐ If broken container: Insufficient packing material inside cooler
- ☐ If broken container: Improper handling by carrier: _____
- ☐ If broken container: Sample was frozen
- ☐ If broken container: Container lid not intact
- ☐ Client informed by Call
- ☐ Client informed by Email
- ☐ Client informed by Voicemail
- ☐ Date/Time: _____
- ☐ PM initials: _____
- ☐ Client Contact: _____

Comments

Nicolle Faulk collected 3/31	5 April 2023 11:03 AM
Chris Ward Please proceed with analysis and make note to run as close as possible to hold	5 April 2023 11:04 AM
Nicolle Faulk done	5 April 2023 11:05 AM