DMR Copy of Record

Permit

Permit #: COG501534 Permittee: Alpine Aggregates LLC STEAMBOAT SAND & GRAVEL FISKER TRAIL

No Major:

1878 13 St Steamboat Springs, CO 80487 **Permittee Address:**

Facility Location: 32199 FISTER TRAIL

970-879-6231

Facility:

Telephone:

Permitted Feature:

Discharge:

STEAMBOAT SPRINGS, CO 80487

001A

External Outfall

001A-2 Discharge to Yampa River

Permitting and Safety Supervisor

Report Dates & Status

DMR Due Date: Monitoring Period: From 10/01/23 to 12/31/23 01/28/24 Status: **NetDMR Validated**

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Title:

Principal Executive Officer

Last Name: Wilbanks

Betsy

No Data Indicator (NODI)

First Name:

Form NODI:

	Parameter	Monitoring Location	Season #	Param. NODI				Quantity or I	Loading					Quality or Concen	tration			# of Ex	c. Frequency of Analysis	Sample Type
Code	Name				(Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier	2 Value 2	Qualifier 3	Value 3	Units			
00400	-11	1 - Effluent Gross	0		Sample Permit Reg.							7.4 6.5 MINIMUM	Л			7.5 9.0 MAXIMUM	12 - SU 12 - SU	0	02/30 - Twice Per Month 02/30 - Twice Per Month 0	
00400	рп	i - Eiliueili Gioss	U		Value NODI													U		
					Sample								=	0.0	=	0.0	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0		Permit Req.								<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Value NODI															
					Sample										= (0.0	19 - mg/L		77/77 - Contingent	GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0		Permit Req.										<=	10.0 INST MAX	19 - mg/L	0	77/77 - Contingent	GR - GRAB
					Value NODI															
					Sample	= 0	0.0	=	0.0	03 - MGD									99/99 - Continuous	RC - Recorder (auto)
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0		Permit Req. <	<= 0	0.33 30DA AVG		Req Mon DAILY MX	03 - MGD								0	99/99 - Continuous	RC - Recorder (auto)
	,				Value NODI															
					Sample	= 7	7517.0919			3R - Mgal									99/99 - Continuous	CA - CALCTD
51500	Flow, total	1 - Effluent Gross	0		Permit Req.	F	Req Mon QTRTOTA	۱L		3R - Mgal								0	99/99 - Continuous	CA - CALCTD
					Value NODI															
					Sample								=	292.33	=	706.0	19 - mg/L		01/90 - Quarterly	GR - GRAB
70295	Solids, total dissolved	1 - Effluent Gross	0		Permit Req.									Req Mon 30DA AV	G	Req Mon DAILY M	X 19 - mg/L	0	01/90 - Quarterly	GR - GRAB
. 0200					Value NODI															
					Sample			=	0.0	AB - abst=0;prst=1									02/30 - Twice Per Month	VI - VISUAL
84066	Oil and grease visual	1 - Effluent Gross	0		Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1	ı							0	02/30 - Twice Per Month	VI - VISUAL
54000	On and grease visual	. Lindon Cioss			Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User: betsy.wilbanks@nativeexcavating.com

Betsy Wilbanks Name:

E-Mail: betsy.wilbanks@nativeexcavating.com 2024-01-28 10:18 (Time Zone: -07:00) Date/Time:

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com Name: Betsy Wilbanks
E-Mail: betsy.wilbanks@nativeexcavating.com
Date/Time: 2024-01-28 10:19 (Time Zone: -07:00)

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

•	٠		
_			ш.
ш	err	nıt	#.

Major:

COG501534

No

Permittee:

Discharge:

DMR Due Date:

Permittee Address:

Alpine Aggregates LLC

Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISKER TRAIL

Facility Location:

32199 FISTER TRAIL STEAMBOAT SPRINGS, CO 80487

Permitted Feature: 002A

External Outfall

002A-2

1878 13 St

Discharge to Yampa River

Report Dates & Status

Monitoring Period: From 04/01/24 to 06/30/24 07/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name: **Last Name:**

Betsy Wilbanks Title:

Permitting and Safety Supervisor

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

	Parameter	Monitoring Location Sea	son # Param. NO	DI			Quantity or	Loading				Q	uality or Concentrati	ion			# of Ex. Frequency of Analy	sis Sample Type
Code	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
				Sample														
00400	pH	1 - Effluent Gross 0		Permit Re	q.					>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU	02/30 - Twice Per Mo	onth GR - GRAB
				Value NO	DI						C - No Discharge				C - No Discharge			
				Sample														
00530	Solids, total suspended	1 - Effluent Gross 0		Permit Re	q.							<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L	. 02/30 - Twice Per Mo	onth GR - GRAB
	-			Value NO	DI								C - No Discharge		C - No Discharge			
				Sample														
03582	Oil and grease	1 - Effluent Gross 0		Permit Re	q.									<=	10.0 INST MAX	19 - mg/L	. 77/77 - Contingent	GR - GRAB
				Value NO	DI										C - No Discharge			
				Sample														
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross 0		Permit Re	q. <=	0.001 30DA AVG		Req Mon DAILY MX	03 - MGD								01/30 - Monthly	IS - INSITU
				Value NO	DI	C - No Discharge		C - No Discharge										
				Sample														
51500	Flow, total	1 - Effluent Gross 0		Permit Re	q.	Req Mon QTRTOTAL			3R - Mgal								99/99 - Continuous	CA - CALCTD
				Value NO	DI	C - No Discharge												
				Sample														
70295	Solids, total dissolved	1 - Effluent Gross 0		Permit Re	q.								Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L	. 01/90 - Quarterly	GR - GRAB
				Value NO	DI								C - No Discharge		C - No Discharge			
				Sample														
84066	Oil and grease visual	1 - Effluent Gross 0		Permit Re	q.			Req Mon INST MAX	AB - abst=0;prst=	-1							02/30 - Twice Per Mo	onth VI - VISUAL
				Value NO	DI			C - No Discharge										

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Alpine Aggregates LLC

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

E-Mail: betsy.wilbanks@nativeexcavating.com
Date/Time: 2024-07-28 20:28 (Time Zone: -06:00)

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

STEAMBOAT SAND & GRAVEL FISKER TRAIL

STEAMBOAT SPRINGS, CO 80487

32199 FISTER TRAIL

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the non-business email address), confidential business information (e.g., non-business cell phone number or non

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Steamboat Springs, CO 80487

Permit				
Permit #:	COG501534	Permittee:	Alpine Aggregates LLC	Facility:
Major:	No	Permittee Address:	1878 13 St	Facility Location:

Permitted Feature: 003A Discharge: 003A-2 External Outfall Discharge to Yampa River

Report Dates & Status

Monitoring Period: From 04/01/24 to 06/30/24 DMR Due Date: 07/28/24 Status: NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name: Betsy Title: Permitting and Safety Supervisor Telephone: 970-879-6231

No Data Indicator (NODI)

Last Name:

Form NODI: --

Wilabnks

	Parameter	Monitoring Location	Season #	# Param. NOD			Quanti	ty or Loading				Q	uality or Concentrati	ion			# of Ex. I	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1 Valu	e 1 Quali	fier 2 Value 2	Units	Qualifier 1	1 Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	рН	1 - Effluent Gross	0		Sample Permit Req. Value NODI					>=	6.5 MINIMUM C - No Discharge			<=	9.0 MAXIMUM C - No Discharge	12 - SU	0	2/30 - Twice Per Month	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0		Sample Permit Req. Value NODI							<=	30.0 30DA AVG C - No Discharge		45.0 DAILY MX C - No Discharge	19 - mg/L	. 0	2/30 - Twice Per Month	GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0		Sample Permit Req. Value NODI									<=	10.0 INST MAX C - No Discharge	19 - mg/L	. 7	7/77 - Contingent	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0		Sample Permit Req. Value NODI	<= 0.001 30DA C - No Di		Req Mon DAILY MX									0	1/30 - Monthly	IS - INSITU
51500	Flow, total	1 - Effluent Gross	0		Sample Permit Req. Value NODI	Req Mon Q C - No Di			3R - Mgal								9	9/99 - Continuous	CA - CALCTD
70295	Solids, total dissolved	1 - Effluent Gross	0		Sample Permit Req. Value NODI								Req Mon 30DA AVG		Req Mon DAILY MX C - No Discharge	19 - mg/L	. 0	1/90 - Quarterly	GR - GRAB
84066	Oil and grease visual	1 - Effluent Gross	0		Sample Permit Req. Value NODI			Req Mon INST MAX		=1							0	2/30 - Twice Per Month	VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

E-Mail: betsy.wilbanks@nativeexcavating.com
Date/Time: 2024-07-28 20:27 (Time Zone: -06:00)

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

DMR Copy of Record

Permit

COG501534 Permit #:

Alpine Aggregates LLC Permittee:

No Major:

1878 13 St Permittee Address: Steamboat Springs, CO 80487

04/28/24

Facility Location:

Facility:

Telephone:

STEAMBOAT SAND & GRAVEL FISKER TRAIL

32199 FISTER TRAIL STEAMBOAT SPRINGS, CO 80487

Permitted Feature: 002A

External Outfall

Wilbanks

Discharge: 002A-2 Discharge to Yampa River

Report Dates & Status

Monitoring Period: From 01/01/24 to 03/31/24

Status: **NetDMR Validated**

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

DMR Due Date:

Title:

Principal Executive Officer

No Data Indicator (NODI)

First Name: Betsy Permitting and Safety Supervisor

970-879-6231

Last Name:

Form NODI:

	Parameter	Monitoring Location	Season :	# Param. NODI			(Quantity or	Loading				Q	uality or Concentrati	ion		# of	Ex. Frequency of Analysi	s Sample Type
Code	Name				(Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	3 Value 3	Units		
					Sample														
0400	pH	1 - Effluent Gross	0		Permit Req.						>= (6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU	02/30 - Twice Per Mont	h GR - GRAB
	•				Value NODI							C - No Discharge	•			C - No Discharge			
					Sample									00.0.0004.41/0		45.0 DAIL V MV	40	00/00 Turing Day March	L OD ODAD
00530	Solids, total suspended	1 - Effluent Gross	0		Permit Req.								<=	30.0 30DA AVG	<=		19 - mg/L	02/30 - Twice Per Mont	n GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			
					Sample Permit Reg.										<=	10.0 INST MAX	19 - mg/L	77/77 - Contingent	GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0												<=			7777 - Contingent	GR - GRAD
					Value NODI											C - No Discharge			
					Sample		0.004.0004.41/0		D 14 DAII V 14V	22 1400								04/00 14 411	IO INICITII
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0		Permit Req. <	<=	0.001 30DA AVG		Req Mon DAILY MX									01/30 - Monthly	IS - INSITU
					Value NODI		C - No Discharge		C - No Discharge										
					Sample														
51500	Flow, total	1 - Effluent Gross	0		Permit Req.		Req Mon QTRTOTAL			3R - Mgal								99/99 - Continuous	CA - CALCTE
					Value NODI		C - No Discharge												
					Sample														
70295	Solids, total dissolved	1 - Effluent Gross	0		Permit Req.									Req Mon 30DA AVG	6	Req Mon DAILY MX	19 - mg/L	01/90 - Quarterly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			
					Sample														
34066	Oil and grease visual	1 - Effluent Gross	0		Permit Req.				Req Mon INST MAX	AB - abst=0;prst=	1							02/30 - Twice Per Mont	h VI - VISUAL
					Value NODI				C - No Discharge										

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Betsy Wilbanks Name:

E-Mail: betsy.wilbanks@nativeexcavating.com 2024-04-08 17:34 (Time Zone: -06:00) Date/Time:

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com Name: Betsy Wilbanks

DMR Copy of Record

Permit

COG501534 Permit #:

Alpine Aggregates LLC Permittee:

No Major:

1878 13 St Permittee Address: Steamboat Springs, CO 80487

04/28/24

Facility Location:

Facility:

Telephone:

STEAMBOAT SAND & GRAVEL FISKER TRAIL

32199 FISTER TRAIL STEAMBOAT SPRINGS, CO 80487

Permitted Feature: 002A

External Outfall

Wilbanks

Discharge: 002A-2 Discharge to Yampa River

Report Dates & Status

Monitoring Period: From 01/01/24 to 03/31/24

Status: **NetDMR Validated**

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

DMR Due Date:

Title:

Principal Executive Officer

No Data Indicator (NODI)

First Name: Betsy Permitting and Safety Supervisor

970-879-6231

Last Name:

Form NODI:

	Parameter	Monitoring Location	Season :	# Param. NODI			(Quantity or	Loading				Q	uality or Concentrati	ion		# of	Ex. Frequency of Analysi	s Sample Type
Code	Name				(Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	3 Value 3	Units		
					Sample														
0400	pH	1 - Effluent Gross	0		Permit Req.						>= (6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU	02/30 - Twice Per Mont	h GR - GRAB
	•				Value NODI							C - No Discharge	•			C - No Discharge			
					Sample									00.0.0004.41/0		45.0 DAIL V MV	40	00/00 Turing Day March	L OD ODAD
00530	Solids, total suspended	1 - Effluent Gross	0		Permit Req.								<=	30.0 30DA AVG	<=		19 - mg/L	02/30 - Twice Per Mont	n GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			
					Sample Permit Reg.										<=	10.0 INST MAX	19 - mg/L	77/77 - Contingent	GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0												<=			7777 - Contingent	GR - GRAD
					Value NODI											C - No Discharge			
					Sample		0.004.0004.41/0		D 14 DAII V 14V	22 1400								04/00 14 411	IO INICITII
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0		Permit Req. <	<=	0.001 30DA AVG		Req Mon DAILY MX									01/30 - Monthly	IS - INSITU
					Value NODI		C - No Discharge		C - No Discharge										
					Sample														
51500	Flow, total	1 - Effluent Gross	0		Permit Req.		Req Mon QTRTOTAL			3R - Mgal								99/99 - Continuous	CA - CALCTE
					Value NODI		C - No Discharge												
					Sample														
70295	Solids, total dissolved	1 - Effluent Gross	0		Permit Req.									Req Mon 30DA AVG	6	Req Mon DAILY MX	19 - mg/L	01/90 - Quarterly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			
					Sample														
34066	Oil and grease visual	1 - Effluent Gross	0		Permit Req.				Req Mon INST MAX	AB - abst=0;prst=	1							02/30 - Twice Per Mont	h VI - VISUAL
					Value NODI				C - No Discharge										

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Betsy Wilbanks Name:

E-Mail: betsy.wilbanks@nativeexcavating.com 2024-04-08 17:34 (Time Zone: -06:00) Date/Time:

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com Name: Betsy Wilbanks

DMR Copy of Record

Permit

Major:

Permit #: COG501534

Permittee: Alpine Aggregates LLC

Alpine Aggregates LLC

Facility Location:

Facility:

STEAMBOAT SAND & GRAVEL FISKER TRAIL

Permittee Address: 1878 13 St Steamboat Springs, CO 80487 ocation: 32199 FISTER TRAIL

STEAMBOAT SPRINGS, CO 80487

Permitted Feature: 003A

External Outfall

Wilbanks

No

Discharge: 0

003A-2Discharge to Yampa River

Report Dates & Status

Monitoring Period: From 01/01/24 to 03/31/24

DMR Due Date: 04/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Title:

Principal Executive Officer

First Name: Betsy

Permitting and Safety Supervisor

Telephone:

970-879-6231

No Data Indicator (NODI)

Last Name:

Form NODI:

	Parameter	Monitoring Location	Season	# Param. NOD			(Quantity or I	Loading				Q	uality or Concentrati	ion		# of	Ex. Frequency of Analysi	s Sample Typ
Code	Name				C	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
					Sample														
0400	pH	1 - Effluent Gross	0		Permit Req.						>= 6	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU	02/30 - Twice Per Montl	h GR - GRAB
					Value NODI							C - No Discharge)			C - No Discharge			
					Sample														
530	Solids, total suspended	1 - Effluent Gross	0		Permit Req.								<=	30.0 30DA AVG			19 - mg/L	02/30 - Twice Per Montl	h GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			
					Sample Permit Reg.											10.0 INST MAX	19 - mg/L	77/77 - Contingent	GR - GRAB
3582	Oil and grease	1 - Effluent Gross	0												<=		19 - mg/L	7777 - Contingent	GR - GRAB
					Value NODI											C - No Discharge			
					Sample Permit Reg. <		0.001 30DA AVG		Req Mon DAILY MX	03 - MGD								01/30 - Monthly	IS - INSITU
0050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0							00 WOD								0 1730 Worlding	10 1110110
					Value NODI		C - No Discharge		C - No Discharge										
					Sample Permit Reg.		Reg Mon QTRTOTAL			3R - Mgal								99/99 - Continuous	CA - CALC
1500	Flow, total	1 - Effluent Gross	0				·			SR - Mgai								99/99 - Continuous	CA - CALCT
					Value NODI		C - No Discharge												
					Sample														
0295	Solids, total dissolved	1 - Effluent Gross	0		Permit Req.									Req Mon 30DA AVG	i	Req Mon DAILY MX	19 - mg/L	01/90 - Quarterly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			
					Sample														
4066	Oil and grease visual	1 - Effluent Gross	0		Permit Req.				Req Mon INST MAX	AB - abst=0;prst=	1							02/30 - Twice Per Montl	h VI - VISUAL
					Value NODI				C - No Discharge										

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

User:

Report Last Saved By

Alpine Aggregates LLC

betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

E-Mail: betsy.wilbanks@nativeexcavating.com

Date/Time: 2024-04-08 17:33 (Time Zone: -06:00)

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

•	٠		
_			ш.
ш	err	nıt	#.

Major:

COG501534

No

Permittee:

Discharge:

DMR Due Date:

Permittee Address:

Alpine Aggregates LLC

Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISKER TRAIL

Facility Location:

32199 FISTER TRAIL STEAMBOAT SPRINGS, CO 80487

Permitted Feature: 002A

External Outfall

002A-2

1878 13 St

Discharge to Yampa River

Report Dates & Status

Monitoring Period: From 04/01/24 to 06/30/24 07/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name: **Last Name:**

Betsy Wilbanks Title:

Permitting and Safety Supervisor

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

	Parameter	Monitoring Location Sea	son # Param. NO	DI			Quantity or	Loading				Q	uality or Concentrati	ion			# of Ex. Frequency of Analy	sis Sample Type
Code	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
				Sample														
00400	pH	1 - Effluent Gross 0		Permit Re	q.					>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU	02/30 - Twice Per Mo	onth GR - GRAB
				Value NO	DI						C - No Discharge				C - No Discharge			
				Sample														
00530	Solids, total suspended	1 - Effluent Gross 0		Permit Re	q.							<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L	. 02/30 - Twice Per Mo	onth GR - GRAB
	-			Value NO	DI								C - No Discharge		C - No Discharge			
				Sample														
03582	Oil and grease	1 - Effluent Gross 0		Permit Re	q.									<=	10.0 INST MAX	19 - mg/L	. 77/77 - Contingent	GR - GRAB
				Value NO	DI										C - No Discharge			
				Sample														
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross 0		Permit Re	q. <=	0.001 30DA AVG		Req Mon DAILY MX	03 - MGD								01/30 - Monthly	IS - INSITU
				Value NO	DI	C - No Discharge		C - No Discharge										
				Sample														
51500	Flow, total	1 - Effluent Gross 0		Permit Re	q.	Req Mon QTRTOTAL			3R - Mgal								99/99 - Continuous	CA - CALCTD
				Value NO	DI	C - No Discharge												
				Sample														
70295	Solids, total dissolved	1 - Effluent Gross 0		Permit Re	q.								Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L	. 01/90 - Quarterly	GR - GRAB
				Value NO	DI								C - No Discharge		C - No Discharge			
				Sample														
84066	Oil and grease visual	1 - Effluent Gross 0		Permit Re	q.			Req Mon INST MAX	AB - abst=0;prst=	-1							02/30 - Twice Per Mo	onth VI - VISUAL
				Value NO	DI			C - No Discharge										

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Alpine Aggregates LLC

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

E-Mail: betsy.wilbanks@nativeexcavating.com
Date/Time: 2024-07-28 20:28 (Time Zone: -06:00)

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

•	٠		
_			ш.
ш	err	nıt	#.

Major:

COG501534

No

Permittee:

Discharge:

DMR Due Date:

Permittee Address:

Alpine Aggregates LLC

Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISKER TRAIL

Facility Location:

32199 FISTER TRAIL STEAMBOAT SPRINGS, CO 80487

Permitted Feature: 002A

External Outfall

002A-2

1878 13 St

Discharge to Yampa River

Report Dates & Status

Monitoring Period: From 04/01/24 to 06/30/24 07/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name: **Last Name:**

Betsy Wilbanks Title:

Permitting and Safety Supervisor

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

	Parameter	Monitoring Location Sea	son # Param. NO	DI			Quantity or	Loading				Q	uality or Concentrati	ion			# of Ex. Frequency of Analy	sis Sample Type
Code	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
				Sample														
00400	pH	1 - Effluent Gross 0		Permit Re	q.					>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU	02/30 - Twice Per Mo	onth GR - GRAB
				Value NO	DI						C - No Discharge				C - No Discharge			
				Sample														
00530	Solids, total suspended	1 - Effluent Gross 0		Permit Re	q.							<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L	. 02/30 - Twice Per Mo	onth GR - GRAB
	-			Value NO	DI								C - No Discharge		C - No Discharge			
				Sample														
03582	Oil and grease	1 - Effluent Gross 0		Permit Re	q.									<=	10.0 INST MAX	19 - mg/L	. 77/77 - Contingent	GR - GRAB
				Value NO	DI										C - No Discharge			
				Sample														
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross 0		Permit Re	q. <=	0.001 30DA AVG		Req Mon DAILY MX	03 - MGD								01/30 - Monthly	IS - INSITU
				Value NO	DI	C - No Discharge		C - No Discharge										
				Sample														
51500	Flow, total	1 - Effluent Gross 0		Permit Re	q.	Req Mon QTRTOTAL			3R - Mgal								99/99 - Continuous	CA - CALCTD
				Value NO	DI	C - No Discharge												
				Sample														
70295	Solids, total dissolved	1 - Effluent Gross 0		Permit Re	q.								Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L	. 01/90 - Quarterly	GR - GRAB
				Value NO	DI								C - No Discharge		C - No Discharge			
				Sample														
84066	Oil and grease visual	1 - Effluent Gross 0		Permit Re	q.			Req Mon INST MAX	AB - abst=0;prst=	-1							02/30 - Twice Per Mo	onth VI - VISUAL
				Value NO	DI			C - No Discharge										

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Alpine Aggregates LLC

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

E-Mail: betsy.wilbanks@nativeexcavating.com
Date/Time: 2024-07-28 20:28 (Time Zone: -06:00)

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

STEAMBOAT SAND & GRAVEL FISKER TRAIL

STEAMBOAT SPRINGS, CO 80487

32199 FISTER TRAIL

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the non-business email address), confidential business information (e.g., non-business cell phone number or non

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Steamboat Springs, CO 80487

Permit				
Permit #:	COG501534	Permittee:	Alpine Aggregates LLC	Facility:
Major:	No	Permittee Address:	1878 13 St	Facility Location:

Permitted Feature: 003A Discharge: 003A-2 External Outfall Discharge to Yampa River

Report Dates & Status

Monitoring Period: From 04/01/24 to 06/30/24 DMR Due Date: 07/28/24 Status: NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name: Betsy Title: Permitting and Safety Supervisor Telephone: 970-879-6231

No Data Indicator (NODI)

Last Name:

Form NODI: --

Wilabnks

	Parameter	Monitoring Location	Season #	# Param. NOD			Quantit	y or Loading				Q	uality or Concentrati	ion			# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1 Valu	e 1 Qualif	ier 2 Value 2	Units	Qualifier '	1 Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	рН	1 - Effluent Gross	0		Sample Permit Req. Value NODI					>=	6.5 MINIMUM C - No Discharge			<=	9.0 MAXIMUM C - No Discharge	12 - SU		02/30 - Twice Per Month	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0		Sample Permit Req. Value NODI							<=	30.0 30DA AVG C - No Discharge		45.0 DAILY MX C - No Discharge	19 - mg/L	_ (02/30 - Twice Per Month	GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0		Sample Permit Req. Value NODI									<=	10.0 INST MAX C - No Discharge	19 - mg/L		77/77 - Contingent	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0		Sample Permit Req. Value NODI	<= 0.001 30DA C - No Dis		Req Mon DAILY MX									(01/30 - Monthly	IS - INSITU
51500	Flow, total	1 - Effluent Gross	0		Sample Permit Req. Value NODI	Req Mon Q			3R - Mgal								Ç	99/99 - Continuous	CA - CALCTD
70295	Solids, total dissolved	1 - Effluent Gross	0		Sample Permit Req. Value NODI								Req Mon 30DA AVG		Req Mon DAILY MX C - No Discharge		_ (01/90 - Quarterly	GR - GRAB
84066	Oil and grease visual	1 - Effluent Gross	0		Sample Permit Req. Value NODI			Req Mon INST MAX		=1								02/30 - Twice Per Month	VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

E-Mail: betsy.wilbanks@nativeexcavating.com
Date/Time: 2024-07-28 20:27 (Time Zone: -06:00)

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

D	er	m	i+	
г	CI I	ш	IL	

Major:

Permit #: COG501534

Permittee Address:

Permittee:

Discharge:

Title:

DMR Due Date:

Alpine Aggregates LLC

STEAMBOAT SAND & GRAVEL FISKER TRAIL

Facility Location: 32199 FISTER TRAIL

STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

001A **External Outfall**

Wilbanks

No

001A-2

Discharge to Yampa River

Steamboat Springs, CO 80487

Report Dates & Status

Monitoring Period: From 04/01/24 to 06/30/24 07/28/24

1878 13 St

Status:

Facility:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name: Betsy Permitting and Safety Supervisor

Telephone:

970-879-6231

No Data Indicator (NODI)

Last Name:

Form NODI:

	Parameter	Monitoring Location	Season #	Param. NODI				Quantity or Loa	ding					Quality or Concer	ntration			# of Ex	k. Frequency of Analysis	Sample Type
Code	Name				C	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
					Sample						=	7.3			=	7.6	12 - SU		02/30 - Twice Per Month	GR - GRAB
0400	На	1 - Effluent Gross	0		Permit Req.						>=	6.5 MINIMUM	1		<=	9.0 MAXIMUM	12 - SU	0	02/30 - Twice Per Month	GR - GRAB
					Value NODI															
					Sample								=	0.0	=	0.0	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
530	Solids, total suspended	1 - Effluent Gross	0		Permit Req.								<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
000	conds, total suspended	1 Emachi Gross	O		Value NODI													Ü		
					Sample										=	0.0	19 - mg/L		77/77 - Contingent	GR - GRAB
-00	Oil and mass.	4 544	0		Permit Reg.												19 - mg/L		_	GR - GRAB
582	Oil and grease	1 - Effluent Gross	U		Value NODI													U	3	
	Flow, in conduit or thru treatment plant 1 - Effluent Gross			Sample =		0.0	= 0.0		03 - MGD										RC - Recorder (au	
050		0		Permit Req. <	:= (0.33 30DA AVG	Re	q Mon DAILY MX	03 - MGD								0	99/99 - Continuous	RC - Recorder (au	
					Value NODI															
					Sample =		10.5855			3R - Mgal									99/99 - Continuous	CA - CALCTD
500	Flow, total	1 - Effluent Gross	0		Permit Req.	ı	Req Mon QTRTOTAL	-		3R - Mgal								0	99/99 - Continuous	CA - CALCTD
000	riow, total	1 Lindent Gross			Value NODI															
					Sample								=	204.67	=	246.0	19 - mg/L		01/90 - Quarterly	GR - GRAB
)295	Solids, total dissolved	1 - Effluent Gross	0		Permit Req.									Req Mon 30DA AV	G	Req Mon DAILY M	(19 - mg/L	0	01/90 - Quarterly	GR - GRAB
1233	Johns, total dissolved	1 - Lindent Gross	U		Value NODI													U		
					Sample			= 0.0)	AB - abst=0;prst=1	1								02/30 - Twice Per Month	VI - VISUAL
1066	Oil and grease visual	1 - Effluent Gross	0		Permit Req.			Re	q Mon INST MAX	AB - abst=0;prst=1	1							0	02/30 - Twice Per Month	VI - VISUAL
+000	Dil and grease visual 1 - Effluen	i - Lindent Gloss	U		Value NODI													U		

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Alpine Aggregates LLC

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

E-Mail: betsy.wilbanks@nativeexcavating.com
Date/Time: 2024-07-28 20:29 (Time Zone: -06:00)

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

•	٠		
_			ш.
ш	err	nıt	#.

Major:

COG501534

No

Permittee:

Discharge:

DMR Due Date:

Permittee Address:

Alpine Aggregates LLC

Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISKER TRAIL

Facility Location:

32199 FISTER TRAIL STEAMBOAT SPRINGS, CO 80487

Permitted Feature: 002A

External Outfall

002A-2

1878 13 St

Discharge to Yampa River

Report Dates & Status

Monitoring Period: From 04/01/24 to 06/30/24 07/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name: **Last Name:**

Betsy Wilbanks Title:

Permitting and Safety Supervisor

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

	Parameter	Monitoring Location Sea	son # Param. NO	DI			Quantity or	Loading				Q	uality or Concentrati	ion			# of Ex. Frequency of Analy	sis Sample Type
Code	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
				Sample														
00400	pH	1 - Effluent Gross 0		Permit Re	q.					>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU	02/30 - Twice Per Mo	onth GR - GRAB
				Value NO	DI						C - No Discharge				C - No Discharge			
				Sample														
00530	Solids, total suspended	1 - Effluent Gross 0		Permit Re	q.							<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L	. 02/30 - Twice Per Mo	onth GR - GRAB
	-			Value NO	DI								C - No Discharge		C - No Discharge			
				Sample														
03582	Oil and grease	1 - Effluent Gross 0		Permit Re	q.									<=	10.0 INST MAX	19 - mg/L	. 77/77 - Contingent	GR - GRAB
				Value NO	DI										C - No Discharge			
				Sample														
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross 0		Permit Re	q. <=	0.001 30DA AVG		Req Mon DAILY MX	03 - MGD								01/30 - Monthly	IS - INSITU
				Value NO	DI	C - No Discharge		C - No Discharge										
				Sample														
51500	Flow, total	1 - Effluent Gross 0		Permit Re	q.	Req Mon QTRTOTAL			3R - Mgal								99/99 - Continuous	CA - CALCTD
				Value NO	DI	C - No Discharge												
				Sample														
70295	Solids, total dissolved	1 - Effluent Gross 0		Permit Re	q.								Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L	. 01/90 - Quarterly	GR - GRAB
				Value NO	DI								C - No Discharge		C - No Discharge			
				Sample														
84066	Oil and grease visual	1 - Effluent Gross 0		Permit Re	q.			Req Mon INST MAX	AB - abst=0;prst=	-1							02/30 - Twice Per Mo	onth VI - VISUAL
				Value NO	DI			C - No Discharge										

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Alpine Aggregates LLC

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

E-Mail: betsy.wilbanks@nativeexcavating.com
Date/Time: 2024-07-28 20:28 (Time Zone: -06:00)

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

STEAMBOAT SAND & GRAVEL FISKER TRAIL

STEAMBOAT SPRINGS, CO 80487

32199 FISTER TRAIL

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the non-business email address), confidential business information (e.g., non-business cell phone number or non

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Steamboat Springs, CO 80487

Permit				
Permit #:	COG501534	Permittee:	Alpine Aggregates LLC	Facility:
Major:	No	Permittee Address:	1878 13 St	Facility Location:

Permitted Feature: 003A Discharge: 003A-2 External Outfall Discharge to Yampa River

Report Dates & Status

Monitoring Period: From 04/01/24 to 06/30/24 DMR Due Date: 07/28/24 Status: NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name: Betsy Title: Permitting and Safety Supervisor Telephone: 970-879-6231

No Data Indicator (NODI)

Last Name:

Form NODI: --

Wilabnks

	Parameter	Monitoring Location	Season #	# Param. NOD			Quantit	y or Loading				Q	uality or Concentrati	ion			# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1 Valu	e 1 Qualif	ier 2 Value 2	Units	Qualifier '	1 Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	рН	1 - Effluent Gross	0		Sample Permit Req. Value NODI					>=	6.5 MINIMUM C - No Discharge			<=	9.0 MAXIMUM C - No Discharge	12 - SU		02/30 - Twice Per Month	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0		Sample Permit Req. Value NODI							<=	30.0 30DA AVG C - No Discharge		45.0 DAILY MX C - No Discharge	19 - mg/L	_ (02/30 - Twice Per Month	GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0		Sample Permit Req. Value NODI									<=	10.0 INST MAX C - No Discharge	19 - mg/L		77/77 - Contingent	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0		Sample Permit Req. Value NODI	<= 0.001 30DA C - No Dis		Req Mon DAILY MX									(01/30 - Monthly	IS - INSITU
51500	Flow, total	1 - Effluent Gross	0		Sample Permit Req. Value NODI	Req Mon Q			3R - Mgal								Ç	99/99 - Continuous	CA - CALCTD
70295	Solids, total dissolved	1 - Effluent Gross	0		Sample Permit Req. Value NODI								Req Mon 30DA AVG		Req Mon DAILY MX C - No Discharge		_ (01/90 - Quarterly	GR - GRAB
84066	Oil and grease visual	1 - Effluent Gross	0		Sample Permit Req. Value NODI			Req Mon INST MAX		=1								02/30 - Twice Per Month	VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks

E-Mail: betsy.wilbanks@nativeexcavating.com
Date/Time: 2024-07-28 20:27 (Time Zone: -06:00)

Report Last Signed By

User: betsy.wilbanks@nativeexcavating.com

Name: Betsy Wilbanks