EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES effecting Help Desk for further guidance. Please note that EPA may contact you after this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit	f																					
Permit	:#:	CO0027146			Pe	rmittee:		Sn	owcap Coal	Company Inc				F	acility:		ROADSIDE I	NORTH 8	SOUTH MINES			
Major:		No			Pe				3 Horizon Ct and Junction					F	acility Location:		I-70, EXIT 46 (CAMEO EXIT) PALISADE, CO 81526					
Permit	ted Feature:	002 External Outf	all		Dis	scharge:			<b>2-A</b> ne Drainage	Discharge to Col	orado Riv	er er										
Report	t Dates & Status																					
				DN	IR Due Da	te:	08	/28/24					s	tatus:	NetDMR Val							
Considerations for Form Completion																						
Oil and	I grease - see I.A.1, pg 3. Te	rmperature - se	e C.5 and 11.																			
Princip	pal Executive Officer																					
First N	lame:				Tit	le:								Т	elephone:							
Last N	ame:																					
No Dat	ta Indicator (NODI)																					
Form N	NODI:																					
	Parameter		Monitoring Location	Season	# Param. NOD	l I			antity or Load						uality or Concentrati				# of Ex. Frequency of Analysis	Sample Type		
Code	Name					Sample	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier	1 Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00400	nU	1 - Effluent Gro		1 - Effluent Gr				Permit Red	1.					>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU	01/30 - Monthly	IS - INSITU
00400	pii		1 - Ellidelit Gloss	0		Value NOE	DI .						C - No Discharge				C - No Discharge					
						Sample																
00530	Solids, total suspended		1 - Effluent Gross	0		Permit Red	1.							<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
						Value NOE	)I								C - No Discharge		C - No Discharge					
						Sample												ILY MX 28 - ug/L 02/30 - Twice Pe				
00718	Cyanide, weak acid, dissoc	iable	1 - Effluent Gross	0		Permit Rec												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
						Value NOD	71										C - No Discharge					
00070			1 - Effluent Gross	0		Sample Permit Rec	1.							<=	18.0 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
00976	Arsenic, total recoverable		1 - Ellidelit Gloss	U		Value NOD	01								C - No Discharge							
						Sample																
01304	Silver, potentially dissolved	i	1 - Effluent Gross	0	-	Permit Rec	1.								Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
						Value NOE	) I								C - No Discharge							
						Sample																
01306	Copper, potentially dissolve	ed	1 - Effluent Gross	0		Permit Rec								<=	22.0 30DA AVG	<=	35.0 DAILY MX	28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
						Value NOD	/1								C - No Discharge		C - No Discharge					
01313 Cadmium, potentially dissolvd	1 - Effluent Gross	0		Sample Permit Rec	1.							<=	0.92 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB				
01313	Caumum, potentially disso	ivu	1 - Lilidelit Gloss	0	-	Value NOE	DI .								C - No Discharge					onth GR - GRAB  onth GR - GRAB  onth GR - GRAB  onth GR - GRAB		
						Sample																
01318	Lead, potentially dissolvd		1 - Effluent Gross	0		Permit Rec	1.							<=	7.6 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
						Value NOD	) I								C - No Discharge							
						Sample									100001 1100		18.4 DAILY MX	00	20/00 T. / . D	OD ODAD		
01323	Selenium, potentially disso	lvd	1 - Effluent Gross	0		Permit Rec								<=	4.6 30DA AVG	<=		28 - ug/L	02/30 - Twice Per Month	GK - GKAB		
						Sample	,,								C - No Discharge		C - No Discharge					
50055			1 577 10			Permit Rec	1. <=	0.5 30DA AVG	F	Req Mon DAILY MX	03 - MGD								99/99 - Continuous	RC - Recorder (auto)		
50050	Flow, in conduit or thru trea	atment plant	1 - Effluent Gross	0																` '		

					Value NODI	С	- No Discharge	(	C - No Discharge										
	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross			Sample														
51202			0		Permit Req.									Req Mon 30DA AVG		19 - mg/L	- '	02/30 - Twice Per Month	GR - GRAB
					Value NODI									C - No Discharge					
Submission Note																			
If a par	ameter row does not contain any values for	the Sample nor Eff	luent Tra	ading, then r	one of the follo	lowing field	ds will be submitte	ed for that	row: Units, Numb	er of Excu	rsions,	requency of Analy	sis, and	Sample Type.					

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Snowcap Coal Company Inc

User: tonya.snowcap@bresnan.net

 Name:
 Tonya
 Hammond

 E-Mail:
 tonya.snowcap@gmail.com

Date/Time: 2024-08-08 07:23 (Time Zone: -06:00)

Report Last Signed By

 User:
 tonya.snowcap@bresnan.net

 Name:
 Tonya
 Hammond

 E-Mail:
 tonya.snowcap@gmail.com

Date/Time: 2024-08-08 07:35 (Time Zone: -06:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES effecting Help Desk for further guidance. Please note that EPA may contact you after this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																									
Permit	#:	CO0027146			Permitte	ee:		Snov	vcap Coal (	Company Inc					Facility:		ROADSID	E NORTH	& SO	OUTH MINES					
Major:		No			Permitte	ee Address	:		Horizon Ct						Facility Location	n:	I-70, EXIT			(IT)					
								Gran	d Junction,	, CO 81506							PALISADE	E, CO 815	26						
Permitt	ted Feature:	016 External Outfall			Dischar	ge:		<b>016</b> - Mine		Discharge to Color	ado Rive	r													
Report	Dates & Status				,																				
Monito	ring Period:	From 07/01/24	to 07/31/24		DMR Du	ue Date:	08/28/24								Status: NetDMR Val				Validated						
	_	etion																							
			C.5 and 11																						
		·																							
	Permit #: CO0027146 Major: No  Permitted Feature: 016 External Outfall  Report Dates & Status  Monitoring Period: From 07/01/24 to 07/31/24  Considerations for Form Completion Oil and grease - see I.A.1, pg 3. Termperature - see C.5 and 11  Principal Executive Officer First Name: Last Name: No Data Indicator (NODI) Form NODI:  Parameter Monitoring Location Si  Outfall 1 - Effluent Gross 0  00718 Cyanide, weak acid, dissociable 1 - Effluent Gross 0  00718 Cyanide, weak acid, dissociable 1 - Effluent Gross 0  01304 Silver, potentially dissolved 1 - Effluent Gross 0  01305 Copper, potentially dissolved 1 - Effluent Gross 0  01316 Cadmium, potentially dissolved 1 - Effluent Gross 0  01317 Cadmium, potentially dissolved 1 - Effluent Gross 0  01318 Lead, potentially dissolved 1 - Effluent Gross 0  01323 Selenium, potentially dissolved 1 - Effluent Gross 0			Title:										Telephone:											
															1										
T OIIII I			Monitoring Location	Season	# Param. NODI			(	Quantity or Lo	oading					Quality or Concent	ration			# of Ex	c. Frequency of Analysis	Sample Type				
Code	Name						Qualifier 1	Value 1	Qualifier 2		Units	Qualifier 1		Qualifier 2		Qualifier 3		Units							
						Sample Permit Req.							7.5 6.5 MINIMUM			= <=	7.5 9.0 MAXIMUM	12 - SU		02/30 - Twice Per Month 01/30 - Monthly					
00400	pH		1 - Effluent Gross	0		Value NODI						/- (	D.S IVIINIIVIUVI			-	9.0 MAXIMUM	12 - SU	0	01/30 - Monthly	IS - INSITU				
														-	10.0	=	10.0	10	_	04/00 Marable	00.0040				
						Sample Permit Reg.									13.0 35.0 30DA AVG	<=	13.0 70.0 DAILY MX	19 - mg/L 19 - mg/L			GR - GRAB GR - GRAB				
00530	Solids, total suspended		1 - Effluent Gross	0		Value NODI													0						
_						Sample										<	3.0	28 - ug/L		02/30 - Twice Per Month	GR - GRAB				
00718	Cvanide, weak acid, disso	ciable	1 - Effluent Gross	0		Permit Req.											Req Mon DAILY MX	28 - ug/L	0						
007.10	Jamao, wount acra, arcco	olabio -				Value NODI																			
				0		Sample								<	0.2			28 - ug/L 28 - ug/L							
00978	Arsenic, total recoverable		1 - Effluent Gross			Permit Req.								<=	18.0 30DA AVG				0	02/30 - Twice Per Month	GR - GRAB				
						Value NODI																			
						Sample									0.1			28 - ug/L							
01304	Silver, potentially dissolve	ed	1 - Effluent Gross	0		Permit Req.									Req Mon 30DA AVG			28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB				
						Value NODI																			
						Sample Permit Req.	-								1.4 22.0 30DA AVG	= <=	1.9 35.0 DAILY MX	28 - ug/L							
01306	Copper, potentially dissolv	ved	1 - Effluent Gross	0	-	Value NODI									22.0 30DA AVO	,-	SOLU DAILT WA	20 - ugrL	0	02/30 - TWICE I EI WOITH	OK- OKAB				
						Sample									0.03			28 - ug/L	_	02/30 - Twice Per Month	GP - GPAR				
01313	Cadmium notantially disc	olvd	1 Effluent Gross	0		Permit Req.									0.92 30DA AVG			28 - ug/L	0						
01313	Caumum, potentially diss	oivu	1 - Lilidelit Gloss	0		Value NODI																			
						Sample								=	0.33			28 - ug/L		02/30 - Twice Per Month	GR - GRAB				
01318	Lead, potentially dissolvd		1 - Effluent Gross	0		Permit Req.								<=	7.6 30DA AVG			28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB				
						Value NODI																			
						Sample									0.1		0.1	28 - ug/L							
01323	Selenium, potentially disse	olvd	1 - Effluent Gross	0		Permit Req.								<=	4.6 30DA AVG	<=	18.4 DAILY MX	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB				
						Value NOD																			
						Sample		0.118			03 - MGD									99/99 - Continuous	RC - Recorder (auto)				
50050	Flow in conduit or thru tre	eatment plant	1 - Effluent Gross	0		Permit Req.	<=	0.5 30DA AVG		Req Mon DAILY MX	03 - MGD								0	99/99 - Continuous	RC - Recorder (auto)				

					Value NODI													
	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross			Sample								=	0.49	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
51202			0		Permit Req.									Req Mon 30DA AVG	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Value NODI													
Submission Note																		
If a para	If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																	
Edit Ch	Edit Check Errors																	

No errors.

Comments

Attachments
No attachments.

Report Last Saved By

Snowcap Coal Company Inc

User: tonya.snowcap@bresnan.net

Name: Tonya Hammond
E-Mail: tonya.snowcap@gmail.com

Date/Time: 2024-08-08 07:34 (Time Zone: -06:00)

Report Last Signed By

 User:
 tonya.snowcap@bresnan.net

 Name:
 Tonya
 Hammond

 E-Mail:
 tonya.snowcap@gmail.com

Date/Time: 2024-08-08 07:35 (Time Zone: -06:00)