

STATE OF  
COLORADO

Gagnon - DNR, Nikie &lt;nikie.gagnon@state.co.us&gt;

**Re: Bromley Lakes Inspection Report**

1 message

**Gagnon - DNR, Nikie** <nikie.gagnon@state.co.us>  
To: "Olsen, Scott" <SOlsen@brightonco.gov>

Mon, Nov 25, 2024 at 9:22 AM

Hi Scott.

Thank you for addressing the inspection issues at the Bromley Lakes site. The extension approval notice is attached.

Please give me a call if you have any questions as you work through the revisions to the reclamation plan.

Kind regards,

Nikie Gagnon

On Wed, Nov 20, 2024 at 8:08 AM Olsen, Scott &lt;SOlsen@brightonco.gov&gt; wrote:

Good Morning Nikie,

I would like to formally request an extension on the due date for the corrective action item identified in the report referenced in the below email as the "Revegetation" corrective action. As you are aware, we have addressed the 'Signs and Markers' action item. The City has a draft weed control plan and are working on coordination with the local county extension agency (Colorado State University). The City also has a signed contract with Civil Resources to incorporate this weed control plan, and other items identified in the report, through a Technical Revision.

The City is requesting an extension to end of business on December 31, 2024, to allow adequate time for completion of the outstanding corrective action item.

Thank you,

**Scott Olsen****Director of Utilities**

City of Brighton

O 303.655.2136

M 720.641.3085

500 S 4th Ave., Brighton, CO 80601

[solsen@brightonco.gov](mailto:solsen@brightonco.gov)**From:** Gagnon - DNR, Nikie <nikie.gagnon@state.co.us>**Sent:** Wednesday, October 23, 2024 4:02 PM**To:** Olsen, Scott <SOlsen@brightonco.gov>**Subject:** Bromley Lakes Inspection Report**CAUTION:** External Sender. Please do not click on links or open attachments from senders you do not trust.

Hi Scott.

Please see the attached inspection report for the Bromley Lakes mine site. There are two issues cited in the report that require action within the next 30 days, evidence of a mine sign and the submittal of a weed control plan. Since you will be submitting a Technical Revision for the weed control plan, I recommend reviewing the other items called out in the report and updating the reclamation plan map at the same time. The bank stabilization plan can be submitted later when you are ready to install the rip-rap.

Please review the report and reach out to me if you have any questions on how to proceed with the corrective actions.

Kind regards,

-

**Nikie Gagnon**  
**Environmental Protection Specialist**



**COLORADO**  
Division of Reclamation,  
Mining and Safety  
Department of Natural Resources

Cell: 720.527.1640

Physical: 1313 Sherman Street, Room 215, Denver, CO 80203

**Address for FedEx, UPS, or hand delivery:**

DRMS Room 215, 1001 E 62nd Ave, Denver, CO 80216

[nikie.gagnon@state.co.us](mailto:nikie.gagnon@state.co.us) |

<https://www.drms.colorado.gov>



**Bromley Lakes\_Corrective Action Extension Approval\_20241125.pdf**

207K



**COLORADO**  
Division of Reclamation,  
Mining and Safety  
Department of Natural Resources

November 25, 2024

Scott Olsen  
City of Brighton  
500 S. 4<sup>th</sup> Ave.  
Brighton, CO 80601

**RE: Bromley Lakes, Permit No. M-1987-049, Approval of Extension to Complete Corrective Action**

Dear Mr. Olsen:

On November 20, 2024, the Division of Reclamation, Mining and Safety (Division) received your request to extend the corrective action date for Problem #1 cited in the September 24, 2024 inspection report. Per your request, the Division will extend the deadline to complete the corrective action from November 25, 2024 to **December 31, 2024** to allow time to draft and submit a Technical Revision to incorporate a weed control plan and address other items identified during the inspection.

If you have any questions, you may contact me by telephone at (303) 866-3567, ext. 8126, or by email at [nikie.gagnon@state.co.us](mailto:nikie.gagnon@state.co.us).

Sincerely,

*Nikie Gagnon*

Nikie Gagnon  
Environmental Protection Specialist

Cc: Jared Ebert, Senior EPS, DRMS

