

## **LEGEND**

EXISTING 5' CONTOUR EXISTING 1' CONTOUR EXISTING STORM DRAIN PROPOSED 1' CONTOUR PROPOSED 5' CONTOUR 4925 FLOW ARROW ℠ LIMIT OF DISTURBANCE HIGH WATER LINE 200' OFFSET LINE TOPSOIL STOCKPILE **←** SEEDING & MULCHING RECLAMATION AREA -RESERVOIR (WATER) 

# [ . . . . . ]

- AFFECTED AREA FOR THIS PERMIT IS APPROXIMATELY 67.4 ACRES AND INCLUDES THE THREE ACCESS ROUTES.
- 4"-6" OF TOPSOIL TO BE REPLACED WITHIN RECLAMATION AREAS.
- 3. STOCKPILES WILL REMAIN WITHIN PERMIT BOUNDARY UNTIL ALL MATERIAL CAN BE HAULED OUT. ONCE STOCKPILES HAVE BEEN REMOVED, AFFECTED AREAS WILL BE SEEDED & MULCHED.
- SEEDING AND MULCHING TO BE INSTALLED PER RECOMMENDATIONS OF MILE HIGH FLOOD DISTRICT CRITERIA MANUAL VOLUME 2 CHAPTER 13: REVEGETATION, AND VOLUME 3 CHAPTER 7. DRILL SEED AS APPLICABLE.


SEED MIX TO BE AS FOLLOWS: SEEDING RATE = 10 LB/ACRE (PLS)

IF BROADCAST SEEDING USE DOUBLE THE RATE

### NON-IRRIGATED PBSI NATIVE PRAIRIE SEED MIX

COMMON NAME	% OF I
WESTERN WHEATGRASS	249
SIDE DATS GRAMA	205
BLUE GRAMA	205
GREEN NEEDLE	241
BUFFALO GRASS	10
SAND DROPSEED	21
CONTACT:	TOTAL 100

THE TOTAL RECLAMATION AREA (EXCLUDING RESERVOIR) IS APPROX. 78.67 ACRES AND AT A TOPSOIL DEPTH OF 4 INCHES THE VOLUME WOULD BE APPROX. = 42,300 CY. THE FOOTPRINT OF THE TOPSOIL STOCKPILE IS 2.6 ACRES AND IT IS 10.5 TALL PROVIDING APPROXIMATELY 44,000 CY OF TOPSOIL.



# EKO DAP EKO 4000 Special RD Postal Rep - GARDLE

# RAINDANCE RESERVOIR #2 VIMA PARTNERS, LLC CONSTRUCTION MATERIAL SPECIAL 112 OPERATION RECLAMATION - EXHIBIT F (RECLAMATION PLAN MAP)

TST

D732.0383.00 1" = 200'

October, 2024

1 of 1