

## DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

[illegible]

|       |                                           |                    |   |    |             |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|-------|-------------------------------------------|--------------------|---|----|-------------|----|------------------|--|------------------|----------|--|--|--|------------------|------------------|----|------------------|-----------|-------------------------|-------------------------|--------------------|
| 00940 | Chloride [as Cl]                          | 1 - Effluent Gross | 0 | -- | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    |                  | 19 - mg/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    |                  |           |                         |                         |                    |
| 00978 | Arsenic, total recoverable                | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  | Req Mon 30DA AVG |                  |    | 28 - ug/L        |           | 02/30 - Twice Per Month | GR - Grab               |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  | C - No Discharge |                  |    |                  |           |                         |                         |                    |
| 00980 | Iron, total recoverable                   | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  | <=               | 3500.0 30DA AVG  | <= | 7000.0 DAILY MX  | 28 - ug/L |                         | 01/30 - Monthly         | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    | C - No Discharge |           |                         |                         |                    |
| 01046 | Iron, dissolved [as Fe]                   | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  | <=               | 3297.0 30DA AVG  |    |                  | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    |                  |           |                         |                         |                    |
| 01056 | Manganese, dissolved [as Mn]              | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    |                  | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    |                  |           |                         |                         |                    |
| 01074 | Nickel, total recoverable                 | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    |                  | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    |                  |           |                         |                         |                    |
| 01114 | Lead, total recoverable                   | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  |                  |    | Req Mon DAILY MX | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  |                  |    | C - No Discharge |           |                         |                         |                    |
| 01118 | Chromium, total recoverable               | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    | C - No Discharge |           |                         |                         |                    |
| 01303 | Zinc, potentially dissolved               | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    | C - No Discharge |           |                         |                         |                    |
| 01306 | Copper, potentially dissolved             | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    | C - No Discharge |           |                         |                         |                    |
| 01314 | Chromium, trivalent, potentially dissolvd | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    |                  | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    |                  |           |                         |                         |                    |
| 01318 | Lead, potentially dissolvd                | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    | C - No Discharge |           |                         |                         |                    |
| 01319 | Manganese, potentially dissolvd           | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    | C - No Discharge |           |                         |                         |                    |
| 01322 | Nickel, potentially dissolvd              | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    | C - No Discharge |           |                         |                         |                    |
| 01323 | Selenium, potentially dissolvd            | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    | C - No Discharge |           |                         |                         |                    |
| 03582 | Oil and grease                            | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  |                  | <= | 10.0 INST MAX    | 19 - mg/L |                         | 77/77 - Contingent      | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  |                  |    | C - No Discharge |           |                         |                         |                    |
| 04262 | Chromium, trivalent total recoverable     | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  |                  |    | Req Mon DAILY MX | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  |                  |    | C - No Discharge |           |                         |                         |                    |
| 50050 | Flow, in conduit or thru treatment plant  | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. | <= | 0.04 30DA AVG    |  | Req Mon DAILY MX | 03 - MGD |  |  |  |                  |                  |    |                  |           |                         | 01/30 - Monthly         | IN - Instantaneous |
|       |                                           |                    |   |    | Value NODI  |    | C - No Discharge |  | C - No Discharge |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
| 50286 | Mercury, total [low level]                | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    |                  | 28 - ug/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    |                  |           |                         |                         |                    |
| 51202 | Sulfide-hydrogen sulfide [undissociated]  | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |                  | Req Mon 30DA AVG |    |                  | 19 - mg/L |                         | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |                  | C - No Discharge |    |                  |           |                         |                         |                    |
|       |                                           |                    |   |    |             |    |                  |  |                  |          |  |  |  |                  |                  |    |                  |           |                         |                         |                    |

|       |                       |                    |   |    |             |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|-------|-----------------------|--------------------|---|----|-------------|--|--|--|------------------|--------------------|--|--|--|------------------|--|--|--|-----------|--|
| 81020 | Sulfate               | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |                  |                    |  |  |  | Req Mon 30DA AVG |  |  |  | 19 - mg/L |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |                  |                    |  |  |  | C - No Discharge |  |  |  |           |  |
| 82057 | Boron, total          | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |                  |                    |  |  |  | Req Mon 30DA AVG |  |  |  | 19 - mg/L |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |                  |                    |  |  |  | C - No Discharge |  |  |  |           |  |
| 84066 | Oil and grease visual | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  | Req Mon INST MAX | AB - abst=0;prst=1 |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Value NODI  |  |  |  | C - No Discharge |                    |  |  |  |                  |  |  |  |           |  |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

Date/Time:

2024-12-23 10:41 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Permitted Feature:

007  
Internal Outfall

Discharge:

007-A  
Domestic WWTP Polishing Pond

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |               |             |                  |           | Quality or Concentration |         |               |         |                |           |       | # of Ex. | Frequency of Analysis | Sample Type          |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|---------------|-------------|------------------|-----------|--------------------------|---------|---------------|---------|----------------|-----------|-------|----------|-----------------------|----------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1       | Qualifier 2 | Value 2          | Units     | Qualifier 1              | Value 1 | Qualifier 2   | Value 2 | Qualifier 3    | Value 3   | Units |          |                       |                      |
| 00310     | BOD, 5-day, 20 deg. C                    | 1 - Effluent Gross  | 0        | --          | Sample      | =                   | 0.44758       | =           | 0.44758          | 26 - lb/d |                          | <       | 4.0           | <       | 4.0            | 19 - mg/L |       |          | 01/30 - Monthly       | GR - Grab            |
|           |                                          |                     |          |             | Permit Req. | <=                  | 5.0 30DA AVG  |             | Req Mon DAILY MX | 26 - lb/d |                          | <=      | 30.0 30DA AVG | <=      | 45.0 MX 7D AV  | 19 - mg/L |       |          | 01/30 - Monthly       | GR - Grab            |
|           |                                          |                     |          |             | Value NODI  |                     |               |             |                  |           |                          |         |               |         |                |           |       |          |                       |                      |
| 00530     | Solids, total suspended                  | 1 - Effluent Gross  | 0        | --          | Sample      | =                   | 0.5706645     | =           | 0.604233         | 26 - lb/d |                          | =       | 5.1           | =       | 5.4            | 19 - mg/L |       |          | 01/07 - Weekly        | GR - Grab            |
|           |                                          |                     |          |             | Permit Req. | <=                  | 12.0 30DA AVG |             | Req Mon DAILY MX | 26 - lb/d |                          | <=      | 75.0 30DA AVG | <=      | 110.0 MX 7D AV | 19 - mg/L |       |          | 01/07 - Weekly        | GR - Grab            |
|           |                                          |                     |          |             | Value NODI  |                     |               |             |                  |           |                          |         |               |         |                |           |       |          |                       |                      |
| 00610     | Nitrogen, ammonia total [as N]           | 1 - Effluent Gross  | 0        | --          | Sample      |                     |               |             |                  |           |                          | =       | 0.05          | =       | 0.05           | 19 - mg/L |       |          | 01/30 - Monthly       | GR - Grab            |
|           |                                          |                     |          |             | Permit Req. |                     |               |             |                  |           |                          | <=      | 85.0 30DA AVG | <=      | 85.0 DAILY MX  | 19 - mg/L |       |          | 01/30 - Monthly       | GR - Grab            |
|           |                                          |                     |          |             | Value NODI  |                     |               |             |                  |           |                          |         |               |         |                |           |       |          |                       |                      |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      | =                   | 0.013417      | =           | 0.01899          | 03 - MGD  |                          |         |               |         |                |           |       |          | 99/99 - Continuous    | RC - Recorder (auto) |
|           |                                          |                     |          |             | Permit Req. | <=                  | 0.02 30DA AVG |             | Req Mon DAILY MX | 03 - MGD  |                          |         |               |         |                |           |       |          | 99/99 - Continuous    | RC - Recorder (auto) |
|           |                                          |                     |          |             | Value NODI  |                     |               |             |                  |           |                          |         |               |         |                |           |       |          |                       |                      |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com


Date/Time:

2024-12-24 06:06 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK



## DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

[illegible]



|       |                       |                    |   |    |             |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|-------|-----------------------|--------------------|---|----|-------------|--|--|--|------------------|--------------------|--|--|--|------------------|--|--|--|-----------|--|
| 81020 | Sulfate               | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |                  |                    |  |  |  | Req Mon 30DA AVG |  |  |  | 19 - mg/L |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |                  |                    |  |  |  | C - No Discharge |  |  |  |           |  |
| 82057 | Boron, total          | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |                  |                    |  |  |  | Req Mon 30DA AVG |  |  |  | 19 - mg/L |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |                  |                    |  |  |  | C - No Discharge |  |  |  |           |  |
| 84066 | Oil and grease visual | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  | Req Mon INST MAX | AB - abst=0;prst=1 |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Value NODI  |  |  |  | C - No Discharge |                    |  |  |  |                  |  |  |  |           |  |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

Date/Time:

2024-12-23 10:43 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Permitted Feature:

009  
External Outfall

Discharge:

009-AA  
Subsoil Stockpile Runoff (MB-5)

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 16 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.a.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

| Parameter |                              | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |         |             |         |       | Quality or Concentration |             |                  |                  |             |                  |                  | # of Ex.  | Frequency of Analysis   | Sample Type     |
|-----------|------------------------------|---------------------|----------|-------------|-------------|---------------------|---------|-------------|---------|-------|--------------------------|-------------|------------------|------------------|-------------|------------------|------------------|-----------|-------------------------|-----------------|
| Code      | Name                         |                     |          |             |             | Qualifier 1         | Value 1 | Qualifier 2 | Value 2 | Units | Qualifier 1              | Value 1     | Qualifier 2      | Value 2          | Qualifier 3 | Value 3          | Units            |           |                         |                 |
| 00094     | Conductivity                 | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |             |                  |                  |             |                  |                  |           | 02/30 - Twice Per Month | GR - Grab       |
|           |                              |                     |          |             | Permit Req. |                     |         |             |         |       |                          |             |                  | Req Mon 30DA AVG |             |                  | 7B - dS/m        |           |                         |                 |
|           |                              |                     |          |             | Value NODI  |                     |         |             |         |       |                          |             |                  | C - No Discharge |             |                  |                  |           |                         |                 |
| 00400     | pH                           | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |             |                  |                  |             |                  |                  |           | 01/30 - Monthly         | GR - Grab       |
|           |                              |                     |          |             | Permit Req. |                     |         |             |         |       | >=                       | 6.5 MINIMUM |                  |                  | <=          | 9.0 MAXIMUM      | 12 - SU          |           |                         |                 |
|           |                              |                     |          |             | Value NODI  |                     |         |             |         |       |                          |             | C - No Discharge |                  |             | C - No Discharge |                  |           |                         |                 |
| 00440     | Bicarbonate ion- [as HCO3]   | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |             |                  |                  |             |                  |                  |           | 02/30 - Twice Per Month | GR - Grab       |
|           |                              |                     |          |             | Permit Req. |                     |         |             |         |       |                          |             |                  | Req Mon 30DA AVG |             | Req Mon DAILY MX | 19 - mg/L        |           |                         |                 |
|           |                              |                     |          |             | Value NODI  |                     |         |             |         |       |                          |             |                  | C - No Discharge |             | C - No Discharge |                  |           |                         |                 |
| 00530     | Solids, total suspended      | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |             |                  |                  |             |                  |                  |           | 01/30 - Monthly         | GR - Grab       |
|           |                              |                     |          |             | Permit Req. |                     |         |             |         |       |                          |             | <=               | 35.0 30DA AVG    | <=          | 70.0 DAILY MX    | 19 - mg/L        |           |                         |                 |
|           |                              |                     |          |             | Value NODI  |                     |         |             |         |       |                          |             |                  | C - No Discharge |             | C - No Discharge |                  |           |                         |                 |
| 00640     | Nitrogen, inorganic total    | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |             |                  |                  |             |                  |                  |           | 02/30 - Twice Per Month | GR - Grab       |
|           |                              |                     |          |             | Permit Req. |                     |         |             |         |       |                          |             |                  |                  |             | <=               | 652.0 DAILY MX   | 19 - mg/L |                         |                 |
|           |                              |                     |          |             | Value NODI  |                     |         |             |         |       |                          |             |                  |                  |             |                  | C - No Discharge |           |                         |                 |
| 00918     | Calcium, total recoverable   | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |             |                  |                  |             |                  |                  |           | 02/30 - Twice Per Month | GR - Grab       |
|           |                              |                     |          |             | Permit Req. |                     |         |             |         |       |                          |             |                  | Req Mon 30DA AVG |             | Req Mon DAILY MX | 19 - mg/L        |           |                         |                 |
|           |                              |                     |          |             | Value NODI  |                     |         |             |         |       |                          |             |                  | C - No Discharge |             | C - No Discharge |                  |           |                         |                 |
| 00921     | Magnesium, total recoverable | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |             |                  |                  |             |                  |                  |           | 02/30 - Twice Per Month | GR - Grab       |
|           |                              |                     |          |             | Permit Req. |                     |         |             |         |       |                          |             |                  | Req Mon 30DA AVG |             | Req Mon DAILY MX | 19 - mg/L        |           |                         |                 |
|           |                              |                     |          |             | Value NODI  |                     |         |             |         |       |                          |             |                  | C - No Discharge |             | C - No Discharge |                  |           |                         |                 |
| 00923     | Sodium, total recoverable    | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |             |                  |                  |             |                  |                  |           | 02/30 - Twice Per Month | GR - Grab       |
|           |                              |                     |          |             | Permit Req. |                     |         |             |         |       |                          |             |                  | Req Mon 30DA AVG |             | Req Mon DAILY MX | 19 - mg/L        |           |                         |                 |
|           |                              |                     |          |             | Value NODI  |                     |         |             |         |       |                          |             |                  | C - No Discharge |             | C - No Discharge |                  |           |                         |                 |
| 00931     | Sodium adsorption ratio      | EG - Effluent Gross | 0        | --          | Sample      |                     |         |             |         |       |                          |             |                  |                  |             |                  |                  |           | 02/30 - Twice Per Month | CA - Calculated |
|           |                              |                     |          |             | Permit Req. |                     |         |             |         |       |                          |             |                  | Req Mon 30DA AVG |             | Req Mon DAILY MX | 1U - Ratio       |           |                         |                 |
|           |                              |                     |          |             | Value NODI  |                     |         |             |         |       |                          |             |                  | C - No Discharge |             | C - No Discharge |                  |           |                         |                 |
| 00931     | Sodium adsorption ratio      | P - See Comments    | 0        | --          | Sample      |                     |         |             |         |       |                          |             |                  | Req Mon 30DA AVG |             | Req Mon DAILY MX | 1U - Ratio       |           | 02/30 - Twice Per Month | CA - Calculated |

|       |                                           |                    |   |    |             |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|-------|-------------------------------------------|--------------------|---|----|-------------|----|------------------|--|------------------|----------|--|--|----|------------------|----|------------------|-----------|--|-------------------------|--------------------|
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    | C - No Discharge |           |  |                         |                    |
| 00940 | Chloride [as Cl]                          | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    |                  | 19 - mg/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    |                  |           |  |                         |                    |
| 00978 | Arsenic, total recoverable                | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    |                  | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    |                  |           |  |                         |                    |
| 00980 | Iron, total recoverable                   | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  | <= | 3000.0 30DA AVG  | <= | 6000.0 DAILY MX  | 28 - ug/L |  | 01/30 - Monthly         | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    | C - No Discharge |           |  |                         |                    |
| 01046 | Iron, dissolved [as Fe]                   | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  | <= | 3297.0 30DA AVG  |    |                  | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    |                  |           |  |                         |                    |
| 01056 | Manganese, dissolved [as Mn]              | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    |                  | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    |                  |           |  |                         |                    |
| 01074 | Nickel, total recoverable                 | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    |                  | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    |                  |           |  |                         |                    |
| 01114 | Lead, total recoverable                   | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    |                  |    | Req Mon DAILY MX | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    |                  |    | C - No Discharge |           |  |                         |                    |
| 01118 | Chromium, total recoverable               | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    | C - No Discharge |           |  |                         |                    |
| 01303 | Zinc, potentially dissolved               | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    | C - No Discharge |           |  |                         |                    |
| 01306 | Copper, potentially dissolved             | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    | C - No Discharge |           |  |                         |                    |
| 01314 | Chromium, trivalent, potentially dissolvd | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    |                  | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    |                  |           |  |                         |                    |
| 01318 | Lead, potentially dissolvd                | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    | C - No Discharge |           |  |                         |                    |
| 01319 | Manganese, potentially dissolvd           | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    | C - No Discharge |           |  |                         |                    |
| 01322 | Nickel, potentially dissolvd              | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    | C - No Discharge |           |  |                         |                    |
| 01323 | Selenium, potentially dissolvd            | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    | Req Mon DAILY MX | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    | C - No Discharge |    | C - No Discharge |           |  |                         |                    |
| 03582 | Oil and grease                            | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    |                  | <= | 10.0 INST MAX    | 19 - mg/L |  | 77/77 - Contingent      | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    |                  |    | C - No Discharge |           |  |                         |                    |
| 04262 | Chromium, trivalent total recoverable     | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    |                  |    | Req Mon DAILY MX | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    |                  |    | C - No Discharge |           |  |                         |                    |
| 50050 | Flow, in conduit or thru treatment plant  | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. | <= | 0.23 30DA AVG    |  | Req Mon DAILY MX | 03 - MGD |  |  |    |                  |    |                  |           |  | 01/30 - Monthly         | IN - Instantaneous |
|       |                                           |                    |   |    | Value NODI  |    | C - No Discharge |  | C - No Discharge |          |  |  |    |                  |    |                  |           |  |                         |                    |
| 50060 | Chlorine, total residual                  | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    |                  | <= | 0.5 INST MAX     | 19 - mg/L |  | 01/30 - Monthly         | GR - Grab          |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |    |                  |    | C - No Discharge |           |  |                         |                    |
|       |                                           |                    |   |    | Sample      |    |                  |  |                  |          |  |  |    |                  |    |                  |           |  |                         |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |    | Req Mon 30DA AVG |    |                  | 28 - ug/L |  | 02/30 - Twice Per Month | GR - Grab          |

|       |                                          |                    |   |    |             |  |  |  |  |                  |                    |  |  |    |                  |    |                  |              |  |                                   |
|-------|------------------------------------------|--------------------|---|----|-------------|--|--|--|--|------------------|--------------------|--|--|----|------------------|----|------------------|--------------|--|-----------------------------------|
| 50286 | Mercury, total [low level]               | 1 - Effluent Gross | 0 | -- | Value NODI  |  |  |  |  |                  |                    |  |  |    | C - No Discharge |    |                  |              |  |                                   |
| 51040 | E. coli                                  | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |  |                  |                    |  |  |    |                  |    |                  |              |  |                                   |
|       |                                          |                    |   |    | Permit Req. |  |  |  |  |                  |                    |  |  | <= | 2000.0 30DA GM   | <= | 4000.0 MX 7D GM  | 13 - #/100mL |  | 02/30 - Twice Per Month GR - Grab |
|       |                                          |                    |   |    | Value NODI  |  |  |  |  |                  |                    |  |  |    | C - No Discharge |    | C - No Discharge |              |  |                                   |
| 51202 | Sulfide-hydrogen sulfide [undissociated] | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |  |                  |                    |  |  |    |                  |    |                  |              |  |                                   |
|       |                                          |                    |   |    | Permit Req. |  |  |  |  |                  |                    |  |  |    | Req Mon 30DA AVG |    |                  | 19 - mg/L    |  | 02/30 - Twice Per Month GR - Grab |
|       |                                          |                    |   |    | Value NODI  |  |  |  |  |                  |                    |  |  |    | C - No Discharge |    |                  |              |  |                                   |
| 81020 | Sulfate                                  | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |  |                  |                    |  |  |    |                  |    |                  |              |  |                                   |
|       |                                          |                    |   |    | Permit Req. |  |  |  |  |                  |                    |  |  |    | Req Mon 30DA AVG |    |                  | 19 - mg/L    |  | 02/30 - Twice Per Month GR - Grab |
|       |                                          |                    |   |    | Value NODI  |  |  |  |  |                  |                    |  |  |    | C - No Discharge |    |                  |              |  |                                   |
| 82057 | Boron, total                             | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |  |                  |                    |  |  |    |                  |    |                  |              |  |                                   |
|       |                                          |                    |   |    | Permit Req. |  |  |  |  |                  |                    |  |  |    | Req Mon 30DA AVG |    |                  | 19 - mg/L    |  | 02/30 - Twice Per Month GR - Grab |
|       |                                          |                    |   |    | Value NODI  |  |  |  |  |                  |                    |  |  |    | C - No Discharge |    |                  |              |  |                                   |
| 84066 | Oil and grease visual                    | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |  |                  |                    |  |  |    |                  |    |                  |              |  |                                   |
|       |                                          |                    |   |    | Permit Req. |  |  |  |  | Req Mon INST MAX | AB - abst=0;prst=1 |  |  |    |                  |    |                  |              |  | 01/30 - Monthly VI - Visual       |
|       |                                          |                    |   |    | Value NODI  |  |  |  |  | C - No Discharge |                    |  |  |    |                  |    |                  |              |  |                                   |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

Date/Time:

2024-12-23 10:51 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)

## DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

[illegible]

|       |                                           |                    |   |    |             |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
|-------|-------------------------------------------|--------------------|---|----|-------------|----|------------------|--|------------------|----------|--|--|--|--|--|------------------|------------------|------------------|-----------|-----------------------------------------|--------------------|
| 00931 | Sodium adsorption ratio                   | P - See Comments   | 0 | -- | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG | Req Mon DAILY MX | 1U - Ratio       |           | 02/30 - Twice Per Month CA - Calculated |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge | C - No Discharge |                  |           |                                         |                    |
| 00940 | Chloride [as Cl]                          | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | 19 - mg/L        |           | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  |                  |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 00978 | Arsenic, total recoverable                | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | 28 - ug/L        |           | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  |                  |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 00980 | Iron, total recoverable                   | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | 1000.0 30DA AVG  | <=               | 6000.0 DAILY MX  | 28 - ug/L | 01/30 - Monthly                         | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  | C - No Discharge |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 01056 | Manganese, dissolved [as Mn]              | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | 28 - ug/L        |           | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  |                  |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 01074 | Nickel, total recoverable                 | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | 28 - ug/L        |           | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  |                  |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 01114 | Lead, total recoverable                   | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  |                  |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  |                  |                  | C - No Discharge |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 01118 | Chromium, total recoverable               | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  | C - No Discharge |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 01303 | Zinc, potentially dissolved               | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  | C - No Discharge |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 01306 | Copper, potentially dissolved             | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  | C - No Discharge |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 01314 | Chromium, trivalent, potentially dissolvd | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | 28 - ug/L        |           | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  |                  |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 01318 | Lead, potentially dissolvd                | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  | C - No Discharge |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 01319 | Manganese, potentially dissolvd           | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  | C - No Discharge |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 01322 | Nickel, potentially dissolvd              | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  | C - No Discharge |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 01323 | Selenium, potentially dissolvd            | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  | C - No Discharge |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 03582 | Oil and grease                            | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  |                  | <=               | 10.0 INST MAX    | 19 - mg/L | 77/77 - Contingent                      | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  |                  |                  | C - No Discharge |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 04262 | Chromium, trivalent total recoverable     | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  |                  |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  |                  |                  | C - No Discharge |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 50050 | Flow, in conduit or thru treatment plant  | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           | 01/07 - Weekly                          | IN - Instantaneous |
|       |                                           |                    |   |    | Permit Req. | <= | 0.014 30DA AVG   |  | Req Mon DAILY MX | 03 - MGD |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    | C - No Discharge |  | C - No Discharge |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 50286 | Mercury, total [low level]                | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | 28 - ug/L        |           | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  |                  |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
| 51202 | Sulfide-hydrogen sulfide [undissociated]  | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |  |  | Req Mon 30DA AVG |                  | 19 - mg/L        |           | 02/30 - Twice Per Month GR - Grab       |                    |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |  |  | C - No Discharge |                  |                  |           |                                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |
|       |                                           |                    |   |    |             |    |                  |  |                  |          |  |  |  |  |  |                  |                  |                  |           |                                         |                    |

|       |                       |                    |   |    |             |  |  |  |  |                  |                    |  |   |                  |   |                  |           |  |  |
|-------|-----------------------|--------------------|---|----|-------------|--|--|--|--|------------------|--------------------|--|---|------------------|---|------------------|-----------|--|--|
| 51484 | Number of Events      | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |  |                  |                    |  |   |                  |   |                  |           |  |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |  |                  |                    |  | < | 10.0 30DA AVG    | < | 3.0 7 DA AVG     | 5J - #    |  |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |  |                  |                    |  |   | C - No Discharge |   | C - No Discharge |           |  |  |
| 81020 | Sulfate               | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |  |                  |                    |  |   |                  |   |                  |           |  |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |  |                  |                    |  |   | Req Mon 30DA AVG |   |                  | 19 - mg/L |  |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |  |                  |                    |  |   | C - No Discharge |   |                  |           |  |  |
| 81381 | Duration of discharge | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |  |                  |                    |  |   |                  |   |                  |           |  |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |  |                  |                    |  | < | 3.0 7 DA AVG     |   |                  | 5A - d    |  |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |  |                  |                    |  |   | C - No Discharge |   |                  |           |  |  |
| 82057 | Boron, total          | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |  |                  |                    |  |   |                  |   |                  |           |  |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |  |                  |                    |  |   | Req Mon 30DA AVG |   |                  | 19 - mg/L |  |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |  |                  |                    |  |   | C - No Discharge |   |                  |           |  |  |
| 84066 | Oil and grease visual | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |  |                  |                    |  |   |                  |   |                  |           |  |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |  | Req Mon INST MAX | AB - abst=0;prst=1 |  |   |                  |   |                  |           |  |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |  | C - No Discharge |                    |  |   |                  |   |                  |           |  |  |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

Date/Time:

2024-12-23 10:49 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permitted Feature:

011A  
External Outfall

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Discharge:

011A-W  
Acute Monthly WET Testing for 011A

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                       | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |         |             |         |       | Quality or Concentration |         |                  |         |                  |         |       | # of Ex. | Frequency of Analysis | Sample Type     |
|-----------|-----------------------|---------------------|----------|-------------|-------------|---------------------|---------|-------------|---------|-------|--------------------------|---------|------------------|---------|------------------|---------|-------|----------|-----------------------|-----------------|
| Code      | Name                  |                     |          |             |             | Qualifier 1         | Value 1 | Qualifier 2 | Value 2 | Units | Qualifier 1              | Value 1 | Qualifier 2      | Value 2 | Qualifier 3      | Value 3 | Units |          |                       |                 |
| 51484     | Number of Events      | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |         |                  |         |                  |         |       |          | 01/30 - Monthly       | CA - Calculated |
|           |                       |                     |          |             | Permit Req. |                     |         |             |         |       |                          | <       | 10.0 30DA AVG    | <       | 3.0 MX 7D AV     | 5J - #  |       |          |                       |                 |
|           |                       |                     |          |             | Value NODI  |                     |         |             |         |       |                          |         | C - No Discharge |         | C - No Discharge |         |       |          |                       |                 |
| 81381     | Duration of discharge | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |         |                  |         |                  |         |       |          | 01/07 - Weekly        | CA - Calculated |
|           |                       |                     |          |             | Permit Req. |                     |         |             |         |       |                          |         |                  | <       | 3.0 MX 7D AV     | 5A - d  |       |          |                       |                 |
|           |                       |                     |          |             | Value NODI  |                     |         |             |         |       |                          |         |                  |         | C - No Discharge |         |       |          |                       |                 |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

Date/Time:

2024-12-23 10:48 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)

## DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

[illegible]

[illegible]

|       |                                          |                    |   |    |                    |    |                  |  |                  |                    |   |                  |   |                  |  |  |           |                         |                    |
|-------|------------------------------------------|--------------------|---|----|--------------------|----|------------------|--|------------------|--------------------|---|------------------|---|------------------|--|--|-----------|-------------------------|--------------------|
| 50050 | Flow, in conduit or thru treatment plant | 1 - Effluent Gross | 0 | -- | Permit Req.        | <= | 0.072 30DA AVG   |  | Req Mon DAILY MX | 03 - MGD           |   |                  |   |                  |  |  |           | 01/30 - Monthly         | IN - Instantaneous |
|       |                                          |                    |   |    | Value NODI         |    | C - No Discharge |  | C - No Discharge |                    |   |                  |   |                  |  |  |           |                         |                    |
| 50286 | Mercury, total [low level]               | 1 - Effluent Gross | 0 | -- | Sample Permit Req. |    |                  |  |                  |                    |   |                  |   | Req Mon 30DA AVG |  |  | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                          |                    |   |    | Value NODI         |    |                  |  |                  |                    |   |                  |   | C - No Discharge |  |  |           |                         |                    |
| 51202 | Sulfide-hydrogen sulfide [undissociated] | 1 - Effluent Gross | 0 | -- | Sample Permit Req. |    |                  |  |                  |                    |   |                  |   | Req Mon 30DA AVG |  |  | 19 - mg/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                          |                    |   |    | Value NODI         |    |                  |  |                  |                    |   |                  |   | C - No Discharge |  |  |           |                         |                    |
| 51484 | Number of Events                         | 1 - Effluent Gross | 0 | -- | Sample Permit Req. |    |                  |  |                  |                    | < | 10.0 30DA AVG    | < | 3.0 7 DA AVG     |  |  | 5J - #    | 01/30 - Monthly         | CA - Calculated    |
|       |                                          |                    |   |    | Value NODI         |    |                  |  |                  |                    |   | C - No Discharge |   | C - No Discharge |  |  |           |                         |                    |
| 81020 | Sulfate                                  | 1 - Effluent Gross | 0 | -- | Sample Permit Req. |    |                  |  |                  |                    |   |                  |   | Req Mon 30DA AVG |  |  | 19 - mg/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                          |                    |   |    | Value NODI         |    |                  |  |                  |                    |   |                  |   | C - No Discharge |  |  |           |                         |                    |
| 81381 | Duration of discharge                    | 1 - Effluent Gross | 0 | -- | Sample Permit Req. |    |                  |  |                  |                    |   |                  | < | 3.0 7 DA AVG     |  |  | 5A - d    | 01/07 - Weekly          | CA - Calculated    |
|       |                                          |                    |   |    | Value NODI         |    |                  |  |                  |                    |   |                  |   | C - No Discharge |  |  |           |                         |                    |
| 82057 | Boron, total                             | 1 - Effluent Gross | 0 | -- | Sample Permit Req. |    |                  |  |                  |                    |   |                  |   | Req Mon 30DA AVG |  |  | 19 - mg/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                          |                    |   |    | Value NODI         |    |                  |  |                  |                    |   |                  |   | C - No Discharge |  |  |           |                         |                    |
| 84066 | Oil and grease visual                    | 1 - Effluent Gross | 0 | -- | Sample Permit Req. |    |                  |  | Req Mon INST MAX | AB - abst=0;prst=1 |   |                  |   |                  |  |  |           | 01/07 - Weekly          | VI - Visual        |
|       |                                          |                    |   |    | Value NODI         |    |                  |  | C - No Discharge |                    |   |                  |   |                  |  |  |           |                         |                    |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

Date/Time:

2024-12-23 10:48 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permitted Feature:

012A  
External Outfall

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Discharge:

012A-W  
Acute Monthly WET Testing for 012A

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                       | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |         |             |         |       | Quality or Concentration |         |                  |         |                  |         |       | # of Ex. | Frequency of Analysis | Sample Type     |
|-----------|-----------------------|---------------------|----------|-------------|-------------|---------------------|---------|-------------|---------|-------|--------------------------|---------|------------------|---------|------------------|---------|-------|----------|-----------------------|-----------------|
| Code      | Name                  |                     |          |             |             | Qualifier 1         | Value 1 | Qualifier 2 | Value 2 | Units | Qualifier 1              | Value 1 | Qualifier 2      | Value 2 | Qualifier 3      | Value 3 | Units |          |                       |                 |
| 51484     | Number of Events      | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |         |                  |         |                  |         |       |          | 01/30 - Monthly       | CA - Calculated |
|           |                       |                     |          |             | Permit Req. |                     |         |             |         |       |                          | <       | 10.0 30DA AVG    | <       | 3.0 MX 7D AV     | 5J - #  |       |          |                       |                 |
|           |                       |                     |          |             | Value NODI  |                     |         |             |         |       |                          |         | C - No Discharge |         | C - No Discharge |         |       |          |                       |                 |
| 81381     | Duration of discharge | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |         |                  |         |                  |         |       |          | 01/07 - Weekly        | CA - Calculated |
|           |                       |                     |          |             | Permit Req. |                     |         |             |         |       |                          |         |                  | <       | 3.0 MX 7D AV     | 5A - d  |       |          |                       |                 |
|           |                       |                     |          |             | Value NODI  |                     |         |             |         |       |                          |         |                  |         | C - No Discharge |         |       |          |                       |                 |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

Date/Time:

2024-12-23 10:46 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permitted Feature:

014  
External Outfall

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Discharge:

014-AA  
Surface Runoff to Sylvester Gulch

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

TSS & TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 21 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |                  |             |                  |          | Quality or Concentration |         |             |                  |                  |                  | # of Ex.   | Frequency of Analysis | Sample Type          |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|------------------|-------------|------------------|----------|--------------------------|---------|-------------|------------------|------------------|------------------|------------|-----------------------|----------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1          | Qualifier 2 | Value 2          | Units    | Qualifier 1              | Value 1 | Qualifier 2 | Value 2          | Qualifier 3      | Value 3          | Units      |                       |                      |
| 00010     | Temperature, water deg. centigrade       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |         |             |                  |                  |                  |            | 99/99 - Continuous    | RC - Recorder (auto) |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |         |             | Req Mon MX WK AV |                  | Req Mon DAILY MX | 04 - deg C |                       |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |         |             | C - No Discharge |                  | C - No Discharge |            |                       |                      |
| 00400     | pH                                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |         |             |                  |                  |                  |            | 01/30 - Monthly       | GR - Grab            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  | >=       | 6.5 MINIMUM              |         |             | <=               | 9.0 MAXIMUM      | 12 - SU          |            |                       |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          | C - No Discharge         |         |             |                  | C - No Discharge |                  |            |                       |                      |
| 00530     | Solids, total suspended                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |         |             |                  |                  |                  |            | 01/30 - Monthly       | GR - Grab            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |         | <=          | 35.0 30DA AVG    | <=               | 70.0 DAILY MX    | 19 - mg/L  |                       |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |         |             | C - No Discharge |                  | C - No Discharge |            |                       |                      |
| 00980     | Iron, total recoverable                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |         |             |                  |                  |                  |            | 01/30 - Monthly       | GR - Grab            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |         | <=          | 1000.0 30DA AVG  | <=               | 6000.0 DAILY MX  | 28 - ug/L  |                       |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |         |             | C - No Discharge |                  | C - No Discharge |            |                       |                      |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |         |             |                  |                  |                  |            | 01/30 - Monthly       | IN - Instantaneous   |
|           |                                          |                     |          |             | Permit Req. | <=                  | 0.03 30DA AVG    |             | Req Mon DAILY MX | 03 - MGD |                          |         |             |                  |                  |                  |            |                       |                      |
|           |                                          |                     |          |             | Value NODI  |                     | C - No Discharge |             | C - No Discharge |          |                          |         |             |                  |                  |                  |            |                       |                      |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

|                              |                                      |
|------------------------------|--------------------------------------|
| Date/Time:                   | 2024-12-23 10:46 (Time Zone: -07:00) |
| <i>Report Last Signed By</i> |                                      |
| User:                        | JWILCZEK                             |
| Name:                        | Jessica Wilczek                      |
| E-Mail:                      | jwilczek@archrsc.com                 |
| Date/Time:                   | 2024-12-24 06:08 (Time Zone: -07:00) |

## DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

[illegible]



|       |                       |                    |   |    |             |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|-------|-----------------------|--------------------|---|----|-------------|--|--|--|------------------|--------------------|--|--|--|------------------|--|--|--|-----------|--|
| 81020 | Sulfate               | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |                  |                    |  |  |  | Req Mon 30DA AVG |  |  |  | 19 - mg/L |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |                  |                    |  |  |  | C - No Discharge |  |  |  |           |  |
| 82057 | Boron, total          | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |                  |                    |  |  |  | Req Mon 30DA AVG |  |  |  | 19 - mg/L |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |                  |                    |  |  |  | C - No Discharge |  |  |  |           |  |
| 84066 | Oil and grease visual | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  | Req Mon INST MAX | AB - abst=0;prst=1 |  |  |  |                  |  |  |  |           |  |
|       |                       |                    |   |    | Value NODI  |  |  |  | C - No Discharge |                    |  |  |  |                  |  |  |  |           |  |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

Date/Time:

2024-12-23 10:46 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)

## DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

[illegible]

|       |                                           |                    |   |    |             |    |                  |  |                  |          |  |  |  |    |  |  |                  |                  |                  |           |                         |                    |
|-------|-------------------------------------------|--------------------|---|----|-------------|----|------------------|--|------------------|----------|--|--|--|----|--|--|------------------|------------------|------------------|-----------|-------------------------|--------------------|
| 00931 | Sodium adsorption ratio                   | P - See Comments   | 0 | -- | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG | Req Mon DAILY MX | 1U - Ratio       |           | 02/30 - Twice Per Month | CA - Calculated    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge | C - No Discharge |                  |           |                         |                    |
| 00940 | Chloride [as Cl]                          | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | 19 - mg/L        |           | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
| 00978 | Arsenic, total recoverable                | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | 100.0 30DA AVG   |                  | 28 - ug/L        |           | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  | <= |  |  | C - No Discharge |                  |                  |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
| 00980 | Iron, total recoverable                   | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | 1000.0 30DA AVG  | <=               | 6000.0 DAILY MX  | 28 - ug/L | 01/30 - Monthly         | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  | <= |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
| 01056 | Manganese, dissolved [as Mn]              | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | 28 - ug/L        |           | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
| 01074 | Nickel, total recoverable                 | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | 28 - ug/L        |           | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
| 01114 | Lead, total recoverable                   | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  |                  |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  |                  |                  | C - No Discharge |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  |                  |                  | C - No Discharge |           |                         |                    |
| 01118 | Chromium, total recoverable               | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
| 01303 | Zinc, potentially dissolved               | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
| 01306 | Copper, potentially dissolved             | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
| 01314 | Chromium, trivalent, potentially dissolvd | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | 28 - ug/L        |           | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
| 01318 | Lead, potentially dissolvd                | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
| 01319 | Manganese, potentially dissolvd           | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
| 01322 | Nickel, potentially dissolvd              | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
| 01323 | Selenium, potentially dissolvd            | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  | C - No Discharge |           |                         |                    |
| 03582 | Oil and grease                            | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  |                  | <=               | 10.0 INST MAX    | 19 - mg/L | 77/77 - Contingent      | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  |                  |                  | C - No Discharge |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  |                  |                  | C - No Discharge |           |                         |                    |
| 04262 | Chromium, trivalent total recoverable     | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  |                  |                  | Req Mon DAILY MX | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  |                  |                  | C - No Discharge |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  |                  |                  | C - No Discharge |           |                         |                    |
| 50050 | Flow, in conduit or thru treatment plant  | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  |                  |                  |                  |           | 01/30 - Monthly         | IN - Instantaneous |
|       |                                           |                    |   |    | Permit Req. | <= | 0.29 30DA AVG    |  | Req Mon DAILY MX | 03 - MGD |  |  |  |    |  |  |                  |                  |                  |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    | C - No Discharge |  | C - No Discharge |          |  |  |  |    |  |  |                  |                  |                  |           |                         |                    |
| 50286 | Mercury, total [low level]                | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | 28 - ug/L        |           | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
| 51202 | Sulfide-hydrogen sulfide [undissociated]  | 1 - Effluent Gross | 0 | -- | Sample      |    |                  |  |                  |          |  |  |  |    |  |  | Req Mon 30DA AVG |                  | 19 - mg/L        |           | 02/30 - Twice Per Month | GR - Grab          |
|       |                                           |                    |   |    | Permit Req. |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
|       |                                           |                    |   |    | Value NODI  |    |                  |  |                  |          |  |  |  |    |  |  | C - No Discharge |                  |                  |           |                         |                    |
|       |                                           |                    |   |    |             |    |                  |  |                  |          |  |  |  |    |  |  |                  |                  |                  |           |                         |                    |

|       |                       |                    |   |    |             |  |  |  |                  |                    |  |  |    |                  |  |  |  |           |  |
|-------|-----------------------|--------------------|---|----|-------------|--|--|--|------------------|--------------------|--|--|----|------------------|--|--|--|-----------|--|
| 81020 | Sulfate               | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |    |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |                  |                    |  |  |    | Req Mon 30DA AVG |  |  |  | 19 - mg/L |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |                  |                    |  |  |    | C - No Discharge |  |  |  |           |  |
| 82057 | Boron, total          | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |    |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  |                  |                    |  |  | <= | 0.75 30DA AVG    |  |  |  | 19 - mg/L |  |
|       |                       |                    |   |    | Value NODI  |  |  |  |                  |                    |  |  |    | C - No Discharge |  |  |  |           |  |
| 84066 | Oil and grease visual | 1 - Effluent Gross | 0 | -- | Sample      |  |  |  |                  |                    |  |  |    |                  |  |  |  |           |  |
|       |                       |                    |   |    | Permit Req. |  |  |  | Req Mon INST MAX | AB - abst=0;prst=1 |  |  |    |                  |  |  |  |           |  |
|       |                       |                    |   |    | Value NODI  |  |  |  | C - No Discharge |                    |  |  |    |                  |  |  |  |           |  |

**Submission Note**

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

No errors.

**Comments**

No Discharge

**Attachments**

No attachments.

**Report Last Saved By**

**Mountain Coal Co LLC**

User: HIATTCHASE

Name: Chase Hiatt

E-Mail: chiatt@archrsc.com

Date/Time: 2024-12-23 10:44 (Time Zone: -07:00)

**Report Last Signed By**

User: JWILCZEK

Name: Jessica Wilczek

E-Mail: jwilczek@archrsc.com

Date/Time: 2024-12-24 06:08 (Time Zone: -07:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permitted Feature:

017A  
External Outfall

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Discharge:

017A-W  
Acute Monthly WET Testing for 017A

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                       | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |         |             |         |       | Quality or Concentration |         |                  |         |                  |         |       | # of Ex. | Frequency of Analysis | Sample Type     |
|-----------|-----------------------|---------------------|----------|-------------|-------------|---------------------|---------|-------------|---------|-------|--------------------------|---------|------------------|---------|------------------|---------|-------|----------|-----------------------|-----------------|
| Code      | Name                  |                     |          |             |             | Qualifier 1         | Value 1 | Qualifier 2 | Value 2 | Units | Qualifier 1              | Value 1 | Qualifier 2      | Value 2 | Qualifier 3      | Value 3 | Units |          |                       |                 |
| 51484     | Number of Events      | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |         |                  |         |                  |         |       |          | 01/30 - Monthly       | CA - Calculated |
|           |                       |                     |          |             | Permit Req. |                     |         |             |         |       |                          | <       | 10.0 30DA AVG    | <       | 3.0 7 DA AVG     | 5J - #  |       |          |                       |                 |
|           |                       |                     |          |             | Value NODI  |                     |         |             |         |       |                          |         | C - No Discharge |         | C - No Discharge |         |       |          |                       |                 |
| 81381     | Duration of discharge | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |         |       |                          |         |                  |         |                  |         |       |          | 01/07 - Weekly        | CA - Calculated |
|           |                       |                     |          |             | Permit Req. |                     |         |             |         |       |                          |         |                  | <       | 3.0 7 DA AVG     | 5A - d  |       |          |                       |                 |
|           |                       |                     |          |             | Value NODI  |                     |         |             |         |       |                          |         |                  |         | C - No Discharge |         |       |          |                       |                 |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

Date/Time:

2024-12-23 10:43 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Permitted Feature:

025  
External Outfall

Discharge:

025-A  
Stormwater from Drainage Basin 49A5 to Sylvester Gulch

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |                  |             |                  |          | Quality or Concentration |                  |             |                  |             |                  |           | # of Ex. | Frequency of Analysis | Sample Type        |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|------------------|-------------|------------------|----------|--------------------------|------------------|-------------|------------------|-------------|------------------|-----------|----------|-----------------------|--------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1          | Qualifier 2 | Value 2          | Units    | Qualifier 1              | Value 1          | Qualifier 2 | Value 2          | Qualifier 3 | Value 3          | Units     |          |                       |                    |
| 00400     | pH                                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          | Req Mon MINIMUM  |             |                  |             | Req Mon MAXIMUM  | 12 - SU   |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          | C - No Discharge |             |                  |             | C - No Discharge |           |          |                       |                    |
| 00530     | Solids, total suspended                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             | Req Mon 30DA AVG |             | Req Mon DAILY MX | 19 - mg/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                       |                    |
| 00545     | Solids, settleable                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             | Req Mon 30DA AVG |             | Req Mon DAILY MX | 25 - mL/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                       |                    |
| 00980     | Iron, total recoverable                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  | <=          | 1000.0 30DA AVG  | <=          | 6000.0 DAILY MX  | 28 - ug/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                       |                    |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | IN - Instantaneous |
|           |                                          |                     |          |             | Permit Req. | <=                  | 1.35 30DA AVG    |             | Req Mon DAILY MX | 03 - MGD |                          |                  |             |                  |             |                  |           |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     | C - No Discharge |             | C - No Discharge |          |                          |                  |             |                  |             |                  |           |          |                       |                    |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

|                              |                                      |
|------------------------------|--------------------------------------|
| Date/Time:                   | 2024-12-23 11:20 (Time Zone: -07:00) |
| <i>Report Last Signed By</i> |                                      |
| User:                        | JWILCZEK                             |
| Name:                        | Jessica Wilczek                      |
| E-Mail:                      | jwilczek@archrsc.com                 |
| Date/Time:                   | 2024-12-24 06:08 (Time Zone: -07:00) |

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Permitted Feature:

026  
External Outfall

Discharge:

026-A  
Stormwater from Drainage Basin 49A3 to Sylvester Gulch

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |                  |             |                  |          | Quality or Concentration |                  |             |                  |             |                  |           | # of Ex. | Frequency of Analysis | Sample Type        |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|------------------|-------------|------------------|----------|--------------------------|------------------|-------------|------------------|-------------|------------------|-----------|----------|-----------------------|--------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1          | Qualifier 2 | Value 2          | Units    | Qualifier 1              | Value 1          | Qualifier 2 | Value 2          | Qualifier 3 | Value 3          | Units     |          |                       |                    |
| 00400     | pH                                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          | Req Mon MINIMUM  |             |                  |             | Req Mon MAXIMUM  | 12 - SU   |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          | C - No Discharge |             |                  |             | C - No Discharge |           |          |                       |                    |
| 00530     | Solids, total suspended                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             | Req Mon 30DA AVG |             | Req Mon DAILY MX | 19 - mg/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                       |                    |
| 00545     | Solids, settleable                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             | Req Mon 30DA AVG |             | Req Mon DAILY MX | 25 - mL/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                       |                    |
| 00980     | Iron, total recoverable                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  | <=          | 1000.0 30DA AVG  | <=          | 6000.0 DAILY MX  | 28 - ug/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                       |                    |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | IN - Instantaneous |
|           |                                          |                     |          |             | Permit Req. | <=                  | 0.22 30DA AVG    |             | Req Mon DAILY MX | 03 - MGD |                          |                  |             |                  |             |                  |           |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     | C - No Discharge |             | C - No Discharge |          |                          |                  |             |                  |             |                  |           |          |                       |                    |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

|                              |                                      |
|------------------------------|--------------------------------------|
| Date/Time:                   | 2024-12-23 11:20 (Time Zone: -07:00) |
| <i>Report Last Signed By</i> |                                      |
| User:                        | JWILCZEK                             |
| Name:                        | Jessica Wilczek                      |
| E-Mail:                      | jwilczek@archrsc.com                 |
| Date/Time:                   | 2024-12-24 06:08 (Time Zone: -07:00) |

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Permitted Feature:

027  
External Outfall

Discharge:

027-A  
Stormwater from Drainage Basin 49A2 to Sylvester Gulch

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |                  |             |                  |          | Quality or Concentration |                  |             |                 |             |                  |           | # of Ex.  | Frequency of Analysis | Sample Type        |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|------------------|-------------|------------------|----------|--------------------------|------------------|-------------|-----------------|-------------|------------------|-----------|-----------|-----------------------|--------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1          | Qualifier 2 | Value 2          | Units    | Qualifier 1              | Value 1          | Qualifier 2 | Value 2         | Qualifier 3 | Value 3          | Units     |           |                       |                    |
| 00400     | pH                                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                 |             |                  |           |           | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          | Req Mon MINIMUM  |             |                 |             | Req Mon MAXIMUM  | 12 - SU   |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          | C - No Discharge |             |                 |             | C - No Discharge |           |           |                       |                    |
| 00530     | Solids, total suspended                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                 |             | Req Mon 30DA AVG |           | 19 - mg/L | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             |                 |             | Req Mon DAILY MX |           |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             |                 |             | C - No Discharge |           |           |                       |                    |
| 00545     | Solids, settleable                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                 |             | Req Mon 30DA AVG |           | 25 - mL/L | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             |                 |             | Req Mon DAILY MX |           |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             |                 |             | C - No Discharge |           |           |                       |                    |
| 00980     | Iron, total recoverable                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                 |             |                  |           |           | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  | <=          | 1000.0 30DA AVG | <=          | 6000.0 DAILY MX  | 28 - ug/L |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             |                 |             | C - No Discharge |           |           |                       |                    |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                 |             |                  |           |           | 01/30 - Monthly       | IN - Instantaneous |
|           |                                          |                     |          |             | Permit Req. | <=                  | 0.48 30DA AVG    |             | Req Mon DAILY MX | 03 - MGD |                          |                  |             |                 |             |                  |           |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     | C - No Discharge |             | C - No Discharge |          |                          |                  |             |                 |             |                  |           |           |                       |                    |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

|                       |                                      |
|-----------------------|--------------------------------------|
| Date/Time:            | 2024-12-23 11:20 (Time Zone: -07:00) |
| Report Last Signed By |                                      |
| User:                 | JWILCZEK                             |
| Name:                 | Jessica Wilczek                      |
| E-Mail:               | jwilczek@archrsc.com                 |
| Date/Time:            | 2024-12-24 06:08 (Time Zone: -07:00) |

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Permitted Feature:

030  
External Outfall

Discharge:

030-A  
Stormwater from Drainage Basins 46B1 and 46B2 to Sylvester Gulch

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |                  |             |         |          | Quality or Concentration |                  |                  |         |             |                  |           | # of Ex. | Frequency of Analysis | Sample Type        |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|------------------|-------------|---------|----------|--------------------------|------------------|------------------|---------|-------------|------------------|-----------|----------|-----------------------|--------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1          | Qualifier 2 | Value 2 | Units    | Qualifier 1              | Value 1          | Qualifier 2      | Value 2 | Qualifier 3 | Value 3          | Units     |          |                       |                    |
| 00400     | pH                                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |         |          |                          |                  |                  |         |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |         |          |                          | Req Mon MINIMUM  |                  |         |             | Req Mon MAXIMUM  | 12 - SU   |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |         |          |                          | C - No Discharge |                  |         |             | C - No Discharge |           |          |                       |                    |
| 00530     | Solids, total suspended                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |         |          |                          |                  |                  |         |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |         |          |                          |                  | Req Mon 30DA AVG |         |             | Req Mon DAILY MX | 19 - mg/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |         |          |                          |                  | C - No Discharge |         |             | C - No Discharge |           |          |                       |                    |
| 00545     | Solids, settleable                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |         |          |                          |                  |                  |         |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |         |          |                          |                  | Req Mon 30DA AVG |         |             | Req Mon DAILY MX | 25 - mL/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |         |          |                          |                  | C - No Discharge |         |             | C - No Discharge |           |          |                       |                    |
| 00980     | Iron, total recoverable                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |         |          |                          |                  |                  |         |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |         |          |                          |                  | Req Mon 30DA AVG |         |             | Req Mon DAILY MX | 28 - ug/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |         |          |                          |                  | C - No Discharge |         |             | C - No Discharge |           |          |                       |                    |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |         |          |                          |                  |                  |         |             |                  |           |          | 01/30 - Monthly       | IN - Instantaneous |
|           |                                          |                     |          |             | Permit Req. |                     | Req Mon 30DA AVG |             |         | 03 - MGD |                          |                  |                  |         |             |                  |           |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     | C - No Discharge |             |         |          |                          |                  |                  |         |             |                  |           |          |                       |                    |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

|                              |                                      |
|------------------------------|--------------------------------------|
| Date/Time:                   | 2024-12-23 11:21 (Time Zone: -07:00) |
| <i>Report Last Signed By</i> |                                      |
| User:                        | JWILCZEK                             |
| Name:                        | Jessica Wilczek                      |
| E-Mail:                      | jwilczek@archrsc.com                 |
| Date/Time:                   | 2024-12-24 06:08 (Time Zone: -07:00) |

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:  
Major:

CO0038776  
No

Permittee:  
Permittee Address:

Mountain Coal Co LLC  
5174 Hwy 133  
Somerset, CO 81434

Facility:  
Facility Location:

WEST ELK MINE  
HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Permitted Feature:

032  
External Outfall

Discharge:

032-A  
Stormwater from Drainage Basins 43A and 43F to Sylvester Gulch

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:  
Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |                  |             |                  |          | Quality or Concentration |                  |             |                  |             |                  |           | # of Ex. | Frequency of Analysis | Sample Type        |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|------------------|-------------|------------------|----------|--------------------------|------------------|-------------|------------------|-------------|------------------|-----------|----------|-----------------------|--------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1          | Qualifier 2 | Value 2          | Units    | Qualifier 1              | Value 1          | Qualifier 2 | Value 2          | Qualifier 3 | Value 3          | Units     |          |                       |                    |
| 00400     | pH                                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          | Req Mon MINIMUM  |             |                  |             | Req Mon MAXIMUM  | 12 - SU   |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          | C - No Discharge |             |                  |             | C - No Discharge |           |          |                       |                    |
| 00530     | Solids, total suspended                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             | Req Mon 30DA AVG |             | Req Mon DAILY MX | 19 - mg/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                       |                    |
| 00545     | Solids, settleable                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             | Req Mon 30DA AVG |             | Req Mon DAILY MX | 25 - mL/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                       |                    |
| 00980     | Iron, total recoverable                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  | <=          | 1000.0 30DA AVG  | <=          | 6000.0 DAILY MX  | 28 - ug/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                       |                    |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | IN - Instantaneous |
|           |                                          |                     |          |             | Permit Req. | <=                  | 0.58 30DA AVG    |             | Req Mon DAILY MX | 03 - MGD |                          |                  |             |                  |             |                  |           |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     | C - No Discharge |             | C - No Discharge |          |                          |                  |             |                  |             |                  |           |          |                       |                    |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

|                              |                                      |
|------------------------------|--------------------------------------|
| Date/Time:                   | 2024-12-23 11:21 (Time Zone: -07:00) |
| <i>Report Last Signed By</i> |                                      |
| User:                        | JWILCZEK                             |
| Name:                        | Jessica Wilczek                      |
| E-Mail:                      | jwilczek@archrsc.com                 |
| Date/Time:                   | 2024-12-24 06:08 (Time Zone: -07:00) |

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Permitted Feature:

033  
Internal Outfall

Discharge:

033-A  
Stormwater from Drainage Basin 43D and 43E

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |                  |             |                  |          | Quality or Concentration |                  |             |         |             |                  |         | # of Ex.  | Frequency of Analysis | Sample Type        |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|------------------|-------------|------------------|----------|--------------------------|------------------|-------------|---------|-------------|------------------|---------|-----------|-----------------------|--------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1          | Qualifier 2 | Value 2          | Units    | Qualifier 1              | Value 1          | Qualifier 2 | Value 2 | Qualifier 3 | Value 3          | Units   |           |                       |                    |
| 00400     | pH                                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |         |             |                  |         |           | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          | Req Mon MINIMUM  |             |         |             | Req Mon MAXIMUM  | 12 - SU |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          | C - No Discharge |             |         |             | C - No Discharge |         |           |                       |                    |
| 00530     | Solids, total suspended                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |         |             | Req Mon 30DA AVG |         | 19 - mg/L | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             |         |             | Req Mon DAILY MX |         |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             |         |             | C - No Discharge |         |           |                       |                    |
| 00545     | Solids, settleable                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |         |             | Req Mon 30DA AVG |         | 25 - mL/L | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             |         |             | Req Mon DAILY MX |         |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             |         |             | C - No Discharge |         |           |                       |                    |
| 00980     | Iron, total recoverable                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |         |             | Req Mon 30DA AVG |         | 28 - ug/L | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             |         |             | Req Mon DAILY MX |         |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             |         |             | C - No Discharge |         |           |                       |                    |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |         |             |                  |         |           | 01/30 - Monthly       | IN - Instantaneous |
|           |                                          |                     |          |             | Permit Req. | <=                  | 0.54 30DA AVG    |             | Req Mon DAILY MX | 03 - MGD |                          |                  |             |         |             |                  |         |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     | C - No Discharge |             | C - No Discharge |          |                          |                  |             |         |             |                  |         |           |                       |                    |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

|                              |                                      |
|------------------------------|--------------------------------------|
| Date/Time:                   | 2024-12-23 11:21 (Time Zone: -07:00) |
| <i>Report Last Signed By</i> |                                      |
| User:                        | JWILCZEK                             |
| Name:                        | Jessica Wilczek                      |
| E-Mail:                      | jwilczek@archrsc.com                 |
| Date/Time:                   | 2024-12-24 06:08 (Time Zone: -07:00) |

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:  
Major:

CO0038776  
No

Permittee:  
Permittee Address:

Mountain Coal Co LLC  
5174 Hwy 133  
Somerset, CO 81434

Facility:  
Facility Location:

WEST ELK MINE  
HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Permitted Feature:

034  
External Outfall

Discharge:

034-A  
Comingled Discharge of Outfall 033 and from Drainage Basin 43B and 43C to Sylvester Gulch

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:  
Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |                  |             |                  |          | Quality or Concentration |                  |             |                  |             |                  |           | # of Ex. | Frequency of Analysis | Sample Type        |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|------------------|-------------|------------------|----------|--------------------------|------------------|-------------|------------------|-------------|------------------|-----------|----------|-----------------------|--------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1          | Qualifier 2 | Value 2          | Units    | Qualifier 1              | Value 1          | Qualifier 2 | Value 2          | Qualifier 3 | Value 3          | Units     |          |                       |                    |
| 00400     | pH                                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          | Req Mon MINIMUM  |             |                  |             | Req Mon MAXIMUM  | 12 - SU   |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          | C - No Discharge |             |                  |             | C - No Discharge |           |          |                       |                    |
| 00980     | Iron, total recoverable                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  | <=          | 1000.0 30DA AVG  |             |                  | 28 - ug/L |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             | C - No Discharge |             |                  |           |          |                       |                    |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly       | IN - Instantaneous |
|           |                                          |                     |          |             | Permit Req. | <=                  | 0.39 30DA AVG    |             | Req Mon DAILY MX | 03 - MGD |                          |                  |             |                  |             |                  |           |          |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     | C - No Discharge |             | C - No Discharge |          |                          |                  |             |                  |             |                  |           |          |                       |                    |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:07 (Time Zone: -07:00)

Report Last Signed By

User:


JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com



EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permitted Feature:

035  
External Outfall

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Discharge:

035-A  
Stormwater Runoff from Train Loadout Area to N. Fork of Gunnison River

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |                  |             |                  |          | Quality or Concentration |                  |             |                 |             |                  |           | # of Ex.  | Frequency of Analysis | Sample Type        |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|------------------|-------------|------------------|----------|--------------------------|------------------|-------------|-----------------|-------------|------------------|-----------|-----------|-----------------------|--------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1          | Qualifier 2 | Value 2          | Units    | Qualifier 1              | Value 1          | Qualifier 2 | Value 2         | Qualifier 3 | Value 3          | Units     |           |                       |                    |
| 00400     | pH                                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                 |             |                  |           |           | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          | Req Mon MINIMUM  |             |                 |             | Req Mon MAXIMUM  | 12 - SU   |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          | C - No Discharge |             |                 |             | C - No Discharge |           |           |                       |                    |
| 00530     | Solids, total suspended                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                 |             | Req Mon 30DA AVG |           | 19 - mg/L | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  |             |                 |             | Req Mon DAILY MX |           |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             |                 |             | C - No Discharge |           |           |                       |                    |
| 00980     | Iron, total recoverable                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                 |             |                  |           |           | 01/30 - Monthly       | GR - Grab          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                  |          |                          |                  | <=          | 1000.0 30DA AVG | <=          | 6000.0 DAILY MX  | 28 - ug/L |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                  |          |                          |                  |             |                 |             | C - No Discharge |           |           |                       |                    |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                  |          |                          |                  |             |                 |             |                  |           |           | 01/30 - Monthly       | IN - Instantaneous |
|           |                                          |                     |          |             | Permit Req. | <=                  | 1.3 30DA AVG     |             | Req Mon DAILY MX | 03 - MGD |                          |                  |             |                 |             |                  |           |           |                       |                    |
|           |                                          |                     |          |             | Value NODI  |                     | C - No Discharge |             | C - No Discharge |          |                          |                  |             |                 |             |                  |           |           |                       |                    |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com


Date/Time:

2024-12-23 11:22 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK



EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permitted Feature:

300  
Influent Structure

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Discharge:

300-I  
Influent Measurements

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Influent samples must be collected, analyzed and reported monthly regardless of whether an effluent discharge occurs. Plant capacity - report hydraulic capacity @ MLOC=P; organic capacity @ MLOC=Q. Hydraulic capacity = 0.02 MGD; organic capacity = 28 lbs BOD-5/Day

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

| Parameter |                                          | Monitoring Location     | Season # | Param. NODI |             | Quantity or Loading |                  |             |                  |           | Quality or Concentration |         |             |                  |             |                  |           | # of Ex. | Frequency of Analysis | Sample Type     |
|-----------|------------------------------------------|-------------------------|----------|-------------|-------------|---------------------|------------------|-------------|------------------|-----------|--------------------------|---------|-------------|------------------|-------------|------------------|-----------|----------|-----------------------|-----------------|
| Code      | Name                                     |                         |          |             |             | Qualifier 1         | Value 1          | Qualifier 2 | Value 2          | Units     | Qualifier 1              | Value 1 | Qualifier 2 | Value 2          | Qualifier 3 | Value 3          | Units     |          |                       |                 |
| 00180     | Plant capacity fact. percent of capacity | P - See Comments        | 0        | --          | Sample      |                     |                  |             |                  |           |                          |         | =           | 67.08            |             |                  | 23 - %    |          | 01/30 - Monthly       | CA - Calculated |
|           |                                          |                         |          |             | Permit Req. |                     |                  |             |                  |           |                          |         |             | Req Mon 30DA AVG |             |                  | 23 - %    |          | 01/30 - Monthly       | CA - Calculated |
|           |                                          |                         |          |             | Value NODI  |                     |                  |             |                  |           |                          |         |             |                  |             |                  |           |          |                       |                 |
| 00180     | Plant capacity fact. percent of capacity | Q - See Comments        | 0        | --          | Sample      |                     |                  |             |                  |           |                          |         | =           | 75.0             |             |                  | 23 - %    |          | 01/30 - Monthly       | CA - Calculated |
|           |                                          |                         |          |             | Permit Req. |                     |                  |             |                  |           |                          |         |             | Req Mon 30DA AVG |             |                  | 23 - %    |          | 01/30 - Monthly       | CA - Calculated |
|           |                                          |                         |          |             | Value NODI  |                     |                  |             |                  |           |                          |         |             |                  |             |                  |           |          |                       |                 |
| 00310     | BOD, 5-day, 20 deg. C                    | G - Raw Sewage Influent | 0        | --          | Sample      | =                   | 20.92            | =           | 20.92            | 26 - lb/d |                          |         | =           | 187.0            | =           | 187.0            | 19 - mg/L |          | 01/30 - Monthly       | CP - Composite  |
|           |                                          |                         |          |             | Permit Req. |                     | Req Mon 30DA AVG |             | Req Mon MX 7D AV | 26 - lb/d |                          |         |             | Req Mon 30DA AVG |             | Req Mon MX 7D AV | 19 - mg/L |          | 01/30 - Monthly       | CP - Composite  |
|           |                                          |                         |          |             | Value NODI  |                     |                  |             |                  |           |                          |         |             |                  |             |                  |           |          |                       |                 |
| 00530     | Solids, total suspended                  | G - Raw Sewage Influent | 0        | --          | Sample      |                     |                  |             |                  |           |                          |         | =           | 326.0            | =           | 326.0            | 19 - mg/L |          | 01/30 - Monthly       | CP - Composite  |
|           |                                          |                         |          |             | Permit Req. |                     |                  |             |                  |           |                          |         |             | Req Mon 30DA AVG |             | Req Mon MX 7D AV | 19 - mg/L |          | 01/30 - Monthly       | CP - Composite  |
|           |                                          |                         |          |             | Value NODI  |                     |                  |             |                  |           |                          |         |             |                  |             |                  |           |          |                       |                 |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:


chiatt@archrsc.com

Date/Time:

2024-12-23 11:17 (Time Zone: -07:00)

Report Last Signed By

JWILCZEK



EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Permitted Feature:

UST1  
Receiving Water (Ambient)

Discharge:

UST1-A  
Instream Monitoring

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                                    | Monitoring Location     | Season # | Param. NODI |             | Quantity or Loading |         |             |         |       | Quality or Concentration |         |             |                                                        |             |                                                        |       |            | # of Ex.           | Frequency of Analysis | Sample Type |
|-----------|------------------------------------|-------------------------|----------|-------------|-------------|---------------------|---------|-------------|---------|-------|--------------------------|---------|-------------|--------------------------------------------------------|-------------|--------------------------------------------------------|-------|------------|--------------------|-----------------------|-------------|
| Code      | Name                               |                         |          |             |             | Qualifier 1         | Value 1 | Qualifier 2 | Value 2 | Units | Qualifier 1              | Value 1 | Qualifier 2 | Value 2                                                | Qualifier 3 | Value 3                                                | Units |            |                    |                       |             |
| 00010     | Temperature, water deg. centigrade | Z - Instream Monitoring | 0        | --          | Sample      |                     |         |             |         |       |                          |         |             |                                                        |             |                                                        |       | 04 - deg C | 99/99 - Continuous | RC - Recorder (auto)  |             |
|           |                                    |                         |          |             | Permit Req. |                     |         |             |         |       |                          |         |             | Req Mon MX WK AV                                       |             | Req Mon DAILY MX                                       |       |            |                    |                       |             |
|           |                                    |                         |          |             | Value NODI  |                     |         |             |         |       |                          |         |             | T - Environmental Conditions - Monitoring Not Possible |             | T - Environmental Conditions - Monitoring Not Possible |       |            |                    |                       |             |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Frozen

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0038776

Major:

No

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133  
Somerset, CO 81434

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN  
GUNNISON COUNTY, CO 81434

Permitted Feature:

UST2  
Receiving Water (Ambient)

Discharge:

UST2-A  
Instream Monitoring

Report Dates & Status

Monitoring Period:

From 11/01/24 to 11/30/24

DMR Due Date:

12/28/24

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

| Parameter |                                    | Monitoring Location     | Season # | Param. NODI |             | Quantity or Loading |         |             |         |       | Quality or Concentration |         |             |                                                        |             |                                                        |       |            | # of Ex.           | Frequency of Analysis | Sample Type |
|-----------|------------------------------------|-------------------------|----------|-------------|-------------|---------------------|---------|-------------|---------|-------|--------------------------|---------|-------------|--------------------------------------------------------|-------------|--------------------------------------------------------|-------|------------|--------------------|-----------------------|-------------|
| Code      | Name                               |                         |          |             |             | Qualifier 1         | Value 1 | Qualifier 2 | Value 2 | Units | Qualifier 1              | Value 1 | Qualifier 2 | Value 2                                                | Qualifier 3 | Value 3                                                | Units |            |                    |                       |             |
| 00010     | Temperature, water deg. centigrade | Z - Instream Monitoring | 0        | --          | Sample      |                     |         |             |         |       |                          |         |             |                                                        |             |                                                        |       | 04 - deg C | 99/99 - Continuous | RC - Recorder (auto)  |             |
|           |                                    |                         |          |             | Permit Req. |                     |         |             |         |       |                          |         |             | Req Mon MX WK AV                                       |             | Req Mon DAILY MX                                       |       |            |                    |                       |             |
|           |                                    |                         |          |             | Value NODI  |                     |         |             |         |       |                          |         |             | T - Environmental Conditions - Monitoring Not Possible |             | T - Environmental Conditions - Monitoring Not Possible |       |            |                    |                       |             |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Access due to weather

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

HIATTCHASE

Name:

Chase Hiatt

E-Mail:

chiatt@archrsc.com

Date/Time:

2024-12-23 11:19 (Time Zone: -07:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2024-12-24 06:08 (Time Zone: -07:00)