



November 22, 2024

Andy Carpenter
WW Clyde & Co.
10303 E Dry Creek Rd. Suite 300
Englewood, CO 80112

RE: Rifle Gravel Pit #1, Permit M-2021-052, Incomplete Application for Transfer of Mineral Permit and Succession of Operators, Revision SO-02

Dear Mr. Carpenter:

On November 19th, 2024 the Division of Reclamation, Mining and Safety received the Application Form for Transfer of Mineral Permit and Succession of Operators from WW Clyde & Co to Western Slope Materials, LLC for the Rifle Gravel Pit #1, Permit M-2021-052. The following items are incomplete for the application to be processed:

Application Form

1. No fee was received with the application. Please submit the appropriate fee.
2. On page 1 of the SO application, the Permittee is listed as IHC Scott instead of WW Clyde. Please submit a revised form with corrected Permittee name.

Financial Warranty

3. A financial warranty was not received with the application. If the applicants choose to waive the right to receive a decision in 30 days, the Prospective Successor must submit the full Financial Warranty as part of the Application.

Structure Agreement

4. Please submit structure agreements for manmade structures and utilities within 200 feet of the affected area.

Please return the required documentation to the Division **before January 21, 2025**. All completed permit documents are required to be submitted for consideration of your Request for Transfer of Mineral Permit and Succession of Operators Application. An incomplete application may be



denied after the 60 day submittal request, if requested documents or information are not received. In the event of any delay in your submittal or if you have any questions, please contact the Division.

Sincerely,

A handwritten signature in blue ink that reads "Todd Jesse". The signature is written in a cursive, flowing style.

Todd Jesse
Environmental Protection Specialist

Cc: Sara Stevenson-Benn, Financial Assurance Specialist, DRMS
Travis Marshall, Senior EPS, DRMS
Sean Mello, Western Slope Materials