



COLORADO
Division of Reclamation,
Mining and Safety
Department of Natural Resources

March 6, 2025

Stephanie Francher-English
Loveland Ready-Mix Concrete, Inc.
P.O. Box 209
Loveland, CO 80539

Re: Knox Pit, Permit No. M-2017-036, 2024 Groundwater Quality and Groundwater Depth Measurements Results, Additional Information Required

Dear Mrs. Francher-English:

The Division of Reclamation, Mining and Safety (Division) has completed its review of your 2024 Groundwater Quality and Groundwater Depth Measurements Results, received on January 27, 2025. The Division requires the following additional information before calling this compliance requirement complete:

- 1) The report detailed uranium, selenium, and sulfate as analytes that exceeded the water quality standard. These exceeded levels were justified by explaining that these groundwater sampling results were consistent with prior concentration trends. To further support this, please provide time series graphs for all analytes that exceeded the water quality standard. In these time series graphs please include:
 - i) A separate graph for each exceeded analyte
 - ii) At least 5 years of data for that analyte
 - iii) The standard level included as a value on the graph

For future reporting, please include a time series graph for any analytes that exceed the water quality standard as well.

Please be advised that the Division requires this additional information by **April 5, 2025**. If you need additional time to complete this request, please submit an extension request prior to the deadline.

If you require additional information, or have questions or concerns, please feel free to contact me by phone at (720) 812-2002, or by email at joel.renfro@state.co.us.

Sincerely,

Joel Renfro
Environmental Protection Specialist



Cc:

Amy Eschberger, DRMS