SAND AND GRAVEL REPORTING (Required for the CDPHE Annual Report) Revised: 4/11/18



Facility Location:	Certification No.: COG502016	DRMS Permit No.: M-1996-007
acility Location:	Weather Conditions:	SWMP Administrator Name:
SH 149 and Antelope Mtn., Hinsdale County	Clear, warm	Lee DeGraffenried
Monitor's Name:	Date of Inspection:	CDOT Work Order Number:
Lee DeGraffenried	6/12/2024	2001434780

Facility Inspection – Stormwater Only

This inspection is being performed in compliance with Part I.J. of the Stormwater Discharge Associated with Sand and Gravel Productions. If an inspection(s) was not conducted in accordance with the required frequency, attach an explanation of why.

- 1. Was this the required one time annually the monitoring was conducted during a runoff event? O Yes O No
- 2. Has the site created any process water (screen washing or transport slurry) or mine dewatering? OYes ONo

Active Site: Require 4 inspections annually (Quarterly). Date that facility became active: Jan. 2018

D Inactive and Unstaffed Site w/ No Exposure: Require 2 inspections annually (Spring/Fall) and a signed Certification of No Exposure (Page 4 of 5) signed. Inactive requires that no activities have taken place at the facility (except inspections) from the date of the last inspection listed here:

Dinactive and Unstaffed Site w/ Exposure: Require 6 inspections annually (At least 20 days apart and no more than 2 months apart). Inactive requires that no activities have taken place at the facility (except inspections) from the date of the last inspection listed here:

an a annulz, annulzier ei	Control Measure Used? (1)		Maintenance Required? (2)		Additional Control Measures Needed? (3)		Comments – Include the location of control measure and description of corrective actions required.	Date of Correction (4)
	Y	N	Y	N	Y	N	A second second states when when a latter product	a manufactor
Clean Water Diversion		Х		X		Х		
Sediment trap/basin	X			Х		Х	His NALL WARTEN	in Standa
Perimeter control: Berm, Silt fence, Erosion Logs, Bales	X			X		Х		
Check dam	X			Х		Х		
Outlet protection	2.24	Х		X		Х		22
Vegetative Buffer		Х		X		Х	and the second	lit båd stil
Landform		Х		Х		Х		
Seed/Mulch		Х		Х		Х	Non-tellburdt gebruiktely son	1228
Seed/Soil Retention Blanket		Х		Х		Х	- Cutte s mais us	there -
Other: (examples-vehicle tracking pad, fencing, etc.)	-	ada a		25		1 Photos	methodal with the beinger beinger	6 5. 161

(1) Indicate whether the control measure listed is in use at this facility.

(2) Indicate whether the control measure requires any type of maintenance such as repair or removal of accumulated sediment; or if the control measure has failed. As stated in the permit, repairs or maintenance identified shall be completed immediately.

(3) Indicate whether any new or different control measures are needed on the project. As stated in the permit, revised control measures shall be implemented before the next anticipated storm, but in no case more than 60 calendar days after the inspection.

(4) Enter the date that maintenance, repair, or replacement of control measure is completed, or that an new type of control measure is installed.

Stormwater Mar	nagement Plan (SWMP) – Stormwater Only
Is there a SWMP an	nd has it been updated for the facility for current conditions in accordance with Part I.L Stormwater Discharge Associated with Sand and
Gravel Productions.	
	be updated within 24 hours of any changes to the control measure, until final reclamation is completed for the site and the permit is
erminated.)	
ist amendment(s) t	to the SWMP from this site inspection:
The latest copy of th	ne SWMP and at least 3 years of monitoring data is retained by the permittee and is located at:
606 South 9ti	h. Street, Grand Junction CO
dentification of	f Discharges other than Stormwater
Evaluated the site for	or the presence of discharges other than stormwater, such as mine drainage spoils, springs, sanitary waste, or process water of any kind
Are there discharge	s other than stormwater on site (e.g., spill, leak, discharge of non-stormwater not authorized under COG500000)? 🖸 Yes 🔞 No
e	
f yes:	
1. What was disch	arge?
2. Date of evaluation	on?
3. On-site drainage	e points that were directly observed during the evaluation?
Additional obse	ervations:
s there equipment of	on site? 🖸 Yes 🖸 No If yes, a visual inspection of equipment needed to implement the plan is required.
Are there any site pi	iles containing salt? 🖸 Yes 🖸 No If yes, the piles must be covered.
la thana ann marta a	or garbage (floatable debris) on the site? 🏹 Yes 🖸 No If yes remove immediately from the site.
is there any waste o	ir garbage (noatable debris) on the site? 💟 Tes 💟 No ir yes remove inmediately nom the site.
Is there any constru	iction or a change in design, operation, or maintenance at the facility significantly changing the nature of pollutants discharged in the
stormwater from the	e facility? 🖸 Yes 🙆 No If yes provide explanation.
Other comments rel	ating to the site:
-	~ ~
~ 10	
1 18	LTC Ops I 6/13/2024
2 A	
spector Signat	ture: Date:
certify that this re	eport is true, accurate, and complete, to the best of my knowledge and belief.
Charmenter Ha	nitering Pequirementer
Stormwater MO	nitoring Requirements:

Visual Monitoring, Part I.I.1

The permittee must conduct all required monitoring on a storm or snowmelt event that results in an actual discharge from the facility ("measurable storm event"), which includes discharges to surface water within the facility permit boundary, and that follows the <u>preceding</u> measurable storm event by at least 72 hours (3 days),

Permittee must collect a stormwater sample from each outfall listed below and conduct a visual assessment of each of these <u>samples 4 times annually</u> (<u>Quarterly</u>). Samples must be collected in a clean clear container (plastic or class) in a manner that the samples are representative of the stormwater discharge.

	d Discharge (s) to Surface Water		Outfall(s) Lat, Long			Discharge Outfall(s) Description	Receiving Stream
Outfall(s) to Surface Water Outfall Number 001-A			37.852889, -107.152583			Stormwater runoff fro	om stockpiled gravel	Porcupine Gulch North Clear Creek
		37.851806,			Stormwater runoff from stockpiled gravel		Porcupine Gulch	
02-A -107.167111						North Clear Creek		
1. 2. 3.	Date: Time:	e "Ger luring	neral Permit E the reportin Signature	Exception" ng period? e of indivi	on the quar ? (C) Yes (dual perfor	erly DMRs) 🖸 No	(if no continue to question 3) O No (if r	
4.	Type of discharge?	Snov	wmelt 🖸 R	unoff (rain	event)			
5.	Duration (in hours) of th	ne raiı	nfall or snow	melt ever	nt:	Magnitude (i	in inches) of the sto	orm event sampled:
6.	Was sample(s) taken wi	ithin t	he first 30 m	inutes of	discharge?	🖸 Yes 🖸 No (p	rovide explanation_)
7.	Were any of the following	ng wa	ter quality cl	haracteris	tics observ	ed?		
	Characteristic		Probal		if observe	d contamination	Corrective Actio	n Takan
	Color		'es		: II UD3CIVC	u containination	CONECTIVE ACTIO	11 Taken
	Odor							INFRO-ING CORRESPONDENCE
		_	'es					
	Floating Solids		es	on Million			1971	
	Settled Solids		es					
	Suspended Solids		'es					
	Foam	ΠY	'es		100		The first first	
	Oil Sheen	ΠY	es	1011 131			Joshi Davili - es	
	Other Indicators of		'es					
8.	Pollution Include document of visua	_	1. AN 1997	ervations v	vithin the fac	ility SWMP as requi	red in Part I.M.8 of th	ne permit.
BEL charg mit m	Pollution Include document of visua Water Quality Standard I ges authorized under this po- nust be controlled as necess	al ass Monite ermit r	essment obse oring, Part I. must be contr	I.4 folled as no oplicable w	ecessary to ater quality	meet applicable wate standard for seleniu	er quality standards. m at the point of disc	Discharges authorized under this charge (end of pipe).
BEL charg mit m	Pollution Include document of visua Water Quality Standard I ges authorized under this po- nust be controlled as necess	al ass Monite ermit r	essment obse oring, Part I. must be contr	I.4 rolled as no	ecessary to ater quality	meet applicable wate	er quality standards. m at the point of disc	Discharges authorized under this
BEL charg mit m arame on (To BEFO Scie billing ake a poper beat u	Pollution Include document of visual AWater Quality Standard I ges authorized under this pro- nust be controlled as necess exter tal Recoverable) 00980 RE YOU GO TO TAKE A S ences, Chain of Custody (C g information on the COC. a picture of the water qualit ed COC form (for <u>your</u> reco a grab sample at the listed " bottle to dip into the runof until the sample bottle is ful	al ass Monit ermit r sary to SAMP OC) fo SAMP OC) fo If you y sam rds). outfall ff, then I. Use	essment obse oring, Part I. must be contr o meet the ap LE: Make sur orm, and a co do not have I ople location a ls. Do NOT tip n pour that ini- a separate "s	I.4 olled as no oplicable w Units Ug/I re you have boler (to ke bottles, cal at Outfall N p or empty to the sam scooper" b	ecessary to ater quality Site-spec Quarterly e the sampl ep the sampl ILESC at 30 lumber 001- the sample ple bottle. A	meet applicable wate standard for seleniu fic Monitoring Freque ng bottles and scoop ble cool.) Also, have 3-927-8523 for bottle A.and Outfall Number bottle. It may have s void scraping any di	er quality standards. m at the point of disc ency bing bottles (one eac the Purchase Order es. er 002-A. Print the pi strong acid inside, so rt while dipping or to	Discharges authorized under this charge (end of pipe).
BEL charg mit m arame on (To BEFO Scie billing ake a pplete ake a coper t cake a coper cake a coper cope	Pollution Include document of visual AWater Quality Standard I ges authorized under this prinust be controlled as necess atter tal Recoverable) 00980 RE YOU GO TO TAKE A Stances, Chain of Custody (C g information on the COC. a picture of the water qualit ed COC form (for <u>your</u> reco a grab sample at the listed " bottle to dip into the runor until the sample bottle is full d a separate, clean scoope sample bottle, attach the p , within 1 DAY. Labels and each sample by its locatior ry needs. (EPB will provide	al ass Monit ermit r sary to SAMP OC) fo If you y sam rds). outfall ff, ther I. Use r bottl g COC billing	essment obse oring, Part I. must be contro o meet the ap LE: Make sur orm, and a co do not have I aple location a ls. Do NOT tip n pour that init a separate "s e for each sai ed labeling, ar c should note G502016, Ou g information.	I.4 rolled as no plicable w Units ug/l re you have boler (to ke bottles, cal at Outfall N p or empty to the sam scooper" b mple.) nd keep th "Iron (tota tfall Numb)	ecessary to ater quality Site-spec Quarterly e the sample ep the sample II ESC at 30 lumber 001- the sample ple bottle. A ottle and sa e sample co I recoverabl er 001-A or	meet applicable wate standard for seleniu fic Monitoring Freque ng bottles and scoop ble cool.) Also, have 3-927-8523 for bottle A.and Outfall Numbe bottle. It may have s void scraping any di mple bottle for each ol (cooler with ice) u e)" as the parameter 002-A), the date, and	er quality standards. m at the point of disc ency bing bottles (one eac the Purchase Order es. er 002-A. Print the pi strong acid inside, so rt while dipping or to Outfall location. (The ntil you ship it out. S to be measured. d your name, plus ar	Discharges authorized under this charge (end of pipe). Sample Type Grab th for each sample location) from ES or contract number from EPB, to fill cture and put it with a copy of the b keep that bottle upright. Use the uching the bottle rim with your hand e detection limit is <u>20 parts per billion</u> thip FEDEX, using the labels that ES by other information that the analytic
BEL. charg nit m rame n (To EFO Scie billing ake a oper eat u need lose rides abel rator end f ubmi	Pollution Include document of visual AWater Quality Standard I ges authorized under this prinust be controlled as necess atter tal Recoverable) 00980 RE YOU GO TO TAKE A Stances, Chain of Custody (C g information on the COC. a picture of the water qualited a COC form (for your reco a grab sample at the listed " bottle to dip into the runof until the sample bottle is full d a separate, clean scoope sample bottle, attach the p , within 1 DAY. Labels and each sample by its location	al ass Monit ermit r sary to SAMP OC) fo If you y sam rds). outfall ff, then t. Use r bottl ff, then t. Use t COC billing ber bo CDPH	essment obse oring, Part I. must be contro o meet the ap LE: Make sur orm, and a co do not have I aple location a ls. Do NOT tip a separate "s e for each sal ed labeling, ar c should note G502016, Ou g information. ttles, plus the HE Net DMR	I.4 rolled as no plicable w Units ug/l re you have bottles, cal at Outfall N p or empty to the sam scooper" b mple.) nd keep th "Iron (tota tfall Numb) e required l system.	ecessary to ater quality Quarterly e the sampl ep the sampl II ESC at 30 lumber 001- the sample ple bottle. A ottle and sa e sample co I recoverabl er 001-A or	meet applicable wate standard for seleniu fic Monitoring Freque ng bottles and scoop ble cool.) Also, have 3-927-8523 for bottle A.and Outfall Numbe bottle. It may have s void scraping any di mple bottle for each ol (cooler with ice) u e)" as the parameter 002-A), the date, and ESC Lab Sciences,	er quality standards. m at the point of disc ency bing bottles (one eac the Purchase Order es. er 002-A. Print the pi strong acid inside, sc rt while dipping or to Outfall location. (The ntil you ship it out. S to be measured. d your name, plus ar using their preprinte	Discharges authorized under this charge (end of pipe). Sample Type Grab th for each sample location) from ES or contract number from EPB, to fill cture and put it with a copy of the b keep that bottle upright. Use the uching the bottle rim with your hand e detection limit is <u>20 parts per billion</u> thip FEDEX, using the labels that ES by other information that the analytic

2.18 11-	LTC Ops I	6/13/2024	
onitor Signature:	Title:	Date:	
I partify that this rapart is true apour	ata and complete to the heat a	f my knowledge and helief	

I certify that this report is true, accurate, and complete, to the best of my knowledge and belief.

Page 3 of 5

SAND AND GRAVEL No Exposure Certification (Required by CDPHE for the No Exposure Exclusion)



6/13/2024

Date:

	Spring Creek facility are any of the following materials or activities are, or will be in the foreseeable future, ed to precipitation, snow melt, and/or runoff?
1	Using, storing or cleaning industrial machinery or equipment, and areas where residuals from using, storing or cleaning industrial machinery or equipment remain and are exposed to stormwater; 🗌 Yes 🔳 No
2.	Materials or residuals on the ground or in stormwater inlets from spills/leaks; 🔲 Yes 🔳 No
3.	Materials or products from past industrial activity; 🔲 Yes 🔳 No
4.	Material handling equipment (except adequately maintained vehicles); 🗌 Yes 🔳 No
5.	Materials or products during loading/unloading or transporting activities; 🔲 Yes 🔳 No
6.	Materials or products stored outdoors (except final products intended for outside use, e.g., new cars, where exposure to stormwater does not result in the discharge of pollutants); 🗌 Yes 🔳 No
7.	Materials contained in open, deteriorated or leaking storage drums, barrels, tanks, and similar containers; 🗌 Yes 🔳 No
8.	Materials or products handled/stored on roads or railways owned or maintained by the discharger; 🗌 Yes 🔳 No
9.	Waste material (except waste in covered, non-leaking containers, e.g., dumpsters); 🗌 Yes 🔳 No
10.	Application or disposal of process wastewater (unless otherwise permitted); Yes No
11.	Particulate matter or visible deposits of residuals from roof stacks/vents not otherwise regulated, i.e., under an air quality control permit, and evident in the stormwater outflow;
If the ar	swers to ALL 11 questions are "No", then sign and date below

Permittee Signature:

PM I

Title:

I certify under penalty of law that I have read and understand the eligibility requirements for claiming a condition of "no exposure" and obtaining an exclusion from COPS stormwater permitting; and that there are no discharges of stormwater contaminated by exposure to industrial activities or materials from the industrial facility identified in this document (except as allowed under paragraph (h)(ii)) of this section. I understand that I am obligated to submit a no exposure certification form once every five years to the Division and, if requested, to the operator of the local MS4 into which this facility discharges (where applicable). I understand that I must allow the Division, or MS4 operator where the discharge is into the local MS4, to perform inspections to confirm the condition of no exposure and to make such inspection reports publicly available upon request. I understand that I must obtain coverage under a COPP permit prior to any point source discharge of stormwater from the facility. I certify under penalty of law that this document and all attachments we prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based upon my inquiry of the person or persons who manage the system, or those persons directly involved in gathering the information, the information submitted is to the best of my knowledge and belief true, accurate and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Glossary

Condition of No Exposure: all industrial materials or activities are protected by a storm-resistant shelter to prevent exposure to rain, snow, snowmelt, and/or runoff. **Industrial materials** include: machinery, open containers, raw materials, intermediate products, by-products, final products or waste products. Final products may be stored outside without being considered to be exposed IF they would not be mobilized by stormwater discharge. (For example, rock salt or fine sediment would be mobilized, and so must be covered.)

Grab Sample: A single "dip and take" sample that is <u>representative</u> of the water being monitored. However, the sample bottle must be full. Since Selenium samples are acidified, you do NOT want to dip with the actual sample bottles. Use the "scooper" bottle to dip and take. You may need to dip more than once if one dip does not fill the sample bottle.

Inactive mining operations – Regulation 61.3(2)(e)(iii)(C) identifies that "inactive mining operations" are mining sites that are not being actively mined, but which have an identifiable owner/operator; inactive mining sites do not include sites where mining claims are being maintained prior to disturbances associated with the extraction, beneficiation, or processing of mined materials, nor sites where minimal activities are undertaken for the sole purpose of maintaining a mining claim).

This term includes the following types of facilities that have an identifiable owner/operator:

- mineral mining and/or milling occurred in the past but is not covered by an active mining permit issued by DRMS;
- operations are limited seasonally (i.e., intermittent operations), consistent with DRMS requirements for notification, only during the portion of the year when the facility is not active; or
- operations cease for 180-days or more for reasons not associated with intermittent status, and still has reserves (consistent with temporary cessation status as defined by DRMS), only during the time period the facility is not active; or
- exploration or extraction activities have ceased permanently.

(Signed certification required for SWMP for Inactive and unstaffed facilities)

Permittee Signature:

Title:



I certify under penalty of law that this site meets the conditions Inactive Mining Operations and is unstaffed. I am aware that there are significant penalties for providing false information, including the possibility of fine and imprisonment for knowing violations.

Measurable Storm Event: A storm event that results in an actual discharge from the facility. storm event that results in an actual discharge from the facility ("measurable storm event"), which includes discharges to surface water within the facility permit boundary, and that follows the preceding measurable storm event by at least 72 hours (3 days).

Monitoring Point: Samples and measurements taken for the respective identified monitoring points required in the permit certification shall be representative of the volume and nature of the wastestream and/or effluent. Monitoring points shall be so designed or modified so that a sample of the effluent can be obtained at a point after the final treatment process and prior to discharge to state waters. All samples shall be taken at the monitoring points specified in the permit certification and, when specified, before the effluent joins or is diluted by any other wastestream, body of water, or substance. Monitoring points shall not be changed without a modification request submitted to and approval by the Division.

Monitoring Method: The permittee must select a test procedure that is "sufficiently sensitive" for all monitoring conducted in accordance with this permit. For COG502012, the required sensitivity is 1 ug/L (or 1 ppb).

Runoff Event: for a rain event means during, or within 24 hours after the end of, a measurable storm event; and for a snowmelt event, means at a time when a measurable discharge occurs from the facility.

SWMP Administrator: individual(s) by name or by title whose responsibilities include: SWMP development, implementation, maintenance, and modification.

CDPHE Web Page: https://www.colorado.gov/pacific/cdphe/wqcd-sand-and-gravel-general-permit-renewal-meeting-notice

Contacts with CDPHE: All Stafford 303-691-4021 Maura McGovern 303-692-3392

