

June 18, 2025

Mr. Clayton Wein **Environmental Protection Specialist** Colorado Division of Reclamation, Mining and Safety 1313 Sherman Street, Room 215 Denver, CO 80203

New Horizon Mine RE: Permit No. C-1981-008 **2025** Annual Impoundment Inspections

Dear Mr. Wein:

Elk Ridge Mining and Reclamation, LLC (Elk Ridge) operates the New Horizon Mine. Tri-State Generation and Transmission Association, Inc. (Tri-State) is the parent company of Elk Ridge. The New Horizon Mine operates under Colorado Division of Reclamation, Mining and Safety (CDRMS) Permit No. C-1981-008.

In accordance with Rules 4.05.9(14) and 4.05.9(15), Tri-State is submitting the enclosed annual impoundment inspections on behalf of Elk Ridge.

If you have any questions about the enclosed annual impoundment reports, please contact Tony Tennyson at (970) 824-1232 at your convenience.

Sincerely,

DocuSigned by:

Chris Gilbreath D250C711D0BF450...

Chris Gilbreath

Senior Manager

Remediation and Reclamation

CG:TT

Enclosures

cc: Tony Tennyson (via email)

G747-11.3(21)c-8

Mine: New Horizon Mine (Permit No. C-1981-008)

Pond Name: Pond 012 Date Inspected: 6-16-2025

Inspector's Name: Lee Sampson



Pond Capacity Data

As Built Pond Embankment elev.: **5613.0** As Built Pond Bottom elev.: **5605.0**

As Built Pond Emergency Spillway elev.: **NA**As Built Pond Primary Spillway elev.: **5611.0**

As Built Pond Capacity (pond bottom to primary spillway) per As Built 3.7 ac-ft

Existing Pond Capacity (pond bottom to primary spillway): As Built Volume - SV = 3.7 ac-ft

Sediment Volume (SV) unchanged: no significant sediment since as-built

Surface Water elev. Dry - As Built Pond Bottom elev. 5605.0 = Water Depth 0 ft

Water Volume (WV) in Pond **0** ac-ft (using as built capacity table & surface water elevation, and then subtracting sediment volume under water level)

Pond Capacity Available below primary spillway **3.7 ac-ft** [As Built Pond Capacity – WV – SV] Inflow volume from 10-yr 24-hr storm runoff event **3.41 ac-ft**

Circle or Write appropriate Response

1.	Seepage (specify location, color, and approx. volume)			0%	N/A
2.	Cracks or scarps on crest or slopes		Yes	×	N/A
3.	Sloughing or bulging on slopes		Yes) 6	N/A
4.	Major erosion problems		Yes	1 00	N/A
5.	Surface movements in valley bottom or on hillside		Yes		N/A
6.	Water impounded against toe		Yes	1 60	N/A
7.	Cloggin	g		W.	
	a)	Spillway channels and pipes	Yes	M	N/A
	b)	Diversion Ditches	Yes	×	N/A
8.	Crackin	g or crushing of pipes		W	
	a)	Spillway pipes	Yes	×	N/A
9.	Trash racks clear and in place		YXS	No	N/A
10.	Monitoring instrumentation		Yes	No	N,A

Mine: New Horizon Mine (Permit No. C-981-008)

Pond Name: Pond 013 Date Inspected: 6-16-2025

Inspector's Name: Lee Sampson



Pond Capacity Data

As Built Pond Embankment elev.: **5560.0** As Built Pond Bottom elev.: **5548.0**

As Built Pond Emergency Spillway elev.: **5557.0** As Built Pond Primary Spillway elev.: **5555.0**

As Built Pond Capacity (pond bottom to primary spillway) per As Built 5.90 ac-ft

Existing Pond Capacity (pond bottom to primary spillway): As Built Volume - SV = 5.90 ac-ft

Sediment Volume (SV) at Inspection: no observable significant sediment since as-built

Surface Water elev. **5552** As Built Pond Bottom elev. **5548.0** = Water Depth **4 ft**

Water Volume (WV) in Pond **2.2 ac-ft** (using as built capacity table & surface water elevation, and then subtracting sediment volume under water level)

Pond Capacity Available below primary spillway **3.7 ac-ft** at time of inspection [As Built Pond Capacity – WV – SV]

Inflow volume from 10-yr 24-hr storm runoff event 2.70 ac-ft

Circle or Write appropriate Response

1.	Seepage (specify location, color, and approx. volume)			No	N/A
2.	Cracks or scarps on crest or slopes		Yes	136	N/A
3.	Sloughing or bulging on slopes		Yes	N	N/A
4.	Major erosion problems		Yes	×	N/A
5.	Surface movements in valley bottom or on hillside		Yes	%	N/A
6.	Water impounded against toe		Yes	N (N/A
7.	Cloggin	3		¥	
	a)	Spillway channels and pipes	Yes	06	N/A
	b)	Diversion Ditches	Yes	%	N/A
8.	Cracking	g or crushing of pipes		¥	
	a)	Spillway pipes	Yes	N.	N/A
9.	Trash racks clear and in place		Y) s	No	N/A
10.	Monitoring instrumentation		Yes	No	NΑ

Comments: *Water Level even with weephole valves.

Mine: New Horizon Mine (Permit No. C-981-008)

Pond Name: Pond 015 Date Inspected: 6-16-2025

Inspector's Name: Lee Sampson



Pond Capacity Data

As Built Pond Embankment elev.: **5672.0** Surveyed Pond Bottom elev.: **5563.0**As Built Pond Emergency Spillway elev.: **NA**As Built Pond Primary Spillway elev.: **NA**

As Built Pond Capacity (pond bottom to top of embankment) per As Built 0.95 ac-ft

Existing Pond Capacity (pond bottom to top of embankment): As Built Volume - SV = 0.95 ac-ft

Sediment Volume (SV) at Inspection: no significant sediment since as-built

Surface Water elev. Dry - As Built Pond Bottom elev. 5663.0 = Water Depth 0 ft

Water Volume (WV) in Pond **Dry** (using as built capacity table & surface water elevation, and then subtracting sediment volume under water level)

Pond Capacity Available **0.95 ac-ft** [As Built Pond Capacity – WV – SV]

Inflow volume from 100-yr 24-hr storm runoff event 0.51 ac-ft

Circle or Write appropriate Response

1.	Seepage (specify location, color, and approx. volume)		Yes	X	N/A
2.	Cracks or scarps on crest or slopes			X	N/A
3.	Sloughing or bulging on slopes			X	N/A
4.	Major erosion problems			X 6	N/A
5.	Surface movements in valley bottom or on hillside			X 6	N/A
6.	Water impounded against toe		Yes	X	N/A
7.	Cloggin	g		W	
	a)	Spillway channels and pipes	Yes	No	ŊΑ
	b)	Diversion Ditches	Yes	X	N/A
8.	Crackin	g or crushing of pipes		Y	
	a)	Spillway pipes	_ Yes	No	N.A
9.	Trash racks clear and in place		Yes	No	ŊΑ
10.	Monitoring instrumentation		Yes	No	N,A

Mine: New Horizon Mine (Permit No. C-981-008)

Pond Name: Pond 016 Date Inspected: 6-16-2025

Inspector's Name: Lee Sampson



Pond Capacity Data

As Built Pond Embankment elev.: **5620.5** Surveyed Pond Bottom elev.: **5611.0**As Built Pond Emergency Spillway elev.: **5618.5** As Built Pond Primary Spillway elev.: **NA**

As Built Pond Capacity (pond bottom to emergency spillway) per As Built 7.5 ac-ft

Existing Pond Capacity (pond bottom to emergency spillway): As Built Volume - SV = 7.5 ac-ft

Sediment Volume (SV) at Inspection: no significant sediment since as-built

Surface Water elev. Dry - As Built Pond Bottom elev. 5611.0 = Water Depth NA

Water Volume (WV) in Pond **Dry** (using as built capacity table & surface water elevation, and then subtracting sediment volume under water level)

Pond Capacity Available **7.5 ac-ft** [As Built Pond Capacity – WV – SV] Inflow volume from 100-yr 24-hr storm runoff event **5.33 ac-ft**

Circle or Write appropriate Response

1.	Seepage (specify location, color, and approx. volume)			100	N/A
2.	Cracks or scarps on crest or slopes		Yes	X	N/A
3.	Sloughing or bulging on slopes		Yes	N 6	N/A
4.	Major erosion problems		Yes	X	N/A
5.	Surface movements in valley bottom or on hillside		Yes	%	N/A
6.	Water impounded against toe		Yes	X	N/A
7.	Cloggin	3		Y	
	a)	Spillway channels and pipes	Yes	%	N/A
	b)	Diversion Ditches	Yes	No	N/A
8.	Cracking	g or crushing of pipes			¥
	a)	Spillway pipes	Yes	No	N A
9.	Trash racks clear and in place		Yes	No	N/A
10.	Monitoring instrumentation		Yes	No	N/A

Mine: New Horizon Mine (Permit No. C-981-008)

Pond Name: Pond 018 Date Inspected: 6-16-2025

Inspector's Name: Lee Sampson



Pond Capacity Data

As Built Pond Embankment elev.: **5682.0** Surveyed Pond Bottom elev.: **5670.**As Built Pond Emergency Spillway elev.: **5678.0** As Built Pond Primary Spillway elev.: **NA**

As Built Pond Capacity (pond bottom to emergency spillway) per As Built 4.03 ac-ft

Existing Pond Capacity (pond bottom to emergency spillway): As Built Volume - SV = 4.03 ac-ft

Sediment Volume (SV) at Inspection: no significant sediment since as-built

Surface Water elev. Dry - As Built Pond Bottom elev. 5670.0 = Water Depth Dry ft

Water Volume (WV) in Pond **0** ac-ft (using as built capacity table & surface water elevation, and then subtracting sediment volume under water level)

Pond Capacity Available **4.03 ac-ft** [As Built Pond Capacity – WV – SV] Inflow volume from 100-yr 24-hr storm runoff event **2.25 ac-ft**

Circle or Write appropriate Response

1.	Seepage (specify location, color, and approx. volume)			N 6	N/A
2.	Cracks or scarps on crest or slopes			%	N/A
3.	Sloughing or bulging on slopes		Yes	×	N/A
4.	Major erosion problems			%	N/A
5.	Surface movements in valley bottom or on hillside		Yes	86	N/A
6.	Water impounded against toe		Yes	%	N/A
7.	Clogging	3		W	
	a)	Spillway channels and pipes	Yes	136	N/A
	b)	Diversion Ditches	Yes	No	NA
8.	Cracking	g or crushing of pipes			W
	a)	Spillway pipes	Yes	No	N A
9.	Trash racks clear and in place		Yes	No	ŊΑ
10.	Monitoring instrumentation		Yes	No	N/A