



# TRAPPER MINING INC.

July 9, 2025

Ms. Robin Reilley  
Environmental Protection Specialist  
Colorado Division of Reclamation, Mining, and Safety  
1313 Sherman Street, Room 215  
Denver, CO 80203

Dear Ms. Robin Reilley:

**RE: Trapper Mining Inc., Permit C-81-010  
Second Quarter 2025 Sediment Pond Inspections**

All impoundment inspections were conducted by a qualified impoundment inspector. The inspections took place on June 17<sup>th</sup> and 18<sup>th</sup>.

The following maintenance item was noted:


- Far East Buzzard #1 sediment marker needs to be repaired (repaired on 6/26/25).
- East Buzzard #3 sediment marker needs to be installed (installed on 7/3/25).
- West Buzzard #3 sediment marker needs to be installed (installed on 7/3/25).
- West Buzzard #4 sediment marker needs to be installed (installed on 6/26/25).

All maintenance items have been addressed.

Data related to pond capacity is attached. The last column on the table provides an estimate of the remaining capacity in each pond where remaining capacity is defined as the volume remaining after considering the estimated amount of sediment noted during the inspections.

Please contact me if you have any questions.

Sincerely,

  
Tonia Marie Perkins  
CO PE 43864

C: EQ file 118.7



**Trapper Mining Inc.**  
**Second Quarter 2025**  
**Impoundment Inspection - Pond Capacity Data**

Pond ID	Princ. Spillway Stage (ft)	Total Capacity to PS stage (acre-feet)	60% Sediment Capacity (acre-feet)	60% Sediment Capacity Stage (ft)	Remaining Design Capacity (acre-feet)	Inspection Observation (% sediment)	Qtr. 2 Estimated Sediment (acre-feet)	Qtr. 2 Approximate Rem. Capacity (acre-feet)
Far East Buzzard	2.0	0.03	0.02	1.4	0.01	10.00	0.00	0.03
Coyote	30.5	75.1	45.06	26.7	30.04	0.00	0.00	75.10
No Name #2	8.5	8.47	5.08	6.0	3.39	30.00	2.54	5.93
No Name #4	14.5	8.23	4.94	11.7	3.29	15.00	1.23	7.00
No Name #5	6.0	1.03	0.62	4.7	0.41	25.00	0.26	0.77
Johnson #6	9.0	1.80	1.08	7.1	0.72	25.00	0.45	1.35
Johnson #7R	7.0	2.99	1.79	5.2	1.20	35.00	1.05	1.94
Johnson #8	7.0	3.58	2.15	4.6	1.43	35.00	1.25	2.33
Johnson #9	8.5	2.74	1.64	6.6	1.10	20.00	0.55	2.19
Johnson #10	9.0	6.09	3.65	7.0	2.44	10.00	0.61	5.48
West Pyeatt #1	9.0	2.76	1.66	7.0	1.10	50.00	1.38	1.38
West Pyeatt #2	10.0	1.89	1.13	7.3	0.76	45.00	0.85	1.04
Middle Pyeatt #1	10.0	1.40	0.84	8.1	0.56	35.00	0.49	0.91
Middle Pyeatt #2	10.0	1.26	0.76	8.4	0.50	25.00	0.32	0.95
Middle Pyeatt #3	10.0	5.70	3.42	7.9	2.28	40.00	2.28	3.42
East Pyeatt #1	8.0	0.99	0.59	6.5	0.40	15.00	0.15	0.84
East Pyeatt #2	8.0	4.15	2.49	6.1	1.66	25.00	1.04	3.11
East Pyeatt #3	8.0	1.51	0.91	6.8	0.60	30.00	0.45	1.06
Grouse #1	7.5	3.35	2.01	5.7	1.34	55.00	1.84	1.51
Grouse #2	4.5	0.79	0.47	3.6	0.32	15.00	0.12	0.67
Sage #1	8.0	2.67	1.60	6.4	1.07	10.00	0.27	2.40
Sage #2	7.0	2.07	1.24	5.8	0.83	10.00	0.21	1.86
Oak #1	13.0	1.43	0.86	10.6	0.57	45.00	0.64	0.79
Oak #2	9.5	0.93	0.56	7.7	0.37	10.00	0.09	0.84

**Trapper Mining Inc.**  
**Second Quarter 2025**  
**Impoundment Inspection - Pond Capacity Data**

Pond ID	Princ. Spillway Stage (ft)	Total Capacity to PS stage (acre-feet)	60% Sediment Capacity (acre-feet)	60% Sediment Capacity Stage (ft)	Remaining Design Capacity (acre-feet)	Inspection Observation (% sediment)	Qtr. 2 Estimated Sediment (acre-feet)	Qtr. 2 Approximate Rem. Capacity (acre-feet)
West Flume	10.0	2.35	1.41	7.8	0.94	10.00	0.24	2.12
Middle Flume #1	11.7	0.80	0.48	9.0	0.32	40.00	0.32	0.48
Middle Flume # 3	14.0	3.36	2.02	10.5	1.34	40.00	1.34	2.02
East Middle Flume	13.0	2.56	1.54	9.2	1.02	35.00	0.90	1.66
East Flume	11.3	1.18	0.71	8.5	0.47	15.00	0.18	1.00
Ute	7.0	1.72	1.03	5.2	0.69	45.00	0.77	0.95
Horse	13.3	6.20	3.72	10.3	2.48	55.00	3.41	2.79
West Horse	13.0	2.00	1.20	9.7	0.80	20.00	0.40	1.60
Deal #1	16.8	2.00	1.20	15.1	0.80	40.00	0.80	1.20
Deal #2	6.0	1.66	0.60	3.1	1.06	0.00	0.00	1.66
Deacon #1	14.5	9.00	3.48	7.5	5.52	0.00	0.00	9.00
Deacon #2	12.0	7.03	3.60	7.7	3.43	0.00	0.00	7.03
Jeffway #1	9.0	2.86	1.20	5.3	1.66	5.00	0.14	2.72
East Buzzard #3	7.0	2.21	0.80	3.3	1.41	5.00	0.11	2.10
West Buzzard #3	8.0	0.93	0.33	5.0	0.60	5.00	0.05	0.88
West Buzzard #4	9.0	1.53	0.55	5.0	0.98	5.00	0.08	1.45
Impoundment H	9.5	4.82	2.89	4.9	1.93	5.00	0.24	4.58



**TRAPPER MINING INC.**  
**QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tonia Perkins*

DRAINAGE: FAR EAST BUZZARD

SIGNATURE:

*Danial Perkins*

DATE OF INSPECTION:

*6/17/2025*

POND IDENTIFICATION	Far East Buzzard #1				
Approximate water level:	<i>DRY</i>				
Sediment level (% total storage):	<i>10%</i>				
Outflow (cfs):	<i>0</i>				
Sediment marker (install or replace)	<i>Repair *</i>				
Identification sign (install or replace)	<i>To Place</i>				
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	<i>no</i>				
Rills and/or gullies on upstream face.	<i>no</i>				
Inadequate vegetation.	<i>no</i>				
Outlet channel erosion.	<i>no</i>				
Burrows.	<i>no</i>				
Erosion of toe.	<i>no</i>				
Water impounded against downstream toe.	<i>no</i>				
Other.	<i>no</i>				
<b>STRUCTURAL:</b>					
Differential settling.	<i>no</i>				
Cracks, slides, or scarps.	<i>no</i>				
Seepage (specify location, color, value).	<i>no</i>				
Defective spillways.	<i>no</i>				
Other.	<i>no</i>				
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	<i>no</i>				
Dewatering device clogged.	<i>no</i>				
Cracking or crushing of pipes.	<i>no</i>				
Other.	<i>no</i>				
COMMENTS:	<i>- Sediment marker is bent needs to be repaired.</i>				





**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR: Tonia Perkins

DRAINAGE: COYOTE

SIGNATURE:

*Tonia Perkins*

DATE OF INSPECTION:

*6/18/2025*

POND IDENTIFICATION	Coyote #1					
Approximate water level:	<i>40%</i>					
Sediment level (% total storage):	<i>Minimal</i>					
Outflow (cfs):	<i>0</i>					
Sediment marker (install or replace)	<i>N/A</i>					
Identification sign (install or replace)	<i>To Place</i>					
<b>EROSIONAL:</b>						
Rills and/or gullies on downstream face.	<i>NO</i>					
Rills and/or gullies on upstream face.	<i>NO</i>					
Inadequate vegetation.	<i>NO</i>					
Outlet channel erosion.	<i>NO</i>					
Burrows.	<i>NO</i>					
Erosion of toe.	<i>NO</i>					
Water impounded against downstream toe.	<i>NO</i>					
Other.						
<b>STRUCTURAL:</b>						
Differential settling.	<i>NO</i>					
Cracks, slides, or scarps.	<i>NO</i>					
Seepage (specify location, color, value).	<i>NO</i>					
Defective spillways.	<i>NO</i>					
Other.	<i>1</i>					
<b>APPURTENANT STRUCTURES:</b>						
Defective spillways.	<i>NO</i>					
Dewatering device clogged.	<i>NO</i>					
Cracking or crushing of pipes.	<i>NO</i>					
Other.	<i>1</i>					

COMMENTS:

Sediment level is measured by a fixed surveyed elevation of 6298.11 ft. (9/29/10).



**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**INSPECTOR: Tonia Perkins

DRAINAGE: NO NAME

SIGNATURE: Tonia PerkinsDATE OF INSPECTION: 6/12/2025

POND IDENTIFICATION	No Name #2	No Name #4	No Name #5		
Approximate water level:	100%	100%	100%		
Sediment level (% total storage):	30%	15%	25%		
Outflow (cfs):	21 cfs	21 cfs	21 cfs		
Sediment marker (install or replace)	Underwater	In Place	Underwater		
Identification sign (install or replace)	In Place	In Place	In Place		
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	no	no	no		
Rills and/or gullies on upstream face.	no	no	no		
Inadequate vegetation.	no	no	no		
Outlet channel erosion.	no	no	no		
Burrows.	no	no	no		
Erosion of toe.	no	no	no		
Water impounded against downstream toe.	no	no	no		
Other.	—	—	—		
<b>STRUCTURAL:</b>					
Differential settling.	no	no	no		
Cracks, slides, or scarps.	no	no	no		
Seepage (specify location, color, value).	no	no	no		
Defective spillways.	no	no	no		
Other.	—	—	—		
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	no	no	no		
Dewatering device clogged.	no	no	no		
Cracking or crushing of pipes.	no	no	no		
Other.	—	—	—		
<b>COMMENTS:</b>					

#4: use riser/siphon tube as sediment marker; siphon top = 75%, bottom = 60%.  
 #5: 60% level = top of post - 4.5'.

No Name #2 scheduled for sediment removal.





**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tonia Perkins*

SIGNATURE:

*Daniel Perkins*

DRAINAGE: JOHNSON GULCH

DATE OF INSPECTION:

*6/12/2025*

POND IDENTIFICATION	Johnson #6	Johnson #7R	Johnson #8R	Johnson #9R	Johnson #10R
Approximate water level:	<i>100%.</i>	<i>100%.</i>	<i>100%.</i>	<i>100%.</i>	<i>100%.</i>
Sediment level (% total storage):	<i>25%.</i>	<i>35%.</i>	<i>35%.</i>	<i>20%.</i>	<i>10%.</i>
Outflow (cfs):	<i>21 CFS</i>	<i>21 CFS</i>	<i>21 CFS</i>	<i>21 CFS</i>	<i>21 CFS</i>
Sediment marker (install or replace)	<i>In Place</i>	<i>Underwater</i>	<i>Underwater</i>	<i>In Place</i>	<i>Underwater</i>
Identification sign (install or replace)	<i>In Place</i>	<i>In Place</i>	<i>In Place</i>	<i>In Place</i>	<i>In Place</i>
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Rills and/or gullies on upstream face.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Inadequate vegetation.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Outlet channel erosion.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Burrows.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Erosion of toe.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Water impounded against downstream toe.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Other.	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>
<b>STRUCTURAL:</b>					
Differential settling.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Cracks, slides, or scarps.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Seepage (specify location, color, value).	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Defective spillways.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Other.	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Dewatering device clogged.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Cracking or crushing of pipes.	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>	<i>NO</i>
Other.	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>

COMMENTS:

#6: use riser/siphon tube as sediment marker; siphon top = 90%, top - 1.5' = 60%.





**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tonia Perkins*

DRAINAGE: WEST PYEATT

SIGNATURE:

*Tonia Perkins*

DATE OF INSPECTION:

*6/17/2025*

POND IDENTIFICATION	West Pyeatt #1	West Pyeatt #2			
Approximate water level:	<i>DRY</i>	<i>DRY</i>			
Sediment level (% total storage):	<i>50%</i>	<i>45%</i>			
Outflow (cfs):	<i>0</i>	<i>0</i>			
Sediment marker (install or replace)	<i>In Place</i>	<i>In Place</i>			
Identification sign (install or replace)	<i>In Place</i>	<i>In Place</i>			
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	<i>NO</i>	<i>NO</i>			
Rills and/or gullies on upstream face.	<i>NO</i>	<i>NO</i>			
Inadequate vegetation.	<i>NO</i>	<i>NO</i>			
Outlet channel erosion.	<i>NO</i>	<i>NO</i>			
Burrows.	<i>NO</i>	<i>NO</i>			
Erosion of toe	<i>NO</i>	<i>NO</i>			
Water impounded against downstream toe.	<i>NO</i>	<i>NO</i>			
Other.	<i>-</i>	<i>-</i>			
<b>STRUCTURAL:</b>					
Differential settling.	<i>NO</i>	<i>NO</i>			
Cracks, slides, or scarps.	<i>NO</i>	<i>NO</i>			
Seepage (specify location, color, value).	<i>NO</i>	<i>NO</i>			
Defective spillways.	<i>NO</i>	<i>NO</i>			
Other.	<i>-</i>	<i>-</i>			
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	<i>NO</i>	<i>NO</i>			
Dewatering device clogged.	<i>NO</i>	<i>NO</i>			
Cracking or crushing of pipes.	<i>NO</i>	<i>NO</i>			
Other.	<i>-</i>	<i>-</i>			
COMMENTS:					



# **TRAPPER MINING INC.** **QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tonia Perkins*

SIGNATURE:

*Tonia Perkins*

DRAINAGE: MIDDLE PYEATT

DATE OF INSPECTION:

*6/17/2025*

POND IDENTIFICATION	Middle Pyeatt #1	Middle Pyeatt #2	Middle Pyeatt #3		
Approximate water level:	<i>30%.</i>	<i>DRY</i>	<i>DRY</i>		
Sediment level (% total storage):	<i>35%.</i>	<i>25%.</i>	<i>40%.</i>		
Outflow (cfs):	<i>0</i>	<i>0</i>	<i>0</i>		
Sediment marker (install or replace)	<i>In Place</i>	<i>In Place</i>	<i>In Place</i>		
Identification sign (install or replace)	<i>In Place</i>	<i>In Place</i>	<i>In Place</i>		
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	<i>no</i>	<i>no</i>	<i>no</i>		
Rills and/or gullies on upstream face.	<i>no</i>	<i>no</i>	<i>no</i>		
Inadequate vegetation.	<i>no</i>	<i>no</i>	<i>no</i>		
Outlet channel erosion.	<i>no</i>	<i>no</i>	<i>no</i>		
Burrows.	<i>no</i>	<i>no</i>	<i>no</i>		
Erosion of toe.	<i>no</i>	<i>no</i>	<i>no</i>		
Water impounded against downstream toe.	<i>no</i>	<i>no</i>	<i>no</i>		
Other.	<i>-</i>	<i>-</i>	<i>-</i>		
<b>STRUCTURAL:</b>					
Differential settling.	<i>no</i>	<i>no</i>	<i>no</i>		
Cracks, slides, or scarps.	<i>no</i>	<i>no</i>	<i>no</i>		
Seepage (specify location, color, value).	<i>no</i>	<i>no</i>	<i>no</i>		
Defective spillways.	<i>no</i>	<i>no</i>	<i>no</i>		
Other.	<i>-</i>	<i>-</i>	<i>-</i>		
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	<i>no</i>	<i>no</i>	<i>no</i>		
Dewatering device clogged.	<i>no</i>	<i>no</i>	<i>no</i>		
Cracking or crushing of pipes.	<i>no</i>	<i>no</i>	<i>no</i>		
Other.	<i>-</i>	<i>-</i>	<i>-</i>		
COMMENTS:					





**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tonia Perkins*

DRAINAGE: EAST PEATY

SIGNATURE:

*Donna Perkins*

DATE OF INSPECTION:

*6/17/2025*

POND IDENTIFICATION	East Peatt #1	East Peatt #2	East Peatt #3		
Approximate water level:	100%	100%	100%		
Sediment level (% total storage):	15%	25%	30%		
Outflow (cfs):	41 cfs	41 cfs	41 cfs		
Sediment marker (install or replace)	Underwater	Underwater	Underwater		
Identification sign (install or replace)	In Place	In Place	In Place		
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	no	no	no		
Rills and/or gullies on upstream face.	no	no	no		
Inadequate vegetation.	no	no	no		
Outlet channel erosion.	no	no	no		
Burrows.	no	no	no		
Erosion of toe.	no	no	no		
Water impounded against downstream toe.	no	no	no		
Other.	-	-	-		
<b>STRUCTURAL:</b>					
Differential settling.	no	no	no		
Cracks, slides, or scarps.	no	no	no		
Seepage (specify location, color, value).	no	no	no		
Defective spillways.	no	no	no		
Other.	-	-	-		
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	no	no	no		
Dewatering device clogged.	no	no	no		
Cracking or crushing of pipes.	no	no	no		
Other.	-	-	-		
COMMENTS:					





**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**INSPECTOR: Tim CumminsSIGNATURE: [Signature]

DRAINAGE: GROUSE GULCH

DATE OF INSPECTION: 6/18/25

POND IDENTIFICATION	Grouse #1	Grouse #2			
Approximate water level:	70%	20%			
Sediment level (% total storage):	55%	15%			
Outflow (cfs):	0	0			
Sediment marker (install or replace)	in-place	in-place			
Identification sign (install or replace)	in-place	in-place			
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	No	No			
Rills and/or gullies on upstream face.	No	No			
Inadequate vegetation.	No	No			
Outlet channel erosion.	No	No			
Burrows.	1	No			
Erosion of toe.	No	No			
Water impounded against downstream toe.	No	No			
Other.	-	-			
<b>STRUCTURAL:</b>					
Differential settling.	No	No			
Cracks, slides, or scarps.	No	No			
Seepage (specify location, color, value).	No	No			
Defective spillways.	No	No			
Other.	-	-			
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	No	No			
Dewatering device clogged.	No	No			
Cracking or crushing of pipes.	No	No			
Other.	-	-			

COMMENTS:

Filled in one burrow on Grouse #1 dam

**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**INSPECTOR: Tim CumminsDRAINAGE: SAGE GULCHSIGNATURE: Tim CumminsDATE OF INSPECTION: 6/18/25

POND IDENTIFICATION	Sage #1	Sage #2			
Approximate water level:	<u>Dry</u>	<u>Dry</u>			
Sediment level (% total storage):	<u>10%</u>	<u>10%</u>			
Outflow (cfs):	<u>0</u>	<u>0</u>			
Sediment marker (install or replace)	<u>in place</u>	<u>in place</u>			
Identification sign (install or replace)	<u>in place</u>	<u>in place</u>			
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	<u>No</u>	<u>No</u>			
Rills and/or gullies on upstream face.	<u>No</u>	<u>No</u>			
Inadequate vegetation.	<u>No</u>	<u>No</u>			
Outlet channel erosion.	<u>No</u>	<u>No</u>			
Burrows.	<u>No</u>	<u>No</u>			
Erosion of toe.	<u>No</u>	<u>No</u>			
Water impounded against downstream toe.	<u>No</u>	<u>No</u>			
Other.	<u>-</u>	<u>-</u>			
<b>STRUCTURAL:</b>					
Differential settling.	<u>No</u>	<u>No</u>			
Cracks, slides, or scarps.	<u>No</u>	<u>No</u>			
Seepage (specify location, color, value).	<u>No</u>	<u>No</u>			
Defective spillways.	<u>No</u>	<u>No</u>			
Other.	<u>-</u>	<u>-</u>			
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	<u>No</u>	<u>No</u>			
Dewatering device clogged.	<u>No</u>	<u>No</u>			
Cracking or crushing of pipes.	<u>No</u>	<u>No</u>			
Other.	<u>-</u>	<u>-</u>			
COMMENTS:					





# **TRAPPER MINING INC.** **QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

Tonia Perkins

SIGNATURE:

Tonia Perkins

DRAINAGE: OAK GULCH

DATE OF INSPECTION:

6/12/2025

POND IDENTIFICATION	Oak #1	Oak #2			
Approximate water level:	50' h.	DRY			
Sediment level (% total storage):	45' h.	10' h.			
Outflow (cfs):	0	0			
Sediment marker (install or replace)	In Place	In Place			
Identification sign (install or replace)	In Place	In Place			
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	no	no			
Rills and/or gullies on upstream face.	no	no			
Inadequate vegetation.	no	no			
Outlet channel erosion.	no	no			
Burrows.	no	no			
Erosion of toe.	no	no			
Water impounded against downstream toe.	no	no			
Other.	-	-			
<b>STRUCTURAL:</b>					
Differential settling.					
Cracks, slides, or scarps.	no	no			
Seepage (specify location, color, value).	no	no			
Defective spillways.	no	no			
Other.					
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	no	no			
Dewatering device clogged.	no	no			
Cracking or crushing of pipes.	no	no			
Other.					
COMMENTS:					





**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tona Perkins*

DRAINAGE: WEST FLUME

SIGNATURE:

*Tona Perkins*

DATE OF INSPECTION:

*6/13/2025*

POND IDENTIFICATION	West Flume #1				
Approximate water level:	<i>DRY</i>				
Sediment level (% total storage):	<i>0%</i>				
Outflow (cfs):	<i>0</i>				
Sediment marker (install or replace)	<i>In Place</i>				
Identification sign (install or replace)	<i>In Place</i>				
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	<i>NO</i>				
Rills and/or gullies on upstream face.	<i>NO</i>				
Inadequate vegetation.	<i>NO</i>				
Outlet channel erosion.	<i>NO</i>				
Buttows.	<i>NO</i>				
Erosion of toe.	<i>NO</i>				
Water impounded against downstream toe.	<i>NO</i>				
Other.	<i>1</i>				
<b>STRUCTURAL:</b>					
Differential settling.					
Cracks, slides, or scarps.	<i>NO</i>				
Seepage (specify location, color, value).	<i>NO</i>				
Defective spillways.	<i>NO</i>				
Other.					
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	<i>NO</i>				
Dewatering device clogged.	<i>NO</i>				
Cracking or crushing of pipes.	<i>NO</i>				
Other.	<i>1</i>				
COMMENTS:					



**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tona Perkins*

DRAINAGE: MIDDLE FLUME

SIGNATURE:

*Tona Perkins*

DATE OF INSPECTION:

*6/17/2025*

POND IDENTIFICATION	Middle Flume #1	Middle Flume #3			
Approximate water level:	<i>35%</i>	<i>10%</i>			
Sediment level (% total storage):	<i>40%</i>	<i>40%</i>			
Outflow (cfs):	<i>0</i>	<i>0</i>			
Sediment marker (install or replace)	<i>In place</i>	<i>covered by cuttings</i>			
Identification sign (install or replace)	<i>In place</i>	<i>In place</i>			
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	<i>no</i>	<i>no</i>			
Rills and/or gullies on upstream face.	<i>no</i>	<i>no</i>			
Inadequate vegetation.	<i>no</i>	<i>no</i>			
Outlet channel erosion.	<i>no</i>	<i>no</i>			
Burrows.	<i>no</i>	<i>no</i>			
Erosion of toe.	<i>no</i>	<i>no</i>			
Water impounded against downstream toe.	<i>no</i>	<i>no</i>			
Other.	<i>-</i>	<i>-</i>			
<b>STRUCTURAL:</b>					
Differential settling.	<i>no</i>	<i>no</i>			
Cracks, slides, or scarps.	<i>no</i>	<i>no</i>			
Seepage (specify location, color, value).	<i>no</i>	<i>no</i>			
Defective spillways.	<i>no</i>	<i>no</i>			
Other.	<i>-</i>	<i>-</i>			
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	<i>no</i>	<i>no</i>			
Dewatering device clogged.	<i>no</i>	<i>no</i>			
Cracking or crushing of pipes.	<i>no</i>	<i>no</i>			
Other.	<i>-</i>	<i>-</i>			

COMMENTS:

*Middle Flume #3 has been pumped for sediment removal.*



**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tonia Perkins*

DRAINAGE: EAST MIDDLE FLUME

SIGNATURE

*Donna Perkins*

DATE OF INSPECTION:

*6/13/2025*

POND IDENTIFICATION	East Middle Flume #1				
Approximate water level:	<i>40%.</i>				
Sediment level (% total storage):	<i>35%.</i>				
Outflow (cfs):	<i>0</i>				
Sediment marker (install or replace)	<i>Under catwalks</i>				
Identification sign (install or replace)	<i>In Place</i>				
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	<i>NO</i>				
Rills and/or gullies on upstream face.	<i>NO</i>				
Inadequate vegetation.	<i>NO</i>				
Outlet channel erosion.	<i>NO</i>				
Burrows.	<i>NO</i>				
Erosion of toe.	<i>NO</i>				
Water impounded against downstream toe.	<i>NO</i>				
Other.	<i>1</i>				
<b>STRUCTURAL:</b>					
Differential settling.					
Cracks, slides, or scarps.	<i>NO</i>				
Seepage (specify location, color, value).	<i>NO</i>				
Defective spillways.	<i>NO</i>				
Other.	<i>1</i>				
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	<i>NO</i>				
Dewatering device clogged.	<i>NO</i>				
Cracking or crushing of pipes.	<i>NO</i>				
Other.	<i>1</i>				
COMMENTS:					

*Has been pumped down, scheduled for sediment removal!*

# **TRAPPER MINING INC.** **QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tonia Perkins*

SIGNATURE:

*Tonia Perkins*

DRAINAGE: EAST FLUME

DATE OF INSPECTION:

*6/17/2025*

POND IDENTIFICATION	East Flume #1				
Approximate water level:	<i>DRY</i>				
Sediment level (% total storage):	<i>15.1</i>				
Outflow (cfs):	<i>0</i>				
Sediment marker (install or replace)	<i>In Place</i>				
Identification sign (install or replace)	<i>In Place</i>				
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	<i>NO</i>				
Rills and/or gullies on upstream face.	<i>NO</i>				
Inadequate vegetation.	<i>NO</i>				
Outlet channel erosion.	<i>NO</i>				
Burrows.	<i>NO</i>				
Erosion of toe.	<i>NO</i>				
Water impounded against downstream toe.	<i>NO</i>				
Other.					
<b>STRUCTURAL:</b>					
Differential settling.	<i>NO</i>				
Cracks, slides, or scarps.	<i>NO</i>				
Seepage (specify location, color, value).	<i>NO</i>				
Defective spillways.	<i>NO</i>				
Other.					
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	<i>NO</i>				
Dewatering device clogged.	<i>NO</i>				
Cracking or crushing of pipes.	<i>NO</i>				
Other.					
COMMENTS:					





**TRAPPER MINING INC.**  
**QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tonk Perkins*

DRAINAGE: UTE GULCH

SIGNATURE:

*Dane Perkins*

DATE OF INSPECTION:

*6/17/2025*

POND IDENTIFICATION	Ute #1				
Approximate water level:					
Sediment level (% total storage):	<i>40%.</i>				
Outflow (cfs):	<i>0</i>				
Sediment marker (install or replace)	<i>In place</i>				
Identification sign (install or replace)	<i>In place</i>				
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	<i>no</i>				
Rills and/or gullies on upstream face.	<i>no</i>				
Inadequate vegetation.	<i>no</i>				
Outlet channel erosion.	<i>no</i>				
Burrows.	<i>no</i>				
Erosion of toe.	<i>no</i>				
Water impounded against downstream toe.	<i>no</i>				
Other.	<i>-</i>				
<b>STRUCTURAL:</b>					
Differential settling.	<i>no</i>				
Cracks, slides, or scarps.	<i>no</i>				
Seepage (specify location, color, value).	<i>no</i>				
Defective spillways.	<i>no</i>				
Other.	<i>-</i>				
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	<i>no</i>				
Dewatering device clogged.	<i>no</i>				
Cracking or crushing of pipes.	<i>no</i>				
Other.	<i>-</i>				
COMMENTS:					



**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tonia Perkins*

SIGNATURE:

*Tonia Perkins*

DRAINAGE: HORSE GULCH

DATE OF INSPECTION:

*6/17/2025*

POND IDENTIFICATION	Horse #1					
Approximate water level:	<i>Almost Dry</i>					
Sediment level (% total storage):	<i>SS/L</i>					
Outflow (cfs):	<i>0 P/Sec</i>					
Sediment marker (install or replace)	<i>In Place</i>					
Identification sign (install or replace)	<i>In Place</i>					
<b>EROSIONAL:</b>						
Rills and/or gullies on downstream face.	<i>NO</i>					
Rills and/or gullies on upstream face.	<i>NO</i>					
Inadequate vegetation.	<i>NO</i>					
Outlet channel erosion.	<i>NO</i>					
Burrows.	<i>NO</i>					
Erosion of toe.	<i>NO</i>					
Water impounded against downstream toe.	<i>NO</i>					
Other.						
<b>STRUCTURAL:</b>						
Differential settling.	<i>NO</i>					
Cracks, slides, or scarps.	<i>NO</i>					
Seepage (specify location, color, value).	<i>NO</i>					
Defective spillways.	<i>NO</i>					
Other.	<i>-</i>					
<b>APPURTENANT STRUCTURES:</b>						
Defective spillways.	<i>NO</i>					
Dewatering device clogged.	<i>NO</i>					
Cracking or crushing of pipes.	<i>NO</i>					
Other.	<i>-</i>					
COMMENTS:						





**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**INSPECTOR: Tonia Perkins  
DRAINAGE: WEST HORSE GULCH

SIGNATURE:

Tonia Perkins

DATE OF INSPECTION:

6/17/2025

POND IDENTIFICATION	West Horse #1				
Approximate water level:	dry				
Sediment level (% total storage):	20%				
Outflow (cfs):	0				
Sediment marker (install or replace)	In place				
Identification sign (install or replace)	In place				
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	no				
Rills and/or gullies on upstream face.	no				
Inadequate vegetation.	no				
Outlet channel erosion.	no				
Burrows.	no				
Erosion of toe	no				
Water impounded against downstream toe.	no				
Other.					
<b>STRUCTURAL:</b>					
Differential settling.					
Cracks, slides, or scarps.	no				
Seepage (specify location, color, value).	no				
Defective spillways.	no				
Other.					
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	no				
Dewatering device clogged.	no				
Cracking or crushing of pipes.	no				
Other.	no				
COMMENTS:					



**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

*Tonia Perkins*

DRAINAGE: DEAL GULCH

SIGNATURE:

*Tonia Perkins*

DATE OF INSPECTION:

*6/17/2025*

POND IDENTIFICATION	Deal #1	Deal #2			
Approximate water level:	<i>65%</i>	<i>DRY</i>			
Sediment level (% total storage):	<i>40%</i>	<i>minimal</i>			
Outflow (cfs):	<i>0</i>	<i>0</i>			
Sediment marker (install or replace)	<i>Underwater</i>	<i>in place</i>			
Identification sign (install or replace)	<i>in place</i>	<i>in place</i>			
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	<i>no</i>	<i>no</i>			
Rills and/or gullies on upstream face.	<i>no</i>	<i>no</i>			
Inadequate vegetation.	<i>no</i>	<i>no</i>			
Outlet channel erosion.	<i>no</i>	<i>no</i>			
Burrows.	<i>no</i>	<i>no</i>			
Erosion of toe.	<i>no</i>	<i>no</i>			
Water impounded against downstream toe.	<i>no</i>	<i>no</i>			
Other.					
<b>STRUCTURAL:</b>					
Differential settling.	<i>no</i>	<i>no</i>			
Cracks, slides, or scarps.	<i>no</i>	<i>no</i>			
Seepage (specify location, color, value).	<i>no</i>	<i>no</i>			
Defective spillways.	<i>no</i>	<i>no</i>			
Other.					
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	<i>no</i>	<i>no</i>			
Dewatering device clogged.	<i>no</i>	<i>no</i>			
Cracking or crushing of pipes.	<i>no</i>	<i>no</i>			
Other.	<i>no</i>	<i>no</i>			
COMMENTS:	<i>Deal #1, prepped &amp; scheduled for sediment removal!</i>				





**TRAPPER MINING INC.**  
**QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR: Tonia Perkins  
 DRAINAGE: **DEACON**

SIGNATURE: Tonia Perkins  
 DATE OF INSPECTION: 6/17/2024

POND IDENTIFICATION	Deacon #1	Deacon #2		
Approximate water level:	DRY	DRY		
Sediment level (% total storage):	0	0		
Outflow (cfs):	0	0		
Sediment marker (install or replace)	In Place	In Place		
Identification sign (install or replace)	In Place	In Place		
<b>EROSIONAL:</b>				
Rills and/or gullies on downstream face.	NO	NO		
Rills and/or gullies on upstream face.	NO	NO		
Inadequate vegetation.	NO	NO		
Outlet channel erosion.	NO	NO		
Burrows.	NO	NO		
Erosion of toe.	NO	NO		
Water impounded against downstream toe.	NO	NO		
Other.	-	-		
<b>STRUCTURAL:</b>				
Differential settling.	NO	NO		
Cracks, slides, or scarps.	NO	NO		
Seepage (specify location, color, value).	NO	NO		
Defective spillways.	NO	NO		
Other.	-	-		
<b>APPURTENANT STRUCTURES:</b>				
Defective spillways.	NO	NO		
Dewatering device clogged.	NO	NO		
Cracking or crushing of pipes.	NO	NO		
Other.	NO	NO		
COMMENTS:				



# **TRAPPER MINING INC.** **QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR: Tonia PerkinsSIGNATURE: Tonia PerkinsDRAINAGE: JEFFWAYDATE OF INSPECTION: 10/24/2025

POND IDENTIFICATION	Jeffway #1					
Approximate water level:	10 ft.					
Sediment level (% total storage):	51.					
Outflow (cfs):	0					
Sediment marker (install or replace)	In place					
Identification sign (install or replace)	In place					
<b>EROSIONAL:</b>						
Rills and/or gullies on downstream face.	No					
Rills and/or gullies on upstream face.	No					
Inadequate vegetation.	No					
Outlet channel erosion.	No					
Burrows.	No					
Erosion of toe.	No					
Water impounded against downstream toe.	No					
Other.	-					
<b>STRUCTURAL:</b>						
Differential settling.	No					
Cracks, slides, or scarps.	No					
Seepage (specify location, color, value).	No					
Defective spillways.	No					
Other.	-					
<b>APPURTENANT STRUCTURES:</b>						
Defective spillways.	No					
Dewatering device clogged.	No					
Cracking or crushing of pipes.	No					
Other.	-					
COMMENTS:						





# **TRAPPER MINING INC.** **QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR: Tonia Perkins  
 DRAINAGE: EAST BUZZARD

SIGNATURE: Tonia Perkins  
 DATE OF INSPECTION: 6/17/2025

POND IDENTIFICATION	East Buzzard #3				
Approximate water level:	80%				
Sediment level (% total storage):	Minimal				
Outflow (cfs):	0				
Sediment marker (install or replace)	To install				
Identification sign (install or replace)	In place				
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	NO				
Rills and/or gullies on upstream face.	NO				
Inadequate vegetation.	NO				
Outlet channel erosion.	NO				
Burrows.	NO				
Erosion of toe.	NO				
Water impounded against downstream toe.	NO				
Other.					
<b>STRUCTURAL:</b>					
Differential settling.	NO				
Cracks, slides, or scarps.	NO				
Seepage (specify location, color, value).	NO				
Defective spillways.	NO				
Other.					
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	NO				
Dewatering device clogged.	NO				
Cracking or crushing of pipes.	NO				
Other.					
COMMENTS:					



# **TRAPPER MINING INC.** **QUARTERLY SEDIMENT POND INSPECTION REPORT**

**DRAINAGE: WEST BUZZARD**

INSPECTOR:

*Tonia Perkins*

SIGNATURE:

*Tonia Perkins*

DATE OF INSPECTION:

*6/17/2025*

POND IDENTIFICATION	West Buzzard #3	West Buzzard #4		
Approximate water level:	<i>10%</i>	<i>10%</i>		
Sediment level (% total storage):	<i>Minimal</i>	<i>Minimal</i>		
Outflow (cfs):	<i>0</i>	<i>0</i>		
Sediment marker (install or replace)	<i>In stall</i>	<i>In stall</i>		
Identification sign (install or replace)	<i>In place</i>	<i>In place</i>		
<b>EROSIONAL:</b>				
Rills and/or gullies on downstream face.	<i>NO</i>	<i>NO</i>		
Rills and/or gullies on upstream face.	<i>NO</i>	<i>NO</i>		
Inadequate vegetation.	<i>NO</i>	<i>NO</i>		
Outlet channel erosion.	<i>NO</i>	<i>NO</i>		
Burrows.	<i>NO</i>	<i>NO</i>		
Erosion of toe.	<i>NO</i>	<i>NO</i>		
Water impounded against downstream toe.	<i>NO</i>	<i>NO</i>		
Other.	<i>-</i>			
<b>STRUCTURAL:</b>				
Differential settling.	<i>NO</i>	<i>NO</i>		
Cracks, slides, or scarps.	<i>NO</i>	<i>NO</i>		
Seepage (specify location, color, value).	<i>NO</i>	<i>NO</i>		
Defective spillways.	<i>NO</i>	<i>NO</i>		
Other.	<i>-</i>			
<b>APPURTENANT STRUCTURES:</b>				
Defective spillways.	<i>NO</i>	<i>NO</i>		
Dewatering device clogged.	<i>NO</i>	<i>NO</i>		
Cracking or crushing of pipes.	<i>NO</i>	<i>NO</i>		
Other.	<i>-</i>			
COMMENTS:				





**TRAPPER MINING INC.****QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR:

Tonia PerkinsDRAINAGE: **IMPONDMENT H**

SIGNATURE:

Tonia Perkins

DATE OF INSPECTION:

6/17/2025

POND IDENTIFICATION	Impoundment H				
Approximate water level:	10'.				
Sediment level (% total storage):	5%				
Outflow (cfs):	0				
Sediment marker (install or replace)	In place				
Identification sign (install or replace)	In place				
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	no				
Rills and/or gullies on upstream face.	no				
Inadequate vegetation.	no				
Outlet channel erosion.	no				
Burrows.	no				
Erosion of toe.	no				
Water impounded against downstream toe.	no				
Other.					
<b>STRUCTURAL:</b>					
Differential settling.	no				
Cracks, slides, or scarps.	no				
Seepage (specify location, color, value).	no				
Defective spillways.	no				
Other.					
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	no				
Dewatering device clogged.	no				
Cracking or crushing of pipes.	no				
Other.					
COMMENTS:					



# **TRAPPER MINING INC.** **QUARTERLY SEDIMENT POND INSPECTION REPORT**

INSPECTOR: Tim CumminsDRAINAGE: **INDUSTRIAL WASTE POND**SIGNATURE: Tim CumminsDATE OF INSPECTION: 6/18/25

POND IDENTIFICATION	Industrial Waste Pond #1				
Approximate water level:	55 %				
Sediment level (% total storage):	7 %				
Outflow (cfs):	0				
Sediment marker (install or replace)	N/A				
Identification sign (install or replace)	In place				
<b>EROSIONAL:</b>					
Rills and/or gullies on downstream face.	No				
Rills and/or gullies on upstream face.	No				
Inadequate vegetation.	No				
Outlet channel erosion.	No				
Burrows.	No				
Erosion of toe.	No				
Water impounded against downstream toe.	No				
Other.	-				
<b>STRUCTURAL:</b>					
Differential settling.	No				
Cracks, slides, or scarps.	No				
Seepage (specify location, color, value).	No				
Defective spillways.	No				
Other.	-				
<b>APPURTENANT STRUCTURES:</b>					
Defective spillways.	N/A				
Dewatering device clogged.	N/A				
Cracking or crushing of pipes.	N/A				
Other.					
COMMENTS:					

