



Samples Received - Linkan Engineering, ELI WO B25071646

1 message

billingspm@energylab.com <billingspm@energylab.com>
To: Peter.hays@state.co.us

Sat, Jul 19, 2025 at 1:01 AM



Energy Laboratories has received your samples and the attached files contain sample IDs, test assignments, receipt conditions and the chain of custody, for samples you recently submitted.

Please reply to this email as soon as possible if you have any changes or questions. Modifications to the report, after it is issued, may incur additional cost.

Thank you for the opportunity to partner with you for your analytical needs.

Energy Laboratories, Inc.
Trust our People. Trust our Data.

Energy Laboratories Sample Receiving Team | Billings, MT | O: 406-252-6325 | www.energylab.com

This transmission may contain confidential information and is for the use of the intended recipient(s).
If you received this in error, please contact the sender and delete this email and all copies.

3 attachments



ChainOfCustody.pdf
1026K



Initial Login Summary.PDF
169K



Sample Acknowledgement Summary.PDF
364K



Chain of Custody & Analytical Request Record

Trust our People. Trust our Data.

www.energylab.com

Account Information (Billing information)

Company/Name	Linkan
Contact	Chris Prosper
Phone	775-777-8003
Mailing Address	2720 Ruby Vista Dr
City, State, Zip	Elko, NV 89801
Email	AP@linkan.com
Receive Invoice	☐ Hard Copy ☒ Email
Purchase Order	Quote H17287
25-0152	193741

Report Information (if different than Account Information)

Company/Name	Linkan
Contact	Alex Schwiebert
Phone	775-397-6779
Mailing Address	2720 Ruby Vista Dr
City, State, Zip	Elko, NV 89801
Email	see comments
Receive Report	☐ Hard Copy ☒ Email
Special Report/Forms:	☐ LEVEL IV ☐ NELAC ☒ EDD/EDT (contact laboratory) ☐ Other

Comments

Outfall 001A - Bi-Weekly Sample

Please email Report and EDD results to:
chris.prosper@linkan.com
adam.billin@linkan.com
alex.schwiebert@linkan.com
peter.hays@state.co.us

Project Information

Project Name, PWSID, Permit, etc.	Schwartzwalder Mine
Sampler Name	Bryant Acuña
Sampler Phone	7/238/6169
Sample Origin State	Colorado
EPA/State Compliance	☒ Yes ☐ No
URANIUM MINING CLIENTS MUST indicate sample type	
☐ Unprocessed Ore	
☐ Processed Ore (Ground or Refined) **CALL BEFORE SENDING	
☐ 11(e)2 Byproduct Material (Can ONLY be Submitted to ELI Casper Location)	

Matrix Codes

A - Air	W - Water
S - Solids	S - Solids
V - Vegetation	B - Bioassay
O - Oil	DW - Drinking Water

Analysis Requested

Hexavalent Chromium	Metals, Dissolved	Metals, Total Recoverable	Metals, Potentially Dissolved	Cyanide, WAD	Sulfide, Methylene Blue Colorimetric	Radium 226, Dissolved	Radium 226 + Radium 228
---------------------	-------------------	---------------------------	-------------------------------	--------------	--------------------------------------	-----------------------	-------------------------

All turnaround times are standard unless marked as RUSH.

Energy Laboratories MUST be contacted prior to RUSH sample submittal for charges and scheduling - See Instructions Page

Sample Identification (Name, Location, Interval, etc.)	Collection Date Time	Number of Containers	Matrix (See Codes Above)	See Attached	ELI LAB ID RUSH TAT Laboratory Use Only
1 Outfall 001A	7/15/05 1430	8	W	●	1325071646
2				●	
3					
4					
5					
6					
7					
8					
9					

ELI is REQUIRED to provide preservative traceability. If the preservatives supplied with the bottle order were NOT used, please attach your preservative information with this COC.

Custody Record MUST be signed	Relinquished by (print) Bryant Acuña	Signature Bryant Acuña	Date/Time 7/15/1530	Received by (print) Theresa R. R. R.	Signature Theresa R. R. R.	Date/Time 07/15/05 1030	Signature Theresa R. R. R.		
Shipped By	Cooler ID(s)	Custody Seals	Intact	Receipt Temp	Temp Blank	On Ice	Payment Type	Amount	Receipt Number (cash/check only)
		Y N C B	Y N	°C	Y N	Y N	CC Cash Check	\$	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All subcontracted data will be clearly notated on your analytical report.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.8325 • Casper, WY 307.235.0515 • Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

BOTTLE ORDER 193741



SHIPPED Linkan Engineering

TO:

To report an issue with this order, view Safety Data Sheets, or let us know how we are doing, scan here or go to energylab.com/contact-us



Contact: Chris Prosper

400 Corporate Circle, Suite H
Golden CO 80401

Phone: (719) 247-0564

Project: Schwartzwalder Mine-Outfall 001A Monthly + Weekly

Order Created by: Yvonna E. Smith

Shipped From: Billings, MT

Ship Date: 4/17/2025

VIA: Ground

Quote Used: 17287

Bottle Size/Type	Bottles Per Samp	Method	Tests	Critical Hold Time	Preservative	Notes	Num of Samp
------------------	------------------	--------	-------	--------------------	--------------	-------	-------------

Outfall 001A Weekly COD (4 Sets)

500 mL Plastic	1	E410.4	Chemical Oxygen Demand		 H2SO4		1
		HACH 8000	Preparation for COD testing HACH 8000				

Outfall 001A Three Times Weekly TSS (12 Sets)

1 Liter Plastic Wide Mouth	1	A2540 D	Solids, Total Suspended			Fill to the neck of the container.	1
----------------------------	---	---------	-------------------------	--	--	------------------------------------	---

Outfall 001A Bi-Weekly (2 Sets)

250 mL Plastic	1	A3500-Cr B E300.0	Chromium, Hexavalent Anions by Ion Chromatography	24.00 hrs			1
250 mL Plastic	1	E200.7_8	Metals by ICP/ICPMS, Dissolved		 HNO3	Filter before preservation	1
250 mL Plastic	1	E200.7_8 Calculation E245.1 E200.2 E245.1	Metals by ICP/ICPMS, Total Recoverable Chromium, Total Recoverable Trivalent Mercury, Total Metals Digestion by E200.2 Mercury Digestion by E245.1		 HNO3		1

BO#: 193741

1 of 2

250 mL Plastic	1	E200.7_8 MCAWW	Metals by ICP/ICPMS, Potentially Dissolved Preparation, Potentially Dissolved Filtration	 HNO3	1
500 mL Amber Plastic	1	Kelada-01	Cyanide, Weak Acid Dissociable	 NaOH	1
250 mL Plastic	1	A4500-S D	Sulfide, Methylene Blue Colorimetric	 ZnAc  NaOH	1 Zero headspace
1 Gallon Plastic	1	E903.0	Radium 226, Dissolved	 HNO3	1 Filter before preservation
1 Gallon Plastic	1	A7500-RA E903.0 RA-05	Radium 226 + Radium 228 Radium 226, Total Radium 228, Total	 HNO3	1 This now only requires one (1) 15mL nitric acid vial for preservation.

Comments

 HNO3 - Nitric Acid	 H2SO4 - Sulfuric Acid	 NaOH - Sodium Hydroxide	We strongly suggest that the samples are shipped the same day as they are collected.
 ZnAc - Zinc Acetate	 HCl - Hydrochloric Acid	☐ H3PO4 - Phosphoric Acid	
Material Safety Data Sheets(MSDS) Available @ EnergyLab.com ->Services -> MSDS Sheets			
Corrosive Chemicals: Nitric, Sulfuric, Phosphoric, Hydrochloric Acids and Sodium Hydroxide. Zinc Acetate is a skin irritant.			
Subcontracting of sample analyses to an outside laboratory may be required. If so, Energy Laboratories will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.			



INITIAL LOGIN SUMMARY

Client: Linkan Engineering

Project: Schwartzwalder Mine

Lab ID: B25071646-001

Client Sample ID: Outfall 001A

Collection Date: 07/15/2025 14:30

Date Received: 07/18/2025

Matrix: Aqueous

Analyses	Units	RL	MCL/ QCL	Method	Subcontracted To
Inorganics					
Chloride	mg/L	1		E300.0	
Sulfate	mg/L	1		E300.0	
Fluoride	mg/L	0.1		E300.0	
Cyanide, Weak Acid Dissociable	ug/L	1		Kelada-01	
Sulfide	mg/L	0.04		A4500-S D	
Metals, Dissolved					
Chromium, Hexavalent	ug/L	10		A3500-Cr B	
Iron	ug/L	20		E200.7_8	
Manganese	ug/L	1		E200.7_8	
Metals, Potentially Dissolved					
Cadmium	ug/L	1		E200.7_8	
Copper	ug/L	0.1		E200.7_8	
Nickel	ug/L	5		E200.7_8	
Selenium	ug/L	1		E200.7_8	
Silver	ug/L	0.03		E200.7_8	
Zinc	ug/L	10		E200.7_8	
Metals, Total					
Antimony	ug/L	1		E200.7_8	
Boron	ug/L	50		E200.7_8	
Mercury	ug/L	0.1		E245.1	
Thallium	ug/L	0.5		E200.7_8	
Metals, Total Recoverable					
Arsenic	ug/L	1		E200.7_8	
Chromium	ug/L	5		E200.7_8	
Chromium, Trivalent	ug/L	10		Calculation	
Iron	ug/L	20		E200.7_8	
Uranium	ug/L	0.3		E200.7_8	
Radionuclides - Dissolved					
Radium 226	pCi/L	-1000		E903.0	ELI - Casper
Radium 226 precision (±)	pCi/L	0		E903.0	ELI - Casper
Radium 226 MDC	pCi/L	0		E903.0	ELI - Casper
Radionuclides - Total					
Radium 226	pCi/L	-1000		E903.0	ELI - Casper
Radium 226 precision (±)	pCi/L	0		E903.0	ELI - Casper
Radium 226 MDC	pCi/L	0		E903.0	ELI - Casper
Radium 228	pCi/L	-1000		RA-05	ELI - Casper
Radium 228 precision (±)	pCi/L	0		RA-05	ELI - Casper

Duplicate analytes may be listed under different methods, but only one will be reported and invoiced.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

INITIAL LOGIN SUMMARY

Client: Linkan Engineering

Project: Schwartzwalder Mine

Lab ID: B25071646-001

Client Sample ID: Outfall 001A

Collection Date: 07/15/2025 14:30

Date Received: 07/18/2025

Matrix: Aqueous

Analyses	Units	RL	MCL/ QCL	Method	Subcontracted To
Radium 228 MDC	pCi/L	0		RA-05	ELI - Casper
Radium 226 + Radium 228	pCi/L	-1000		A7500-RA	ELI - Casper
Radium 226 + Radium 228 precision (±)	pCi/L	0		A7500-RA	ELI - Casper
Radium 226 + Radium 228 MDC	pCi/L	0		A7500-RA	ELI - Casper

Duplicate analytes may be listed under different methods, but only one will be reported and invoiced.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 800.735.4489 • Casper, WY 888.235.0515
Gillette, WY 866.686.7175 • Helena, MT 877.472.0711

Sample Acknowledgment Summary

Workorder Number: B25071646

Quote ID: 17287

Client: Linkan Engineering

Purchase Order: 24-0156-0128

Project Name: Schwartzwalder Mine

Project Contact: Chris Prosper

Samples(s) Received: 07/18/2025 10:30 AM

Carrier Name: Return-FedEx NDA

Turnaround Time (business days): 20 days

Estimated Completion Date: 08/15/2025

Container/Temp Blank Temperature (°C): 11.9 Melted Ice

If the temperature is >6.0°C and is for compliance purposes, it is recommended that you contact your regulatory agency regarding acceptance of the results. Energy Laboratories will proceed with all analyses unless you notify us to cancel within 48 hours of sample receipt.

Workorder Receipt Checklist Comments:

The sample for potentially dissolved metals analysis was subsampled and filtered in the laboratory. According to the Code of Colorado Regulation these samples should be filtered within 8 to 96 hours of preservation with nitric acid to a pH < 2.

The sample for hexavalent chromium was received past the 24-hour hold time. Proceed with analysis past hold per phone conversation with Chris Prosper on 07/18/25. CMJ 07/18/25