



Schwartzwalder 2nd Quarter TDS DMR Submittal 2025

1 message

pdelaney@blackfoxmining.com <pdelaney@blackfoxmining.com>

Mon, Jul 28, 2025 at 6:20 PM

To: Peter Hays - DNR <peter.hays@state.co.us>

Cc: Quinn Westmoreland <quinn.westmoreland@linkan.com>, Adam Billin <Adam.Billin@linkan.com>, Chris Prosper <chris.prosper@linkan.com>, Sam Billin <sam.billin@linkan.com>, Jared Buck <jared.buck@linkan.com>, Brandy Wadford <brandy.wadford@linkan.com>, alex.schwiebert@linkan.com

All,

Attached is the Copy of Record (COR) for the Discharge Monitoring Report (DMR) for 2nd Quarter TDS for the Schwartzwalder Mine site.

Let me know if you have any questions.

Thanks,

Patrick Delaney

Environmental Manager

Black Fox Mining, LLC

Cell: 315-414-6986



www.blackfoxmining.com



2025 2ndQ Schwartzwalder Outfall 001A TDS DMR COR.zip
1591K



ANALYTICAL SUMMARY REPORT

June 23, 2025

Linkan Engineering
2720 Ruby Vista Dr Ste 101
Elko, NV 89801-4943

Work Order: B25061225 Quote ID: B17287

Project Name: Schwartzwalder Mine

Energy Laboratories Inc Billings MT received the following 2 samples for Linkan Engineering on 6/12/2025 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B25061225-001	Outfall 001A	06/09/25 14:16	06/12/25	Aqueous	Solids, Total Suspended
B25061225-002	Outfall 001A	06/11/25 14:50	06/12/25	Aqueous	Chemical Oxygen Demand Preparation for COD testing HACH 8000 Solids, Total Dissolved Solids, Total Suspended

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 So. 27th Street, Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

Energy Laboratories, Inc. verifies the reported results for the analysis has been technically reviewed and approved for release.

If you have any questions regarding these test results, please contact your Project Manager.



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: Linkan Engineering
Project: Schwartzwalder Mine
Lab ID: B25061225-001
Client Sample ID: Outfall 001A

Report Date: 06/23/25
Collection Date: 06/09/25 14:16
DateReceived: 06/12/25
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
PHYSICAL PROPERTIES							
Solids, Total Suspended TSS @ 105 C	ND	mg/L		10		A2540 D	06/13/25 09:44 / pjw

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)



LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: Linkan Engineering
Project: Schwartzwalder Mine
Lab ID: B25061225-002
Client Sample ID: Outfall 001A

Report Date: 06/23/25
Collection Date: 06/11/25 14:50
DateReceived: 06/12/25
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
PHYSICAL PROPERTIES							
Solids, Total Suspended TSS @ 105 C	ND	mg/L		10		A2540 D	06/13/25 09:44 / pjw
Solids, Total Dissolved TDS @ 180 C	92	mg/L		20		A2540 C	06/13/25 14:10 / etv
AGGREGATE ORGANICS							
Oxygen Demand, Chemical (COD)	ND	mg/L		5		E410.4	06/13/25 15:12 / fap

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)



QA/QC Summary Report

Prepared by Billings, MT Branch

Work Order: B25061225

Report Date: 06/23/25

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: A2540 C									Batch: TDS20250613C	
Lab ID: MBLK_20250613-6	Method Blank					Run: Bal #30_250613D			06/13/25 14:09	
Solids, Total Dissolved TDS @ 180 C		ND	mg/L	20						
Lab ID: LCS_20250613-4	Laboratory Control Sample					Run: Bal #30_250613D			06/13/25 14:09	
Solids, Total Dissolved TDS @ 180 C		929	mg/L	25	93	90	110			
Lab ID: B25061181-001ADUP	Sample Duplicate					Run: Bal #30_250613D			06/13/25 14:09	
Solids, Total Dissolved TDS @ 180 C		517	mg/L	25				0.6	10	

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



QA/QC Summary Report

Prepared by Billings, MT Branch

Work Order: B25061225

Report Date: 06/23/25

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: A2540 D										Batch: TSS20250613A
Lab ID: MBLK_20250613-4		Method Blank					Run: BAL #30_250613B			06/13/25 09:42
Solids, Total Suspended TSS @ 105 C		ND	mg/L	0.6						
Lab ID: LCS_20250613-2										Run: BAL #30_250613B
Solids, Total Suspended TSS @ 105 C		102	mg/L	25	102	80	120			06/13/25 09:43
Lab ID: B25061153-001BDUP										Run: BAL #30_250613B
Solids, Total Suspended TSS @ 105 C		14.0	mg/L	10				9.3	10	06/13/25 09:44

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



QA/QC Summary Report

Prepared by Billings, MT Branch

Work Order: B25061225

Report Date: 06/23/25

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: E410.4 Analytical Run: SPEC3_250613B										
Lab ID: CCV-200579 Continuing Calibration Verification Standard 06/13/25 15:12										
Oxygen Demand, Chemical (COD)		51.1	mg/L	5.0	102	90	110			
Method: E410.4 Batch: 200579										
Lab ID: MB-200579 Method Blank Run: SPEC3_250613B 06/13/25 15:11										
Oxygen Demand, Chemical (COD)		ND	mg/L	3						
Lab ID: LCS-200579 Laboratory Control Sample Run: SPEC3_250613B 06/13/25 15:11										
Oxygen Demand, Chemical (COD)		23.9	mg/L	5.0	98	90	110			
Lab ID: B25061225-002CMS Sample Matrix Spike Run: SPEC3_250613B 06/13/25 15:12										
Oxygen Demand, Chemical (COD)		23.6	mg/L	5.0	97	90	110			
Lab ID: B25061225-002CMSD Sample Matrix Spike Duplicate Run: SPEC3_250613B 06/13/25 15:12										
Oxygen Demand, Chemical (COD)		23.3	mg/L	5.0	95	90	110	1.4	10	

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Work Order Receipt Checklist

Linkan Engineering

B25061225

Login completed by: Leslie S. Cadreau

Date Received: 6/12/2025

Reviewed by: cindy

Received by: SRG

Reviewed Date: 6/21/2025

Carrier name: Return-FedEx NDA

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input type="checkbox"/>
Container/Temp Blank temperature:	5.6°C Blue Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input type="checkbox"/>

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

For methods that require zero headspace or require preservation check at the time of analysis due to potential interference, the pH is verified at analysis. Nonconforming sample pH is documented as part of the analysis and included in the sample analysis comments.

Trip Blanks and/or Blind Duplicate samples are assigned the earliest collection time for the associated requested analysis in order to evaluate the holding time unless specifically indicated.

Contact and Corrective Action Comments:

None

Laboratory Certifications and Accreditations

Current certificates are available at www.energylab.com website:

	Agency	Number
Billings, MT  	Alaska	17-023
	California	3087
	Colorado	MT00005
	Department of Defense (DoD)/ISO17025	ADE-2588
	Florida (Primary NELAP)	E87668
	Idaho	MT00005
	Louisiana	05079
	Montana	CERT0044
	Nebraska	NE-OS-13-04
	Nevada	NV-C24-00250
	North Dakota	R-007
	National Radon Proficiency	109383-RMP
	Oregon	4184
	South Dakota	ARSD 74:04:07
	Texas	TX-C24-00302
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00170
	Washington	C1039
Casper, WY 	Alaska	20-006
	California	3021
	Colorado	WY00002
	Florida (Primary NELAP)	E87641
	Idaho	WY00002
	Louisiana	05083
	Montana	CERT0002
	Nebraska	NE-OS-08-04
	Nevada	NV-C24-00245
	North Dakota	R-125
	Oregon	WY200001
	South Dakota	WY00002
	Texas	T104704181-23-21
	US EPA Region VIII	WY00002
	USNRC License	49-26846-01
	Washington	C1012
Gillette, WY	US EPA Region VIII	WY00006
Helena, MT	Colorado	MT00945
	Montana	CERT0079
	Nevada	NV-C24-00119
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00090



Trust our People. Trust our Data.

Chain of Custody & Analytical Request Record

www.energylab.com

Page 1 of 1

Account Information (Billing information)

Company/Name Linkan	
Contact Chris Prosper	
Phone 775-777-8003	
Mailing Address 2720 Ruby Vista Dr	
City, State, Zip Elko, NV 89801	
Email AP@linkan.com	
Receive Invoice <input type="checkbox"/> Hard Copy <input type="checkbox"/> Email <input type="checkbox"/> Hard Copy <input type="checkbox"/> Email <input type="checkbox"/> Email	
Purchase Order 25-0152	Quote H17287

Report Information (if different than Account Information)

Company/Name Linkan	
Contact Alex Schwiebert	
Phone 775-397-6779	
Mailing Address 2720 Ruby Vista Dr	
City, State, Zip Elko, NV 89801	
Email see comments	
Receive Report <input type="checkbox"/> Hard Copy <input type="checkbox"/> Email <input type="checkbox"/> Email	
Special Report/Format: <input type="checkbox"/> LEVEL IV <input type="checkbox"/> NELAC <input type="checkbox"/> EDD/EDT (contact laboratory) <input type="checkbox"/> Other	

Comments

Outfall 001A - Weekly Sample
+ Outfall 001A - Quarterly TDS

Please email Report and EDD results to:
chris.prosper@linkan.com
adam.billin@linkan.com
alex.schwiebert@linkan.com
peter.hays@state.co.us

Times per container 15. 26.06/12/25

Project Information

Project Name, PWSID, Permit, etc. Schwartzwalder Mine

Sampler Name <i>Bycatcher</i>	Sampler Phone 7/238/6169
Sample Origin State Colorado	EPA/State Compliance <input type="checkbox"/> Yes <input type="checkbox"/> No

URANIUM MINING CLIENTS MUST indicate sample type
☐ Unprocessed Ore
☐ Processed Ore (Ground or Refined) **CALL BEFORE SENDING
☐ 11(e)2 Byproduct Material (Can ONLY be Submitted to ELI Casper Location)

Matrix Codes

A - Air	W - Water	S - Solids	V - Vegetation	B - Bioassay	O - Oil	DW - Drinking Water
---------	-----------	------------	----------------	--------------	---------	---------------------

Analysis Requested

Total Suspended Solids	Chemical Oxygen Demand	Total Dissolved Solids
------------------------	------------------------	------------------------

All turnaround times are standard unless marked as RUSH.
 Energy Laboratories MUST be contacted prior to RUSH sample submittal for charges and scheduling - See Instructions Page

Sample Identification (Name, Location, Interval, etc.)	Collection		Number of Containers	Matrix (See Codes Above)	Total Suspended Solids	Chemical Oxygen Demand	Total Dissolved Solids	See Attached	ELI LAB ID Laboratory Use Only
	Date	Time							
1 Outfall 001A	6/9/25	14:10	1	W	X				B35061225
2 Outfall 001A	6/11/25	14:50	2	W	X				
3 Outfall 001A	6/11/25	↓	1	W		X			
4									
5									
6									
7									
8									
9									

ELI is REQUIRED to provide preservative traceability. If the preservatives supplied with the bottle order were NOT used, please attach your preservative information with this COC.

Custody Record MUST be signed	Relinquished by (print) <i>Bycatcher</i>	Date/Time 6/10/25	Signature <i>[Signature]</i>
	Relinquished by (print)	Date/Time	Signature
Shipped By	Cooler ID(s) Y N C B	Intact Y N	Receipt Temp °C
LABORATORY USE ONLY		Temp Blank Y N	On Ice Y N
Received by (print) <i>State Capital</i>		Date/Time 6/12/25 10:35	Signature <i>[Signature]</i>
Payment Type CC Cash Check		Amount \$	Receipt Number (cash/check only)

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All subcontracted data will be clearly notated on your analytical report.



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515 • Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

BOTTLE ORDER 193743



SHIPPED Linkan Engineering

To report an issue with this order, view Safety Data Sheets, or let us know how we are doing, scan here or go to energylab.com/contact-us



Contact: Chris Prosper

400 Corporate Circle, Suite H
Golden CO 80401

Phone: (719) 247-0564

Project: Schwartzwalder Mine - Outfall 001A Quarterly

Order Created by: Yvonna E. Smith

Shipped From: Billings, MT

Ship Date: 4/17/2025

VIA: Ground

Quote Used: 17287

Bottle Size/Type	Bottles Per Samp	Method	Tests	Critical Hold Time	Preservative	Notes	Num of Samp
------------------	------------------	--------	-------	--------------------	--------------	-------	-------------

Outfall 001A Quarterly

1 Liter Plastic	1	A2540 C	Solids, Total Dissolved				1
-----------------	---	---------	-------------------------	--	--	--	---

Comments

☒ HNO3 - Nitric Acid ☒ H2SO4 - Sulfuric Acid ☒ NaOH - Sodium Hydroxide
☒ ZnAc - Zinc Acetate ☒ HCl - Hydrochloric Acid ☒ H3PO4 - Phosphoric Acid

We strongly suggest that the samples are shipped the same day as they are collected.

Material Safety Data Sheets(MSDS) Available @ EnergyLab.com ->Services -> MSDS Sheets

Corrosive Chemicals: Nitric, Sulfuric, Phosphoric, Hydrochloric Acids and Sodium Hydroxide. Zinc Acetate is a skin irritant.

Subcontracting of sample analyses to an outside laboratory may be required. If so, Energy Laboratories will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.


BO#: 193743

1 of 1



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.8325 • Casper, WY 307.235.0515 • Gillette, WY 307.686.7175 • Helena, MT 406.442.0711



BOTTLE ORDER 193742

SHIPPED Linkan Engineering

TO:



To report an issue with this order, view Safety Data Sheets, or let us know how we are doing, scan here or go to energylab.com/contact-us

Contact: Chris Prosper

400 Corporate Circle, Suite H

Golden CO 80401

Phone: (719) 247-0564

Project: Schwartzwalder Mine-Outfall 001A Monthly + Weekly

Order Created by: Yvonna E. Smith

Shipped From: Billings, MT

Ship Date: 4/17/2025

VIA: Ground

Quote Used: 17287

Bottle Size/Type	Bottles Per Samp	Method	Tests	Critical Hold Time	Preservative	Notes	Num of Samp
------------------	------------------	--------	-------	--------------------	--------------	-------	-------------

Outfall 001A Weekly COD (4 Sets)

500 mL Plastic	1	E410.4 HACH 8000	Chemical Oxygen Demand Preparation for COD testing HACH 8000		<input checked="" type="checkbox"/> H2SO4		1
----------------	---	---------------------	---	--	---	--	---

Outfall 001A Three Times Weekly TSS (12 Sets)

1 Liter Plastic Wide Mouth	1	A2540 D	Solids, Total Suspended			Fill to the neck of the container.	1
----------------------------	---	---------	-------------------------	--	--	------------------------------------	---

Outfall 001A Bi-Weekly (2 Sets)

250 mL Plastic	1	A3500-Cr B E300.0	Chromium, Hexavalent Anions by Ion Chromatography	24.00 hrs			1
250 mL Plastic	1	E200.7_8	Metals by ICP/ICPMS, Dissolved		<input checked="" type="checkbox"/> HNO3	Filter before preservation	1
250 mL Plastic	1	E200.7_8	Metals by ICP/ICPMS, Total Recoverable		<input checked="" type="checkbox"/> HNO3		1
		Calculation E245.1	Chromium, Total Recoverable Trivalent Mercury, Total				
		E200.2	Metals Digestion by E200.2				
		E245.1	Mercury Digestion by E245.1				

BO#: 193742

1 of 2

250 mL Plastic	1	E200.7_8 MCAWW	Metals by ICP/ICPMS, Potentially Dissolved Preparation, Potentially Dissolved Filtration	<input checked="" type="checkbox"/> HNO3	1
500 mL Amber Plastic	1	Kelada-01	Cyanide, Weak Acid Dissociable	<input checked="" type="checkbox"/> NaOH	1
250 mL Plastic	1	A4500-S D	Sulfide, Methylene Blue Colorimetric	<input checked="" type="checkbox"/> ZnAc <input checked="" type="checkbox"/> NaOH	1
1 Gallon Plastic	1	E903.0	Radium-226, Dissolved	<input checked="" type="checkbox"/> HNO3	1
1 Gallon Plastic	1	A7500-RA E903.0 RA-05	Radium 226 + Radium 228 Radium 226, Total Radium 228, Total	<input checked="" type="checkbox"/> HNO3	1

Extra Weekly Supplies

1 Liter Plastic Wide Mouth	2	A2540-D	Solids, Total Suspended		1
500 mL Plastic	1	E410.4	Chemical Oxygen Demand	<input type="checkbox"/> H2SO4	1

Comments

We strongly suggest that the samples are shipped the same day as they are collected.

☒ HNO3 - Nitric Acid ☐ H2SO4 - Sulfuric Acid ☒ NaOH - Sodium Hydroxide
☒ ZnAc - Zinc Acetate ☒ HCl - Hydrochloric Acid ☐ H3PO4 - Phosphoric Acid

Material Safety Data Sheets(MSDS) Available @ EnergyLab.com ->Services -> MSDS Sheets

Corrosive Chemicals- Nitric, Sulfuric, Phosphoric, Hydrochloric Acids and Sodium Hydroxide- Zinc Acetate is a skin irritant.

Subcontracting of sample analyses to an outside laboratory may be required. If so, Energy Laboratories will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.

BO#: 193742

2 of 2



Permits and Enforcement Section
Water Quality Control Division
CPDHE
4300 Cherry Creek Dr. South
Denver, CO 80246-1530

07/27/2025
25US0221

**Re: Discharge Monitoring Report for June 2024
Schwartzwalder Mine CO0001244**

TO WHOM IT MAY CONCERN:

On February 10th, 2025 the operations contract for the Schwartzwalder Mine was awarded and the contract started on April 1st, 2025.

During the month of June 2025, there was an exceedance for Total Recoverable arsenic at Outfall 001A. Section 7 of *Amendment Number One to Compliance Order on Consent, Number: IC-150123-1*, amended the Total Recoverable arsenic value to "Report" for the 30-day average. As a new permit has not been issued and discussions with the State indicated no deviation from the "Report" only at this time.

A WET test was taken in June. This resulted in a pass.

Best regards,
Linkan

Patrick M. Delaney
Operator Responsible in Charge (ORC)
Black Fox Mining, LLC

A handwritten signature in black ink, appearing to read "Patrick Delaney", is written in a cursive style.



Enclosures:

June 2025 DMR Submittal
2nd Quarter 2025 TDS Submittal
2nd Quarter 2025 WET Test Submittal

CC List:

Electronic Copy sent to the following:

Peter Hays, CDNR, peter.hays@state.co.us
Quinn Westmoreland, Linkan, quinn.westmoreland@linkan.com
Adam Billin, Linkan, adam.billin@linkan.com
Chris Prosper, Linkan, chris.prosper@linkan.com
Sam Billin, Linkan, sam.billin@linkan.com
Jared Buck, Linkan, jared.buck@linkan.com
Brandy Wadford, Linkan, brandy.wadford@linkan.com
Alex Schwiebert, Linkan, alex.schwiebert@linkan.com

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:

CO0001244

Major:

No

Permittee:

Colo Div of Reclamation, Mining and Safety

Permittee Address:

1001 E 62 Ave Room 215
Denver, CO 80216

Facility:

SCHWARTZWALDER MINE

Facility Location:

8300 GLENCOE VALLEY RD
GOLDEN, CO 80402

Permitted Feature:

001
External Outfall

Discharge:

001-Q
Quarterly Monitoring for 002A

Report Dates & Status

Monitoring Period:

From 04/01/25 to 06/30/25

DMR Due Date:

07/28/25

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see C.15, pg 9.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample								=	92.0	=	92.0	19 - mg/L	0	01/90 - Quarterly	CP - Composite
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/90 - Quarterly	CP - Composite
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
2025_06_Schwartzwalder_Outfall_001A_Cover_Letter.pdf	pdf	242956.0
2025_2ndQ_Schwartzwalder_TDS_Results.pdf	pdf	2003147.0

Report Last Saved By

Colo Div of Reclamation, Mining and Safety

User:

pdelaney@alexcoresource.com

Name:

Patrick Delaney

E-Mail:

pdelaney@blackfoxmining.com

Date/Time:

2025-07-28 18:09 (Time Zone: -06:00)

Report Last Signed By

User:

pdelaney@alexcoresource.com

Name:

Patrick Delaney

E-Mail:

pdelaney@blackfoxmining.com

Date/Time:

2025-07-28 18:14 (Time Zone: -06:00)