DMR Copy of Record

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the <a href="https://www.npde.com/npace-need-to-public-although-npace-need-to-public-although-npace-need-to-public-although-npace-need-to-public-although-npace-npace-need-to-public-although-npace-

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

| Permit                             |                               |                                 |          |                |                         |                    |                  |             |  |                    |                    |                  |  |             |                                   |               |        |                                      |
|------------------------------------|-------------------------------|---------------------------------|----------|----------------|-------------------------|--------------------|------------------|-------------|--|--------------------|--------------------|------------------|--|-------------|-----------------------------------|---------------|--------|--------------------------------------|
| Permit                             | #:                            | CO0038342                       |          |                | Perm                    | ittee:             |                  | Al          | RC McClain Canyo                       | on LLC             |                    |                  | Facility:  |             | MCCLAN                            | IE CANYO      | N MIN  | NE                                   |
| Major: No                          |                               |                                 |          |                | Perm                    | Permittee Address: |                  |             | 69 West Main Stre<br>exington, KY 4050 | Facility Location: | Facility Location: |                  | 3148 HIGHWAY 139<br>APPX 20MI N OF TOWN<br>GARFIELD COUNTY, CO 81524 |             |                                   |               |        |                                      |
| Permit                             | ted Feature:                  | 002<br>External Outfall         |          |                | Disch                   | narge:             |                  |             | <b>)2-A</b><br>ndergournd Mine t       | o East Salt Cre    | ek                 |                  |  |             |                                   |               |        |                                      |
| Report                             | Dates & Status                |                                 |          |                | ,                       |                    |                  |             |  |                    |                    |                  |  |             |                                   |               |        |                                      |
|                                    |                               |                                 |          | DMR            | Due Date:               |                    | 08               | 3/28/25     | Status:                                | Status:            |                    |                  | NetDMR Validated   |             |                                   |               |        |                                      |
| Considerations for Form Completion |                               |                                 |          |                | ,                       |                    |                  |             |  |                    |                    |                  |  |             |                                   |               |        |                                      |
| 30 day                             | average is highest monthly av | erage reported during period re | eported. | . Oil and grea | se - see I.             | C.1.a. SAF         | R - report adjus | ted @ MLO   | C=P.                                   |                    |                    |                  |  |             |                                   |               |        |                                      |
| Princip                            | oal Executive Officer         |                                 |          |                |                         |                    |                  |             |  |                    |                    |                  |  |             |                                   |               |        |                                      |
| First N                            | First Name:                   |                                 |          | Title:         |                         |                    |                  |             | Telephone:                             | Telephone:         |                    |                  |  |             |                                   |               |        |                                      |
| Last Na                            | ame:                          |                                 |          |                |                         |                    |                  |             |  |                    |                    |                  |  |             |                                   |               |        |                                      |
| No Dat                             | ta Indicator (NODI)           |                                 |          |                | ,                       |                    |                  |             |  |                    |                    |                  |  |             |                                   |               |        |                                      |
| Form N                             | IODI:                         |                                 |          |                |                         |                    |                  |             |  |                    |                    |                  |  |             |                                   |               |        |                                      |
|                                    | Parameter                     | Monitoring Location S           |          | # Param. NODI  | 1                       | 0 100 4 14 14      |                  | Quantity of |  |                    |                    |                  | Quality or Concentrat  |             |                                   |               | # of E | x. Frequency of Analysis Sample Type |
| Code                               | Name                          |                                 |          |                | Sample                  | Qualifier 1        | Value 1          | Qualifier 2 | 2 Value 2                              | Units              | Qualifier 1        | 1 Value 1        | Qualifier 2 Value 2  | Qualifier 3 | Value 3                           | Units         |        |                                      |
| 00094                              | Conductivity                  | 1 - Effluent Gross              | 0        |                | Permit Req              |                    |                  |             |  |                    |                    |                  | Req Mon 30DA AVG   | i           |                                   | 7B - dS/m     |        | 02/30 - Twice Per Month GR - Grab    |
|                                    | •                             |                                 |          |                | Value NOD               | 1                  |                  |             |  |                    |                    |                  | C - No Discharge   |             |                                   |               |        |                                      |
|                                    |                               |                                 |          |                | Sample                  |                    |                  |             |  |                    |                    |                  |  |             |                                   |               |        |                                      |
| 00400                              | pH                            | 1 - Effluent Gross              | 0        |                | Permit Req              |                    |                  |             |  |                    | >=                 | 6.5 MINIMUM      |  |             | 9.0 MAXIMUM                       | 12 - SU       |        | 02/30 - Twice Per Month GR - Grab    |
|                                    |                               |                                 |          |                | Value NOD               | 1                  |                  |             |  |                    |                    | C - No Discharge |  |             | C - No Discharge                  | 9             |        |                                      |
| 00440                              | Disarkanata ian Isa 110001    | 4. E#barat Oncor                |          |                | Sample<br>Permit Req    |                    |                  |             |  |                    |                    |                  | Reg Mon 30DA AVG   | i           | Req Mon DAILY MX                  | ( 19 - ma/L   |        | 02/30 - Twice Per Month GR - Grab    |
| 00440                              | Bicarbonate ion- [as HCO3]    | 1 - Effluent Gross              | 0        |                | Value NOD               |                    |                  |             |  |                    |                    |                  | C - No Discharge   |             | C - No Discharge                  | -             |        |                                      |
|                                    |                               |                                 |          |                | Sample                  |                    |                  |             |  |                    |                    |                  |  |             |                                   |               |        |                                      |
| 00530                              | Solids, total suspended       | 1 - Effluent Gross              | 0        |                | Permit Req              |                    |                  |             |  |                    |                    |                  | <= 30.0 30DA AVG   | <=          | 70.0 DAILY MX                     | 19 - mg/L     |        | 02/30 - Twice Per Month GR - Grab    |
|                                    |                               |                                 |          |                | Value NOD               | 1                  |                  |             |  |                    |                    |                  | C - No Discharge   |             | C - No Discharge                  | 9             |        |                                      |
|                                    |                               |                                 |          |                | Sample                  |                    |                  |             |  |                    |                    |                  | Day May 00DA AVO   |             | Dan Man DAIL V MY                 | ( 40/1        |        | 20/20 Tuise Par Marth OP Orch        |
| 00918                              | Calcium, total recoverable    | 1 - Effluent Gross              | 0        |                | Permit Req<br>Value NOD |                    |                  |             |  |                    |                    |                  | Req Mon 30DA AVG   |             | Req Mon DAILY MX C - No Discharge |               |        | 02/30 - Twice Per Month GR - Grab    |
|                                    |                               |                                 |          |                |                         | 1                  |                  |             |  |                    |                    |                  | C - No Discharge   |             | C - No Discharge                  | ;             |        |                                      |
| 00921                              | Magnesium, total recoverable  | 1 - Effluent Gross              | 0        |                | Sample<br>Permit Req    |                    |                  |             |  |                    |                    |                  | Req Mon 30DA AVG   | i           | Req Mon DAILY MX                  | ( 19 - mg/L   |        | 02/30 - Twice Per Month GR - Grab    |
| 00921                              | magnesium, total recoverable  | 1 - Emident Gross               |          |                | Value NOD               | 1                  |                  |             |  |                    |                    |                  | C - No Discharge   |             | C - No Discharge                  | •             |        |                                      |
|                                    |                               |                                 |          |                | Sample                  |                    |                  |             |  |                    |                    |                  |  |             |                                   |               |        |                                      |
| 00923                              | Sodium, total recoverable     | 1 - Effluent Gross              | 0        |                | Permit Req              |                    |                  |             |  |                    |                    |                  | Req Mon 30DA AVG   |             | Req Mon DAILY MX                  |               |        | 02/30 - Twice Per Month GR - Grab    |
|                                    |                               |                                 |          |                | Value NOD               | I                  |                  |             |  |                    |                    |                  | C - No Discharge   |             | C - No Discharge                  | 9             |        |                                      |
|                                    |                               |                                 |          |                | Sample<br>Permit Req    |                    |                  |             |  |                    |                    |                  | Req Mon 30DA AVG   |             | Req Mon DAILY MX                  | ( 111 - Potio |        | 02/30 - Twice Per Month GR - Grab    |
| 00931                              | Sodium adsorption ratio       | P - See Comments                | 0        |                | Value NOD               |                    |                  |             |  |                    |                    |                  | C - No Discharge   |             | C - No Discharge                  |               |        | 02/30 - Twice Fel Month GK - Glab    |
|                                    |                               |                                 |          |                | Sample                  |                    |                  |             |  |                    |                    |                  | U - INO DISCHAIGE  |             | C 140 Disorial ge                 |               |        |                                      |
| 00978                              | Arsenic, total recoverable    | 1 - Effluent Gross              | 0        |                | Permit Req              |                    |                  |             |  |                    |                    |                  | <= 100.0 30DA AVG  |             |                                   | 28 - ug/L     |        | 02/30 - Twice Per Month GR - Grab    |
| 55575                              |                               | . Lindon G1033                  |          |                | Value NOD               | 1                  |                  |             |  |                    |                    |                  | C - No Discharge   |             |                                   |               |        |                                      |
|                                    |                               |                                 |          |                | Sample                  |                    |                  |             |  |                    |                    |                  |  |             |                                   |               |        |                                      |

| 00980 | Iron, total recoverable                  | 1 - Effluent Gross | 0 | <br>Permit Req.                         |                                    |  | <= | 1000.0 30DA AVG                    | <= | 7000.0 DAILY MX                  | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
|-------|--|--------------------|---|---|------------------------------------|--|----|------------------------------------|----|----------------------------------|-----------|-------------------------|--------------------|
|       |  |                    |   | Value NODI                              |                                    |  |    | C - No Discharge                   |    | C - No Discharge                 |           |                         |                    |
| 01303 | Zinc, potentially dissolved              | 1 - Effluent Gross | 0 | <br>Sample Permit Req. Value NODI       |                                    |  | <= | 428.0 30DA AVG<br>C - No Discharge | <= | 564.0 DAILY MX  C - No Discharge | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
| 01306 | Copper, potentially dissolved            | 1 - Effluent Gross | 0 | <br>Sample<br>Permit Req.<br>Value NODI |                                    |  | <= | 29.0 30DA AVG<br>C - No Discharge  | <= | 50.0 DAILY MX C - No Discharge   | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
| 01313 | Cadmium, potentially dissolvd            | 1 - Effluent Gross | 0 | <br>Sample<br>Permit Req.<br>Value NODI |                                    |  | <= | 1.2 30DA AVG<br>C - No Discharge   | <= | 9.1 DAILY MX C - No Discharge    | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
| 01318 | Lead, potentially dissolvd               | 1 - Effluent Gross | 0 | <br>Sample<br>Permit Req.<br>Value NODI |                                    |  | <= | 11.0 30DA AVG<br>C - No Discharge  | <= | 281.0 DAILY MX C - No Discharge  | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
| 01323 | Selenium, potentially dissolvd           | 1 - Effluent Gross | 0 | <br>Sample<br>Permit Req.<br>Value NODI |                                    |  | <= | 4.6 30DA AVG C - No Discharge      | <= | 18.0 DAILY MX C - No Discharge   | 28 - ug/L | 02/30 - Twice Per Month | GR - Grab          |
| 03582 | Oil and grease                           | 1 - Effluent Gross | 0 | <br>Sample Permit Req. Value NODI       |                                    |  |    |                                    | <= | 10.0 INST MAX C - No Discharge   | 19 - mg/L | 77/77 - Contingent      | GR - Grab          |
| 50050 | Flow, in conduit or thru treatment plant | 1 - Effluent Gross | 0 | <br>Sample Permit Req. <= Value NODI    | 0.216 30DA AVG<br>C - No Discharge | Req Mon DAILY MX 03 - MGD C - No Discharge           |    |                                    |    |                                  |           | 02/30 - Twice Per Month | IN - Instantaneous |
| 84066 | Oil and grease visual                    | 1 - Effluent Gross | 0 | <br>Sample<br>Permit Req.<br>Value NODI |                                    | Req Mon INST MAX AB - abst=0;prst=1 C - No Discharge |    |                                    |    |                                  |           | 01/07 - Weekly          | VI - Visual        |

**Submission Note** 

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors** 

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

ARC McClain Canyon LLC

User: JOEBRINTON
Name: Joseph Brinton

E-Mail: joe@ridgerunnergeo.com

Date/Time: 2025-08-30 17:33 (Time Zone: -06:00)

Report Last Signed By

User: JOEBRINTON
Name: Joseph Brinton
E-Mail: joe@ridgerunnergeo.com

Date/Time: 2025-08-30 17:33 (Time Zone: -06:00)