

August 28, 2025

Andy Rodriguez, P.E
Civil Resources, LLC
8308 Colorado Blvd Suite 200
Firestone, CO 80504

Re: Inouye Pit, Substitute Water Supply Plan (WDID 0202668)

DRMS File No. M-2018-037 (WDID 0210533)

Part of the SW ¼ Sec. 31, T2N, R66W & part of the SE ¼ Sec. 36, T2N, R67W, 6<sup>th</sup>

P.M.

Water Division 1, Water District 2, Weld County

Plan ID: 6100

Approval Period: April 1, 2025 through December 31, 2025 Contact Information for Andy Rodriguez: 303-833-1416 x202 and andy@civilresources.com

Dear Andy Rodriguez:

This letter is in response to your January 13, 2025 renewal request for a substitute water supply plan ("SWSP") and the additional information provided on July 22, 2025, for a sand and gravel pit operated by BURNCO Colorado, LLC ("BURNCO" or "Applicant") in accordance with section 37-90-137(11), C.R.S., for the Inouye Gravel Pit, Division of Reclamation Mining and Safety ("DRMS") File No. M-2018-037. The required fee of \$257.00 for an SWSP renewal has been submitted (receipt no. 10040227). The Applicant shall be responsible for compliance with this SWSP, but the State Engineer's Office ("SEO") may also pursue the landowner for eventual compliance.



## **SWSP Operations**

The Inouye Pit is located near the northwest edge of Fort Lupton in the N½ of the SW¼ of Section 31, Township 2 North, Range 66 West, 6<sup>th</sup> P.M. and the E½ of the SE 1/4, Section 36, Township 2 North, Range 67 West, 6<sup>th</sup> P.M. This SWSP renewal seeks to replace depletions resulting from the mining operation for the period of April 1 through December 31, 2025, including evaporation from exposed groundwater, dust suppression, past dewatering, and water lost with the mined product, and water used for slurry construction. Approximately 750,000 tons are to be excavated from the pit each year. The proposed reclamation of the site is a lined reservoir through the construction of a slurry wall around the mining area. The proposed replacement of depletions for this site during the period of this SWSP will be leased water from the City of Aurora ("Aurora").

In accordance with the letter dated April 30, 2010 (copy attached) from the Colorado Division of Reclamation, Mining, and Safety ("DRMS"), all sand and gravel mining operators must comply with the requirements of the Colorado Reclamation Act and the Mineral Rules and Regulations for the protection of water resources. The April 30, 2010 letter from DRMS requires that you provide information to DRMS to demonstrate you can replace long term injurious stream depletions that result from mining related exposure of groundwater. The DRMS letter identifies four approaches to satisfy this requirement.

In accordance with approach nos. 1 and 3, you have indicated that a bond has been obtained for \$3,523,000.00 through the DRMS for lining of this site to assure that depletions from groundwater evaporation do not occur in the unforeseen event, or events, that would lead to the abandonment of the Pit.

## **Depletions**

The projected depletions for the period of this SWSP consist of net evaporation from exposed groundwater surface area, water removed in the mined product, dust suppression and past dewatering.

## **Evaporation**

The Applicant proposes to replace evaporation from exposed groundwater at the site based upon evaporation atlases in NOAA Technical Report NWS 33 and the SEO monthly distribution factors for sites below 6,500 feet. Gross annual evaporation at the gravel pit location is estimated to be 44.00 inches per year. Net evaporation is defined as gross evaporation less the consumptive use of water by vegetation that naturally occurred at the site prior to construction of the pit. The historical consumptive use was assumed to be equal to the effective precipitation (8.4 inches), which was estimated based on the data from the Ft. Lupton and Brighton NOAA weather stations (period of record 1950-2018). The operation will expose 12.8 acres of groundwater associated with the silt storage pond and freshwater pond in the southwest part of the site and 1.9 acres of exposed at the Wastewater Water Treatment Plant ("WWTP") parcel where mining is expected to begin in May 2025, for a total exposed area of 14.7 acres. Assuming that there are no evaporative losses in the months of January and December due to ice cover based on the mean temperatures below 32°F from the Fort Lupton and Brighton Weather Stations temperature data (period of 1950-2018), the net evaporation from the exposed water surface is estimated at 32.4 acre-feet for the 12.8 acres, and 4.3 acre-feet for the 1.9 acres exposed at the WWTP parcel, for a total of 36.7 **acre-feet** as shown in Table 1 (attached).

However, for the purpose of this SWSP, the Applicant shall replace the net evaporation depletions from the exposed groundwater surface area that may occur during the assumed ice-covered period (the months of January and December) for any time that the pit is not completely covered by ice. Computation of the net evaporation during any time that the pit

is not completely covered by ice shall be determined as the pro-rata amount of the monthly gross evaporation rate distribution amount identified in the State Engineer's *General Guidelines for Substitute Supply Plans for Sand and Gravel Pits*, subtracting the pro-rata amount of the effective precipitation for that period.

## **Dust Suppression**

The estimated water used for dust suppression monthly is 0.32 acre-feet and **2.9 acre-feet** from April 1 through December 31, 2025 period, as shown in Table 2a.

## Water Lost with Mined Product

Mining operation at the site previously occurred within the approved liner of East and West cell slurry walls. The slurry wall for the East cell was provisionally approved on January 13, 2023 and the slurry wall for the West cell was provisionally approved on July 25, 2024. With the approved slurry wall, it is assumed no water is lost with mined product removed from the East and West pits. During the period of this SWSP mining will transition to the WWTP parcel. The WWTP parcel is located in the southeast portion of the site. A slurry wall is proposed to be installed in the spring of 2025 and should be completed by summer 2025.

The Applicant projected that they will produce a total of 750,000 tons of gravel during 2025. Gravel mined from the WWTP pit will be in a dewatered state and will be washed therefore the groundwater lost with the mined product during this period is estimated at 4 percent by weight. The water lost with the mined product at the WWTP is projected to total **8.0 acrefeet** from the August through December 2025 period as shown in Table 2a (attached).

## **Slurry Wall Construction**

The estimated water used for slurry wall construction of the WWTP pit is 4.0 acrefeet/month during May, June, and July 2025. The total estimated water usage is **12.0 acrefeet** for this SWSP period.

## Total Consumptive Use

The total consumptive use from evaporation is 36.7 acre-feet and the total operational consumptive use is 22.9 acre-feet. The total consumptive use at this site from evaporation, dust suppression, water lost in mined product, and slurry wall construction is estimated at **59.6 acre-feet** for the SWSP period.

## **Lagged Depletions**

The IDS AWAS stream depletion model was used to determine the lagged depletions from dewatering, evaporation and operational losses to the South Platte River. The aquifer characteristics used in the model for the gravel pit are:

- Transmissivity (T) = 140,000 gallons per day per foot,
- Specific yield (SY) = 0.2,
- The location of the parallel impermeable boundary (W) = 5,001 feet from the stream,
- The distance from the centroid of the gravel pit site to the stream (X) =
  - 3,582 feet for evaporation,
  - 781 feet for wastewater treatment plant mining area and evaporation from WWTP
  - o 2,450 feet for the West Mining Area, and
  - 3,582 feet for operational losses.

The total lagged depletions are equal to 33.8 acre-feet for evaporation and 21.7 acre-feet for operational losses, or **55.4 acre-feet** total for the SWSP period, as shown in Table 4

(attached). Adding the dewatering depletions of 8.6 acre-feet the total replacement obligation during the period of this SWSP will be 64.1 acre-feet (Table 4). Depletions from this operation will accrue to the South Platte River in the SW ¼ of Section 31, Township 2 North, Range 66 West, 6<sup>th</sup> P.M.

## Dewatering and Recharge Depletions/Accretions

With the projected construction of the slurry wall at the WWTP parcel, dewatering is anticipated to occur starting in May during the SWSP period. The depletions from dewatering during the period of this SWSP is estimated at 8.6 acre-feet.

Previously, the mining operation was continuously dewatered to the South Platte River as shown in Table 3 (attached). Additionally, depletions due to evaporation from and credits due to the recharge pond were accounted for in the previous SWSP; however recharge has since ceased and therefore only lagged dewatering depletions are considered in this renewal. The quantity of water pumped at the site for dewatering was lagged to the South Platte River using the IDS AWAS stream depletion model using the Glover analysis and the following aquifer parameters:

- The distance to the river (X) = 331 feet for dewatering
- The aguifer width (W) = 5,001 feet,
- Transmissivity (T) = 140,000 gpd/ft, and
- Specific yield (S) = 0.2

## **Replacements**

The Applicant proposes to provide replacement for this pit using fully consumable water leased from the City of Aurora ("Aurora"). A copy of the lease agreement with the City of Aurora for **73.84 acre-feet** for April 2025 through December 2025 was provided to this office on June 16, 2025 and is attached to this letter. The leased water will be released from the Metro Waste Water Treatment Plant ("Metro") (WDID 0200700) to the point of depletion. The leased water includes additional water to cover transit losses. Transit losses for Inouve

Pit M-2018-037 Aug Impact Reach (WDID 0202384) were estimated based on a 0.5 percent loss per mile and a distance of 26.5 miles (13.25%). The Applicant must notify the Water Commissioner at least 48 hours prior to making replacement deliveries at a location other than the Hite Treatment Facility. Conveyance loss for delivery of augmentation water to the South Platte River is subject to assessment and modification as determined by the Division Engineer. Any changes to the assessed conveyance loss will be communicated to the Division 1 Call List via email.

## **Long Term Augmentation**

In accordance with the letter dated April 30, 2010 (copy attached) from the Colorado Division of Reclamation, Mining, and Safety ("DRMS"), all sand and gravel mining operators must comply with the requirements of the Colorado Reclamation Act and the Mineral Rules and Regulations for the protection of water resources. The April 30, 2010 letter from DRMS requires that you provide information to DRMS to demonstrate you can replace long term injurious stream depletions that result from mining related exposure of groundwater. The DRMS letter identifies four approaches to satisfy this requirement. In accordance with approach nos. 1 and 3, you have indicated that a bond has been obtained for \$3,523,000.00 through the DRMS for lining of this site to assure that depletions from groundwater evaporation do not occur in the unforeseen event, or events that would lead to the abandonment of the gravel pit.

## **Conditions of Approval**

I hereby approve the proposed SWSP in accordance with section 37-90-137(11), C.R.S. subject to the following conditions:

 This SWSP is approved with the effective date of April 1, 2025 and shall be valid through December 31, 2025 unless otherwise revoked or superseded by a decree. If this plan is not decreed in water court by the SWSP expiration date, a renewal **November 1, 2025.** If a renewal request is received after the expiration date of this plan, it may be considered a request for a new SWSP and the \$1,593 filing fee will apply.

- Well permit no. 87117-F has been obtained for the current use and exposed pond surface area of the Inouye Pit in accordance with sections 37-90-137(2) and (11), C.R.S.
- 3. The total surface area of the groundwater exposed at the Inouye site must not exceed 14.7 acres for the west site of the pit, which results in a maximum annual evaporative loss of 36.7 acre-feet. For the purpose of this SWSP, the Applicant shall replace the net evaporation depletions from the exposed groundwater surface area that may occur during the assumed ice-covered period (the months of January and December) for any time that the pit is not completely covered by ice. Computation of the net evaporation during any time that the pit is not completely covered by ice shall be determined as the pro-rata amount of the monthly gross evaporation rate distribution amount identified in the State Engineer's General Guidelines for Substitute Supply Plans for Sand and Gravel Pits, subtracting the pro-rata amount of the effective precipitation for that period.
- 4. The annual amount of water used at the Inouye Pit, in addition to evaporation, is limited to **22.9 acre-feet** (approximately 2.9 acre-feet for dust control, 8 acre-feet of water lost during with the mined product and 12 acre-feet of water used for slurry wall construction).
- 5. Total consumption at the Inouye Pit must not exceed these aforementioned amounts unless an amendment is made to this SWSP.

- 6. The Applicant must replace all out-of-priority depletions resulting from operation under this SWSP, including those lagged depletions that occur to the stream after the expiration date of this SWSP.
- 7. As part of any renewal of this SWSP the Applicant must specify the proposed replacement source that will be used to replace all lagged depletions that result from operation under this SWSP, including those that extend beyond the approval period of the SWSP. If the intent is to obtain a short term lease for such future replacement water an executed lease for depletions that extend beyond the SWSP approval period is not required, however the Applicant must demonstrate that there is a reasonable likelihood that such a lease could be obtained.
- 8. Approval of this SWSP is for the purposes as stated herein. This office must first approve any additional uses for the water. Any future historical consumptive use credit given (e.g., agricultural water transfer) for this site must consider all previous credits given.
- 9. The Applicant should consider the effects of groundwater mounding and the need for interceptor drains due to construction of the liners around the pits.
- 10. All pumping for dust control shall be measured in a manner acceptable to the Division Engineer.
- 11. The replacement water that is the subject of this SWSP cannot be sold or leased to any other entity. As a condition of subsequent renewals of this SWSP, the replacement water must be appurtenant to this site until a plan for augmentation is obtained. All replacement water must be concurrent with depletions in quantity, timing, and locations.

12. The Applicant shall provide daily accounting (including, but not limited to diversions, depletions, replacement sources, and river calls) on a monthly basis. The accounting must be uploaded to the CDSS Online Reporting Tool within 30 days of the end of the month for which the accounting applies (<a href="https://dwr.state.co.us/Tools/reporting">https://dwr.state.co.us/Tools/reporting</a>) Instructions for using the tool are available on the Division of Water Resources website on the "Services" → "Data & Information" page under the heading of Online Data Submittal. Accounting and reporting procedures are subject to approval and modification by the Division Engineer. Accounting forms need to identify the WDID number for each structure operating under this SWSP. Additional information regarding accounting requirements can be found in the attached *Augmentation Plan Accounting Administration Protocol for Division One*. NOTE: Monthly accounting, even during the winter non-irrigation season, is required.

In addition, the **Applicant shall verify** that the entity making replacements has included the Applicant on their accounting and submitted their accounting to the Division Office and the Water Commissioner, and shall claim **credit only for actual amounts released** as shown in the entity's accounting. For this SWSP, that entity is the City of Aurora.

- 13. Conveyance loss for delivery of augmentation water to the point of depletion on the South Platte River is subject to assessment and modification as determined by the Division Engineer. Currently, transit losses are assessed at a rate of 0.5% per mile (26.5 miles (13.25%) during the months of April through October and 0.25% per mile (5.5% for 22 miles) during the months of November through March.
- 14. In order to prevent injury to other water rights, the Division Engineer and Water Commissioner must be able to administer Applicants' replacement water past headgates on the river at times when those headgates would otherwise be legally entitled to divert all available flow in or "sweep" the South Platte River or its tributaries. Applicant shall not receive credit for replacement of depletions to the

South Platte River below such diversion structures unless bypass and measurement structures are in place to allow the Division Engineer and Water Commissioner to confirm that Applicant's replacement water is delivered past the headgates. In the event that delivery past dry-up points requires the use of a structure for which a carriage or use agreement with a third party is required, Applicant shall be responsible for securing such agreement. Until such time as the Applicant provides a copy of the carriage or use agreement to the Division Engineer and Water Commissioner, no credit will be allowed for replacement of depletions to the South Platte River below such diversion structure.

- 15. The Division of Water Resources will not be responsible for any enforcement or administration of third party agreements that are not included in a decree of the water court.
- 16. Applicant shall follow the Augmentation Plan Accounting or any other applicable protocols as referenced in the attached documents, for the operation of this SWSP.
- 17. The name, mailing address, and phone number of the contact person who will be responsible for operation and accounting of this plan must be provided on the accounting forms to the Division Engineer and Water Commissioner.
- 18. All releases of replacement water must be sufficient to cover all out-of-priority depletions in time, place, and amount and must be made under the direction and/or the approval of the Water Commissioner. Notice must be provided and approval made by the Water Commissioner at least 48 hours prior to the release of replacement water, or as required by the Water Commissioner.
- 19. The approval of this SWSP does not relieve the Applicant and/or landowner of the requirement to obtain a Water Court decree approving a permanent plan for augmentation or mitigation to ensure the permanent replacement of all depletions,

including long-term evaporation losses and lagged depletions after gravel mining operations have ceased. If reclamation of the mine site will produce a permanent water surface exposing groundwater to evaporation, an application for a plan for augmentation must be filed with the Division 1 Water Court at least three (3) years prior to the completion of mining to include, but not be limited to, long-term evaporation losses and lagged depletions. If a lined pond results after reclamation, replacement of lagged depletions shall continue until there is no longer an effect on stream flow.

- 20. The State Engineer may revoke this SWSP or add additional restrictions to its operation if at any time the State Engineer determines that injury to other vested water rights has occurred or will occur as a result of the operation of this SWSP. Should this SWSP expire without renewal or be revoked prior to adjudication of a permanent plan for augmentation, all excavation of the product from below the water table, and all other use of water at the pit, must cease immediately.
- 21. In accordance with amendments to section 25-8-202-(7), C.R.S. and "Senate Bill 89-181 Rules and Regulations" adopted on February 4, 1992, the State Engineer shall determine whether the substitute supply is of a quality to meet requirements of use to which the senior appropriation receiving the substitute supply has normally been put. As such, water quality data or analyses may be requested at any time to determine if the requirement of use of the senior appropriator is met.
- 22. The decision of the State Engineer shall have no precedential or evidentiary force, shall not create any presumptions, shift the burden of proof, or serve as a defense in any water court case or any other legal action that may be initiated concerning the SWSP. This decision shall not bind the State Engineer to act in a similar manner in any other applications involving other plans or in any proposed renewal of this plan, and shall not imply concurrence with any findings of fact or conclusions of law contained herein, or with the engineering methodologies used by the Applicant.

If you have any questions concerning this approval, please contact Ariel Hacker in Denver at (303) 866-3581 or Corey DeAngelis in Greeley at (970) 352-8712.

Sincerely,

for Javier Vargas-Johnson, P.E.

Chief of Water Supply

Attachments: Figure 2

Tables 1, 2a, 3 and 4

Aurora Lease

Letter from DRMS dated April 30, 2010

**Accounting Protocol** 

Ec: Corey DeAngelis, Division Engineer, <a href="Corey.DeAngelis@state.co.us">Corey.DeAngelis@state.co.us</a>
Priscila Bajadali, Accounting Coordinator, <a href="Priscila.Bajadali1@state.co.us">Priscila.Bajadali1@state.co.us</a>
Alec Hernandez, Water Commissioner District 2, <a href="Alec.Hernandez@state.co.us">Alec.Hernandez@state.co.us</a>
Louis Flink, Tabulation/Diversion Records Coordinator, <a href="Louis.Flink@state.co.us">Louis.Flink@state.co.us</a>
Peter S. Hays, Division of Reclamation Mining and Safety, <a href="Peter.Hays@state.co.us">Peter.Hays@state.co.us</a>



July 25, 2024

Joe Krysa, E.I.T. Civil Resources, LLC 8303 Colorado Blvd. Firestone, CO 80504

Transmission via email: Joe@civilresources.com

SLURRY WALL LINER APPROVAL - PROVISIONAL INOUYE PIT (WEST CELL) (WDID 0203999) INOUYE GRAVEL PIT, DRMS M-2018-037 (WDID 0210533)

SW ¼ OF SECTION 31, TOWNSHIP 2 NORTH, RANGE 66 WEST OF THE 6<sup>TH</sup> P.M.

WATER DIVISION 1, WATER DISTRICT 2, WELD COUNTY

#### Dear Joe Krysa:

The purpose of this letter is to provisionally approve the lining of the Inouye Pit (West Cell). The West Cell is located in the SW1/4 of Section 31, Township 2 North, Range 66 West of the 6<sup>th</sup> P.M. and is a part of the Inouye Gravel Pit (DRMS M-2018-037). The West Cell was lined with a soil bentonite slurry wall. The site is partially mined. This slurry wall liner leak test commenced on March 20, 2024 and concluded on June 19, 2024. A site inspection was performed by our office on May 1, 2024 to review site conditions and discuss the leak test plan.

Your report dated June 25, 2024 provides the liner summary and leak test results. The test data provided indicates that liner meets the design standard referenced in the August 1999 State Engineer Guidelines for Lining Criteria for Gravel Pits (1999 SEO Guidelines). Meeting the design standard requires that during reservoir operations all water inflows and outflows for the liner perimeter enclosed area be accounted for on a monthly basis.

This liner approval is applicable only during mining operations at the site and does not classify the structure as a reservoir capable of water storage. However, for the remainder of mining operations, water within the liner boundary is now classified as trapped native ground water. The trapped native ground water may be removed from within the lined area and returned to the stream system through surface flow or ground water recharge without the need for replacement so long as the operator does not put the water to beneficial use. All native trapped ground water remaining that is put to beneficial use (except for the water removed in product) must be replaced by the operator. All inflow of water into the liner boundary from any source, including precipitation and ground water inflows shall be removed by the pit operator so as not to cause outof-priority storage. In order for the liner to be approved for water storage the operator must perform a final leak test once mining is complete and the site is at final grade. The final leak test will be allowed to have a modified duration of 45-days or less as long as the liner continues to satisfactorily operate during mining operations.

Please contact me at 303-866-3581 x8246 or at ioana.comaniciu@state.co.us if you have any questions.

Sincerely,

Ioana Comaniciu, P.E.

Water Resource Engineer

Ec: Alec Hernanadez, District 2 Water Commissioner (Jorge. Vidal@state.co.us) Louis Flink, Diversion Records Coordinator (Louis.Flink@state.co.us) Andy Rodriguez, Civil Resources, LLC (andy@civilresources.com) WDID File (0203999 & 0210533)



January 13, 2025

Colorado Division of Water Resources Wenli Dickinson 1313 Sherman St., Ste. 821 Denver, CO 80203 RECEIVED 01/13/2025 WATER RESOURCES STATE ENGINEER COLO

10040227

RE: Inouye Gravel Mine, DRMS Permit M-2018-037 - Updated, January 2025 (April 2025 – December 2025 Plan Period)

Ms. Dickinson:

The purpose of this Substitute Water Supply Plan (SWSP) is to provide a plan to replace stream depletions resulting from BURNCO Colorado, LLCs gravel mining operation at the Inouye Gravel Mine for the period of April 2025 – December 2025.

The Inouye Gravel Mine is located in Section 31, Township 2 North, Range 66 West of the 6th P.M in Weld County, Colorado. The Inouye Gravel Mine is more commonly located as being approximately one mile west of Highway 85 along Weld County Road 14.5 and directly adjacent to the South Platte River. Refer to Figure 1. This study documents the estimated stream depletions caused by mining and how they will be replaced to prevent injury to downstream water users.

BURNCO exposed groundwater in April of 2021 and continues to discharge water to the river without beneficial use. The recharge pond was constructed prior to exposing groundwater and dewatering water to the recharge pond commenced on May 2021 and ceased in December 2021. This plan is proposed to cover the next phase of mining and continue to replace lagged depletions.

### **Evaporation and Precipitation**

The gross annual pan evaporation at the Combined Pit is approximately 44 inches according to NOAA Technical Report NWS 33, Evaporation Atlas for the Contiguous 48 United States, Map 3. Monthly evaporative losses are determined using percentages specified by the State Engineer's Office for locations below 6,300 feet. Precipitation and temperature data was obtained from the Fort Lupton and Brighton weather stations, the nearest long term weather station. The average precipitation at the Site is 13.00 inches per year as reported from the Colorado State University's Colorado Climate Center, (http://ccc.atmos.colostate.edu). Copies of the evaporation and precipitation data are included. Effective precipitation is that part of the historical precipitation which was consumed by vegetation and crops on the land to be covered by a water surface. It is estimated to be 70 percent of the total precipitation. Subtracting the effective precipitation from the gross evaporation yields an annual net evaporation of 35.5 inches, or 3.0 acre-feet per acre. Additional data from 2001 to 2018 has been included in the temperature Table to show that the average temperature in the vicinity of the pit during January and December is below freezing and the evaporation in those months is not included.

#### **Gravel Mining Operations**

The east and west slurry walls are complete and provisionally certified, mining depletions for this renewal period will be considered for the months of April 2025 through December 2025 when mining shifts to the WWTP Site. The following summarizes onsite activity.



## Mining/Operational & Evaporative Depletions

#### Main Site East/West Phases

- Currently the silt storage and freshwater pond in the southwest is approximately 12.8 acres and will slowly
  reduce in size throughout the life of the mine. Dust suppression water is pumped from the freshwater pond
  at 2.9 acre-feet per year of depletions.
- Table 1 shows the estimated evaporative loss for 12.8 acres of exposed groundwater in the southwest and portion of the Site. The west cell and east cell are pumped out and active reclamation is ongoing.
- The east and west mining phases have provisionally approved slurry walls, therefore depletions from mined product have been removed and no further lagged evaporation is occurring. The pits continue to remain dry.
- o In summary 32.4 acre-feet of instantaneous evaporation and 2.9 acre-feet of instantaneous dust suppression water will be attributed to the southwest silt and freshwater ponds during the renewal period.

#### WWTP Phases

- The miner plans to move to the WWTP Phase of the project. This parcel is located in the southeast portion of the site. A slurry wall is proposed to be installed in the Spring of 2025 and should be completed by early summer. Mining depletions were considered for the duration of this renewal request even in the event the slurry wall is completed and leak tested during the renewal period.
- 12 acre-feet of water will be used in the slurry wall, 4 acre-feet per month for 3 months. Water will be delivered from onsite ponds inside of the WWTP Site.
- Processing 750,000 tons of gravel per year at a 4% water consumption by weight results in 19 acre-feet of instantaneous depletions due to mining of the WWTP Phase.
- Approximately 1.9 acres of evaporation will occur during this renewal period, resulting in 4.3 acre-feet of depletions.
- The total instantaneous operational depletion is 24.3 acre-feet.

Total instantaneous depletion due to evaporation and operations is 59.6 acre-feet.

#### **Lagged Depletions**

Lagged depletions due to evaporation and operations were estimated using the AWAS stream depletion model. A transmissivity of 140,000 gallons per day per foot and a specific yield of 0.2. A no flow boundary was set for all lagging approximately 5,001 feet east of the river where the more windblown eolian soils and grade changes are prominent. The summary of distances is shown below.

- Fresh Water/Silt Pond Mining Area (2021 -2024) = 3,582 -feet
- East Mining Area (2022 -2023) = 875-feet provisionally approved slurry wall January 13, 2023
- West Mining Area (2023 -2025) = 2,450 -feet provisionally approved slurry wall July 25th, 2024
- WWTP Mining Area (2025 -2027) = 781 feet
- WWTP Evaporation (2025) = 781 feet
- Dust Suppression (2021-2025) = 3,582-feet



- Dewatering (2021-2022) = 3,582-feet no beneficial use
- Dewatering (2025) = 331 feet returned to the river

The results are shown in the attached tables. Figure 2 shows the distances used in the AWAS model and the mining layout. The lagged depletions for evaporation are 33.8.0 acre-feet and operationally they are 21.7 acre-feet.

## **Dewatering Depletion/Credits**

The miner does not use the dewatering water for beneficial use and recharge has ceased.

The AWAS stream depletion model and a distance of 331 feet was used for WWTP Site dewatering. A transmissivity of 140,000 gallons per day per foot and a specific yield of 0.2 was used to lag the dewatering. A no flow boundary was set for all lagging approximately 5,001 feet east of the river where the more windblown eolian soils and grade changes are prominent. The instantaneous dewatering water will be delivered directly back to the river. Lagged depletions will be covered until they are "paid back". The pumping and associated lagged depletions are presented in Table 3.

The net dewatering effect based on direct return and lagging is 8.6 acre-feet as reported in Table 3.

### **Pit Replacement Operations**

Table 4 summarizes all depletions. The net depletion is 64.1 acre-feet for the proposed plan period. There will be replacement obligations in Apil 2025 through December of 2025. Replacements will be from a lease with City of Aurora (draft lease attached). All replacements will be delivered from the Metro-Waste Water Treatment plant discharge to the point of depletion and a half-percent per mile loss for 25.5 miles has been included in the calculation totaling 73.8 acrefeet. The updated lease has been delivered to Aurora and is awaiting final signatures.

## **Summary**


This SWSP provides an evaluation of the stream depletions expected as a result of mining and operating BURNCO's Inouye Gravel Mine. This plan presents a method by which those stream depletions will be replaced in order to prevent injury to other water rights along the South Platte River.

Please call if you have any questions.

Sincerely,

Andy Rodriguez, P.E. Water Resources Engineer

Attachments
Figures
Tables
Accounting Table
Sample Lease (City of Aurora)
Provisional East Slurry Wall Approval
Provisional West Slurry Wall Approval





#### Table 1 Inouye Gravel Mine

#### Evaporative Losses

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Proposed   Proposed	Month											Lagged Site
Mart   15.0%   6.00			Evaporation	Precipitation	Precipitation	Evapo	ration	Evaporation	Evaporation	Evaporation	Evaporation	Evaporation
Margin   135   58   135   095   095   095   0.00	_	Lvaporation	(inches)	(inches)	(inches)	(inches)	(feet)	(ac-ft)	(ac-ft)	(ac-ft)	(ac-ft)	(ac-ft)
	Jul-20	15.0%	6.60	1 37	0.96	5.64	0.47	0.00				0.00
New-96   4.97k   176												
Dec-20   Core   Core	Oct-20	7.0%	3.08	0.79	0.55	2.53	0.21	0.00				0.00
Jame  2	Nov-20	4.0%	1.76	0.59	0.41	1.35	0.11	0.00				0.00
Fabric   3.5%	Dec-20	0.0%	0.00	0.34	0.24	0.00	0.00	0.00				0.00
Mayor   1,291%   9,28												
June   14.5%												
Sept   10.0%												
Cocket   7.0%   3.08   0.79   0.55   2.53   0.21   0.22   0.28	-											
Dec-21   0.0%		7.0%	3.08	0.79	0.55	2.53	0.21	0.42				-0.38
Jane 22	Nov-21	4.0%	1.76	0.59	0.41	1.35	0.11	0.22				-0.38
Feb-22   3.5%   1.54   0.34   0.24   1.30   0.11   0.22												
Mary 22   5.5%   2.42   0.88   0.83   1.79   0.15   2.20   0.07   0.24   0.08   0.25   0.25   0.07   0.08   0.25   0.25   0.32   0.25   0.32   0.25												
Apr-22         9.0%         3.96         1.40         0.98         2.98         0.25         3.82         0.12         -0.87           May-22         12.6%         5.28         2.05         1.44         3.84         0.32         4.83         0.16         1.155           Jul-22         14.5%         6.80         1.37         0.98         5.84         0.47         7.24         0.22         2.257           Jul-22         15.0%         6.80         1.37         0.98         5.84         0.47         7.24         0.22         2.257           Aug-22         13.5%         5.94         1.35         0.98         0.49         0.42         6.41         0.01         0.15         4.34           Obc-22         0.07         0.03         0.79         0.55         2.23         0.21         3.24         0.01         1.1         4.98           Nov-22         4.0%         0.09         0.99         0.41         1.35         0.01         1.77         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00												
May-22   12.0%   5.28   2.05   1.44   3.84   0.32   4.83   0.16   1.55   1.45												
June 2												
July 21 15.0% 6.90 1.37 0.96 5.54 0.47 7.24 0.23 3.54 4.94 0.47   Sep 22 10.0% 4.40 0.99 0.69 3.71 0.31 4.76 0.15 0.15 4.94   Oct-22 7.0% 3.08 0.79 0.55 2.53 0.21 3.24 0.11 4.76   Dec 22 0.0% 0.00 0.34 0.24 0.00 0.00 0.00 0.00 0.00 0.00 0.0												
August   13.5%   5.94   1.35   0.95   4.99   0.42   6.41   0.21   4.451   0.21   4.451   0.21   4.451   0.21   4.451   0.21   4.451   0.21   4.451   0.21   4.451   0.21   4.451   0.22   7.0%   3.08   0.79   0.55   2.53   0.21   3.24   0.11   4.89   0.42   4.0%   1.76   0.59   0.41   1.35   0.11   1.73   0.06   4.46   0.451   0.22   4.0%   0.06   0.00   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.												
Sep-22         10.0%         4.40         0.99         0.69         3.71         0.31         4.76         0.15         4.49           Nev-22         4.0%         1.76         0.59         0.41         1.35         0.11         1.73         0.06         4.48           Nev-22         4.0%         1.76         0.59         0.41         1.35         0.11         1.73         0.06         4.48           Dec-22         0.0%         0.00         0.34         0.24         0.00 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>												
Oct-22   7.0%   3.08   0.79   0.55   2.53   0.21   3.24   0.11   4.48												
No-22												
Jan-22												
Feb-20   3.5%   1.54   0.34   0.24   1.30   0.11   1.67   0.05   2.29	Dec-22	0.0%	0.00	0.34	0.24	0.00	0.00	0.00		0.00		-3.75
Mar-23   5.5%   2.42   0.89   0.63   1.79   0.15   2.30   0.07   2.213	Jan-23	0.0%	0.00	0.37		0.00	0.00	0.00		0.00		-2.89
Apr22         9.0%         3.96         1.40         0.88         2.98         0.25         3.22         0.12         2-238           May-23         12.0%         5.28         2.05         1.44         3.44         0.32         4.16         0.16         0.27           Jul-23         14.5%         6.38         1.47         1.03         5.35         0.45         5.79         0.22         3.43           Jul-23         15.0%         6.60         1.37         0.96         5.64         0.47         6.10         0.23         4.22           Aug-23         15.0%         6.60         1.37         0.96         5.64         0.47         6.10         0.23         4.22           Sep-23         10.0%         4.40         0.99         0.89         3.71         0.31         4.01         0.15         5.27           Oct-23         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.11         5.13           Nov-23         4.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00 <td< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></td<>												
May-23         12 0%         528         2.05         1.44         3.84         0.32         4.16         0.16         2.276           Jun-23         14.5%         6.38         1.47         1.03         5.35         0.45         5.79         0.22         3.43           Jul-23         15.0%         6.60         1.37         0.96         5.64         0.47         6.10         0.23         4.29           Aug-23         13.5%         5.94         1.135         0.95         4.99         0.42         5.40         0.21         4.99           Sep-23         10.0%         4.40         0.99         0.89         3.71         0.31         4.01         0.15         5.227           Cet-23         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.11         5.32           Nov-23         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.06         4.43           Nov-24         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00												
Jun-23   14.5%   6.38   1.47   1.03   5.35   0.45   5.79   0.22   3.43     Jul-23   15.0%   6.60   1.37   0.96   5.64   0.47   6.10   0.23   4.29     Aug-23   13.5%   5.94   1.35   0.95   4.99   0.42   5.40   0.21   4.99     Sep-23   10.0%   4.40   0.99   0.69   3.71   0.31   4.01   0.15   5.27     Oct-23   7.0%   3.08   0.79   0.55   2.53   0.21   2.73   0.11   5.13     Dec-23   0.0%   0.00   0.34   0.24   0.00   0.00   0.00   0.00   0.00   0.00     Jan-24   0.0%   0.00   0.34   0.24   0.00   0.00   0.00   0.00   0.00   0.00     Mar-24   5.5%   2.42   0.89   0.63   1.79   0.15   1.94   0.28   0.07   -1.99     Apr-24   9.9%   3.96   1.40   0.98   2.98   0.52   3.25   4.99   0.42   5.40   0.00   0.21   4.75     Jun-24   15.0%   6.80   1.37   0.96   5.44   0.45   0.45   5.79   0.85   0.22   0.33     Jul-24   15.0%   6.80   1.37   0.99   5.54   0.45   0.45   5.79   0.85   0.22   0.33     Jul-24   15.0%   6.80   1.37   0.99   5.54   0.45   0.45   5.79   0.85   0.22   0.33     Jul-24   15.0%   6.80   1.37   0.99   5.54   0.47   6.10   0.89   0.23   0.22   0.33     Jul-24   15.0%   6.80   1.37   0.99   5.54   0.45   5.79   0.85   0.02   0.05   0.21     Aug-24   10.0%   4.40   0.99   0.69   3.71   0.31   4.01   0.00   0.01   0.01   0.15   0.48     Nov-24   4.0%   1.76   0.59   0.41   1.35   0.11   1.46   0.00   0.00   0.01   0.01   0.15     Nov-24   4.0%   1.76   0.59   0.41   1.35   0.11   1.46   0.00   0.00   0.01   0.00   0.25     Feb-25   3.5%   1.54   0.34   0.24   1.30   0.11   1.41   0.00   0.05   0.00   0.00   0.25     Feb-25   3.5%   1.54   0.34   0.24   1.30   0.11   1.41   0.00												
Jul-23   15.0%   6.60   1.37   0.96   5.64   0.47   6.10   0.23   4.28     Aug-23   13.5%   5.94   1.35   0.95   4.99   0.60   3.71   0.31   4.01   0.15     Cet-23   7.0%   3.08   0.79   0.55   2.53   0.21   2.73   0.11   4.69     Nor-23   4.0%   1.76   0.59   0.41   1.35   0.11   1.46   0.06   4.63     Jan-24   0.0%   0.00   0.34   0.24   0.00   0.00   0.00   0.00   0.00   0.00     Jan-24   0.0%   0.00   0.37   0.26   0.00   0.00   0.00   0.00   0.00   0.00     Mar-24   3.5%   1.54   0.34   0.24   1.30   0.11   1.41   0.21   0.05     Mar-24   5.5%   2.42   0.89   0.63   1.79   0.15   1.94   0.28   0.07   0.12   0.18     May-24   1.5%   6.38   1.47   1.03   5.35   0.45   5.79   0.85   0.22   0.35     Jul-24   1.5%   6.38   1.47   1.03   5.35   0.45   5.79   0.85   0.22   0.33   0.42     Jul-24   1.5%   6.60   1.37   0.96   5.64   0.47   0.31   4.01   0.00   0.01   0.01   0.15     Sep-24   1.0%   4.40   0.99   0.69   3.71   0.31   4.01   0.00   0.01   0.01   0.15   0.11   0.05     Sep-24   1.0%   4.40   0.99   0.69   3.71   0.31   4.01   0.00   0.01   0.01   0.01   0.05     Sep-24   1.0%   4.40   0.99   0.69   3.71   0.31   4.01   0.00   0.01   0.01   0.05   0.23   0.25     Sep-24   1.0%   4.40   0.99   0.69   3.71   0.31   4.01   0.00   0.01   0.00   0.01   0.05   0.05     Sep-24   1.0%   4.40   0.99   0.69   3.71   0.31   4.01   0.00   0.01   0.00												
Aug-23         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.21         4.99           Sep-23         10.0%         4.40         0.99         0.95         3.71         0.31         4.01         0.15         5.27           Oct-23         7.0%         3.08         0.79         0.55         2.83         0.21         2.73         0.11         5.51           Nov-23         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.06         4.83           Dec-23         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         0.24         4.83           Jan-24         0.0%         0.00         0.34         0.24         1.30         0.11         1.41         0.21         0.05         2.26           Mary-24         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.28         0.07         1.19           Apr-24         9.0%         3.396         1.40         0.99         2.98         0.25         3.22         0.47         0.12         2.218												
Sep-23         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.15         5.27           Oct-23         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.11         5.13           Nov-23         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.06         4.43           Dec-23         0.0%         0.00         0.34         0.24         0.00 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>												
Oct-23         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.11         -5.13           Nov-23         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.06         4.63           Jan-24         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         3.85           Jan-24         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         0.00         2.26           Feb-24         3.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.21         0.05         2.26           Apr-24         9.0%         3.96         1.40         0.98         2.98         0.25         3.22         0.47         -0.12         -2.18           May-24         1.20%         5.28         2.05         1.44         3.84         0.32         4.16         0.61         -0.16         -2.26           May-24         1.5%         5.28         2.05         1.44         3.84         0.32         4.16         0.61 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
Non-23   4.0%   1.76   0.59   0.41   1.35   0.11   1.46   0.06   4.63     Dec-23   0.0%   0.00   0.34   0.24   0.00   0.00   0.00   0.00   0.00   0.00   0.00     Sabstance												
Jan-24   0.0%   0.00   0.37   0.26   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.25												
Feb-24 Mar-24         3.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.21         0.05         -2.06           Mar-24 Par-24         9.0%         3.96         1.40         0.98         2.98         0.25         1.94         0.28         0.07         -1.198           May-24 Jun-24         12.0%         5.28         2.05         1.44         3.84         0.32         4.16         0.61         -0.16         -2.65           Jun-24 Jul-24         15.0%         6.60         1.37         0.96         5.84         0.47         6.10         0.89         -0.23         -4.20           Aug-24 13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         -4.75           Sep-24 10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         4.81           Oct-24 4 7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         -4.59           Nov-24 4 0.0%         0.0%         0.03         0.41         1.35         0.11         1.46         0.00         -0	Dec-23	0.0%	0.00	0.34	0.24	0.00	0.00	0.00	0.00	0.00		-3.85
Mar-24         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.28         0.07         -1.99           Apr-24         9.0%         3.96         1.40         0.98         2.98         0.25         3.22         0.47         -0.12         2.218           May-24         12.0%         5.28         2.05         1.44         3.84         0.32         4.16         0.61         -0.16         2.265           Jul-24         14.5%         6.38         1.47         1.03         5.35         0.45         5.79         0.85         -0.22         -3.35           Jul-24         15.0%         6.60         1.37         0.96         5.64         0.47         6.10         0.89         -0.22         -3.35           Aug-24         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         -4.75           Sep-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         4.81           Oct-24         7.0%         3.0         0.79         0.55         2.53         0.21         2.73	Jan-24	0.0%	0.00	0.37	0.26	0.00	0.00	0.00	0.00	0.00		-2.53
Apr-24         9.0%         3.96         1.40         0.98         2.98         0.25         3.22         0.47         -0.12         -2.18           May-24         12.0%         5.28         2.05         1.44         3.84         0.32         4.16         0.61         -0.16         -2.25           Jul-24         14.5%         6.38         1.47         1.03         5.35         0.45         5.79         0.85         -0.22         3.35           Jul-24         15.0%         6.60         1.37         0.96         5.84         0.47         6.10         0.89         -0.23         4.20           Aug-24         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         4.75           Age-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         4.81           Oct-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         4.59           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46	Feb-24											
May-24 by 12.0%         5.28 by 12.0%         2.05 by 1.44 by 1.03 by 1.45 b												
Jun-24         14.5%         6.38         1.47         1.03         5.35         0.45         5.79         0.85         -0.22         -3.35           Jul-24         15.0%         6.60         1.37         0.96         5.64         0.47         6.10         0.88         -0.23         -4.20           Aug-24         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         4.75           Sep-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         4.81           Oct-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         4.59           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.06         -1.410           Dec-24         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         -0.26           Jan-25         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00												
Jul-24         15.0%         6.60         1.37         0.96         5.84         0.47         6.10         0.89         -0.23         -4.20           Aug-24         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         -4.75           Sep-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         4.81           Oct-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         -4.59           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.06         -4.10           Dec-24         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         -3.39           Jun-25         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         -2.60           Feb-25         3.5%         1.54         0.34         0.24         1.30         0.11         1.41												
Aug-24         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         -4.75           Sep-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         4.281           Nov-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         4.58           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.06         4.10           De-24         4.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         -0.06         4.10           De-24         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         -2.69           Jan-25         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.00         -0.07         -1.93           Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25								14				
Sep-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         -4.81           Oct-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.06         -4.10           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.06         4.10           Dec-24         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         -3.39           Jan-25         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         0.00         -2.60           Mar-25         0.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.00         -0.05         2.20           Mar-25         3.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.00         -0.05         2.20           Mar-25         5.5%         2.42         0.89         0.63         1.79         0.15												
Oct-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         -4.59           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.00         0.00         4.10           Dec-24         0.0%         0.00         0.34         0.24         0.00												
Nov-24 Dec-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.06         -4.10           Dec-24 Jan-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         -2.60           Feb-25         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         -2.60           Mar-25         0.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.00         -0.05         -2.09           Mar-25         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.00         -0.07         -1.83           Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25         3.18         0.00         -0.07         -1.93           Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25         3.18         0.00         0.00         0.00         0.00         0.00         0.01         1.93           Jul-25         12.5%         6.38         1												
Dec-24 Jan-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.339           Jan-25 Jan-25         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         -2.86           Feb-25 S.5%         0.00         0.034         0.24         1.30         0.11         1.41         0.00         -0.05         2.29           Mar-25 S.5%         2.42         0.69         0.63         1.79         0.15         1.94         0.00         -0.07         -1.93           Apr-25 S.5%         2.42         0.69         0.63         1.79         0.15         1.94         0.00         -0.07         -1.93           Apr-25 S.5%         2.42         0.69         0.68         2.98         0.25         3.18         0.00         0.00         0.00         0.01         1.93           Apr-25 Jun-25 S.5%         5.28         2.05         1.44         3.84         0.32         4.10         0.00         0.00         0.00         0.01         0.01         0.00         0.00         0.01         1.93           Jul-25 Jun-25 S.5%         6.60         1.37         0.96												
Feb-25         3.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.00         -0.05         -2.09           Mar-25         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.00         -0.07         -1.53           Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25         3.18         0.00         0.00         0.00         -0.01           May-25         12.0%         5.28         2.05         1.44         3.84         0.32         4.10         0.00         0.00         0.01         0.61         -2.57           Jun-25         14.5%         6.38         1.47         1.03         5.35         0.45         5.71         0.00         0.00         0.05         0.85         -3.35           Jun-25         15.0%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.89         4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.00         0.79         4.72		0.0%	0.00	0.34	0.24	0.00	0.00	0.00		0.00		-3.39
Mar-25         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.00         -0.07         -1.93           Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25         3.18         0.00         0.00         0.00         0.00         -1.91           May-25         12.0%         5.28         2.05         1.44         3.84         0.32         4.10         0.00         0.00         0.61         -2.57           Jun-25         14.5%         6.38         1.47         1.03         5.35         0.45         5.71         0.00         0.00         0.85         -3.35           Jul-25         15.5%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.89         -4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.07         0.79         -4.72           Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.00         0.00         0.09												
Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25         3.18         0.00         0.00         0.00         0.00         -1.91           May-25         12.0%         5.28         2.05         1.44         3.84         0.32         4.10         0.00         0.00         0.61         2.257           Jun-25         14.5%         6.38         1.47         1.03         5.35         0.45         5.71         0.00         0.00         0.85         3.35           Jul-25         15.0%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.89         -4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.00         0.79         -4.72           Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.00         0.59         4.90           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.00												
May-25         12.0%         5.28         2.05         1.44         3.84         0.32         4.10         0.00         0.00         0.61         -2.57           Jun-25         14.5%         6.38         1.47         1.03         5.35         0.45         5.71         0.00         0.00         0.85         -3.35           Jul-25         15.0%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.89         -4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.07         -4.72           Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.59         -4.90           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.00         0.01         -3.35												
Jun-25         14.5%         6.38         1.47         1.03         5.35         0.45         5.71         0.00         0.00         0.85         -3.35           Jul-25         15.0%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.89         -4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.79         -4.72           Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.59         -4.50           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         4.14           Dec-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00												
Jul-25         15.0%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.08         -4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.79         4.72           Sep-25         1.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.05         5.99         4.90           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         4.14           Dec-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         0.00         0.33												
Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.79         -4.72           Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.59         -4.90           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         -4.14           De-25         0.0%         0.00         0.34         0.24         0.00												
Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.59         -4.90           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         -4.14           Dec-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         -4.90												
Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         -4.14           Dec-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         -3.35												
Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         -4.14           Dec-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         0.00         0.00         -3.35												
Dec-25 0.0% 0.00 0.34 0.24 0.00 0.00 0.00 0.00 0.00 0.00 -3.35												
an Perios 85% 44.00 10.4 7.3 30.4 2.5 32.4 0.0 0.0 43 .33.8												
	an Perios	85%	44.00	10.4	7.3	30.4	2.5	32.4	0.0	0.0	4.3	-33.8

<sup>(1)</sup> Based on SB 120 for gravel pits at elevations below 6,500 feet, readjusted for ine-cover months.

(2) Percent of Annual Exporation times 44.0 inches. Assume zero expansion during months with ice coverage (January & Denember).

(3) From Western Regional Climate Center, (http://www.wco.od.ind.nt/), see Appendix A.

(4) Equals Column (3) times 70%.

(5) Equals Column (3) times 70%.

(5) Equals Column (5) divided by 12 horbes.

(7) Equals the monthly values in Column (6) times the exposed groundreater for the west all pood.

(6) Equals the monthly values in Column (6) times the exposed groundreater for the west all pood.

(6) Equals the monthly values in Column (6) times the exposed groundreater for the west mins.

(6) Equals the monthly values in Column (6) times the exposed groundreater for the west mins.

(6) Equals the monthly values in Column (6) times the exposed groundreater for the tree will not the column (6) times the popular distribution for the west mins.

(6) Equals the monthly values in Column (6) times the popular distribution for the West Primition.

(7) Equals the monthly values in Column (6) times the popular distribution for the West Primition.

(8) Equals the monthly values in Column (6) times the popular distribution for the West Primition.

(9) Equals the monthly values in Column (6) times the popular distribution for the West Primition.

(10) Equals the monthly values in Column (6) times the popular distribution for the West Primition.

(11) Based on SEO Glever calculations: X-3,512 and 813 and 2450 and 785 feet, West,501 tt, T=140,000 ground and SEO.

#### Table 1a Inouye Gravel Mine

## Lagged Evaporative Losses

					Layy	eu Evaporativi	e Losses						
A	WAS Input - Eva	ap West Silt											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.06	0.08	0.11	0.70	0.62	0.62	0.42	0.22	0.00	2.85
2022	0.00	0.22	2.30	3.82	4.93	6.86	7.24	6.41	4.76	3.24	1.73	0.00	41.51
2023	0.00	1.67	2.30	3.22	4.16	5.79	6.10	5.40	4.01	2.73	1.46	0.00	36.86
										2.73			36.24
2024	0.00	1.41	1.94	3.22	4.16	5.79	6.10	5.40	4.01		1.46	0.00	
2025	0.00	1.41	1.94	3.18	4.10	5.71	6.01	5.33	3.95	2.69	1.44	0.00	35.75
2026													
	UMAC O E	West Cit											
2020	AWAS Output - E 0.00	vap - vvest Siit 0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	-0.02	-0.03	-0.08	-0.21	-0.31	-0.38	-0.38	-0.34	-1.75
2022	-0.27	-0.21	-0.30	-0.79	-1.53	-2.41	-3.45	-4.32	-4.78	-4.76	-4.37	-3.70	-30.89
2023	-2.86	-2.24	-2.07	-2.18	-2.58	-3.20	-4.05	-4.77	-5.12	-5.02	-4.57	-3.85	-42.51
2024	-2.53	-1.98	-1.82	-1.89	-2.21	-2.73	-3.44	-4.04	-4.33	-4.24	-3.86	-3.25	-36.32
2025	-2.5	-1.96	-1.8	-1.87	-2.19	-2.7	-3.4	-3.99	-4.28	-4.19	-3.81	-3.2	-35.89
2026													
A	AWAS Input - Eva												
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2022	0.00	0.00	0.07	0.12	0.16	0.22	0.23	0.21	0.15	0.11	0.06	0.00	0.00
2023	0.00	0.05	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
2024	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2025	0.00	0.05	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
2026													
A	WAS Output - E	vap - East Phase											
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2022	0.00	0.00	-0.04	-0.08	-0.12	-0.16	-0.19	-0.19	-0.16	-0.13	-0.09	-0.05	-1.21
2023	-0.03	-0.05	-0.06	-0.03	-0.02	-0.01	-0.01	-0.01	0.00	0.00	0.00	0.00	-0.22
2024	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2024		0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00
2026	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2020													
	AWAS Input - Eva	an West Mine											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2022	0.00						0.00						0.00
		0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	
2023	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2024	0.00	0.21	0.28	0.47	0.61	0.85	0.89	0.00	0.00	0.00	0.00	0.00	0.21
2025	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2026													
		vap - West Mine											
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2022	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2023	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2024	0.00	-0.03	-0.10	-0.17	-0.28	-0.40	-0.53	-0.50	-0.33	-0.24	-0.18	-0.14	-2.90
2025	-0.10	-0.08	-0.06	-0.04	-0.03	-0.03	-0.02	-0.01	-0.01	-0.01	-0.01	0.00	-0.40
2026													
A	AWAS Input - Eva	ap WWTP Mine											
													Total
2020													0.00
2021													0.00
2022													0.00
2023													0.00
2024													0.00
2025	0.00	0.00	0.00	0.00	0.61	0.85	0.89	0.79	0.59	0.40	0.21	0.00	4.34
2026													
A	WAS Output - E	vap - WWTP Mine											
2020													0.00
2021													0.00
2022													0.00
2023													0.00
2024													0.00
2025	0	0	0	0	-0.35	-0.62	-0.73	-0.72	-0.61	-0.47	-0.32	-0.15	-3.97
2026	U	v	v	v	0.00	0.02	-0.10	0.12	0.01	0.41	0.02	0.10	-0.01
2020													

#### Table 2a Inouye Gravel Mine

#### Operational Losses

Jul-20 Aug-20 Sep-20 Oct-20 Oct-20 Jan-21 Feb-21 Jan-21 Ju	Percent of Annual Aggregate Production  13.9% 12.5% 9.6% 5.5% 4.6% 3.8% 3.8% 12.5% 9.6% 12.5% 9.6% 13.9% 13.9% 13.9% 13.9% 13.9% 13.9% 13.9%	Amount of Aggregate Production  (2073)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Water Lost With Mined Aggregate  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	Amount of Concrete Production  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Water Lost In Concrete Batching  (scre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	Water Used for Dust Control  (acre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	Water Used   In   Slurry Wall   (acre-feet)	Total Operational Losses West Silt Pond (acro-feet)  0.00 0.00 0.00	Total Operational Losses East Mine (acre-feet)	Total Operational Losses West Mine (acre-feet)	Total Operational Losses WWTP Mine (scre-feet)	Total Lagged Operational Losses (scre-feet)
ug-20 ep-20 ct-20 lov-20 ec-20 ec-21 lar-21 lar-21 lur-21 un-21 uug-21 ep-21 let-21	13.9% 12.5% 4.6% 5.5% 4.6% 5.5% 12.5% 13.9% 13.9% 13.9%	Production   (torns)	Aggregate (sore-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	Production   ()\sigma' \rightarrow   ()\sigma' \rightarrow   () () () () () () () () () () () () ()	(sore-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	Control (scre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00	(acre-feet)  0.00 0.00 0.00 0.00 0.00	Losses West Silt Pond (exre-feet)  0.00 0.00 0.00	Losses East Mine	Losses West Mine	Losses WWTP Mine	Losses (acre-feet)
ug-20 ep-20 ct-20 ov-20 ec-20 an-21 ar-21 pr-21 ay-21 ug-21 ug-21 ug-21 ct-21 ct-21	13.9% 12.5% 9.6% 5.5% 4.6% 3.8% 4.6% 3.8% 12.5% 13.9% 13.9% 13.9%	(tons)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 16,150 68,950	(acre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	0 0 0 0 0 0	(scre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	(acre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	West Silt Pond (scre-feet) 0.00 0.00 0.00	East Mine	West Mine	WWTP Mine	(acre-feet)
ug-20 ep-20 ct-20 ov-20 ec-20 an-21 ar-21 pr-21 ay-21 ug-21 ug-21 ug-21 ct-21 ct-21	13.9% 12.5% 9.6% 5.5% 4.6% 3.8% 3.8% 5.5% 9.6% 12.5% 13.9% 13.9%	0 0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00				
ug-20 ep-20 ct-20 ov-20 ec-20 an-21 ar-21 pr-21 ay-21 ug-21 ug-21 ug-21 ct-21 ct-21	12.5% 9.6% 5.5% 4.6% 3.8% 4.6% 5.5% 9.6% 12.5%	0 0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00	(acre-feet)	(acre-feet)	(acre-feet)	
ug-20 ep-20 ct-20 ov-20 ec-20 an-21 eb-21 iar-21 pr-21 ay-21 un-21 ulg-21 ulg-21 ep-21 ct-21	12.5% 9.6% 5.5% 4.6% 3.8% 4.6% 5.5% 9.6% 12.5%	0 0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00				0.00
ug-20 ep-20 ct-20 ov-20 sc-20 sc-20 sr-21 ar-21 ar-21 ay-21 ur-21 ur-21 ur-21 ct-21	12.5% 9.6% 5.5% 4.6% 3.8% 4.6% 5.5% 9.6% 12.5%	0 0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00				
ep-20 ct-20 ov-20 ec-20 an-21 eb-21 lar-21 pr-21 ay-21 un-21 ul-21 ug-21 ep-21 ct-21	9.6% 5.5% 4.6% 3.8% 3.8% 4.6% 5.5% 9.6% 12.5% 13.9% 12.5%	0 0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0 0 0 0 0	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00	0.00			1	0.00
ct-20 ov-20 ec-20 an-21 eb-21 dar-21 pr-21 lay-21 un-21 ul-21 ug-21 ep-21	5.5% 4.6% 3.8% 4.6% 5.5% 9.6% 12.5% 13.9% 12.5%	0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0 0 0 0	0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00			1		0.00
ec-20 an-21 eb-21 lar-21 pr-21 lay-21 un-21 ul-21 ul-21 ep-21	3.8% 3.8% 4.6% 5.5% 9.6% 12.5% 13.9% 12.5%	0 0 0 0 0 0 0 0 16,150 68,950	0.00 0.00 0.00 0.00 0.00	0 0 0	0.00	0.00	0.00	0.00				0.00
an-21 leb-21 lar-21 lay-21 lay-21 un-21 ul-21 lug-21 lep-21	3.8% 4.6% 5.5% 9.6% 12.5% 13.9% 13.9% 12.5%	0 0 0 0 0 0 16,150 68,950	0.00 0.00 0.00 0.00	0 0 0	0.00			0.00				0.00
eb-21 lar-21 .pr-21 lay-21 un-21 ul-21 .ug-21 ep-21	4.6% 5.5% 9.6% 12.5% 13.9% 13.9% 12.5%	0 0 0 0 16,150 68,950	0.00 0.00 0.00	0		0.00	0.00	0.00				0.00
lar-21 .pr-21 lay-21 un-21 ul-21 .ug-21 ep-21	5.5% 9.6% 12.5% 13.9% 13.9% 12.5%	0 0 0 16,150 68,950	0.00 0.00	0	0.00	0.00	0.00	0.00				0.00
un-21 un-21 un-21 ul-21 ug-21 iep-21 Oct-21	9.6% 12.5% 13.9% 13.9% 12.5%	0 0 16,150 68,950	0.00			0.00	0.00	0.00				0.00
May-21 Jun-21 Jul-21 Aug-21 Sep-21 Oct-21	12.5% 13.9% 13.9% 12.5%	0 16,150 68,950	0.00	0	0.00	0.00	0.00	0.00				0.00
un-21 ul-21 ug-21 iep-21 Oct-21	13.9% 13.9% 12.5%	16,150 68,950			0.00	0.00	0.00	0.00				0.00
lul-21 Aug-21 Sep-21 Oct-21	13.9% 12.5%	68,950	0.48	0	0.00	0.00	0.00	0.00				0.00
Aug-21 Sep-21 Oct-21	12.5%		0.00	0	0.00	0.00	0.00	0.48				-0.02
Sep-21 Oct-21			2.03 1.85	0	0.00	0.00	0.00	2.03 1.85				-0.19 -0.58
Oct-21		62,720 36,000	1.05	0	0.00	0.00	0.00	1.06				-0.86
	5.5%	0	0.00	0	0.00	0.24	0.00	0.24				-0.89
	4.6%	55,000	1.62	0	0.00	0.24	0.00	1.86				-0.84
Dec-21	3.8%	55,000	1.62	0	0.00	0.24	0.00	1.86				-1.04
Jan-22	3.8%	55,000	1.62	0	0.00	0.24	0.00	1.86				-1.24
eb-22	4.6%	34,571	1.02	0	0.00	0.24	0.00	1.26				-1.36
Mar-22	5.5%	41,348	1.22	0	0.00	0.24	0.00	0.24	1.22			-1.96
Apr-22	9.6%	72,129	2.12	0	0.00	0.24	3.50	0.24	5.62			-4.37
May-22	12.5%	93,721	2.76	0	0.00	0.24	3.50	0.24	6.26			-5.59
Jun-22	13.9%	104,250	3.07	0	0.00	0.24	3.50	0.24	6.57			-6.08
Jul-22	13.9%	104,518	3.07	0	0.00	0.24	0.00	0.24	3.07			-4.42
lug-22	12.5%	93,721	2.76	0	0.00	0.24	0.00	0.24	2.76			-3.58
Sep-22	9.6%	72,129	2.12	0	0.00	0.24	0.00	0.24	2.12			-3.05
Oct-22	5.5% 4.6%	41,348	1.22 1.02	0	0.00	0.24 0.24	0.00	0.24 0.24	1.22 1.02			-2.32 -1.90
Nov-22 Dec-22	3.8%	34,571 28,714	0.84	0	0.00	0.24	0.00	0.24	0.84			-1.61
Jan-23	3.8%	28,714	0.84	0	0.00	0.24	0.00	0.24	0.84			-1.46
Feb-23	4.6%	34,571	1.02	0	0.00	0.24	0.00	0.24	1.02			-1.46
Mar-23	5.5%	41,348	1.22	0	0.00	0.24	0.00	0.24	1.22			-1.54
Apr-23	9.6%	72,129	0.00	0	0.00	0.24	0.00	0.24	0.00	0.00		-0.89
May-23	12.5%	93,721	0.00	0	0.00	0.06	0.00	0.06	0.00	0.00		-0.58
lun-23	13.9%	104,250	0.00	0	0.00	0.06	4.00	0.06	0.00	4.00		-1.02
Jul-23	13.9%	104,518	0.00	0	0.00	0.15	4.00	0.15	0.00	4.00		-1.99
Aug-23	12.5%	93,721	0.00	0	0.00	0.18	4.00	0.18	0.00	4.00		-2.55
Sep-23	9.6%	72,129	0.00	0	0.00	0.12	0.00	0.12	0.00	0.00		-2.37
Oct-23	5.5%	41,348	0.00	0	0.00	0.12	0.00	0.12	0.00	0.00		-1.60
Nov-23	4.6%	34,571	0.00	0	0.00	0.12	0.00	0.12	0.00	0.00		-1.22
Dec-23	3.8%	28,714	0.84	0	0.00	0.17	0.00	0.17	0.00	0.84		-1.06
Jan-24	3.8%	28,714	0.84	0	0.00	0.09	0.00	0.09	0.00	0.84		-1.09
eb-24	4.6%	34,571	1.02	0	0.00	0.09	0.00	0.09	0.00	1.02		-1.09
Mar-24 Apr-24	5.5% 9.6%	41,348 72,129	1.22 2.12	0	0.00	0.21	0.00	0.21	0.00	1.22 2.12		-1.14 -1.34
May-24	12.5%	93,721	2.76	0	0.00	0.15	0.00	0.15	0.00	2.12		-1.72
un-24	13.9%	104,250	3.07	0	0.00	0.32	0.00	0.32	0.00	3.07		-2.13
ul-24	13.9%	104,518	3.07	0	0.00	0.32	0.00	0.32	0.00	3.07	į į	-2.46
lug-24	12.5%	93,721	2.76	0	0.00	0.32	0.00	0.32	0.00	0.00	1	-2.25
Sep-24	9.6%	72,129	2.12	0	0.00	0.32	0.00	0.32	0.00	0.00		-1.60
Oct-24	5.5%	41,348	1.22	0	0.00	0.32	0.00	0.32	0.00	0.00		-1.27
lov-24	4.6%	34,571	1.02	0	0.00	0.32	0.00	0.32	0.00	0.00		-1.04
Dec-24	3.8%	28,714	0.84	0	0.00	0.32	0.00	0.32	0.00	0.00		-0.86
an-25	3.8%	28,714	0.84	0	0.00	0.32	0.00	0.32	0.00	0.00		-0.73
eb-25	4.6%	34,571	1.02	0	0.00	0.32	0.00	0.32	0.00	0.00		-0.63
lar-25	5.5%	41,348	1.22	0	0.00	0.32	0.00	0.32	0.00	0.00		-0.55
pr-25	9.6%	72,129	2.12	0	0.00	0.32	0.00	0.32	0.00	0.00	0.00	-0.49
lay-25	12.5%	93,721	2.76	0	0.00	0.32	4.00	0.32	0.00	0.00	4.00	-2.75
un-25	13.9%	104,250	3.07	0	0.00	0.32	4.00	0.32	0.00	0.00	4.00	-3.58
ul-25	13.9%	104,518	3.07	0	0.00	0.32	4.00	0.32	0.00	0.00	4.00	-3.78
ug-25	12.5%	93,721	2.76	0	0.00	0.32	0.00	0.32	0.00	0.00	2.76	-3.20
Sep-25	9.6%	72,129	2.12	0	0.00	0.32	0.00	0.32	0.00	0.00	2.12	-2.67
Oct-25 Nov-25	5.5% 4.6%	41,348 34,571	1.22 1.02	0	0.00	0.32 0.32	0.00	0.32 0.32	0.00 0.00	0.00	1.22 1.02	-2.02 -1.69
Nov-25 Dec-25	3.8%	28,714	0.84	0	0.00	0.32	0.00	0.32	0.00	0.00	0.84	-1.69
	0.070	20,117	V.UT		0.00	0.02	5.50	0.02	5.00	0.00	0.04	1
Plan Period	86%	750,000	19.0	0	0.0	2.9	12.0	2.9	0.0	0.0	20.0	-21.7

<sup>(1)</sup> Equila Column (2) morthly values divided 500,000 traslyses\*.
(2) Based on information from S.W. Mostobes (LLC.
(3) Equila Column (2) more 3,000 filmes % oldeded by 62,4 divided by 43,560.
(4) Based on information from S.W. Mostobes, LLC.
(5) Equila Column (1) times 2000 filmes % oldeded by 62,4 divided by 43,560.
(5) Based on information from S.W. Mostobes, LLC.
(7) Equila Column (1) Also Column (1) Also Column (1).
(7) Equila Column (1) Also Column (1) Also Column (1).
(8) Intellationation displations, lagging based on SSC Option collustics; Xx13,952, Vx5,001 8, T=140,000 gadd 8, S=0.2.
(9) Intellationation displations, lagging based on SSC Option collustics; Xx13,952, Vx5,001 8, T=140,000 gadd 8, S=0.2.
(11) Intellationation displations, lagging based on SSC Option collustics; Xx13,952, Vx5,001 8, T=140,000 gadd 8, S=0.2.
(11) Intellationation displations, lagging based on SSC Option collustics; Xx13,952, Vx5,001 8, T=140,000 gadd 8, S=0.2.
(11) Intellationation displations, lagging based on SSC Option collustrons, Xx13,952, Vx5,001 8, T=440,000 gadd 8, S=0.2.
(11) Intellationation displations, lagging based on SSC Option collustrons, Xx13,952, Vx5,001 8, T=440,000 gadd 8, S=0.2.
(13) Intellationation displations, lagging based on SSC Option collustrons, Xx13,952, Vx5,001 8, T=440,000 gadd 8, S=0.2.
(14) Intellationation displations, lagging based on SSC Option collustrons (Xx13,000 gadd 8, S=0.2.
(15) Intellationation displations, lagging based on SSC Option collustrons (Xx13,000 gadd 8, S=0.2.
(16) Intellationation displations, lagging based on SSC Option collustrons (Xx13,000 gadd 8, S=0.2.
(17) Intellation displations, lagging based on SSC Option collustrons (Xx13,000 gadd 8, S=0.2.
(18) Intellation displations (Xx13,000 gadd 8, S=0.2.
(19) Intellation displations, lagging based on SSC Option collustrons (Xx13,000 gadd 8, S=0.2.
(19) Intellation displations, lagging based on SSC Option displations (Xx13,000 gadd 8, S=0.2.
(11) Intellation displations (Xx13,000 gadd 8, S=0.2.
(13) Intellation displatio

#### Table 2b Inouye Gravel Mine

Lagged - Operational Losses AWAS Input - Operations West Silt Pond Total Mar Apr May Jun Oct Jan Feb 2020 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.48 1.06 0.24 1.86 1.86 2021 2.03 9.38 2022 1.86 1.26 0.24 0.24 0.24 0.24 0.24 0.24 0.24 0.24 0.24 0.24 5.52 2023 0.24 0.24 0.24 0.24 0.06 0.06 0.15 0.18 0.12 0.12 0.12 0.17 1.95 2024 0.21 0.32 0.32 0.32 0.32 3.07 0.09 0.09 0.28 0.32 0.32 0.32 2025 0.32 0.32 0.32 0.32 0.32 0.32 0.32 0.32 0.32 0.32 0.32 0.32 3.84 2026 AWAS Output - Operations West Silt Pond 2.88 0 2020 0 0 0 0 0.00 -0.02 -0.19 -0.58 -1.04 2021 -0.86 -0.89 -4.42 0 0 2022 -1.24 -1.36 -1.31 -1.08 -0.88 -0.72 -0.6 -0.51 -0.45 -0.4 -0.36 -0.33 -9.24 2023 -0.31 -0.29 -0.28 -0.27 -0.25 -0.21 -0.18 -0.17 -0.17 -0.16 -0.15 -0.14 -2.58 2024 -0.15 -0.13 -0.14 -0.15 -0.21 -0.24 -0.26 -0.27 -0.29 -0.29 -2.44 2025 -0.3 -0.31 -0.31 -0.31 -0.31 -0.32 -0.32 -0.32 -0.32 -0.32 -0.32 -0.32 -3.78 2026 AWAS Input - Operations East Mine Sep 0.00 Oct 0.00 Nov 0.00 Jan Feb Mar Apr May Jun Jul Aug 0.00 Total 2020 0.00 0.00 0.00 2021 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 6.57 2022 0.00 0.00 1.22 5.62 6.26 3.07 2.76 2.12 1.22 1.02 0.84 30.70 2023 0.84 1.02 1.22 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 3.08 2024 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2025 0.00 2026 AWAS Output - Operations East Mine 2020 0.00 0 0 2021 0 0 0 0 0 0.00 2022 -0.65 -3.29 -4.71 -5.36 -3.82 -3.07 -2.6 -1.92 -1.54 -1.28 -28.24 2023 -1.15 -1.17 -1.26 -0.62 -0.33 -0.24 -0.18 -0.14 -0.1 -0.08 -0.06 -0.04 -5.37 2024 -0.01 -0.01 -0.03 -0.03 -0.02 -0.01 -0.01 0 0 0 -0.12 2025 2026 AWAS Input - Operations West Mine Apr 0.00 Aug 0.00 Sep 0.00 Mar May Jun Jul Oct Total 2020 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2021 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2022 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2023 0.00 0.00 0.00 0.00 0.00 4.00 4.00 4.00 0.00 0.00 0.84 12.84 2024 0.84 1.02 1.22 2.12 2.76 3.07 3.07 0.00 0.00 0.00 0.00 14.10 0.00 0.00 2026 AWAS Output - Operations West MINE 2020 0 0 0 0 0 0 0 0.00 2021 0 0 0 0 0 0 0 0 0.00 2022 0 0 0 0 0 0.00 2023 0 ٥ ٥ -0.57 -1.63 -2.24 -2.1 -1.36 -1.01 -0.88 -9.79 2024 -0.91 -0.93 -0.99 -1.19 -1.56 -1.94 -2.24 -2.01 -1.34 -0.75 -0.57 -15.43 2025 -0.43 -0.32 -0.24 -0.18 -0.14 -0.11 -0.08 -0.06 -0.05 -0.03 -0.03 -0.02 -1.69 2026 AWAS Input - WWTP Mine 2020 0.00 2021 0.00 0.00 0.00 0.00 2022 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2023 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2024 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 4.00 4.00 4.00 2.76 1.02 2025 0.00 0.00 0.00 0.00 2.12 1.22 0.84 19.96 AWAS Output - WWTP MINE 2020 0.00 2021 0.00 2022 0.00 2023 0.00

0.00

-18.09

2024

2025

0

0

0

-2.3

-3.15

-3.38

-2.82

-2.3

-1.67

-1.34

-1.13

Table 3 Inouye Dewatering Operation
Pumping Rate Returned to River/ No Beneficial Use Direct Return

						(values in ac	>tt)						
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0	0	0	0	0	0	0	0	0	0	0	0	0
2021	0	0	0	0	107	156	268	528	82	0	0	0	1,140
2022	0	0	0	0	0	0	0	0	0	0	0	0	0
2023	0	0	0	0	0	0	0	0	0	0	0	0	0
2024	0	0	0	0	0	0	0	0	0	0	0	0	0
2025	0	0	0	0	100	100	75	75	0	0	0	0	350

Direct return, no beneficial use.

#### Pumping Rate to Recharge

						(values in ac	-ft)						
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0	0	0	0	0	0	0	0	0	0	0	0	0
2021	0	0	0	0	24.697	81.98	151	112	19	9	2	2	401
2022	0	0	0	0	0	0	0	0	0	0	0	0	0
2023	0	0	0	0	0	0	0	0	0	0	0	0	0
2024	0	0	0	0	0	0	0	0	0	0	0	0	0
2025	0	0	0	0	0	0	0	0	0	0	0	0	0

Direct to recharge

#### Lagged Pumping Rate - Depletion

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2021	0.0	0.0	0.0	0.0	-1.2	-8.6	-28.6	-54.9	-63.7	-57.2	-44.1	-35.2	-293.5
2022	-26.9	-18.5	-15.6	-11.4	-8.9	-6.5	-5.1	-3.8	-2.8	-2.2	-1.6	-1.2	-104.5
2023	-0.9	-0.6	-0.5	-0.4	-0.3	-0.2	-0.2	-0.1	-0.1	-0.1	-0.1	0.0	-3.6
2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
2025	0.0	0.0	0.0	0.0	-79.9	-90.6	-73.8	-72.4	-12.9	-5.3	-3.7	-2.9	-341.4

Lagged dewatering effect on the river, based on SEO Glover calculations: X=3582, W=5,001 ft, T=140,000 gpd/ft & S=0.2 and X=31, W=5,001 ft, T=140,000 gpd/ft & S=0.2.

### Evap from Recharge Pond

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	0.30	0.42	0.45	0.40	0.29	0.20	0.11	0.00	2.17
2022	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2023	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2024	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2025	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0

Equals the instantaneous dewatering rate minus the lagged dewatering from the AWAS output.

## Delivered to Recharge Pond

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2021	0.00	0.00	0.00	0.00	24.39	81.56	150.76	111.62	18.54	8.39	1.48	2.00	399
2022	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2023	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2024	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2025	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0

Equals the instantaneous dewatering rate minus the lagged dewatering from the AWAS output.

#### Recharge - Lagged Accretion

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2021	0.00	0.00	0.00	0.00	3.12	16.23	44.62	69.27	64.80	49.57	36.41	28.43	312
2022	21.57	14.75	12.43	9.08	7.08	5.17	4.03	3.03	2.21	1.72	1.26	0.98	83
2023	0.74	0.51	0.43	0.31	0.24	0.18	0.14	0.10	0.08	0.06	0.04	0.03	3
2024	0.03	0.02	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0
2025	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0

Lagged dewatering bassed on a maximum of 105 ac-feet per month ifavailable, based on SEO Glover calculations: X=2567, W=5,001 ft, T=140,000 gpd/ft & S=0.2.

#### Net Effect on the River from Dewatering (Includes Pumpming Depletions, Direct Return and Lagged Recharge)

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0
2021	0.00	0.00	0.00	0.00	1.92	7.63	16.01	14.41	1.07	-7.64	-7.71	-6.76	18.9
2022	-5.28	-3.77	-3.20	-2.33	-1.82	-1.33	-1.04	-0.78	-0.57	-0.45	-0.32	-0.25	-21.1
2023	-0.19	-0.13	-0.11	-0.08	-0.07	-0.04	-0.03	-0.03	-0.02	-0.01	-0.01	-0.01	-0.7
2024	0.00	0.00	-0.01	0.00	0.00	0.00	-0.01	0.00	0.00	0.00	0.00	0.00	0.0
2025	0.00	0.00	0.00	0.00	20.11	9.40	1.18	2.59	-12.86	-5.29	-3.67	-2.85	8.6

Equals the instantaneous dewatering rate minus the lagged dewatering minus the recharge accreation.

#### Table 4 Inouye Gravel Mine

#### Evaporative and Operational Losses with Replacements

	(1)	(2)	(3)	(4)	(5)	(6)
Month	Lagged	Lagged	Total	Dewatering	Total	Lease
	Evaporative	Operational	Lagged	Depletions/Credits	Replacement	
	Losses	Losses	Losses		Obligation	
ul-20	0.00	0.00	0.00	0.00	0.00	0.00
ug-20	0.00	0.00	0.00	0.00	0.00	0.00
ep-20	0.00	0.00	0.00	0.00	0.00	0.00
ct-20	0.00	0.00	0.00	0.00	0.00	0.00
ov-20	0.00	0.00	0.00	0.00	0.00	0.00
ec-20	0.00	0.00	0.00	0.00	0.00	0.00
an-21	0.00	0.00	0.00	0.00	0.00	0.00
eb-21	0.00	0.00	0.00	0.00	0.00	0.00
lar-21	0.00	0.00	0.00	0.00	0.00	0.00
pr-21	0.00	0.00	0.00	0.00	0.00	0.00
lay-21	-0.02	0.00	-0.02	1.92	0.00	0.00
un-21	-0.03	-0.02	-0.05	7.63	0.00	0.00
ul-21	-0.08	-0.19	-0.27	16.01	0.00	0.00
ug-21	-0.21	-0.58	-0.79	14.41	0.00	0.00
ep-21	-0.31	-0.86	-1.17	1.07	-0.10	0.11
ct-21	-0.38	-0.89	-1.27	-7.64	-8.91	10.21
ov-21	-0.38	-0.84	-1.22	-7.71	-8.93	10.23
ec-21	-0.34	-1.04	-1.38	-6.76	-8.14	9.33
an-22	-0.27	-1.24	-1.51	-5.28	-6.79	7.78
eb-22	-0.21	-1.36	-1.57	-3.77	-5.34	6.12
lar-22	-0.34	-1.96	-2.30	-3.20	-5.50	6.30
pr-22	-0.87	-4.37	-5.24	-2.33	-7.57	8.68
ay-22	-1.65	-5.59	-7.24	-1.82	-9.06	10.38
un-22	-2.57	-6.08	-8.65	-1.33	-9.98	11.44
ul-22	-3.64	-4.42	-8.06	-1.04	-9.10	10.43
ug-22	-4.51	-3.58	-8.09	-0.78	-8.87	10.17
ep-22	-4.94	-3.05	-7.99	-0.57	-8.56	9.81
ct-22	-4.89	-2.32	-7.21	-0.45	-7.66	8.78
ov-22	-4.46	-1.90	-6.36	-0.32	-6.68	7.66
ec-22	-3.75	-1.61	-5.36	-0.25	-5.61	6.43
an-23	-2.89	-1.46	-4.35	-0.19	-4.54	5.20
eb-23	-2.29	-1.46	-4.35	-0.13	-3.88	4.45
ar-23	-2.13	-1.54	-3.67	-0.13	-3.78	4.33
	-2.13	-0.89	-3.22	-0.08		_
pr-23					-3.30	3.79
ay-23	-2.76	-0.58	-3.34	-0.07	-3.41	3.91
un-23	-3.43	-1.02	-4.45	-0.04	-4.49	5.15
ul-23	-4.29	-1.99	-6.28	-0.03	-6.31	7.24
ug-23	-4.99	-2.55	-7.54	-0.03	-7.57	8.67
ep-23	-5.27	-2.37	-7.64	-0.02	-7.66	8.78
ct-23	-5.13	-1.60	-6.73	-0.01	-6.74	7.72
ov-23	-4.63	-1.22	-5.85	-0.01	-5.86	6.71
ec-23	-3.85	-1.06	-4.91	-0.01	-4.92	5.64
an-24	-2.53	-1.09	-3.62	0.00	-3.62	4.15
eb-24	-2.06	-1.09	-3.15	0.00	-3.15	3.62
аг-24	-1.99	-1.14	-3.13	-0.01	-3.14	3.60
pr-24	-2.18	-1.34	-3.52	0.00	-3.52	4.06
ay-24	-2.65	-1.72	-4.37	0.00	-4.37	5.04
un-24	-3.35	-2.13	-5.48	0.00	-5.48	6.32
ıl-24	-4.20	-2.46	-6.66	-0.01	-6.67	7.69
ug-24	-4.75	-2.25	-7.00	0.00	-7.00	8.07
ep-24	-4.81	-1.60	-6.41	0.00	-6.41	7.39
ct-24	-4.59	-1.27	-5.86	0.00	-5.86	6.75
ov-24	-4.10	-1.04	-5.14	0.00	-5.14	5.92
ec-24	-3.39	-0.86	-4.25	0.00	-4.25	4.90
n-25	-2.60	-0.73	-3.33	0.00	-3.33	3.84
eb-25	-2.09	-0.63	-2.72	0.00	-2.72	3.14
ar-25	-1.93	-0.55	-2.48	0.00	-2.48	2.86
or-25	-1.91	-0.49	-2.40	0.00	-2.40	2.77
ay-25	-2.57	-2.75	-5.32	20.11	0.00	0.00
in-25	-3.35	-3.58	-6.93	9.40	0.00	0.00
ıl-25	-4.15	-3.78	-7.93	1.18	-6.75	7.78
ug-25	-4.72	-3.20	-7.92	2.59	-5.33	6.14
	-4.72	-3.20 -2.67	-7.57	-12.86	-5.55 -20.43	23.5
ep-25						
ct-25	-4.67	-2.02	-6.69	-5.29 3.67	-11.98	13.81
ov-25	-4.14	-1.69	-5.83	-3.67	-9.50	10.9
ec-25	-3.35	-1.47	-4.82	-2.85	-7.67	8.84
	-33.8	-21.7	-55.4	8.6	-64.1	73.8

<sup>(1)</sup> Equals Table 1, Column (8).
(2) Equals Table 2, Column (8).
(3) Equals Column (1) plus Column (2).
(4) Equals Column (1) plus Column (2).
(5) Equals Column (4) plus Column (3), only if it is negative.
(6) Equals Column (4) plus Column (5) including 26.5 miles of loss at 0.5% per mile.

# Table 5 Inouye Gravel Mine SB120 Gravel Pit Well - Substitute Water Supply Plan Accounting Form

OPERATOR: BURNCO PIT: Inouye Gravel Mine (M-2018-037) YEAR: 2025

EXAMPLE

	(1)	(2)	(3)	(4)	151	(6)	Ø	(7s)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
Month	Exposed	Evaporation	Lagged	Aggregate	Water Lost	Lagged	Water Used	Lagged Water Used	Dewatering	Dewatering	Net Dewatering	Total	Water	Water	River	Remaining Replacement
	Water		Evaporation	Production	with Mined	Aggregate	for Dust	for Dust	Rate	Direct Return	Effect on the	Lagged	Delivered	Delivered	Call	(+) credit
	Surface Area (scres)	(acre-feet)	(scre-feet)	(forms)	Aggregate (scre-feet)	Water (scre-test)	Control (scre-feet)	Control (acre-test)	(ac-ff)	no credit	River (acos-leet)	Losses (acre-feet)	From WDID	From Lease (acre-feet)	(%)	(-) depletion (some-feet)
1	(0.409)	(publical)	(0.70100)	found	intra-load	fano-roah	(autoritely	32112-1230	(0210	javaj	(400-990)	(autoreas)	(BAPHTY	(publical)	int	fano, sort
Mar-21	D	0	0	0	0	0	0	0	0		0	0	0	1.11	100%	1.11
Apr-21	0	0.06	0.00	0	0.00	0	0.00	0	0		0	0.00	0	3.66	100%	3.66
May-21	0	80.0	-0.02	0	0.00	0	0.00	0	131	107	1.92	1,90	0	0.63	12.9%	2.53
Jun-21 Jul-21	0.25 1.5	0.11 0.70	-0.03 -0.08	16,150 68,950	0.48 2.03	-0.02 -0.19	0.00	0	238 419	156 268	7.63 16.01	7.58 15.74	0	2.83 6.1	46.7% 100.0%	10.41 21.84
	1.5	0.62	-0.08	62,720	1.85	-0.19 -0.58	0.00	0	419 640	298 528	14.41	13.62	0	5.7	100.0%	21.84 19.33
Aug-21 Sep-21	2	0.62	-0.21	36,000	1.06	-0.86	0.00	0	101	82	1.07	-0.10	0	1.4	100.0%	1.29
Oct-21	2	0.42	-0.38	0	0.00	-0.89	0.24	0.00	9	0	-7.64	-8.91	4.48	4.3	100.0%	-0.17
Nov-21	2	0.22	-0.38	55,000	1.62	-0.84	0.24	0.00	2	o o	-7.71	-8.93	5.90	3.1	100.0%	0.02
Dec-21	2	0.00	-0.34													
Jan-22	2	0.00	-0.27													
Feb-22	2	0.22	-0.21													
Mar-22	15.9	2.38	-0.34													
Apr-22	15.9	3.95	-0.87													
May-22	15.9	5.09	-1.65													
Jun-22	15.9	7.09	-2.57													
Jul-22	15.9	7.47	-3.64													
Aug-22	15.9 15.9	6.62 4.91	-4.51													
Sep-22 Oct-22	15.9 15.9	4.91 3.35	-4.94 -4.89													
Nov-22	15.9	1.78	-4.46													
Dec-22	15.9	0.00	-3.75													
Jan-23	15.9	0.00	-2.89													
Feb-23	15.9	1.72	-2.29													
Mar-23	15.9	2.38	-2.13													
Apr-23	15.9	3.35	-2.33													
May-23	15.9	4.32	-2.76													
Jun-23	15.9	6.01	-3.43													
Jul-23	15.9	6.34	-4.29													
Aug-23	15.9	5.61	-4.99													
Sep-23	15.9	4.17	-5.27													
Oct-23	15.9	2.84	-5.13													
Nov-23	15.9	1.51	-4.63													
Dec-23 Jan-24	15.9 15.9	0.00	-3.85 -2.53													
Feb-24	15.9	1.46	-2.06													
Mar-24	15.9	2.02	-1.99													
Apr-24	15.9	3.10	-2.18													
May-24	15.9	4.00	-2.65													
Jun-24	15.9	5.57	-3.35													
Jul-24	15.9	5.87	-4.20													
Aug-24	15.9	5.20	-4.75													
Sep-24	15.9	3.86	-4.81													
Oct-24	15.9	2.63	-4.59													
Nov-24	15.9	1.40	-4.10													
Dec-24	15.9	0.00	-3.39													
Jan-25	15.9	0.00	-2.60													
Feb-25 Mar-25	15.9 15.9	1.35 1.87	-2.09													
Mar-25 Apr-25	15.9	3.18	-1.93 -1.91													
May-25	14.7	4.71	-2.57													
Jun-25	14.7	6.55	-3.35													
Jul-25	14.7	6.91	4.15													
Aug-25	14.7	6.12	4.72													
Sep-25	14.7	4.54	-4.90													
Oct-25	14.7	3.09	-4.67													
Nov-25	14.7	1.65	-4.14													
Dec-25	14.7	0.00	-3.35													
l otals																

(1) Specific repol.
(2) Specific repol.
(3) Specific repol.
(4) Specific repol.
(5) Specific repol.
(6) Specific repol.
(6) Specific repol.
(6) Specific repol.
(6) Specific repol.
(7) Specific repol.
(8) Specific repol.
(9) Sp

#### **INOUYE PIT**

## Agreement For Delivery of Reusable Raw Water

This Agreement ("Agreement") is entered into on this \_\_\_\_\_day of \_\_\_\_\_\_, 2025, by and between the City of Aurora, Colorado, a Colorado municipal corporation of the counties of Adams, Arapahoe and Douglas, acting by and through its Utility Enterprise ("Aurora"), whose address is 15151 East Alameda Parkway, Suite 3600, Aurora, Colorado 80012, and BURNCO Colorado, LLC, a Texas limited liability company, whose address is 10100 Dallas St., Henderson, CO 80640 ("BURNCO"). Aurora and BURNCO are each referred to herein as a "Party" and together as the "Parties."

#### WITNESSETH

WHEREAS, Aurora has the right to use, sell, or provide for use certain of its fully reusable municipal water return flows to the South Platte River ("Reusable Raw Water"); and

WHEREAS, such Reusable Raw Water is derived from trans-mountain or other reusable sources; and

WHEREAS, BURNCO has a use for a certain portion of this Reusable Raw Water; and

WHEREAS, Aurora and BURNCO desire to enter into this Agreement whereby Aurora shall deliver a portion of such Reusable Raw Water to BURNCO; and

WHEREAS, this Agreement will be of mutual benefit and convenience to Aurora and BURNCO; and

WHEREAS, the Aurora Utility Enterprise staff has determined, as a precondition to entering this Agreement, that Aurora is able to fulfill all exchange and operational obligations that require Reusable Raw Water, that it is able to fulfill all existing long-term agreements that require Reusable Raw Water (including this Agreement), and that all other needs of Aurora that may be fulfilled by these sources are met; and

NOW, THEREFORE, for and in consideration of the mutual promises and covenants contained herein, and other good and valuable consideration, the adequacy and sufficiency of which are hereby acknowledged, the Parties hereby agree as follows:

#### Agreement

## 1. <u>Term</u>.

- (a) This Agreement shall commence on the Effective Date, as defined in Paragraph 21 below, and continue through March 31, 2024. Deliveries under this Agreement begin on April 1, 2023 and continue until the last date for delivery of water as provided for on the water delivery schedule attached hereto as **EXHIBIT A** ("Delivery Schedule"), such date being March 31, 2024, unless extended pursuant to (b) of this Paragraph 1 (the "Term").
- (b) At Aurora's discretion and upon BURNCO's request and submittal of a new Delivery Schedule prior to January 1, 2024, and prior to January 1 for subsequent years, the Term of this Agreement may be extended for up to five additional one-year term periods. But in no event shall the Term extend beyond March 31, 2030. Said extensions shall be subject to all the terms and conditions of this Agreement unless amended pursuant to Paragraph 16, below.
- 2. <u>Delivery Schedule</u>. Delivery of the Reusable Raw Water will be made in accordance with the Delivery Schedule. BURNCO may submit to Aurora a proposed modified Delivery Schedule that will be approved in Aurora's sole discretion and effective only upon Aurora's written consent. As long as Aurora is capable of delivering the Reusable Raw Water to the Delivery Points (defined in Paragraph 3, below) according to the Delivery Schedule, BURNCO will be obligated to pay the per-acre foot charge (Unit Rate) set forth in Paragraph 8, below, regardless of whether or not BURNCO requests or uses the Reusable Raw Water.

### 3. Delivery Location.

(a) Delivery Points. BURNCO agrees that Aurora shall initially make its delivery of the Reusable Raw Water at the outfall of the Metro Wastewater Reclamation District's Robert W. Hite treatment facility ("Hite"). BURNCO further agrees that Aurora may, in its sole discretion, satisfy its delivery obligations under this Agreement by delivering the Reusable Raw Water at any other delivery point or delivery points on the South Platte River (each of Hite and such other delivery points, hereinafter, a "Delivery Point", and collectively the "Delivery Points"), provided that such alternative Delivery Points are located above the calling senior water right and within a reach of the South Platte River beginning at or below Hite, and continuing downstream to a point at or above the location on the South Platte in the N½ of the SW¼ of Section 31, Township 2 North, Range 66 West, 6th P.M. ("Recapture Point"). BURNCO acknowledges and agrees that the alternate Delivery Points may include, but are not limited to, other wastewater treatment plants that may be constructed in the future that discharge Reusable Raw Water owned by Aurora, the Brighton Ditch Augmentation Stations, the outfall of Walker Reservoir, and the confluence of Sand Creek and the South Platte River. Aurora will bear the responsibility for delivery of the Reusable Raw Water to these Delivery Points, and in its sole discretion may determine which of the Delivery Points it will use at any given time. Once Aurora has completed its delivery of the Reusable Raw Water hereunder, BURNCO shall assume sole liability for any loss, damage, or injury that may occur to persons or property as the direct or indirect result of the control and/or use of said Reusable Raw Water by BURNCO. The amount of Reusable Raw Water reflected in the Delivery Schedule was calculated by BURNCO to include any transportation losses, or

"shrinkage," from Hite to the Recapture Point downstream. BURNCO also acknowledges the travel time between the alternate Delivery Points and the Recapture Point varies, but that the timing for Aurora's delivery obligations as provided for under the Delivery Schedule shall remain the same regardless of Aurora's use of alternative Delivery Points.

- Credit for Avoided Transit Loss. Aurora's obligations with respect to the volume of Reusable Raw Water to be delivered under this Agreement are deemed to be satisfied if Aurora makes deliveries in such amounts as if delivered at Hite. Thus, if Aurora elects, in its sole discretion, to make its delivery of any Reusable Raw Water under this Agreement at a Delivery Point other than Hite, and if delivery at such alternative Delivery Point(s) results in reduced transit loss, Aurora shall be entitled to retain such avoided transit loss with no credit to BURNCO in water, money or otherwise. Aurora shall maintain and provide to BURNCO a monthly accounting and report of daily deliveries at the Delivery Point(s). If Aurora elects to deliver some or all of the Reusable Raw Water at alternative Delivery Point(s), then the foregoing reports shall include the calculated amount of avoided transit loss, and the amount of water physically delivered at such alternative Delivery Point(s). For purposes of calculating any such avoided transit loss, the Parties hereby agree that the volume of Reusable Raw Water required to be delivered by Aurora in accordance with the Delivery Schedule shall be discounted by an amount equal to one-half of one percent (0.5%) of such volume during the April through September irrigation season, or one-fourth of one percent (0.25%) of such volume during the October through March non-irrigation season, for each river mile in distance between Hite and such alternative Delivery Point(s) (such distance calculated to the nearest one-tenth of a mile), or by such other amount as determined by the Division Engineer for Water Division 1 (such office or its replacement the "Division Engineer") or as specified in an applicable statute or decree from a court of applicable jurisdiction. The product of this calculation shall represent the amount of avoided transit loss in acre-feet, which Aurora shall be entitled to retain.
- 4. Source and Quality of Reusable Raw Water. The Reusable Raw Water to be provided by Aurora under this Agreement shall, at Aurora's discretion, consist of Aurora's reusable municipal return flows to the South Platte River, any fully consumable portion of changed irrigation water rights owned by, or available to Aurora, fully consumable water diverted pursuant to decrees entered in 03CW414, 03CW415, and 06CW104, Water Division 1, and any other legal source of Reusable Raw Water available to Aurora. Under no circumstances shall this Agreement be interpreted to mean that Aurora must supply potable water should the sources set forth in this paragraph be unavailable. Aurora does not warrant or guaranty any water quality standards with respect to the Reusable Raw Water to be delivered as provided for under this Agreement, and BURNCO hereby waives any such warranty or guaranty.

## 5. Use of Reusable Raw Water.

(a) BURNCO shall have the right to use and reuse to extinction the Reusable Raw Water delivered under this Agreement for water supply purposes, including without limitation replacement and exchange purposes in connection with any substitute water supply plan approved by the Colorado State Engineer's Office, augmentation and exchange purposes in accordance with any augmentation plan or appropriative right of exchange decreed by the

Colorado Water Court, and any other lawful exchanges; provided that such use is consistent with the terms of this Agreement and all applicable laws, rules and regulations.

- (b) Aurora does not allow the use of, and BURNCO will not use, the Reusable Raw Water by direct use, augmentation, replacement, or exchange within or upstream of a decreed instream flow reach if such use will deprive the decreed instream flow of water it is entitled to by priority unless waived by the Colorado Water Conservation Board ("CWCB") consistent with the CWCB Board procedures and law allowing such action. Any such use will be deemed a violation of the terms of this Agreement.
- 6. Water Rights Accounting. BURNCO will be solely responsible for any and all reporting and accounting required by the Colorado State Engineer, the Division Engineer for Water Division 1, the Water Commissioner for Water Commissioner District 2, or any other lawful authority after Aurora makes its delivery of the Reusable Raw Water as provided for under this Agreement. This responsibility includes, but is not limited to, BURNCO's withdrawal of the Reusable Raw Water from the South Platte River (if any) and BURNCO's use of the Reusable Raw Water. In addition to the reporting requirements set forth in Paragraph 3(b) above, Aurora will provide any and all reporting and accounting required by the Colorado State Engineer, the Division 1 Engineer, or any other lawful authority concerning proof of the reusability of the Reusable Raw Water, and conveyance of the Reusable Raw Water to the Delivery Point(s).
- 7. <u>Subordination Clause</u>. This Agreement shall be made expressly subordinate to any present or future use of Reusable Raw Water by Aurora for the purposes of augmentation, exchange, or any other use which is or will be of greater direct benefit to Aurora and the users of its water delivery system, as well as to the water supply obligations which Aurora has incurred or will incur through any of any and all obligations resulting from any firm delivery annual lease or delivery contract of Reusable Raw Water executed prior to the date of this Agreement. The foregoing subordination does not, in and of itself, create an excuse for Aurora's failure to deliver the Reusable Raw Water under this Agreement. However, the Parties agree that the purpose and obligations under this Agreement and Aurora's other obligations with respect to its Reusable Raw Water in the event of a *force majeure* event may cause delay or interruption in Aurora's delivery of the Reusable Raw Water.
- 8. <u>Consideration</u>. BURNCO agrees to pay to Aurora the then-current Unit Rate for all Reusable Raw Water to be delivered under this Agreement. The current Unit Rate for Reusable Raw Water in 2023 is Five Hundred Sixty-Nine Dollars (\$569.00) per acre-foot ("Unit Rate"). The Unit Rate shall escalate on January 1 of 2024 and for each subsequent year by the same percentage as any increase in Aurora's residential potable water rates.

## 9. Payment.

(a) Aurora shall bill for all Reusable Raw Water it will deliver to BURNCO under the Delivery Agreement for the initial Term period 2023-2024 in March 2023.

- (b) On or about March 1 of each of the calendar years of this Agreement following 2023, Aurora shall bill for all Reusable Raw Water to be delivered for additional term periods under the approved Delivery Schedule for that term period.
- (c) All billing shall be done on such forms as designated by Aurora for that purpose. Payment by BURNCO shall be due no later than forty-five (45) days after such bill has been issued. If BURNCO does not make the required payment by the due date, Aurora may give BURNCO a notice of default. If BURNCO does not cure the default by making full payment within thirty (30) days of receipt of any notice of default, then Aurora, in addition to pursuing any other remedies available to it, may declare this Agreement terminated. Any delay in Aurora's invoicing for payments under this Agreement shall not constitute a breach of Aurora's obligations and shall not relieve BURNCO of its obligations to pay all consideration due hereunder.
- 10. <u>Non-Assignability and No Subleases</u>. Neither Party may assign its rights or delegate its duties hereunder without the prior written consent of the other Party. BURNCO may not sublease or give others the right to use the Reusable Raw Water to which it is entitled pursuant to this Agreement without the permission of Aurora, which permission Aurora may grant or withhold at its discretion.
- 11. <u>Successors and Assigns</u>. This Agreement and the rights and obligations created hereby shall be binding upon and inure to the benefit of the Parties, respective successors and assigns, if any are allowed. The Parties intend that Aurora shall not incur any liability other than those liabilities directly running directly to Aurora or its assigns permitted under this Agreement, if any. BURNCO therefore covenants and agrees, to the extent permitted by law, to indemnify, save and hold harmless Aurora from all liability, cost or expense of any kind, including Aurora's costs of defense to any other party arising in connection with or relating in any way to the execution, delivery or performance of any allowed assignment or any related document by the parties thereto or to the consummation of any transaction in connection with such documents.
- 12. <u>No Rights Conferred</u>. Except as otherwise provided in this Agreement, the Parties acknowledge that all Reusable Raw Water provided hereunder is intended for the present and future use of Aurora. It is further understood and agreed to by the Parties that this Agreement shall confer no rights in such Reusable Raw Water upon BURNCO, nor shall any future needs of BURNCO for water enable BURNCO to make claim against Aurora for any of Aurora's Reusable Raw Water, other water or water rights. BURNCO further acknowledges the statutory prohibition against vesting of a right for a continued lease expressed in CRS § 31-35-201 applies in these circumstances.
- 13. <u>No Opposition to Aurora Water Court Matters</u>. From the date of execution of this Agreement and for the Term, BURNCO agrees that neither it nor any of its successors, if any are allowed, will oppose Aurora in any Colorado Water Court applications filed by Aurora except to assert injury to a vested or conditional water right.
- 14. <u>Aurora Right to Request Reuse</u>. The Parties hereto acknowledge that hydrologic and other conditions may exist wherein BURNCO may not need all or a portion of the Reusable Raw Water flow available to it under this Agreement. Aurora may contact BURNCO, not more frequently

than once per day, to determine if any of the Reusable Raw Water to be provided hereunder will not be needed.

- 15. Entire Agreement of the Parties. This Agreement represents the entire agreement of the Parties, and neither Party has relied upon any fact or representation not expressly set forth herein. All prior and contemporaneous conversations, negotiations, possible alleged agreements, representations, covenants and warranties concerning the subject matter hereof, are merged in this Agreement.
- 16. <u>Amendment</u>. By mutual agreement of the Parties, the Delivery Schedule with regard to delivery amounts and timing, and extension of the Term may be amended by letter from Aurora to BURNCO. Otherwise, this Agreement may be amended, modified, changed, or terminated in whole or in part only by written agreement duly authorized and executed by the Parties hereto.
- 17. **Enforcement**. The Parties agree that this Agreement may be enforced in law or in equity for specific performance, injunctive, or other appropriate relief, including damages, as may be available according to the laws of the State of Colorado. It is specifically understood that, by executing this Agreement, each Party commits itself to perform pursuant to the terms hereof, and that any breach hereof resulting in any recoverable damages shall not thereby cause the termination of any obligations created by this Agreement unless such termination is requested by the Party not in breach hereof.
- 18. Failure to Perform Due to Force Majeure. Subject to the terms and conditions in this Paragraph, no Party to this Agreement shall be liable for any delay or failure to perform under this Agreement due solely to conditions or events of force majeure, as that term is specifically defined herein; provided that: (a) the non-performing Party gives the other Party prompt written notice describing the particulars of the occurrence of the force majeure; (b) the suspension of performance is of no greater scope and of no longer duration than is required by the force majeure event or condition; and (c) the non-performing Party proceeds with reasonable diligence to remedy its inability to perform and provides weekly progress reports to the other Party describing the actions taken to remedy the consequences of the force majeure event or condition. As used herein force majeure shall mean any delay or failure of a Party to perform its obligations under this Agreement caused by events beyond the Party's reasonable control, and without the fault or negligence of the Party, including, without limitation A) changes in state or federal law or administrative practice concerning, water rights administration, water quality or stream flow requirements, B) changes in state water rights administrative practice concerning the reuse of reusable raw water through leases or other agreements to others for use at locations other than Aurora, Colorado, including, but not limited to, challenges to retained dominion and control, C) acts of God, D) sudden actions of the elements such as floods, earthquakes, hurricanes, or tornadoes, E) sabotage, F) vandalism beyond that which can be reasonably prevented by the Party, G) terrorism, H) war, I) riots, J) fire, K) explosion, L) severe cold or hot weather, M) snow, N) drought [a condition more severe than that which occurred in 2002 in the South Platte River Basin or any basin from which the Reusable Raw Water originates O) other extreme weather conditions, P) blockades, Q) insurrection, R) strike, slow down or labor disruptions (even if such difficulties could be resolved by conceding to the demands of a labor group); S) actions by federal, state, municipal, or any other government or agency (including but not limited to, the adoption or change in any rule or regulation or

environmental constraint imposed by federal, state or local government bodies) but only if such requirements, actions, or failures to act prevent or delay performance, T) inability, despite due diligence, to obtain required licenses, permits or approvals, and, U) changes of law relating to financial obligations, revenues and budgetary matters concerning Colorado local governments and their enterprises. In the event a force majeure event or condition prevents Aurora from delivering all or part of the agreed upon amounts of Reusable Raw Water to BURNCO, Aurora shall refund all advance payments made for that water not delivered within sixty (60) days of the conclusion of the force majeure event or the cancellation of the Agreement pursuant to the remaining provisions of this Paragraph. In no event will any delay or failure of performance caused by any conditions or events of force majeure extend this Agreement beyond its stated term. In the event any delay or failure of performance on the part of the Party claiming force majeure continues for an uninterrupted period of more than one hundred twenty (120) days from its occurrence or inception as noticed pursuant to this Paragraph, the Party not claiming force majeure may, at any time following the end of such one hundred twenty (120) day period, may terminate this Agreement upon written notice to the Party claiming force majeure, without further obligation except as to costs and balances incurred prior to the effective date of such termination.

## 19. Sole Obligation of Utility Enterprise.

- (a) This Agreement shall never constitute a general obligation or other indebtedness of the City of Aurora ("City"), or a multiple fiscal year direct or indirect debt or other financial obligation whatsoever of the City within the meaning of the Constitution and laws of the State of Colorado or of the Charter and ordinances of the City.
- (b) In the event of a default by Aurora's Utility Enterprise of any of its obligations under this Agreement, BURNCO shall have no recourse for any amounts owed to it against any funds or revenues of the City except for those revenues derived from rates, fees or charges for the services furnished by, or the direct or indirect use of, the Water System and deposited in the Water Enterprise Fund, as the terms "Water System" and "Water Enterprise Fund" as defined in Aurora's City Ordinance No. 2003-18, and then only after the payment of all operation and maintenance expenses of the Water System and all debt service and reserve requirements of any bonds, notes, or other financial obligations of the Utility Enterprise secured by a pledge of the net revenues of the Water Enterprise Fund. Notwithstanding any language herein to the contrary, nothing in this Agreement shall be construed as creating a lien upon any revenues of the Utility Enterprise or the City.

## 20. Miscellaneous.

- (a) <u>Intent of Agreement</u>. This Agreement is intended to describe the rights and responsibilities of and between the named Parties, and is not intended to, and shall not be deemed to confer rights upon any persons or entities not named as Parties, nor to limit in any way the powers and responsibilities of Aurora, BURNCO, or any other entity not a party hereto.
- (b) <u>Effect of Invalidity</u>. If any portion of this Agreement is held invalid or unenforceable for any reason by a court of competent jurisdiction as to either Party or as to both Parties, the entire Agreement will terminate.

- (c) <u>Waiver of Breach</u>. Waiver of breach of any of the provisions of this Agreement by either Party shall not constitute a continuing waiver of any subsequent breach by said Party of either the same or any other provision of this Agreement.
- (d) <u>Multiple Originals</u>. This Agreement may be simultaneously executed in any number of counterparts, each one of which shall be deemed an original, but all of which constitute one and the same Agreement.
- (e) <u>Headings for Convenience</u>. Headings and titles contained herein are intended for the convenience and reference of the Parties only, and are not intended to confine, limit, or describe the scope of intent of any provision of this Agreement.
- (f) <u>Recordation</u>. Following the execution of this Agreement, the Parties may cause this Agreement to be recorded with the Clerk and Recorder's Office of such county or counties in Colorado as they may desire.

## (g) Notice.

(1) All notices, requests, demands, or other communications ("Notice", and collectively, "Notices") hereunder shall be in writing and given by (i) established express delivery service which maintains delivery records requiring a signed receipt, (ii) hand delivery, or (iii) certified or registered mail, postage prepaid, return receipt requested to the Parties at the following address, or at such other address as the Parties may designate by Notice in the above manner.

To Aurora: City of Aurora

15151 East Alameda Parkway, Suite 3600

Aurora, CO 80012-1555

Attn: Deputy Director, Aurora Water

with copy to City of Aurora

15151 East Alameda Parkway, Suite 5300

Aurora, CO 80012-1555 Attn: City Attorney To BURNCO: BURNCO Colorado, LLC

10100 Dallas St.

Henderson, CO 80640 Milliken, CO 80543

Attn: Ron Douglas

with copy to Lyons Gaddis, PC

950 Spruce Street, Unit 1B Louisville, CO 80027

Attn: Madoline Wallace Gross

Notices shall be effective (iv) the next day following the date sent by an established express delivery service which maintains delivery records requiring a signed receipt, (v) upon receipt by the addressee of a hand delivery, or (vi) three (3) days following the date of mailing via certified or registered mail, postage prepaid, return receipt requested.

- (2) Notwithstanding the foregoing, the Parties may communicate with respect to extensions of the Term and modifications of the Delivery Schedule pursuant to Paragraphs 1 and 2, above, by e-mail or regular postal delivery service as follows: (i) to Aurora to John Murphy at <a href="mailto:jmurphy@auroragov.org">jmurphy@auroragov.org</a> or 15151 East Alameda Parkway, Suite 3600, Aurora, CO 80012-1555; and (ii) to Ron Douglas at <a href="mailto:jmurphy@auroc.com">jmurphy@auroragov.org</a> or 15151 East Alameda Parkway, Suite 3600, Aurora, CO 80012-1555; and (ii) to Ron Douglas at <a href="mailto:jmurphy@auroc.com">jmurphy@auroragov.org</a> or to such address as may be designated by Notice in the manner provided for under (1) of this Paragraph 20(g), above.
- (h) <u>Non-Business Days</u>. If any date for any action under this Agreement falls on a Saturday, Sunday or a day that is a "holiday" as such term is defined in Rule 6 of the Colorado Rules of Civil Procedure, then the relevant date shall be extended automatically until the next business day.
- (i) <u>Commissions and Fees</u>. Each Party shall be solely responsible for the payment of any and all real estate commissions or other commissions or fees that it incurs with respect to this Agreement.
- (j) <u>Governing Law and Venue</u>. This Agreement and its application shall be construed in accordance with the law of the State of Colorado. Should it be necessary to initiate court proceedings concerning this Agreement, the Parties agree that venue shall be in the District Court for Arapahoe County, Colorado.
- (k) <u>No Attorneys' Fees</u>. In the event of any litigation, mediation, arbitration or other dispute resolution process arising out of or related to this Agreement each Party agrees to be responsible for its own attorneys' and other professional fees, costs and expenses associated with any such proceedings.
- (l) <u>No Construction Against Drafter</u>. This Agreement was drafted by Aurora with review and comment from the attorney for BURNCO. Accordingly, the Parties agree the legal doctrine of construction against the drafter will not be applied should any dispute arise concerning this Agreement.

21. <u>Effective Date</u>. The "Effective Date" of this Agreement shall be the date it is signed by the General Manager of Aurora Water.

IN WITNESS WHEREOF, the Parties hereto have duly executed this Agreement as of the Effective Date.

(signatures on following pages)

# CITY OF AURORA, COLORADO, **ACTING BY AND THROUGH ITS** UTILITY ENTERPRISE (AURORA) Marshall P. Brown, General Manager Date APPROVED AS TO FORM FOR AURORA: Stephanie Neitzel, Assistant City Attorney Date ACS# STATE OF COLORADO COUNTY OF ARAPAHOE The foregoing instrument was acknowledged before me this \_\_\_\_\_ day of \_\_\_\_\_\_, 2024, by Marshall P. Brown, General Manager, acting on behalf of the Utility Enterprise of the City of Aurora, Colorado. Witness my hand and official seal. Notary Public My commission expires:

(SEAL)

# BURNCO COLORADO, LLC (BURNCO)

Ву:		
	Date	
STATE OF)		
) ss.		
COUNTY OF)		
The foregoing Agreement was acknowl	ledged before me this day of	,
2024, by,,		, of
BURNCO COLORADO, LLC.		
NY. 1 1 00 1 1		
Witness my hand and official seal		
	Notary Public	
My commission expires:		

# Exhibit A INOUYE PIT Water Delivery Schedule -25

Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25	Total
2.77	0.00	0.00	7.78	6.14	23.55	13.81	10.95	8.84	73.84



January 13, 2023

Jack Marvel, E.I.T. Civil Resources, LLC 323 Fifth Street P.O. Box 680 Frederick, CO 80530

Transmission via email: jack@civilresources.com

RE: SLURRY WALL LINER APPROVAL - PROVISIONAL

INOUYE PIT (EAST CELL) (WDID 0203984)

INOUYE GRAVEL PIT, DRMS M-2018-037 (WDID 0210533)

SW 1/4 OF SECTION 31, TOWNSHIP 2 NORTH, RANGE 66 WEST OF THE 6<sup>TH</sup> P.M.

WATER DIVISION 1, WATER DISTRICT 2, WELD COUNTY

#### Dear Jack Marvel:

The purpose of this letter is to provisionally approve the lining of the Inouye Pit (East Cell). The East Cell is located in the SW1/4 of Section 31, Township 2 North, Range 66 West of the 6<sup>th</sup> P.M. and is a part of the Inouye Gravel Pit (DRMS M-2018-037). The East Cell was lined with a soil bentonite slurry wall. The site is partially mined. This slurry wall liner leak test commenced on September 8, 2022 and concluded on December 7, 2022. A site inspection was performed by our office on July 12, 2022 to review site conditions and discuss the leak test plan.

Your report dated December 12, 2022 provides the liner summary and leak test results. The test data provided indicates that <u>liner meets the design standard</u> referenced in the August 1999 State Engineer Guidelines for Lining Criteria for Gravel Pits (1999 SEO Guidelines). **Meeting the design standard** requires that during reservoir operations all water inflows and outflows for the liner perimeter enclosed area be accounted for on a monthly basis.

This liner approval is applicable only during mining operations at the site and does not classify the structure as a reservoir capable of water storage. However, for the remainder of mining operations, water within the liner boundary is now classified as trapped native ground water. The trapped native ground water may be removed from within the lined area and returned to the stream system through surface flow or ground water recharge without the need for replacement so long as the operator does not put the water to beneficial use. All native trapped ground water remaining that is put to beneficial use (except for the water removed in product) must be replaced by the operator. All inflow of water into the liner boundary from any source, including precipitation and ground water inflows shall be removed by the pit operator so as not to cause out-of-priority storage. In order for the liner to be approved for water storage the operator must perform a final leak test once mining is complete and the site is at final grade. The final leak test will be allowed to have a modified duration of 45-days or less as long as the liner continues to satisfactorily operate during mining operations.

Please contact me at 303-866-3581 x8246 or at <a href="mailto:ioana.comaniciu@state.co.us">ioana.comaniciu@state.co.us</a> if you have any questions. Sincerely,

Ioana Comaniciu, P.E. Water Resource Engineer



Ec: Jorge Vidal, District 2 Water Commissioner (<u>Jorge.Vidal@state.co.us</u>) Louis Flink, Diversion Records Coordinator (<u>Louis.Flink@state.co.us</u>) WDID File (0203984 & 0210533)



July 25, 2024

Joe Krysa, E.I.T. Civil Resources, LLC 8303 Colorado Blvd. Firestone, CO 80504

Transmission via email: Joe@civilresources.com

RE: SLURRY WALL LINER APPROVAL - PROVISIONAL INOUYE PIT (WEST CELL) (WDID 0203999) INOUYE GRAVEL PIT, DRMS M-2018-037 (WDID 0210533) SW ¼ OF SECTION 31, TOWNSHIP 2 NORTH, RANGE 66 WEST OF THE 6<sup>TH</sup> P.M. WATER DIVISION 1, WATER DISTRICT 2, WELD COUNTY

#### Dear Joe Krysa:

The purpose of this letter is to provisionally approve the lining of the Inouye Pit (West Cell). The West Cell is located in the SW1/4 of Section 31, Township 2 North, Range 66 West of the 6<sup>th</sup> P.M. and is a part of the Inouye Gravel Pit (DRMS M-2018-037). The West Cell was lined with a soil bentonite slurry wall. The site is partially mined. This slurry wall liner leak test commenced on March 20, 2024 and concluded on June 19, 2024. A site inspection was performed by our office on May 1, 2024 to review site conditions and discuss the leak test plan.

Your report dated June 25, 2024 provides the liner summary and leak test results. The test data provided indicates that <u>liner meets the design standard</u> referenced in the August 1999 State Engineer Guidelines for Lining Criteria for Gravel Pits (1999 SEO Guidelines). Meeting the design standard requires that during reservoir operations all water inflows and outflows for the liner perimeter enclosed area be accounted for on a monthly basis.

This liner approval is applicable only during mining operations at the site and does not classify the structure as a reservoir capable of water storage. However, for the remainder of mining operations, water within the liner boundary is now classified as trapped native ground water. The trapped native ground water may be removed from within the lined area and returned to the stream system through surface flow or ground water recharge without the need for replacement so long as the operator does not put the water to beneficial use. All native trapped ground water remaining that is put to beneficial use (except for the water removed in product) must be replaced by the operator. All inflow of water into the liner boundary from any source, including precipitation and ground water inflows shall be removed by the pit operator so as not to cause out-of-priority storage. In order for the liner to be approved for water storage the operator must perform a final leak test once mining is complete and the site is at final grade. The final leak test will be allowed to have a modified duration of 45-days or less as long as the liner continues to satisfactorily operate during mining operations.

Please contact me at 303-866-3581 x8246 or at <a href="mailto:ioana.comaniciu@state.co.us">ioana.comaniciu@state.co.us</a> if you have any questions.

Sincerely,

Ioana Comaniciu, P.E.

Water Resource Engineer

Ec: Alec Hernanadez, District 2 Water Commissioner (<u>Jorge.Vidal@state.co.us</u>)
Louis Flink, Diversion Records Coordinator (<u>Louis.Flink@state.co.us</u>)
Andy Rodriguez, Civil Resources, LLC (<u>andy@civilresources.com</u>)
WDID File (0203999 & 0210533)





Curry - DNR, James <james.curry@state.co.us>

# Fwd: INOUYE\_SWSP\_2025\_Renewal\_WDID0202668

2 messages

**DWR - DNR**, **Permitsonline** <dnr\_dwrpermitsonline@state.co.us> To: James Curry - DNR <james.curry@state.co.us>

Mon, Jan 13, 2025 at 12:49 PM

For Laserfiche, pending payment. Receipt 10040227.

If you would like to check the status of a well permit application, please use this website: Well Permit Search.

DWR forms are available via the eForms Dashboard. Questions can be submitted through our AskDWR Portal.

Thank You,



P 303.866.3581x0

DWRPermitsOnline@state.co.us | dwr.colorado.gov/

----- Forwarded message -----

From: Andy Rodriguez <andy@civilresources.com>

Date: Mon, Jan 13, 2025 at 11:53 AM

Subject: INOUYE\_SWSP\_2025\_Renewal\_WDID0202668
To: Permitsonline DWR - DNR <dwrpermitsonline@state.co.us>

See attached INOUYE SWSP 2025 Renewal WDID0202668 2025 Renewal.

Andy Rodriguez, P.E.

Civil Resources, LLC


8308 Colorado Blvd Suite 200

Firestone, CO 80504

Phone: 303 833 1416 x202

Cell: 303 909 0776

www.civilresources.com



**DWR - DNR, Permitsonline** <dnr\_dwrpermitsonline@state.co.us> To: James Curry - DNR <james.curry@state.co.us>

Mon, Jan 13, 2025 at 1:52 PM

This has been paid.

Thank you.

If you would like to check the status of a well permit application, please use this website: Well Permit Search.

DWR forms are available via the eForms Dashboard. Questions can be submitted through our AskDWR Portal.

Thank You,



P 303.866.3581x0

DWRPermitsOnline@state.co.us | dwr.colorado.gov/

[Quoted text hidden]

2025\_01\_13\_10040227.pdf 3600K



# AUGMENTATION PLAN ACCOUNTING PROTOCOL May 2022

Accounting is an administrative tool to confirm water use is in accordance with a decree or other approval including that any required replacement is made to the stream system at the correct time, location, and amount. This guideline is subordinate to any decree language or Division Engineer specific accounting requirements. It describes basic augmentation plan accounting scenarios. The accounting for more complex scenarios can build on the fundamentals described herein.

#### **Contents**

Background and definitions	1
Methods to submit accounting  Accounting and Reporting Uploader (preferred)  Email	2 2 3
Timing of accounting submittal	3
Overall organization of accounting spreadsheet and required information per tab	4
Overall organization	4
Contact/Plan Information Tab	4
Input Tab(s)	5
Depletion & Obligation tab	8
Replacement tab	9
Summary Tab	9
DWR tab for Diversion Record Data Import	9
DWR Meters tab for Meter Reading Data Import	10
Version/Notes tab	10
Requirements and recommendations for all tabs	10
Example, Screenshots, and Spreadsheet Templates	11
Example & Screenshots: Augmentation Plan for Two Wells	11

#### 1. Background and definitions

A thorough description of augmentation plans for well pumping is available in the <u>Beginners</u> <u>Guide to Augmentation Plans for Wells</u>. The following terms are used in this document:



- **Diversions** are withdrawals from a well, stream, or pond/reservoir.
- **Depletions** are the volume of reduced streamflow caused by a diversion. Lagged depletions are those that occur at a later time than when water is diverted by well pumping or groundwater pond evaporation due to the timing of water movement through the subsurface between the well/groundwater pond and the stream.
- Hydrobase is DWR's database of water information.
- Colorado's Decision Support Systems ("CDSS") is a State of Colorado website (https://cdss.colorado.gov/) providing access to water data and tools.
- Replacement water is a volume of water provided to the stream system to replace
  depletions and satisfy the unmet needs of senior water rights. Replacement water is
  typically provided from a reservoir release or another source that has been contracted
  for the purpose of replacing depletions. Replacement water may also be provided in
  the form of historic consumptive use ("HCU") credits derived from a change of water
  right where the use of a water right was changed to augmentation.
- **Transit loss** is the diminishment of the amount of water in a stream as water travels from upstream to the downstream location.
- **Priority Admin Number** indicates the seniority of a water right; equal to the number of days between a water right's priority date and the earliest decreed priority, December 31, 1849. For example, the Priority Admin Number for a water right with a priority date of May 5, 1950 is 36650.00000. The lower the Priority Admin Number, the more senior the water right. The five digits to the right of the period are used when the postponement doctrine applies to a water right due to a delay in decreeing the water right in the court (read more about this in the <u>Administrative Call Standard</u>, Appendix A).
- Administrative Call is a term that indicates there are unfulfilled downstream water rights "calling" for curtailment of upstream junior water rights to fulfill their need. In accounting, when the downstream Administrative Call is from a senior water right (with a lower Priority Admin Number), diversions/depletions are out-of-priority and replacement water must be provided.
- **Balance** is the amount of replacement water minus the depletions and obligations, not considering the Administrative Call. The balance may be negative when the diversions resulting in the depletions are in priority.
- **Net Effect** is the amount of replacement water minus the depletions and obligations, considering the Administrative Call. When the net effect is zero or positive, it shows that the Augmentation Plan prevented injury by replacing all out-of-priority diversions/depletions.

#### 2. Methods to submit accounting

#### a. Accounting and Reporting Uploader (preferred)

The preferred method to submit accounting is through the use of the <u>CDSS Accounting</u> and <u>Reporting Uploader tool</u>. To set up an online account, call or email the Division contacts for the appropriate Water Division as shown in Table 1. Additional

information is available on DWR's website under Data and Information/Online Data Submittal.

#### b. Email

Submit via email to the Water Commissioner and the Division Accounting email shown in Table 1. File names for accounting sheets should include the 7 digit Augmentation Plan WDID assigned by the Division Engineer's office.

### 3. Timing of accounting submittal

Accounting must be submitted as specified by your decree, DWR administrative approval (SWSP, Replacement Plan, etc.), or as requested by the Division Engineer or designated representative(s). If timing is not specified, submit accounting with the timing shown in Table 1.<sup>1</sup>

Table 1. Accounting Submittal Emails and Phone Number by Division

Division	Accounting Question & Submittal Email	Contact Phone Number	Standard Submittal Timing
1 - South Platte	Div1Accounting@state.co.us	970-352-8712	30 days after the end of the reporting month
2 - Arkansas	water.reporting@state.co.us	719-542-3368	10 days after the end of the reporting month*
3 - Rio Grande	kevin.boyle@state.co.us	719-589-6683	10 days after the end of the reporting month
4 - Gunnison	greg.powers@state.co.us	970-249-6622	10 days after the end of the reporting month
5 - Colorado	dnr div5acct@state.co.us	970-945-5665	10 days after the end of the reporting month
6 - Yampa/White	brian.romig@state.co.us	970-846-0036	Annually by

<sup>&</sup>lt;sup>1</sup> For proper administration, Water Commissioners may request regular and direct submission of water data in addition to accounting submittals described herein.

			November 15 or as needed upon request
7 - San Juan/ Dolores	dnr div7acct@state.co.us	970-247-1845	10 days after the end of the reporting month**
Designated Ground Water Basins	chris.grimes@state.co.us	303-866-3851 ext. 8253	Annually by February 15 for the prior year

<sup>\*</sup>for approvals deemed critical for administration; all others (including simple subdivisions) bi-annual readings before and after the irrigation season

#### 4. Overall organization of accounting spreadsheet and required information per tab

#### a. Overall organization

The following are typical spreadsheet tab names in accounting. See the <u>example and</u> screenshots section for an overview of what this might look like:

- i. Contact/Plan Information tab
- ii. Input tab(s)
- iii. Depletions & Obligations tab
- iv. Replacement tab
- v. Summary tab
- vi. DWR tab
- vii. DWR Meters tab
- viii. Version/Notes tab

Fewer or additional tabs as necessary for more simple or complex accounting, subject to approval by the Division Engineer

#### b. Contact/Plan Information Tab

The accounting must provide the contact information including name and email address for:

- i. The party(s) responsible for submitting the accounting
- ii. The plan administrator and/or the plan attorney
- **iii.** Water court case number (format of YYCWXXXX), SWSP name and 4-digit Plan ID, or Ground Water Commission Order represented in the accounting.
- iv. The 7-digit overall WDID(s) associated with the augmentation plan (not the individual structure WDIDs).<sup>2</sup>

<sup>\*\*</sup>for approvals deemed critical for administration; annual submittals for others

<sup>&</sup>lt;sup>2</sup> Colorado Decision Support System Tools (<a href="https://dwr.state.co.us/Tools">https://dwr.state.co.us/Tools</a>) can be used to find WDIDs (see Structures), court case numbers (see Water Rights), and other supporting information.

#### c. Input Tab(s)

When possible, all cells showing diversion of water (well pumping and stream diversions) should be located on one or multiple input tabs as shown below. Cells with regular input, such as meter readings and reservoir releases, should be shaded a specifically identified color to distinguish them from cells that use formulas to convert or summarize the input.

Depending on the specific operation, the following may be included on Input tabs:

#### i. Estimated water use or evaporation:

When meters or measurement structures are not required, water consumption is estimated based on counts (number of homes, number of domestic animals, acreage of pond surface area, etc.) multiplied by a factor. Include a column or row for each of the following that are relevant to the augmentation plan:

- 1. Type of use: single family dwellings, domestic animals, area of lawn and garden (include units square feet or acres), area of pond evaporation (include units square feet or acres), etc.
- 2. Count or area input value for each type: the number of homes or domestic animals or the area (square footage or acres of home lawn and garden irrigation or pond surface evaporation). [this is the "Input" that could change regularly]
- 3. Factor to convert input to consumption in acre-feet.
- 4. Acre-feet of consumption.

#### ii. Well diversion data using flow meters:

Enter raw readings or measurements (e.g., from totalizing flow meters) and how those raw readings or measurements are converted to volumes of water. There should be one row or column for each well with a meter as described below. Once the spreadsheet formulas have been established, generally only the meter reading is entered with every submittal. The well and meter information may be located in a separate well & meter information tab (see <a href="example and screenshots">example and screenshots</a> section).

- Well WDID
- 2. Well Permit Number
- 3. Priority Admin Number
- 4. Flow Meter Serial Number
- 5. Reading Date

6. Reading<sup>3</sup> [this is the "Input" that will change regularly]
Enter reading exactly as shown on the face of the meter as a

<sup>&</sup>lt;sup>3</sup> A comment on the Meter Reading cell is used to note "Actual, Estimated, Corrected, or Calculated" for all wells subject to measurement rules when the entry is not based on a reading taken on the actual date specified.

non-negative integer.

#### 7. Comment

a. When a meter rolls over (such as from 999 to 000), is replaced or reset <sup>4</sup>, add a comment stating the old meter serial number, the maximum number before the rollover or replacement and then enter the number on the face of the meter at the end of the reporting period. Update the meter information section with the new meter's serial number.

#### 8. Meter information:

- a. Make
- b. Model
- c. The units represented by the digits on the meter (such as gallons or acre-feet)
- d. Multiplier for meter reading (if applicable)
  - i. Residential well meters typically have a multiplier of 1.0 with units of gallons. Readings should generally report all numbers on the face of the meter (including non-rotating digits) with a multiplier of 1.0.
  - ii. Larger agricultural or commercial wells typically read in acre-feet and typically have a decimal multiplier. For instance, with a multiplier of 0.001, a meter reading of 123456 represents 123.456 acre-feet.

#### e. Correction factor

i. This is a multiplier used when a meter test shows a need to correct the installed meter to an accurate reading. This will be 1.0 when there is not a test showing a need for correction.

#### 9. Acre-feet pumped

Use a formula to convert from the meter reading to acre-feet using the multiplier and correction factor. To convert meter readings in gallons to acre-feet, divide by 325,851.

#### iii. Well diversion data using Electricity Consumption

For wells approved to use power records and a Power Conversion Coefficient (PCC) to estimate water pumped, the accounting information is similar to well diversion data using flow meters (section 4.c.ii) above with the following replacements:

- 6. Power meter reading [this is the "Input" that will change regularly]
- 8. Power Meter Information
  - a. PCC

#### iv. Surface diversion data

Include a column or row for each surface diversion with the following information:

<sup>&</sup>lt;sup>4</sup> Resetting a meter may be prohibited by local well measurement rules.

- 1. Diversion structure name or a.k.a.
- 2. Structure WDID
- 3. Measured flow through the measurement structure and units
  - a. If more than one water right is diverted through the structure, there should be adjacent columns for each. Each source should have a designated column or row and labeling should include the measuring structure WDID and the source of the water (e.g. case number).
  - b. If there is a multiplier that adjusts the standard measurement-flow relationship to reflect the actual measurement-flow relationship of the specific structure ("shift"), the adjusted value should be reflected in a separate column.
- 4. Priority Admin Number
- 5. Storage and release

If the diversion is to storage, which will be followed by a release of water, follow the instructions in the <u>Reservoir Accounting Guideline</u>.

#### v. Administrative Call (are diversions in-priority?)

In portions of Colorado, there may be times when depletions are in-priority, and do not require replacement. Depletions are in-priority when other senior water rights on the stream system have enough water and are not "calling" for more water.

#### 1. Simplified (percent of month administrative call)

For certain basic accounting, such as subdivision well depletions, the Division Engineer may allow or apply an estimate of the days of expected administrative call each month. Typically, replacement water is provided based on projected call days, which is later compared to actual administrative call data to ensure that adequate replacement was provided. In this case, the accounting should have an input field either for the number of call days or the percentage of days in the month with a call.

#### 2. Daily record of administrative call

Provide a column that shows whether depletions are either "IN" or "OUT" of priority each day.

- Locations with minimal call variation: In areas with minimal variation in the call, the Division Office may not require a formula comparing Priority Admin Numbers, but will accept manual entries of "IN" or "OUT" of priority each day.
- All other locations: "IN" or "OUT" of priority is determined daily using formulas comparing the Priority Admin Number of depletions to the Priority Admin Number of the calling water right in each depleted stream reach. Include a column for each of the following:
  - The Priority Admin Number of the calling water right. Calling structure information can be obtained programmatically from:
    - CDSS <u>REST</u> services insert a link that pulls the required information directly from DWR's database.

CDSS Administrative Calls tool.

DWR accounting staff can provide guidance on incorporating this information within an accounting spreadsheet.

- The Name of the calling water right
- "In" or "Out"-of-priority either for all structures covered by the accounting or for each structure in its own column. Use a formula to compare the Priority Admin Number of the calling structure to the Priority Admin Number of the structure(s) in the accounting.

#### d. Depletion & Obligation tab

Used to (1) convert well pumping (and groundwater pond evaporation) to lagged depletions impacting the stream and (2) show lagged depletions that are out-of-priority, and (3) include any additional water obligations of the plan for augmentation.

- i. Calculate lagged depletions Although well pumping and modeling may use a monthly step function to determine the depletions from pumping, the monthly result may, if requested by the Division Office or required by decree, then be divided by the number of days in the month in order to calculate a daily impact for daily water administration.
  - 1. Well Pumping (or groundwater pond evaporation) Reference back to the Input tab for the acre-feet of water pumped or evaporated.
  - 2. Consumption factor (%) If the decree or approval describes that a percentage of the water pumped is consumed and only the consumed amount is replaced.
  - 3. Acre-feet consumed Multiply the acre-feet pumped by the consumption factor.
  - 4. Delay Factors show factors that convert pumping in one month to depletions in future months. These may be percentages per month, that total 100 percent over an extended period of time.
  - 5. Depletions a formula that combines previous months and present month pumping with the delay factors to determine depletions impacting the stream this month and in future months.
- ii. Out-of-priority depletions are combined into one column for each reach considering the administrative call information included on the Input tab.
- iii. Return flow obligations (if applicable): Replacement water sources changed from a historical irrigation use usually have a return flow obligation that must also be tracked in accounting. Return flow obligations are similar to depletions because they must be replaced in time, place, and amount. Depending on decree language and preference, return flow obligations may be included under the replacement tab in section 4.e. below. For each replacement source with return flow obligations, include the following:
  - the basis and volume of the return flow obligation,

- the location of the return flow obligation,
- replacement of the return flow obligation.

#### e. Replacement tab

List each structure providing replacement water, transit loss information, and volumes released:

- i. Structure providing replacement water: name of reservoir, ditch, well, leased or other replacement water, its WDID, and the water court decree allowing its use for augmentation or replacement. For instructions on accounting for replacement using recharge accretions, refer to specific recharge guidance.
- ii. Replacement water travel distance (miles)
  the distance from the point of release to the location of the out-of-priority
  depletion where replacement is owed
- iii. Transit loss percent per mile (%)
- iv. Total transit loss (%)
- v. Volume released (acre-feet)
- vi. Transit loss volume (acre-feet)
- vii. Volume delivered (acre-feet) equal to volume released minus transit loss volume
- viii. Return flow obligations (acre-feet): Depending on decree language as described above, these may be included here instead of in the depletion tab. See description under section 4.d. above.

#### f. Summary Tab

The Summary Tab is used to calculate the Net Effect of the Plan on each impacted stream reach. The summary should reference back to information and formulas in the other spreadsheet tabs. The summary tab compares obligations, replacements and that replacements equal or exceed obligations in time, place, and amount. The Summary tab should only summarize data and calculations located in other tabs of the accounting. It should not contain manual entries, input data, or make calculations that are used in other tabs.

The Summary Tab should contain the following for each impacted stream reach (typically on a daily basis or as required by the division office):

- i. Total depletions and obligations
- ii. Total replacement
- **iii.** Balance Total replacement minus total depletions and obligations, which may be negative when the diversions resulting in the depletions are in priority.
- iv. Net Effect Total replacement minus out-of-priority depletions and obligations. If the net effect is negative, the Plan resulted in injury.

## g. DWR tab for Diversion Record Data Import

A tab titled "DWR" can be used to convert data input or numbers calculated in other

tabs into rows that represent diversion record water classes, which DWR staff can upload to create official diversion records. When appropriate, DWR staff will develop this tab or work with plan owners to develop this tab, and ensure it follows the format shown in the "Diversion Record Spreadsheet User Guide" and utilizes water classes according to the Diversion Records Standard. This format is necessary to allow the records to be imported directly into Hydrobase.

#### h. DWR Meters tab for Meter Reading Data Import

A tab titled "DWR Meters" can be included for use in bulk uploading meter readings. This calculates pumping totals in compliance with well rules or to meet other Division-specific requirements. In order for this tab to be bulk uploaded into Hydrobase, the columns in this tab must be formatted as shown in the "User Guide - How to Bulk Upload Meter Readings".

#### i. Version/Notes tab

A tab to document changes in accounting formulas and the date of those changes.

#### 5. Requirements and recommendations for all tabs

- a. Accounting should show how raw input data is manipulated using formulas to determine the resulting impact on the river. Accounting must therefore include a functional spreadsheet (ie no pdfs) showing all operations, formulas, etc. to clearly show calculations.
- b. The use of a water year of November 1 through October 31 is required unless specifically decreed otherwise. When a different water year is required by decree, DWR may request additional months of data in the accounting to include the November 1 through October 31 time period, resulting in more than 12 months of data being reported.
- c. For all tabs other than the Summary tab, include running accounting for the entire water year without monthly subtotals. Monthly subtotals commonly result in errors in the spreadsheet. The Summary tab can be used as a place to show monthly totals.
- d. Date fields should be complete dates (month, day, and year, recognized as a date value by the spreadsheet software) but may be formatted to display as desired.
- e. Use consistent cell color shading to clearly identify the different types of information, such as manual input cells and formula cells (provide a legend for data types, see example below)
- f. Enter "0" in cells to document no diversion or use, rather than blanks, hyphens, or another character.
- g. When a formula is overwritten with a manual entry, the cell should be


- highlighted and a comment added for the reasoning.
- h. When there are multiple stream reaches involved, organize accounting from upstream to downstream.
- i. Footnotes should be utilized, as necessary, to describe the basis for formulas, calculations imposed on the raw input data, and column descriptions.

## 6. Example, Screenshots, and Spreadsheet Templates


Water users may request spreadsheet templates from their local division office for use as examples of how accounting may be assembled, but are responsible for developing their own functional accounting customized for their own Plan requirements. Note that example and actual accounting may have slightly different organization than what is described above.

#### Example & Screenshots: Augmentation Plan for Two Wells


#### 6.A (List of relevant tabs)




#### 6.B (Contact & Plan Information)




#### 6.C (Well & Meter Information)




6.D (Depletions & Obligations) - in this example, the Depletions & Obligations tab includes cells for entering meter readings, calculating well pumping over the period, and converting that to lagged depetions.



#### 6.E (Depletions & Obligations)




#### 6.F (Depletions & Obligations) - calculate lagged depletions for the month




Lagged Depletions should be calculated utilizing the Well Pumping data and the lagging method established by the relevant decree or SWSP (Stream depletion Factors or Glover Parameters).

# 6.G (Depletions & Obligations) - convert monthly lagged depletions to daily




### 6.H (Replacements)




Input information should be shaded differently than the calculated (cells with formulas) cells. Please provide a legend with the color/shading scheme.

## 6.I (Summary) - daily



The Balance column is the balance of Replacements and actual Depletions/Obligations regardless of whether the plan is in or out of priority. It is calculated by subtracting Depletions and Obligations from Replacements.

6.J (Summary) - a monthly summary table may be added at the bottom of the Summary tab below the daily summary



Net Effect is the Balance or Net Impact value with the priority of the plan included. Plans considered in priority may not be required to replace depletions. This column represents whether the Aug plan shows injury to the river or has sufficiently replaced its uses.



Water Administration 15151 E. Alameda Parkway, Suite 3600 Aurora, Colorado 80012 303.739.7370 Worth Discovering • auroragov.org

May 27, 2025

Mr. Ron Douglas BURNCO Colorado, LLC 10100 Dallas St. Henderson, CO 80640

Re: Agreement for Delivery of Reusable Raw Water

Dear Mr. Douglas:

This letter provides the City of Aurora's consent to continue the above-referenced agreement between the City of Aurora and BURNCO Colorado, LLC, dated May 22, 2023 ("Agreement") for an additional Lease Year (April 1, 2025, through December 31, 2025) for delivery of water pursuant to the Delivery Schedule attached to this letter. This consent is in response to the email request from Mr. Andy Rodriguez, representing BURNCO Colorado, LLC, requesting said continuance pursuant to the attached Delivery Schedule that modifies the original Delivery Schedule.

Extension of the Agreement for additional Lease Years is permitted under Paragraph 1 of the Agreement. Further, the Delivery Schedule for water under the Agreement may be modified and replaced pursuant to Paragraph 2 of the Agreement. The modified Delivery Schedule attached to this letter replaces the Delivery Schedule attached as Exhibit A to the Agreement. The Effective Date of the Agreement for the purposes of this additional Lease Year is the date of this letter. All other terms of the Agreement remain unchanged, and in full force and effect.

If you have any questions concerning this letter, please do not hesitate to contact John Murphy at the above telephone number.

Sincerely,

Dawn M. Jewell

South Platte Basin Water Resources Supervisor

City of Aurora, Colorado

Cc: John Murphy Andy Rodriguez

# Agreement for Lease of Firm Delivery of Reclaimed Wastewater

# Exhibit A Delivery Schedule

Contract Year 2025

(Acre-Feet)

Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25	Total
2.77	0.00	0.00	7.78	6.14	23.55	13.81	10.95	8.84	73.84

April 30, 2010

Permittee Address

RE: Mining Operations with Exposed Ground water

To Whom It May Concern:

The Division of Reclamation Mining and Safety is responsible for ensuring that Sand and Gravel mining operators comply with the requirements of the Colorado Land Reclamation Act for the Extraction of Construction Materials (Act) and the Mineral Rules and Regulations of the Colorado Mined Land Reclamation Board for the Extraction of Construction Materials (Rules). Among these requirements are provisions for the protection of water resources. The Act requires that reclamation plans must ensure minimization of disturbances to the prevailing hydrologic balance, including disturbances to the quantity of water in the area affected by mining and in the surrounding areas. § 34-32.5-116(4)(h). Rule 3.1.6(1)(a) requires compliance with Colorado water laws and regulations governing injury to existing water rights both during and after mining. Permits must specify how the permittee will comply with applicable Colorado water laws and regulations governing injury to existing water rights. Rule 6.3.3(j); Rule 6.4.5(2)(c). After an extensive review, the Division determined that several operators may not have appropriate permit conditions to address certain reclamation liabilities arising from impacts to water resources.

In September 2009 the Division of Water Resources (DWR) updated its Guidelines for Sand and Gravel Pits. These guidelines provide guidance on achieving compliance with state law regarding replacement of depletions from sand and gravel mining, thus the guidelines provide a benchmark for the protection of hydrologic balance required under the Act and Rules. As noted in the Guidelines, sand and gravel operations which expose groundwater without complying with state law create a reclamation liability by impacting available groundwater.

State law requires that any person exposing ground water must obtain a well permit from the SEO pursuant to § 37-90-137(11). Because exposed groundwater results in out-of-priority water depletions, operations which expose ground water must also eventually obtain a water-court approved augmentation plan. Currently, several operators do not have either an augmentation plan or bonding to provide an alternative method to mitigate injurious stream depletions that result from mining-related exposure of ground water. The Division has a statutory duty to ensure that lands affected by mining are reclaimed in a manner that complies with state law and to ensure that operators have sufficient bonding to achieve reclamation. In order to assist operators in achieving compliance with these requirements, the Division proposes that, by April 30, 2011, operators should contact the Division and agree upon a plan for achieving compliance.


The Division has identified four approaches for operators:

- 1. File a financial warranty that will ensure backfilling of the pit to cover the exposed ground water to a depth of two feet above the static ground water level or,
- 2. Obtain a court approved augmentation plan prior to exposing ground water or,
- 3. File a financial warranty to cover the cost of installing a clay liner or slurry wall that meets the Division of Water Resources requirements for preventing ground water exposure or,
- 4. Obtain approval from the Division of Water Resources that acknowledges compliance with the SEO's requirements pursuant to § 37-90-137(11).

The Division will work with operators on an individual basis as they move to implement one of these plans. It is likely that options 1 and 3 will require the submittal of a technical revision or an amendment to the existing permit depending on the nature of the current mining and reclamation plan and the proposed changes. Increased financial warranties, as a result of these modifications, may be posted in a phased manner not to exceed three years. Amendments or revisions currently under review will be required to be approved by April 30, 2011 and may use the phased financial warranty approach described above. New applications going forward or presently under review by the Division will be required to meet the requirements of one of the options 1-4 at the time of application approval. Failure of affected operators to initiate contact with the Division and gain compliance as described above could result in an enforcement action being issued by the Division.

If you have any questions, please contact Tony Waldron at 303-866-3567, extension 8150.

cc: Permit Id Site Name





#### Table 1 Inouye Gravel Mine

#### Evaporative Losses

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Proposed   Proposed	Month											Lagged Site
Mart   15.0%   6.00			Evaporation	Precipitation	Precipitation	Evapo	ration	Evaporation	Evaporation	Evaporation	Evaporation	Evaporation
Margin   135   58   135   095   095   095   0.00	_	Lvaporation	(inches)	(inches)	(inches)	(inches)	(feet)	(ac-ft)	(ac-ft)	(ac-ft)	(ac-ft)	(ac-ft)
	Jul-20	15.0%	6.60	1 37	0.96	5.64	0.47	0.00				0.00
New-96   4.97k   176												
Dec-20   Core   Core	Oct-20	7.0%	3.08	0.79	0.55	2.53	0.21	0.00				0.00
Jame  2	Nov-20	4.0%	1.76	0.59	0.41	1.35	0.11	0.00				0.00
Fabric   3.5%	Dec-20	0.0%	0.00	0.34	0.24	0.00	0.00	0.00				0.00
Mayor   1,291%   9,28												
June   14.5%												
Sept   10.0%												
Cocket   7.0%   3.08   0.79   0.55   2.53   0.21   0.22   0.28	-											
Dec-21   0.0%		7.0%	3.08	0.79	0.55	2.53	0.21	0.42				-0.38
Jane 22	Nov-21	4.0%	1.76	0.59	0.41	1.35	0.11	0.22				-0.38
Feb-22   3.5%   1.54   0.34   0.24   1.30   0.11   0.22												
Mary 22   5.5%   2.42   0.88   0.83   1.79   0.15   2.20   0.07   0.24   0.08   0.25   0.25   0.07   0.08   0.25   0.25   0.32   0.25   0.32   0.25												
Apr-22         9.0%         3.96         1.40         0.98         2.98         0.25         3.82         0.12         -0.87           May-22         12.6%         5.28         2.05         1.44         3.84         0.32         4.83         0.16         1.155           Jul-22         14.5%         6.80         1.37         0.98         5.84         0.47         7.24         0.22         2.257           Jul-22         15.0%         6.80         1.37         0.98         5.84         0.47         7.24         0.22         2.257           Aug-22         13.5%         5.94         1.35         0.98         3.71         0.31         4.76         0.15         0.31         4.34           Mov-22         4.0%         1.76         0.59         0.41         1.35         0.11         1.73         0.06         0.44         4.34           Mov-22         4.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00												
May-22   12.0%   5.28   2.05   1.44   3.84   0.32   4.83   0.16   1.55   1.45												
June 2												
July 21 15.0% 6.90 1.37 0.96 5.54 0.47 7.24 0.23 3.54 4.94 0.47   Sep 22 10.0% 4.40 0.99 0.69 3.71 0.31 4.76 0.15 0.15 4.94   Oct-22 7.0% 3.08 0.79 0.55 2.53 0.21 3.24 0.11 4.76   Dec 22 0.0% 0.00 0.34 0.24 0.00 0.00 0.00 0.00 0.00 0.00 0.0												
August   13.5%   5.94   1.35   0.95   4.99   0.42   6.41   0.21   4.451   0.21   4.451   0.21   4.451   0.21   4.451   0.21   4.451   0.21   4.451   0.21   4.451   0.21   4.451   0.22   7.0%   3.08   0.79   0.55   2.53   0.21   3.24   0.11   4.89   0.42   4.0%   1.76   0.59   0.41   1.35   0.11   1.73   0.06   4.46   0.451   0.22   4.0%   0.06   0.00   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.24   0.24   0.00   0.												
Sep-22         10.0%         4.40         0.99         0.69         3.71         0.31         4.76         0.15         4.49           Nev-22         4.0%         1.76         0.59         0.41         1.35         0.11         1.73         0.06         4.48           Nev-22         4.0%         1.76         0.59         0.41         1.35         0.11         1.73         0.06         4.48           Dec-22         0.0%         0.00         0.34         0.24         0.00 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>												
Oct-22   7.0%   3.08   0.79   0.55   2.53   0.21   3.24   0.11   4.48												
No-22												
Jan-22												
Feb-20   3.5%   1.54   0.34   0.24   1.30   0.11   1.67   0.05   2.29	Dec-22	0.0%	0.00	0.34	0.24	0.00	0.00	0.00		0.00		-3.75
Mar-23   5.5%   2.42   0.89   0.63   1.79   0.15   2.30   0.07   2.213	Jan-23	0.0%	0.00	0.37		0.00	0.00	0.00		0.00		-2.89
Apr22         9.0%         3.96         1.40         0.88         2.98         0.25         3.22         0.12         2-238           May-23         12.0%         5.28         2.05         1.44         3.44         0.32         4.16         0.16         0.27           Jul-23         14.5%         6.38         1.47         1.03         5.35         0.45         5.79         0.22         3.43           Jul-23         15.0%         6.60         1.37         0.96         5.64         0.47         6.10         0.23         4.22           Aug-23         15.0%         6.60         1.37         0.96         5.64         0.47         6.10         0.23         4.22           Sep-23         10.0%         4.40         0.99         0.89         3.71         0.31         4.01         0.15         5.27           Oct-23         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.11         5.13           Nov-23         4.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00 <td< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></td<>												
May-23         12 0%         528         2.05         1.44         3.84         0.32         4.16         0.16         2.276           Jun-23         14.5%         6.38         1.47         1.03         5.35         0.45         5.79         0.22         3.43           Jul-23         15.0%         6.60         1.37         0.96         5.64         0.47         6.10         0.23         4.29           Aug-23         13.5%         5.94         1.135         0.95         4.99         0.42         5.40         0.21         4.99           Sep-23         10.0%         4.40         0.99         0.89         3.71         0.31         4.01         0.15         5.227           Cet-23         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.11         5.32           Nov-23         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.06         4.43           Nov-24         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00												
Jun-23   14.5%   6.38   1.47   1.03   5.35   0.45   5.79   0.22   3.43     Jul-23   15.0%   6.60   1.37   0.96   5.64   0.47   6.10   0.23   4.29     Aug-23   13.5%   5.94   1.35   0.95   4.99   0.42   5.40   0.21   4.99     Sep-23   10.0%   4.40   0.99   0.69   3.71   0.31   4.01   0.15   5.27     Oct-23   7.0%   3.08   0.79   0.55   2.53   0.21   2.73   0.11   5.13     Dec-23   0.0%   0.00   0.34   0.24   0.00   0.00   0.00   0.00   0.00   0.00     Jan-24   0.0%   0.00   0.34   0.24   0.00   0.00   0.00   0.00   0.00   0.00     Mar-24   5.5%   2.42   0.89   0.63   1.79   0.15   1.94   0.28   0.07   -1.99     Apr-24   9.9%   3.96   1.40   0.98   2.98   0.52   3.25   4.99   0.42   5.40   0.00   0.21   4.75     Jun-24   15.0%   6.80   1.37   0.96   5.44   0.45   0.45   5.79   0.85   0.22   0.33     Jul-24   15.0%   6.80   1.37   0.96   5.44   0.47   6.10   0.89   0.22   0.33   4.22     Aug-24   13.5%   5.94   1.35   0.95   4.99   0.42   5.40   0.00   0.00   0.00   0.01   0.05     Nov-24   4.0%   1.76   0.59   0.41   1.35   0.11   1.46   0.00   0.01   0.05   0.21   4.75     Sep-24   10.0%   4.40   0.99   0.69   3.71   0.31   4.01   0.00   0.01   0.01   0.05   0.22   0.33     Nov-24   4.0%   1.76   0.59   0.41   1.35   0.11   1.46   0.00   0.00   0.01   0.05   0.20     Nov-24   4.0%   1.76   0.59   0.41   1.35   0.11   1.46   0.00   0.00   0.01   0.00   0.25     Peb-25   3.5%   1.54   0.34   0.24   1.30   0.11   1.41   0.00   0.05   0.05   0.00   0.												
Jul-23   15.0%   6.60   1.37   0.96   5.64   0.47   6.10   0.23   4.28     Aug-23   13.5%   5.94   1.35   0.95   4.99   0.60   3.71   0.31   4.01   0.15     Cet-23   7.0%   3.08   0.79   0.55   2.53   0.21   2.73   0.11   4.69     Nor-23   4.0%   1.76   0.59   0.41   1.35   0.11   1.46   0.06   4.63     Jan-24   0.0%   0.00   0.34   0.24   0.00   0.00   0.00   0.00   0.00   0.00     Jan-24   0.0%   0.00   0.37   0.26   0.00   0.00   0.00   0.00   0.00   0.00     Mar-24   3.5%   1.54   0.34   0.24   1.30   0.11   1.41   0.21   0.05     Mar-24   5.5%   2.42   0.89   0.63   1.79   0.15   1.94   0.28   0.07   0.12     Apr-24   9.0%   3.96   1.40   0.98   2.98   0.25   3.22   0.47   0.12   0.21     May-24   12.0%   5.28   2.05   1.44   3.84   0.32   4.16   0.61   0.61   0.16   0.26     Jun-24   13.5%   5.94   1.35   0.95   4.99   0.42   5.40   0.00   0.00   0.01   0.01     Aug-24   1.5%   6.80   1.37   0.96   5.54   0.47   0.17   0.18   0.00   0.01   0.00   0.23   0.23     Jul-24   10.0%   4.40   0.99   0.69   3.71   0.31   4.01   0.00   0.01   0.01   0.15   0.25     Sep-24   10.0%   4.40   0.99   0.69   3.71   0.31   4.01   0.00   0.01   0.01   0.15   0.26     Aug-24   7.0%   3.08   0.79   0.55   2.53   0.21   2.73   0.00   0.11   4.89     Oct-24   7.0%   3.08   0.79   0.55   2.53   0.21   2.73   0.00   0.11   4.89     Oct-24   7.0%   3.08   0.79   0.55   2.53   0.21   2.73   0.00   0.01   0.00   0.00   0.00     Dec-24   0.0%   0.00   0.34   0.24   1.30   0.11   1.41   0.00   0.00   0.00   0.00   0.00   0.00     Dec-24   0.0%   0.00   0.34   0.24   1.30   0.11   1.41   0.00												
Aug-23         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.21         4.99           Sep-23         10.0%         4.40         0.99         0.95         3.71         0.31         4.01         0.15         5.27           Oct-23         7.0%         3.08         0.79         0.55         2.83         0.21         2.73         0.11         5.51           Nov-23         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.06         4.83           Dec-23         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         0.24         4.83           Jan-24         0.0%         0.00         0.34         0.24         1.30         0.11         1.41         0.21         0.05         2.26           Mary-24         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.28         0.07         1.19           Apr-24         9.0%         3.396         1.40         0.99         2.98         0.25         3.22         0.47         0.12         2.218												
Sep-23         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.15         5.27           Oct-23         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.11         5.13           Nov-23         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.06         4.43           Dec-23         0.0%         0.00         0.34         0.24         0.00 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>												
Oct-23         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.11         -5.13           Nov-23         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.06         4.63           Jan-24         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         3.85           Jan-24         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         0.00         2.26           Feb-24         3.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.21         0.05         2.26           Apr-24         9.0%         3.96         1.40         0.98         2.98         0.25         3.22         0.47         -0.12         -2.18           May-24         1.20%         5.28         2.05         1.44         3.84         0.32         4.16         0.61         -0.16         -2.26           May-24         1.5%         5.28         2.05         1.44         3.84         0.32         4.16         0.61 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
Non-23   4.0%   1.76   0.59   0.41   1.35   0.11   1.46   0.06   4.63     Dec-23   0.0%   0.00   0.34   0.24   0.00   0.00   0.00   0.00   0.00   0.00   0.00     Sabstance												
Jan-24   0.0%   0.00   0.37   0.26   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.25												
Feb-24 Mar-24         3.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.21         0.05         -2.06           Mar-24 Par-24         9.0%         3.96         1.40         0.98         2.98         0.25         1.94         0.28         0.07         -1.198           May-24 Jun-24         12.0%         5.28         2.05         1.44         3.84         0.32         4.16         0.61         -0.16         -2.65           Jun-24 Jul-24         15.0%         6.60         1.37         0.96         5.84         0.47         6.10         0.89         -0.23         -4.20           Aug-24 13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         -4.75           Sep-24 10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         4.81           Oct-24 4 7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         -4.59           Nov-24 4 0.0%         0.0%         0.03         0.41         1.35         0.11         1.46         0.00         -0	Dec-23	0.0%	0.00	0.34	0.24	0.00	0.00	0.00	0.00	0.00		-3.85
Mar-24         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.28         0.07         -1.99           Apr-24         9.0%         3.96         1.40         0.98         2.98         0.25         3.22         0.47         -0.12         2.218           May-24         12.0%         5.28         2.05         1.44         3.84         0.32         4.16         0.61         -0.16         2.265           Jul-24         14.5%         6.38         1.47         1.03         5.35         0.45         5.79         0.85         -0.22         -3.35           Jul-24         15.0%         6.60         1.37         0.96         5.64         0.47         6.10         0.89         -0.22         -3.35           Aug-24         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         -4.75           Sep-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         4.81           Oct-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73 <td>Jan-24</td> <td>0.0%</td> <td>0.00</td> <td>0.37</td> <td>0.26</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td></td> <td>-2.53</td>	Jan-24	0.0%	0.00	0.37	0.26	0.00	0.00	0.00	0.00	0.00		-2.53
Apr-24         9.0%         3.96         1.40         0.98         2.98         0.25         3.22         0.47         -0.12         -2.18           May-24         12.0%         5.28         2.05         1.44         3.84         0.32         4.16         0.61         -0.16         -2.25           Jul-24         14.5%         6.38         1.47         1.03         5.35         0.45         5.79         0.85         -0.22         3.35           Jul-24         15.0%         6.60         1.37         0.96         5.84         0.47         6.10         0.89         -0.23         4.20           Aug-24         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         4.75           Age-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         4.81           Oct-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         4.59           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46	Feb-24											
May-24 by 12.0%         5.28 by 12.0%         2.05 by 1.44 by 1.03 by 1.45 b												
Jun-24         14.5%         6.38         1.47         1.03         5.35         0.45         5.79         0.85         -0.22         -3.35           Jul-24         15.0%         6.60         1.37         0.96         5.64         0.47         6.10         0.88         -0.23         -4.20           Aug-24         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         -4.75           Sep-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         -4.81           Oct-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         -4.59           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.06         -4.10           Dec-24         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         -0.26           Jan-25         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00 <td></td>												
Jul-24         15.0%         6.60         1.37         0.96         5.84         0.47         6.10         0.89         -0.23         -4.20           Aug-24         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         -4.75           Sep-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         4.81           Oct-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         -4.59           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.06         -4.10           Dec-24         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         -3.39           Jun-25         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         -2.60           Feb-25         3.5%         1.54         0.34         0.24         1.30         0.11         1.41												
Aug-24         13.5%         5.94         1.35         0.95         4.99         0.42         5.40         0.00         -0.21         -4.75           Sep-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         4.281           Nov-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         4.58           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.06         4.10           De-24         4.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         -0.06         4.10           De-24         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         -2.69           Jan-25         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.00         -0.07         -1.93           Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25								14				
Sep-24         10.0%         4.40         0.99         0.69         3.71         0.31         4.01         0.00         -0.15         -4.81           Oct-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.06         -4.10           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.06         4.10           Dec-24         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         -3.39           Jan-25         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         0.00         -2.60           Mar-25         0.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.00         -0.05         2.20           Mar-25         3.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.00         -0.05         2.20           Mar-25         5.5%         2.42         0.89         0.63         1.79         0.15												
Oct-24         7.0%         3.08         0.79         0.55         2.53         0.21         2.73         0.00         -0.11         -4.59           Nov-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.00         0.00         4.10           Dec-24         0.0%         0.00         0.34         0.24         0.00												
Nov-24 Dec-24         4.0%         1.76         0.59         0.41         1.35         0.11         1.46         0.00         -0.06         -4.10           Dec-24 Jan-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         -2.60           Feb-25         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         0.00         -2.60           Mar-25         0.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.00         -0.05         -2.69           Mar-25         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.00         -0.07         -1.83           Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25         3.18         0.00         0.00         0.00         0.00         1.93           Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25         3.18         0.00         0.00         0.00         0.00         0.00         0.01         1.93           Jul-25												
Dec-24 Jan-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.339           Jan-25 Jan-25         0.0%         0.00         0.37         0.26         0.00         0.00         0.00         0.00         0.00         -2.86           Feb-25 S.5%         0.00         0.034         0.24         1.30         0.11         1.41         0.00         -0.05         2.29           Mar-25 S.5%         2.42         0.69         0.63         1.79         0.15         1.94         0.00         -0.07         -1.93           Apr-25 S.5%         2.42         0.69         0.63         1.79         0.15         1.94         0.00         -0.07         -1.93           Apr-25 S.5%         2.42         0.69         0.68         2.98         0.25         3.18         0.00         0.00         0.00         0.01         1.93           Apr-25 Jun-25 S.5%         5.28         2.05         1.44         3.84         0.32         4.10         0.00         0.00         0.00         0.01         0.01         0.00         0.00         0.01         1.93           Jul-25 Jun-25 S.5%         6.60         1.37         0.96												
Feb-25         3.5%         1.54         0.34         0.24         1.30         0.11         1.41         0.00         -0.05         -2.09           Mar-25         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.00         -0.07         -1.53           Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25         3.18         0.00         0.00         0.00         -0.01           May-25         12.0%         5.28         2.05         1.44         3.84         0.32         4.10         0.00         0.00         0.01         0.61         -2.57           Jun-25         14.5%         6.38         1.47         1.03         5.35         0.45         5.71         0.00         0.00         0.05         0.85         -3.35           Jul-25         15.0%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.89         4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.00         0.79         4.72		0.0%	0.00	0.34	0.24	0.00	0.00	0.00		0.00		-3.39
Mar-25         5.5%         2.42         0.89         0.63         1.79         0.15         1.94         0.00         -0.07         -1.93           Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25         3.18         0.00         0.00         0.00         0.00         -1.91           May-25         12.0%         5.28         2.05         1.44         3.84         0.32         4.10         0.00         0.00         0.61         -2.57           Jun-25         14.5%         6.38         1.47         1.03         5.35         0.45         5.71         0.00         0.00         0.85         -3.35           Jul-25         15.5%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.89         -4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.07         0.79         -4.72           Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.00         0.00         0.09									0.00 0.00			
Apr-25         9.0%         3.96         1.40         0.98         2.98         0.25         3.18         0.00         0.00         0.00         0.00         -1.91           May-25         12.0%         5.28         2.05         1.44         3.84         0.32         4.10         0.00         0.00         0.61         2.257           Jun-25         14.5%         6.38         1.47         1.03         5.35         0.45         5.71         0.00         0.00         0.85         3.33           Jul-25         15.0%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.89         -4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.00         0.79         -4.72           Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.00         0.59         4.90           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.00									0.00 -0.05			
May-25         12.0%         5.28         2.05         1.44         3.84         0.32         4.10         0.00         0.00         0.61         -2.57           Jun-25         14.5%         6.38         1.47         1.03         5.35         0.45         5.71         0.00         0.00         0.85         -3.35           Jul-25         15.0%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.89         -4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.07         -4.72           Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.59         -4.90           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.00         0.01         -3.35												
Jun-25         14.5%         6.38         1.47         1.03         5.35         0.45         5.71         0.00         0.00         0.85         -3.35           Jul-25         15.0%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.89         -4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.79         -4.72           Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.59         -4.50           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         4.14           Dec-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00									0.00 0.00			
Jul-25         15.0%         6.60         1.37         0.96         5.64         0.47         6.01         0.00         0.00         0.00         0.89         -4.15           Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.79         4.72           Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.05         5.99         4.90           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         -4.14           De-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         0.00         0.33         3.35												
Aug-25         13.5%         5.94         1.35         0.95         4.99         0.42         5.33         0.00         0.00         0.79         -4.72           Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.59         -4.90           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         -4.14           De-25         0.0%         0.00         0.34         0.24         0.00												
Sep-25         10.0%         4.40         0.99         0.69         3.71         0.31         3.95         0.00         0.00         0.59         -4.90           Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         -4.14           Dec-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         -4.90												
Oct-25         7.0%         3.08         0.79         0.55         2.53         0.21         2.69         0.00         0.00         0.40         -4.67           Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         -4.14           Dec-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         -3.35												
Nov-25         4.0%         1.76         0.59         0.41         1.35         0.11         1.44         0.00         0.00         0.21         -4.14           Dec-25         0.0%         0.00         0.34         0.24         0.00         0.00         0.00         0.00         0.00         0.00         0.00         -3.35												
Dec-25 0.0% 0.00 0.34 0.24 0.00 0.00 0.00 0.00 0.00 0.00 -3.35												
an Perios 85% 44.00 10.4 7.3 30.4 2.5 32.4 0.0 0.0 43 .33.8												
	an Perios	85%	44.00	10.4	7.3	30.4	2.5	32.4	0.0	0.0	4.3	-33.8

<sup>(1)</sup> Based on SB 120 for gravel pits at elevations below 6,500 feet, readjusted for ine-cover months.

(2) Percent of Annual Exporation times 44.0 inches. Assume zero expansion during months with ice coverage (January & Denember).

(3) From Western Regional Climate Center, (http://www.wco.cdri.ed.vi/), see Appendix A.

(4) Equals Column (3) times 70%.

(5) Equals Column (3) times 70%.

(6) Equals Column (5) divided by 12 horbes.

(7) Equals the monthly values in Column (6) times the exposed groundreater for the vest all pood.

(6) Equals the monthly values in Column (6) times the exposed groundreater for the vest all pood.

(6) Equals the monthly values in Column (6) times the exposed groundreater for the vest mins.

(6) Equals the monthly values in Column (6) times the exposed groundreater for the explosed place.

(6) Equals the monthly values in Column (6) times the exposed groundreater for the vest mins.

(6) Equals the monthly values in Column (6) times the people of the explosed place in April 24.1.

(10) Equals the monthly values in Column (6) times the people of the explosed place in April 24.1.

(11) Based on SEO Glever calculations: X-3,512 and 813 and 2450 and 785 feet, W=5,001 tt, T=140,000 groff it & S=0.2.

#### Table 1a Inouye Gravel Mine

#### Lagged Evaporative Losses

					Layy	eu Evaporativi	e Losses						
A	WAS Input - Eva	ap West Silt											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.06	0.08	0.11	0.70	0.62	0.62	0.42	0.22	0.00	2.85
2022	0.00	0.22	2.30	3.82	4.93	6.86	7.24	6.41	4.76	3.24	1.73	0.00	41.51
2023	0.00	1.67	2.30	3.22	4.16	5.79	6.10	5.40	4.01	2.73	1.46	0.00	36.86
										2.73			36.24
2024	0.00	1.41	1.94	3.22	4.16	5.79	6.10	5.40	4.01		1.46	0.00	
2025	0.00	1.41	1.94	3.18	4.10	5.71	6.01	5.33	3.95	2.69	1.44	0.00	35.75
2026													
	UMAC O E	West Cit											
2020	AWAS Output - E 0.00	vap - vvest Siit 0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	-0.02	-0.03	-0.08	-0.21	-0.31	-0.38	-0.38	-0.34	-1.75
2022	-0.27	-0.21	-0.30	-0.79	-1.53	-2.41	-3.45	-4.32	-4.78	-4.76	-4.37	-3.70	-30.89
2023	-2.86	-2.24	-2.07	-2.18	-2.58	-3.20	-4.05	-4.77	-5.12	-5.02	-4.57	-3.85	-42.51
2024	-2.53	-1.98	-1.82	-1.89	-2.21	-2.73	-3.44	-4.04	-4.33	-4.24	-3.86	-3.25	-36.32
2025	-2.5	-1.96	-1.8	-1.87	-2.19	-2.7	-3.4	-3.99	-4.28	-4.19	-3.81	-3.2	-35.89
2026													
A	AWAS Input - Eva												
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2022	0.00	0.00	0.07	0.12	0.16	0.22	0.23	0.21	0.15	0.11	0.06	0.00	0.00
2023	0.00	0.05	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
2024	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2025	0.00	0.05	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
2026													
A	WAS Output - E	vap - East Phase											
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2022	0.00	0.00	-0.04	-0.08	-0.12	-0.16	-0.19	-0.19	-0.16	-0.13	-0.09	-0.05	-1.21
2023	-0.03	-0.05	-0.06	-0.03	-0.02	-0.01	-0.01	-0.01	0.00	0.00	0.00	0.00	-0.22
2024	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2024		0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00
2026	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2020													
	AWAS Input - Eva	an West Mine											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2022	0.00						0.00						0.00
		0.00	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	
2023	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2024	0.00	0.21	0.28	0.47	0.61	0.85	0.89	0.00	0.00	0.00	0.00	0.00	0.21
2025	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2026													
		vap - West Mine											
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2022	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2023	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2024	0.00	-0.03	-0.10	-0.17	-0.28	-0.40	-0.53	-0.50	-0.33	-0.24	-0.18	-0.14	-2.90
2025	-0.10	-0.08	-0.06	-0.04	-0.03	-0.03	-0.02	-0.01	-0.01	-0.01	-0.01	0.00	-0.40
2026													
A	AWAS Input - Eva	ap WWTP Mine											
													Total
2020													0.00
2021													0.00
2022													0.00
2023													0.00
2024													0.00
2025	0.00	0.00	0.00	0.00	0.61	0.85	0.89	0.79	0.59	0.40	0.21	0.00	4.34
2026													
A	WAS Output - E	vap - WWTP Mine											
2020													0.00
2021													0.00
2022													0.00
2023													0.00
2024													0.00
2025	0	0	0	0	-0.35	-0.62	-0.73	-0.72	-0.61	-0.47	-0.32	-0.15	-3.97
2026	U	v	v	v	0.00	0.02	-0.10	0.12	0.01	0.41	0.02	0.10	-0.01
2020													

#### Table 2a Inouye Gravel Mine

#### Operational Losses

Jul-20 Aug-20 Sep-20 Oct-20 Oct-20 Jan-21 Feb-21 Jan-21 Ju	Percent of Annual Aggregate Production  13.9% 12.5% 9.6% 5.5% 4.6% 3.8% 3.8% 12.5% 9.6% 12.5% 9.6% 13.9% 13.	Amount of Aggregate Production  (2073)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Water Lost With Mined Aggregate  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	Amount of Concrete Production  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Water Lost In Concrete Batching  (scre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	Water Used for Dust Control  (acre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	Water Used   In   Slurry Wall   (acre-feet)	Total Operational Losses West Silt Pond (acro-feet)  0.00 0.00 0.00	Total Operational Losses East Mine (acre-feet)	Total Operational Losses West Mine (acre-feet)	Total Operational Losses WWTP Mine (scre-feet)	Total Lagged Operational Losses (scre-feet)
ug-20 ep-20 ct-20 lov-20 ec-20 ec-21 lar-21 lar-21 lur-21 un-21 uug-21 ep-21 let-21	13.9% 12.5% 4.6% 5.5% 4.6% 5.5% 12.5% 13.9% 13.9% 13.9%	Production   (torns)	Aggregate (sore-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	Production   ()(σ <sup>4</sup> )	(sore-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	Control (scre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00	(acre-feet)  0.00 0.00 0.00 0.00 0.00	Losses West Silt Pond (exre-feet)  0.00 0.00 0.00	Losses East Mine	Losses West Mine	Losses WWTP Mine	Losses (acre-feet)
ug-20 ep-20 ct-20 ov-20 ec-20 an-21 ar-21 pr-21 ay-21 ug-21 ug-21 ug-21 ct-21 ct-21	13.9% 12.5% 9.6% 5.5% 4.6% 3.8% 4.6% 3.8% 12.5% 13.9% 13.9% 13.9%	(tons)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 16,150 68,950	(acre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	0 0 0 0 0 0	(scre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	(acre-feet)  0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	West Silt Pond (scre-feet) 0.00 0.00 0.00	East Mine	West Mine	WWTP Mine	(acre-feet)
ug-20 ep-20 ct-20 ov-20 ec-20 an-21 ar-21 pr-21 ay-21 ug-21 ug-21 ug-21 ct-21 ct-21	13.9% 12.5% 9.6% 5.5% 4.6% 3.8% 3.8% 5.5% 9.6% 12.5% 13.9% 13.9%	0 0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00				
ug-20 ep-20 ct-20 ov-20 ec-20 an-21 ar-21 pr-21 ay-21 ug-21 ug-21 ug-21 ct-21 ct-21	12.5% 9.6% 5.5% 4.6% 3.8% 4.6% 5.5% 9.6% 12.5%	0 0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00	(acre-feet)	(acre-feet)	(acre-feet)	
ug-20 ep-20 ct-20 ov-20 ec-20 an-21 eb-21 iar-21 pr-21 ay-21 un-21 ulg-21 ulg-21 ep-21 ct-21	12.5% 9.6% 5.5% 4.6% 3.8% 4.6% 5.5% 9.6% 12.5%	0 0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00				0.00
ug-20 ep-20 ct-20 ov-20 sc-20 in-21 eb-21 ar-21 or-21 ii-21 ii-21 ug-21 ep-21 ct-21	12.5% 9.6% 5.5% 4.6% 3.8% 4.6% 5.5% 9.6% 12.5%	0 0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00				
ep-20 ct-20 ov-20 ec-20 an-21 eb-21 lar-21 pr-21 ay-21 un-21 ul-21 ug-21 ep-21 ct-21	9.6% 5.5% 4.6% 3.8% 3.8% 4.6% 5.5% 9.6% 12.5% 13.9% 12.5%	0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0 0 0 0 0	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00	0.00			1	0.00
ct-20 ov-20 ec-20 an-21 eb-21 dar-21 pr-21 lay-21 un-21 ul-21 ug-21 ep-21	5.5% 4.6% 3.8% 4.6% 5.5% 9.6% 12.5% 13.9% 12.5%	0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0 0 0 0	0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00			1		0.00
ec-20 an-21 eb-21 lar-21 pr-21 lay-21 un-21 ul-21 ul-21 ep-21	3.8% 3.8% 4.6% 5.5% 9.6% 12.5% 13.9% 12.5%	0 0 0 0 0 0 0 0 16,150 68,950	0.00 0.00 0.00 0.00 0.00	0 0 0	0.00	0.00	0.00	0.00				0.00
an-21 leb-21 lar-21 lay-21 lay-21 un-21 ul-21 lug-21 lep-21	3.8% 4.6% 5.5% 9.6% 12.5% 13.9% 13.9% 12.5%	0 0 0 0 0 0 16,150 68,950	0.00 0.00 0.00 0.00	0 0 0	0.00			0.00				0.00
eb-21 lar-21 .pr-21 lay-21 un-21 ul-21 .ug-21 ep-21	4.6% 5.5% 9.6% 12.5% 13.9% 13.9% 12.5%	0 0 0 0 16,150 68,950	0.00 0.00 0.00	0		0.00	0.00	0.00				0.00
lar-21 .pr-21 lay-21 un-21 ul-21 .ug-21 ep-21	5.5% 9.6% 12.5% 13.9% 13.9% 12.5%	0 0 0 16,150 68,950	0.00 0.00	0	0.00	0.00	0.00	0.00				0.00
un-21 un-21 un-21 ul-21 ug-21 iep-21 Oct-21	9.6% 12.5% 13.9% 13.9% 12.5%	0 0 16,150 68,950	0.00			0.00	0.00	0.00				0.00
May-21 Jun-21 Jul-21 Aug-21 Sep-21 Oct-21	12.5% 13.9% 13.9% 12.5%	0 16,150 68,950	0.00	0	0.00	0.00	0.00	0.00				0.00
un-21 ul-21 ug-21 iep-21 Oct-21	13.9% 13.9% 12.5%	16,150 68,950			0.00	0.00	0.00	0.00				0.00
lul-21 Aug-21 Sep-21 Oct-21	13.9% 12.5%	68,950	0.48	0	0.00	0.00	0.00	0.00				0.00
Aug-21 Sep-21 Oct-21	12.5%		0.00	0	0.00	0.00	0.00	0.48				-0.02
Sep-21 Oct-21			2.03 1.85	0	0.00	0.00	0.00	2.03 1.85				-0.19 -0.58
Oct-21		62,720 36,000	1.05	0	0.00	0.00	0.00	1.06				-0.86
	5.5%	0	0.00	0	0.00	0.24	0.00	0.24				-0.89
	4.6%	55,000	1.62	0	0.00	0.24	0.00	1.86				-0.84
Dec-21	3.8%	55,000	1.62	0	0.00	0.24	0.00	1.86				-1.04
Jan-22	3.8%	55,000	1.62	0	0.00	0.24	0.00	1.86				-1.24
eb-22	4.6%	34,571	1.02	0	0.00	0.24	0.00	1.26				-1.36
Mar-22	5.5%	41,348	1.22	0	0.00	0.24	0.00	0.24	1.22			-1.96
Apr-22	9.6%	72,129	2.12	0	0.00	0.24	3.50	0.24	5.62			-4.37
May-22	12.5%	93,721	2.76	0	0.00	0.24	3.50	0.24	6.26			-5.59
Jun-22	13.9%	104,250	3.07	0	0.00	0.24	3.50	0.24	6.57			-6.08
Jul-22	13.9%	104,518	3.07	0	0.00	0.24	0.00	0.24	3.07			-4.42
lug-22	12.5%	93,721	2.76	0	0.00	0.24	0.00	0.24	2.76			-3.58
Sep-22	9.6%	72,129	2.12	0	0.00	0.24	0.00	0.24	2.12			-3.05
Oct-22	5.5% 4.6%	41,348	1.22 1.02	0	0.00	0.24 0.24	0.00	0.24 0.24	1.22 1.02			-2.32 -1.90
Nov-22 Dec-22	3.8%	34,571 28,714	0.84	0	0.00	0.24	0.00	0.24	0.84			-1.61
Jan-23	3.8%	28,714	0.84	0	0.00	0.24	0.00	0.24	0.84			-1.46
Feb-23	4.6%	34,571	1.02	0	0.00	0.24	0.00	0.24	1.02			-1.46
Mar-23	5.5%	41,348	1.22	0	0.00	0.24	0.00	0.24	1.22			-1.54
Apr-23	9.6%	72,129	0.00	0	0.00	0.24	0.00	0.24	0.00	0.00		-0.89
May-23	12.5%	93,721	0.00	0	0.00	0.06	0.00	0.06	0.00	0.00		-0.58
lun-23	13.9%	104,250	0.00	0	0.00	0.06	4.00	0.06	0.00	4.00		-1.02
Jul-23	13.9%	104,518	0.00	0	0.00	0.15	4.00	0.15	0.00	4.00		-1.99
Aug-23	12.5%	93,721	0.00	0	0.00	0.18	4.00	0.18	0.00	4.00		-2.55
Sep-23	9.6%	72,129	0.00	0	0.00	0.12	0.00	0.12	0.00	0.00		-2.37
Oct-23	5.5%	41,348	0.00	0	0.00	0.12	0.00	0.12	0.00	0.00		-1.60
Nov-23	4.6%	34,571	0.00	0	0.00	0.12	0.00	0.12	0.00	0.00		-1.22
Dec-23	3.8%	28,714	0.84	0	0.00	0.17	0.00	0.17	0.00	0.84		-1.06
Jan-24	3.8%	28,714	0.84	0	0.00	0.09	0.00	0.09	0.00	0.84		-1.09
eb-24	4.6%	34,571	1.02	0	0.00	0.09	0.00	0.09	0.00	1.02		-1.09
Mar-24 Apr-24	5.5% 9.6%	41,348 72,129	1.22 2.12	0	0.00	0.21	0.00	0.21	0.00	1.22 2.12		-1.14 -1.34
May-24	12.5%	93,721	2.76	0	0.00	0.15	0.00	0.15	0.00	2.12		-1.72
un-24	13.9%	104,250	3.07	0	0.00	0.32	0.00	0.32	0.00	3.07		-2.13
ul-24	13.9%	104,518	3.07	0	0.00	0.32	0.00	0.32	0.00	3.07	į į	-2.46
lug-24	12.5%	93,721	2.76	0	0.00	0.32	0.00	0.32	0.00	0.00	1	-2.25
Sep-24	9.6%	72,129	2.12	0	0.00	0.32	0.00	0.32	0.00	0.00		-1.60
Oct-24	5.5%	41,348	1.22	0	0.00	0.32	0.00	0.32	0.00	0.00		-1.27
lov-24	4.6%	34,571	1.02	0	0.00	0.32	0.00	0.32	0.00	0.00		-1.04
Dec-24	3.8%	28,714	0.84	0	0.00	0.32	0.00	0.32	0.00	0.00		-0.86
an-25	3.8%	28,714	0.84	0	0.00	0.32	0.00	0.32	0.00	0.00		-0.73
eb-25	4.6%	34,571	1.02	0	0.00	0.32	0.00	0.32	0.00	0.00		-0.63
lar-25	5.5%	41,348	1.22	0	0.00	0.32	0.00	0.32	0.00	0.00		-0.55
pr-25	9.6%	72,129	2.12	0	0.00	0.32	0.00	0.32	0.00	0.00	0.00	-0.49
lay-25	12.5%	93,721	2.76	0	0.00	0.32	4.00	0.32	0.00	0.00	4.00	-2.75
un-25	13.9%	104,250	3.07	0	0.00	0.32	4.00	0.32	0.00	0.00	4.00	-3.58
ul-25	13.9%	104,518	3.07	0	0.00	0.32	4.00	0.32	0.00	0.00	4.00	-3.78
ug-25	12.5%	93,721	2.76	0	0.00	0.32	0.00	0.32	0.00	0.00	2.76	-3.20
Sep-25	9.6%	72,129	2.12	0	0.00	0.32	0.00	0.32	0.00	0.00	2.12	-2.67
Oct-25 Nov-25	5.5% 4.6%	41,348 34,571	1.22 1.02	0	0.00	0.32 0.32	0.00	0.32 0.32	0.00 0.00	0.00	1.22 1.02	-2.02 -1.69
Nov-25 Dec-25	3.8%	28,714	0.84	0	0.00	0.32	0.00	0.32	0.00	0.00	0.84	-1.69
	0.070	20,117	V.UT		0.00	0.02	5.50	0.02	5.00	0.00	0.04	1
Plan Period	86%	750,000	19.0	0	0.0	2.9	12.0	2.9	0.0	0.0	20.0	-21.7

<sup>(1)</sup> Equila Column (2) morthly values divided 500,000 tons/year.
(2) Beard on information from S.W. Mondows, LLC.
(3) Equila Column (2) more 3,000 filmes % oldeded by 62,4 divided by 43,560.
(4) Beard on information from S.W. Mondows, LLC.
(5) Equila Column (1) times 2006 for older by pr.y of concrete divided by 62,4 divided by 43,560.
(5) Equila Column (1) times 2006 for view per y/of concrete divided by 62,4 divided by 43,560.
(7) Equila Column (3) As Column (5) As Column (6) As Column (6) As Individenced registers, largely passed on SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(9) Individenced registers, largely passed on SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(11) Individenced registers, largely passed on SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(13) Individenced registers, largely passed on SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(14) Individence of cylindens. Segregation of SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(15) Individence of cylindens. Segregation of SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(16) Individence of cylindens. Segregation of SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(17) Equil paged cylindens. Segregation of SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(18) Equil paged cylindens. Segregation of SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(19) Equil paged cylindens. Segregation of SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(19) Equil paged cylindens. Segregation of SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(19) Equil paged cylindens. Segregation of SSC Olivon colladations. Xx13,952, Wx5,001 8, T=140,000 gadd 8, S=0.2.
(19) Equil paged cylindens. Segregation of SSC Olivon colladat

#### Table 2b Inouye Gravel Mine

Lagged - Operational Losses AWAS Input - Operations West Silt Pond Total Mar Apr May Jun Oct Jan Feb 2020 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.48 1.06 0.24 1.86 1.86 2021 2.03 9.38 2022 1.86 1.26 0.24 0.24 0.24 0.24 0.24 0.24 0.24 0.24 0.24 0.24 5.52 2023 0.24 0.24 0.24 0.24 0.06 0.06 0.15 0.18 0.12 0.12 0.12 0.17 1.95 2024 0.21 0.32 0.32 0.32 0.32 3.07 0.09 0.09 0.28 0.32 0.32 0.32 2025 0.32 0.32 0.32 0.32 0.32 0.32 0.32 0.32 0.32 0.32 0.32 0.32 3.84 2026 AWAS Output - Operations West Silt Pond 2.88 0 2020 0 0 0 0 0.00 -0.02 -0.19 -0.58 -1.04 2021 -0.86 -0.89 -4.42 0 0 2022 -1.24 -1.36 -1.31 -1.08 -0.88 -0.72 -0.6 -0.51 -0.45 -0.4 -0.36 -0.33 -9.24 2023 -0.31 -0.29 -0.28 -0.27 -0.25 -0.21 -0.18 -0.17 -0.17 -0.16 -0.15 -0.14 -2.58 2024 -0.15 -0.13 -0.14 -0.15 -0.21 -0.24 -0.26 -0.27 -0.29 -0.29 -2.44 2025 -0.3 -0.31 -0.31 -0.31 -0.31 -0.32 -0.32 -0.32 -0.32 -0.32 -0.32 -0.32 -3.78 2026 AWAS Input - Operations East Mine Sep 0.00 Oct 0.00 Nov 0.00 Jan Feb Mar Apr May Jun Jul Aug 0.00 Total 2020 0.00 0.00 0.00 2021 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 6.57 2022 0.00 0.00 1.22 5.62 6.26 3.07 2.76 2.12 1.22 1.02 0.84 30.70 2023 0.84 1.02 1.22 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 3.08 2024 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2025 0.00 2026 AWAS Output - Operations East Mine 2020 0.00 0 0 2021 0 0 0 0 0 0.00 2022 -0.65 -3.29 -4.71 -5.36 -3.82 -3.07 -2.6 -1.92 -1.54 -1.28 -28.24 2023 -1.15 -1.17 -1.26 -0.62 -0.33 -0.24 -0.18 -0.14 -0.1 -0.08 -0.06 -0.04 -5.37 2024 -0.01 -0.01 -0.03 -0.03 -0.02 -0.01 -0.01 0 0 0 -0.12 2025 2026 AWAS Input - Operations West Mine Apr 0.00 Aug 0.00 Sep 0.00 Mar May Jun Jul Oct Total 2020 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2021 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2022 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2023 0.00 0.00 0.00 0.00 0.00 4.00 4.00 4.00 0.00 0.00 0.84 12.84 2024 0.84 1.02 1.22 2.12 2.76 3.07 3.07 0.00 0.00 0.00 0.00 14.10 0.00 0.00 2026 AWAS Output - Operations West MINE 2020 0 0 0 0 0 0 0 0.00 2021 0 0 0 0 0 0 0 0 0.00 2022 0 0 0 0 0 0.00 2023 0 ٥ ٥ -0.57 -1.63 -2.24 -2.1 -1.36 -1.01 -0.88 -9.79 2024 -0.91 -0.93 -0.99 -1.19 -1.56 -1.94 -2.24 -2.01 -1.34 -0.75 -0.57 -15.43 2025 -0.43 -0.32 -0.24 -0.18 -0.14 -0.11 -0.08 -0.06 -0.05 -0.03 -0.03 -0.02 -1.69 2026 AWAS Input - WWTP Mine 2020 0.00 2021 0.00 0.00 0.00 0.00 2022 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2023 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 2024 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 4.00 4.00 4.00 2.76 1.02 2025 0.00 0.00 0.00 0.00 2.12 1.22 0.84 19.96 AWAS Output - WWTP MINE 2020 0.00 2021 0.00 2022 0.00 2023 0.00

0.00

-18.09

2024

2025

0

0

0

-2.3

-3.15

-3.38

-2.82

-2.3

-1.67

-1.34

-1.13

Table 3 Inouye Dewatering Operation
Pumping Rate Returned to River/ No Beneficial Use Direct Return

						(values in ac	>ft)						
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0	0	0	0	0	0	0	0	0	0	0	0	0
2021	0	0	0	0	107	156	268	528	82	0	0	0	1,140
2022	0	0	0	0	0	0	0	0	0	0	0	0	0
2023	0	0	0	0	0	0	0	0	0	0	0	0	0
2024	0	0	0	0	0	0	0	0	0	0	0	0	0
2025	0	0	0	0	100	100	75	75	0	0	0	0	350

Direct return, no beneficial use.

#### Pumping Rate to Recharge

						(values in ac	-ft)						
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0	0	0	0	0	0	0	0	0	0	0	0	0
2021	0	0	0	0	24.697	81.98	151	112	19	9	2	2	401
2022	0	0	0	0	0	0	0	0	0	0	0	0	0
2023	0	0	0	0	0	0	0	0	0	0	0	0	0
2024	0	0	0	0	0	0	0	0	0	0	0	0	0
2025	0	0	0	0	0	0	0	0	0	0	0	0	0

Direct to recharge

#### Lagged Pumping Rate - Depletion

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2021	0.0	0.0	0.0	0.0	-1.2	-8.6	-28.6	-54.9	-63.7	-57.2	-44.1	-35.2	-293.5
2022	-26.9	-18.5	-15.6	-11.4	-8.9	-6.5	-5.1	-3.8	-2.8	-2.2	-1.6	-1.2	-104.5
2023	-0.9	-0.6	-0.5	-0.4	-0.3	-0.2	-0.2	-0.1	-0.1	-0.1	-0.1	0.0	-3.6
2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
2025	0.0	0.0	0.0	0.0	-79.9	-90.6	-73.8	-72.4	-12.9	-5.3	-3.7	-2.9	-341.4

Lagged dewatering effect on the river, based on SEO Glover calculations: X=3582, W=5,001 ft, T=140,000 gpd/ft & S=0.2 and X=31, W=5,001 ft, T=140,000 gpd/ft & S=0.2.

#### Evap from Recharge Pond

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2021	0.00	0.00	0.00	0.00	0.30	0.42	0.45	0.40	0.29	0.20	0.11	0.00	2.17
2022	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2023	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2024	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2025	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0

Equals the instantaneous dewatering rate minus the lagged dewatering from the AWAS output.

#### Delivered to Recharge Pond

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2021	0.00	0.00	0.00	0.00	24.39	81.56	150.76	111.62	18.54	8.39	1.48	2.00	399
2022	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2023	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2024	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2025	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0

Equals the instantaneous dewatering rate minus the lagged dewatering from the AWAS output.

#### Recharge - Lagged Accretion

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
2021	0.00	0.00	0.00	0.00	3.12	16.23	44.62	69.27	64.80	49.57	36.41	28.43	312
2022	21.57	14.75	12.43	9.08	7.08	5.17	4.03	3.03	2.21	1.72	1.26	0.98	83
2023	0.74	0.51	0.43	0.31	0.24	0.18	0.14	0.10	0.08	0.06	0.04	0.03	3
2024	0.03	0.02	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0
2025	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0

Lagged dewatering bassed on a maximum of 105 ac-feet per month ifavailable, based on SEO Glover calculations: X=2567, W=5,001 ft, T=140,000 gpd/ft & S=0.2.

#### Net Effect on the River from Dewatering (Includes Pumpming Depletions, Direct Return and Lagged Recharge)

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0
2021	0.00	0.00	0.00	0.00	1.92	7.63	16.01	14.41	1.07	-7.64	-7.71	-6.76	18.9
2022	-5.28	-3.77	-3.20	-2.33	-1.82	-1.33	-1.04	-0.78	-0.57	-0.45	-0.32	-0.25	-21.1
2023	-0.19	-0.13	-0.11	-0.08	-0.07	-0.04	-0.03	-0.03	-0.02	-0.01	-0.01	-0.01	-0.7
2024	0.00	0.00	-0.01	0.00	0.00	0.00	-0.01	0.00	0.00	0.00	0.00	0.00	0.0
2025	0.00	0.00	0.00	0.00	20.11	9.40	1.18	2.59	-12.86	-5.29	-3.67	-2.85	8.6

Equals the instantaneous dewatering rate minus the lagged dewatering minus the recharge accreation.

#### Table 4 Inouye Gravel Mine

#### Evaporative and Operational Losses with Replacements

	(1)	(2)	(3)	(4)	(5)	(6)
Month	Lagged	Lagged	Total	Dewatering	Total	Lease
	Evaporative	Operational	Lagged	Depletions/Credits	Replacement	
	Losses	Losses	Losses		Obligation	
ul-20	0.00	0.00	0.00	0.00	0.00	0.00
ug-20	0.00	0.00	0.00	0.00	0.00	0.00
ep-20	0.00	0.00	0.00	0.00	0.00	0.00
ct-20	0.00	0.00	0.00	0.00	0.00	0.00
ov-20	0.00	0.00	0.00	0.00	0.00	0.00
ec-20	0.00	0.00	0.00	0.00	0.00	0.00
an-21	0.00	0.00	0.00	0.00	0.00	0.00
eb-21	0.00	0.00	0.00	0.00	0.00	0.00
lar-21	0.00	0.00	0.00	0.00	0.00	0.00
pr-21	0.00	0.00	0.00	0.00	0.00	0.00
lay-21	-0.02	0.00	-0.02	1.92	0.00	0.00
un-21	-0.03	-0.02	-0.05	7.63	0.00	0.00
ul-21	-0.08	-0.19	-0.27	16.01	0.00	0.00
ug-21	-0.21	-0.58	-0.79	14.41	0.00	0.00
ep-21	-0.31	-0.86	-1.17	1.07	-0.10	0.11
ct-21	-0.38	-0.89	-1.27	-7.64	-8.91	10.21
ov-21	-0.38	-0.84	-1.22	-7.71	-8.93	10.23
ec-21	-0.34	-1.04	-1.38	-6.76	-8.14	9.33
an-22	-0.27	-1.24	-1.51	-5.28	-6.79	7.78
eb-22	-0.21	-1.36	-1.57	-3.77	-5.34	6.12
lar-22	-0.34	-1.96	-2.30	-3.20	-5.50	6.30
pr-22	-0.87	-4.37	-5.24	-2.33	-7.57	8.68
lay-22	-1.65	-5.59	-7.24	-1.82	-9.06	10.38
un-22	-2.57	-6.08	-8.65	-1.33	-9.98	11.44
ul-22	-3.64	-4.42	-8.06	-1.04	-9.10	10.43
ug-22	-4.51	-3.58	-8.09	-0.78	-8.87	10.17
ep-22	-4.94	-3.05	-7.99	-0.57	-8.56	9.81
ct-22	-4.89	-2.32	-7.21	-0.45	-7.66	8.78
ov-22	-4.46	-1.90	-6.36	-0.32	-6.68	7.66
ec-22	-3.75	-1.61	-5.36	-0.25	-5.61	6.43
an-23	-2.89	-1.46	-4.35	-0.19	-4.54	5.20
eb-23	-2.29	-1.46	-3.75	-0.13	-3.88	4.45
lar-23	-2.13	-1.54	-3.67	-0.11	-3.78	4.33
pr-23	-2.33	-0.89	-3.22	-0.08	-3.30	3.79
lay-23	-2.76	-0.58	-3.34	-0.07	-3.41	3.91
un-23	-3.43	-1.02	-4.45	-0.04	-4.49	5.15
ul-23	-4.29	-1.99	-6.28	-0.03	-6.31	7.24
ug-23	-4.99	-2.55	-7.54	-0.03	-7.57	8.67
ep-23	-5.27	-2.37	-7.64	-0.02	-7.66	8.78
ot-23	-5.13	-1.60	-6.73	-0.01	-6.74	7.72
ov-23	-4.63	-1.22	-5.85	-0.01	-5.86	6.71
ec-23	-3.85	-1.06	-3.65 -4.91	-0.01	-4.92	5.64
						l .
an-24	-2.53	-1.09	-3.62	0.00	-3.62	4.15
eb-24	-2.06	-1.09	-3.15	0.00	-3.15	3.62
lar-24	-1.99	-1.14	-3.13	-0.01	-3.14	3.60
pr-24	-2.18	-1.34	-3.52	0.00	-3.52	4.06
lay-24	-2.65	-1.72	-4.37	0.00	-4.37	5.04
un-24	-3.35	-2.13	-5.48	0.00	-5.48	6.32
ul-24	-4.20	-2.46	-6.66	-0.01	-6.67	7.69
ug-24	-4.75	-2.25	-7.00	0.00	-7.00	8.07
ep-24	-4.81	-1.60	-6.41	0.00	-6.41	7.39
ct-24	-4.59	-1.27	-5.86	0.00	-5.86	6.75
ov-24	-4.10	-1.04	-5.14	0.00	-5.14	5.92
ec-24	-3.39	-0.86	-4.25	0.00	-4.25	4.90
an-25	-2.60	-0.73	-3.33	0.00	-3.33	3.84
eb-25	-2.09	-0.63	-2.72	0.00	-2.72	3.14
ar-25	-1.93	-0.55	-2.48	0.00	-2.48	2.86
pr-25	-1.91	-0.49	-2.40	0.00	-2.40	2.77
ay-25	-2.57	-2.75	-5.32	20.11	0.00	0.00
ın-25	-3.35	-3.58	-6.93	9.40	0.00	0.00
ıl-25	-4.15	-3.78	-7.93	1.18	-6.75	7.78
ug-25	-4.72	-3.20	-7.92	2.59	-5.33	6.14
ep-25	-4.90	-2.67	-7.57	-12.86	-20.43	23.55
ct-25	-4.67	-2.02	-6.69	-5.29	-11.98	13.81
ov-25	-4.14	-1.69	-5.83	-3.67	-9.50	10.95
ec-25	-3.35	-1.47	-4.82	-2.85	-7.67	8.84
	-33.8	-21.7	-55.4	8.6	-64.1	73.8

<sup>(1)</sup> Equals Table 1, Column (8).
(2) Equals Table 2, Column (8).
(3) Equals Column (1) plus Column (2).
(4) Equals Column (1) plus Column (2).
(5) Equals Column (4) plus Column (3), only if it is negative.
(6) Equals Column (4) plus Column (5) including 26.5 miles of loss at 0.5% per mile.

# Table 5 Inouye Gravel Mine SB120 Gravel Pit Well - Substitute Water Supply Plan Accounting Form

OPERATOR: BURNCO PIT: Inouye Gravel Mine (M-2018-037) YEAR: 2025

EXAMPLE

Month	Exposed Water	Evaporation	Lagged	Aggregate	Water Lost	Lagged										
Г							Water Used	Lagged Water Used	Dewatering	Dewatering	Net Dewatering	Total	Water	Water	River	Remaining Replacement
Г			Evaporation	Production	with Mined	Aggregate	for Dust	for Dust	Rate	Direct Return	Effect on the	Lagged	Delivered	Delivered	Call	(+) credit
Г	Surface Area (scres)	(acre-feet)	(scre-feet)	(forms)	Aggregate (scre-feet)	Water (scre-test)	Control (scre-feet)	Control (acre-test)	(soft)	no credit	River	Losses (acre-feet)	From WDID	_ From Lease (acro-feet)	(%)	(-) depletion (some-feet)
	(serio)	(boto-tody	Quantital	tana.	gan-sony	(J.)	torontal and the same of the s	jane-ong	00-10	post	300-000	(parvitor)	gar-rig	Constant	347	900-004
Mar-21	0	0	0	0	0	0	0	0	0		0	0	0	1.11	100%	1.11
Apr-21	0	0.06	0.00	0	0.00	0	0.00	0	0		0	0.00	0	3.66	100%	3.66
May-21	0	80.0	-0.02	0	0.00	0	0.00	0	131	107	1.92	1.90	0	0.63	12.9%	2.53
Jun-21 Jul-21	0.25 1.5	0.11	-0.03 -0.08	16,150 68,950	0.48 2.03	-0.02 -0.19	0.00	0	238 419	156 268	7.63 16.01	7.58 15.74	0	2.83 6.1	46.7% 100.0%	10.41 21.84
Aug-21	1.5	0.62	-0.21	62,720	1.85	-0.58	0.00	0	640	528	14.41	13.62	0	5.7	100.0%	19.33
Sep-21	2	0.62	-0.31	36,000	1.06	-0.86	0.00	0	101	82	1.07	-0.10	0	1.4	100.0%	1.29
Oct-21	2	0.42	-0.38	0	0.00	-0.89	0.24	0.00	9	0	-7.64	-8.91	4.48	4.3	100.0%	-0.17
Nov-21	2	0.22	-0.38	55,000	1.62	-0.84	0.24	0.00	2	0	-7.71	-8.93	5.90	3.1	100.0%	0.02
Dec-21	2	0.00	-0.34													
Jan-22	2	0.00	-0.27													
Feb-22 Mar-22	2	0.22	-0.21													
Apr-22	15.9 15.9	2.38 3.95	-0.34 -0.87													
May-22	15.9	5.09	-1.65													
Jun-22	15.9	7.09	-2.57													
Jul-22	15.9	7.47	-3.64													
Aug-22	15.9	6.62	-4.51													
Sep-22	15.9	4.91	-4.94													
Oct-22	15.9	3.35	-4.89													
Nov-22	15.9	1.78	-4.46													
Dec-22 Jan-23	15.9 15.9	0.00	-3.75 -2.89													
Feb-23	15.9	1.72	-2.09													
Mar-23	15.9	2.38	-2.13													
Apr-23	15.9	3.35	-2.33													
May-23	15.9	4.32	-2.76													
Jun-23	15.9	6.01	-3.43													
Jul-23	15.9	6.34	-4.29													
Aug-23	15.9	5.61	-4.99													
Sep-23 Oct-23	15.9 15.9	4.17 2.84	-5.27 -5.13													
Nov-23	15.9	1.51	-0.13 -4.63													
Dec-23	15.9	0.00	-3.85													
Jan-24	15.9	0.00	-2.53													
Feb-24	15.9	1.46	-2.06													
Mar-24	15.9	2.02	-1.99													
Apr-24	15.9	3.10	-2.18													
May-24	15.9	4.00	-2.65													
Jun-24 Jul-24	15.9 15.9	5.57 5.87	-3.35 -4.20													
Jul-24 Aug-24	15.9	5.87	-4.20 -4.75													
Sep-24	15.9	3.86	4.81													
Oct-24	15.9	2.63	4.59													
Nov-24	15.9	1.40	-4.10													
Dec-24	15.9	0.00	-3.39													
Jan-25	15.9	0.00	-2.60													
Feb-25	15.9	1.35	-2.09													
Mar-25 Apr-25	15.9 14.7	1.87 3.18	-1.93 -1.91													
May-25	14.7	4.71	-2.57													
Jun-25	14.7	6.55	-3.35													
Jul-25	14.7	6.91	-4.15													
Aug-25	14.7	6.12	-4.72													
Sep-25	14.7	4.54	-4.90													
Oct-25	14.7	3.09	-4.67													
Nov-25	14.7	1.65	-4.14													
Dec-25	14.7	0.00	-3.35													
itals																

(1) Specific repol.
(2) Specific repol.
(3) Specific repol.
(4) Specific repol.
(5) Specific repol.
(6) Specific repol.
(6) Specific repol.
(6) Specific repol.
(6) Specific repol.
(7) Specific repol.
(8) Specific repol.
(9) Sp

#### Table 2a Inouye Gravel Mine

#### Operational Losses

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
lonth	Percent of	Amount of	Water Lost	Amount of	Water Lost	Water Used	Water Used	Total	Total	Total	Total	Total Lagged
	Annual	Aggregate	With Mined	Concrete	In Concrete	for Dust	In	Operational	Operational	Operational	Operational	Operational
	Aggregate	Production	Aggregate	Production	Batching	Control	Slurry Wall	Losses	Losses	Losses	Losses	Losses
	Production			(yd³)				West Silt Pond	East Mine	West Mine	WWTP Mine	
		(tons)	(acre-feet)	(30 )	(acre-feet)	(acre-feet)	(acre-feet)	(acre-feet)	(acre-feet)	(acre-feet)	(acre-feet)	(acre-feet)
ul-20	13.9%	0	0.00	0	0.00	0.00	0.00	0.00				0.00
ug-20	12.5%	0	0.00	0	0.00	0.00	0.00	0.00				0.00
ep-20	9.6%	0	0.00	0	0.00	0.00	0.00	0.00				0.00
ct-20	5.5%	0	0.00	0	0.00	0.00	0.00	0.00				0.00
lov-20	4.6%	0	0.00	0	0.00	0.00	0.00	0.00				0.00
ec-20	3.8%	0	0.00	0	0.00	0.00	0.00	0.00				0.00
an-21	3.8%	0	0.00	0	0.00	0.00	0.00	0.00				0.00
eb-21	4.6%	0	0.00	0	0.00	0.00	0.00	0.00				0.00
lar-21	5.5%	0	0.00	0	0.00	0.00	0.00	0.00				0.00
pr-21	9.6% 12.5%	0	0.00	0	0.00	0.00	0.00	0.00 0.00				0.00
May-21 un-21	13.9%	16,150	0.48	0	0.00	0.00	0.00	0.48				-0.02
ul-21	13.9%	68,950	2.03	0	0.00	0.00	0.00	2.03				-0.19
ug-21	12.5%	62,720	1.85	0	0.00	0.00	0.00	1.85				-0.58
iep-21	9.6%	36,000	1.06	0	0.00	0.00	0.00	1.06				-0.86
Oct-21	5.5%	0	0.00	0	0.00	0.24	0.00	0.24				-0.89
lov-21	4.6%	55,000	1.62	0	0.00	0.24	0.00	1.86				-0.84
Dec-21	3.8%	55,000	1.62	0	0.00	0.24	0.00	1.86				-1.04
lan-22	3.8%	55,000	1.62	0	0.00	0.24	0.00	1.86				-1.24
eb-22	4.6%	34,571	1.02	0	0.00	0.24	0.00	1.26				-1.36
Mar-22	5.5%	41,348	1.22	0	0.00	0.24	0.00	0.24	1.22			-1.96
Apr-22	9.6%	72,129	2.12	0	0.00	0.24	3.50	0.24	5.62			-4.37
May-22	12.5%	93,721	2.76	0	0.00	0.24	3.50	0.24	6.26			-5.59
Jun-22 Jul-22	13.9% 13.9%	104,250 104,518	3.07 3.07	0	0.00	0.24 0.24	3.50 0.00	0.24 0.24	6.57 3.07			-6.08 -4.42
lui-22 Aug-22	12.5%	93,721	2.76	0	0.00	0.24	0.00	0.24	2.76			-4.42
Sep-22	9.6%	72,129	2.12	0	0.00	0.24	0.00	0.24	2.12			-3.05
Oct-22	5.5%	41,348	1.22	0	0.00	0.24	0.00	0.24	1.22			-2.32
lov-22	4.6%	34,571	1.02	0	0.00	0.24	0.00	0.24	1.02			-1.90
Dec-22	3.8%	28,714	0.84	0	0.00	0.24	0.00	0.24	0.84			-1.61
Jan-23	3.8%	28,714	0.84	0	0.00	0.24	0.00	0.24	0.84			-1.46
eb-23	4.6%	34,571	1.02	0	0.00	0.24	0.00	0.24	1.02			-1.46
Mar-23	5.5%	41,348	1.22	0	0.00	0.24	0.00	0.24	1.22			-1.54
Apr-23	9.6%	72,129	0.00	0	0.00	0.24	0.00	0.24	0.00	0.00		-0.89
May-23	12.5%	93,721	0.00	0	0.00	0.06	0.00	0.06	0.00	0.00		-0.58
Jun-23	13.9%	104,250	0.00	0	0.00	0.06	4.00	0.06	0.00	4.00		-1.02
Jul-23	13.9%	104,518	0.00	0	0.00	0.15	4.00	0.15	0.00	4.00		-1.99
Aug-23	12.5%	93,721	0.00	0	0.00	0.18	4.00	0.18	0.00	4.00		-2.55
Sep-23 Oct-23	9.6% 5.5%	72,129 41,348	0.00	0	0.00	0.12 0.12	0.00	0.12 0.12	0.00	0.00		-2.37 -1.60
lov-23	4.6%	34,571	0.00	0	0.00	0.12	0.00	0.12	0.00	0.00		-1.00
Dec-23	3.8%	28,714	0.84	0	0.00	0.12	0.00	0.17	0.00	0.84		-1.22
Jan-24	3.8%	28,714	0.84	0	0.00	0.09	0.00	0.09	0.00	0.84		-1.09
eb-24	4.6%	34,571	1.02	0	0.00	0.09	0.00	0.09	0.00	1.02		-1.09
Mar-24	5.5%	41,348	1.22	0	0.00	0.21	0.00	0.21	0.00	1.22		-1.14
Apr-24	9.6%	72,129	2.12	0	0.00	0.15	0.00	0.15	0.00	2.12		-1.34
May-24	12.5%	93,721	2.76	0	0.00	0.28	0.00	0.28	0.00	2.76		-1.72
lun-24	13.9%	104,250	3.07	0	0.00	0.32	0.00	0.32	0.00	3.07		-2.13
lul-24	13.9%	104,518	3.07	0	0.00	0.32	0.00	0.32	0.00	3.07		-2.46
Aug-24	12.5%	93,721	2.76	0	0.00	0.32	0.00	0.32	0.00	0.00		-2.25
iep-24	9.6%	72,129	2.12	0	0.00	0.32	0.00	0.32	0.00	0.00		-1.60
Oct-24	5.5%	41,348	1.22	0	0.00	0.32	0.00	0.32	0.00	0.00		-1.27
lov-24	4.6%	34,571	1.02	0	0.00	0.32	0.00	0.32	0.00	0.00		-1.04
Dec-24 lan-25	3.8%	28,714 28,714	0.84 0.84	0	0.00	0.32 0.32	0.00	0.32 0.32	0.00	0.00		-0.86 -0.73
an-25 eb-25	3.8% 4.6%	28,714 34,571	1.02	0	0.00	0.32	0.00	0.32	0.00	0.00		-0.73
eb-25 lar-25	5.5%	41,348	1.02	0	0.00	0.32	0.00	0.32	0.00	0.00		-0.63
pr-25	9.6%	72,129	0.00	0	0.00	0.32	0.00	0.32	0.00	0.00	0.00	-0.49
lay-25	12.5%	93,721	0.00	0	0.00	0.32	4.00	0.32	0.00	0.00	4.00	-2.75
un-25	13.9%	104,250	0.00	0	0.00	0.32	4.00	0.32	0.00	0.00	4.00	-3.58
ul-25	13.9%	104,518	0.00	0	0.00	0.32	4.00	0.32	0.00	0.00	4.00	-3.78
Aug-25	12.5%	93,721	2.76	0	0.00	0.32	0.00	0.32	0.00	0.00	2.76	-3.20
Sep-25	9.6%	72,129	2.12	0	0.00	0.32	0.00	0.32	0.00	0.00	2.12	-2.67
Oct-25	5.5%	41,348	1.22	0	0.00	0.32	0.00	0.32	0.00	0.00	1.22	-2.02
lov-25	4.6%	34,571	1.02	0	0.00	0.32	0.00	0.32	0.00	0.00	1.02	-1.69
ec-25	3.8%	28,714	0.84	0	0.00	0.32	0.00	0.32	0.00	0.00	0.84	-1.47
Plan Period	86%	750,000	8.0	0	0.0	2.9	12.0	2.9	0.0	0.0	20.0	-21.7

<sup>(1)</sup> Equals Column (2) morthly values divided 500,000 tons/year.
(2) Based on information from S.W. Meadows, LLC.
(3) Equals Column (2) imes 2,000 times 4% closed by 62.4 divided by 43.550.
(4) Based on information from S.W. Meadows, LLC.
(5) Equals Column (6) imes 2606 of values per ye<sup>2</sup> converse divided by 62.4 divided by 43.550.
(6) Based on information from S.W. Meadows, LLC.
(7) Equals Column (6) just Column (6) and Column (6).
(8) Instatinenous displaince forms (5) divided by 62.4 divided by 62.5 W-5.001 ft, T=140.000 gadft 8.5=0.2
(9) Instatinenous depletion, larging based on SSC Glover calcinations; X=75.5 W-5.001 ft, T=140.000 gadft 8.5=0.2
(11) Instatinenous depletion, larging based on SSC Glover calcinations; X=75.6 W-5.001 ft, T=440.000 gadft 8.5=0.2
(11) Instatinenous depletion, larging based on SSC Glover calcinations; X=75.6 W-5.001 ft, T=440.000 gadft 8.5=0.2
(11) Instatinenous depletion, larging based on SSC Glover calcinations; X=75.6 W-5.001 ft, T=440.000 gadft 8.5=0.2
(11) Instatinenous depletions, larging based on SSC Glover calcinations; X=75.6 W-5.001 ft, T=440.000 gadft 8.5=0.2
(11) Instatinenous depletions, larging based on SSC Glover calcinations; X=75.6 W-5.001 ft, T=440.000 gadft 8.5=0.2
(11) Instatinenous depletions, larging based on SSC Glover calcinations in X=75.6 W-5.001 ft, T=400.000 gadft 8.5=0.2
(11) Instatinenous depletions, larging based on SSC Glover calcinations in X=75.6 W-5.001 ft, T=400.000 gadft 8.5=0.2
(11) Instatinenous depletions, larging based on SSC Glover calcinations in X=75.6 W-5.001 ft, T=400.000 gadft 8.5=0.2
(11) Instatinenous depletions, larging based on SSC Glover calcinations in X=75.6 W-5.001 ft, T=400.000 gadft 8.5=0.2
(11) Instatinenous depletions, larging based on SSC Glover calcinations in X=75.6 W-5.001 ft, T=400.000 gadft 8.5=0.2
(11) Instatinenous depletions, larging based on SSC Glover calcinations in X=75.6 W-5.001 ft, T=400.000 gadft 8.5=0.2
(11) Instatinenous depletions, larging based on SSC Glover calcinations in X=75.6 W-5.001 ft, T=400.000