



Adequacy Review M2025030

bob baldwin <sideshowbob51@yahoo.com>
Reply-To: bob baldwin <sideshowbob51@yahoo.com>
To: "Elliott Russell (DNR-DRMS)" <elliott.russell@state.co.us>
Cc: John Asselta <locomotiv60@gmail.com>

Fri, Aug 22, 2025 at 3:36 PM

Elliott,
Due to my work schedule and the number of items needed to address I will need to request a 30 day delay.

Sincerely,
Bob Baldwin RAMS Reclamation Manager

On Friday, August 22, 2025 at 02:05:00 PM MDT, Elliott Russell (DNR-DRMS) <elliott.russell@state.co.us> wrote:

Bob,

Please see the attached Adequacy Review letter for the RAMS HOME application. I have also attached the referenced CPW comment letter. The review period ends August 30th ("decision date") so please let me know if you think you will need an additional extension to address these items.

Please let me know if you have any questions.

Elliott Russell
Environmental Protection Specialist
Minerals Regulatory Program

Mobile: 303.903.4456 | Office: 303.866.3567 | Fax: 303.832.8106 Physical: 1313 Sherman Street, Room 215, Denver, CO 80203

Mailing: DRMS Room 215, 1001 E 62nd Ave, Denver, CO 80216

Elliott.Russell@state.co.us | https://urldefense.proofpoint.com/v2/url?u=https-3A__drms.colorado.gov&d=DwlCaQ&c=sdnEM9SRGFuMt5z5w3AhsPNahmNicq64TgF1JwNR0cs&r=34TivbiBQUfNGacY6zBEltFRB2rDC0H0DH7_VAwE5pA&m=yN49EjDJSSNwHc6m6irDtCW9lfsvMvDfWM8NdQbkl-SEqvlh6U_-x7EhfaiwbKG5&s=jeXy7UxFJuCm9dXMMYzdx15MJXmywQSsAi0VtRw_4Y&e=