

[illegible]

[illegible]

Yule Creek & Crystal River	DG 5	Confluence Point	Baseline	Smith	10/30/19	13:50	ALS		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.032	ND		
			Baseline	Rowe	10/28/19	13:00	ALS		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
			Post Stop Pump	Smith	11/14/19	16:00	ALS		ND	ND	-	-	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
			Jan - Monitoring	Smith	01/31/20	12:15	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Feb - Monitoring	Smith	02/25/20	12:05	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Mar - Monitoring	Smith	03/31/20	12:35	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Apr - Monitoring	Smith	04/28/20	10:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			May - Monitoring	Smith	05/13/20	13:00	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			June - Monitoring	Smith	06/25/20	12:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			July - Monitoring	Smith	07/22/20	12:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Aug - Monitoring	Smith	08/31/20	16:00	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Sept - Monitoring	Rowe	09/30/20	13:00	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Oct - Monitoring	Rowe	10/28/20	12:15	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Nov - Monitoring	Smith	11/18/20	12:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Dec - Monitoring	Smith	12/21/20	13:45	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Jan - Monitoring	Smith	01/27/21	10:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Feb - Monitoring	Smith	02/23/21	10:35	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Mar - Monitoring	Rowe	03/24/21	14:05	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Apr - Monitoring	Rowe	04/26/21	10:40	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			May - Monitoring	Rowe	05/27/21	13:05	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			June - Monitoring	Rowe	06/24/21	14:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			July - Monitoring	Rowe	07/28/21	15:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Aug - Monitoring	Cholas	08/26/21	13:00	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Sept - Monitoring	Cholas	9/30.21	13:00	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Oct - Monitoring	Rowe	10/28/21	13:00	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Nov - Monitoring	Rowe	11/18/21	13:00	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			Dec - Monitoring	Cholas	12/13/21	13:45	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			2022 Q1 - Monitoring	Cholas	01/27/22	14:15	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			2022 Q2 - Monitoring	Cholas	05/05/22	14:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			2022 Q3 - Monitoring	Cholas	07/20/22	12:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			2022 Q4 - Monitoring	Adams	10/27/22	14:43	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			2023 Q1 - Monitoring	Adams	03/28/23	13:00	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			2023 Q2 - Monitoring	Adams	06/15/23	13:45	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2023 Q3 - Monitoring	Adams	08/24/23	13:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
2023 Q4 - Monitoring	Adams	10/26/23	12:40	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
2024 Q1 - Monitoring	Adams	02/01/24	12:19	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
2024 Q2 - Monitoring	Adams	05/01/24	12:07	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
2024 Q3 - Monitoring	Adams	08/29/24	12:30	Pace		0.0541	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
2024 Q4 - Monitoring	Bond	11/07/24	11:50	Pace		ND	0.0606	ND	ND	ND	ND	ND	ND	0.0000455	0.000036	0.0000311	0.000035	0.0000446	ND	0.000053	ND	0.0000342	ND	0.0000472	ND			
2024 Q4 - Monitoring	Bond	12/19/24	13:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.000027	ND	ND	ND	ND	ND	ND	ND	ND			
2025 Q1 - Monitoring	Bond	03/12/25	12:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
2025 Q2 - Monitoring	Bond	05/22/25	13:45	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
2025 Q3 - Monitoring	Przystup	08/25/25	15:15	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
2025 Q4 - Monitoring	Przystup	10/08/25	13:00	Pace		ND	0.199	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
Seeps	Hillside Seep	Baseline	Rowe	10/28/19	12:55	ALS		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
Sump	Catchment Basin	Baseline	Rowe	10/28/19	13:10	ALS		1.1	0.79	0.0017	0.03	0.023	0.14	0.071	ND	ND	ND	ND	ND	ND	0.0011	ND	0.011	ND	ND			
		South Side Inflow	Smith	10/30/19	12:45	ALS		0.57	1.1	0.0015	0.027	0.021	1.2	0.00082	ND	ND	ND	ND	ND	ND	0.0011	ND	0.0087	0.0024	ND			
	Inflow Catchment Basin	Post Pump Stop	Rowe	11/01/19	10:07	ALS		ND	ND	-	-	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0055	ND	ND			
		Sump Well	Smith	11/15/19	15:15	ALS		0.4	0.86	-	-	-	-	0.00039	ND	ND	ND	ND	ND	ND	0.00045	ND	0.0028	ND	ND			
	Well	Dec -Monitoring	Smith	12/18/19	2:30	ALS		ND	ND	ND	ND	ND	0.0045	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
		Jan - Monitoring	Smith	01/30/20	13:40	Pace		0.363	1.98	ND	ND	0.0029	0.0460	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
		Feb - Monitoring	Smith	02/24/20	11:00	Pace		ND	ND																			

	MW 4	2025 Q4 - Monitoring	Przystup	10/08/25	-	-		Dry																		
		June - Monitoring	Rowe	06/24/21	-	Pace		Dry																		
		July - Monitoring	Rowe	07/28/21	12:00	Pace		ND	0.88	ND	ND	ND	ND	0.00006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		Aug - Monitoring	Cholas	08/26/21	10:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		Sept - Monitoring	Cholas	09/30/21	11:00	Pace		ND	0.536	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		Oct - Monitoring	Rowe	10/28/21	10:45	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		Nov - Monitoring	Rowe	11/18/21	11:00	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		Dec - Monitoring	Cholas	12/13/21	11:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		2022 Q1 - Monitoring	Cholas	01/27/22	-	Pace		Well was inaccessible due to snow & ice accumulation from storms and blading																		
		2022 Q2 - Monitoring	Cholas	05/05/22	10:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		2022 Q3 - Monitoring	Cholas	07/20/22		Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		2022 Q4 - Monitoring	Adams	10/27/22	11:15	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		2023 Q1 - Monitoring	Adams	03/28/23	-	-		Well inaccessible due to snow/ice																		
		2023 Q2 - Monitoring	Adams	06/15/23	11:50	Pace		ND	0.156	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		2023 Q3 - Monitoring	Adams	08/24/23	11:32	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		2023 Q4 - Monitoring	Adams	10/26/23	10:52	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		2024 Q1 - Monitoring	Adams	02/01/24	-	-		Well inaccessible due to snow/ice																		
		2024 Q2 - Monitoring	Adams	05/01/24	-	-		Well inaccessible due to snow/ice																		
		2024 Q3 - Monitoring	Adams	08/29/24	10:40	Pace		0.0577	0.0898	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		2021 Q4 - Monitroing	Bond	11/07/24	10:50	Pace		ND	0.17	ND	ND	ND	ND	ND	ND	0.0000622	0.0000385	0.0000359	0.0000398	0.0000486	0.000033	0.0000734	ND	0.0000262	ND	0.0000695
		2024 Q4 - Monitoring	Bond	12/19/2024	12:40	Pace		ND	0.0419	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0000202	
		2025 Q1 - Monitoring	Bond	3/12/2025	-	-		Well inaccessible due to snow/ice																		
		2025 Q2 - Monitoring	Bond	5/22/2025	11:30	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		2025 Q3 - Monitoring	Przystup	8/25/2025	12:15	Pace		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	2025 Q4 - Monitoring	Przystup	10/08/25	10:50	Pace		ND	0.129	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
	MW 5	June - Monitoring	Rowe	06/24/21	11:00	Pace		ND	0.805	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		July - Monitoring	Rowe	07/28/21	11:30	Pace		ND	0.834	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		Aug - Monitoring	Cholas	08/26/21	-	-		Water measured at 32.39 in August w/ Interference ~16' - sample could not be obtained																		
		Sept - Monitoring	Cholas	09/30/21	-	-		(compromised section @ 16-feet became worse in Sept. and won't allow water level indicator equipment to pass)																		

*TVPH (GRO) and TEPH (DRO) are Pace Analytical Laboratory reportable detection limits (RDL's). Numerical values are non-regulatory agency thresholds or associated with clean-up standards

Colorado Code of Regulations (CCR) Water Quality Control Commission (Reg. 41) thresholds are per 2020 revision

| (-) indicates data is still in process by the lab

- Indicates analytical that was not analyzed during the date of sampling event

All results are presented in mg/L, unless otherwise noted

Exceedances to laboratory reporting limits are highlighted in yellow. Results below the standard or reporting limit are reported as ND

Exceedances to regulatory thresholds are highlighted in yellow and outlined in red

Recently sampled analytical results are highlighted in blue for easier reference

Laboratory Blank contained concentrations of the same analytes that skewed results above detection limits for samples collected on 11/07/2024. Samples collected on 12/19/24 confirm the previous exceedances are not representative of site conditions

The detection of toluene (J-flag qualifier) in sample UG-1, collected on 8/25/2025, is likely attributable to laboratory contamination. This inference is supported by the Laboratory Blank, which reported a benzene detection with a J-flag qualifier, potentially influencing the toluene results to exceed the detection limit