



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

White River Field Office
220 East Market St.
Meeker, Colorado 81641



In Reply Refer To:
3600 (CO-110)
COC69169

NOV 01 2012

RECEIVED

NOV 02 2012

GRAND JUNCTION FIELD OFFICE
DIVISION OF
RECLAMATION MINING & SAFETY

American Shale Oil, LLC
Attn: Mr. Roger Day
110 East 3rd Street, Suite 201
P.O. Box 1470
Rifle, CO 81650

Dear Mr. Day

Our staff has reviewed your October 23, 2012 minor modification to the "Plan of Development for Oil Shale Research, Development and Demonstration (R,D&D) Tract Oil Shale Lease COC69169" for an Individual Sewage Disposal System (ISDS) and the September 27, 2012 minor modification for a self-standing communications tower. These modifications are considered minor changes to American Shale Oil's current Plan of Development and are approved.

All applicable stipulations of Oil Shale Research, Development and Demonstration (R,D&D) Lease COC69169 Section 25. Special Stipulations apply to the approved modifications.

Section 24 Addendum A of Oil Shale Research Development and Demonstration (R,D&D) Lease COC69169 requires the lessee to pay for costs of review and approval of plans of development or similar submissions. Please submit the cost recovery fee of \$471.12 within 30 days of receipt of this letter. Attached is a copy of the Fee Estimate for Case-by-Case Processing.

If you have any questions, please call Paul Daggett, our Mining Engineer, at 970-878-3819.

Sincerely,

Kent E. Walter
for Kent E. Walter
Field Manager

Enclosure
cc

FEE ESTIMATE FOR CASE - BY- CASE PROCESSING

Energy & Mineral Resources Cost Recovery

(This is not a bill)

Serial/Project Number: COC-69169 Date Application Filed: 10/31/12

Applicant: American Shale Oil, LLC

Address: 110 East 3rd Street, Suite 201

P.O. Box 1470

Rifle, CO 81650

Agent: Roger Day

Type of Application: AMSO Plan of Development Modification

Location: T2S, R98W, Section 21, 6th P.M.

Other pertinent information: Modification for self-standing communication tower and Sewage disposal system

AMSO Plan of Development approved 09/03/2009

Estimated Processing Requirements for NEPA Compliance:

Is NEPA analysis required? No ☐ Yes ☒ Type: EIS ☐ EA ☐ Other CX

If "yes" will BLM perform NEPA analysis? Yes ☒ No ☐

If "no" - name of 3rd party contractor: _____

Brief Description of Processing Step	Estimated Processing Cost
1. <u>Review and Final Processing</u>	<u>\$234.07</u>
2. <u>Nepa Process</u>	<u>\$237.05</u>
3. _____	_____
4. _____	_____
5. _____	_____
6. _____	_____
7. _____	_____
8. _____	_____
9. _____	_____
10. _____	_____
11. _____	_____
12. _____	_____
13. _____	_____
14. _____	_____
15. _____	_____

Total Estimated Fee: \$ \$471.12
(Includes direct and indirect costs)