



Cazier - DNR, Tim &lt;tim.cazier@state.co.us&gt;

---

## GCC GW Monitoring and Well Plugging Reports

---

bhodgson@gcc.com &lt;bhodgson@gcc.com&gt;

Wed, Apr 17, 2013 at 2:42 PM

To: "Cazier - DNR, Tim" &lt;tim.cazier@state.co.us&gt;

Tim,

I have attached a letter transmitting a report of our 1st semi-annual attempt to collect groundwater from MW-005 (it was dry) and copies of Well Abandonment Reports for MW-001A, MW-002, MW-003 and MW-004.

Please let me know if you have any questions about these reports.

Barbara T. Hodgson  
Environmental Manager

GCC Rio Grande  
3372 Lime Road  
Pueblo, Colorado 81004  
Office: (719) 647-6829  
Cell: (720) 231-0364  
[bhodgson@gcc.com](mailto:bhodgson@gcc.com)



**GCC 2013 1st SemiAnnual GW Monitoring Report and GW Monitoring Well Plug Report.pdf**  
1612K



April 17, 2013

Via Email

Tim Cazier  
Colorado Division of Reclamation, Mining and Safety  
Department of Natural Resources  
1313 Sherman St. Room 215  
Denver, Colorado 80203

**RE: Regular 112 Operations Mining Permit No. M-2002-004, TR-03  
GCC Rio Grande, Inc. – Pueblo Cement Plant and Limestone Quarry, Pueblo, Colorado  
Semi-Annual Groundwater Level Report (MW-005) and Well Abandonment Reports (MW-001A, MW-002, MW-003 and MW-004)**

Dear Mr. Cazier:

In accordance with TR- 03 of the referenced permit, GCC Rio Grande, Inc. (GCC) is hereby reporting that an attempt to collect groundwater samples from MW-005 was made on April 13, 2013. The well was found to be dry at that time. A copy of a report prepared by Contour Engineering documenting its attempt to collect the samples is attached to this letter.

In addition, I am enclosing copies of Well Abandonment Reports filed with the Office of the State Engineer on April 16, 2013. These reports document the proper plugging and abandonment of MW-001A, MW-002, MW-003 and MW-004 in accordance with TR No. 3. These wells were plugged and sealed on April 12, 2013 by Contour Engineering.

Please contact me if you have any questions about this submission.

Sincerely,

A handwritten signature in black ink, appearing to read 'Barbara Hodgson', written over a horizontal line.

Barbara Hodgson  
Environmental Manager  
Office: (719) 647-6829  
bhodgson@gcc.com

Form No. GWS-09 4/2012	<b>STATE OF COLORADO, OFFICE OF THE STATE ENGINEER</b> 821 Centennial Bldg., 1313 Sherman St., Denver, CO 80203 (303) 866-3581 Fax (303) 866-3589 <a href="mailto:dwpermitsonline@state.co.us">dwpermitsonline@state.co.us</a>	For Office Use Only															
<b>WELL ABANDONMENT REPORT</b> Use to report plugging and sealing of permitted wells, monitoring and other holes. This form can be computer generated, typed or printed in black or blue ink. Instructions and plugging standards are on reverse side of form.																	
<b>Well Permit Number of the well being plugged</b> <u>250976</u> <b>or</b> <b>MH File Number MH-</b> _____ <b>Hole ID #/Name</b> <u>MW-001A</u>																	
<b>Individual/Company responsible for plugging and sealing the well:</b> Name(s) <u>Contour Consulting Engineering, llc</u> Mailing Address <u>P.O. Box 984</u> City, St., Zip <u>Kittredge, CO 80457</u> Phone (area code & no.) <u>303 918 9422</u> Email: <u>kgill@contour-consulting.com</u>																	
<b>Well (Hole) Owner:</b> NAME(S) <u>GCC RIO GRANDE, INC.</u> Phone (include area code) <u>(719) 647-6829</u> Mailing Address, City, St., Zip <u>3372 Lime Road, Pueblo, Colorado 81004</u>																	
<b>ACTUAL WELL LOCATION:</b> County <u>Pueblo</u> Property Address, City, St, Zip <u>3372 Lime Road, Pueblo, Colorado 81004</u> <u>SE 1/4 of the SE 1/4, Sec. 13, Twp. 22.0</u> <input type="checkbox"/> N. or <input checked="" type="checkbox"/> S., Range <u>65.0</u> <input type="checkbox"/> E. or <input checked="" type="checkbox"/> W., <u>6th</u> P.M. Distance from Section Lines <u>4650</u> Ft. from <input checked="" type="checkbox"/> N. or <input type="checkbox"/> S., <u>1160</u> Ft. from <input checked="" type="checkbox"/> E. or <input type="checkbox"/> W. Line. Subdivision Name _____ Lot _____, Block _____, Filing/Unit _____ Optional: GPS well location information in UTM format. You must check GPS unit for required settings as follows: Format must be UTM, zone 12 <input type="checkbox"/> or zone 13 <input checked="" type="checkbox"/> ; Units must be meters; Datum must be NAD83; Unit must be set to true north. Easting <u>534066</u> Northing <u>4220077</u>																	
I (we) report the existing well (hole) was plugged and sealed on the date of <u>04/12/2013</u> for the following reason(s): <input type="checkbox"/> The well was plugged and sealed as required under Well Permit Number _____. <input checked="" type="checkbox"/> The well was not in use and was plugged and sealed. <input type="checkbox"/> Other (please explain) _____																	
The well was plugged with the following materials placed at the indicated intervals: <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Amount and Type of Material</th> <th style="text-align: left;">Method of Placement</th> <th style="text-align: left;">Interval</th> </tr> </thead> <tbody> <tr> <td><u>portland cement grout</u></td> <td><u>tremie</u></td> <td>from <u>105</u> feet to <u>3</u> feet</td> </tr> <tr> <td><u>silty clay soils</u></td> <td><u>hand</u></td> <td>from <u>3</u> feet to <u>0</u> feet</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>from _____ feet to _____ feet</td> </tr> <tr> <td colspan="2"><b>Intervals of casing removed/ripped in feet</b></td> <td>from _____ feet to _____ feet</td> </tr> </tbody> </table>			Amount and Type of Material	Method of Placement	Interval	<u>portland cement grout</u>	<u>tremie</u>	from <u>105</u> feet to <u>3</u> feet	<u>silty clay soils</u>	<u>hand</u>	from <u>3</u> feet to <u>0</u> feet	_____	_____	from _____ feet to _____ feet	<b>Intervals of casing removed/ripped in feet</b>		from _____ feet to _____ feet
Amount and Type of Material	Method of Placement	Interval															
<u>portland cement grout</u>	<u>tremie</u>	from <u>105</u> feet to <u>3</u> feet															
<u>silty clay soils</u>	<u>hand</u>	from <u>3</u> feet to <u>0</u> feet															
_____	_____	from _____ feet to _____ feet															
<b>Intervals of casing removed/ripped in feet</b>		from _____ feet to _____ feet															
Report <u>must</u> be signed or name entered by person who performed the well plugging work or by the well owner if this person is unknown or not reachable. I (we) have read the statements made herein, know the contents thereof, and that they are true to my (our) knowledge.																	
Sign or enter full name  <u>James D. Gill, PE</u>	If signing print name & title  _____	Date (mm/dd/yyyy)  <u>04/16/2013</u>															
It is the responsibility of the well owner to have the well/hole properly plugged and sealed. The Well Construction Contractor is responsible for notifying the owner of this requirement.																	



Form No. GWS-09 4/2012	<b>STATE OF COLORADO, OFFICE OF THE STATE ENGINEER</b> 821 Centennial Bldg., 1313 Sherman St., Denver, CO 80203 (303) 866-3581 Fax (303) 866-3589 <a href="mailto:dwrpermitsonline@state.co.us">dwrpermitsonline@state.co.us</a>	For Office Use Only															
<b>WELL ABANDONMENT REPORT</b> Use to report plugging and sealing of permitted wells, monitoring and other holes. This form can be computer generated, typed or printed in black or blue ink. Instructions and plugging standards are on reverse side of form.																	
Well Permit Number of the well being plugged <u>250977</u> or MH File Number MH- _____ Hole ID #/Name <u>MW-002</u>																	
Individual/Company responsible for plugging and sealing the well: Name(s) <u>Contour Consulting Engineering, llc</u> Mailing Address <u>P.O. Box 984</u> City, St., Zip <u>Kittredge, CO 80457</u> Phone (area code & no.) <u>303 918 9422</u> Email: <u>kgill@contour-consulting.com</u>																	
Well (Hole) Owner: NAME(S) <u>GCC RIO GRANDE, INC.</u> Phone (include area code) <u>(719) 647-6829</u> Mailing Address, City, St., Zip <u>3372 Lime Road, Pueblo, Colorado 81004</u>																	
ACTUAL WELL LOCATION: County <u>Pueblo</u> Property Address, City, St, Zip <u>3372 Lime Road, Pueblo, Colorado 81004</u> <u>SE</u> <u>1/4</u> of the <u>NW</u> <u>1/4</u> , Sec. <u>12</u> , Twp. <u>22.0</u> <input type="checkbox"/> N. or <input checked="" type="checkbox"/> S., Range <u>65.0</u> <input type="checkbox"/> E. or <input checked="" type="checkbox"/> W., <u>6th</u> P.M. Distance from Section Lines <u>2130</u> Ft. from <input checked="" type="checkbox"/> N. or <input type="checkbox"/> S., <u>2880</u> Ft. from <input checked="" type="checkbox"/> E. or <input type="checkbox"/> W. Line. Subdivision Name _____ Lot _____, Block _____, Filing/Unit _____ Optional: GPS well location information in UTM format. You must check GPS unit for required settings as follows: Format must be UTM, zone 12 <input type="checkbox"/> or zone 13 <input checked="" type="checkbox"/> ; Units must be meters; Datum must be NAD83; Unit must be set to true north. Easting <u>533542</u> Northing <u>4222441</u>																	
I (we) report the existing well (hole) was plugged and sealed on the date of <u>04/12/2012</u> for the following reason(s): <input type="checkbox"/> The well was plugged and sealed as required under Well Permit Number _____ <input checked="" type="checkbox"/> The well was not in use and was plugged and sealed. <input type="checkbox"/> Other (please explain) _____																	
The well was plugged with the following materials placed at the indicated intervals: <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Amount and Type of Material</th> <th style="text-align: left;">Method of Placement</th> <th style="text-align: left;">Interval</th> </tr> </thead> <tbody> <tr> <td><u>portland cement grout</u></td> <td><u>pour</u></td> <td>from <u>14</u> feet to <u>3</u> feet</td> </tr> <tr> <td><u>silty clay soils</u></td> <td><u>hand</u></td> <td>from <u>3</u> feet to <u>0</u> feet</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>from _____ feet to _____ feet</td> </tr> <tr> <td colspan="2"><b>Intervals of casing removed/ripped in feet</b></td> <td>from _____ feet to _____ feet</td> </tr> </tbody> </table>			Amount and Type of Material	Method of Placement	Interval	<u>portland cement grout</u>	<u>pour</u>	from <u>14</u> feet to <u>3</u> feet	<u>silty clay soils</u>	<u>hand</u>	from <u>3</u> feet to <u>0</u> feet	_____	_____	from _____ feet to _____ feet	<b>Intervals of casing removed/ripped in feet</b>		from _____ feet to _____ feet
Amount and Type of Material	Method of Placement	Interval															
<u>portland cement grout</u>	<u>pour</u>	from <u>14</u> feet to <u>3</u> feet															
<u>silty clay soils</u>	<u>hand</u>	from <u>3</u> feet to <u>0</u> feet															
_____	_____	from _____ feet to _____ feet															
<b>Intervals of casing removed/ripped in feet</b>		from _____ feet to _____ feet															
Report <u>must</u> be signed or name entered by person who performed the well plugging work or by the well owner if this person is unknown or not reachable. I (we) have read the statements made herein, know the contents thereof, and that they are true to my (our) knowledge.																	
Sign or enter full name  <u>James D. Gill, PE</u>	If signing print name & title  _____	Date (mm/dd/yyyy)  <u>04/16/2013</u>															
It is the responsibility of the well owner to have the well/hole properly plugged and sealed. The Well Construction Contractor is responsible for notifying the owner of this requirement.																	

Form No. GWS-09 4/2012	<b>STATE OF COLORADO, OFFICE OF THE STATE ENGINEER</b> 821 Centennial Bldg., 1313 Sherman St., Denver, CO 80203 (303) 866-3581 Fax (303) 866-3589 <a href="mailto:dwrpermitsonline@state.co.us">dwrpermitsonline@state.co.us</a>	For Office Use Only															
<b>WELL ABANDONMENT REPORT</b> <small>Use to report plugging and sealing of permitted wells, monitoring and other holes. This form can be computer generated, typed or printed in black or blue ink. Instructions and plugging standards are on reverse side of form.</small>																	
<b>Well Permit Number of the well being plugged</b> <u>250978</u> <b>or</b> <b>MH File Number MH-</b> _____ <b>Hole ID #/Name</b> <u>MW-003</u>																	
<u>Individual/Company responsible for plugging and sealing the well:</u> Name(s) <u>Contour Consulting Engineering, llc</u> Mailing Address <u>P.O. Box 984</u> City, St., Zip <u>Kittredge, CO 80457</u> Phone (area code & no.) <u>303 918 9422</u> Email: <u>jgill@contour-consulting.com</u>																	
<u>Well (Hole) Owner:</u> NAME(S) <u>GCC RIO GRANDE, INC.</u> Phone (include area code) <u>(719) 647-6829</u> Mailing Address, City, St., Zip <u>3372 Lime Road, Pueblo, Colorado 81004</u>																	
<u>ACTUAL WELL LOCATION:</u> County <u>Pueblo</u> Property Address, City, St, Zip <u>3372 Lime Road, Pueblo, Colorado 81004</u> <u>SW</u> 1/4 of the <u>NE</u> 1/4, Sec. <u>12</u> , Twp. <u>22.0</u> <input type="checkbox"/> N. or <input checked="" type="checkbox"/> S., Range <u>65.0</u> <input type="checkbox"/> E. or <input checked="" type="checkbox"/> W., <u>6th</u> P.M. Distance from Section Lines <u>1700</u> Ft. from <input checked="" type="checkbox"/> N. or <input type="checkbox"/> S., <u>1855</u> Ft. from <input checked="" type="checkbox"/> E. or <input type="checkbox"/> W. Line. Subdivision Name _____ Lot _____, Block _____, Filing/Unit _____ Optional: GPS well location information in UTM format. You must check GPS unit for required settings as follows: Format must be UTM,    zone 12 <input type="checkbox"/> or zone 13 <input checked="" type="checkbox"/> ; Units must be meters; Datum must be NAD83; Unit must be set to true north. <u>Easting 533855</u> <u>Northing 4222572</u>																	
I (we) report the existing well (hole) was plugged and sealed on the date of <u>04/12/2012</u> for the following reason(s): <input type="checkbox"/> The well was plugged and sealed as required under Well Permit Number _____. <input checked="" type="checkbox"/> The well was not in use and was plugged and sealed. <input type="checkbox"/> Other (please explain) _____																	
The well was plugged with the following materials placed at the indicated intervals: <table border="0" style="width:100%;"><thead><tr><th style="text-align: left;">Amount and Type of Material</th><th style="text-align: left;">Method of Placement</th><th style="text-align: left;">Interval</th></tr></thead><tbody><tr><td><u>portland cement grout</u></td><td><u>pour</u></td><td>from <u>15</u> feet to <u>3</u> feet</td></tr><tr><td><u>silty clay soils</u></td><td><u>hand</u></td><td>from <u>3</u> feet to <u>0</u> feet</td></tr><tr><td>_____</td><td>_____</td><td>from _____ feet to _____ feet</td></tr><tr><td colspan="2"><b>Intervals of casing removed/ripped in feet</b></td><td>from _____ feet to _____ feet</td></tr></tbody></table>			Amount and Type of Material	Method of Placement	Interval	<u>portland cement grout</u>	<u>pour</u>	from <u>15</u> feet to <u>3</u> feet	<u>silty clay soils</u>	<u>hand</u>	from <u>3</u> feet to <u>0</u> feet	_____	_____	from _____ feet to _____ feet	<b>Intervals of casing removed/ripped in feet</b>		from _____ feet to _____ feet
Amount and Type of Material	Method of Placement	Interval															
<u>portland cement grout</u>	<u>pour</u>	from <u>15</u> feet to <u>3</u> feet															
<u>silty clay soils</u>	<u>hand</u>	from <u>3</u> feet to <u>0</u> feet															
_____	_____	from _____ feet to _____ feet															
<b>Intervals of casing removed/ripped in feet</b>		from _____ feet to _____ feet															
Report <u>must</u> be signed or name entered by person who performed the well plugging work or by the well owner if this person is unknown or not reachable. I (we) have read the statements made herein, know the contents thereof, and that they are true to my (our) knowledge.																	
Sign or enter full name  <u>James D. Gill, PE</u>	If signing print name & title  _____	Date (mm/dd/yyyy)  <u>04/16/2013</u>															
It is the responsibility of the well owner to have the well/hole properly plugged and sealed. The Well Construction Contractor is responsible for notifying the owner of this requirement.																	



Form No. GWS-09 4/2012	<b>STATE OF COLORADO, OFFICE OF THE STATE ENGINEER</b> 821 Centennial Bldg., 1313 Sherman St., Denver, CO 80203 (303) 866-3581 Fax (303) 866-3589 <a href="mailto:dwrpermitsonline@state.co.us">dwrpermitsonline@state.co.us</a>	For Office Use Only															
<b>WELL ABANDONMENT REPORT</b>																	
<small>Use to report plugging and sealing of permitted wells, monitoring and other holes. This form can be computer generated, typed or printed in black or blue ink. Instructions and plugging standards are on reverse side of form.</small>																	
<b>Well Permit Number of the well being plugged</b> <u>250979</u> <b>or</b> <b>MH File Number MH-</b> _____ <b>Hole ID #/Name</b> <u>MW-004</u>																	
<b>Individual/Company responsible for plugging and sealing the well:</b> Name(s) <u>Contour Consulting Engineering, llc</u> Mailing Address <u>P.O. Box 984</u> City, St., Zip <u>Kittredge, CO 80457</u> Phone (area code & no.) <u>303 918 9422</u> Email: <u>kgill@contour-consulting.com</u>																	
<b>Well (Hole) Owner:</b> NAME(S) <u>GCC RIO GRANDE, INC.</u> Phone (include area code) <u>(719) 647-6829</u> Mailing Address, City, St., Zip <u>3372 Lime Road, Pueblo, Colorado 81004</u>																	
<b>ACTUAL WELL LOCATION:</b> County <u>Pueblo</u> Property Address, City, St, Zip <u>3372 Lime Road, Pueblo, Colorado 81004</u> <u>NW 1/4 of the NE 1/4, Sec. 12, Twp. 22.0</u> <input type="checkbox"/> N. or <input checked="" type="checkbox"/> S., Range <u>65.0</u> <input type="checkbox"/> E. or <input checked="" type="checkbox"/> W., <u>6th</u> P.M. Distance from Section Lines <u>150</u> Ft. from <input checked="" type="checkbox"/> N. or <input type="checkbox"/> S., <u>1425</u> Ft. from <input checked="" type="checkbox"/> E. or <input type="checkbox"/> W. Line. Subdivision Name _____ Lot _____, Block _____, Filing/Unit _____ Optional: GPS well location information in UTM format. You must check GPS unit for required settings as follows: Format must be UTM, zone 12 <input type="checkbox"/> or zone 13 <input checked="" type="checkbox"/> ; Units must be meters; Datum must be NAD83; Unit must be set to true north. <b>Easting</b> <u>533984</u> <b>Northing</b> <u>4223044</u>																	
I (we) report the existing well (hole) was plugged and sealed on the date of <u>04/12/2012</u> for the following reason(s): <input type="checkbox"/> The well was plugged and sealed as required under Well Permit Number _____. <input checked="" type="checkbox"/> The well was not in use and was plugged and sealed. <input type="checkbox"/> Other (please explain) _____																	
The well was plugged with the following materials placed at the indicated intervals: <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th style="width: 40%;">Amount and Type of Material</th><th style="width: 30%;">Method of Placement</th><th style="width: 30%;">Interval</th></tr></thead><tbody><tr><td><u>portland cement grout</u></td><td><u>pour</u></td><td>from <u>15</u> feet to <u>3</u> feet</td></tr><tr><td><u>silty clay soils</u></td><td><u>hand</u></td><td>from <u>3</u> feet to <u>0</u> feet</td></tr><tr><td>_____</td><td>_____</td><td>from _____ feet to _____ feet</td></tr><tr><td colspan="2"><b>Intervals of casing removed/ripped in feet</b></td><td>from _____ feet to _____ feet</td></tr></tbody></table>			Amount and Type of Material	Method of Placement	Interval	<u>portland cement grout</u>	<u>pour</u>	from <u>15</u> feet to <u>3</u> feet	<u>silty clay soils</u>	<u>hand</u>	from <u>3</u> feet to <u>0</u> feet	_____	_____	from _____ feet to _____ feet	<b>Intervals of casing removed/ripped in feet</b>		from _____ feet to _____ feet
Amount and Type of Material	Method of Placement	Interval															
<u>portland cement grout</u>	<u>pour</u>	from <u>15</u> feet to <u>3</u> feet															
<u>silty clay soils</u>	<u>hand</u>	from <u>3</u> feet to <u>0</u> feet															
_____	_____	from _____ feet to _____ feet															
<b>Intervals of casing removed/ripped in feet</b>		from _____ feet to _____ feet															
Report <u>must</u> be signed or name entered by person who performed the well plugging work or by the well owner if this person is unknown or not reachable. I (we) have read the statements made herein, know the contents thereof, and that they are true to my (our) knowledge.																	
Sign or enter full name  <u>James D. Gill, PE</u>	If signing print name & title  _____	Date (mm/dd/yyyy)  <u>04/16/2013</u>															
It is the responsibility of the well owner to have the well/hole properly plugged and sealed. The Well Construction Contractor is responsible for notifying the owner of this requirement.																	



P.O. Box 984, 26189 Highway 74  
Kittredge, CO 80457  
Phone: (303) 918-9422

E-mail: [jgill@contour-engineering.com](mailto:jgill@contour-engineering.com)

## MEMO

4/15/13

Barbara Hodgson  
GCC Pueblo Cement Plant  
3372 Lime Road  
Pueblo, Colorado 81004

SUBJECT: Groundwater Monitoring at Monitor Well MW-005 (Semi-Annual)

Table of Monitor Well Water Levels

Date:	Depth to Ground Water (FT) (from top of casing)
-------	--

4-13-2013	DRY
-----------	-----

James D. Gill, PE  
Geological Engineer  
Contour Consulting Engineering

