

ExxonMobil
Global Services Company
Colony Shale Oil Project
P.O. Box 2567
Houston, Texas 77252-2567

ExxonMobil

April 22, 2013

RECEIVED

APR 23 2013

GRAND JUNCTION FIELD OFFICE
DIVISION OF
RECLAMATION MINING & SAFETY

Colorado Division of Reclamation Mining & Safety
Grand Junction Office
101 South 3rd Street, Suite 301
Grand Junction, Colorado 81501
Attention: Travis Marshall

Re: Mined Land Reclamation Board Permit No. M-1980-047

Colony Shale Oil Project
WATER MONITORING INFORMATION

Dear Mr. Marshall,

Please find two (2) copies of Exxon Mobil's HYDROLOGY MONITORING REPORT for the 4th quarter 2012. Should you have general questions, please contact me at 281-654-6246. In addition, technical questions may be addressed to Roy Springfield at 713-431-7889.

Respectfully submitted,



Tom L. Adams
Colony Supervisor
ExxonMobil Global Services Company
Acting for and on behalf of
Exxon Mobil Corporation

Enclosures

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

MM12 WATER QUALITY - Metals

Date	Al mg/L	Sb mg/L	As mg/L	Ba mg/L	Be mg/L	B mg/L	Cd mg/L	Ca mg/L	Cr mg/L	Hexavalent Cr(VI) mg/L	Co mg/L	Cu mg/L	Fe mg/L	Pb mg/L	Li mg/L	Mg mg/L	Mn mg/L	Hg mg/L	Mo mg/L	Ni mg/L	K mg/L	Se mg/L	Silica mg/L	Si mg/L	Ag mg/L	Na mg/L	Tl mg/L	U mg/L	V mg/L	Zn mg/L
10/22/2012 U	U	0.0042	0.046 U	0.046 U	0.14 U	74.3	0.0017 U	U	0.0012 U	U	0.0012 U	U	0.04	0.04	72.1 U	U	0.04 U	U	0.03 U	0.01	2.9	0.0128	21.4	10 U	89.1 U	0.005	0.01 U	0.005	0.008 U	0.013 U
11/19/2012 U	U	0.0045	0.043 U	0.043 U	0.11 U	72.2	0.0016 U	U	0.0006 U	U	0.0006 U	U	0.04	0.04	69.8 U	U	0.03 U	U	0.05	0.01	2.8	0.0107	20.5	9.6 U	86.4 U	0.005	0.008 U	0.005	0.008 U	0.013 U
12/17/2012 U	U	0.0042	0.048 U	0.048 U	0.11 U	77.1	0.0018 U	U	0.0005 U	U	0.0005 U	U	0.04	0.04	75.4 U	U	0.05	U	0.01	0.01	3	0.0107	21.7	10.1 U	93.8 U	0.0055	0.013 U	0.0055	0.013 U	0.013 U

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

MM12 WATER QUALITY - Anions

Date	T. Alk. mg/L	BOD ₅ mg/L	COD mg/L	Cl mg/L	Cond µmhos/cm	CH ₃ CO ₂ ⁻ (mg/L)	F (mg/L)	Hard mg/L	NO ₃ -N mg/L	NO ₃ -N+NO ₂ -N ⁻ mg/L	NO ₂ -N mg/L	NH ₃ -N mg/L	TKN mg/L	o-P mg/L	P _{total} mg/L	TDS mg/L	SAR	SO ₄ mg/L	S ²⁻ mg/L	SCN mg/L	pH s.u.
10/22/2012	329 U	U	U	17	1040 U	0.9	0.9	482	3.28	3.28 U	U	U	U	0.02	0.02	760	1.79	290 U	U	U	8.3
11/19/2012	329 U	U	10	15	1120 U	0.9	0.9	467	3.35	3.35 U	U	U	0.3	0.02	0.01	790	1.76	300 U	U	U	8.2
12/17/2012	337 U	U	30	15	1140 U	1	1	503	3.78	3.78 U	U	U	0.1	0.02	0.02	820	1.84	300 U	U	U	8.3

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

MM12 WATER QUALITY - Organics

Date	Benzene µg/L	Et-Benzene µg/L	m/p xylene µg/L	o xylene µg/L	Toluene µg/L	BTEX µg/L	TPH C10-C28 µg/L	2-Methylnaphthalene µg/L	Acenaphthene µg/L	Acenaphthylene µg/L	Anthracene µg/L	Benzo(a)anthracene µg/L	Benzo(a)pyrene µg/L	Benzo(b)fluoranthene µg/L	Benzo(g,h,i)perylene µg/L	Benzo(k)fluoranthene µg/L	Chrysene µg/L	Dibenzo(a,h)anthracene µg/L	Fluoranthene µg/L	Fluorene µg/L	Indeno(1,2,3-cd)pyrene µg/L	Naphthalene µg/L	Phenanthrene µg/L	Pyrene µg/L	O&G µg/L	Phenol mg/L
10/22/2012 U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	0.009
11/19/2012 U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	0.025
12/17/2012 U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	0.005

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

THA6 WATER QUALITY - Metals

Date	Al mg/L	Sb mg/L	As mg/L	Ba mg/L	Be mg/L	B mg/L	Cd mg/L	Ca mg/L	Cr mg/L	Hexavalent Cr(VI) mg/L	Co mg/L	Cu mg/L	Fe mg/L	Pb mg/L	Li mg/L	Mg mg/L	Mn mg/L	Hg mg/L	Mo mg/L	Ni mg/L	K mg/L	Se mg/L	Silica mg/L	Si mg/L	Ag mg/L	Na mg/L	Tl mg/L	U mg/L	V mg/L	Zn mg/L
10/22/2012 U	U	0.0031	0.057 U	0.057 U	0.16 U	86.7	0.0019 U	U	0.0016 U	U	0.0016 U	U	0.05	0.05	83.8 U	U	0.05 U	U	0.05 U	0.05 U	2.6	0.0174	21.6	10.1 U	99.5 U	0.0061	0.007 U	0.0061	0.007 U	0.007 U
11/19/2012 U	U	0.0005	0.052 U	0.052 U	0.14 U	80.5	0.002 U	U	0.0007 U	U	0.0007 U	U	0.04	0.04	77.9 U	U	0.05 U	U	0.05 U	0.05 U	2.4	0.014	20.3	9.5 U	93.9 U	0.0066 U	U	0.0066 U	0.0066 U	U
12/17/2012 U	U	0.0032	0.055 U	0.055 U	0.14 U	82.4	0.002 U	U	0.0007 U	U	0.0007 U	U	0.04	0.04	80.7 U	U	0.05	U	0.05	0.02	2.5	0.0156	21.5	10 U	99.7 U	0.0064	0.007 U	0.0064	0.007 U	0.007 U

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

THA6 WATER QUALITY - Anions

Date	T. Alk. mg/L	BOD ₅ mg/L	COD mg/L	Cl mg/L	Cond µmhos/cm	CH ₃ CO ₂ ⁻ (mg/L)	F (mg/L)	Hard mg/L	NO ₃ -N mg/L	NO ₃ -N+NO ₂ -N ⁻ mg/L	NO ₂ -N mg/L	NH ₃ -N mg/L	TKN mg/L	o-P mg/L	P _{total} mg/L	TDS mg/L	SAR	SO ₄ mg/L	S ²⁻ mg/L	SCN mg/L	pH s.u.
10/22/2012	356 U	U	U	15	1160 U	0.6	0.6	561	5.25	5.27	0.02 U	U	0.3	0.02	0.02	860	1.85	360 U	U	U	8.3
11/19/2012	352 U	U	U	15	1230 U	1.2	1.2	521	4.79	4.8	0.01 U	U	0.3	0.02	0.01	870	1.81	360 U	U	U	8.3
12/17/2012	371 U	U	U	15	1220 U	1.2	1.2	538	5.26	5.27	0.01 U	U	0.3	0.02	0.01	880	1.89	330 U	U	U	8.3

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

THA6 WATER QUALITY - Organics

Date	Benzene µg/L	Et-Benzene µg/L	m/p xylene µg/L	o xylene µg/L	Toluene µg/L	BTEX µg/L	TPH C10-C28 µg/L	2-Methylnaphthalene µg/L	Acenaphthene µg/L	Acenaphthylene µg/L	Anthracene µg/L	Benzo(a)anthracene µg/L	Benzo(a)pyrene µg/L	Benzo(b)fluoranthene µg/L	Benzo(g,h,i)perylene µg/L	Benzo(k)fluoranthene µg/L	Chrysene µg/L	Dibenzo(a,h)anthracene µg/L	Fluoranthene µg/L	Fluorene µg/L	Indeno(1,2,3-cd)pyrene µg/L	Naphthalene µg/L	Phenanthrene µg/L	Pyrene µg/L	O&G µg/L	Phenol mg/L
10/22/2012 U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	0.004
11/19/2012 U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	0.028
12/17/2012 U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	0.006

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES
WDR4 WATER QUALITY - Metals

Date	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Hexavalent Cr(VI)	Co	Cu	Fe	Pb	Li	Mg	Mn	Hg	Mo	Ni	K	Se	Silica	Si	Ag	Na	Ti	U	V	Zn
	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
10/23/2012 U		0.001	0.0021	0.02 U		0.07 U		83.3 U		U		0.0012 U				57 U			0.02 U			0.0029	23.2	10.8 U	75.4 U		0.0043 U			
11/26/2012 U		0.0009	0.0023	0.016 U	0.016 U	0.07 U		96.3 U		U		0.0011 U			U	59.2 U		U	0.03 U		U	0.0028	23.6	11 U	77.2 U		0.0046 U		U	

EXXON COLONY SITE
REPORT GROUNDWATER SAMPLES
WDR4 WATER QUALITY - Anions

Date	T. Alk. mg/L	BOD ₅ mg/L	COD mg/L	Cl mg/L	Cond µmhos/cm	CN _{total} (mg/L)	F (mg/L)	Hard mg/L	NO ₃ -N mg/L	NO ₃ -N+NO ₂ -N mg/L	NO ₂ -N mg/L	NH ₃ -N mg/L	TKN mg/L	o-P mg/L	P _{total} mg/L	TDS mg/L	SAR	SO ₄ mg/L	S ²⁻ mg/L	SCN mg/L	pH s.u.
10/23/2012	370 U				19	1070 U	0.5	468	0.07	0.07 U			0.2	0.02 U		670	1.54	196 U			8.2
11/26/2012	377 U				25	1030 U	0.4	484	0.08	0.08 U		1.55 U			0.01	720	1.54	210 U			8.3

EXXON COLONY SITE
REPORT GROUNDWATER SAMPLES
WDR4 WATER QUALITY - Organics

Date	Benzene µg/L	Et-Benzene µg/L	m/p xylene µg/L	o xylene µg/L	Toluene µg/L	BTEX µg/L	TPH C10-C28 µg/L	2-Methylnaphthalene µg/L	Acenaphthene µg/L	Acenaphthylene µg/L	Anthracene µg/L	Benzo(a)anthracene µg/L	Benzo(a)pyrene µg/L	Benzo(b)fluoranthene µg/L	Benzo(g,h,i)perylene µg/L	Benzo(k)fluoranthene µg/L	Chrysene µg/L	Dibenzo(a,h)anthracene µg/L	Fluoranthene µg/L	Fluorene µg/L	Indeno(1,2,3-cd)pyrene µg/L	Naphthalene µg/L	Phenanthrene µg/L	Pyrene µg/L	O&G µg/L	Phenol mg/L
10/23/2012 U																										
11/26/2012 U																										0.015

EXXON COLONY SITE
REPORT GROUNDWATER SAMPLES
WW11 WATER QUALITY - Metals

Date	Al mg/L	Sb mg/L	As mg/L	Ba mg/L	Be mg/L	B mg/L	Cd mg/L	Ca mg/L	Cr mg/L	Hexavalent Cr(VI) mg/L	Co mg/L	Cu mg/L	Fe mg/L	Pb mg/L	Li mg/L	Mg mg/L	Mn mg/L	Hg mg/L	Mo mg/L	Ni mg/L	K mg/L	Se mg/L	Silica mg/L	Si mg/L	Ag mg/L	Na mg/L	Ti mg/L	U mg/L	V mg/L	Zn mg/L
10/22/2012 U	U	U	U	0.076 U	U	0.57 U	U	17.1 U	U	U	U	0.001	0.08 U	U	0.14	22.7	0.026 U	U	U	U	0.5	0.0417	19.4	9.1 U	300 U	U	U	U	U	U
11/19/2012 U	U	U	U	0.073 U	U	0.52 U	U	16 U	U	U	U	U	0.02 U	U	0.13	21.2	0.022 U	U	U	U	0.4	0.007	18.4	8.6 U	284 U	U	U	U	U	U
12/17/2012 U	U	U	U	0.077 U	U	0.56 U	U	17.2 U	U	U	U	U	0.11 U	U	0.14	22.7	0.026 U	U	0.01 U	U	0.4	0.022	19.6	9.2 U	307 U	U	U	U	U	U

EXXON COLONY SITE
REPORT GROUNDWATER SAMPLES
WW11 WATER QUALITY - Anions

Date	T. Alk. mg/L	BOD ₅ mg/L	COD mg/L	Cl mg/L	Cond µmhos/cm	CN _{total} (mg/L)	F (mg/L)	Hard mg/L	NO ₃ -N mg/L	NO ₃ -N+NO ₂ -N mg/L	NO ₂ -N mg/L	NH ₃ -N mg/L	TKN mg/L	o-P mg/L	P _{total} mg/L	TDS mg/L	SAR	SO ₄ mg/L	S ²⁻ mg/L	SCN mg/L	pH s.u.
10/22/2012	694		4	30	13		6.6	136	0.04	0.04 U		0.61	0.5	0.06	0.02	860	11.3	77	13.5	0.9	8.5
11/19/2012	683		8	20	4	1320 U	6.6	127 U		U		0.66	0.9	0.05	0.01	860	11.1	72	14.1	1.6	8.4
12/17/2012	666		11	20	7	1360 U	6.7	136 U		U		0.68	0.8	0.02	0.02	850	11.6	82	11.1	1.1	8.4

EXXON COLONY SITE
REPORT GROUNDWATER SAMPLES
WW11 WATER QUALITY - Organics

Date	Benzene µg/L	Et-Benzene µg/L	m/p xylene µg/L	o xylene µg/L	Toluene µg/L	BTEX µg/L	TPH C10-C28 µg/L	2-Methylnaphthalene µg/L	Acenaphthene µg/L	Acenaphthylene µg/L	Anthracene µg/L	Benzo(a)anthracene µg/L	Benzo(a)pyrene µg/L	Benzo(b)fluoranthene µg/L	Benzo(g,h,i)perylene µg/L	Benzo(k)fluoranthene µg/L	Chrysene µg/L	Dibenzo(a,h)anthracene µg/L	Fluoranthene µg/L	Fluorene µg/L	Indeno(1,2,3-cd)pyrene µg/L	Naphthalene µg/L	Phenanthrene µg/L	Pyrene µg/L	O&G µg/L	Phenol mg/L
10/22/2012 U																										0.003
11/19/2012 U																										0.024
12/17/2012 U																										0.005

EXXON COLONY SITE
REPORT GROUNDWATER SAMPLES
WW-GC-ID1 WATER QUALITY - Metals

Date	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Hexavalent Cr(VI)	Co	Cu	Fe	Pb	Li	Mg	Mn	Hg	Mo	Ni	K	Se	Silica	Si	Ag	Na	Ti	U	V	Zn
------	----	----	----	----	----	---	----	----	----	-------------------	----	----	----	----	----	----	----	----	----	----	---	----	--------	----	----	----	----	---	---	----

WW-EF-Q1 WATER QUALITY - Anions

Date	T. Alk. mg/L	BOD ₅ mg/L	COD mg/L	Cl mg/L	Cond µmhos/cm	CN _{total} (mg/L)	F (mg/L)	Hard mg/L	NO ₃ -N mg/L	NO ₃ -N+NO ₂ -N mg/L	NO ₂ -N mg/L	NH ₄ -N mg/L	TKN mg/L	o-P mg/L	P _{total} mg/L	TDS mg/L	SAR	SO ₄ mg/L	S ²⁻ mg/L	SCN mg/L	pH s.u.
10/25/2012	495	2	10	15	2010 U		2.1	1110	14.1	14.1	0.04 U		0.7	0.01	0.01	1660	1.84	790 U			7.8
11/20/2012	467 U	30	30	14	2040 U		2.1	1140	13.7	13.7	0.01 U		0.5	0.01	0.02	1740	1.78	840 U			8
12/19/2012	501 U	20	20	14	2050 U		2.2	1110	15	15 U			0.3 U			1700	1.82	820 U			8

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

WW-EF-Q1 WATER QUALITY - Organics

Date	Benzene µg/L	Et-Benzene µg/L	m/p xylene µg/L	o xylene µg/L	Toluene µg/L	BTEX µg/L	TPH C10-C28 µg/L	2-Methylnaphthalene µg/L	Acenaphthene µg/L	Acenaphthylene µg/L	Anthracene µg/L	Benzo(a)anthracene µg/L	Benzo(a)pyrene µg/L	Benzo(b)fluoranthene µg/L	Benzo(g,h,i)perylene µg/L	Benzo(k)fluoranthene µg/L	Chrysene µg/L	Dibenzo(a,h)anthracene µg/L	Fluoranthene µg/L	Fluorene µg/L	Indeno(1,2,3-cd)pyrene µg/L	Naphthalene µg/L	Phenanthrene µg/L	Pyrene µg/L	O&G µg/L	Phenol mg/L
10/25/2012	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
11/20/2012	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	0.015
12/19/2012	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	0.01

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

WW-EF-V2 WATER QUALITY - Metals

Date	Al mg/L	Sb mg/L	As mg/L	Ba mg/L	Be mg/L	B mg/L	Cd mg/L	Ca mg/L	Cr mg/L	Hexavalent Cr(VI) mg/L	Co mg/L	Cu mg/L	Fe mg/L	Pb mg/L	Li mg/L	Mg mg/L	Mn mg/L	Hg mg/L	Mo mg/L	Ni mg/L	K mg/L	Se mg/L	Silica mg/L	Si mg/L	Ag mg/L	Na mg/L	Tl mg/L	U mg/L	V mg/L	Zn mg/L
10/24/2012	U	U	0.0065	0.017	U	0.09	U	84.2	U	U	U	U	0.56	U	U	67.8	0.01	U	0.04	U	0.3	0.0001	23.3	10.9	U	98.1	U	0.0043	U	U
11/27/2012	U	U	0.0064	0.013	U	0.08	U	83.2	U	U	U	U	0.54	U	U	68.4	U	U	0.03	U	U	0.0002	23.6	11	U	101	U	0.0037	U	U
12/18/2012	0.04	U	0.006	0.017	U	0.08	U	80.5	U	U	U	U	0.52	U	U	63.6	0.008	U	0.04	U	U	U	22.1	10.3	U	92.6	U	0.0043	U	U

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

WW-EF-V2 WATER QUALITY - Anions

Date	T. Alk. mg/L	BOD ₅ mg/L	COD mg/L	Cl mg/L	Cond µmhos/cm	CN _{total} (mg/L)	F (mg/L)	Hard mg/L	NO ₃ -N mg/L	NO ₃ -N+NO ₂ -N mg/L	NO ₂ -N mg/L	NH ₃ -N mg/L	TKN mg/L	o-P mg/L	P _{total} mg/L	TDS mg/L	SAR	SO ₄ mg/L	S ²⁻ mg/L	SCN mg/L	pH s.u.	
10/24/2012	369 U	U	U	13	1180 U		1.8	489 U	U	U		0.1 U		0.02 U		790	1.95		290	0.06 U		8.2
11/27/2012	363 U	U	U	13	1110 U		1.9	489 U	U	U		0.12	0.3 U	U		810	2.01		290	0.05 U		8.2
12/18/2012	386 U	U	U	11	1130 U		1.9	463 U	U	U		0.15	0.2 U	U		800	1.9		280	0.06 U		8.2

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

WW-EF-V2 WATER QUALITY - Organics

Date	Benzene µg/L	Et-Benzene µg/L	m/p xylene µg/L	o xylene µg/L	Toluene µg/L	BTEX µg/L	TPH C10-C28 µg/L	2-Methylnaphthalene µg/L	Acenaphthene µg/L	Acenaphthylene µg/L	Anthracene µg/L	Benzo(a)anthracene µg/L	Benzo(a)pyrene µg/L	Benzo(b)fluoranthene µg/L	Benzo(g,h,i)perylene µg/L	Benzo(k)fluoranthene µg/L	Chrysene µg/L	Dibenzo(a,h)anthracene µg/L	Fluoranthene µg/L	Fluorene µg/L	Indeno(1,2,3-cd)pyrene µg/L	Naphthalene µg/L	Phenanthrene µg/L	Pyrene µg/L	O&G µg/L	Phenol mg/L
10/24/2012 U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
11/27/2012 U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	0.01
12/18/2012 U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	0.006

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

WW-EF-V3A WATER QUALITY - Metals

Date	Al mg/L	Sb mg/L	As mg/L	Ba mg/L	Be mg/L	B mg/L	Cd mg/L	Ca mg/L	Cr mg/L	Hexavalent Cr(VI) mg/L	Co mg/L	Cu mg/L	Fe mg/L	Pb mg/L	Li mg/L	Mg mg/L	Mn mg/L	Hg mg/L	Mo mg/L	Ni mg/L	K mg/L	Se mg/L	Silica mg/L	Si mg/L	Ag mg/L	Na mg/L	Tl mg/L	U mg/L	V mg/L	Zn mg/L
10/24/2012	U	U	U	0.021 U		0.08 U		80.6	0.0008 U		U		0.05 U		U	66.4	0.007 U		0.01 U				23.4	10.9 U		94.5 U		0.0013 U		U
11/27/2012	U	U	0.0007	0.018 U		0.08 U		84 U			U		U		U	68.3 U				U			23.9	11.2 U		96.8 U		0.0009 U		U
12/18/2012	U	U	0.0005	0.022 U		0.08 U		78.6 U			U		0.02 U		U	62.7 U				U			22.5	10.5 U		91.1 U		0.0011 U		0.01

EXXON COLONY SITE

REPORT GROUNDWATER SAMPLES

WW-EF-V3A WATER QUALITY - Anions

