

**GROUND WATER LEVELS
in the
NORTHERN HIGH PLAINS
DESIGNATED GROUND WATER BASIN
2013**



by
Ralf Topper

John W. Hickenlooper
Governor

Mike King
Executive Director

Dick Wolfe
State Engineer

Matthew Sares
Project Manager

Water Level Measurements in the Northern High Plains Designated Ground Water Basin 2013

This report contains the basic ground water level data collected from wells in the Northern High Plains Designated Ground Water Basin during the winter of 2012-2013. Data were collected in cooperation with the W-Y, Frenchman, Central Yuma, Sand Hills, Marks Butte, Arikaree, Plains and East Cheyenne Ground Water Management Districts, and local well owners. This data collection effort is part of a statewide ground water level monitoring program funded by Senate Bill 200 (1987 legislative session). That legislation authorized the Office of the State Engineer to establish and maintain a water-level monitoring network throughout the state to obtain information on ground water conditions, to evaluate ground water trends and to manage the ground water resources of the state.

During the winter of 2012-2013, a total of 686 wells were measured. The map on the following page shows the location of these wells. Wells which have gone dry, are inaccessible, have been plugged, or are otherwise unusable, are removed from the network and replaced where feasible. The wells in this report are listed first by the management district in which they lie or county, if outside of a management district, then by township, range and section, beginning in the north and proceeding south. Tabular data are presented for each well for the previous ten years. Graphical data are presented for the entire period of record. Analyses of changes in the water level in the aquifer are based on single point comparisons and may be complicated by unknown pumping schedules or other site-specific hydrologic factors.

New to the report this year, is a modification to the time axis of the hydrographs. All available water level data, for each well, is now plotted as a true time series versus sequential data points. The report also contains data from wells, which are part of this monitoring effort, but for which measurements were not available in 2013. Wells lacking measurements for the past 10 years have been removed from the monitoring program and are no longer included in this publication. To provide a broader perspective of long-term water level trends we have also recorded the initial static water level, if reported, when the well was constructed.

Table 1 that follows summarizes some of the statistics gleaned from the data and is organized by management district or county. This information includes the range of water levels recorded and the average change in water levels of all wells in the district on a one, five, and ten year interval. To analyze these water level trends, we omitted the highest and lowest values reported from the statistical calculation. This was done under the assumption that these end-member readings are often anomalous due to site-specific circumstances such as nearby pumping or recharge. If these end-member values are not anomalous then the water level change would still be reflected in the rest of the data. It should be remembered that this value is an average change in water level over all of the wells within the district, which may not be truly representative of the district as a whole. The long-term 10-year water level comparisons show a declining trend that ranges from approximately -3 to -14 feet, with the exception of Kiowa County where average water levels were relatively stable during that time frame.

A request for additional water level information relative to the Republican River basin was made in 2013. To address this request, we include color-coded maps of the change in water levels in those wells within the Republican River basin in a one (2012-2013), five (2008-2013), and ten (2003-

2013) year period. The changes, both positive and negative are displayed by color in accordance with the map key.

An electronic copy of this report, in Adobe PDF format, is available on the Division of Water Resources website:

<http://water.state.co.us/groundwater/Pages/HydroGeo.aspx>.

Hardcopy reports may be obtained from the Colorado Division of Water Resources, Public Records Section at 1313 Sherman Street, Room 818, Denver, CO 80203. Additionally, all groundwater level data may be accessed and exported using the tools available on the Colorado Decision Support System website:


<http://cdss.state.co.us/onlineTools/Pages/GroundWaterWaterLevels.aspx>

If you have any questions regarding ground water and the information in this report, please contact the Ground Water Information Desk at (303) 866-3587.


Table 1
Northern High Plains Designated Ground Water Basin
Water Level Statistics


DISTRICT	# of Wells in Statistics	2013 Range of Water Levels (ft)	Δ 1 year 2012/2013	Δ 5 year 2008-2013	Δ 10 year 2003-2013
MARKS BUTTE	18	191 - 277	-1.70	-3.20	-4.80
FRENCHMAN	81	41 - 242	-1.60	-3.40	-9.30
SANDHILLS	43	65 - 188	-1.70	-3.50	-10.60
CENTRAL YUMA	47	36 - 225	-1.10	-2.70	-7.50
WASH. COUNTY	20	14 - 223	-1.60	-0.90	-3.30
W-Y	85	26 - 278	-2.90	-0.90	-4.50
ARIKAREE	126	9 - 275	-6.40	-7.40	-10.20
PLAINS	184	45 - 267	-7.90	-4.90	-14.00
EAST CHEYENNE	33	41 - 265	-2.80	0.10	-5.30
KIOWA COUNTY	11	23 - 272	0.80	-0.50	-0.10
PROWERS COUNTY	10	71 - 149	-2.20	-4.90	-3.50

THIS PAGE INTENTIONALLY BLANK



State of Colorado -- Division of Water Resources
**Northern High Plains Designated Basin
Monitoring Well Locations**





Marks Butte Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**


Well Name:	FULSCHER, M.	Owner:	
Permit #:	218894 - A	Location #:	SB00904316BAB
		USGS Site ID:	404548102084200
Division:		Water District:	County: SEDGWICK
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW NE NW	16	9 N 43 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.762774	-102.145462	
Surface Elevation (ft):	3669.47		
Well depth (ft):	225		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.30
5 year: 12.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2005	201.70	3467.77	0.85
1/3/2006	202.40	3467.07	-0.70
3/8/2007	203.40	3466.07	-1.00
1/30/2008	203.90	3465.57	-0.50
4/21/2009	204.60	3464.87	-0.70
1/5/2010	189.90	3479.57	14.70
1/24/2011	190.60	3478.87	-0.70
2/1/2012	190.00	3479.47	0.60
2/1/2013	191.30	3478.17	-1.30

All Historic Measurements




Well Name:	CUMMING, G.	Owner:	BAUER SCOTT M & LIESL M
Permit #:	12422 - F	Location #:	SB00904411BBB
		USGS Site ID:	404640102133800
Division:		Water District:	County: SEDGWICK
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW NW NW	11	9 N 44 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.777773	-102.227963	
Surface Elevation (ft):	3726.5		
Well depth (ft):	295		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.90
5 year: -4.80
10 year: -4.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2003	197.20	3529.30	1.40
1/27/2004	197.70	3528.80	-0.50
1/17/2005	198.60	3527.90	-0.90
1/3/2006	198.90	3527.60	-0.30
3/8/2007	198.80	3527.70	0.10
1/30/2008	196.70	3529.80	2.10
4/21/2009	196.20	3530.30	0.50
1/5/2010	198.70	3527.80	-2.50
1/25/2010	199.30	3527.20	-0.60
2/1/2012	199.60	3526.90	-0.30
2/1/2013	201.50	3525.00	-1.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**


Well Name:	ANDERSON	Owner:	ANDERSON TROY LEE
Permit #:	15970 - F -	Location #:	SB00904518BDB
		USGS Site ID:	404535102241901
Division:		Water District:	
Location:	Q160 Q40 Q10	County:	SEDGWICK
	Section Twntshp Range PM	Distance from section lines:	
	NW SE NW 18 9 N 45 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.759716	-102.405742	
Surface Elevation (ft):	3883.59		
Well depth (ft):	318		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.60
5 year: -5.20
10 year: -8.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2003	212.00	3671.59	0.30
12/29/2003	213.70	3669.89	-1.70
1/24/2005	214.90	3668.69	-1.20
1/4/2006	215.40	3668.19	-0.50
3/7/2007	216.50	3667.09	-1.10
1/31/2008	214.90	3668.69	1.60
4/21/2009	214.70	3668.89	0.20
1/5/2010	217.50	3666.09	-2.80
12/28/2010	218.20	3665.39	-0.70
2/1/2012	218.50	3665.09	-0.30
2/2/2013	220.10	3663.49	-1.60

All Historic Measurements




Well Name:	ANDERSON, A.	Owner:	ZION INC
Permit #:	14063 - F -	Location #:	SB00904610CCA
		USGS Site ID:	404601102283300
Division:		Water District:	
Location:	Q160 Q40 Q10	County:	SEDGWICK
	Section Twntshp Range PM	Distance from section lines:	
	SW SW NE 10 9 N 46 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.767215	-102.473521	
Surface Elevation (ft):	3932.63		
Well depth (ft):	274		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.90
5 year: -4.50
10 year: -9.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2003	222.20	3710.43	-2.20
12/29/2003	223.80	3708.83	-1.60
1/24/2005	224.20	3708.43	-0.40
1/4/2006	225.10	3707.53	-0.90
3/15/2007	228.00	3704.63	-2.90
1/31/2008	227.50	3705.13	0.50
4/21/2009	228.30	3704.33	-0.80
1/5/2010	229.80	3702.83	-1.50
12/28/2010	230.60	3702.03	-0.80
2/1/2012	231.10	3701.53	-0.50
2/2/2013	232.00	3700.63	-0.90

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: BIESEMEIER FARMS **Owner:** BIESEMEIER FARM INC
Permit #: 20051 - FP - R **Location #:** SB00904711DDB **USGS Site ID:** 404605102333501
Division: **Water District:** **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SE NW 11 9 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied
Latitude/Longitude (decimal degrees): 40.768048 -102.560189
Surface Elevation (ft): 3991.68 **Water Level Change**
Well depth (ft): 263 **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:** -3.40
10 year: -5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2003	201.90	3789.78	-0.30
12/29/2003	202.60	3789.08	-0.70
1/25/2005	202.70	3788.98	-0.10
12/28/2005	203.70	3787.98	-1.00
3/16/2007	204.00	3787.68	-0.30
2/10/2008	204.00	3787.68	0.00
1/1/2009			
1/5/2010	204.40	3787.28	
2/8/2011	204.50	3787.18	-0.10
2/1/2012	205.20	3786.48	-0.70
2/2/2013	207.40	3784.28	-2.20

All Historic Measurements




Well Name: MEAKINS, RICHARD **Owner:** MEAKINS PAT & RICHARD STARKEBAUM
Permit #: 19419 - FP - R **Location #:** SB00904717C **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW 17 9 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4514053.1 Easting (UTM x): 700289.0 Spotted from quarters
Latitude/Longitude (decimal degrees): 40.753061 -102.627420
Surface Elevation (ft): 4052 **Water Level Change**
Well depth (ft): 405 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -1.00
10 year: -3.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	203.50	3848.50	4.30
12/29/2003	203.80	3848.20	-0.30
1/25/2005	204.20	3847.80	-0.40
12/28/2005	204.60	3847.40	-0.40
3/16/2007	205.30	3846.70	-0.70
2/10/2008	206.10	3845.90	-0.80
4/21/2009	206.60	3845.40	-0.50
1/5/2010	205.80	3846.20	0.80
2/28/2011	206.10	3845.90	-0.30
2/1/2012	206.30	3845.70	-0.20
2/2/2013	207.10	3844.90	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SB01004232DDD

USGS Site ID: 404741102030500

Division:

Water District:

County: SEDGWICK

Location:

Q160 Q40 Q10 Section Township Range PM Distance from section lines:

SE SE SE 32 10 N 42 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.793885

-102.051849

Surface Elevation (ft): 3613.46

Well depth (ft):

Aquifer(s):

Water Level Change

1 year: -2.80


5 year: -1.00

10 year: 1.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2003	195.50	3417.96	-0.40
1/25/2004	195.50	3417.96	0.00
1/12/2005	195.20	3418.26	0.30
1/6/2006	196.50	3416.96	-1.30
3/8/2007	195.40	3418.06	1.10
1/30/2008	192.90	3420.56	2.50
4/21/2009	194.80	3418.66	-1.90
1/5/2010	191.70	3421.76	3.10
1/24/2011	192.20	3421.26	-0.50
2/1/2012	191.10	3422.36	1.10
2/1/2013	193.90	3419.56	-2.80

All Historic Measurements



Well Name: HOLCOMB, BRICE

Owner:

Permit #: 19259 - F -

Location #: SB01004303B

USGS Site ID:

Division: 1

Water District:

County: SEDGWICK

Location:

Q160 Q40 Q10 Section Township Range PM Distance from section lines:

NW 3 10 N 43 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4529095.0

Easting (UTM x): 742045.4

Spotted from quarters

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3670

Well depth (ft): 410

Aquifer(s): OGALLALA

Water Level Change

1 year: -4.80


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2010	236.80	3433.20	
1/24/2011	236.90	3433.10	-0.10
2/1/2012	235.80	3434.20	1.10
2/1/2013	240.60	3429.40	-4.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name:	DEDEN, D	Owner:	DEDEN DAVID A
Permit #:	19257 - F -	Location #:	SB01004306BB
		USGS Site ID:	
Division:	1	Water District:	65
		County:	SEDGWICK
Location:	Q160 Q40 Q10	Section	Twnshp
	NW NW	6	10 N
		43 W S	
		Distance from section lines:	
		From N/S line:	1319 N
		From E/W line:	1319 W
UTM Coordinates (NAD83):	Northing (UTM y):	4528900.0	Easting (UTM x):
			737250.5
			<i>Spotted from section lines</i>
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	3720	Water Level Change	
Well depth (ft):	440	1 year:	-2.00
Aquifer(s):	OGALLALA	5 year:	-2.30
		10 year:	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	251.10	3468.90	
3/8/2007	254.60	3465.40	-3.50
1/30/2008	255.10	3464.90	-0.50
4/21/2009	256.50	3463.50	-1.40
1/5/2010	255.10	3464.90	1.40
1/25/2011	255.80	3464.20	-0.70
2/1/2012	255.40	3464.60	0.40
2/1/2013	257.40	3462.60	-2.00

All Historic Measurements




Well Name:	RENQUIST, M.	Owner:	RENQUIST MERVIN
Permit #:	18605 - RFP -	Location #:	SB01004435CAD
		USGS Site ID:	404747102130400
Division:		Water District:	
		County:	SEDGWICK
Location:	Q160 Q40 Q10	Section	Twnshp
	SW NE SE	35	10 N
		44 W S	
		Distance from section lines:	
		From N/S line:	
		From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	<i>User supplied</i>
		40.796384	-102.218241
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	3713.5	Water Level Change	
Well depth (ft):	320	1 year:	-0.70
Aquifer(s):	OGALLALA	5 year:	-3.00
		10 year:	-5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2003	199.30	3514.20	1.30
1/17/2005	200.60	3512.90	-1.30
1/3/2006	203.80	3509.70	-3.20
3/8/2007	201.40	3512.10	2.40
1/31/2008	201.80	3511.70	-0.40
1/1/2009			
1/5/2010	202.10	3511.40	
1/25/2011	203.80	3509.70	-1.70
2/1/2012	204.10	3509.40	-0.30
2/1/2013	204.80	3508.70	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: **RENQUIST, M. J.**

Owner: M. J. RENQUIST & SONS

Permit #: 24159 - F -

Location #: SB01004524CCC

USGS Site ID: 404922102192602

Division:

Water District:

County: SEDGWICK

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

SW SW SW

24

10

N

45

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.822771

-102.324353

Surface Elevation (ft): 3827.55

Well depth (ft):

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.20


5 year: -3.20

10 year: -5.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2003	250.50	3577.05	0.00
1/27/2004	250.00	3577.55	0.50
1/17/2005	251.90	3575.65	-1.90
1/3/2006	251.70	3575.85	0.20
3/8/2007	252.50	3575.05	-0.80
1/31/2008	253.20	3574.35	-0.70
4/21/2009	253.00	3574.55	0.20
1/5/2010	253.80	3573.75	-0.80
12/28/2010	254.20	3573.35	-0.40
2/1/2012	254.20	3573.35	0.00
2/1/2013	256.40	3571.15	-2.20

All Historic Measurements



Well Name: **PRICE BROTHERS**

Owner: ANDERSON LARRY R

Permit #: 19587 - F -

Location #: SB01004617CAC

USGS Site ID: 405029102304001

Division:

Water District:

County: SEDGWICK

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

SW NE SW

17

10

N

46

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.841381

-102.511577

Surface Elevation (ft): 3979.66

Well depth (ft): 370

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.60


5 year: -5.80

10 year: -8.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2003	265.50	3714.16	0.00
1/27/2004	266.30	3713.36	-0.80
1/24/2005	266.80	3712.86	-0.50
12/28/2005	267.30	3712.36	-0.50
3/15/2007	267.80	3711.86	-0.50
1/31/2008	268.00	3711.66	-0.20
1/1/2009			
1/5/2010	271.40	3708.26	
12/28/2010	271.80	3707.86	-0.40
2/1/2012	273.20	3706.46	-1.40
2/2/2013	273.80	3705.86	-0.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name:	ANDERSON	Owner:	ANDERSON LARRY R
Permit #:	19134 - F -	Location #:	SB01004631B
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	SEDGWICK
	NW 31 10 N 46 W S	Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	708186.4 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.804764	-102.531964	
Surface Elevation (ft):	3994	Water Level Change	
Well depth (ft):	360	1 year:	-0.80
Aquifer(s):	OGALLALA	5 year:	-3.80
		10 year:	-6.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	261.00	3733.00	-2.00
1/25/2004	260.10	3733.90	0.90
1/24/2005	263.40	3730.60	-3.30
12/28/2005	264.40	3729.60	-1.00
3/15/2007	263.00	3731.00	1.40
1/31/2008	263.50	3730.50	-0.50
4/21/2009	264.20	3729.80	-0.70
1/5/2010	264.90	3729.10	-0.70
12/28/2010	265.60	3728.40	-0.70
2/1/2012	266.50	3727.50	-0.90
2/2/2013	267.30	3726.70	-0.80

All Historic Measurements




Well Name:	ANDERSON	Owner:	ANDERSON LARRY R
Permit #:	20245 - FP -	Location #:	SB01004631C
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	SEDGWICK
	SW 31 10 N 46 W S	Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	708216.7 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.797430	-102.531876	
Surface Elevation (ft):	3970	Water Level Change	
Well depth (ft):	402	1 year:	-0.80
Aquifer(s):	OGALLALA	5 year:	-2.10
		10 year:	-3.77

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	236.63	3733.37	-2.03
1/25/2004	237.20	3732.80	-0.57
1/24/2005	238.10	3731.90	-0.90
12/28/2005	238.70	3731.30	-0.60
3/15/2007	238.50	3731.50	0.20
1/31/2008	238.30	3731.70	0.20
4/21/2009	237.70	3732.30	0.60
1/5/2010	238.40	3731.60	-0.70
12/28/2010	238.90	3731.10	-0.50
2/1/2012	239.60	3730.40	-0.70
2/2/2013	240.40	3729.60	-0.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name:	ANDERSON										Owner:	ROTHE FARMS INC.				
Permit #:	-		-		Location #:					SB01004631D		USGS Site ID:				
Division:	1				Water District:					65		County:		SEDGWICK		
Location:	Q160	Q40	Q10	Section	Twnshp		Range		PM	Distance from section lines:						
	SE			31	10	N	46	W	S	From N/S line:			From E/W line:			
UTM Coordinates (NAD83):	Northing (UTM y):			4519212.0			Easting (UTM x):			709034.4			<i>Spotted from quarters</i>			
Latitude/Longitude (decimal degrees):				40.797317						-102.522189						
Surface Elevation (ft):	3960										Water Level Change					
Well depth (ft):	353										1 year:				-0.80	
Aquifer(s):	OGALLALA										5 year:				-2.60	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	233.06	3726.94	-3.50
1/25/2004	232.80	3727.20	0.26
1/24/2005	232.10	3727.90	0.70
12/28/2005	233.10	3726.90	-1.00
3/15/2007	232.90	3727.10	0.20
1/31/2008	233.20	3726.80	-0.30
4/21/2009	233.60	3726.40	-0.40
1/5/2010	234.10	3725.90	-0.50
12/28/2010	234.40	3725.60	-0.30
2/1/2012	235.00	3725.00	-0.60
2/2/2013	235.80	3724.20	-0.80

All Historic Measurements




Well Name:		ROOS, T.										Owner:													
Permit #:		-		-		Location #:		SB01004634CDD						USGS Site ID:		404742102280700									
Division:												Water District:				County:		SEDGWICK							
Location:		Q160		Q40		Q10		Section		Twnshp		Range		PM		Distance from section lines:									
		SW		SE		SE		34		10 N		46 W		S		From N/S line:		From E/W line:							
UTM Coordinates (NAD83):		Northing (UTM y):										Easting (UTM x):										<i>User supplied</i>			
Latitude/Longitude (decimal degrees):												40.794993												-102.469076	
Surface Elevation (ft):		3940.63																		Water Level Change					
Well depth (ft):		285																		1 year:		-0.80			
Aquifer(s):																				5 year:		-20.70			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2004	232.00	3708.63	20.50
1/24/2005	232.30	3708.33	-0.30
12/28/2005	232.20	3708.43	0.10
3/15/2007	232.20	3708.43	0.00
1/31/2008	233.60	3707.03	-1.40
1/1/2009			
1/5/2010	252.70	3687.93	
12/28/2010	253.10	3687.53	-0.40
2/1/2012	253.50	3687.13	-0.40
2/2/2013	254.30	3686.33	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: HAM, STANLEY

Owner: HAM STANLEY R

Permit #: 94334 - -

Location #: SB01004731D

USGS Site ID:

Division: 1 **Water District:** 65 **County:** SEDGWICK

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE 31 10 N 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4518925.6 Easting (UTM x): 699304.2 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.797158 -102.637523

Surface Elevation (ft): 4095

Well depth (ft):

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.40


5 year: -1.10

10 year: 0.44

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	264.64	3830.36	-0.65
12/29/2003	264.39	3830.61	0.25
1/25/2005	264.79	3830.21	-0.40
12/28/2005	263.60	3831.40	1.19
3/16/2007	264.30	3830.70	-0.70
2/10/2008	263.10	3831.90	1.20
4/21/2009	261.50	3833.50	1.60
1/5/2010	262.90	3832.10	-1.40
12/28/2010	262.40	3832.60	0.50
2/1/2012	262.80	3832.20	-0.40
2/2/2013	264.20	3830.80	-1.40

All Historic Measurements



Well Name: GERK, BRUCE

Owner:

Permit #: 18077 - F -

Location #: SB01104327C

USGS Site ID:

Division: 1 **Water District:** **County:** SEDGWICK

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW 27 11 N 43 W S From N/S line: 1320 S From E/W line: 1320 W

UTM Coordinates (NAD83): Northing (UTM y): 4531479.5 Easting (UTM x): 742062.7 *Spotted from section lines*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3691

Well depth (ft): 460

Aquifer(s): OGALLALA

Water Level Change

1 year: 95.00


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2010	272.60	3418.40	
1/25/2011	273.30	3417.70	-0.70
2/1/2012	272.40	3418.60	0.90
2/1/2013	177.40	3513.60	95.00

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Frenchman Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	KRAMER	Owner:	KRAMER FEEDLOT
Permit #:	3484 - FP -	Location #:	SB00604207BAB
		USGS Site ID:	403050102052000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NE NW 7	6 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.512772	-102.084908	
Surface Elevation (ft):	3596.49		
Well depth (ft):	260		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.80
5 year: -2.00
10 year: -12.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	93.00	3503.49	-1.80
2/17/2004	95.00	3501.49	-2.00
1/18/2005	97.00	3499.49	-2.00
1/11/2006	99.00	3497.49	-2.00
4/3/2007	101.10	3495.39	-2.10
2/7/2008	103.00	3493.49	-1.90
3/30/2009	103.80	3492.69	-0.80
2/5/2010	103.60	3492.89	0.20
2/8/2011	104.00	3492.49	-0.40
2/23/2012	104.20	3492.29	-0.20
2/13/2013	105.00	3491.49	-0.80

All Historic Measurements




Well Name:	DARWIN, KLEVE	Owner:	KLEVE DARWIN
Permit #:	14574 - F -	Location #:	SB00604231CCB
		USGS Site ID:	402630102052000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW NW 31	6 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.443049	-102.089909	
Surface Elevation (ft):	3593.51		
Well depth (ft):	345		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.90
5 year: -4.40
10 year: -14.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	75.30	3518.21	-1.20
2/17/2004	77.60	3515.91	-2.30
1/18/2005	79.70	3513.81	-2.10
1/11/2006	82.00	3511.51	-2.30
4/3/2007	82.80	3510.71	-0.80
2/7/2008	85.30	3508.21	-2.50
3/30/2009	85.70	3507.81	-0.40
2/15/2010	85.80	3507.71	-0.10
2/8/2011	85.80	3507.71	0.00
2/23/2012	87.80	3505.71	-2.00
2/13/2013	89.70	3503.81	-1.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	KRAMER	Owner:	KRAMER LAND CO LLLP
Permit #:	13210 - R -	Location #:	SB00604232BBC
		USGS Site ID:	402700102041000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW NW SW	32	6 N 42 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.451661	-102.070464	
Surface Elevation (ft):	3576.5		
Well depth (ft):	260		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -1.60
5 year: -3.80
10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	72.40	3504.10	-0.10
2/17/2004	73.50	3503.00	-1.10
1/18/2005	76.70	3499.80	-3.20
1/11/2006	78.30	3498.20	-1.60
4/3/2007	81.10	3495.40	-2.80
2/7/2008	83.80	3492.70	-2.70
3/30/2009	84.60	3491.90	-0.80
2/15/2010	84.40	3492.10	0.20
2/8/2011	84.80	3491.70	-0.40
2/23/2012	86.00	3490.50	-1.20
2/13/2013	87.60	3488.90	-1.60

All Historic Measurements



Well Name:	MILES, RON AND RICH	Owner:	MILES RON & RICHARD
Permit #:	12043 - FP -	Location #:	SB00604309BBA
		USGS Site ID:	403040102100000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW NW NE	9	6 N 43 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.512216	-102.163798	
Surface Elevation (ft):	3653.53		
Well depth (ft):	345		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -3.40
5 year: -5.90
10 year: -15.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	113.20	3540.33	-1.20
1/11/2004	115.80	3537.73	-2.60
1/17/2005	116.60	3536.93	-0.80
1/24/2006	119.60	3533.93	-3.00
4/3/2007	121.50	3532.03	-1.90
2/6/2008	123.00	3530.53	-1.50
3/30/2009	124.30	3529.23	-1.30
2/5/2010	124.70	3528.83	-0.40
2/9/2011	124.90	3528.63	-0.20
2/23/2012	125.50	3528.03	-0.60
2/13/2013	128.90	3524.63	-3.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **SCHNELLER FARMS INC.** **Owner:** SCHNELLER ENTERPRISES INC
Permit #: 15274 - FP - **Location #:** SB00604319BCD **USGS Site ID:** 402830102114000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
 NW SW SE 19 6 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 40.476381 -102.200744

Surface Elevation (ft): 3690.56 **Water Level Change**
Well depth (ft): 356 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -2.50
10 year: -12.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	127.40	3563.16	-1.00
1/21/2004	131.80	3558.76	-4.40
1/10/2005	134.00	3556.56	-2.20
1/25/2006	133.40	3557.16	0.60
4/3/2007	135.20	3555.36	-1.80
2/6/2008	137.20	3553.36	-2.00
3/30/2009	138.90	3551.66	-1.70
2/5/2010	139.20	3551.36	-0.30
2/8/2011	139.80	3550.76	-0.60
2/23/2012	139.30	3551.26	0.50
2/13/2013	139.70	3550.86	-0.40

All Historic Measurements



Well Name: **MILES, RON & RICH** **Owner:** RICH AND RON MILES
Permit #: 22491 - F - **Location #:** SB00604322CC **USGS Site ID:**


Division: 1 **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
 SW SW 22 6 N 43 W S From N/S line: 1050 S From E/W line: 1319 W
UTM Coordinates (NAD83): Northing (UTM y): 742176.0 Easting (UTM x): 4484029.0 *Digitized off map*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3660 **Water Level Change**
Well depth (ft): 370 **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/30/2009	135.40	3524.60	
2/5/2010	135.30	3524.70	0.10
2/9/2011	135.10	3524.90	0.20
2/23/2012	136.00	3524.00	-0.90
2/13/2013	138.20	3521.80	-2.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **GARLAND, GEORGE**

Owner: FAST FARMS/ COLVER DAVID & ADRIA E

Permit #: 11672 - FP -

Location #: SB00604404BBC

USGS Site ID: 403130102164000

Division:

Water District:

County: PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NW NW SW 4 6 N 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees): 40.524436 -102.281855

Surface Elevation (ft): 3745.57

Well depth (ft): 276

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.50


5 year: -4.10

10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	167.70	3577.87	-2.20
1/11/2004	169.10	3576.47	-1.40
1/10/2005	170.30	3575.27	-1.20
1/25/2006	172.10	3573.47	-1.80
4/3/2007	174.10	3571.47	-2.00
2/6/2008	177.30	3568.27	-3.20
1/1/2009			
2/5/2010	177.60	3567.97	
2/8/2011	178.40	3567.17	-0.80
2/23/2012	179.90	3565.67	-1.50
2/13/2013	181.40	3564.17	-1.50

All Historic Measurements



Well Name: **HARGREAVES, J.**

Owner: HARGREAVES CAROL A

Permit #: 5009 - FP -

Location #: SB00604408CBA

USGS Site ID: 403020102175000

Division:

Water District:

County: PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SW NW NE 8 6 N 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees): 40.504992 -102.297411

Surface Elevation (ft): 3750.58

Well depth (ft): 256

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.70


5 year: -2.90

10 year: -12.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	164.60	3585.98	-1.80
2/16/2004	166.00	3584.58	-1.40
1/18/2005	167.50	3583.08	-1.50
1/25/2006	169.50	3581.08	-2.00
4/2/2007	171.50	3579.08	-2.00
2/6/2008	174.50	3576.08	-3.00
1/1/2009			
2/5/2010	176.70	3573.88	
2/8/2011	176.30	3574.28	0.40
2/23/2012	176.70	3573.88	-0.40
2/13/2013	177.40	3573.18	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: BIEBER, CHRIS

Owner: CHRIS BIEBER

Permit #: 10528 - F -

Location #: SB00604411BC

USGS Site ID:

Division: 1 **Water District:** **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW SW 11 6 N 44 W S From N/S line: 1900 N From E/W line: 125 W

UTM Coordinates (NAD83): Northing (UTM y): 733543.0 Easting (UTM x): 4487721.0 [Digitized off map](#)

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3711

Well depth (ft): 321

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.00


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/30/2009	158.70	3552.30	
2/15/2010	158.90	3552.10	-0.20
2/8/2011	158.70	3552.30	0.20
2/23/2012	159.10	3551.90	-0.40
2/13/2013	161.10	3549.90	-2.00

All Historic Measurements



Well Name: FRENCHMAN

Owner:

Permit #: 14862 - FP -

Location #: SB00604418A

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE 18 6 N 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4486118.2 Easting (UTM x): 728277.0 [Spotted from quarters](#)

Latitude/Longitude (decimal degrees): 40.494392 -102.306335

Surface Elevation (ft): 3758

Well depth (ft):

Aquifer(s):

Water Level Change

1 year: -1.10


5 year: -3.90

10 year: -11.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	168.00	3590.00	-2.10
2/13/2004	168.10	3589.90	-0.10
1/18/2005	169.50	3588.50	-1.40
1/25/2006	172.10	3585.90	-2.60
4/2/2007	173.20	3584.80	-1.10
2/6/2008	175.50	3582.50	-2.30
3/30/2009	177.00	3581.00	-1.50
2/5/2010	177.30	3580.70	-0.30
2/8/2011	177.90	3580.10	-0.60
2/23/2012	178.30	3579.70	-0.40
2/13/2013	179.40	3578.60	-1.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	FRENCHMAN	Owner:	COLVER DAVID O & ADRIA
Permit #:	18877 - FP -	Location #:	SB00604418D
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	PHILLIPS
	SE 18 6 N 44 W S	Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	4485166.0	Easting (UTM x): 728313.0 GPS
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	3758	Water Level Change	
Well depth (ft):	250	1 year:	-1.30
Aquifer(s):	OGALLALA	5 year:	-3.30
		10 year:	-3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	163.20	3594.80	-8.80
2/13/2004	157.10	3600.90	6.10
1/18/2005	158.70	3599.30	-1.60
1/25/2006	160.60	3597.40	-1.90
4/3/2007	162.60	3595.40	-2.00
2/6/2008	163.80	3594.20	-1.20
3/30/2009	165.70	3592.30	-1.90
2/5/2010	165.30	3592.70	0.40
2/8/2011	165.40	3592.60	-0.10
2/23/2012	165.80	3592.20	-0.40
2/13/2013	167.10	3590.90	-1.30

All Historic Measurements




Well Name:	FRENCHMAN	Owner:	
Permit #:	14975 - FP -	Location #:	SB00604419A
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	PHILLIPS
	NE 19 6 N 44 W S	Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	4484496.7	Easting (UTM x): 728331.7 Spotted from quarters
Latitude/Longitude (decimal degrees):			
	40.479785	-102.306274	
Surface Elevation (ft):	3760	Water Level Change	
Well depth (ft):		1 year:	-1.90
Aquifer(s):		5 year:	-4.70
		10 year:	-13.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	160.90	3599.10	-0.80
2/13/2004	163.40	3596.60	-2.50
1/18/2005	165.00	3595.00	-1.60
1/25/2006	166.70	3593.30	-1.70
4/3/2007	168.50	3591.50	-1.80
2/6/2008	169.80	3590.20	-1.30
3/30/2009	171.30	3588.70	-1.50
2/5/2010	171.00	3589.00	0.30
2/8/2011	171.40	3588.60	-0.40
2/23/2012	172.60	3587.40	-1.20
2/13/2013	174.50	3585.50	-1.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	MAILANDER, ROBERT R.	Owner:	MAILANDER ROBERT R
Permit #:	10142 - FP -	Location #:	SB00604425CBD
		USGS Site ID:	402730102130000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW NW SE	25	6 N 44 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.458603	-102.219911	
Surface Elevation (ft):	3697.57		
Well depth (ft):	260		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.40
5 year: -6.10
10 year: -15.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	121.50	3576.07	-1.80
2/16/2004	124.90	3572.67	-3.40
1/17/2005	125.60	3571.97	-0.70
1/25/2006	127.70	3569.87	-2.10
4/3/2007	129.90	3567.67	-2.20
2/6/2008	130.50	3567.07	-0.60
1/1/2009			
2/5/2010	132.80	3564.77	
2/8/2011	133.60	3563.97	-0.80
2/23/2012	135.20	3562.37	-1.60
2/13/2013	136.60	3560.97	-1.40

All Historic Measurements




Well Name:	COLVER	Owner:	COLVER DAVID & ADRIA
Permit #:	21627 - FP -	Location #:	SB00604430A
		USGS Site ID:	
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NE	30	6 N 44 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4482869.1	Easting (UTM x): 728389.4
			Spotted from quarters
Latitude/Longitude (decimal degrees):	40.465122	-102.306180	
Surface Elevation (ft):	3770		
Well depth (ft):	353		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.70
5 year: -6.10
10 year: -16.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2003	167.20	3602.80	-0.20
2/13/2004	170.00	3600.00	-2.80
1/18/2005	172.80	3597.20	-2.80
1/25/2006	173.10	3596.90	-0.30
4/3/2007	176.20	3593.80	-3.10
2/6/2008	177.20	3592.80	-1.00
3/30/2009	177.70	3592.30	-0.50
2/5/2010	178.00	3592.00	-0.30
2/8/2011	178.70	3591.30	-0.70
2/23/2012	179.60	3590.40	-0.90
2/13/2013	183.30	3586.70	-3.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **MOON, MELVIN**

Owner: SAND PARTNERS OF HOLYOKE LLC

Permit #: 19619 - FP -

Location #: SB00604435D

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE 35 6 N 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4480630.5 Easting (UTM x): 734994.3 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.443138 -102.229187

Surface Elevation (ft): 3708

Well depth (ft): 400

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.60


5 year: -3.70

10 year: -10.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	120.50	3587.50	-2.00
2/16/2004	122.00	3586.00	-1.50
1/17/2005	124.50	3583.50	-2.50
1/25/2006	124.60	3583.40	-0.10
4/3/2007	126.90	3581.10	-2.30
2/6/2008	127.50	3580.50	-0.60
3/30/2009	128.20	3579.80	-0.70
2/5/2010	129.00	3579.00	-0.80
2/8/2011	129.10	3578.90	-0.10
2/23/2012	129.60	3578.40	-0.50
2/13/2013	131.20	3576.80	-1.60

All Historic Measurements



Well Name: **NEWTON, SW 12**

Owner: FEDERAL LAND BANK OF WICHITA

Permit #: 19688 - FP -

Location #: SB00604512C

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW 12 6 N 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4486842.0 Easting (UTM x): 725790.1 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.501587 -102.335396

Surface Elevation (ft): 3780

Well depth (ft): 294

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/13/2004	188.80	3591.20	-6.60
1/6/2005	190.20	3589.80	-1.40
1/18/2006	191.90	3588.10	-1.70
4/3/2007	193.80	3586.20	-1.90
2/8/2008	196.00	3584.00	-2.20
4/16/2009	193.40	3586.60	2.60
2/5/2010	194.00	3586.00	-0.60
2/14/2011	194.30	3585.70	-0.30
2/23/2012	194.60	3585.40	-0.30
2/13/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **NEWTON, SE 12**

Owner: HEIMER

Permit #: 20239 - FP -

Location #: SB00604512D

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section 12 Twnshp 6 N Range 45 W S PM Distance from section lines:
SE From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4486870.2 Easting (UTM x): 726606.9 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.501617 -102.325752

Surface Elevation (ft): 3800

Well depth (ft): 293

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/16/2003	217.95	3582.05	-0.60
2/13/2004	220.10	3579.90	-2.15
1/19/2005	221.70	3578.30	-1.60
1/18/2006	223.40	3576.60	-1.70
4/3/2007	225.30	3574.70	-1.90
2/8/2008	226.50	3573.50	-1.20
4/16/2009	227.20	3572.80	-0.70
2/5/2010	228.00	3572.00	-0.80
2/14/2011	228.50	3571.50	-0.50
2/23/2012	229.10	3570.90	-0.60
2/13/2013			

All Historic Measurements



Well Name: **NEWTON, NW 13**

Owner: WELSH GENE

Permit #: 20443 - FP -

Location #: SB00604513

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section 13 Twnshp 6 N Range 45 W S PM Distance from section lines:
NW From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4486035.0 Easting (UTM x): 725815.3 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.494316 -102.335381

Surface Elevation (ft): 3850

Well depth (ft): 321

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2003	267.32	3582.68	-10.30
2/13/2004	263.00	3587.00	4.32
1/19/2005	264.70	3585.30	-1.70
1/18/2006	266.30	3583.70	-1.60
4/3/2007	268.10	3581.90	-1.80
2/8/2008	269.20	3580.80	-1.10
4/19/2009	270.00	3580.00	-0.80
2/5/2010	270.40	3579.60	-0.40
2/14/2011	271.80	3578.20	-1.40
2/23/2012	271.40	3578.60	0.40
2/13/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	MILLAGE, H.	Owner:	MILNER KAREN
Permit #:	12013 - FP -	Location #:	SB00604517DAB
		USGS Site ID:	402940102245000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SE NE NW	17	6 N 45 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.490824	-102.402413	
Surface Elevation (ft):	3820.62		
Well depth (ft):	276		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.40
5 year: -3.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/6/2004	202.20	3618.42	-3.10
1/19/2005	203.90	3616.72	-1.70
1/17/2006	205.70	3614.92	-1.80
3/16/2007	207.30	3613.32	-1.60
2/8/2008	209.10	3611.52	-1.80
4/16/2009	210.60	3610.02	-1.50
1/26/2010	211.30	3609.32	-0.70
2/14/2011	211.10	3609.52	0.20
2/23/2012	211.30	3609.32	-0.20
2/16/2013	212.70	3607.92	-1.40

All Historic Measurements




Well Name:	SAGEHORN, KEITH	Owner:	SAGSHORN KEITH
Permit #:	18560 - FP -	Location #:	SB00604534C
		USGS Site ID:	
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW	34	6 N 45 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	Spotted from quarters
Latitude/Longitude (decimal degrees):	40.443173	-102.373368	
Surface Elevation (ft):	3796		
Well depth (ft):	300		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.30
5 year: -3.60
10 year: -13.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	169.60	3626.40	-1.40
2/13/2004	171.80	3624.20	-2.20
1/19/2005	173.20	3622.80	-1.40
1/18/2006	175.50	3620.50	-2.30
3/16/2007	177.00	3619.00	-1.50
2/8/2008	179.00	3617.00	-2.00
4/16/2009	179.50	3616.50	-0.50
1/26/2010	179.80	3616.20	-0.30
2/14/2011	180.70	3615.30	-0.90
2/23/2012	181.30	3614.70	-0.60
2/15/2013	182.60	3613.40	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: HAYNES, DALE

Owner: CO BOARD OF LAND COMMISSIONERS

Permit #: - -

Location #: SB00604536B

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW 36 6 N 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4481156.1 Easting (UTM x): 725989.1 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.450362 -102.335072

Surface Elevation (ft): 3781

Well depth (ft): 360

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.50


5 year: -4.90

10 year: -15.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	169.90	3611.10	-1.40
2/13/2004	170.70	3610.30	-0.80
1/19/2005	172.00	3609.00	-1.30
1/18/2006	174.50	3606.50	-2.50
4/3/2007	177.60	3603.40	-3.10
2/8/2008	180.00	3601.00	-2.40
4/16/2009	179.60	3601.40	0.40
1/1/2010			
2/14/2011	183.00	3598.00	
2/23/2012	183.40	3597.60	-0.40
2/15/2013	184.90	3596.10	-1.50

All Historic Measurements



Well Name: KURTZER

Owner:

Permit #: - -

Location #: SB00604603DDD

USGS Site ID: 400045102283001

Division: **Water District:** **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SE 3 6 N 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.512490 -102.475191

Surface Elevation (ft): 3891.65

Well depth (ft):

Aquifer(s):

Water Level Change

1 year: -1.70


5 year: -0.70

10 year: -1.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	213.70	3677.95	0.50
2/6/2004	213.10	3678.55	0.60
1/19/2005	216.10	3675.55	-3.00
1/17/2006	215.00	3676.65	1.10
3/16/2007	215.00	3676.65	0.00
2/8/2008	214.60	3677.05	0.40
4/16/2009	214.70	3676.95	-0.10
1/27/2010	214.60	3677.05	0.10
2/14/2011	213.00	3678.65	1.60
2/18/2012	213.60	3678.05	-0.60
2/15/2013	215.30	3676.35	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: NIESLANIK, RAY

Owner: BENNETT MERLE D JR FAMILY TRUST

Permit #: 11664 - FP -

Location #: SB00604627DAA

USGS Site ID: 402740102282701

Division:

Water District:

County: PHILLIPS

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

SE NE NE 27

6 N

46 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.461100

-102.474637

Surface Elevation (ft): 3886.66

Well depth (ft): 320

Aquifer(s): OGALLALA

Water Level Change

1 year: 0.50


5 year: -2.80

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/6/2004	232.80	3653.86	-6.30
1/19/2005	233.90	3652.76	-1.10
1/17/2006	234.70	3651.96	-0.80
3/16/2007	236.40	3650.26	-1.70
2/8/2008	236.90	3649.76	-0.50
4/16/2009	239.40	3647.26	-2.50
1/27/2010	239.90	3646.76	-0.50
2/14/2011	239.50	3647.16	0.40
2/18/2012	240.20	3646.46	-0.70
2/15/2013	239.70	3646.96	0.50

All Historic Measurements



Well Name: SHINER, KURT

Owner: TUELLAND INC

Permit #: 15919 - FP -

Location #: SB00604632ACA

USGS Site ID: 402700102305000

Division:

Water District:

County: PHILLIPS

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

NE SW NE 32

6 N

46 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.449989

-102.514360

Surface Elevation (ft): 3916.68

Well depth (ft): 305

Aquifer(s): OGALLALA

Water Level Change

1 year: 0.30


5 year: 3.50

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/16/2004	240.00	3676.68	-1.50
1/19/2005	240.50	3676.18	-0.50
1/17/2006	241.80	3674.88	-1.30
3/16/2007			
2/8/2008	242.00	3674.68	
4/16/2009	238.00	3678.68	4.00
1/27/2010	237.40	3679.28	0.60
2/14/2011	238.00	3678.68	-0.60
2/18/2012	238.80	3677.88	-0.80
2/15/2013	238.50	3678.18	0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	SHINER, KURT	Owner:	TUELLAND INC
Permit #:	13807 - FP -	Location #:	SB00604632BBD
		USGS Site ID:	402700102313000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW NW SE	32	6 N 46 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4480611.0	Easting (UTM x): 709757.0
			Digitized off map
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	3933.69		
Well depth (ft):	305		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.00
5 year: 2.40
10 year: 3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	244.50	3689.19	-4.30
2/6/2004	242.60	3691.09	1.90
3/16/2007			
2/8/2008	243.00	3690.69	
4/16/2009	239.30	3694.39	3.70
1/27/2010	238.80	3694.89	0.50
2/14/2011	239.30	3694.39	-0.50
2/18/2012	239.60	3694.09	-0.30
2/15/2013	240.60	3693.09	-1.00

All Historic Measurements




Well Name:	DAHL, ART	Owner:	DAHL ARTHUR R
Permit #:	227507 - -	Location #:	SB00604729DB
		USGS Site ID:	
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SE NW	29	6 N 47 W S
			Distance from section lines:
			From N/S line: 1600 S From E/W line: 1500 E
UTM Coordinates (NAD83):	Northing (UTM y):	4481221.0	Easting (UTM x): 700799.2
			Spotted from section lines
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	4033		
Well depth (ft):	280		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.40
5 year: -9.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/6/2006	217.80	3815.20	
3/16/2007	217.60	3815.40	0.20
2/10/2008	221.60	3811.40	-4.00
4/16/2009	231.00	3802.00	-9.40
1/27/2010	231.00	3802.00	0.00
2/14/2011	233.40	3799.60	-2.40
2/18/2012	231.60	3801.40	1.80
3/6/2013	231.20	3801.80	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name: **WISDOM, W** **Owner:** WISDOM WILFORD & SHIRLEY
Permit #: 28612 - F - **Location #:** SB00604809C **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW 9 6 N 48 W S From N/S line: 1320 S From E/W line: 1320 W
UTM Coordinates (NAD83): Northing (UTM y): 4485771.0 Easting (UTM x): 691833.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 4164
Well depth (ft): 227
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.80
5 year: -1.70
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/4/2007	137.90	4026.10	
2/10/2008	140.00	4024.00	-2.10
1/1/2009			
1/13/2010	139.30	4024.70	
2/3/2011	139.50	4024.50	-0.20
2/18/2012	139.90	4024.10	-0.40
3/1/2013	141.70	4022.30	-1.80

All Historic Measurements




Well Name: **ATKIN, DOUG** **Owner:** ATKIN LAND & CATTLE INC
Permit #: 44372 - F - **Location #:** SB00604902A **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE 2 6 N 49 W S From N/S line: 300 N From E/W line: 3750 W
UTM Coordinates (NAD83): Northing (UTM y): 4488324.0 Easting (UTM x): 685972.7 *Spotted from section lines*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 4251
Well depth (ft): 280
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.30
5 year: -1.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/4/2007	131.00	4120.00	
2/10/2008	131.50	4119.50	-0.50
4/16/2009	131.50	4119.50	0.00
1/13/2010	132.50	4118.50	-1.00
2/3/2011	131.50	4119.50	1.00
2/18/2012	131.70	4119.30	-0.20
3/1/2013	133.00	4118.00	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	HARRIS, JAY	Owner:	SONNENBERG DELBERT J
Permit #:	6366 - F -	Location #:	SB00605014DAC
		USGS Site ID:	402920102550000
Division:		Water District:	County: LOGAN
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SE NE SW	14	6 N 50 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.487766	-102.916040	
Surface Elevation (ft):	4346.89		
Well depth (ft):	80		
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	42.00	4304.89	-2.00
2/3/2006	42.20	4304.69	-0.20
4/2/2007	41.80	4305.09	0.40
2/10/2008	42.00	4304.89	-0.20
4/16/2009	47.40	4299.49	-5.40
1/13/2010	47.50	4299.39	-0.10
2/3/2011	48.60	4298.29	-1.10
2/21/2012			
3/1/2013			

All Historic Measurements




Well Name:	SCHAAL-SCHMIDT	Owner:	SCHMIDT JANET R & SCHAAL DOLA B
Permit #:	11621 - R -	Location #:	SB00605025AAC
		USGS Site ID:	402750102534000
Division:		Water District:	County: LOGAN
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NE NE SW	25	6 N 50 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.464710	-102.897706	
Surface Elevation (ft):	4303.87		
Well depth (ft):	80		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.20
5 year: -3.60
10 year: -8.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	32.50	4271.37	-0.80
2/20/2004	33.10	4270.77	-0.60
1/31/2005	34.20	4269.67	-1.10
2/3/2006	35.20	4268.67	-1.00
4/2/2007	36.30	4267.57	-1.10
2/10/2008	37.50	4266.37	-1.20
4/16/2009	36.50	4267.37	1.00
1/13/2010	39.10	4264.77	-2.60
2/3/2011	37.90	4265.97	1.20
2/18/2012	38.90	4264.97	-1.00
3/1/2013	41.10	4262.77	-2.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	PAUL, KARL	Owner:	BOHLENDER JAY & MARY M
Permit #:	2736 - F -	Location #:	SB00704230ABB
		USGS Site ID:	403320102050000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NW NW 30	7 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.556384	-102.080463	
Surface Elevation (ft):	3585.48		
Well depth (ft):	285		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -5.30
5 year: -7.30
10 year: -19.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	96.00	3489.48	-2.00
2/17/2004	98.40	3487.08	-2.40
1/14/2005	101.00	3484.48	-2.60
1/11/2006	102.60	3482.88	-1.60
4/3/2007	104.90	3480.58	-2.30
2/7/2008	108.00	3477.48	-3.10
3/30/2009	108.50	3476.98	-0.50
2/3/2010	109.00	3476.48	-0.50
1/11/2011	109.30	3476.18	-0.30
1/24/2012	110.00	3475.48	-0.70
2/15/2013	115.30	3470.18	-5.30

All Historic Measurements




Well Name:	KORTE	Owner:	HAYNES GALE L & CYNTHIA
Permit #:	12761 - F -	Location #:	SB00704232DBA
		USGS Site ID:	403200102034000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE NW NE 32	7 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.534717	-102.057407	
Surface Elevation (ft):	3556.48		
Well depth (ft):	261		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.20
5 year: -2.70
10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	78.50	3477.98	-1.60
2/17/2004	81.10	3475.38	-2.60
1/14/2005	83.30	3473.18	-2.20
1/11/2006	84.90	3471.58	-1.60
4/3/2007	87.10	3469.38	-2.20
2/7/2008	89.50	3466.98	-2.40
3/30/2009	90.00	3466.48	-0.50
2/3/2010	88.30	3468.18	1.70
1/11/2011	89.60	3466.88	-1.30
1/24/2012	90.00	3466.48	-0.40
2/15/2013	92.20	3464.28	-2.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	KORTE, R.	Owner:	KORTE RAYMOND
Permit #:	11512 - F -	Location #:	SB00704301ABB
		USGS Site ID:	403640102061000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NW NW 1	7 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.613884	-102.100185	
Surface Elevation (ft):	3611.48		
Well depth (ft):	241		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.00
5 year: -16.50
10 year: -21.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	126.50	3484.98	-8.20
1/30/2004	123.40	3488.08	3.10
1/14/2005	127.50	3483.98	-4.10
1/20/2006	128.60	3482.88	-1.10
3/17/2007	129.00	3482.48	-0.40
2/7/2008	131.50	3479.98	-2.50
3/30/2009	135.00	3476.48	-3.50
2/3/2010	143.40	3468.08	-8.40
1/13/2011	144.70	3466.78	-1.30
1/24/2012	145.00	3466.48	-0.30
2/27/2013	148.00	3463.48	-3.00

All Historic Measurements




Well Name:	GREENLEE	Owner:	KAISER ROY
Permit #:	11780 - FP -	Location #:	SB00704307DBB
		USGS Site ID:	403540102115000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE NW NW 7	7 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.592772	-102.196298	
Surface Elevation (ft):	3679.5		
Well depth (ft):	266		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -9.40
5 year: -18.30
10 year: -18.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	140.80	3538.70	-2.20
2/17/2004	143.00	3536.50	-2.20
1/14/2005	146.10	3533.40	-3.10
1/20/2006	146.90	3532.60	-0.80
3/17/2007	146.90	3532.60	0.00
2/7/2008	149.70	3529.80	-2.80
3/30/2009	154.10	3525.40	-4.40
1/26/2010	153.70	3525.80	0.40
1/13/2011	154.70	3524.80	-1.00
2/21/2012			
2/15/2013	159.10	3520.40	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	HAMM, FAITH	Owner:	BENNETT CLIFFORD & MARY
Permit #:	6729 - F -	Location #:	SB00704314CBB
		USGS Site ID:	403440102074000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NW NW 14	7 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.577772	-102.128241	
Surface Elevation (ft):	3619.49		
Well depth (ft):	264		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.20
5 year: -2.90
10 year: -14.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	110.00	3509.49	-1.40
2/14/2004	112.80	3506.69	-2.80
1/17/2005	114.80	3504.69	-2.00
1/20/2006	116.80	3502.69	-2.00
4/3/2007	119.70	3499.79	-2.90
2/1/2008	122.00	3497.49	-2.30
3/30/2009	122.50	3496.99	-0.50
1/26/2010	123.20	3496.29	-0.70
1/11/2011	124.00	3495.49	-0.80
1/24/2012	124.70	3494.79	-0.70
2/15/2013	124.90	3494.59	-0.20

All Historic Measurements




Well Name:	KRUEGER, TED	Owner:	KRUGER THEODORE R
Permit #:	18220 - RFP - R	Location #:	SB00704318ABB
		USGS Site ID:	403510102114000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NW NW 18	7 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.585272	-102.195742	
Surface Elevation (ft):	3676.01		
Well depth (ft):	230		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.80
5 year: -16.90
10 year: -27.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	138.00	3538.01	-1.20
2/17/2004	140.20	3535.81	-2.20
1/15/2005	142.20	3533.81	-2.00
1/20/2006	144.00	3532.01	-1.80
3/17/2007	145.90	3530.11	-1.90
2/7/2008	148.50	3527.51	-2.60
3/30/2009	164.90	3511.11	-16.40
1/26/2010	165.30	3510.71	-0.40
1/13/2011	166.00	3510.01	-0.70
1/24/2012	162.60	3513.41	3.40
2/15/2013	165.40	3510.61	-2.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **KLUTE, K.** **Owner:** SHAFER DALLAS
Permit #: 10785 - FP - **Location #:** SB00704320AAC **USGS Site ID:** 403400102102000
Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE NE SW 20 7 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 40.567216 -102.172409
Surface Elevation (ft): 3651.51 **Water Level Change**
Well depth (ft): 274 **1 year:** -1.10
Aquifer(s): OGALLALA **5 year:** -3.00
10 year: -13.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	122.20	3529.31	-1.90
2/13/2004	124.10	3527.41	-1.90
1/17/2005	126.40	3525.11	-2.30
1/24/2006	129.00	3522.51	-2.60
4/3/2007	131.10	3520.41	-2.10
2/7/2008	132.30	3519.21	-1.20
3/30/2009	135.10	3516.41	-2.80
1/26/2010	134.80	3516.71	0.30
1/11/2011	134.60	3516.91	0.20
2/28/2012	134.20	3517.31	0.40
2/27/2013	135.30	3516.21	-1.10

All Historic Measurements




Well Name: **SWANSON, MARVIN** **Owner:** SWANSON MARVIN D
Permit #: 11163 - R - **Location #:** SB00704327BBB **USGS Site ID:** 403312102074201
Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW NW NW 27 7 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 40.556105 -102.147408
Surface Elevation (ft): 3634.5 **Water Level Change**
Well depth (ft): 215 **1 year:** -1.70
Aquifer(s): OGALLALA **5 year:** -6.20
10 year: -18.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	107.10	3527.40	-1.30
2/19/2004	109.70	3524.80	-2.60
1/17/2005	111.80	3522.70	-2.10
1/24/2006	113.70	3520.80	-1.90
4/3/2007	115.90	3518.60	-2.20
2/7/2008	119.60	3514.90	-3.70
4/16/2009	124.40	3510.10	-4.80
1/26/2010	124.10	3510.40	0.30
1/11/2011	124.30	3510.20	-0.20
2/28/2012	124.10	3510.40	0.20
2/27/2013	125.80	3508.70	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **BAHLER, ROBERT**

Owner: KRAMER LAND COMPANY LLLP

Permit #: 11974 - F -

Location #: SB00704332CCA

USGS Site ID: 403150102104000

Division:

Water District:

County: PHILLIPS

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SW SW NE 32 7 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.530549

-102.182965

Surface Elevation (ft): 3662.53

Well depth (ft): 323

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.10


5 year: -2.40

10 year: -10.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	125.20	3537.33	-1.10
1/11/2004	127.80	3534.73	-2.60
1/17/2005	129.20	3533.33	-1.40
1/24/2006	131.00	3531.53	-1.80
4/3/2007	133.30	3529.23	-2.30
2/1/2008	133.30	3529.23	0.00
1/1/2009			
1/26/2010	134.10	3528.43	
1/11/2011	134.30	3528.23	-0.20
2/28/2012	134.60	3527.93	-0.30
2/27/2013	135.70	3526.83	-1.10

All Historic Measurements



Well Name: **COLGLAZIER, H.**

Owner: COLGLAZIER VIOLA L & HAROLD C

Permit #: 10878 - F -

Location #: SB00704332DCA

USGS Site ID: 403150102102000

Division:

Water District:

County: PHILLIPS

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SE SW NE 32 7 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.530549

-102.174076

Surface Elevation (ft): 3650.53

Well depth (ft): 266

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.20


5 year: -5.00

10 year: -13.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	109.80	3540.73	-1.80
2/17/2004	111.80	3538.73	-2.00
1/17/2005	113.90	3536.63	-2.10
1/24/2006	115.90	3534.63	-2.00
4/3/2007	118.50	3532.03	-2.60
2/7/2008	118.10	3532.43	0.40
3/30/2009	121.10	3529.43	-3.00
1/26/2010	120.90	3529.63	0.20
1/11/2011	121.90	3528.63	-1.00
2/28/2012	121.90	3528.63	0.00
2/27/2013	123.10	3527.43	-1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: GERHARDT, MAXINE

Owner: KRAMER LAND COMPANY LLLP

Permit #: 16200 - F -

Location #: SB00704335ABB

USGS Site ID: 403230102070901

Division:

Water District:

County: PHILLIPS

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NE NW NW 35 7 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.541661

-102.119630

Surface Elevation (ft): 3602.5

Well depth (ft): 300

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	86.60	3515.90	-1.30
2/17/2004	89.00	3513.50	-2.40
1/17/2005	91.60	3510.90	-2.60
1/24/2006	93.60	3508.90	-2.00
4/3/2007	95.60	3506.90	-2.00
2/8/2008			
1/1/2009			
1/1/2010			
1/1/2011			
2/21/2012			
2/27/2013			

All Historic Measurements



Well Name: KRAMER

Owner: KRAMER FEEDLOT A COLO PARTNERSHIP

Permit #: 603 - RFP - R

Location #: SB00704335B

USGS Site ID:

Division:

Water District: 65

County: PHILLIPS

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NW 35 7 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

4491467.5

Easting (UTM x): 743537.6 Spotted from quarters

Latitude/Longitude (decimal degrees):

40.538188

-102.124411

Surface Elevation (ft): 3614

Well depth (ft): 285

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.80


5 year: -6.10

10 year: -17.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	96.00	3518.00	-2.00
2/17/2004	98.00	3516.00	-2.00
1/17/2005	100.10	3513.90	-2.10
1/24/2006	102.10	3511.90	-2.00
4/3/2007	104.20	3509.80	-2.10
2/7/2008	107.50	3506.50	-3.30
3/30/2009	109.00	3505.00	-1.50
1/26/2010	109.20	3504.80	-0.20
1/11/2011	110.00	3504.00	-0.80
2/28/2012	110.80	3503.20	-0.80
2/27/2013	113.60	3500.40	-2.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: HEERMANN, KENNETH

Owner: HEERMANN KENNETH L & ALOIS C

Permit #: 9582 - F -

Location #: SB00704411AAC

USGS Site ID: 403550102134000

Division:

Water District:

County: PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NE NE SW

11

7

N

44

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.597216

-102.228243

Surface Elevation (ft): 3704.51

Well depth (ft): 282

Aquifer(s): OGALLALA

Water Level Change

1 year: -4.50


5 year: -5.60

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/16/2003	158.00	3546.51	-7.60
1/14/2005	157.30	3547.21	0.70
1/20/2006	159.00	3545.51	-1.70
3/17/2007	160.10	3544.41	-1.10
2/7/2008	161.60	3542.91	-1.50
3/30/2009	161.10	3543.41	0.50
2/3/2010	161.80	3542.71	-0.70
1/13/2011	162.20	3542.31	-0.40
2/27/2012	162.70	3541.81	-0.50
2/27/2013	167.20	3537.31	-4.50

All Historic Measurements



Well Name: HEERMANN, KENNETH

Owner: HEERMANN ELDON

Permit #: 9583 - FP -

Location #: SB00704411BBD

USGS Site ID: 403550102142001

Division:

Water District:

County: PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NW NW SE

11

7

N

44

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.597216

-102.239354

Surface Elevation (ft): 3713.51

Well depth (ft): 273

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.50


5 year: -4.00

10 year: -12.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/13/2003	157.30	3556.21	-4.20
12/16/2003	157.80	3555.71	-0.50
1/14/2005	163.10	3550.41	-5.30
1/20/2006	160.40	3553.11	2.70
3/17/2007	161.40	3552.11	-1.00
2/7/2008	162.40	3551.11	-1.00
1/1/2009			
2/3/2010	164.40	3549.11	
1/13/2011	164.90	3548.61	-0.50
2/27/2012	165.40	3548.11	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	ORTNER, J. W.	Owner:	ORTNER JOSEPH W
Permit #:	12531 - FP -	Location #:	SB00704412CCD
		USGS Site ID:	403520102130000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW SW SE	12	7 N 44 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.585549	-102.220743	
Surface Elevation (ft):	3698.51		
Well depth (ft):	286		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.90
5 year: -4.80
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2004	158.80	3539.71	-6.90
1/14/2005	158.60	3539.91	0.20
1/19/2006	159.60	3538.91	-1.00
3/17/2007	160.90	3537.61	-1.30
2/7/2008	161.70	3536.81	-0.80
3/30/2009	162.00	3536.51	-0.30
2/3/2010	162.60	3535.91	-0.60
1/13/2011	164.20	3534.31	-1.60
2/27/2012	164.60	3533.91	-0.40
2/27/2013	166.50	3532.01	-1.90

All Historic Measurements




Well Name:	EINSPHR, E.	Owner:	EINSPHR ELNORA
Permit #:	4619 - F -	Location #:	SB00704415DCC
		USGS Site ID:	403430102145000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SE SW SW	15	7 N 44 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.571382	-102.252688	
Surface Elevation (ft):	3724.54		
Well depth (ft):	237		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.50
5 year: -6.40
10 year: -12.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	160.00	3564.54	-1.90
1/26/2004	162.10	3562.44	-2.10
1/17/2005	163.60	3560.94	-1.50
1/24/2006	165.50	3559.04	-1.90
4/3/2007	166.10	3558.44	-0.60
2/7/2008	166.00	3558.54	0.10
3/30/2009	165.50	3559.04	0.50
2/3/2010	171.00	3553.54	-5.50
1/13/2011	171.30	3553.24	-0.30
2/23/2012	170.90	3553.64	0.40
2/27/2013	172.40	3552.14	-1.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: O'NEAL **Owner:** ROBER LA VERNE C
Permit #: 12708 - F - **Location #:** SB00704417CCA **USGS Site ID:** 403430102175000
Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW SW NE 17 7 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied
Latitude/Longitude (decimal degrees): 40.572770 -102.297410
Surface Elevation (ft): 3744.56 **Water Level Change**
Well depth (ft): 285 **1 year:** -1.70
Aquifer(s): OGALLALA **5 year:** -4.30
10 year: -11.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	173.50	3571.06	-0.50
3/26/2003	173.50	3571.06	0.00
1/26/2004	176.10	3568.46	-2.60
1/18/2005	177.20	3567.36	-1.10
1/25/2006	179.40	3565.16	-2.20
4/3/2007	180.00	3564.56	-0.60
2/7/2008	180.50	3564.06	-0.50
4/18/2009	181.00	3563.56	-0.50
2/3/2010	180.50	3564.06	0.50
1/13/2011	182.50	3562.06	-2.00
2/27/2012	183.10	3561.46	-0.60
2/27/2013	184.80	3559.76	-1.70

All Historic Measurements




Well Name: KROGEMEIER, VINCENT **Owner:**
Permit #: - - **Location #:** SB00704420C **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW 20 7 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4493424.0 Easting (UTM x): 728831.5 Spotted from quarters
Latitude/Longitude (decimal degrees): 40.559982 -102.297157
Surface Elevation (ft): **Water Level Change**
Well depth (ft): **1 year:** -1.50
Aquifer(s): **5 year:** **10 year:** -13.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	170.30		-1.30
1/26/2004	172.10		-1.80
1/18/2005	173.10		-1.00
1/25/2006	175.20		-2.10
4/3/2007	177.30		-2.10
2/8/2008			
1/1/2009			
2/3/2010	180.40		
1/13/2011	181.50		-1.10
2/27/2012	182.10		-0.60
2/27/2013	183.60		-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	EINSPAHR, MIKE	Owner:	EINSPAHR RICHARD E
Permit #:	12578 - FP -	Location #:	SB00704424BCA
		USGS Site ID:	403410102131000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW SW NE	24	7 N 44 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.567215	-102.220743	
Surface Elevation (ft):	3691.53		
Well depth (ft):	270		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.20
5 year: -4.80
10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	141.80	3549.73	-1.20
1/26/2004	145.60	3545.93	-3.80
1/17/2005	146.00	3545.53	-0.40
1/24/2006	147.70	3543.83	-1.70
4/3/2007	149.90	3541.63	-2.20
2/7/2008	152.20	3539.33	-2.30
3/30/2009	154.50	3537.03	-2.30
2/3/2010	154.50	3537.03	0.00
1/13/2011	155.00	3536.53	-0.50
2/27/2012	155.80	3535.73	-0.80
2/13/2013	157.00	3534.53	-1.20

All Historic Measurements




Well Name:	OWENS, R & B	Owner:	OWENS GERALD R
Permit #:	5216 - F -	Location #:	SB00704528ACD
		USGS Site ID:	403310102224000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NE SW SE	28	7 N 45 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.549991	-102.383800	
Surface Elevation (ft):	3819.59		
Well depth (ft):	260		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.30
5 year: -0.90
10 year: -4.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	226.40	3593.19	-5.00
1/22/2004	224.10	3595.49	2.30
1/19/2005	225.40	3594.19	-1.30
1/18/2006	226.00	3593.59	-0.60
3/15/2007	229.40	3590.19	-3.40
2/8/2008	230.00	3589.59	-0.60
4/16/2009	230.90	3588.69	-0.90
2/3/2010	229.10	3590.49	1.80
2/14/2011	229.20	3590.39	-0.10
2/21/2012	229.60	3589.99	-0.40
2/15/2013	230.90	3588.69	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: PREMIER PARTNERS

Owner: PREMIERE PARTNERS II LMTD PRTNRSHI

Permit #: 5311 - F - **Location #:** SB00704535CBD

USGS Site ID: 403200102211000

Division: **Water District:** **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW NW SE 35 7 N 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees): 40.531102 -102.354912

Surface Elevation (ft): 3795.59

Well depth (ft): 283

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.70


5 year: -3.90

10 year: -5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	202.40	3593.19	-9.40
1/22/2004	204.00	3591.59	-1.60
1/19/2005	205.60	3589.99	-1.60
1/18/2006	200.90	3594.69	4.70
3/15/2007	201.20	3594.39	-0.30
2/8/2008	204.00	3591.59	-2.80
1/1/2009			
2/3/2010	203.90	3591.69	
2/14/2011	204.00	3591.59	-0.10
2/21/2012	206.20	3589.39	-2.20
2/15/2013	207.90	3587.69	-1.70

All Historic Measurements



Well Name: GORDON, M.

Owner:

Permit #: - - **Location #:** SB00704612A

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE 12 7 N 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4497107.5 Easting (UTM x): 716484.6 Spotted from quarters

Latitude/Longitude (decimal degrees): 40.596454 -102.441586

Surface Elevation (ft):

Well depth (ft):

Aquifer(s):

Water Level Change

1 year: -1.40


5 year: -0.70

10 year: -0.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	108.60		0.10
2/6/2004	108.70		-0.10
1/19/2005	108.70		0.00
1/13/2006	109.00		-0.30
3/15/2007	109.10		-0.10
2/8/2008	108.50		0.60
4/16/2009	108.50		0.00
1/27/2010	108.80		-0.30
2/14/2011	109.50		-0.70
2/21/2012	107.80		1.70
2/15/2013	109.20		-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	ROB, DEE	Owner:	BIESEMEIER FARMS INC
Permit #:	88265 -	Location #:	SB00704621AAA
		USGS Site ID:	403410102294000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NE NE NE	21	7 N 46 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.570268	-102.495746	
Surface Elevation (ft):	3919.65		
Well depth (ft):	182		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -1.60
5 year: -2.10
10 year: -0.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	132.20	3787.45	0.50
2/6/2004	131.80	3787.85	0.40
1/19/2005	131.40	3788.25	0.40
1/13/2006	131.50	3788.15	-0.10
3/15/2007	130.80	3788.85	0.70
2/8/2008	131.00	3788.65	-0.20
4/16/2009	131.30	3788.35	-0.30
1/27/2010	131.90	3787.75	-0.60
2/14/2011	131.40	3788.25	0.50
2/21/2012	131.50	3788.15	-0.10
2/15/2013	133.10	3786.55	-1.60

All Historic Measurements



Well Name:	FUESZ, MARVIN	Owner:	CO BOARD OF LAND COMMISSIONERS
Permit #:	17679 - FP -	Location #:	SB00704716BCB
		USGS Site ID:	403447102373001
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW SW NW	16	7 N 47 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.579712	-102.626027	
Surface Elevation (ft):	4056.73		
Well depth (ft):	201		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -2.30
5 year: -2.00
10 year: -2.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	157.50	3899.23	-0.40
1/14/2004	157.90	3898.83	-0.40
1/25/2005	157.50	3899.23	0.40
1/17/2006	157.50	3899.23	0.00
3/16/2007	157.00	3899.73	0.50
2/10/2008	157.50	3899.23	-0.50
4/16/2009	155.80	3900.93	1.70
1/27/2010	156.20	3900.53	-0.40
2/14/2011	156.30	3900.43	-0.10
2/21/2012	157.20	3899.53	-0.90
2/15/2013	159.50	3897.23	-2.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **NELSON, KIETH**

Owner:

Permit #: - -

Location #: SB00704807ADD

USGS Site ID: 403530102453000

Division:

Water District:

County: LOGAN

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:

NE SE SE

7

7

N

48

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.592212

-102.761863

Surface Elevation (ft): 4176.8

Well depth (ft): 161

Aquifer(s):

Water Level Change

1 year: -0.70


5 year: 0.50

10 year: 1.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	132.50	4044.30	0.00
2/20/2004	132.40	4044.40	0.10
1/31/2005	132.20	4044.60	0.20
2/3/2006	132.10	4044.70	0.10
4/4/2007	132.30	4044.50	-0.20
2/10/2008	132.00	4044.80	0.30
4/16/2009	131.80	4045.00	0.20
1/13/2010	131.10	4045.70	0.70
2/3/2011	130.90	4045.90	0.20
2/21/2012	130.80	4046.00	0.10
3/1/2013	131.50	4045.30	-0.70

All Historic Measurements



Well Name: **SONNENBERG**

Owner:

Permit #: 251101 - -

Location #: SB00704917ADA

USGS Site ID: 403450102514000

Division:

Water District:

County: LOGAN

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:

NE SE NE

17

7

N

49

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.579990

-102.857701

Surface Elevation (ft): 4306.85

Well depth (ft): 194

Aquifer(s):

Water Level Change

1 year: -0.20


5 year: 2.80

10 year: 3.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	154.60	4152.25	0.90
2/20/2004	156.20	4150.65	-1.60
1/31/2005	154.50	4152.35	1.70
2/3/2006	154.00	4152.85	0.50
4/4/2007	154.00	4152.85	0.00
2/10/2008	154.30	4152.55	-0.30
4/16/2009	154.80	4152.05	-0.50
1/13/2010	151.20	4155.65	3.60
2/3/2011	151.20	4155.65	0.00
2/21/2012	151.30	4155.55	-0.10
3/1/2013	151.50	4155.35	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: LOOS, B.

Owner:

Permit #: - - **Location #:** SB00704931ABA **USGS Site ID:** 403220102525000

Division: **Water District:** **County:** LOGAN

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
NE NW NE 31 7 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.539989 -102.881314

Surface Elevation (ft): 4302.86

Well depth (ft): 147

Aquifer(s):

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	72.70	4230.16	-0.90
2/20/2004	73.40	4229.46	-0.70
1/31/2005	74.20	4228.66	-0.80
2/3/2006	74.70	4228.16	-0.50
4/4/2007	75.50	4227.36	-0.80
2/10/2008	75.60	4227.26	-0.10
4/16/2009	75.60	4227.26	0.00
1/13/2010			
1/1/2011			
2/21/2012			
3/1/2013			

All Historic Measurements



Well Name: SCHMIDT, G

Owner: WUNDERLICH IOLA

Permit #: 125310 - - **Location #:** SB00705029BB **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** LOGAN

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
NW NW 29 7 N 50 W S From N/S line: 900 N From E/W line: 900 W

UTM Coordinates (NAD83): Northing (UTM y): 4490992.5 Easting (UTM x): 670396.5 *Spotted from section lines*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 4437

Well depth (ft): 230

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/2/2007	107.30	4329.70	
2/10/2008	118.30	4318.70	-11.00
1/1/2009			
1/13/2010	116.80	4320.20	
1/1/2011			
2/21/2012			
3/1/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name: SCHLIEP, E. **Owner:** NEWTON MONICA A
Permit #: 5859 - FP - **Location #:** SB00804230CDD **USGS Site ID:** 403744102043000
Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW SE SE 30 8 N 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied
Latitude/Longitude (decimal degrees): 40.628884 -102.075462
Surface Elevation (ft): 3607.47
Well depth (ft): 206
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.10
5 year: -6.30
10 year: -17.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	131.20	3476.27	-1.60
1/30/2004	134.00	3473.47	-2.80
1/11/2005	136.40	3471.07	-2.40
1/20/2006	138.50	3468.97	-2.10
3/17/2007	139.90	3467.57	-1.40
2/7/2008	142.50	3464.97	-2.60
4/18/2009	145.00	3462.47	-2.50
2/3/2010	145.10	3462.37	-0.10
2/14/2011	145.10	3462.37	0.00
2/22/2012	146.70	3460.77	-1.60
2/27/2013	148.80	3458.67	-2.10

All Historic Measurements




Well Name: GERK, CASEY **Owner:** SCHNELLER FARMS INC
Permit #: 11760 - FP - **Location #:** SB00804231CBC **USGS Site ID:** 403700102050000
Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW NW SW 31 8 N 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied
Latitude/Longitude (decimal degrees): 40.617773 -102.084351
Surface Elevation (ft): 3604.48
Well depth (ft): 245
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.90
5 year: -9.20
10 year: -17.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	122.30	3482.18	-3.10
1/30/2004	124.10	3480.38	-1.80
1/14/2005	126.80	3477.68	-2.70
1/20/2006	128.10	3476.38	-1.30
3/17/2007	129.30	3475.18	-1.20
2/7/2008	130.80	3473.68	-1.50
4/18/2009	134.80	3469.68	-4.00
2/3/2010	134.80	3469.68	0.00
2/14/2011	135.40	3469.08	-0.60
2/22/2012	138.10	3466.38	-2.70
2/27/2013	140.00	3464.48	-1.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	VIESELMAYER, ALLAN	Owner:	VIESELMAYER DALE
Permit #:	4760 - F -	Location #:	SB00804304BBB
		USGS Site ID:	404213102094100
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW NW NW	4	8 N 43 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.703607	-102.161852	
Surface Elevation (ft):	3686.48		
Well depth (ft):	315		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.80
5 year: 1.00
10 year: -4.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	173.30	3513.18	0.70
1/27/2004	175.10	3511.38	-1.80
1/11/2005	175.60	3510.88	-0.50
1/20/2006	176.50	3509.98	-0.90
3/8/2007	176.00	3510.48	0.50
2/7/2008	179.00	3507.48	-3.00
4/18/2009	175.40	3511.08	3.60
2/3/2010	176.10	3510.38	-0.70
1/13/2011	176.00	3510.48	0.10
2/22/2012	176.20	3510.28	-0.20
2/27/2013	178.00	3508.48	-1.80

All Historic Measurements




Well Name:	LEBEN, G	Owner:	LEBEN GORDON L
Permit #:	24223 - FP -	Location #:	SB00804311C
		USGS Site ID:	
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW	11	8 N 43 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	Spotted from quarters
Latitude/Longitude (decimal degrees):	40.675373	-102.120178	
Surface Elevation (ft):	3645		
Well depth (ft):	300		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.00
5 year: -2.40
10 year: -5.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	134.70	3510.30	1.70
1/27/2004	136.90	3508.10	-2.20
1/11/2005	136.70	3508.30	0.20
1/20/2006	138.40	3506.60	-1.70
3/17/2007	136.70	3508.30	1.70
2/7/2008	137.40	3507.60	-0.70
4/18/2009	138.20	3506.80	-0.80
2/3/2010	138.20	3506.80	0.00
1/13/2011	139.40	3505.60	-1.20
2/22/2012	137.80	3507.20	1.60
2/27/2013	139.80	3505.20	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	OZMAN, D.	Owner:	OZMAN DALE
Permit #:	12700 - FP -	Location #:	SB00804319
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	PHILLIPS
	Section 19	Township 8 N	Range 43 W S
		PM	Distance from section lines:
			From N/S line:
			From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4503737.0	Easting (UTM x): 737202.4 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.650425		-102.194511
Surface Elevation (ft):	3695		
Well depth (ft):	222		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.20
5 year: 7.50
10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	165.50	3529.50	-1.70
1/30/2004	167.80	3527.20	-2.30
1/11/2005	168.80	3526.20	-1.00
1/20/2006	172.40	3522.60	-3.60
3/17/2007	175.30	3519.70	-2.90
2/7/2008	178.00	3517.00	-2.70
4/18/2009	178.00	3517.00	0.00
2/3/2010	167.40	3527.60	10.60
2/27/2010	169.10	3525.90	-1.70
1/13/2011	167.60	3527.40	1.50
2/22/2012	167.80	3527.20	-0.20

All Historic Measurements




Well Name:	VIESELMEIR	Owner:	GRASS VALLEY FARMS INC
Permit #:	16330 - FP -	Location #:	SB00804326B
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	PHILLIPS
	NW	Section 26	Township 8 N
			Range 43 W S
			PM
			Distance from section lines:
			From N/S line:
			From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4502728.0	Easting (UTM x): 743532.1 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.639503		-102.120132
Surface Elevation (ft):	3645		
Well depth (ft):	210		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.60
5 year: -7.30
10 year: -18.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	137.30	3507.70	-0.20
1/30/2004	140.10	3504.90	-2.80
1/11/2005	143.50	3501.50	-3.40
1/20/2006	144.90	3500.10	-1.40
3/17/2007	146.50	3498.50	-1.60
2/7/2008	148.00	3497.00	-1.50
4/18/2009	148.80	3496.20	-0.80
2/3/2010	152.30	3492.70	-3.50
1/13/2011	153.00	3492.00	-0.70
2/22/2012	153.70	3491.30	-0.70
2/27/2013	155.30	3489.70	-1.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	VIESEMEIER, VERDIE										Owner:	VIESELMAYER VERDIS				
Permit #:	14797 - FP -			Location #:			SB00804326C					USGS Site ID:				
Division:	1			Water District:			65			County:			PHILLIPS			
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:								
	SW			26	8 N	43 W	S	From N/S line:			From E/W line:					
UTM Coordinates (NAD83):	Northing (UTM y):			4501931.3			Easting (UTM x):			743561.0			<i>Spotted from quarters</i>			
Latitude/Longitude (decimal degrees):				40.632329						-102.120096						
Surface Elevation (ft):	3632													Water Level Change		
Well depth (ft):	212													1 year:		-3.20
Aquifer(s):	OGALLALA													5 year:		-6.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	135.00	3497.00	-8.30
1/30/2004	131.50	3500.50	3.50
1/11/2005	133.80	3498.20	-2.30
1/20/2006	137.60	3494.40	-3.80
3/17/2007	137.70	3494.30	-0.10
2/7/2008	139.50	3492.50	-1.80
4/18/2009	141.50	3490.50	-2.00
2/3/2010	140.50	3491.50	1.00
1/13/2011	141.80	3490.20	-1.30
2/22/2012	142.60	3489.40	-0.80
2/27/2013	145.80	3486.20	-3.20

All Historic Measurements




Well Name:	COLVER										Owner:	VIESELMEYER VERDIS																																						
Permit #:	14798 - FP -										Location #:	SB00804328A										USGS Site ID:																												
Division:	1										Water District:	65										County:	PHILLIPS																											
Location:	Q160 Q40 Q10										Section	Twnshp										Range	PM										Distance from section lines:																	
	NE										28	8 N										43 W S	From N/S line:										From E/W line:																	
UTM Coordinates (NAD83):	Northing (UTM y):										4502656.8										Easting (UTM x):	741015.1										<i>Spotted from quarters</i>																		
Latitude/Longitude (decimal degrees):											40.639603																				-102.149886																			
Surface Elevation (ft):	3655																														Water Level Change																			
Well depth (ft):	276																														1 year:										0.40									
Aquifer(s):	OGALLALA																														5 year:										-8.40									

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/22/2003	139.00	3516.00	-1.70
1/30/2004	141.70	3513.30	-2.70
1/11/2005	143.50	3511.50	-1.80
1/20/2006	146.00	3509.00	-2.50
3/17/2007	146.60	3508.40	-0.60
2/7/2008	147.00	3508.00	-0.40
4/18/2009	147.00	3508.00	0.00
2/3/2010	152.20	3502.80	-5.20
1/13/2011	153.10	3501.90	-0.90
2/22/2012	155.80	3499.20	-2.70
2/27/2013	155.40	3499.60	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	WEBER, B.	Owner:	WEBER LARRY
Permit #:	6671 - F -	Location #:	SB00804335ACA
		USGS Site ID:	403740102064000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:		
	NE SW NE 35 8 N 43 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.624162	-102.110463	
Surface Elevation (ft):	3622.48		
Well depth (ft):	243		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -6.80
5 year: -8.60
10 year: -13.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	131.60	3490.88	-5.60
1/30/2004	129.80	3492.68	1.80
1/11/2005	132.90	3489.58	-3.10
1/20/2006	134.70	3487.78	-1.80
3/17/2007	134.50	3487.98	0.20
2/7/2008	136.50	3485.98	-2.00
4/16/2009	138.00	3484.48	-1.50
2/3/2010	136.60	3485.88	1.40
1/13/2011	137.00	3485.48	-0.40
2/22/2012	138.30	3484.18	-1.30
2/27/2013	145.10	3477.38	-6.80

All Historic Measurements




Well Name:	LAHNERT	Owner:	LAHNERT JERRY
Permit #:	5452 - FP -	Location #:	SB00804425BA
		USGS Site ID:	
Division:	1	Water District:	65
Location:	Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:		
	NW NE 25 8 N 44 W S	From N/S line:	1185 N
		From E/W line:	2643 W
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	Spotted from section lines
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	3705		
Well depth (ft):	206		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.40
5 year: -3.30
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/30/2004	189.50		
1/11/2005	190.80		-1.30
1/20/2006	186.60		4.20
3/17/2007	186.20		0.40
2/8/2008	190.50	3514.50	-4.30
4/16/2009	190.80	3514.20	-0.30
2/3/2010	192.00	3513.00	-1.20
2/14/2011	191.80	3513.20	0.20
2/22/2012	192.40	3512.60	-0.60
2/27/2013	193.80	3511.20	-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	RODEMANN, K	Owner:	CO BOARD OF LAND COMMISSIONERS
Permit #:	3358 - F -	Location #:	SB00804436DDC
		USGS Site ID:	403700102124000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SE SE SW	36	8 N 44 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.616661	-102.210187	
Surface Elevation (ft):	3692.5		
Well depth (ft):	234		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -5.10
5 year: -10.40
10 year: -15.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	159.10	3533.40	-4.90
1/30/2004	161.70	3530.80	-2.60
1/11/2005	160.20	3532.30	1.50
1/20/2006	163.60	3528.90	-3.40
3/17/2007	163.70	3528.80	-0.10
2/8/2008	163.70	3528.80	0.00
4/18/2009	165.50	3527.00	-1.80
2/3/2010	166.00	3526.50	-0.50
2/14/2011	168.10	3524.40	-2.10
2/22/2012	169.00	3523.50	-0.90
2/27/2013	174.10	3518.40	-5.10

All Historic Measurements



Well Name:	KOBERSTEIN, RAY	Owner:	KOBERSTEIN RAY W
Permit #:	8917 - F -	Location #:	SB00804504ABB
		USGS Site ID:	404214102230300
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NE NW NW	4	8 N 45 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.703882	-102.384910	
Surface Elevation (ft):	3853.57		
Well depth (ft):	265		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -4.70
5 year: -1.70
10 year: -1.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/19/2003	167.90	3685.67	-1.50
1/27/2004	165.50	3688.07	2.40
1/11/2005	166.00	3687.57	-0.50
1/3/2006	166.80	3686.77	-0.80
3/7/2007	166.80	3686.77	0.00
2/8/2008	167.50	3686.07	-0.70
4/18/2009	169.00	3684.57	-1.50
2/3/2010	164.70	3688.87	4.30
12/28/2010	164.70	3688.87	0.00
2/21/2012	164.50	3689.07	0.20
2/27/2013	169.20	3684.37	-4.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: KOBERSTEIN, RAY

Owner: KOBERSTEIN R

Permit #: 24053 - FP - **Location #:** SB00804504AD

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE SE 4 8 N 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4508337.3 Easting (UTM x): 721488.2 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.696191 -102.378558

Surface Elevation (ft): 3845

Well depth (ft): 290

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.80


5 year: -0.60

10 year: -3.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/19/2003	154.50	3690.50	-0.50
1/27/2004	155.00	3690.00	-0.50
1/12/2005	155.40	3689.60	-0.40
1/3/2006	156.40	3688.60	-1.00
3/7/2007	156.40	3688.60	0.00
2/8/2008	157.50	3687.50	-1.10
4/18/2009	162.00	3683.00	-4.50
2/3/2010	156.80	3688.20	5.20
12/28/2010	156.80	3688.20	0.00
2/21/2012	156.30	3688.70	0.50
2/27/2013	158.10	3686.90	-1.80

All Historic Measurements



Well Name: RUCH

Owner: RUCH PAUL

Permit #: 13116 - FP - **Location #:** SB00804605DAD

USGS Site ID: 404123102311600

Division: **Water District:** **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE NE SE 5 8 N 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.690547 -102.513244

Surface Elevation (ft): 3936.64

Well depth (ft): 265

Aquifer(s): OGALLALA

Water Level Change

1 year: 0.60


5 year: 1.60

10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/12/2003	158.50	3778.14	1.00
1/12/2004	160.90	3775.74	-2.40
1/24/2005	163.50	3773.14	-2.60
1/10/2006	164.30	3772.34	-0.80
3/15/2007	163.80	3772.84	0.50
2/9/2008	164.00	3772.64	-0.20
4/18/2009	172.00	3764.64	-8.00
1/27/2010	164.30	3772.34	7.70
2/14/2011	163.50	3773.14	0.80
2/21/2012	163.00	3773.64	0.50
2/6/2013	162.40	3774.24	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	CARMEL FARMS, ANDERSON	Owner:	CARMEL FARMS INC
Permit #:	13542 - FP -	Location #:	SB00804612BCA
		USGS Site ID:	404059102265900
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW NE 12	8 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.683048	-102.451022	
Surface Elevation (ft):	3893.61		
Well depth (ft):	288		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.80
5 year: -0.50
10 year: -2.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/12/2003	153.10	3740.51	-4.40
1/27/2004	150.10	3743.51	3.00
1/18/2005	151.80	3741.81	-1.70
1/10/2006	152.80	3740.81	-1.00
3/15/2007	154.00	3739.61	-1.20
2/9/2008	155.50	3738.11	-1.50
4/16/2009	157.00	3736.61	-1.50
1/27/2010	152.50	3741.11	4.50
2/14/2011	152.80	3740.81	-0.30
2/21/2012	153.20	3740.41	-0.40
2/6/2013	156.00	3737.61	-2.80

All Historic Measurements




Well Name:	STRYKER, EARNIE	Owner:	STRYKER ERNIE
Permit #:	19387 - F -	Location #:	SB00804706A
		USGS Site ID:	
Division:	1	Water District:	65
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE 6	8 N	47 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	Spotted from quarters
Latitude/Longitude (decimal degrees):	40.699306	-102.650269	
Surface Elevation (ft):	4059		
Well depth (ft):	248		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.00
5 year: -1.80
10 year: -8.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	160.00	3899.00	-2.00
2/15/2004	159.40	3899.60	0.60
1/25/2005	162.30	3896.70	-2.90
1/10/2006	164.10	3894.90	-1.80
3/16/2007	164.90	3894.10	-0.80
2/10/2008	166.50	3892.50	-1.60
4/18/2009	167.30	3891.70	-0.80
1/27/2010	166.20	3892.80	1.10
2/14/2011	165.90	3893.10	0.30
2/21/2012	166.30	3892.70	-0.40
2/3/2013	168.30	3890.70	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: GUECK, REESE

Owner: GUECK K

Permit #: 11356 - RFP - R

Location #: SB00804719BBD

USGS Site ID: 403912102393501

Division:

Water District:

County: PHILLIPS

Location:

Q160 Q40 Q10 Section Township Range PM Distance from section lines:

NW NW SE 19 8 N 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.653325

-102.660192

Surface Elevation (ft): 4069.74

Well depth (ft): 272

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.10


5 year: -0.90

10 year: -5.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	150.60	3919.14	-1.70
1/14/2004	152.80	3916.94	-2.20
1/26/2005	151.90	3917.84	0.90
1/10/2006	153.10	3916.64	-1.20
3/16/2007	153.50	3916.24	-0.40
2/10/2008	154.80	3914.94	-1.30
4/18/2009	155.10	3914.64	-0.30
1/27/2010	154.40	3915.34	0.70
2/14/2011	154.50	3915.24	-0.10
2/21/2012	154.60	3915.14	-0.10
2/3/2013	155.70	3914.04	-1.10

All Historic Measurements



Well Name: KOCH, L.

Owner: KOCH LOUIS A

Permit #: 11056 - FP -

Location #: SB00804732BAD

USGS Site ID: 403720102382000

Division:

Water District:

County: PHILLIPS

Location:

Q160 Q40 Q10 Section Township Range PM Distance from section lines:

NW NE SE 32 8 N 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.624157

-102.637137

Surface Elevation (ft): 4037.73

Well depth (ft): 173

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.40


5 year: -0.80

10 year: -3.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	116.70	3921.03	-0.90
1/14/2004	116.70	3921.03	0.00
1/26/2005	116.90	3920.83	-0.20
1/10/2006	117.20	3920.53	-0.30
3/16/2007	117.50	3920.23	-0.30
2/10/2008	119.30	3918.43	-1.80
1/1/2009			
1/27/2010	119.10	3918.63	
2/14/2011	118.90	3918.83	0.20
2/21/2012	118.70	3919.03	0.20
2/3/2013	120.10	3917.63	-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **BOERNER, JAMES**

Owner: BOERNER JAMES C.

Permit #: 19759 - FP -

Location #: SB00804811D

USGS Site ID:

Division: 1 **Water District:** 65 **County:** LOGAN

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SE 11 8 N 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4505234.0 Easting (UTM x): 695352.8 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.674866 -102.688599

Surface Elevation (ft): 4099

Well depth (ft): 303

Aquifer(s): OGALLALA

Water Level Change

1 year: -3.20


5 year:

10 year: -7.28

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	148.52	3950.48	-0.62
1/14/2004	149.00	3950.00	-0.48
1/26/2005	149.50	3949.50	-0.50
2/3/2006	149.30	3949.70	0.20
3/16/2007	150.60	3948.40	-1.30
2/10/2008			
1/1/2009			
1/27/2010	151.90	3947.10	
1/3/2011	152.50	3946.50	-0.60
2/21/2012	152.60	3946.40	-0.10
2/3/2013	155.80	3943.20	-3.20

All Historic Measurements



Well Name: **F&H GOLF COURSE**

Owner: F&H GOLF CLUB

Permit #: 31799 - FP -

Location #: SB00804820CA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** LOGAN

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SW NE 20 8 N 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4502018.2 Easting (UTM x): 689994.2 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.647169 -102.752924

Surface Elevation (ft): 4150

Well depth (ft): 175

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	124.40	4025.60	1.10
2/20/2004	123.70	4026.30	0.70
1/31/2005	125.50	4024.50	-1.80
2/3/2006	125.50	4024.50	0.00
4/4/2007	126.40	4023.60	-0.90
2/10/2008	125.90	4024.10	0.50
1/1/2009			
1/27/2010	125.50	4024.50	
2/3/2011	125.80	4024.20	-0.30
2/21/2012	125.30	4024.70	0.50
3/1/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: LAMBERT

Owner:

Permit #: - - **Location #:** SB00804901DCD **USGS Site ID:** 404048102471800

Division: **Water District:** **County:** LOGAN

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
SE SW SE 1 8 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees): 40.686103 -102.784916

Surface Elevation (ft): 4214.81

Well depth (ft): 159

Aquifer(s):

Water Level Change

1 year: 0.60


5 year: 1.80

10 year: -4.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	132.10	4082.71	-0.90
2/20/2004	132.50	4082.31	-0.40
1/31/2005	135.10	4079.71	-2.60
2/3/2006	136.40	4078.41	-1.30
4/2/2007	137.10	4077.71	-0.70
2/10/2008	138.30	4076.51	-1.20
1/1/2009			
1/13/2010	138.00	4076.81	
2/3/2011	138.70	4076.11	-0.70
2/21/2012	137.10	4077.71	1.60
2/6/2013	136.50	4078.31	0.60

All Historic Measurements



Well Name: ROWEN, G. & L.

Owner: ROWAN GEORGIA & LLOYD & LLOYD

Permit #: 12720 - F - **Location #:** SB00804903ACD **USGS Site ID:** 404141102493200

Division: **Water District:** **County:** LOGAN

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
NE SW SE 3 8 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees): 40.694436 -102.826028

Surface Elevation (ft): 4261.84

Well depth (ft): 166

Aquifer(s):

Water Level Change

1 year: 0.50


5 year:

10 year: -1.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	116.50	4145.34	0.20
2/20/2004	116.30	4145.54	0.20
1/31/2005	118.50	4143.34	-2.20
2/3/2006	118.90	4142.94	-0.40
4/2/2007	119.30	4142.54	-0.40
2/10/2008			
1/1/2009			
1/13/2010	118.80	4143.04	
2/3/2011	119.10	4142.74	-0.30
2/21/2012	118.80	4143.04	0.30
2/6/2013	118.30	4143.54	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **DUDDEN, JOAN**

Owner:

Permit #: 19110 - FP -

Location #: SB00904219BDC

USGS Site ID:

Division: 1 **Water District:** **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW SE SW 19 9 N 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4514397.0 Easting (UTM x): 747466.6 *Spotted from quarters*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3606

Well depth (ft): 320

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.10


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/3/2010	153.30	3452.70	
2/14/2011	153.80	3452.20	-0.50
2/22/2012	154.30	3451.70	-0.50
2/27/2013	156.40	3449.60	-2.10

All Historic Measurements



Well Name: **US GOVERNMENT**

Owner:

Permit #: - -

Location #: SB00904232DDD

USGS Site ID: 404235102030200

Division: **Water District:** **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE SE SE 32 9 N 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.706385 -102.051850

Surface Elevation (ft): 3591.45

Well depth (ft): 171

Aquifer(s):

Water Level Change

1 year: -0.20


5 year: -0.40

10 year: -1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	115.00	3476.45	1.00
1/25/2004	115.80	3475.65	-0.80
4/2/2007			
2/7/2008	116.00	3475.45	
4/16/2009	116.40	3475.05	-0.40
2/3/2010	116.40	3475.05	0.00
2/14/2011	116.20	3475.25	0.20
2/22/2012	116.20	3475.25	0.00
2/27/2013	116.40	3475.05	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	MATTSON, A.	Owner:	
Permit #:	- -	Location #:	SB00904527CCD
		USGS Site ID:	404310102212000
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twntshp Range PM Distance from section lines:
	SW SW SE	27	9 N 45 W S
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.721383	-102.359076	
Surface Elevation (ft):	3845.56		
Well depth (ft):	210		
Aquifer(s):			

Water Level Change
1 year: -0.30
5 year:
10 year: -0.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	195.70	3649.86	-0.40
1/27/2004	195.70	3649.86	0.00
1/12/2005	195.80	3649.76	-0.10
1/3/2006	196.60	3648.96	-0.80
3/7/2007	197.20	3648.36	-0.60
2/10/2008			
1/1/2009			
1/27/2010	195.10	3650.46	
12/28/2010	194.70	3650.86	0.40
2/21/2012	196.10	3649.46	-1.40
2/2/2013	196.40	3649.16	-0.30

All Historic Measurements




Well Name:	ANDERSON	Owner:	ANDERSON LARRY R
Permit #:	13766 - FP -	Location #:	SB00904624ACA
		USGS Site ID:	404444102252600
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twntshp Range PM Distance from section lines:
	NE SW NE	24	9 N 46 W S
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.737215	-102.424076	
Surface Elevation (ft):	3888.6		
Well depth (ft):	291		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.50
5 year: 1.10
10 year: -4.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/12/2003	200.70	3687.90	0.70
1/27/2004	203.00	3685.60	-2.30
1/24/2005	204.20	3684.40	-1.20
1/4/2006	204.90	3683.70	-0.70
3/7/2007	206.00	3682.60	-1.10
2/9/2008	206.50	3682.10	-0.50
4/18/2009	206.50	3682.10	0.00
1/27/2010	205.80	3682.80	0.70
2/14/2011	205.30	3683.30	0.50
2/21/2012	204.90	3683.70	0.40
2/2/2013	205.40	3683.20	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	ECKMAN, DENNIS	Owner:	ECKMAN DENNIS
Permit #:	12577 - FP -	Location #:	SB00904629DAB
		USGS Site ID:	404334102300800
Division:		Water District:	County: PHILLIPS
Location:	Q160 Q40 Q10	Section	Twnshp Range PM Distance from section lines:
	SE NE NW	29	9 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.725826	-102.503244	
Surface Elevation (ft):	3956.64		
Well depth (ft):	317		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.20
5 year: -2.40
10 year: -6.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/12/2003	193.20	3763.44	-0.20
1/27/2004	194.50	3762.14	-1.30
1/24/2005	195.90	3760.74	-1.40
1/4/2006	196.70	3759.94	-0.80
3/7/2007	196.40	3760.24	0.30
2/9/2008	197.60	3759.04	-1.20
4/18/2009	198.00	3758.64	-0.40
1/27/2010	197.80	3758.84	0.20
2/14/2011	198.00	3758.64	-0.20
2/21/2012	197.80	3758.84	0.20
2/2/2013	200.00	3756.64	-2.20

All Historic Measurements




Well Name:	MEAKINS, RICHARD	Owner:	MEAKINS LLP
Permit #:	20093 - FP - R	Location #:	SB00904719A
		USGS Site ID:	
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	Section	Twnshp Range PM Distance from section lines:
	NE	19	9 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4513209.0	Easting (UTM x): 699511.0 Spotted from quarters
Latitude/Longitude (decimal degrees):	40.745653	-102.636898	
Surface Elevation (ft):	4070		
Well depth (ft):	380		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.00
5 year: -1.50
10 year: -4.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	209.60	3860.40	-0.80
2/15/2004	209.30	3860.70	0.30
1/25/2005	210.40	3859.60	-1.10
12/28/2005	211.10	3858.90	-0.70
3/16/2007	211.50	3858.50	-0.40
2/10/2008	212.20	3857.80	-0.70
4/18/2009	212.70	3857.30	-0.50
1/27/2010	212.90	3857.10	-0.20
2/14/2011	213.60	3856.40	-0.70
2/21/2012	212.70	3857.30	0.90
2/2/2013	213.70	3856.30	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: DEE, STANLEY

Owner:

Permit #: 6412 - FP -

Location #: SB00904721BDA

USGS Site ID: 404448102361000

Division:

Water District:

County: PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NW SE NE 21 9 N 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.746660

-102.603245

Surface Elevation (ft): 4021.7

Well depth (ft): 326

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.90


5 year: -2.20

10 year: -2.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	185.10	3836.60	0.40
2/15/2004	183.20	3838.50	1.90
1/25/2005	182.80	3838.90	0.40
12/28/2005	183.40	3838.30	-0.60
3/16/2007	184.10	3837.60	-0.70
2/10/2008	185.00	3836.70	-0.90
4/18/2009	185.80	3835.90	-0.80
1/27/2010	183.70	3838.00	2.10
2/14/2011	184.10	3837.60	-0.40
2/21/2012	184.30	3837.40	-0.20
2/2/2013	187.20	3834.50	-2.90

All Historic Measurements



Well Name: MEAKINS, RICHARD

Owner: MEAKINS PATRICIA

Permit #: 14097 - FP -

Location #: SB00904733C

USGS Site ID:

Division: 1

Water District: 65

County: PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SW 33 9 N 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4509195.0

Easting (UTM x): 702099.6

Spotted from quarters

Latitude/Longitude (decimal degrees):

40.708893

-102.607559

Surface Elevation (ft): 4015

Well depth (ft): 288

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.00


5 year: 0.40

10 year: -3.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	156.90	3858.10	-0.40
2/15/2004	157.30	3857.70	-0.40
1/25/2005	157.80	3857.20	-0.50
1/10/2006	159.40	3855.60	-1.60
3/16/2007	159.70	3855.30	-0.30
2/10/2008	160.50	3854.50	-0.80
4/4/2009	160.50	3854.50	0.00
1/27/2010	159.30	3855.70	1.20
2/14/2011	159.60	3855.40	-0.30
2/21/2012	159.10	3855.90	0.50
2/3/2013	160.10	3854.90	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: KIPP, WILBUR

Owner:

Permit #: - -

Location #: SB00904811D

USGS Site ID:

Division: 1 **Water District:** 65 **County:** LOGAN

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SE 11 9 N 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4515534.6 Easting (UTM x): 696179.6 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.767387 -102.675596

Surface Elevation (ft): 4119

Well depth (ft): 360

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.20


5 year: -1.00

10 year: 5.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	247.50	3871.50	-3.40
1/14/2004	240.00	3879.00	7.50
1/25/2005	240.50	3878.50	-0.50
12/28/2005	240.40	3878.60	0.10
3/16/2007	240.00	3879.00	0.40
2/10/2008	241.30	3877.70	-1.30
4/4/2009	241.00	3878.00	0.30
1/27/2010	239.30	3879.70	1.70
2/3/2011	240.20	3878.80	-0.90
2/21/2012	240.10	3878.90	0.10
2/3/2013	242.30	3876.70	-2.20

All Historic Measurements



Well Name: MEAKINS, RICHARD

Owner: MEAKINS LLP

Permit #: 13018 - FP -

Location #: SB00904814ABD

USGS Site ID: 404540102403000

Division: **Water District:** **County:** LOGAN

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NE NW SE 14 9 N 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.761104 -102.675468

Surface Elevation (ft): 4101.75

Well depth (ft): 275

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.20


5 year: -2.00

10 year: -8.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	224.70	3877.05	0.80
2/15/2004	227.50	3874.25	-2.80
1/25/2005	228.50	3873.25	-1.00
12/28/2005	229.10	3872.65	-0.60
3/16/2007	230.60	3871.15	-1.50
2/10/2008	231.00	3870.75	-0.40
4/4/2009	231.00	3870.75	0.00
1/27/2010	230.80	3870.95	0.20
2/3/2011	232.20	3869.55	-1.40
2/21/2012	231.80	3869.95	0.40
2/3/2013	233.00	3868.75	-1.20

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Central Yuma Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	STAN SHAFER	Owner:	CENTRAL YUMA CNTY GRND WTR MNMT
Permit #:	214078 -	Location #:	SB00104326CD
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW SE	26	1 N 43 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4433808.0	Easting (UTM x): 743668.4 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		40.019325	-102.144798
Surface Elevation (ft):	3690		
Well depth (ft):	160		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -0.80
5 year: -1.80
10 year: -7.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	97.00	3593.00	-0.80
12/23/2003	97.60	3592.40	-0.60
1/22/2004	234.98	3455.02	-137.38
1/27/2005	98.40	3591.60	136.58
1/31/2006	99.10	3590.90	-0.70
4/11/2007	99.80	3590.20	-0.70
2/13/2008	102.30	3587.70	-2.50
4/2/2009	102.30	3587.70	0.00
1/12/2010	101.90	3588.10	0.40
1/26/2011	102.40	3587.60	-0.50
2/8/2012	103.30	3586.70	-0.90
2/19/2013	104.10	3585.90	-0.80

All Historic Measurements



Well Name:	CARSON	Owner:	CARSON SHIRLEY
Permit #:	12414 - FP -	Location #:	SB00104331B
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW	31	1 N 43 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4433002.0	Easting (UTM x): 737008.4 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		40.013969	-102.223038
Surface Elevation (ft):	3801		
Well depth (ft):	325		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: 0.30
5 year: 0.80
10 year: -2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	182.70	3618.30	-5.00
12/23/2003	182.90	3618.10	-0.20
1/27/2005	183.00	3618.00	-0.10
2/15/2006	181.80	3619.20	1.20
4/11/2007	185.40	3615.60	-3.60
2/13/2008	186.20	3614.80	-0.80
4/2/2009	185.00	3616.00	1.20
1/12/2010	185.00	3616.00	0.00
1/26/2011	185.30	3615.70	-0.30
2/8/2012	185.70	3615.30	-0.40
2/19/2013	185.40	3615.60	0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	JT FARMS	Owner:	J-T FARMS
Permit #:	11936 - F -	Location #:	SB00104504DDB
		USGS Site ID:	400447102240800
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SE SE NW	4	1 N 45 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.079711	-102.402977	
Surface Elevation (ft):	3851.64		
Well depth (ft):	340		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.40
5 year: 19.50
10 year: 15.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	89.50	3762.14	-7.30
12/23/2003	84.90	3766.74	4.60
12/12/2004	87.60	3764.04	-2.70
2/14/2006	89.10	3762.54	-1.50
4/11/2007	92.70	3758.94	-3.60
2/13/2008	93.90	3757.74	-1.20
4/12/2009	95.40	3756.24	-1.50
1/12/2010	72.90	3778.74	22.50
1/26/2011	73.30	3778.34	-0.40
2/15/2012	74.00	3777.64	-0.70
3/5/2013	74.40	3777.24	-0.40

All Historic Measurements




Well Name:	ROCKWELL	Owner:	CENTRAL YUMA CNTY GRND WATER MGM
Permit #:	209883 - -	Location #:	SB00104514C
		USGS Site ID:	
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW	14	1 N 45 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	Spotted from quarters
Latitude/Longitude (decimal degrees):	40.050243	-102.374229	
Surface Elevation (ft):	3853		
Well depth (ft):	300		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.20
5 year: -2.00
10 year: -4.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	125.00	3728.00	-1.00
1/16/2004	125.10	3727.90	-0.10
12/12/2004	125.70	3727.30	-0.60
2/14/2006	126.20	3726.80	-0.50
4/11/2007	126.70	3726.30	-0.50
2/13/2008	127.50	3725.50	-0.80
1/1/2009			
1/12/2010	127.70	3725.30	
1/26/2011	128.00	3725.00	-0.30
2/15/2012	128.30	3724.70	-0.30
3/5/2013	129.50	3723.50	-1.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	GODSEY	Owner:	GODSEY DALLAS
Permit #:	19669 - FP -	Location #:	SB00104520AA
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp
	NE NE	20	1 N
		45 W S	
UTM Coordinates (NAD83):	Northing (UTM y):	4435927.1	Easting (UTM x):
			720174.4
Latitude/Longitude (decimal degrees):		40.044853	-102.419091
Surface Elevation (ft):	3870	Water Level Change	
Well depth (ft):	340	1 year:	-0.50
Aquifer(s):	OGALLALA	5 year:	-0.70
		10 year:	-7.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	98.00	3772.00	-1.00
12/23/2003	100.30	3769.70	-2.30
1/25/2005	101.00	3769.00	-0.70
2/14/2006	102.30	3767.70	-1.30
4/11/2007	102.90	3767.10	-0.60
2/13/2008	105.00	3765.00	-2.10
4/12/2009	104.00	3766.00	1.00
1/12/2010	104.30	3765.70	-0.30
1/26/2011	104.50	3765.50	-0.20
2/15/2012	105.20	3764.80	-0.70
3/5/2013	105.70	3764.30	-0.50

All Historic Measurements




Well Name:	BROWN	Owner:	BROWN BARRY R & VIRGINIA M
Permit #:	9136 - F -	Location #:	SB00104532ACA
		USGS Site ID:	400033102250900
Division:		Water District:	
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp
	NE SW NE	32	1 N
		45 W S	
UTM Coordinates (NAD83):	Northing (UTM y):		Easting (UTM x):
		40.012489	-102.422145
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	3859.66	Water Level Change	
Well depth (ft):	240	1 year:	0.60
Aquifer(s):	OGALLALA	5 year:	-1.00
		10 year:	-8.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	70.10	3789.56	-4.30
12/23/2003	71.90	3787.76	-1.80
1/21/2005	69.30	3790.36	2.60
2/14/2006	71.20	3788.46	-1.90
4/11/2007	77.10	3782.56	-5.90
2/13/2008	77.50	3782.16	-0.40
4/12/2009	79.20	3780.46	-1.70
1/12/2010	76.30	3783.36	2.90
1/26/2011	78.20	3781.46	-1.90
2/15/2012	79.10	3780.56	-0.90
3/5/2013	78.50	3781.16	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: JACKSON-WAKEFIELD **Owner:** WAKEFIELD GENEVA H & ARTHUR J
Permit #: 6708 - F - **Location #:** SB00104601DDB **USGS Site ID:** 400446102273000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
SE SE NW 1 1 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied
Latitude/Longitude (decimal degrees): 40.079711 -102.459090

Surface Elevation (ft): 3901.68 **Water Level Change**
Well depth (ft): 360 **1 year:** -0.90
Aquifer(s): OGALLALA **5 year:** 11.60
10 year: 3.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	105.00	3796.68	-4.80
1/16/2004	103.90	3797.78	1.10
12/12/2004	106.70	3794.98	-2.80
2/14/2006	108.00	3793.68	-1.30
4/11/2007	111.30	3790.38	-3.30
2/13/2008	112.80	3788.88	-1.50
4/14/2009	100.60	3801.08	12.20
1/12/2010	100.50	3801.18	0.10
2/16/2011	100.60	3801.08	-0.10
2/10/2012	100.30	3801.38	0.30
3/5/2013	101.20	3800.48	-0.90

All Historic Measurements



Well Name: BLACH **Owner:** BLACH HAROLD B
Permit #: 11971 - FP - **Location #:** SB00104605DCD **USGS Site ID:** 400432102320400


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
SE SW SE 5 1 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied
Latitude/Longitude (decimal degrees): 40.075822 -102.534926

Surface Elevation (ft): 3958.73 **Water Level Change**
Well depth (ft): 271 **1 year:** -3.10
Aquifer(s): OGALLALA **5 year:** -7.20
10 year: -11.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	112.20	3846.53	-7.10
1/16/2004	109.80	3848.93	2.40
1/25/2005	110.80	3847.93	-1.00
2/14/2006			
4/11/2007	114.40	3844.33	
2/13/2008	116.50	3842.23	-2.10
4/14/2009	118.70	3840.03	-2.20
1/30/2010	118.90	3839.83	-0.20
2/16/2011	120.70	3838.03	-1.80
2/10/2012	120.60	3838.13	0.10
3/5/2013	123.70	3835.03	-3.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	PARISET	Owner:	PARISET ROBERT
Permit #:	12890 - FP -	Location #:	SB00104614CCA
		USGS Site ID:	400300102291500
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW SW NE	14	1 N 46 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.050544	-102.487147	
Surface Elevation (ft):	3916.71		
Well depth (ft):	248		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.00
5 year: -8.10
10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	85.80	3830.91	-6.90
1/16/2004	85.20	3831.51	0.60
1/25/2005	86.50	3830.21	-1.30
2/14/2006	88.30	3828.41	-1.80
4/11/2007	90.00	3826.71	-1.70
2/13/2008	91.40	3825.31	-1.40
4/14/2009	91.20	3825.51	0.20
1/12/2010	96.40	3820.31	-5.20
2/16/2011	96.30	3820.41	0.10
2/10/2012	97.50	3819.21	-1.20
3/5/2013	99.50	3817.21	-2.00

All Historic Measurements




Well Name:	WAKEFIELD, ARTHUR	Owner:	WAKEFIELD JACK
Permit #:	12632 - FP -	Location #:	SB00104624AAC
		USGS Site ID:	400236102272900
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NE NE SW	24	1 N 46 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.043322	-102.459090	
Surface Elevation (ft):	3905.69		
Well depth (ft):	225		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.90
5 year: 0.50
10 year: -12.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	91.80	3813.89	-5.90
1/16/2004	95.40	3810.29	-3.60
1/25/2005	96.80	3808.89	-1.40
2/14/2006	98.00	3807.69	-1.20
4/11/2007	104.00	3801.69	-6.00
2/13/2008	105.20	3800.49	-1.20
4/14/2009	99.30	3806.39	5.90
1/12/2010	100.80	3804.89	-1.50
2/16/2011	101.00	3804.69	-0.20
2/10/2012	101.80	3803.89	-0.80
3/5/2013	104.70	3800.99	-2.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	ROUNDTREE	Owner:	ROUNDTREE CLAYTON & DEBRA
Permit #:	12327 - FP -	Location #:	SB00104626CDA
		USGS Site ID:	400115102285700
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW SE NE	26	1 N 46 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.021100	-102.482702	
Surface Elevation (ft):	3946.71		
Well depth (ft):	306		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.40
5 year: -4.40
10 year: -8.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	103.00	3843.71	-6.20
1/16/2004	100.70	3846.01	2.30
1/25/2005	102.50	3844.21	-1.80
2/14/2006	104.20	3842.51	-1.70
4/11/2007	106.10	3840.61	-1.90
2/13/2008	107.50	3839.21	-1.40
4/14/2009	106.30	3840.41	1.20
1/12/2010	107.90	3838.81	-1.60
2/16/2011	108.30	3838.41	-0.40
2/10/2012	109.50	3837.21	-1.20
3/5/2013	111.90	3834.81	-2.40

All Historic Measurements




Well Name:	PLETCHER, GEORGE	Owner:	PLETCHER GEORGE
Permit #:	17699 - FP -	Location #:	SB00104726BDC1
		USGS Site ID:	400130102354701
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW	26	1 N 47 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.024988	-102.596873	
Surface Elevation (ft):	4056.75		
Well depth (ft):	180		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.50
5 year: -8.00
10 year: -18.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	125.10	3931.65	-0.30
12/19/2003	127.80	3928.95	-2.70
1/21/2005	130.10	3926.65	-2.30
12/22/2005	132.30	3924.45	-2.20
4/11/2007	134.40	3922.35	-2.10
2/12/2008	136.00	3920.75	-1.60
4/14/2009	136.70	3920.05	-0.70
1/29/2010	139.50	3917.25	-2.80
2/16/2011	140.20	3916.55	-0.70
2/10/2012	141.50	3915.25	-1.30
3/5/2013	144.00	3912.75	-2.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	CURE	Owner:	CURE LAND LLC
Permit #:	12570 - F -	Location #:	SB00204208AAC
		USGS Site ID:	400930102050000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NE NE SW	8	2 N 42 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.159991	-102.079077	
Surface Elevation (ft):	3589.56		
Well depth (ft):	249		
Aquifer(s):	OGALLALA		


Water Level Change

1 year:
5 year: -2.50
10 year: -6.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	68.00	3521.56	-7.80
1/21/2004	65.60	3523.96	2.40
1/20/2005	66.60	3522.96	-1.00
2/13/2006	66.70	3522.86	-0.10
4/6/2007	70.90	3518.66	-4.20
2/13/2008	71.50	3518.06	-0.60
4/10/2009	72.70	3516.86	-1.20
2/9/2010	72.50	3517.06	0.20
1/26/2011	72.80	3516.76	-0.30
2/7/2012			
2/19/2013	74.00	3515.56	

All Historic Measurements



Well Name:	SEWARD, R.	Owner:	BOWMAN FAMILY PARTNERSHIP
Permit #:	1357 - RFP -	Location #:	SB00204227AAC
		USGS Site ID:	400658102032100
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NE NE SW	27	2 N 42 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.115824	-102.056298	
Surface Elevation (ft):	3543.64		
Well depth (ft):	140		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -0.20
5 year: -3.90
10 year: -5.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	65.30	3478.34	-4.20
1/21/2004	63.30	3480.34	2.00
1/20/2005	65.00	3478.64	-1.70
2/13/2006	65.20	3478.44	-0.20
4/6/2007	66.70	3476.94	-1.50
2/13/2008	67.10	3476.54	-0.40
1/1/2009			
2/9/2010	69.70	3473.94	
1/26/2011	70.10	3473.54	-0.40
2/7/2012	70.80	3472.84	-0.70
2/19/2013	71.00	3472.64	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name: **KINNIE, E.** **Owner:**
Permit #: 14377 - R - **Location #:** SB00204234DDB **USGS Site ID:** 400550102032000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE NW 34 2 N 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 40.091935 -102.055743
Surface Elevation (ft): 3475.23
Well depth (ft): 65
Aquifer(s):

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	37.30	3437.93	-0.50
1/21/2004	37.30	3437.93	0.00
1/20/2005	38.00	3437.23	-0.70
2/13/2006	38.90	3436.33	-0.90
4/6/2007	39.30	3435.93	-0.40
2/13/2008	39.80	3435.43	-0.50
1/1/2009			
2/9/2010	40.70	3434.53	
1/26/2011	41.20	3434.03	-0.50
2/7/2012	41.60	3433.63	-0.40
2/19/2013			

All Historic Measurements




Well Name: **DOKE, WILLIAM** **Owner:** DOKE SYLVIA
Permit #: 13313 - FP - **Location #:** SB00204305DDB **USGS Site ID:** 401000102114000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE NW 5 2 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 40.165823 -102.194915
Surface Elevation (ft): 3671.58
Well depth (ft): 284
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.80
5 year: -2.90
10 year: -6.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	68.10	3603.48	-7.10
1/21/2004	68.80	3602.78	-0.70
1/20/2005	67.00	3604.58	1.80
2/13/2006	67.80	3603.78	-0.80
4/6/2007	69.40	3602.18	-1.60
2/13/2008	71.20	3600.38	-1.80
4/12/2009	71.70	3599.88	-0.50
2/9/2010	72.20	3599.38	-0.50
1/26/2011	72.00	3599.58	0.20
2/7/2012	73.30	3598.28	-1.30
2/19/2013	74.10	3597.48	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	DOKE, WILLIAM	Owner:	DOKE SYLVIA J
Permit #:	12568 - FP -	Location #:	SB00204312ACB
		USGS Site ID:	400930102072000
Division:		Water District:	
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp
	NE SW NW	12	2 N
		43 W	S
		Range	PM
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.159435	-102.123523	
Surface Elevation (ft):	3618.57		
Well depth (ft):	242		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.30
5 year: -4.90
10 year: -5.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	66.50	3552.07	-9.40
1/22/2004	63.90	3554.67	2.60
1/20/2005	67.70	3550.87	-3.80
2/13/2006	64.50	3554.07	3.20
4/6/2007	66.00	3552.57	-1.50
2/13/2008	67.00	3551.57	-1.00
4/12/2009	67.50	3551.07	-0.50
2/9/2010	68.00	3550.57	-0.50
1/26/2011	68.30	3550.27	-0.30
2/7/2012	69.60	3548.97	-1.30
2/19/2013	71.90	3546.67	-2.30

All Historic Measurements




Well Name:	DRYDEN, GLEASON	Owner:	CURE LAND LLC
Permit #:	13316 - FP -	Location #:	SB00204401CDB
		USGS Site ID:	401000102143000
Division:		Water District:	
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp
	SW SE NW	1	2 N
		44 W	S
		Range	PM
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.165545	-102.241306	
Surface Elevation (ft):	3718.6		
Well depth (ft):	310		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.80
5 year: -5.00
10 year: -11.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	75.50	3643.10	-1.30
1/21/2004	76.70	3641.90	-1.20
1/20/2005	78.90	3639.70	-2.20
2/13/2006	79.30	3639.30	-0.40
4/6/2007	81.80	3636.80	-2.50
2/13/2008	82.20	3636.40	-0.40
1/1/2009			
2/9/2010	83.80	3634.80	
1/26/2011	84.20	3634.40	-0.40
2/10/2012	85.40	3633.20	-1.20
2/19/2013	87.20	3631.40	-1.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **WILSON, CHARLES J.**

Owner:

Permit #: 9134 - F - **Location #:** SB00204404BDB **USGS Site ID:** 401020102172000

Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW SE NW 4 2 N 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.172767 -102.296308

Surface Elevation (ft): 3762.62

Well depth (ft): 355

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.50


5 year: -3.50

10 year: -13.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	85.60	3677.02	-1.80
1/21/2004	86.80	3675.82	-1.20
1/20/2005	87.90	3674.72	-1.10
2/13/2006	89.50	3673.12	-1.60
4/6/2007	93.00	3669.62	-3.50
2/13/2008	95.60	3667.02	-2.60
4/10/2009	96.20	3666.42	-0.60
2/9/2010	96.60	3666.02	-0.40
1/26/2011	97.20	3665.42	-0.60
2/10/2012	97.60	3665.02	-0.40
2/19/2013	99.10	3663.52	-1.50

All Historic Measurements



Well Name: **PETERSON, CARL O.**

Owner: PETERSON MARY LOU

Permit #: 84682 - - **Location #:** SB00204407CBB1 **USGS Site ID:** 400918102202501

Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW NW NW 7 2 N 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.154989 -102.340753

Surface Elevation (ft): 3781.64

Well depth (ft): 220

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.60


5 year: -5.10

10 year: -11.73

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	69.27	3712.37	-1.70
1/21/2004	70.20	3711.44	-0.93
1/11/2005	71.30	3710.34	-1.10
2/13/2006	72.90	3708.74	-1.60
4/6/2007	75.30	3706.34	-2.40
2/13/2008	75.90	3705.74	-0.60
4/10/2009	74.40	3707.24	1.50
2/9/2010	74.20	3707.44	0.20
1/26/2011	74.40	3707.24	-0.20
2/10/2012	79.40	3702.24	-5.00
2/19/2013	81.00	3700.64	-1.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: BLEDSON CATTLE CO.

Owner:

Permit #: - - **Location #:** SB00204411D

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

SE 11 2 N 44 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): Northing (UTM y): 4448241.0 Easting (UTM x): 734452.0 *User supplied*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft):

Well depth (ft): 120

Aquifer(s):

Water Level Change

1 year: -0.60


5 year: 10.90

10 year: 4.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	72.10		-1.60
1/21/2004	74.00		-1.90
1/20/2005	75.30		-1.30
2/13/2006	76.00		-0.70
4/6/2007	78.00		-2.00
2/13/2008	78.90		-0.90
4/10/2009	66.80		12.10
2/9/2010	66.50		0.30
1/26/2011	66.80		-0.30
2/10/2012	67.40		-0.60
2/19/2013	68.00		-0.60

All Historic Measurements



Well Name: CROUSE, THEODORE

Owner:

Permit #: - - **Location #:** SB00204413BBC

USGS Site ID: 400840102144000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

NW NW SW 13 2 N 44 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.145267 -102.243806

Surface Elevation (ft): 3697.6

Well depth (ft): 53

Aquifer(s):

Water Level Change

1 year: -0.70


5 year: -5.60

10 year: -11.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	60.50	3637.10	-0.90
1/21/2004	61.60	3636.00	-1.10
1/20/2005	64.00	3633.60	-2.40
2/13/2006	65.00	3632.60	-1.00
4/6/2007	66.40	3631.20	-1.40
2/13/2008	65.90	3631.70	0.50
4/10/2009	67.40	3630.20	-1.50
1/30/2010			
1/1/2011			
2/10/2012	70.80	3626.80	
2/19/2013	71.50	3626.10	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name: **DICKSON, L.** **Owner:**
Permit #: - - **Location #:** SB00204520BBB **USGS Site ID:** 400725102253000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
 NW NW NW 20 2 N 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 40.132211 -102.434645
Surface Elevation (ft): 3855.17
Well depth (ft):
Aquifer(s):

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	89.00	3766.17	-1.80
1/16/2004	89.00	3766.17	0.00
12/12/2004	91.60	3763.57	-2.60
2/13/2006	92.90	3762.27	-1.30
4/5/2007	94.70	3760.47	-1.80
2/13/2008			
1/1/2009			
2/2/2010	102.30	3752.87	
1/26/2011	102.80	3752.37	-0.50
2/10/2012	100.40	3754.77	2.40
2/19/2013			

All Historic Measurements




Well Name: **WEATHERS** **Owner:** FIVE RIVERS RANCH CATTLE FEEDING LL
Permit #: 11433 - FP - **Location #:** SB00204619CCA **USGS Site ID:** 400720102334000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
 SW SW NE 19 2 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 40.123043 -102.562427
Surface Elevation (ft): 3957.73
Well depth (ft): 405
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.20
5 year: -1.50
10 year: -14.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	111.00	3846.73	-2.90
1/15/2004	113.50	3844.23	-2.50
1/11/2005	115.90	3841.83	-2.40
12/21/2005	118.60	3839.13	-2.70
4/6/2007			
2/12/2008	123.50	3834.23	
1/1/2009			
2/2/2010	125.30	3832.43	
1/26/2011	124.70	3833.03	0.60
2/10/2012	125.20	3832.53	-0.50
3/5/2013	125.00	3832.73	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: ROBERTSON, DEXTER

Owner: ROBERTSON DEXTER L. & JENNIE

Permit #: 8802 - FP - **Location #:** SB00204630DCA

USGS Site ID: 400620102330000

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SE SW NE 30 2 N 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees): 40.106655 -102.554649

Surface Elevation (ft): 3961.72

Well depth (ft): 327

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year: -6.50

10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	126.80	3834.92	-13.20
1/15/2004	117.60	3844.12	9.20
1/11/2005	120.20	3841.52	-2.60
12/22/2005	122.70	3839.02	-2.50
4/5/2007	123.70	3838.02	-1.00
2/12/2008	124.20	3837.52	-0.50
4/14/2009	124.70	3837.02	-0.50
2/2/2010	125.20	3836.52	-0.50
1/1/2011			
2/8/2012			
3/5/2013	130.70	3831.02	

All Historic Measurements



Well Name: SHAFER, STANLEY

Owner:

Permit #: 215032 - - A **Location #:** SC00104205BBA

USGS Site ID:

Division: 1

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NW NW NE 5 1 S 42 W S From N/S line: 200 N From E/W line: 1400 W

UTM Coordinates (NAD83): Northing (UTM y): 4432056.5

Easting (UTM x):

746886.8 Spotted from section lines

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3668

Well depth (ft): 120

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.10


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2010	73.10	3594.90	
1/1/2011			
2/8/2012	74.90	3593.10	
2/19/2013	75.00	3593.00	-0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name: **FIX** **Owner:** FIX DUARD
Permit #: 10094 - FP - **Location #:** SC00104303BBB **USGS Site ID:** 395958102095800
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW NW 3 1 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied
Latitude/Longitude (decimal degrees): 40.001379 -102.184359
Surface Elevation (ft): 3813.57
Well depth (ft): 278
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.60
5 year: 4.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/23/2003	209.20	3604.37	-8.20
1/26/2005	211.50	3602.07	-2.30
1/31/2006	207.70	3605.87	3.80
4/11/2007			
2/1/2008	215.80	3597.77	
4/2/2009	228.20	3585.37	-12.40
1/12/2010	213.60	3599.97	14.60
1/28/2011	214.00	3599.57	-0.40
2/8/2012	210.60	3602.97	3.40
2/19/2013	211.20	3602.37	-0.60

All Historic Measurements




Well Name: **OSMUS, DALLAS** **Owner:**
Permit #: 4842 - FP - **Location #:** SC00104317AAA **USGS Site ID:**
Division: 1 **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE NE 17 1 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4428756.5 Easting (UTM x): 738678.3 Spotted from quarters
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 3823
Well depth (ft): 310
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.90
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2010	204.30	3618.70	
1/28/2011	204.20	3618.80	0.10
2/8/2012	204.90	3618.10	-0.70
2/19/2013	205.80	3617.20	-0.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	FIX	Owner:	ENDERSON HERMAN E & EVELYN L
Permit #:	11290 - FP -	Location #:	SC00104320CCB
		USGS Site ID:	395717102131800
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW SW NW	20	1 S 43 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.951379	-102.222138	
Surface Elevation (ft):	3791.57		
Well depth (ft):	244		
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year: -4.00
10 year: -6.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	136.70	3654.87	-1.90
12/23/2003	137.50	3654.07	-0.80
1/26/2005	137.90	3653.67	-0.40
1/31/2006	138.70	3652.87	-0.80
4/11/2007	140.50	3651.07	-1.80
2/1/2008	139.50	3652.07	1.00
4/14/2009	139.80	3651.77	-0.30
1/12/2010	142.00	3649.57	-2.20
1/28/2011	141.30	3650.27	0.70
2/19/2013	143.50	3648.07	-2.20

All Historic Measurements




Well Name:	OSMUS, JOHN	Owner:	OSMUS LAND COMPANY
Permit #:	10377 - F -	Location #:	SC00104321ABA
		USGS Site ID:	395743102112400
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NE NW NE	21	1 S 43 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.961657	-102.191025	
Surface Elevation (ft):	3793.56		
Well depth (ft):	227		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.90
5 year:
10 year: -3.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	169.60	3623.96	-1.60
12/23/2003	169.60	3623.96	0.00
1/26/2005	168.50	3625.06	1.10
1/31/2006	167.70	3625.86	0.80
4/11/2007	169.00	3624.56	-1.30
2/1/2008			
4/2/2009	171.50	3622.06	
1/12/2010	169.80	3623.76	1.70
1/28/2011	171.10	3622.46	-1.30
2/8/2012	170.70	3622.86	0.40
2/19/2013	172.60	3620.96	-1.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: BOWMAN, DELFORD

Owner: BOWMAN DELFORD

Permit #: 12006 - F -

Location #: SC00104411BBC

USGS Site ID: 395917102165100

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NW NW SW

11

1

S

44

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.989156

-102.280751

Surface Elevation (ft): 3872.59

Well depth (ft): 383

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.90


5 year: -36.00

10 year: -41.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	184.10	3688.49	-1.20
12/23/2003	187.20	3685.39	-3.10
1/26/2005	188.40	3684.19	-1.20
2/14/2006	186.60	3685.99	1.80
4/11/2007	188.20	3684.39	-1.60
2/13/2008	189.40	3683.19	-1.20
4/12/2009	228.10	3644.49	-38.70
1/12/2010	223.30	3649.29	4.80
1/28/2011	224.80	3647.79	-1.50
2/15/2012	224.50	3648.09	0.30
2/19/2013	225.40	3647.19	-0.90

All Historic Measurements



Well Name: DETERDING, ALVA

Owner: DETERDING ALVA

Permit #: 4399 - F -

Location #: SC00104417CBA

USGS Site ID: 395810102195800

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SW NW NE

17

1

S

44

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.969434

-102.333253

Surface Elevation (ft): 3957.63

Well depth (ft): 320

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.70


5 year: -4.50

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/23/2003	208.30	3749.33	-4.00
1/25/2005	212.90	3744.73	-4.60
2/14/2006	209.20	3748.43	3.70
4/11/2007			
2/13/2008	211.00	3746.63	
4/12/2009	212.20	3745.43	-1.20
1/12/2010	212.00	3745.63	0.20
1/28/2011	212.30	3745.33	-0.30
2/15/2012	212.80	3744.83	-0.50
2/19/2013	215.50	3742.13	-2.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	ALLISON	Owner:	ALLISON BARRY & STEPHEN
Permit #:	9533 - FP -	Location #:	SC00104426ABB
		USGS Site ID:	395652102161200
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:		
	NE NW NW 26 1 S 44 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.947768	-102.269084	
Surface Elevation (ft):	3870.59		
Well depth (ft):	409		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.80
5 year: 1.00
10 year: 0.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	182.70	3687.89	-7.20
12/23/2003	179.20	3691.39	3.50
1/21/2005	179.20	3691.39	0.00
2/14/2006	179.40	3691.19	-0.20
4/11/2007	183.10	3687.49	-3.70
2/13/2008	183.30	3687.29	-0.20
4/12/2009	185.00	3685.59	-1.70
1/12/2010	181.00	3689.59	4.00
1/28/2011	180.60	3689.99	0.40
2/15/2012	181.50	3689.09	-0.90
2/19/2013	182.30	3688.29	-0.80

All Historic Measurements




Well Name:	STULTS, CLARENCE	Owner:	STULTS LAVERN & WILMA
Permit #:	2545 - FP -	Location #:	SC00104430BAD
		USGS Site ID:	395644102204100
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:		
	NW NE SE 30 1 S 44 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.945546	-102.345198	
Surface Elevation (ft):	3932.65		
Well depth (ft):	331		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.70
5 year: -5.00
10 year: -11.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	161.60	3771.05	-1.80
12/23/2003	163.90	3768.75	-2.30
1/26/2005	165.50	3767.15	-1.60
2/14/2006	166.20	3766.45	-0.70
4/11/2007	167.10	3765.55	-0.90
2/13/2008	168.50	3764.15	-1.40
1/1/2009			
1/12/2010	168.80	3763.85	
1/1/2011			
2/15/2012	170.80	3761.85	
2/19/2013	173.50	3759.15	-2.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **KERBS, THOMAS**

Owner: KULA ROBERT L

Permit #: 11756 - FP -

Location #: SC00104508BDB

USGS Site ID: 395910102263900

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NW SE NW

8

1

S

45

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.986100

-102.444090

Surface Elevation (ft): 3899.69

Well depth (ft): 320

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.30


5 year: 0.80

10 year: -5.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	66.10	3833.59	-3.30
12/23/2003	66.60	3833.09	-0.50
1/26/2005	67.30	3832.39	-0.70
2/14/2006	69.90	3829.79	-2.60
4/11/2007	71.20	3828.49	-1.30
2/13/2008	72.20	3827.49	-1.00
4/12/2009	67.00	3832.69	5.20
2/2/2010	66.70	3832.99	0.30
1/28/2011	67.30	3832.39	-0.60
2/15/2012	69.10	3830.59	-1.80
3/5/2013	71.40	3828.29	-2.30

All Historic Measurements



Well Name: **CROWNOVER, RAMONA**

Owner: CROWNOVER RAMONA WELP

Permit #: 5243 - FP -

Location #: SC00104513ABD

USGS Site ID: 395828102214200

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NE NW SE

13

1

S

45

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.974434

-102.362143

Surface Elevation (ft): 3944.64

Well depth (ft): 345

Aquifer(s): OGALLALA

Water Level Change

1 year: 0.10


5 year:

10 year: -5.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	166.40	3778.24	-1.80
12/23/2003	167.80	3776.84	-1.40
1/26/2005	168.20	3776.44	-0.40
2/14/2006	168.80	3775.84	-0.60
4/11/2007	169.80	3774.84	-1.00
2/13/2008			
1/1/2009			
2/2/2010	171.90	3772.74	
1/28/2011	172.00	3772.64	-0.10
2/15/2012	171.60	3773.04	0.40
3/5/2013	171.50	3773.14	0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	PARISET, ROBERT G.	Owner:	PARISET ROBERT G
Permit #:	12416 - FP -	Location #:	SC00104516ADB
		USGS Site ID:	395820102245800
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SE NW 16	1 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.972212	-102.416311	
Surface Elevation (ft):	3902.67		
Well depth (ft):	370		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -0.80
5 year: -1.30
10 year: -7.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	85.20	3817.47	-2.20
12/23/2003	87.10	3815.57	-1.90
1/26/2005	90.60	3812.07	-3.50
2/14/2006	92.70	3809.97	-2.10
4/11/2007	90.90	3811.77	1.80
2/13/2008	91.80	3810.87	-0.90
4/12/2009	92.60	3810.07	-0.80
2/2/2010	92.60	3810.07	0.00
1/1/2011			
2/15/2012	92.30	3810.37	
3/5/2013	93.10	3809.57	-0.80

All Historic Measurements



Well Name:	PARISET, ROBERT	Owner:	PARISET ROBERT G
Permit #:	12415 - F -	Location #:	SC00104516BDB
		USGS Site ID:	395818102253000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SE NW 16	1 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.971656	-102.425478	
Surface Elevation (ft):	3904.68		
Well depth (ft):	370		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -0.80
5 year: -9.00
10 year: -12.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	78.60	3826.08	-5.20
12/23/2003	80.30	3824.38	-1.70
1/26/2005	81.70	3822.98	-1.40
2/14/2006	83.00	3821.68	-1.30
4/11/2007	80.70	3823.98	2.30
2/13/2008	81.60	3823.08	-0.90
4/12/2009	82.40	3822.28	-0.80
2/2/2010	82.30	3822.38	0.10
1/1/2011			
2/15/2012	89.80	3814.88	
3/5/2013	90.60	3814.08	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	KERBS	Owner:	KERBS AG INC
Permit #:	10336 - FP -	Location #:	SC00104520DDB
		USGS Site ID:	395703102263800
Division:		Water District:	
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp
	SE SE NW	20	1 S
		Range	PM
		45 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.951101	-102.434645	
Surface Elevation (ft):	3933.7		
Well depth (ft):	358		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -1.50
5 year: -2.50
10 year: -12.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	82.40	3851.30	-7.40
12/23/2003	79.80	3853.90	2.60
1/26/2005	81.00	3852.70	-1.20
2/14/2006	84.10	3849.60	-3.10
4/11/2007	84.60	3849.10	-0.50
2/13/2008	86.40	3847.30	-1.80
4/12/2009	85.90	3847.80	0.50
2/2/2010	85.00	3848.70	0.90
1/28/2011	85.60	3848.10	-0.60
2/15/2012	87.10	3846.60	-1.50

All Historic Measurements



Well Name:	CANTRALL, FRANK	Owner:	CANTRALL FRANK & OPAL
Permit #:	5097 - FP -	Location #:	SC00104522DDB
		USGS Site ID:	395704102234900
Division:		Water District:	
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp
	SE SE NW	22	1 S
		Range	PM
		45 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.951101	-102.396866	
Surface Elevation (ft):	3923.67		
Well depth (ft):	286		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -1.20
5 year: -2.60
10 year: -5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	97.80	3825.87	-6.90
12/23/2003	94.80	3828.87	3.00
1/26/2005	96.90	3826.77	-2.10
2/14/2006	97.70	3825.97	-0.80
4/11/2007	100.10	3823.57	-2.40
2/13/2008	100.70	3822.97	-0.60
4/12/2009	101.70	3821.97	-1.00
2/2/2010	101.30	3822.37	0.40
1/28/2011	101.50	3822.17	-0.20
2/15/2012	102.10	3821.57	-0.60
3/5/2013	103.30	3820.37	-1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	ZUEGE, GLENDALE	Owner:	ZUEGE GLENDALE
Permit #:	6386 - F -	Location #:	SC00104532BCB
		USGS Site ID:	395543102265000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:		
	NW SW NW 32 1 S 45 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.928323	-102.447423	
Surface Elevation (ft):	3967.73		
Well depth (ft):	220		
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	94.90	3872.83	-1.90
12/23/2003	101.20	3866.53	-6.30
1/26/2005	101.70	3866.03	-0.50
2/14/2006			
4/11/2007	106.60	3861.13	
2/13/2008	107.20	3860.53	-0.60
4/14/2009	104.50	3863.23	2.70
2/2/2010	104.20	3863.53	0.30
1/1/2011			
2/8/2012			

All Historic Measurements




Well Name:	WARKENTINE	Owner:	WARKENTINE ALVIN & DOTTY
Permit #:	13307 - F -	Location #:	SC00104605CDB
		USGS Site ID:	395935102331700
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:		
	SW SE NW 5 1 S 46 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.992767	-102.555205	
Surface Elevation (ft):	4019.74		
Well depth (ft):	140		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.10
5 year: -1.80
10 year: -8.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	104.80	3914.94	-3.00
12/19/2003	106.60	3913.14	-1.80
1/21/2005	107.70	3912.04	-1.10
12/22/2005	108.90	3910.84	-1.20
4/11/2007	110.50	3909.24	-1.60
2/13/2008	111.40	3908.34	-0.90
4/12/2009	111.70	3908.04	-0.30
2/2/2010	112.00	3907.74	-0.30
2/16/2011	112.70	3907.04	-0.70
2/15/2012	113.30	3906.44	-0.60
3/5/2013	113.20	3906.54	0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **RUTLEDGE, STANLEY**

Owner: RUTLEDGE STANLEY EST

Permit #: 13889 - FP -

Location #: SC00104702ACA

USGS Site ID: 395954102360800

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:

NE SW NE

2

1

S

47

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.990822

-102.604651

Surface Elevation (ft): 4071.75

Well depth (ft): 155

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.30


5 year: -4.60

10 year: -11.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	128.40	3943.35	-1.60
12/19/2003	129.70	3942.05	-1.30
1/21/2005	130.90	3940.85	-1.20
12/22/2005	132.10	3939.65	-1.20
4/11/2007	133.80	3937.95	-1.70
2/13/2008	135.30	3936.45	-1.50
4/14/2009	134.30	3937.45	1.00
2/2/2010	136.10	3935.65	-1.80
2/16/2011	138.30	3933.45	-2.20
2/15/2012	138.60	3933.15	-0.30
3/5/2013	139.90	3931.85	-1.30

All Historic Measurements



Well Name: **ANDERSON, LARRY**

Owner: ANDERSON LARRY

Permit #: 17985 - F -

Location #: SC00104729BCA

USGS Site ID: 395634102395801

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:

NW SW NE

29

1

S

47

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.942766

-102.666597

Surface Elevation (ft): 4161.81

Well depth (ft): 236

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.70


5 year: -2.70

10 year: -11.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	154.30	4007.51	-1.60
12/19/2003	156.20	4005.61	-1.90
1/21/2005	157.10	4004.71	-0.90
12/22/2005	159.00	4002.81	-1.90
4/13/2007	160.50	4001.31	-1.50
2/13/2008	163.10	3998.71	-2.60
4/14/2009	158.40	4003.41	4.70
2/2/2010	162.80	3999.01	-4.40
2/16/2011	163.50	3998.31	-0.70
2/15/2012	164.10	3997.71	-0.60
3/5/2013	165.80	3996.01	-1.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	NEWBANKS	Owner:	CENTRAL YUMA COUNTY GWMD
Permit #:	225558 -	Location #:	SC00104824CD
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	YUMA
	SW NE 24 1 S 48 W S	Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	696328.4 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	39.951226	-102.701731	
Surface Elevation (ft):	4184	Water Level Change	
Well depth (ft):	220	1 year:	-1.60
Aquifer(s):	OGALLALA	5 year:	-3.60
		10 year:	-2.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	164.20	4019.80	-8.60
12/19/2003	157.80	4026.20	6.40
1/5/2005	158.80	4025.20	-1.00
12/22/2005	159.90	4024.10	-1.10
4/13/2007	161.00	4023.00	-1.10
2/13/2008	162.80	4021.20	-1.80
4/14/2009	162.70	4021.30	0.10
1/29/2010	163.10	4020.90	-0.40
2/16/2011	164.00	4020.00	-0.90
2/15/2012	164.80	4019.20	-0.80
3/5/2013	166.40	4017.60	-1.60

All Historic Measurements




Well Name:	BOX ELDER	Owner:	HOWARD DON M
Permit #:	23206 - FP -	Location #:	SC00204417ADA
Division:		Water District:	
Location:	Q160 Q40 Q10	County:	YUMA
	NE SE NE 17 2 S 44 W S	Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	<i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.886380	-102.317141	
Surface Elevation (ft):	3872.65	Water Level Change	
Well depth (ft):	170	1 year:	-0.40
Aquifer(s):	OGALLALA	5 year:	-3.80
		10 year:	-8.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	138.00	3734.65	-2.40
12/19/2003	137.90	3734.75	0.10
1/21/2005	139.60	3733.05	-1.70
12/22/2005	141.20	3731.45	-1.60
4/13/2007	140.30	3732.35	0.90
2/14/2008	142.80	3729.85	-2.50
4/14/2009	143.10	3729.55	-0.30
1/12/2010	144.60	3728.05	-1.50
2/16/2011	145.40	3727.25	-0.80
2/24/2012	146.20	3726.45	-0.80
2/26/2013	146.60	3726.05	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	ALBERT RICHERS TRUST	Owner:	RICHERS ALBERT H
Permit #:	6724 - FP -	Location #:	SC00204503ACA
		USGS Site ID:	395455102234800
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:		
	NE SW NE 3 2 S 45 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.915268	-102.397144	
Surface Elevation (ft):	3922.7		
Well depth (ft):	146		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.30
5 year: 5.20
10 year: 4.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	88.00	3834.70	-9.40
1/21/2005	86.20	3836.50	1.80
12/22/2005	88.20	3834.50	-2.00
4/11/2007			
2/14/2008	88.50	3834.20	
1/1/2009			
1/12/2010	80.30	3842.40	
2/16/2011	81.60	3841.10	-1.30
2/24/2012	82.00	3840.70	-0.40
2/26/2013	83.30	3839.40	-1.30

All Historic Measurements




Well Name:	BOHNEN	Owner:	BOHNEN JOE M & MARY E
Permit #:	5038 - F -	Location #:	SC00204510ABD
		USGS Site ID:	395403102234800
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:		
	NE NW SE 10 2 S 45 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.900823	-102.397143	
Surface Elevation (ft):	3929.71		
Well depth (ft):	111		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.30
5 year: -3.30
10 year: -1.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	79.00	3850.71	-8.80
12/19/2003	73.30	3856.41	5.70
1/21/2005	74.10	3855.61	-0.80
12/22/2005	75.40	3854.31	-1.30
4/11/2007	76.30	3853.41	-0.90
2/14/2008	77.00	3852.71	-0.70
4/12/2009	77.40	3852.31	-0.40
1/12/2010	77.20	3852.51	0.20
2/16/2011	77.70	3852.01	-0.50
2/24/2012	78.00	3851.71	-0.30
2/26/2013	80.30	3849.41	-2.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SC00204525CCB1

USGS Site ID: 395055102221701

Division:

Water District:

County: YUMA

Location:

Q160 Q40 Q10 Section Township Range PM Distance from section lines:

SW SW NW 25 2 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.848602

-102.371864

Surface Elevation (ft): 3924.7

Well depth (ft): 46

Aquifer(s):

Water Level Change

1 year: -0.40


5 year: -0.90

10 year: -9.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	27.20	3897.50	-1.10
12/19/2003	26.60	3898.10	0.60
1/21/2005	28.10	3896.60	-1.50
12/22/2005	28.70	3896.00	-0.60
4/13/2007	30.20	3894.50	-1.50
2/14/2008	35.40	3889.30	-5.20
4/12/2009	35.20	3889.50	0.20
1/12/2010	36.60	3888.10	-1.40
2/16/2011	36.00	3888.70	0.60
2/24/2012	35.90	3888.80	0.10
2/26/2013	36.30	3888.40	-0.40

All Historic Measurements



Well Name: MCDONALD

Owner: CENTRAL YUMA CO GWMD

Permit #: 217457 - -

Location #: SC00204625AB

USGS Site ID:

Division:

1

Water District:

65

County: YUMA

Location:

Q160 Q40 Q10 Section Township Range PM Distance from section lines:

NE NW 25 2 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

4415163.0

Easting (UTM x):

716195.4 Spotted from quarters

Latitude/Longitude (decimal degrees):

39.858982

-102.472580

Surface Elevation (ft): 4031

Well depth (ft): 160

Aquifer(s): OGALLALA

Water Level Change

1 year: 0.20


5 year: 0.00

10 year: -9.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	102.40	3928.60	-1.60
12/19/2003	105.30	3925.70	-2.90
1/21/2005	106.40	3924.60	-1.10
12/22/2005	107.90	3923.10	-1.50
4/13/2007	108.90	3922.10	-1.00
2/14/2008	111.60	3919.40	-2.70
4/12/2009	112.80	3918.20	-1.20
2/2/2010	112.00	3919.00	0.80
2/16/2011	112.20	3918.80	-0.20
2/24/2012	111.80	3919.20	0.40
2/26/2013	111.60	3919.40	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name: **ROTH** **Owner:** ROTH RICHARD L
Permit #: 11573 - F - **Location #:** SC00204628ADB **USGS Site ID:** 395125102313000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE SE NW 28 2 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 39.856934 -102.525481
Surface Elevation (ft): 4071.82
Well depth (ft): 305
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.20
5 year:
10 year: -9.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	108.30	3963.52	-2.00
12/19/2003	111.80	3960.02	-3.50
1/21/2005	113.00	3958.82	-1.20
12/22/2005	115.60	3956.22	-2.60
4/13/2007	116.70	3955.12	-1.10
2/14/2008			
1/1/2009			
2/2/2010	117.30	3954.52	
2/16/2011	117.80	3954.02	-0.50
2/24/2012	118.20	3953.62	-0.40
2/26/2013	118.00	3953.82	0.20

All Historic Measurements




Well Name: **HAROUFF, KENNETH** **Owner:** YOUNG VERNON E & YOUNG CORAL M
Permit #: 11743 - FP - **Location #:** SC00204703DDA **USGS Site ID:** 395429102364900
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SE NE 3 2 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 39.908044 -102.614095
Surface Elevation (ft): 4124.82
Well depth (ft): 270
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.40
5 year: -3.80
10 year: 0.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	146.60	3978.22	-16.40
12/19/2003	134.20	3990.62	12.40
1/21/2005	135.70	3989.12	-1.50
12/22/2005	137.80	3987.02	-2.10
4/13/2007	141.10	3983.72	-3.30
2/14/2008	142.80	3982.02	-1.70
4/14/2009	144.00	3980.82	-1.20
2/2/2010	144.20	3980.62	-0.20
2/16/2011	145.00	3979.82	-0.80
2/10/2012	145.20	3979.62	-0.20
2/26/2013	146.60	3978.22	-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	BIRDSALL YOUNG	Owner:	BLACH PERRY J
Permit #:	14166 - F -	Location #:	SC00204808ACA
		USGS Site ID:	395358102461000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NE SW NE	8	2 S 48 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.898877	-102.770489	
Surface Elevation (ft):	4270.92		
Well depth (ft):	222		
Aquifer(s):	OGALLALA		


Water Level Change

1 year:
5 year: -6.30
10 year: -13.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	189.90	4081.02	-0.20
12/19/2003	191.50	4079.42	-1.60
1/21/2005	192.40	4078.52	-0.90
12/22/2005	193.40	4077.52	-1.00
4/13/2007			
2/13/2008	197.50	4073.42	
1/1/2009			
1/29/2010	196.30	4074.62	
2/16/2011	197.10	4073.82	-0.80
2/7/2012			
2/26/2013	203.80	4067.12	

All Historic Measurements



Well Name:	D BUELTELL	Owner:	CENTRAL YUMA COUNTY GWMD
Permit #:	14699 - FP - R	Location #:	SC00204810BC
		USGS Site ID:	
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW SW	10	2 S 48 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4418800.0	Easting (UTM x): 692955.4
			Spotted from quarters
Latitude/Longitude (decimal degrees):	39.897327	-102.742981	
Surface Elevation (ft):	4250		
Well depth (ft):	265		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -1.90
5 year: -3.00
10 year: -9.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	191.50	4058.50	-1.50
12/19/2003	193.00	4057.00	-1.50
1/21/2005	195.10	4054.90	-2.10
12/22/2005	197.20	4052.80	-2.10
4/13/2007	196.80	4053.20	0.40
2/13/2008	197.50	4052.50	-0.70
1/1/2009			
1/29/2010	197.80	4052.20	
2/16/2011	197.00	4053.00	0.80
2/10/2012	198.60	4051.40	-1.60
2/26/2013	200.50	4049.50	-1.90

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: SEEDORF, C.D. **Owner:** SEEDORF C D
Permit #: 14164 - FP - **Location #:** SC00204811ACA **USGS Site ID:** 395355102425000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twndsp Range PM Distance from section lines:
NE SW NE 11 2 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied
Latitude/Longitude (decimal degrees): 39.897766 -102.714376
Surface Elevation (ft): 4221.88 **Water Level Change**
Well depth (ft): 254 **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:**
10 year: -7.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	184.10	4037.78	-3.50
12/19/2003	184.00	4037.88	0.10
1/21/2005	185.80	4036.08	-1.80
12/22/2005	187.80	4034.08	-2.00
4/13/2007	189.60	4032.28	-1.80
2/13/2008			
1/1/2009			
1/29/2010	189.30	4032.58	
2/16/2011	189.90	4031.98	-0.60
2/10/2012	189.70	4032.18	0.20
2/26/2013	191.90	4029.98	-2.20

All Historic Measurements




Well Name: THOMASON, W **Owner:** JOHNS THOMAS
Permit #: 126444 - - A **Location #:** SC00204828CB **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twndsp Range PM Distance from section lines:
SW NW 28 2 S 48 W S From N/S line: 2000 S From E/W line: 60 W
UTM Coordinates (NAD83): Northing (UTM y): 4413568.0 Easting (UTM x): 691355.0 Spotted from section lines
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 4291 **Water Level Change**
Well depth (ft): 220 **1 year:** 0.20
Aquifer(s): OGALLALA **5 year:** -16.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	126.60	4164.40	
4/13/2007	127.40	4163.60	-0.80
2/13/2008	127.30	4163.70	0.10
4/14/2009	125.90	4165.10	1.40
1/29/2010	123.60	4167.40	2.30
2/16/2011	141.00	4150.00	-17.40
2/10/2012	144.00	4147.00	-3.00
2/26/2013	143.80	4147.20	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	WEATHERS, T.	Owner:	WEATHERS THOMAS W.
Permit #:	24459 - FP -	Location #:	SC00204835BBB
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp
	NW NW NW	35	2 S
		Range	PM
		48 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4412942.0	Easting (UTM x): 694674.0
			Spotted from quarters
Latitude/Longitude (decimal degrees):	39.844196	-102.724640	
Surface Elevation (ft):	4251		
Well depth (ft):	220		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: 0.90
5 year: -0.30
10 year: -3.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	138.20	4112.80	0.00
12/19/2003	140.80	4110.20	-2.60
1/21/2005	140.00	4111.00	0.80
12/22/2005	140.40	4110.60	-0.40
4/13/2007	140.10	4110.90	0.30
2/13/2008	141.00	4110.00	-0.90
4/14/2009	142.60	4108.40	-1.60
1/29/2010	140.80	4110.20	1.80
2/16/2011	140.80	4110.20	0.00
2/10/2012	142.20	4108.80	-1.40
2/26/2013	141.30	4109.70	0.90

All Historic Measurements



Well Name:	WINGFIELD	Owner:	MEKELBURG EDWARD
Permit #:	33070 - -	Location #:	SC00304702CBD1
		USGS Site ID:	394916102364001
Division:		Water District:	
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp
	SW NW SE	2	3 S
		Range	PM
		47 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):		Easting (UTM x):
		39.821100	-102.611594
			User supplied
Latitude/Longitude (decimal degrees):	39.821100	-102.611594	
Surface Elevation (ft):	4170.87		
Well depth (ft):	147		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -1.10
5 year: -1.10
10 year: -3.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	111.60	4059.27	0.60
12/19/2003	112.20	4058.67	-0.60
1/21/2005	112.70	4058.17	-0.50
12/22/2005	112.70	4058.17	0.00
4/13/2007	112.90	4057.97	-0.20
2/14/2008	114.20	4056.67	-1.30
4/14/2009	113.70	4057.17	0.50
2/2/2010	113.40	4057.47	0.30
2/16/2011	113.60	4057.27	-0.20
2/10/2012	114.20	4056.67	-0.60
2/26/2013	115.30	4055.57	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	WINGER, M.	Owner:	TRIPLE FARMS INC
Permit #:	22674 - FP -	Location #:	SC00304704B
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp
	NW	4	3 S
		Range	PM
		47 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4411204.3	Easting (UTM x):
			701424.9
Latitude/Longitude (decimal degrees):		39.826978	-102.646331
Surface Elevation (ft):	4211		
Well depth (ft):	240		
Aquifer(s):	OGALLALA		

Water Level Change

1 year: 0.20


5 year:

10 year: -12.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	174.10	4036.90	2.70
12/19/2003	176.90	4034.10	-2.80
1/21/2005	179.50	4031.50	-2.60
12/22/2005	182.20	4028.80	-2.70
4/13/2007	182.00	4029.00	0.20
2/14/2008			
4/14/2009	183.40	4027.60	
2/2/2010	183.90	4027.10	-0.50
2/16/2011	184.50	4026.50	-0.60
2/10/2012	187.00	4024.00	-2.50
2/26/2013	186.80	4024.20	0.20

All Historic Measurements



Well Name:	U.S. GOVERNMENT	Owner:	CO BOARD OF LAND COMMISSIONERS
Permit #:	10682 - -	Location #:	SC00304836CBB1
		USGS Site ID:	394502102422301
Division:		Water District:	
		County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp
	SW NW NW	36	3 S
		Range	PM
		48 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):		Easting (UTM x):
		39.750544	-102.706875
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	4282.94		
Well depth (ft):	92		
Aquifer(s):	OGALLALA		

Water Level Change

1 year: -1.20


5 year: 1.70

10 year: 0.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	40.20	4242.74	-0.30
12/19/2003	40.40	4242.54	-0.20
1/21/2005	41.00	4241.94	-0.60
12/22/2006	41.30	4241.64	-0.30
4/13/2007	40.60	4242.34	0.70
2/13/2008	41.90	4241.04	-1.30
4/14/2009	42.10	4240.84	-0.20
1/29/2010	40.70	4242.24	1.40
2/16/2011	39.80	4243.14	0.90
2/10/2012	39.00	4243.94	0.80
2/26/2013	40.20	4242.74	-1.20

All Historic Measurements



Sand Hills Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: CURE BROTHERS LLC

Owner: CURE LAND LLC

Permit #: 13813 - F -

Location #: SB00304204CDA

USGS Site ID: 401510102035000

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

SW SE NE

4

3

N

42

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.253603

-102.066021

Surface Elevation (ft): 3596.53

Well depth (ft): 332

Aquifer(s): OGALLALA

Water Level Change

1 year: 1.60


5 year: 0.60

10 year: 2.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	79.00	3517.53	-14.40
2/17/2004	79.40	3517.13	-0.40
1/20/2005	82.20	3514.33	-2.80
4/6/2007	76.60	3519.93	5.60
2/11/2008	77.10	3519.43	-0.50
4/12/2009	77.70	3518.83	-0.60
12/27/2009	78.10	3518.43	-0.40
2/9/2011	77.70	3518.83	0.40
3/1/2012	78.10	3518.43	-0.40
3/4/2013	76.50	3520.03	1.60

All Historic Measurements



Well Name: CURE BROTHERS

Owner: CURE LAND LLC

Permit #: 15285 - F -

Location #: SB00304217ADB

USGS Site ID: 401350102045500

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

NE SE NW

17

3

N

42

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.231936

-102.079355

Surface Elevation (ft): 3599.54

Well depth (ft): 300

Aquifer(s): OGALLALA

Water Level Change

1 year: 0.20


5 year: -0.90

10 year: -1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	63.40	3536.14	-11.90
2/17/2004	60.20	3539.34	3.20
1/20/2005	61.30	3538.24	-1.10
2/13/2006	62.60	3536.94	-1.30
4/6/2007	62.40	3537.14	0.20
2/11/2008	63.90	3535.64	-1.50
4/12/2009	64.60	3534.94	-0.70
12/26/2009	64.90	3534.64	-0.30
2/9/2011	64.30	3535.24	0.60
3/1/2012	65.00	3534.54	-0.70
3/1/2013	64.80	3534.74	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	CURE BROTHERS	Owner:	CURE LAND LLC
Permit #:	14121 - FP -	Location #:	SB00304222CCC
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10	Section	22
	SW SW SW	Twnshp	3
		Range	42
		PM	S
		Distance from section lines:	
		From N/S line:	
		From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4454905.6	Easting (UTM x): 750511.2
			Spotted from quarters
Latitude/Longitude (decimal degrees):		40.207153	-102.056532
Surface Elevation (ft):	3570		
Well depth (ft):	265		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -0.60
5 year: -9.00
10 year: -15.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	53.20	3516.80	-5.20
2/17/2004	56.40	3513.60	-3.20
1/20/2005	58.00	3512.00	-1.60
2/13/2006	57.30	3512.70	0.70
4/6/2007	58.70	3511.30	-1.40
2/11/2008	59.60	3510.40	-0.90
1/1/2009			
12/27/2009	66.50	3503.50	
2/9/2011	67.20	3502.80	-0.70
3/1/2012	68.00	3502.00	-0.80
3/2/2013	68.60	3501.40	-0.60

All Historic Measurements



Well Name:	WILEY, W.	Owner:	CURE LAND LLC
Permit #:	4319 - FPR -	Location #:	SB00304229BAB
		USGS Site ID:	401220102051000
Division:		Water District:	
		County:	YUMA
Location:	Q160 Q40 Q10	Section	29
	NW NE NW	Twnshp	3
		Range	42
		PM	S
		Distance from section lines:	
		From N/S line:	
		From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):		Easting (UTM x):
			User supplied
Latitude/Longitude (decimal degrees):		40.204158	-102.088800
Surface Elevation (ft):	3598.55		
Well depth (ft):	75		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -3.00
5 year: -2.60
10 year: -11.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	55.80	3542.75	-3.70
2/17/2004	58.70	3539.85	-2.90
1/20/2005	60.60	3537.95	-1.90
2/13/2006	62.50	3536.05	-1.90
4/6/2007	64.10	3534.45	-1.60
2/11/2008	64.80	3533.75	-0.70
4/12/2009	64.20	3534.35	0.60
12/27/2009	64.40	3534.15	-0.20
2/9/2011	64.60	3533.95	-0.20
3/1/2012	64.40	3534.15	0.20
3/1/2013	67.40	3531.15	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SB00304231BDD

USGS Site ID: 401105102061101

Division:

Water District:

County: YUMA

Location:

Q160 Q40 Q10 Section Township Range PM Distance from section lines:

NW SE SE 31 3 N 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.184435

-102.104356

Surface Elevation (ft): 3615.36

Well depth (ft): 91

Aquifer(s):

Water Level Change

1 year: -2.10


5 year: -3.50

10 year: -11.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	72.40	3542.96	-2.10
2/17/2004	74.70	3540.66	-2.30
1/20/2005	76.30	3539.06	-1.60
2/13/2006	77.90	3537.46	-1.60
4/6/2007	79.30	3536.06	-1.40
2/11/2008	80.80	3534.56	-1.50
4/12/2009	81.80	3533.56	-1.00
12/27/2009	82.30	3533.06	-0.50
2/9/2011	81.60	3533.76	0.70
3/1/2012	82.20	3533.16	-0.60
3/1/2013	84.30	3531.06	-2.10

All Historic Measurements



Well Name: CURE

Owner: DENSLOW CLYDE J

Permit #: 13522 - F -

Location #: SB00304313ACC

USGS Site ID: 401350102072500

Division:

Water District:

County: YUMA

Location:

Q160 Q40 Q10 Section Township Range PM Distance from section lines:

NE SW SW 13 3 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.228324

-102.121579

Surface Elevation (ft): 3629.55

Well depth (ft): 316

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.80


5 year: -4.20

10 year: -8.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/23/2003	65.40	3564.15	-8.10
2/17/2004	66.50	3563.05	-1.10
1/20/2005	66.40	3563.15	0.10
2/13/2006	66.40	3563.15	0.00
4/6/2007	68.10	3561.45	-1.70
2/11/2008	69.30	3560.25	-1.20
4/12/2009	70.10	3559.45	-0.80
12/27/2009	69.80	3559.75	0.30
2/9/2011	70.10	3559.45	-0.30
3/1/2012	70.70	3558.85	-0.60
3/1/2013	73.50	3556.05	-2.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: CURE BROTHERS

Owner: CURE LAND LLC

Permit #: 13511 - F -

Location #: SB00304324CBD

USGS Site ID: 401230102075000

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

SW NW SE

24

3

N

43

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.210269

-102.128524

Surface Elevation (ft): 3635.56

Well depth (ft): 310

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.50


5 year: -3.00

10 year: -11.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/23/2003	62.00	3573.56	-2.60
2/17/2004	65.50	3570.06	-3.50
1/20/2005	67.20	3568.36	-1.70
2/13/2006	68.00	3567.56	-0.80
4/6/2007	70.10	3565.46	-2.10
2/11/2008	70.40	3565.16	-0.30
4/12/2009	70.70	3564.86	-0.30
12/27/2009	71.30	3564.26	-0.60
2/9/2011	71.60	3563.96	-0.30
3/1/2012	71.90	3563.66	-0.30
3/1/2013	73.40	3562.16	-1.50

All Historic Measurements



Well Name: DOKE

Owner: MUNDELL JOHN

Permit #: 15042 - F -

Location #: SB00304326DBA

USGS Site ID: 401150102082500

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

SE NW NE

26

3

N

43

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.197491

-102.138802

Surface Elevation (ft): 3642.56

Well depth (ft): 268

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.50


5 year: -3.10

10 year: -10.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	54.20	3588.36	-2.60
2/17/2004	56.90	3585.66	-2.70
1/20/2005	58.30	3584.26	-1.40
2/13/2006	58.60	3583.96	-0.30
4/6/2007	61.30	3581.26	-2.70
2/11/2008	61.90	3580.66	-0.60
4/12/2009	63.10	3579.46	-1.20
12/27/2009	63.20	3579.36	-0.10
2/9/2011	63.80	3578.76	-0.60
3/1/2012	63.50	3579.06	0.30
3/1/2013	65.00	3577.56	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	DOKE, WILLIAM	Owner:	DOKE WILLIAM F
Permit #:	21000 - F -	Location #:	SB00304332AAB
		USGS Site ID:	401128102113801
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NE NE NW	32	3 N 43 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.191101	-102.194360	
Surface Elevation (ft):	3679.57		
Well depth (ft):	326		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -1.20
5 year: -3.40
10 year: -11.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	64.80	3614.77	-3.20
1/21/2004	65.10	3614.47	-0.30
1/20/2005	67.30	3612.27	-2.20
2/13/2006	69.70	3609.87	-2.40
4/6/2007	72.30	3607.27	-2.60
2/11/2008	73.00	3606.57	-0.70
4/12/2009	73.80	3605.77	-0.80
12/27/2009	74.20	3605.37	-0.40
2/9/2011	74.60	3604.97	-0.40
3/1/2012	75.20	3604.37	-0.60
3/1/2013	76.40	3603.17	-1.20

All Historic Measurements



Well Name:	BLEDSON	Owner:	BLEDSON HENRY
Permit #:	18775 - F -	Location #:	SB00304426B
		USGS Site ID:	
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW	26	3 N 44 W S
			Distance from section lines:
			From N/S line: 1600 N From E/W line: 1200 W
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	Spotted from section lines
Latitude/Longitude (decimal degrees):	4453690.0	733148.8	
Surface Elevation (ft):	3717		
Well depth (ft):	360		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -1.30
5 year: -2.00
10 year: -10.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	66.60	3650.40	-1.90
2/14/2004	70.80	3646.20	-4.20
1/6/2005	70.80	3646.20	0.00
2/13/2006	71.60	3645.40	-0.80
4/6/2007	73.40	3643.60	-1.80
2/11/2008	74.90	3642.10	-1.50
1/1/2009			
12/27/2009	74.60	3642.40	
2/9/2011	75.20	3641.80	-0.60
3/1/2012	75.60	3641.40	-0.40
3/1/2013	76.90	3640.10	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: UNKNOWN-REPLACES BLEDSOE

Owner:

Permit #: - - **Location #:** SB00304426CA

USGS Site ID:

Division: 1 **Water District:** **County:** YUMA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SW NE 26 3 N 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4453173.0 Easting (UTM x): 733393.8 *Spotted from quarters*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3740

Well depth (ft):

Aquifer(s):

Water Level Change

1 year: -4.00


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/15/2009	83.00	3657.00	
12/27/2009	84.20	3655.80	-1.20
2/9/2011	84.70	3655.30	-0.50
3/1/2012	85.00	3655.00	-0.30
3/2/2013	89.00	3651.00	-4.00

All Historic Measurements



Well Name: HEMPILL

Owner: COUNTRY ACRES

Permit #: 12608 - F - **Location #:** SB00304501BCB

USGS Site ID: 401540102212000

Division: **Water District:** **County:** YUMA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NW SW NW 1 3 N 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.259989 -102.357976

Surface Elevation (ft): 3802.64

Well depth (ft): 372

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.30


5 year: -1.60

10 year: -6.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	111.20	3691.44	-4.30
2/18/2004	110.70	3691.94	0.50
1/25/2005	112.40	3690.24	-1.70
2/13/2006	113.70	3688.94	-1.30
4/5/2007	115.80	3686.84	-2.10
2/12/2008	116.40	3686.24	-0.60
4/15/2009	116.90	3685.74	-0.50
12/27/2009	117.30	3685.34	-0.40
2/15/2011	116.20	3686.44	1.10
3/2/2012	116.70	3685.94	-0.50
3/2/2013	118.00	3684.64	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	COUNTRY ACRES	Owner:	COUNTRY ACRES
Permit #:	12601 - F -	Location #:	SB00304502CCA
		USGS Site ID:	401510102222000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW SW NE	2	3 N 45 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.253322	-102.372976	
Surface Elevation (ft):	3815.65		
Well depth (ft):	345		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.40
5 year: -3.40
10 year: -8.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	120.50	3695.15	-5.50
2/18/2004	118.10	3697.55	2.40
1/25/2005	119.10	3696.55	-1.00
2/13/2006	121.10	3694.55	-2.00
4/5/2007	123.40	3692.25	-2.30
2/12/2008	125.60	3690.05	-2.20
4/15/2009	126.80	3688.85	-1.20
12/27/2009	127.00	3688.65	-0.20
2/15/2011	127.00	3688.65	0.00
3/2/2012	127.60	3688.05	-0.60
3/2/2013	129.00	3686.65	-1.40

All Historic Measurements




Well Name:	ROTH	Owner:	FRASIER MELVIN
Permit #:	12605 - F -	Location #:	SB00304513BAC
		USGS Site ID:	401400102212000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	NW NE SW	13	3 N 45 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.231655	-102.354087	
Surface Elevation (ft):	3800.64		
Well depth (ft):	354		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.10
5 year: -3.30
10 year: -5.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	109.90	3690.74	-6.00
2/18/2004	106.80	3693.84	3.10
1/25/2005	108.60	3692.04	-1.80
2/13/2006	110.00	3690.64	-1.40
4/5/2007	111.70	3688.94	-1.70
2/12/2008	112.30	3688.34	-0.60
1/1/2009			
12/27/2009	113.30	3687.34	
2/15/2011	114.00	3686.64	-0.70
3/2/2012	114.50	3686.14	-0.50
3/2/2013	115.60	3685.04	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: NEWBANKS, JOHN

Owner:

Permit #: 138403 -

Location #: SB00304530DDD2

USGS Site ID: 401140102260302

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SE SE SE

30

3

N

45

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.194433

-102.434645

Surface Elevation (ft): 3866.68

Well depth (ft): 111

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.30


5 year: 18.20

10 year: 12.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	112.10	3754.58	-4.00
1/16/2004	111.50	3755.18	0.60
12/12/2004	113.70	3752.98	-2.20
2/13/2006	113.50	3753.18	0.20
4/5/2007	115.50	3751.18	-2.00
2/12/2008	117.50	3749.18	-2.00
4/15/2009	118.40	3748.28	-0.90
12/27/2009	118.60	3748.08	-0.20
2/15/2011	96.90	3769.78	21.70
3/2/2012	97.00	3769.68	-0.10
3/2/2013	99.30	3767.38	-2.30

All Historic Measurements



Well Name: OESTMAN

Owner: NEUSCHWANGER FLOYD

Permit #: 11945 - FP -

Location #: SB00304616DAC

USGS Site ID: 401330102305000

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SE NE SW

16

3

N

46

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.224987

-102.514091

Surface Elevation (ft): 3919.72

Well depth (ft): 370

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.90


5 year: -4.80

10 year: -16.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	143.60	3776.12	-8.00
2/18/2004	142.60	3777.12	1.00
1/25/2005	143.00	3776.72	-0.40
12/21/2005	146.40	3773.32	-3.40
4/6/2007	153.90	3765.82	-7.50
2/12/2008	155.00	3764.72	-1.10
4/12/2009	156.50	3763.22	-1.50
12/27/2009	157.30	3762.42	-0.80
2/15/2011	157.50	3762.22	-0.20
3/2/2012	158.90	3760.82	-1.40
3/2/2013	159.80	3759.92	-0.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	WARD, A. & SON	Owner:	WARD ALFRED & SON
Permit #:	10603 - F -	Location #:	SB00304617CBD
		USGS Site ID:	401330102324000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:		
	SW NW SE 17 3 N 46 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.224431	-102.542147	
Surface Elevation (ft):	3935.73		
Well depth (ft):	372		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -1.30
5 year: -2.40
10 year: -13.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	147.50	3788.23	-3.70
2/18/2004	149.10	3786.63	-1.60
1/25/2005	152.10	3783.63	-3.00
12/21/2005	154.80	3780.93	-2.70
4/5/2007	156.40	3779.33	-1.60
2/12/2008	158.60	3777.13	-2.20
4/12/2009	159.80	3775.93	-1.20
12/27/2009	159.70	3776.03	0.10
2/15/2011	159.40	3776.33	0.30
3/2/2012	159.70	3776.03	-0.30
3/2/2013	161.00	3774.73	-1.30

All Historic Measurements



Well Name:	NEWBANKS, J.	Owner:	NEWBANKS JOHN
Permit #:	14047 - F -	Location #:	SB00304623BDC
		USGS Site ID:	401300102290000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:		
	NW SE SW 23 3 N 46 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.216377	-102.484646	
Surface Elevation (ft):	3906.7		
Well depth (ft):	368		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -3.40
5 year: -5.10
10 year: -10.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	139.50	3767.20	-5.90
2/18/2004	137.70	3769.00	1.80
1/25/2005	139.80	3766.90	-2.10
12/21/2005	142.50	3764.20	-2.70
4/6/2007	143.70	3763.00	-1.20
2/12/2008	145.20	3761.50	-1.50
4/15/2009	146.00	3760.70	-0.80
12/27/2009	146.20	3760.50	-0.20
1/1/2011			
3/2/2012	146.90	3759.80	
3/2/2013	150.30	3756.40	-3.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: SANDHILLS GW MGMT DISTRICT **Owner:** SAND HILLS GROUNDWATER MGMT DIST

Permit #: 271650 - **Location #:** SB00404204BC **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** YUMA

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW SW 4 4 N 42 W S From N/S line: 2250 N From E/W line: 40 W

UTM Coordinates (NAD83): Northing (UTM y): 4470278.5 Easting (UTM x): 748357.7 *Spotted from section lines*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3602 **Water Level Change**

Well depth (ft): 360 **1 year:** -3.10


Aquifer(s): OGALLALA **5 year:** -5.70

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/4/2007	83.50	3518.50	
2/11/2008	84.60	3517.40	-1.10
4/10/2009	85.30	3516.70	-0.70
12/30/2009	86.00	3516.00	-0.70
1/21/2011	86.30	3515.70	-0.30
3/1/2012	87.20	3514.80	-0.90
3/4/2013	90.30	3511.70	-3.10

All Historic Measurements



Well Name: SPRAGUE, LEO **Owner:** SPRAGUE FARMS

Permit #: 13214 - F **Location #:** SB00404217DAC **USGS Site ID:** 401840102050000

Division: **Water District:** **County:** YUMA

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE NE SW 17 4 N 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.311659 -102.080466

Surface Elevation (ft): 3601.52 **Water Level Change**

Well depth (ft): 385 **1 year:** -2.00


Aquifer(s): OGALLALA **5 year:** -6.60

10 year: -15.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	63.40	3538.12	-3.80
1/18/2005	69.10	3532.42	-5.70
2/1/2006	69.40	3532.12	-0.30
4/4/2007	71.50	3530.02	-2.10
2/11/2008	72.40	3529.12	-0.90
1/1/2009			
12/30/2009	75.70	3525.82	
1/21/2011	76.40	3525.12	-0.70
3/1/2012	77.00	3524.52	-0.60
3/1/2013	79.00	3522.52	-2.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	DODGE FARMS	Owner:	DODGE FARM LLC
Permit #:	19292 - FP -	Location #:	SB00404301
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	YUMA
	Section 1	Twntshp 4 N	Range 43 W S
			PM
			Distance from section lines:
			From N/S line:
			From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4469928.0	Easting (UTM x):
			744768.0 Digitized off map
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	3639	Water Level Change	
Well depth (ft):	340	1 year:	-0.80
Aquifer(s):	OGALLALA	5 year:	-3.00
		10 year:	-12.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	83.40	3555.60	-1.80
2/16/2004	84.60	3554.40	-1.20
1/20/2005	87.00	3552.00	-2.40
2/1/2006	87.90	3551.10	-0.90
4/4/2007	90.90	3548.10	-3.00
2/11/2008	92.50	3546.50	-1.60
4/17/2009	93.30	3545.70	-0.80
12/30/2009	93.50	3545.50	-0.20
1/21/2011	94.00	3545.00	-0.50
3/1/2012	94.70	3544.30	-0.70
3/1/2013	95.50	3543.50	-0.80

All Historic Measurements




Well Name:	G L G INC.	Owner:	HASKELL COUNTY FARMS
Permit #:	11534 - F -	Location #:	SB00404302AAC
Division:		Water District:	
Location:	Q160 Q40 Q10	County:	YUMA
	NE NE SW	Section 2	Twntshp 4 N
			Range 43 W S
			PM
			Distance from section lines:
			From N/S line:
			From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):		Easting (UTM x):
		40.348325	-102.136856
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	3636.54	Water Level Change	
Well depth (ft):	335	1 year:	-0.40
Aquifer(s):	OGALLALA	5 year:	-1.50
		10 year:	-10.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	83.40	3553.14	-1.80
2/16/2004	85.70	3550.84	-2.30
1/20/2005	88.20	3548.34	-2.50
2/1/2006	89.70	3546.84	-1.50
4/4/2007	91.10	3545.44	-1.40
2/11/2008	92.60	3543.94	-1.50
4/17/2009	93.00	3543.54	-0.40
12/30/2009	93.60	3542.94	-0.60
1/21/2011	93.10	3543.44	0.50
3/1/2012	93.70	3542.84	-0.60
3/1/2013	94.10	3542.44	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	WISDOM.	Owner:	LENZ MARGARET E
Permit #:	5492 - F -	Location #:	SB00404315CCB
		USGS Site ID:	401840102100000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW SW NW	15	4 N 43 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.309158	-102.169636	
Surface Elevation (ft):	3656.56		
Well depth (ft):	204		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -8.00
5 year: -6.20
10 year: -17.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	73.20	3583.36	-3.20
2/18/2004	76.60	3579.96	-3.40
1/20/2005	80.30	3576.26	-3.70
2/1/2006	80.10	3576.46	0.20
4/4/2007	83.60	3572.96	-3.50
2/11/2008	84.30	3572.26	-0.70
4/17/2009	86.20	3570.36	-1.90
12/30/2009	86.80	3569.76	-0.60
1/21/2011	86.80	3569.76	0.00
3/1/2012	82.50	3574.06	4.30
2/25/2013	90.50	3566.06	-8.00

All Historic Measurements



Well Name:	TATE	Owner:	KRAMER MARIE L
Permit #:	14114 - FP -	Location #:	SB00404318CAD
		USGS Site ID:	401845102131000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW NE SE	18	4 N 43 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.312490	-102.219915	
Surface Elevation (ft):	3711.59		
Well depth (ft):	345		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -0.20
5 year: -2.10
10 year: -11.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	91.40	3620.19	-2.80
2/18/2004	93.70	3617.89	-2.30
1/20/2005	96.00	3615.59	-2.30
2/1/2006	98.20	3613.39	-2.20
4/4/2007	100.30	3611.29	-2.10
2/11/2008	100.90	3610.69	-0.60
1/1/2009			
12/30/2009	101.70	3609.89	
1/21/2011	101.50	3610.09	0.20
3/1/2012	102.80	3608.79	-1.30
2/25/2013	103.00	3608.59	-0.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: CURE		Owner: CURE LAND LLC	
Permit #: 16920 - FP -	Location #: SB00404327ADB	USGS Site ID: 401730102092000	
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:		
	NE SE NW 27 4 N 43 W S		
UTM Coordinates (NAD83): Northing (UTM y):		Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):		40.288880	-102.154080
Surface Elevation (ft):	3661.56	Water Level Change	
Well depth (ft):	365	1 year: -0.50	
Aquifer(s):	OGALLALA	5 year: -2.80	
		10 year: -10.30	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	90.40	3571.16	-3.70
2/18/2004	93.10	3568.46	-2.70
1/20/2005	95.60	3565.96	-2.50
2/1/2006	97.40	3564.16	-1.80
4/4/2007			
2/11/2008	97.90	3563.66	
4/17/2009	98.70	3562.86	-0.80
12/30/2009	98.90	3562.66	-0.20
1/21/2011	98.40	3563.16	0.50
3/1/2012	100.20	3561.36	-1.80
2/25/2013	100.70	3560.86	-0.50

All Historic Measurements




Well Name: DODGE FARMS		Owner: DODGE FARMS	
Permit #: 14431 - FP -	Location #: SB00404328CDC	USGS Site ID: 401700102111000	
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:		
	SW SE SW 28 4 N 43 W S		
UTM Coordinates (NAD83): Northing (UTM y):		Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):		40.278879	-102.183248
Surface Elevation (ft):	3663.57	Water Level Change	
Well depth (ft):	370	1 year: -2.00	
Aquifer(s):	OGALLALA	5 year: -3.30	
		10 year: -13.40	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	66.20	3597.37	-2.60
2/18/2004	69.20	3594.37	-3.00
1/20/2005	71.20	3592.37	-2.00
2/1/2006	72.40	3591.17	-1.20
4/4/2007	74.10	3589.47	-1.70
2/11/2008	76.30	3587.27	-2.20
4/17/2009	75.70	3587.87	0.60
12/30/2009	76.60	3586.97	-0.90
1/21/2011	77.00	3586.57	-0.40
3/1/2012	77.60	3585.97	-0.60
2/25/2013	79.60	3583.97	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: **AGRI-VAL/ HENDRIX**

Owner: HENDRIX JAMES B

Permit #: 11476 - F -

Location #: SB00404401BCB

USGS Site ID: 402050102144000

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

NW SW NW

1

4

N

44

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.347213

-102.243526

Surface Elevation (ft): 3733.6

Well depth (ft): 345

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year: -3.30

10 year: -12.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	112.40	3621.20	-2.60
2/18/2004	112.90	3620.70	-0.50
1/20/2005	115.00	3618.60	-2.10
1/11/2006			
4/4/2007	119.70	3613.90	
2/12/2008	121.80	3611.80	-2.10
1/1/2009			
12/30/2009	124.00	3609.60	
2/15/2011	122.80	3610.80	1.20
3/1/2012			
3/1/2013	125.10	3608.50	

All Historic Measurements



Well Name: **EINSPHR, G**

Owner: CERES LAND CO

Permit #: 16070 - FP -

Location #: SB00404406A

USGS Site ID:

Division: 1

Water District: 65

County: YUMA

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

NE

6

4

N

44

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

4469828.3

Easting (UTM x):

727111.2 Spotted from quarters

Latitude/Longitude (decimal degrees):

40.348114

-102.325892

Surface Elevation (ft): 3785

Well depth (ft): 376

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.10


5 year:

10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	138.50	3646.50	-1.30
2/13/2004	139.50	3645.50	-1.00
1/19/2005	142.20	3642.80	-2.70
1/18/2006	144.00	3641.00	-1.80
4/4/2007	146.20	3638.80	-2.20
2/11/2008			
1/1/2009			
12/30/2009	151.60	3633.40	
2/15/2011	152.00	3633.00	-0.40
3/1/2012	152.60	3632.40	-0.60
3/1/2013	153.70	3631.30	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: BLECHA, HARRY

Owner: BLECHA DAVID STUART

Permit #: 6507 - F -

Location #: SB00404414DCD

USGS Site ID: 401830102152000

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:

SE SW SE

14

4 N

44 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.307490

-102.252417

Surface Elevation (ft): 3706.6

Well depth (ft): 319

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.40


5 year: -7.10

10 year: -17.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	81.10	3625.50	-2.60
2/18/2004	82.20	3624.40	-1.10
1/19/2005	85.30	3621.30	-3.10
2/1/2006	87.20	3619.40	-1.90
4/4/2007	89.20	3617.40	-2.00
2/11/2008	91.40	3615.20	-2.20
4/15/2009	93.30	3613.30	-1.90
12/30/2009	93.80	3612.80	-0.50
2/15/2011	95.30	3611.30	-1.50
3/2/2012	96.10	3610.50	-0.80
2/25/2013	98.50	3608.10	-2.40

All Historic Measurements



Well Name: BEAVERS

Owner: DENNY JAY LLLP

Permit #: 13259 - F -

Location #: SB00404435DBD

USGS Site ID: 401610102150000

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:

SE NW SE

35

4 N

44 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.268045

-102.249918

Surface Elevation (ft): 3724.59

Well depth (ft): 360

Aquifer(s): OGALLALA

Water Level Change

1 year: -110.50


5 year: -119.60

10 year: -119.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	83.80	3640.79	-2.30
2/14/2004	86.20	3638.39	-2.40
1/20/2005	87.70	3636.89	-1.50
2/13/2006	89.60	3634.99	-1.90
4/4/2007	91.40	3633.19	-1.80
2/11/2008	92.90	3631.69	-1.50
4/17/2009	93.40	3631.19	-0.50
12/30/2009	94.70	3629.89	-1.30
2/15/2011	94.20	3630.39	0.50
3/1/2012			
2/25/2013	203.40	3521.19	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	BROPHY	Owner:	
Permit #:	- -	Location #:	SB00404514CCD
		USGS Site ID:	401830102221000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW SW SE	14	4 N 45 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.308322	-102.369919	
Surface Elevation (ft):	3807.66		
Well depth (ft):	140		
Aquifer(s):	OGALLALA		


Water Level Change

1 year:
5 year: -6.40
10 year: -10.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	123.90	3683.76	-2.50
2/14/2004	124.80	3682.86	-0.90
1/19/2005	124.20	3683.46	0.60
2/1/2006	127.80	3679.86	-3.60
4/5/2007			
2/12/2008	128.00	3679.66	
4/15/2009	129.50	3678.16	-1.50
12/27/2009	129.80	3677.86	-0.30
1/1/2011			
3/1/2012			
3/2/2013	134.40	3673.26	

All Historic Measurements



Well Name:	BROPHY, THOMAS E.	Owner:	BROPHY BROTHERS RANCH
Permit #:	100241 - -	Location #:	SB00404517CAD2
		USGS Site ID:	401847102252902
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW NE SE	17	4 N 45 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.313044	-102.425197	
Surface Elevation (ft):	3851.68		
Well depth (ft):	235		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -0.40
5 year: -1.00
10 year: -8.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	154.70	3696.98	-3.00
2/14/2004	156.30	3695.38	-1.60
1/19/2005	158.00	3693.68	-1.70
2/1/2006	159.40	3692.28	-1.40
4/5/2007	162.00	3689.68	-2.60
2/12/2008	162.50	3689.18	-0.50
1/1/2009			
12/27/2009	165.20	3686.48	
2/15/2011	162.50	3689.18	2.70
3/2/2012	163.10	3688.58	-0.60
3/2/2013	163.50	3688.18	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: KITZMILLER

Owner:

Permit #: 33410 -

Location #: SB00404533

USGS Site ID:

Division: 1

Water District: 65

County: YUMA

Location: Q160 Q40 Q10 Section 33 Township 4 N Range 45 W S Distance from section lines:

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4461150.0 Easting (UTM x): 720579.7 Spotted from quarters

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3850

Well depth (ft): 190

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.10


5 year: -2.10

10 year: -9.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	146.10	3703.90	-1.70
2/18/2004	147.10	3702.90	-1.00
1/25/2005	148.70	3701.30	-1.60
2/13/2006	150.10	3699.90	-1.40
4/5/2007	152.50	3697.50	-2.40
2/12/2008	153.10	3696.90	-0.60
4/12/2009	153.70	3696.30	-0.60
12/27/2009	153.30	3696.70	0.40
2/15/2011	154.20	3695.80	-0.90
3/2/2012	154.10	3695.90	0.10
3/3/2013	155.20	3694.80	-1.10

All Historic Measurements



Well Name: YOUNG

Owner: HOTALING BERDINA L & YOUNG KATHY

Permit #: 11850 - F -

Location #: SB00504207AAC

USGS Site ID: 402510102043000

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section 7 Township 5 N Range 42 W S Distance from section lines:

NE NE SW

7

5

N

42

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees): 40.421660

-102.075742

Surface Elevation (ft): 3576.5

Well depth (ft): 330

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.40


5 year: -3.00

10 year: -11.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	62.10	3514.40	-2.60
2/16/2004	64.20	3512.30	-2.10
1/18/2005	66.60	3509.90	-2.40
1/11/2006	68.40	3508.10	-1.80
4/4/2007	69.30	3507.20	-0.90
2/11/2008	70.40	3506.10	-1.10
1/1/2009			
2/10/2010	70.90	3505.60	
1/21/2011	71.70	3504.80	-0.80
3/1/2012	73.00	3503.50	-1.30
3/1/2013	73.40	3503.10	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	THOMPSON, G.L.	Owner:	THOMPSON G L & M
Permit #:	10451 - FP -	Location #:	SB00504229CAA
		USGS Site ID:	402220102035000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW NE NE	29	5 N 42 W S
			Distance from section lines:
			From N/S line: 1310 S From E/W line: 1310 W
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.372215	-102.064353	
Surface Elevation (ft):	3598.48		
Well depth (ft):	340		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.10
5 year: -6.30
10 year: -15.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	66.50	3531.98	-1.50
2/16/2004	68.20	3530.28	-1.70
1/18/2005	71.30	3527.18	-3.10
2/1/2006	72.80	3525.68	-1.50
4/4/2007	75.10	3523.38	-2.30
2/11/2008	75.50	3522.98	-0.40
1/1/2009			
2/10/2010	77.80	3520.68	
1/21/2011	78.60	3519.88	-0.80
3/1/2012	79.70	3518.78	-1.10
3/1/2013	81.80	3516.68	-2.10

All Historic Measurements




Well Name:	BENEDETTI	Owner:	REDI FARMS
Permit #:	16216 - RFP -	Location #:	SB00504231CCA
		USGS Site ID:	402120102050000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10	Section	Twnshp Range PM
	SW SW NE	31	5 N 42 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.355826	-102.083798	
Surface Elevation (ft):	3602.41		
Well depth (ft):	216		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.70
5 year: -7.80
10 year: -16.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	64.90	3537.51	-1.90
2/16/2004	67.80	3534.61	-2.90
1/18/2005	69.90	3532.51	-2.10
2/1/2006	71.10	3531.31	-1.20
4/4/2007	73.00	3529.41	-1.90
2/11/2008	73.50	3528.91	-0.50
4/15/2009	75.30	3527.11	-1.80
2/10/2010	76.00	3526.41	-0.70
1/21/2011	76.70	3525.71	-0.70
3/1/2012	77.60	3524.81	-0.90
3/4/2013	81.30	3521.11	-3.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	BANAKA, H.	Owner:	KRAMER CRAIG A & TERESA J
Permit #:	12478 - F -	Location #:	SB00504303DDB
		USGS Site ID:	402550102075000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:		
	SE SE NW 3 5 N 43 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.428604	-102.133243	
Surface Elevation (ft):	3626.53		
Well depth (ft):	175		
Aquifer(s):	OGALLALA		


Water Level Change

1 year:
5 year: -8.60
10 year: -17.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	76.40	3550.13	-2.40
12/5/2003	74.00	3552.53	2.40
2/16/2004	77.40	3549.13	-3.40
1/10/2005	78.10	3548.43	-0.70
1/25/2006	82.00	3544.53	-3.90
4/4/2007	83.40	3543.13	-1.40
2/11/2008	85.00	3541.53	-1.60
4/15/2009	87.00	3539.53	-2.00
2/10/2010	87.20	3539.33	-0.20
1/21/2011	87.00	3539.53	0.20
3/1/2012			
3/1/2013	93.60	3532.93	

All Historic Measurements



Well Name:	HAYES, S&R	Owner:	HAYES STEVE & RONDA & DEBORAH CAL
Permit #:	3592 - F -	Location #:	SB00504314ADC
		USGS Site ID:	402400102073000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:		
	NE SE SW 14 5 N 43 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.403048	-102.113243	
Surface Elevation (ft):	3626.53		
Well depth (ft):	253		
Aquifer(s):	OGALLALA		


Water Level Change

1 year: -2.40
5 year: -4.60
10 year: -14.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	84.30	3542.23	-1.70
1/22/2004	86.80	3539.73	-2.50
1/10/2005	89.50	3537.03	-2.70
1/11/2006	91.90	3534.63	-2.40
4/4/2007	92.00	3534.53	-0.10
2/11/2008	94.30	3532.23	-2.30
1/1/2009			
2/10/2010	95.40	3531.13	
1/21/2011	95.80	3530.73	-0.40
3/1/2012	96.50	3530.03	-0.70
3/1/2013	98.90	3527.63	-2.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	ORTNER, T.										Owner:	ORTNER TIMOTHY E & MARIANE V																																																
Permit #:	19950 - FP -										Location #:	SB00504323B										USGS Site ID:																																						
Division:	1										Water District:	65										County:	YUMA																																					
Location:	Q160 Q40 Q10										Section	Twnshp										Range	PM										Distance from section lines:																											
	NW										23	5 N										43 W	S										From N/S line:										From E/W line:																	
UTM Coordinates (NAD83):	Northing (UTM y):										4475263.6										Easting (UTM x):										744215.8										<i>Spotted from quarters</i>																			
Latitude/Longitude (decimal degrees):											40.392191																				-102.122646																													
Surface Elevation (ft):	3628																																								Water Level Change																			
Well depth (ft):	340																																								1 year:										-3.20									
Aquifer(s):	OGALLALA																																								5 year:										-6.10									

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	68.50	3559.50	-4.00
1/21/2004	70.70	3557.30	-2.20
1/10/2005	71.20	3556.80	-0.50
1/11/2006	74.20	3553.80	-3.00
4/4/2007	79.50	3548.50	-5.30
2/11/2008	80.50	3547.50	-1.00
1/1/2009			
2/10/2010	81.20	3546.80	
1/1/2011			
3/1/2012	83.40	3544.60	
3/1/2013	86.60	3541.40	-3.20

All Historic Measurements




Well Name:	GRAHAM										Owner:	GRAHAM JERRY																																						
Permit #:	20293 - R -										Location #:	SB00504324DDA										USGS Site ID:	402300102054000																											
Division:											Water District:											County:	YUMA																											
Location:	Q160 Q40 Q10			Section			Twnshp			Range			PM			Distance from section lines:																																		
	SE SE NE			24			5 N			43 W S			From N/S line:										From E/W line:																											
UTM Coordinates (NAD83):	Northing (UTM y):										Easting (UTM x):										User supplied																													
Latitude/Longitude (decimal degrees):											40.384715										-102.091576																													
Surface Elevation (ft):	3602.91																														Water Level Change																			
Well depth (ft):	340																														1 year:										-2.30									
Aquifer(s):	OGALLALA																														5 year:										-4.70									

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	65.60	3537.31	-2.50
2/16/2004	68.10	3534.81	-2.50
1/18/2005	70.40	3532.51	-2.30
2/1/2006	71.70	3531.21	-1.30
4/4/2007	73.30	3529.61	-1.60
2/11/2008	74.60	3528.31	-1.30
1/1/2009			
2/10/2010	76.60	3526.31	
1/21/2011	77.20	3525.71	-0.60
3/1/2012	77.00	3525.91	0.20
3/1/2013	79.30	3523.61	-2.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name: **BRINKEMA** **Owner:** BRINKEMA HARRY
Permit #: 23466 - F - **Location #:** SB00504403CAA **USGS Site ID:** 402554102151701
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NE NE 3 5 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 40.431658 -102.255191
Surface Elevation (ft): 3736.59
Well depth (ft): 228
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.50
5 year: -4.10
10 year: -2.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	135.40	3601.19	-5.50
2/18/2004	137.00	3599.59	-1.60
1/18/2005	129.00	3607.59	8.00
1/18/2006	131.70	3604.89	-2.70
4/3/2007	132.70	3603.89	-1.00
2/12/2008	133.50	3603.09	-0.80
4/10/2009	134.60	3601.99	-1.10
2/10/2010	135.00	3601.59	-0.40
2/15/2011	135.30	3601.29	-0.30
3/2/2012	136.10	3600.49	-0.80
3/1/2013	137.60	3598.99	-1.50

All Historic Measurements




Well Name: **ORTNER-STATE** **Owner:** CO BOARD OF LAND COMMISSIONERS
Permit #: 13884 - FP - **Location #:** SB00504436B **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW 36 5 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4471453.0 Easting (UTM x): 736271.0 *Digitized off map*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 3715
Well depth (ft): 290
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.50
5 year: -2.40
10 year: -14.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	109.30	3605.70	-3.30
2/16/2004	112.80	3602.20	-3.50
1/13/2005	116.50	3598.50	-3.70
1/18/2006	117.10	3597.90	-0.60
4/4/2007	119.10	3595.90	-2.00
2/12/2008	121.10	3593.90	-2.00
1/1/2009			
2/10/2010	122.80	3592.20	
2/14/2011	122.50	3592.50	0.30
3/2/2012	123.00	3592.00	-0.50
3/1/2013	123.50	3591.50	-0.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	WAGNER	Owner:	FIDDLER PEAK RANCH LLLP
Permit #:	21105 - F -	Location #:	SB00504503B
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	YUMA
	NW 3 5 N 45 W S	Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	722796.6 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.435843	-102.373280	
Surface Elevation (ft):	3796	Water Level Change	
Well depth (ft):	275	1 year:	-1.50
Aquifer(s):	OGALLALA	5 year:	-3.50
		10 year:	-4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	173.30	3622.70	-10.20
2/13/2004	173.90	3622.10	-0.60
1/19/2005	171.60	3624.40	2.30
1/18/2006	172.10	3623.90	-0.50
3/16/2007	172.90	3623.10	-0.80
2/12/2008	174.00	3622.00	-1.10
4/15/2009	175.30	3620.70	-1.30
2/10/2010	175.00	3621.00	0.30
2/15/2011	175.60	3620.40	-0.60
3/2/2012	176.00	3620.00	-0.40
3/2/2013	177.50	3618.50	-1.50

All Historic Measurements




Well Name:	DODGE FARMS	Owner:	SUTTER JOHN A & JAMES T
Permit #:	13523 - F -	Location #:	SB00504504CCA
Division:		Water District:	
Location:	Q160 Q40 Q10	County:	YUMA
	SW SW NE 4 5 N 45 W S	Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	<i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.428601	-102.392137	
Surface Elevation (ft):	3816.63	Water Level Change	
Well depth (ft):	355	1 year:	-0.60
Aquifer(s):	OGALLALA	5 year:	-3.00
		10 year:	-8.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	180.40	3636.23	-5.00
2/13/2004	180.90	3635.73	-0.50
1/19/2005	180.70	3635.93	0.20
1/18/2006	182.30	3634.33	-1.60
3/16/2007	183.90	3632.73	-1.60
2/12/2008	185.40	3631.23	-1.50
4/15/2009	187.20	3629.43	-1.80
2/10/2010	186.80	3629.83	0.40
2/15/2011	187.20	3629.43	-0.40
3/2/2012	187.80	3628.83	-0.60
3/2/2013	188.40	3628.23	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: BENNETT **Owner:** BENNETT MICHAEL J SUSAN THOS D ETA
Permit #: 5775 - F - **Location #:** SB00504515CCA **USGS Site ID:** 402350102223000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SW NE 15 5 N 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied
Latitude/Longitude (decimal degrees): 40.391101 -102.372694

Surface Elevation (ft): 3806.64 **Water Level Change**
Well depth (ft): 250 **1 year:** -2.60
Aquifer(s): OGALLALA **5 year:** -2.60
10 year: -2.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	173.80	3632.84	-10.60
2/13/2004	167.50	3639.14	6.30
1/19/2005	168.00	3638.64	-0.50
1/18/2006	170.60	3636.04	-2.60
4/4/2007	171.80	3634.84	-1.20
2/12/2008	173.70	3632.94	-1.90
1/1/2009			
2/10/2010	174.20	3632.44	
3/2/2012	173.70	3632.94	0.50
3/2/2013	176.30	3630.34	-2.60

All Historic Measurements



Well Name: BLEDSOE **Owner:** BLEDSOE RANCH CO
Permit #: 21858 - F - **Location #:** SB00504515D **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE 15 5 N 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4475431.4 Easting (UTM x): 723779.3 Spotted from quarters
Latitude/Longitude (decimal degrees): 40.399440 -102.363117

Surface Elevation (ft): 3800 **Water Level Change**
Well depth (ft): 380 **1 year:** -0.30
Aquifer(s): OGALLALA **5 year:** -0.10
10 year: -8.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	168.10	3631.90	-1.50
2/13/2004	169.80	3630.20	-1.70
1/19/2005	171.90	3628.10	-2.10
1/18/2006	173.80	3626.20	-1.90
4/4/2007	175.70	3624.30	-1.90
2/11/2008	176.50	3623.50	-0.80
1/1/2009			
2/10/2010	176.10	3623.90	
2/15/2011	176.50	3623.50	-0.40
3/2/2012	176.30	3623.70	0.20
3/2/2013	176.60	3623.40	-0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	EINSPAHR	Owner:	EINSPAHR GAYLN
Permit #:	11976 - FP -	Location #:	SB00504534AAB
		USGS Site ID:	402210102215000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:		
	NE NE NW 34 5 N 45 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.366656	-102.364361	
Surface Elevation (ft):	3786.64		
Well depth (ft):	275		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.50
5 year: -3.60
10 year: -5.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	146.70	3639.94	-9.00
2/13/2004	139.50	3647.14	7.20
1/19/2005	141.50	3645.14	-2.00
1/18/2006	143.10	3643.54	-1.60
4/4/2007	145.60	3641.04	-2.50
2/11/2008	148.50	3638.14	-2.90
1/1/2009			
2/10/2010	149.70	3636.94	
2/15/2011	149.30	3637.34	0.40
3/2/2012	149.60	3637.04	-0.30
3/2/2013	152.10	3634.54	-2.50

All Historic Measurements




Well Name:	LETT	Owner:	SHINER KIRK A & KRISTINE A
Permit #:	11965 - F -	Location #:	SB00504624CDB
		USGS Site ID:	402300102270000
Division:		Water District:	County: YUMA
Location:	Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:		
	SW SE NW 24 5 N 46 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.384989	-102.449362	
Surface Elevation (ft):	3853.67		
Well depth (ft):	450		
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	183.30	3670.37	-4.40
2/19/2004	182.20	3671.47	1.10
1/19/2005	184.20	3669.47	-2.00
12/21/2005	186.30	3667.37	-2.10
3/16/2007	187.80	3665.87	-1.50
2/11/2008			
1/1/2009			
2/10/2010	191.10	3662.57	
1/1/2011			
3/1/2012			

All Historic Measurements



W-Y
Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **HAHN, RODNEY**

Owner: BOHLENDER WILMER

Permit #: 16073 - R -

Location #: SB00104704CAC

USGS Site ID: 400450102381000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NE SW 4 1 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4439280.5 Easting (UTM x): 701490.9 *User supplied*
Latitude/Longitude (decimal degrees): 40.079710 -102.636874


Surface Elevation (ft): 4057.36 **Top Perforated Interval (ft):** 113 **Base of grout (ft):**
Well depth (ft): 314 **Bottom Perforated Interval (ft):** 313
Aquifer(s): OGALLALA

Water Level Change
1 year: -6.00
5 year: 4.00
10 year: -15.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	166.90	3890.46	-6.00
12/28/2005	171.90	3885.46	-5.00
12/19/2006	163.90	3893.46	8.00
12/19/2007	177.90	3879.46	-14.00
4/7/2009	188.90	3868.46	-11.00
12/17/2009	167.90	3889.46	21.00
12/27/2010	167.90	3889.46	0.00
12/16/2011	167.90	3889.46	0.00
1/21/2013	173.90	3883.46	-6.00

All Historic Measurements



Well Name: **HAHN, M.**

Owner: HAHN MAURICE

Permit #: 6524 - F -

Location #: SB00104705BAC

USGS Site ID: 400520102392000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NE SW 5 1 N 47 W S From N/S line: 1320 N From E/W line: 2092 W
UTM Coordinates (NAD83): Northing (UTM y): 4439948.2 Easting (UTM x): 699908.8 *User supplied*
Latitude/Longitude (decimal degrees): 40.086098 -102.655208


Surface Elevation (ft): 4079.77 **Top Perforated Interval (ft):** 220 **Base of grout (ft):**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** 340
Aquifer(s): OGALLALA

Water Level Change
1 year: -6.00
5 year: -5.50
10 year: -18.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	177.50	3902.27	2.00
12/28/2005	186.50	3893.27	-9.00
12/19/2006	183.20	3896.57	3.30
12/19/2007	187.00	3892.77	-3.80
1/1/2009			
12/17/2009	177.50	3902.27	
12/27/2010	186.50	3893.27	-9.00
12/16/2011	186.50	3893.27	0.00
1/21/2013	192.50	3887.27	-6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: KOENIG, ROGER

Owner: ROTH RICHARD & AVA TRUST OF

Permit #: 12328 - F -

Location #: SB00104708DDB

USGS Site ID: 400350102385000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SE NW 8 1 N 47 W S From N/S line: 1320 S From E/W line: 1320 E
UTM Coordinates (NAD83): Northing (UTM y): 4437589.6 Easting (UTM x): 700563.7 *User supplied*
Latitude/Longitude (decimal degrees): 40.064710 -102.648263


Surface Elevation (ft): 4071.76 **Top Perforated Interval (ft):** 270 **Base of grout (ft):**
Well depth (ft): 360 **Bottom Perforated Interval (ft):** 360
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: 22.00
10 year: -12.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2004	175.50	3896.26	-3.50
12/28/2005	179.50	3892.26	-4.00
12/19/2006	189.50	3882.26	-10.00
12/19/2007	196.50	3875.26	-7.00
4/7/2009	194.50	3877.26	2.00
12/17/2009	193.50	3878.26	1.00
12/27/2010	169.50	3902.26	24.00
12/16/2011	172.50	3899.26	-3.00
1/21/2013	174.50	3897.26	-2.00

All Historic Measurements



Well Name: STULP, J.

Owner: STULP JOHN

Permit #: 13551 - F -

Location #: SB00104719AAC

USGS Site ID: 400240102395000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE SW 19 1 N 47 W S From N/S line: 1500 N From E/W line: 1350 E
UTM Coordinates (NAD83): Northing (UTM y): 4435081.0 Easting (UTM x): 699040.9 *User supplied*
Latitude/Longitude (decimal degrees): 40.042488 -102.666875


Surface Elevation (ft): 4106.77 **Top Perforated Interval (ft):** 162 **Base of grout (ft):**
Well depth (ft): 229 **Bottom Perforated Interval (ft):** 229
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: 0.00
10 year: 3.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/27/2004	188.30	3918.47	-2.30
12/28/2005	187.50	3919.27	0.80
12/19/2006	172.50	3934.27	15.00
12/19/2007	177.50	3929.27	-5.00
4/7/2009	173.50	3933.27	4.00
12/17/2009	158.50	3948.27	15.00
12/27/2010	153.50	3953.27	5.00
12/16/2011	175.50	3931.27	-22.00
1/21/2013	177.50	3929.27	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **TRAUTMAN, ED**

Owner: BEAUPREZ MARCELLUS C

Permit #: 5183 - FP -

Location #: SB00104802AA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE 2 1 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4440029.1 Easting (UTM x): 695624.2 *GPS*
Latitude/Longitude (decimal degrees): 40.087832 -102.705400


Surface Elevation (ft): 4123 **Top Perforated Interval (ft):** 145 **Base of grout (ft):**
Well depth (ft): 345 **Bottom Perforated Interval (ft):** 345
Aquifer(s): OGALLALA

Water Level Change
1 year: -5.00
5 year: -14.00
10 year: -14.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	189.10	3933.90	12.20
12/8/2005	192.60	3930.40	-3.50
12/19/2006	187.10	3935.90	5.50
12/19/2007	188.10	3934.90	-1.00
4/22/2009	184.10	3938.90	4.00
12/17/2009	196.10	3926.90	-12.00
12/27/2010	195.10	3927.90	1.00
12/16/2011	197.10	3925.90	-2.00
1/21/2013	202.10	3920.90	-5.00

All Historic Measurements



Well Name: **SEEDORF, RICHARD & RUTH**

Owner:

Permit #: 12777 - F -

Location #: SB00104806DB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW 6 1 N 48 W S From N/S line: 1320 S From E/W line: 2480 E
UTM Coordinates (NAD83): Northing (UTM y): 4438819.0 Easting (UTM x): 688935.2 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.078465 -102.784157


Surface Elevation (ft): 4200 **Top Perforated Interval (ft):** 270 **Base of grout (ft):**
Well depth (ft): 306 **Bottom Perforated Interval (ft):** 306
Aquifer(s): OGALLALA

Water Level Change
1 year: -5.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2009	217.00	3983.00	
12/27/2010	216.00	3984.00	1.00
1/16/2012	216.00	3984.00	0.00
2/11/2013	221.00	3979.00	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	REHOR, EARL	Owner:	REHOR FARMS UNLIMITED
Permit #:	12594 - F -	Location #:	SB00104814CAA
		USGS Site ID:	400300102425000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NE NE 14	1 N	48 W S
		Distance from section lines:	
		From N/S line:	1285 S
		From E/W line:	1285 W
UTM Coordinates (NAD83):	Northing (UTM y):	4435808.9	Easting (UTM x): 694990.6 User supplied
Latitude/Longitude (decimal degrees):		40.049987	-102.714098
Surface Elevation (ft):	4152.8	Top Perforated Interval (ft):	205
		Base of grout (ft):	
Well depth (ft):	280	Bottom Perforated Interval (ft):	280
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.00
5 year: -1.00
10 year: -19.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	186.20	3966.60	-8.50
12/29/2005	197.80	3955.00	-11.60
12/19/2006	202.80	3950.00	-5.00
12/20/2007	194.80	3958.00	8.00
4/23/2009	190.80	3962.00	4.00
12/17/2009	191.80	3961.00	-1.00
12/27/2010	190.80	3962.00	1.00
12/16/2011	192.80	3960.00	-2.00
1/21/2013	195.80	3957.00	-3.00

All Historic Measurements




Well Name:	STATE OF COLORAO LB	Owner:	CO BOARD OF LAND COMMISSIONERS
Permit #:	10316 - F -	Location #:	SB00104816ACA
		USGS Site ID:	400320102444000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SW NE 16	1 N	48 W S
		Distance from section lines:	
		From N/S line:	1900 N
		From E/W line:	2180 E
UTM Coordinates (NAD83):	Northing (UTM y):	4436357.8	Easting (UTM x): 692320.7 User supplied
Latitude/Longitude (decimal degrees):		40.055542	-102.745211
Surface Elevation (ft):	4202.83	Top Perforated Interval (ft):	230
		Base of grout (ft):	
Well depth (ft):	340	Bottom Perforated Interval (ft):	340
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.00
5 year: -19.00
10 year: -16.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	222.90	3979.93	5.60
12/29/2005	206.90	3995.93	16.00
12/19/2006	211.90	3990.93	-5.00
1/28/2008	214.90	3987.93	-3.00
4/22/2009	209.90	3992.93	5.00
12/17/2009	212.90	3989.93	-3.00
12/27/2010	230.90	3971.93	-18.00
1/15/2012	230.90	3971.93	0.00
1/21/2013	233.90	3968.93	-3.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	GOEGLEIN, KENNETH			Owner:	GOEGLEIN KENNETH		
Permit #:	15195 - F	-	Location #:	SB00104818DBC	USGS Site ID:	400305102475500	
Division:	1			Water District:	65		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	County: YUMA	
	SE NW SW	18	1 N	48 W S		Distance from section lines:	
						From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):			4435619.0	Easting (UTM x): 689186.0 Digitized off map		
Latitude/Longitude (decimal degrees):				40.049600	-102.782152		
Surface Elevation (ft):	4209.88	Top Perforated Interval (ft):	248	Base of grout (ft):	Water Level Change		
Well depth (ft):	284	Bottom Perforated Interval (ft):	284	1 year:			
Aquifer(s):	OGALLALA			5 year: -16.50			
				10 year: -15.20			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	210.30	3999.58	-6.00
12/29/2005	213.30	3996.58	-3.00
12/19/2006	202.30	4007.58	11.00
12/20/2007	198.80	4011.08	3.50
1/1/2009			
12/17/2009	194.30	4015.58	
12/27/2010	209.30	4000.58	-15.00
1/15/2011	208.30	4001.58	1.00
1/22/2013	215.30	3994.58	-7.00

All Historic Measurements




Well Name:	KELLER, G.			Owner:	KELLER GUY		
Permit #:	10228 - F	-	Location #:	SB00104902BBB	USGS Site ID:	400530102495000	
Division:	1			Water District:	65		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	County: WASHINGTON	
	NW NW NW	2	1 N	49 W S		Distance from section lines:	
						From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):			4439937.6	Easting (UTM x): 684907.1 User supplied		
Latitude/Longitude (decimal degrees):				40.089430	-102.831046		
Surface Elevation (ft):	4249.92	Top Perforated Interval (ft):	249	Base of grout (ft):	Water Level Change		
Well depth (ft):	349	Bottom Perforated Interval (ft):	349	1 year:			
Aquifer(s):	OGALLALA			5 year: -35.00			
				10 year: 7.00			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	243.40	4006.52	3.20
12/29/2005	219.40	4030.52	24.00
12/19/2006	212.40	4037.52	7.00
12/20/2007	207.40	4042.52	5.00
4/22/2009	211.40	4038.52	-4.00
12/17/2009	248.40	4001.52	-37.00
1/24/2011	248.40	4001.52	0.00
1/26/2011	242.40	4007.52	6.00
1/22/2013	242.40	4007.52	0.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	STATE OF COLORADO LB			Owner:	CO BOARD OF LAND COMMISSIONERS		
Permit #:	11786 - F	-	Location #:	SB00104936BDB	USGS Site ID:	400050102481000	
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SE NW	36	1 N	49 W	S	From N/S line: 1370 N From E/W line: 3640 E	
UTM Coordinates (NAD83):	Northing (UTM y):		4431510.4	Easting (UTM x):		687247.7 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.013042			-102.806045	
Surface Elevation (ft):	4256.92	Top Perforated Interval (ft):	245	Base of grout (ft):	Water Level Change		
Well depth (ft):	285	Bottom Perforated Interval (ft):	285	1 year: -1.00			
Aquifer(s):	OGALLALA			5 year: -12.00			
				10 year: -8.20			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2005	248.40	4008.52	-16.70
12/29/2005	219.00	4037.92	29.40
12/19/2006	215.00	4041.92	4.00
12/20/2007	214.00	4042.92	1.00
4/22/2009	212.00	4044.92	2.00
12/17/2009	211.00	4045.92	1.00
12/28/2010	223.00	4033.92	-12.00
1/23/2012	225.00	4031.92	-2.00
1/22/2013	226.00	4030.92	-1.00

All Historic Measurements




Well Name:	YOUNG, B. JR.			Owner:	SOUSER CLARENCE JR		
Permit #:	38380 -	-	Location #:	SB00105003C	USGS Site ID:		
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW	3	1 N	50 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):		4438597.5	Easting (UTM x):		673967.9 <i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees):			40.079695			-102.959643	
Surface Elevation (ft):	4454	Top Perforated Interval (ft):	290	Base of grout (ft):	Water Level Change		
Well depth (ft):	330	Bottom Perforated Interval (ft):	330	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	253.90	4200.10	5.30
12/29/2005	234.20	4219.80	19.70
3/8/2007	258.20	4195.80	-24.00
12/20/2007	253.20	4200.80	5.00
4/2/2009	235.20	4218.80	18.00
12/17/2009			
1/25/2010			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **RICHARDSON, R.**

Owner:

Permit #: 2250 - F - **Location #:** SB00204705BAB **USGS Site ID:** 401040102392000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NE NW 5 2 N 47 W S From N/S line: 10 N From E/W line: 1940 W
UTM Coordinates (NAD83): Northing (UTM y): 4449970.4 Easting (UTM x): 699668.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.176375 -102.654929


Surface Elevation (ft): 4034.77 **Top Perforated Interval (ft):** 359 **Base of grout (ft):**
Well depth (ft): 383 **Bottom Perforated Interval (ft):** 383
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: -23.50
10 year: -14.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/14/2004	180.00	3854.77	13.80
12/30/2005	190.00	3844.77	-10.00
12/19/2006	187.00	3847.77	3.00
12/18/2007	182.50	3852.27	4.50
4/14/2009	179.00	3855.77	3.50
12/16/2009	182.00	3852.77	-3.00
12/9/2010	183.00	3851.77	-1.00
12/19/2011	204.00	3830.77	-21.00
1/22/2013	206.00	3828.77	-2.00

All Historic Measurements



Well Name: **MEIS, RAYMOND**

Owner: MEIS RAYMOND N

Permit #: 10706 - F - **Location #:** SB00204707B **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW 7 2 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4447916.0 Easting (UTM x): 697936.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.158291 -102.675880


Surface Elevation (ft): 4064 **Top Perforated Interval (ft):** 300 **Base of grout (ft):**
Well depth (ft): 360 **Bottom Perforated Interval (ft):** 360
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: -7.50
10 year: -0.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	184.00	3880.00	6.20
12/30/2005	187.00	3877.00	-3.00
12/19/2006	176.00	3888.00	11.00
12/18/2007	178.50	3885.50	-2.50
4/14/2009	193.00	3871.00	-14.50
12/16/2009	196.00	3868.00	-3.00
12/9/2010	183.00	3881.00	13.00
12/18/2011	184.00	3880.00	-1.00
1/22/2013	186.00	3878.00	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **TRAUTMAN, ED**

Owner: WARD ALFRED & SON

Permit #: 10509 - F -

Location #: SB00204710CCA

USGS Site ID: 400910102370000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 10 2 N 47 W S From N/S line: 1320 S From E/W line: 1320 W
UTM Coordinates (NAD83): Northing (UTM y): 4447277.1 Easting (UTM x): 702817.5 *User supplied*
Latitude/Longitude (decimal degrees): 40.151376 -102.618817


Surface Elevation (ft): 4010.75 **Top Perforated Interval (ft):** 120 **Base of grout (ft):**
Well depth (ft): 392 **Bottom Perforated Interval (ft):** 392
Aquifer(s): OGALLALA

Water Level Change
1 year: -6.00
5 year: 0.50
10 year: -17.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2004	177.00	3833.75	-24.70
12/30/2005	163.60	3847.15	13.40
12/19/2006	171.60	3839.15	-8.00
12/18/2007	174.10	3836.65	-2.50
4/14/2009	177.60	3833.15	-3.50
12/16/2009	166.60	3844.15	11.00
12/9/2010	168.60	3842.15	-2.00
12/18/2011	167.60	3843.15	1.00
1/22/2013	173.60	3837.15	-6.00

All Historic Measurements



Well Name: **YUMA CO DAIRY**

Owner: YUMA COUNTY DAIRY LLC

Permit #: 6517 - R -

Location #: SB00204717DA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE 17 2 N 47 W S From N/S line: 1988 S From E/W line: 664 E
UTM Coordinates (NAD83): Northing (UTM y): 4445776.0 Easting (UTM x): 700612.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.138393 -102.645152


Surface Elevation (ft): 4030 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 360 **Bottom Perforated Interval (ft):**
Aquifer(s): OGALLALA

Water Level Change
1 year: -5.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	166.00	3864.00	
1/21/2012	167.00	3863.00	-1.00
2/8/2013	172.00	3858.00	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **GOEGLEIN, ED**

Owner: GOEGLEIN EDWIN

Permit #: 2039 - F -

Location #: SB00204718C

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW 18 2 N 47 W S From N/S line: 1350 S From E/W line: 12 W
UTM Coordinates (NAD83): Northing (UTM y): 4445501.5 Easting (UTM x): 697576.7 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.136640 -102.680842


Surface Elevation (ft): 4067 **Top Perforated Interval (ft):** 146 **Base of grout (ft):**
Well depth (ft): 445 **Bottom Perforated Interval (ft):** 445
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.00
5 year: 33.00
10 year: -1.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/14/2004	183.20	3883.80	2.20
12/31/2005	196.00	3871.00	-12.80
1/24/2007	213.00	3854.00	-17.00
12/18/2007	216.00	3851.00	-3.00
4/14/2009	209.00	3858.00	7.00
12/16/2009	199.00	3868.00	10.00
12/9/2010	177.00	3890.00	22.00
1/28/2012	179.00	3888.00	-2.00
1/22/2013	183.00	3884.00	-4.00

All Historic Measurements



Well Name: **GOEGLIN, ED**

Owner: GOEGLEIN EDWIN W.

Permit #: 15462 - F -

Location #: SB00204719B

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW 19 2 N 47 W S From N/S line: 1320 N From E/W line: 1320 W
UTM Coordinates (NAD83): Northing (UTM y): 4444701.0 Easting (UTM x): 697984.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.129338 -102.676301


Surface Elevation (ft): 4076 **Top Perforated Interval (ft):** 368 **Base of grout (ft):**
Well depth (ft): 456 **Bottom Perforated Interval (ft):** 456
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.00
5 year: 25.00
10 year: 0.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/14/2004	208.40	3867.60	-7.00
12/30/2005	210.00	3866.00	-1.60
1/26/2007	216.00	3860.00	-6.00
12/18/2007	217.00	3859.00	-1.00
4/23/2009	199.00	3877.00	18.00
12/16/2009	196.00	3880.00	3.00
12/9/2010	188.00	3888.00	8.00
1/28/2012	188.00	3888.00	0.00
1/23/2013	192.00	3884.00	-4.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **HMH CATTLE CORP**

Owner: YUMA COUNTY DAIRY LLC

Permit #: 5779 - F -

Location #: SB00204720ACB

USGS Site ID: 400750102390000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NW 20 2 N 47 W S From N/S line: 1420 N From E/W line: 1320 W
UTM Coordinates (NAD83): Northing (UTM y): 4444710.2 Easting (UTM x): 699120.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.129153 -102.662985


Surface Elevation (ft): 4052.77 **Top Perforated Interval (ft):** 356 **Base of grout (ft):**
Well depth (ft): 413 **Bottom Perforated Interval (ft):** 412
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.00
5 year: 2.00
10 year: 2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	179.20	3873.57	2.40
1/7/2006	174.30	3878.47	4.90
1/26/2007	169.30	3883.47	5.00
1/28/2008	181.30	3871.47	-12.00
4/13/2009	174.30	3878.47	7.00
12/16/2009	168.30	3884.47	6.00
1/21/2011	165.30	3887.47	3.00
1/4/2012	175.30	3877.47	-10.00
1/23/2013	179.30	3873.47	-4.00

All Historic Measurements



Well Name: **BROWN, CLEO**

Owner: BROWN JENNIE M

Permit #: 12629 - F -

Location #: SB00204732DDA

USGS Site ID: 400540102385000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NE 32 2 N 47 W S From N/S line: 1330 S From E/W line: 1320 E
UTM Coordinates (NAD83): Northing (UTM y): 4440765.0 Easting (UTM x): 700456.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.093321 -102.648541


Surface Elevation (ft): 4075.77 **Top Perforated Interval (ft):** 315 **Base of grout (ft):**
Well depth (ft): 375 **Bottom Perforated Interval (ft):** 375
Aquifer(s): OGALLALA

Water Level Change
1 year: -3.00
5 year: 6.00
10 year: -11.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	192.00	3883.77	-5.10
12/30/2005	201.00	3874.77	-9.00
1/26/2007	204.00	3871.77	-3.00
12/18/2007	203.00	3872.77	1.00
4/13/2009	204.00	3871.77	-1.00
12/16/2009	192.00	3883.77	12.00
1/21/2011	193.00	3882.77	-1.00
1/4/2012	194.00	3881.77	-1.00
1/23/2013	197.00	3878.77	-3.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	BEAUPREZ, E.			Owner:	RICHARDSON RUBEN R		
Permit #:	11245 - F -	Location #:	SB00204735BCA	USGS Site ID:	400610102360000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW NE 35	2 N	47 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y): 4441676.0		Easting (UTM x): 704472.0		Digitized off map		
Latitude/Longitude (decimal degrees):	40.100556		-102.601182				
Surface Elevation (ft):	4021.74	Top Perforated Interval (ft):	324	Base of grout (ft):	Water Level Change		
Well depth (ft):	420	Bottom Perforated Interval (ft):	420		1 year: 7.00		
Aquifer(s):	OGALLALA				5 year: 4.00		
					10 year: -20.00		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2004	150.80	3870.94	-10.10
1/4/2006	167.00	3854.74	-16.20
1/26/2007	161.00	3860.74	6.00
12/18/2007	166.00	3855.74	-5.00
4/13/2009	164.00	3857.74	2.00
12/16/2009	155.00	3866.74	9.00
12/9/2010	162.00	3859.74	-7.00
12/4/2011	169.00	3852.74	-7.00
1/23/2013	162.00	3859.74	7.00

All Historic Measurements




Well Name:	BAUCHE, R.			Owner:	BAUCKE ROYLYNN		
Permit #:	12411 - F -	Location #:	SB00204801DDC	USGS Site ID:	401000102410000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE SE SW 1	2 N	48 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y): 4448535.0		Easting (UTM x): 697110.0		Digitized off map		
Latitude/Longitude (decimal degrees):	40.164058		-102.685389				
Surface Elevation (ft):	4076.78	Top Perforated Interval (ft):	218	Base of grout (ft):	Water Level Change		
Well depth (ft):	359	Bottom Perforated Interval (ft):	360		1 year: -2.00		
Aquifer(s):	OGALLALA				5 year: 6.00		
					10 year: 0.20		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/14/2004	188.70	3888.08	8.60
12/30/2005	191.70	3885.08	-3.00
1/26/2007	199.70	3877.08	-8.00
12/18/2007	205.70	3871.08	-6.00
4/13/2009	208.70	3868.08	-3.00
12/16/2009	201.70	3875.08	7.00
12/9/2010	197.70	3879.08	4.00
1/4/2012	197.70	3879.08	0.00
1/23/2013	199.70	3877.08	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: DONALD CHRISMER

Owner: DONALD CHRISMER

Permit #: 6196 - F -

Location #: SB00204803DD

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SE 3 2 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4448393.0 Easting (UTM x): 694108.0 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.163479 -102.720657


Surface Elevation (ft): 4105 **Top Perforated Interval (ft):** 209 **Base of grout (ft):**
Well depth (ft): 429 **Bottom Perforated Interval (ft):** 429
Aquifer(s): OGALLALA

Water Level Change
1 year: -5.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	192.00	3913.00	-44.00
1/15/2012	193.00	3912.00	-1.00
2/8/2013	198.00	3907.00	-5.00

All Historic Measurements



Well Name: GOEGLEIN, ED

Owner: GOEGLEIN EDWIN

Permit #: 14981 - F -

Location #: SB00204812C

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW 12 2 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4447066.5 Easting (UTM x): 696339.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.151020 -102.694870


Surface Elevation (ft): 4088 **Top Perforated Interval (ft):** 360 **Base of grout (ft):**
Well depth (ft): 432 **Bottom Perforated Interval (ft):** 432
Aquifer(s): OGALLALA

Water Level Change
1 year: -5.00
5 year: 12.00
10 year: 0.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	205.00	3883.00	-10.60
12/30/2005	210.00	3878.00	-5.00
1/26/2007	209.00	3879.00	1.00
12/18/2007	206.00	3882.00	3.00
4/13/2009	220.00	3868.00	-14.00
12/16/2009	210.00	3878.00	10.00
12/14/2010	190.00	3898.00	20.00
1/4/2012	189.00	3899.00	1.00
1/23/2013	194.00	3894.00	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	KORF, L.	Owner:	KORF LLOYD H
Permit #:	5914 - F -	Location #:	SB00204813BCC
		USGS Site ID:	400830102415000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW SW 13	2 N	48 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4445894.0	Easting (UTM x): 695975.0 Digitized off map
Latitude/Longitude (decimal degrees):		40.140549	-102.699509
Surface Elevation (ft):	4086.78	Top Perforated Interval (ft):	250
		Base of grout (ft):	
Well depth (ft):	390	Bottom Perforated Interval (ft):	390
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.00
5 year: -7.00
10 year: -7.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/30/2004	173.50	3913.28	2.20
12/31/2005	187.50	3899.28	-14.00
1/26/2007	182.50	3904.28	5.00
12/19/2007	177.50	3909.28	5.00
4/23/2009	188.50	3898.28	-11.00
12/16/2009	181.50	3905.28	7.00
12/14/2010	180.50	3906.28	1.00
1/4/2012	181.50	3905.28	-1.00
1/23/2013	184.50	3902.28	-3.00

All Historic Measurements




Well Name:	NEWBANKS FARMS	Owner:	NEWBANKS FARMS
Permit #:	12613 - F -	Location #:	SB00204814AB
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NW 14	2 N	48 W S
		Distance from section lines:	
		From N/S line:	40 N
		From E/W line:	1320 E
UTM Coordinates (NAD83):	Northing (UTM y):	4446626.5	Easting (UTM x): 695541.9 Spotted from section lines
Latitude/Longitude (decimal degrees):		40.147244	-102.704367
Surface Elevation (ft):	4095	Top Perforated Interval (ft):	342
		Base of grout (ft):	
Well depth (ft):	432	Bottom Perforated Interval (ft):	432
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -4.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	186.00	3909.00	-46.00
1/15/2012	187.00	3908.00	-1.00
2/9/2013	191.00	3904.00	-4.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: SEEDORF BROS

Owner: SEEDORF BROTHERS

Permit #: 9076 - F - **Location #:** SB00204829CB

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW 29 2 N 48 W S From N/S line: 1750 S From E/W line: 30 W
UTM Coordinates (NAD83): Northing (UTM y): 4442187.0 Easting (UTM x): 689578.5 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.108642 -102.775630

Surface Elevation (ft): 4180 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** **1 year:** -5.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	224.00	3956.00	
1/21/2012	224.00	3956.00	0.00
2/8/2013	229.00	3951.00	-5.00

All Historic Measurements



Well Name: HARPER BROS

Owner: HARPER BROTHERS

Permit #: 11531 - F - **Location #:** SB00204836AC

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE SW 36 2 N 48 W S From N/S line: 1380 N From E/W line: 2610 E
UTM Coordinates (NAD83): Northing (UTM y): 4441450.5 Easting (UTM x): 696822.3 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.100349 -102.690925

Surface Elevation (ft): 4105 **Top Perforated Interval (ft):** 240 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 342 **Bottom Perforated Interval (ft):** 342 **1 year:** -9.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	179.00	3926.00	-8.00
1/15/2012	198.00	3907.00	-19.00
2/8/2013	207.00	3898.00	-9.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	HAMRICK, F.			Owner:	HAMRICK FRANCIS		
Permit #:	6846 - FP -	Location #:	SB00204905DA	USGS Site ID:			
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NE 5	2 N	49 W S		From N/S line: 1980 S From E/W line: 990 E		
UTM Coordinates (NAD83):	Northing (UTM y):	4448634.0	Easting (UTM x):	681053.7	Spotted from section lines		
Latitude/Longitude (decimal degrees):	40.168565		-102.873778				
Surface Elevation (ft):	4249	Top Perforated Interval (ft):	250	Base of grout (ft):	Water Level Change		
Well depth (ft):	360	Bottom Perforated Interval (ft):	311		1 year: -8.00		
Aquifer(s):	OGALLALA				5 year: -67.00		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2008	211.00	4038.00	47.80
4/13/2009	200.00	4049.00	11.00
12/18/2009	192.00	4057.00	8.00
12/14/2010	221.00	4028.00	-29.00
1/4/2012	270.00	3979.00	-49.00
1/23/2013	278.00	3971.00	-8.00

All Historic Measurements




Well Name:	WARREN FARMS			Owner:			
Permit #:	13544 - F -	Location #:	SB00204911BA	USGS Site ID:			
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NE 11	2 N	49 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4447821.0	Easting (UTM x):	685225.7	Spotted from quarters		
Latitude/Longitude (decimal degrees):	40.160335		-102.825050				
Surface Elevation (ft):	4225	Top Perforated Interval (ft):	277	Base of grout (ft):	Water Level Change		
Well depth (ft):	367	Bottom Perforated Interval (ft):	367		1 year: -3.00		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2009	264.00	3961.00	
12/14/2010	265.00	3960.00	-1.00
1/5/2012	265.00	3960.00	0.00
2/11/2013	268.00	3957.00	-3.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	GOEGLEIN, C.			Owner:	GOEGLEIN HENRY J		
Permit #:	15171 - F	-	Location #:	SB00204913DCA	USGS Site ID:	400809102480101	
Division:	1			Water District:	65		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	County: WASHINGTON	
	SE SW NE	13	2 N	49 W S		Distance from section lines:	
						From N/S line:	
						From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):			4445150.5	Easting (UTM x):	687361.3 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):				40.135819	-102.800767		
Surface Elevation (ft):	4186.88	Top Perforated Interval (ft):	273	Base of grout (ft):	Water Level Change		
Well depth (ft):	353	Bottom Perforated Interval (ft):	353	1 year: -5.00			
Aquifer(s):	OGALLALA			5 year: 10.00			
				10 year: -1.80			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	246.10	3940.78	-13.70
1/7/2006	252.60	3934.28	-6.50
1/26/2007	246.60	3940.28	6.00
12/19/2007	244.60	3942.28	2.00
4/13/2009	256.60	3930.28	-12.00
12/16/2009	225.60	3961.28	31.00
12/15/2010	228.60	3958.28	-3.00
1/5/2012	229.60	3957.28	-1.00
1/23/2013	234.60	3952.28	-5.00

All Historic Measurements




Well Name:	CORMAN, EDWARD			Owner:	CORMAN EDWARD R		
Permit #:	11953 - F	-	Location #:	SB00204920BAB	USGS Site ID:	400756102530201	
Division:	1			Water District:	65		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	County: WASHINGTON	
	NW NE NW	20	2 N	49 W S		Distance from section lines:	
						From N/S line:	
						From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):			4444576.5	Easting (UTM x):	680246.9 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):				40.132207	-102.884380		
Surface Elevation (ft):	4275.96	Top Perforated Interval (ft):	288	Base of grout (ft):	Water Level Change		
Well depth (ft):	318	Bottom Perforated Interval (ft):	318	1 year: 0.00			
Aquifer(s):	OGALLALA			5 year: 6.50			
				10 year: 1.90			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	279.60	3996.36	-14.60
1/7/2006	261.60	4014.36	18.00
1/26/2007	272.60	4003.36	-11.00
12/19/2007	269.10	4006.86	3.50
4/13/2009	262.60	4013.36	6.50
12/16/2009	253.60	4022.36	9.00
12/20/2010	265.60	4010.36	-12.00
1/4/2012	262.60	4013.36	3.00
1/23/2013	262.60	4013.36	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **BUELTELL, DONALD**

Owner: DONALD D. BUELTELL

Permit #: 9056 - F - **Location #:** SB00204932AA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE 32 2 N 49 W S From N/S line: 1320 N From E/W line: 1650 E
UTM Coordinates (NAD83): Northing (UTM y): 4441140.0 Easting (UTM x): 681070.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.101090 -102.875685


Surface Elevation (ft): 4270 **Top Perforated Interval (ft):** 159 **Base of grout (ft):**
Well depth (ft): 289 **Bottom Perforated Interval (ft):** 289
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	262.00	4008.00	-22.00
1/21/2012	264.00	4006.00	-2.00
2/8/2013	268.00	4002.00	-4.00

All Historic Measurements



Well Name: **PATTERSON, LONNY**

Owner: BOE LEWIS GERALD JR. & DARLENE A.

Permit #: 4162 - F - **Location #:** SB00205015ADD

USGS Site ID: 400830102565000

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SE 15 2 N 50 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4445683.2 Easting (UTM x): 674822.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.143317 -102.947715


Surface Elevation (ft): 4327 **Top Perforated Interval (ft):** 232 **Base of grout (ft):**
Well depth (ft): 297 **Bottom Perforated Interval (ft):** 297
Aquifer(s):

Water Level Change
1 year: 3.00
5 year: 2.00
10 year: 3.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	216.50	4110.50	18.00
12/31/2005	225.10	4101.90	-8.60
1/26/2007	231.10	4095.90	-6.00
12/19/2007	228.10	4098.90	3.00
4/13/2009	234.10	4092.90	-6.00
12/16/2009	235.10	4091.90	-1.00
12/20/2010	230.10	4096.90	5.00
1/4/2012	229.10	4097.90	1.00
1/28/2013	226.10	4100.90	3.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	CORMAN, ED	Owner:	CORMAN EDWARD
Permit #:	12863 - F -	Location #:	SB00205024DAD2
Division:	1	Water District:	65
Location:	Q160 Q40 Q10 Section 24 2 N 50 W S	County:	WASHINGTON
UTM Coordinates (NAD83):	Northing (UTM y): 4443649.0	Distance from section lines:	
Latitude/Longitude (decimal degrees):	40.124304	From N/S line:	From E/W line:
Surface Elevation (ft):	4308	Easting (UTM x):	678146.8 <i>Spotted from quarters</i>
Well depth (ft):	320	Base of grout (ft):	
Aquifer(s):	OGALLALA	Water Level Change	
		1 year:	-3.00
		5 year:	-7.00
		10 year:	-3.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	248.20	4059.80	5.40
1/4/2006	257.40	4050.60	-9.20
1/27/2006	263.40	4044.60	-6.00
12/19/2007	251.40	4056.60	12.00
4/23/2009	217.40	4090.60	34.00
12/16/2009	257.40	4050.60	-40.00
12/20/2010	256.40	4051.60	1.00
1/4/2012	255.40	4052.60	1.00
1/23/2013	258.40	4049.60	-3.00

All Historic Measurements




Well Name:	MEIS, R.	Owner:	KINCHELOE CHESTER
Permit #:	11626 - F -	Location #:	SB00304630DDB
Division:	1	Water District:	65
Location:	Q160 Q40 Q10 Section 30 3 N 46 W S	County:	YUMA
UTM Coordinates (NAD83):	Northing (UTM y): 4452305.0	Distance from section lines:	
Latitude/Longitude (decimal degrees):	40.195267	From N/S line:	From E/W line:
Surface Elevation (ft):	3959.73	Easting (UTM x):	708402.0 <i>Digitized off map</i>
Well depth (ft):	430	Base of grout (ft):	
Aquifer(s):	OGALLALA	Water Level Change	
		1 year:	-5.00
		5 year:	30.00
		10 year:	1.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/30/2004	189.60	3770.13	-10.90
1/2/2006	202.30	3757.43	-12.70
1/27/2007	203.30	3756.43	-1.00
12/20/2007	206.30	3753.43	-3.00
4/14/2009	194.30	3765.43	12.00
12/18/2009	193.30	3766.43	1.00
12/20/2010	172.30	3787.43	21.00
1/21/2012	171.30	3788.43	1.00
2/9/2013	176.30	3783.43	-5.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	MEKELBURG, DENIS E.			Owner:	MEKELBERG STANLEY		
Permit #:	9140 - F	-	Location #:	SB00304712DBD	USGS Site ID:	401420102340000	
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NW SE	12	3 N	47 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):		4457161.1	Easting (UTM x):		706572.6 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.239431			-102.571593	
Surface Elevation (ft):	3964.74	Top Perforated Interval (ft):	203	Base of grout (ft):	Water Level Change		
Well depth (ft):	263	Bottom Perforated Interval (ft):	263	1 year: -9.00			
Aquifer(s):	OGALLALA			5 year: -1.00			
				10 year: -8.40			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	174.00	3790.74	9.00
1/2/2006	197.00	3767.74	-23.00
3/9/2007	190.00	3774.74	7.00
12/21/2007	193.00	3771.74	-3.00
4/14/2009	189.00	3775.74	4.00
12/18/2009	173.00	3791.74	16.00
12/20/2010	177.00	3787.74	-4.00
1/23/2012	185.00	3779.74	-8.00
1/25/2013	194.00	3770.74	-9.00

All Historic Measurements




Well Name:	BAUCKE, LARRY			Owner:	FUERST CHARLES E		
Permit #:	12564 - FP	-	Location #:	SB00304717C	USGS Site ID:		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW	17	3 N	47 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):		4455196.7	Easting (UTM x):		699361.1 <i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees):			40.223495			-102.656911	
Surface Elevation (ft):	4042	Top Perforated Interval (ft):	225	Base of grout (ft):	Water Level Change		
Well depth (ft):	385	Bottom Perforated Interval (ft):	385	1 year: -3.00			
Aquifer(s):	OGALLALA			5 year: -16.00			
				10 year: 0.70			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2005	211.30	3830.70	0.60
1/18/2005	209.70	3832.30	1.60
1/2/2006	211.30	3830.70	-1.60
3/7/2007	212.30	3829.70	-1.00
12/21/2007	203.30	3838.70	9.00
4/14/2009	202.30	3839.70	1.00
12/18/2009	197.30	3844.70	5.00
12/20/2010	216.30	3825.70	-19.00
1/4/2012	216.30	3825.70	0.00
1/25/2013	219.30	3822.70	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	HICKMAN, CLAIR	Owner:	CLAIR HICKMAN
Permit #:	6358 - F -	Location #:	SB00304719CDB
		USGS Site ID:	401240102403000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SE NW 19	3 N	47 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4453469.2	Easting (UTM x): 697777.4 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.208319	-102.676041
Surface Elevation (ft):	4053.78	Top Perforated Interval (ft):	Base of grout (ft):
Well depth (ft):	293	Bottom Perforated Interval (ft):	
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -4.00
5 year: -1.00
10 year: 3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	189.90	3863.88	7.30
1/2/2006	197.00	3856.78	-7.10
1/28/2007	198.00	3855.78	-1.00
12/21/2007	197.00	3856.78	1.00
4/14/2009	210.00	3843.78	-13.00
12/18/2009	207.00	3846.78	3.00
12/20/2010	194.00	3859.78	13.00
1/4/2012	194.00	3859.78	0.00
1/25/2013	198.00	3855.78	-4.00

All Historic Measurements




Well Name:	MEIS, R.	Owner:	REESE BERT C & KINCHELOE CHESTER
Permit #:	10900 - F -	Location #:	SB00304724CCA
		USGS Site ID:	401240102345000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW NE 24	3 N	47 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4453831.0	Easting (UTM x): 705909.0 <i>Digitized off map</i>
Latitude/Longitude (decimal degrees):		40.209619	-102.580455
Surface Elevation (ft):	3968.74	Top Perforated Interval (ft):	270
Well depth (ft):	344	Bottom Perforated Interval (ft):	344
Aquifer(s):			

Water Level Change
1 year: -3.00
5 year: 6.00
10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	181.50	3787.24	-9.70
1/2/2006	200.50	3768.24	-19.00
1/27/2007	206.50	3762.24	-6.00
12/21/2007	188.50	3780.24	18.00
4/14/2009	203.50	3765.24	-15.00
12/18/2009	186.50	3782.24	17.00
12/20/2010	177.50	3791.24	9.00
1/4/2012	179.50	3789.24	-2.00
1/25/2013	182.50	3786.24	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **MCCASLAND, D.**

Owner: MEKELBURG MILTON

Permit #: 11246 - F -

Location #: SB00304735CCA

USGS Site ID: 401050102360000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 35 3 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4450544.0 Easting (UTM x): 704367.0 [Digitized off map](#)
Latitude/Longitude (decimal degrees): 40.180408 -102.599604


Surface Elevation (ft): 3990.74 **Top Perforated Interval (ft):** 240 **Base of grout (ft):**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320
Aquifer(s): OGALLALA

Water Level Change
1 year: -18.00
5 year: -12.00
10 year: -36.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	177.50	3813.24	1.50
1/2/2006	194.50	3796.24	-17.00
3/7/2007	195.50	3795.24	-1.00
12/21/2007	202.50	3788.24	-7.00
4/14/2009	207.50	3783.24	-5.00
12/17/2009	210.50	3780.24	-3.00
12/20/2010	213.50	3777.24	-3.00
12/27/2011	196.50	3794.24	17.00
1/25/2013	214.50	3776.24	-18.00

All Historic Measurements



Well Name: **WARD, ALFRED**

Owner: WARD ALFRED & SONS

Permit #: 10515 - F -

Location #: SB00304736C

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 36 3 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4450577.2 Easting (UTM x): 705991.8 [Spotted from quarters](#)
Latitude/Longitude (decimal degrees): 40.180310 -102.580525


Surface Elevation (ft): 3982 **Top Perforated Interval (ft):** 120 **Base of grout (ft):**
Well depth (ft): 372 **Bottom Perforated Interval (ft):** 372
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.00
5 year: -24.00
10 year: -6.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	184.40	3797.60	-9.80
1/2/2006	171.00	3811.00	13.40
1/28/2007	168.00	3814.00	3.00
12/21/2007	158.00	3824.00	10.00
4/14/2009	174.00	3808.00	-16.00
12/17/2009	172.00	3810.00	2.00
12/20/2010	173.00	3809.00	-1.00
1/21/2012	182.00	3800.00	-9.00
2/9/2013	182.00	3800.00	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **WARD, A. & SONS**

Owner: WARD ALFRED & SON

Permit #: 10586 - F -

Location #: SB00304736DBD

USGS Site ID: 401050102342000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SE 36 3 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4450611.0 Easting (UTM x): 706785.0 GPS
Latitude/Longitude (decimal degrees): 40.180419 -102.571205


Surface Elevation (ft): 3975.73 **Top Perforated Interval (ft):** 120 **Base of grout (ft):**
Well depth (ft): 370 **Bottom Perforated Interval (ft):** 370
Aquifer(s): OGALLALA

Water Level Change
1 year: 8.00
5 year: 9.00
10 year: 22.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	172.20	3803.53	-6.40
1/2/2006	160.50	3815.23	11.70
3/9/2007	171.00	3804.73	-10.50
12/21/2007	162.50	3813.23	8.50
4/14/2009	164.50	3811.23	-2.00
12/17/2009	156.50	3819.23	8.00
12/20/2010	156.50	3819.23	0.00
12/27/2011	161.50	3814.23	-5.00
1/28/2013	153.50	3822.23	8.00

All Historic Measurements



Well Name: **BOHM ROSS & BEVERLEY**

Owner: ROSS & BEVERLEY BOHM

Permit #: 19864 - F -

Location #: SB00304809AB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW 9 3 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4457426.1 Easting (UTM x): 692051.9 User supplied
Latitude/Longitude (decimal degrees): 40.245272 -102.742085


Surface Elevation (ft): 4103 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 340 **Bottom Perforated Interval (ft):**
Aquifer(s): OGALLALA

Water Level Change
1 year: 6.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	206.00	3897.00	
1/20/2011	225.00	3878.00	-19.00
1/23/2012	180.00	3923.00	45.00
1/25/2012	199.00	3904.00	-19.00
2/8/2013	193.00	3910.00	6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: BUSHNER, FREDRICK W

Owner:

Permit #: 16736 - FP - **Location #:** SB00304817B **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW 17 3 N 48 W S From N/S line: 1320 N From E/W line: 1320 W
UTM Coordinates (NAD83): Northing (UTM y): 4455732.5 Easting (UTM x): 689749.0 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.230550 -102.769641

Surface Elevation (ft): 4132 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 288 **Bottom Perforated Interval (ft):** **1 year:** -10.00
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	234.00	3898.00	
1/25/2011	231.00	3901.00	3.00
12/28/2011	225.00	3907.00	6.00
2/8/2013	235.00	3897.00	-10.00

All Historic Measurements



Well Name: ACKERMAN, E.

Owner: EAGLE CREEK COLORADO LLC

Permit #: 15927 - F - **Location #:** SB00304818C **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW 18 3 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4454509.0 Easting (UTM x): 688247.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 40.219874 -102.787642

Surface Elevation (ft): 4149 **Top Perforated Interval (ft):** 263 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 317 **1 year:** -1.00
Aquifer(s): OGALLALA **5 year:** 16.00
10 year: 16.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	238.00	3911.00	8.50
1/4/2006	249.00	3900.00	-11.00
1/24/2007	248.00	3901.00	1.00
1/12/2008	249.00	3900.00	-1.00
4/14/2009	254.00	3895.00	-5.00
12/17/2009	236.00	3913.00	18.00
1/20/2011	230.00	3919.00	6.00
1/5/2012	232.00	3917.00	-2.00
1/25/2013	233.00	3916.00	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **WARREN, DON**

Owner: WINDING BROOK CORP

Permit #: 15163 - F -

Location #: SB00304822D

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE 22 3 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4453448.0 Easting (UTM x): 694146.0 [Digitized off map](#)
Latitude/Longitude (decimal degrees): 40.208977 -102.718686


Surface Elevation (ft): 4093 **Top Perforated Interval (ft):** 254 **Base of grout (ft):**
Well depth (ft): 290 **Bottom Perforated Interval (ft):** 290
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.50
5 year: -3.50
10 year: 7.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	223.70	3869.30	-2.10
1/2/2006	230.00	3863.00	-6.30
1/24/2007	220.00	3873.00	10.00
1/12/2008	208.00	3885.00	12.00
4/14/2009	209.00	3884.00	-1.00
12/17/2009	208.00	3885.00	1.00
12/20/2010	209.00	3884.00	-1.00
1/15/2012	209.00	3884.00	0.00
1/25/2013	211.50	3881.50	-2.50

All Historic Measurements



Well Name: **TRAUTMAN, E.**

Owner: TRAUTMAN EDWARD

Permit #: 11628 - F -

Location #: SB00304824CBD

USGS Site ID: 401230102414000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW NW SE 24 3 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4453489.4 Easting (UTM x): 696191.8 [User supplied](#)
Latitude/Longitude (decimal degrees): 40.208874 -102.694653


Surface Elevation (ft): 4066.78 **Top Perforated Interval (ft):** 170 **Base of grout (ft):**
Well depth (ft): 274 **Bottom Perforated Interval (ft):** 274
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: 7.00
10 year: -1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	185.80	3880.98	-4.10
1/2/2006	192.40	3874.38	-6.60
3/7/2007	189.40	3877.38	3.00
1/12/2008	204.40	3862.38	-15.00
4/14/2009	200.40	3866.38	4.00
12/17/2009	196.40	3870.38	4.00
12/20/2010	191.40	3875.38	5.00
1/4/2012	195.40	3871.38	-4.00
1/25/2013	197.40	3869.38	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: DRURY, RAYMOND

Owner: RAYMOND DRURY

Permit #: 14782 - FP -

Location #: SB00304832A

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE 32 3 N 48 W S From N/S line: 1320 N From E/W line: 1320 E
UTM Coordinates (NAD83): Northing (UTM y): 4450899.5 Easting (UTM x): 690630.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.186841 -102.760721


Surface Elevation (ft): 4150 **Top Perforated Interval (ft):** 264 **Base of grout (ft):**
Well depth (ft): 360 **Bottom Perforated Interval (ft):** 318
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	214.00	3936.00	-36.00
1/16/2012	214.00	3936.00	0.00
2/8/2013	218.00	3932.00	-4.00

All Historic Measurements



Well Name: HILLMAN, ELMER

Owner: HILLMAN ELMER

Permit #: 11738 - F -

Location #: SB00304835ABD

USGS Site ID: 401120102422000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NW SE 35 3 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4451063.5 Easting (UTM x): 695450.1 *User supplied*
Latitude/Longitude (decimal degrees): 40.187208 -102.704098


Surface Elevation (ft): 4084.79 **Top Perforated Interval (ft):** 262 **Base of grout (ft):**
Well depth (ft): 322 **Bottom Perforated Interval (ft):** 322
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.00
5 year: -2.00
10 year: -12.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	204.40	3880.39	-11.70
1/2/2006	209.50	3875.29	-5.10
3/10/2007	202.50	3882.29	7.00
1/12/2008	194.50	3890.29	8.00
4/8/2009	199.50	3885.29	-5.00
12/17/2009	193.50	3891.29	6.00
12/20/2010	193.50	3891.29	0.00
1/16/2012	195.50	3889.29	-2.00
1/25/2013	196.50	3888.29	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **WARREN, DONALD**

Owner: DONALD WARREN

Permit #: 20283 - FP - **Location #:** SB00304902CD

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SE 2 3 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4457917.5 Easting (UTM x): 685003.3 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.251283 -102.824755

Surface Elevation (ft): 4167 **Top Perforated Interval (ft):** 260 **Base of grout (ft):** **Water Level Change**


Well depth (ft): 340 **Bottom Perforated Interval (ft):** 316 **1 year:** 1.00

Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	234.00	3933.00	
1/20/2011	185.00	3982.00	49.00
1/23/2012	251.00	3916.00	-66.00
2/9/2013	250.00	3917.00	1.00

All Historic Measurements



Well Name: **DEERING, WARD & ROLLIE**

Owner: WARD & ROLLIE DEERING

Permit #: - - **Location #:** SB00304913A

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE 13 3 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4455683.5 Easting (UTM x): 687330.6 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.230653 -102.798062

Surface Elevation (ft): 4150 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**


Well depth (ft): 240 **Bottom Perforated Interval (ft):** **1 year:**

Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2008	230.00	3920.00	
1/1/2009			
12/18/2009	194.00	3956.00	
1/24/2011	234.00	3916.00	-40.00
1/23/2012			
2/8/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: TAYLOR, ROBERT

Owner: MIDNIGHT SUN INC DBA MIDNIGHT SUN II

Permit #: 14056 - F - **Location #:** SB00304915C

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW 15 3 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4454898.6 Easting (UTM x): 683248.6 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 40.224489 -102.846234

Surface Elevation (ft): 4196 **Top Perforated Interval (ft):** 275 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** 5.00
10 year: 18.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	264.00	3932.00	-2.60
1/4/2006	255.00	3941.00	9.00
3/8/2007	251.00	3945.00	4.00
1/19/2008	249.00	3947.00	2.00
4/8/2009	253.00	3943.00	-4.00
12/17/2009	244.00	3952.00	9.00
12/21/2010	242.00	3954.00	2.00
1/16/2012	242.00	3954.00	0.00
1/25/2013	244.00	3952.00	-2.00

All Historic Measurements



Well Name: DIAMOND, ROBERT

Owner:

Permit #: - - **Location #:** SB00305007BAA

USGS Site ID: 401500103004000

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NE 7 3 N 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4457514.6 Easting (UTM x): 668733.2 *User supplied*


Latitude/Longitude (decimal degrees): 40.251092 -103.016049

Surface Elevation (ft): 4406.38 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 145 **Bottom Perforated Interval (ft):** **1 year:** 6.00
Aquifer(s): **5 year:** 4.00
10 year: 2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	116.80	4289.58	-5.20
1/3/2006	110.50	4295.88	6.30
3/8/2007	110.00	4296.38	0.50
1/27/2008	113.00	4293.38	-3.00
4/8/2009	114.00	4292.38	-1.00
12/15/2009	113.00	4293.38	1.00
12/21/2010	111.00	4295.38	2.00
1/6/2012	115.00	4291.38	-4.00
1/24/2013	109.00	4297.38	6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: STANSFIELD, GLADE

Owner: STANSFIELD TODD C & STEPHEN B

Permit #: 3536 - F -

Location #: SB00305036BCC

USGS Site ID: 401110102553000

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW SW 36 3 N 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4450474.0 Easting (UTM x): 676533.4 *User supplied*

Latitude/Longitude (decimal degrees): 40.186094 -102.926325

Surface Elevation (ft): 4308.96 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 325 **Bottom Perforated Interval (ft):** 325 **1 year:** 0.00


Aquifer(s): OGALLALA **5 year:** 9.00

10 year: -4.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	238.30	4070.66	-17.40
1/4/2006	256.90	4052.06	-18.60
1/28/2007	254.90	4054.06	2.00
1/25/2008	234.90	4074.06	20.00
4/8/2009	242.90	4066.06	-8.00
12/17/2009	231.90	4077.06	11.00
12/21/2010	247.90	4061.06	-16.00
1/12/2012	225.90	4083.06	22.00
1/24/2013	225.90	4083.06	0.00

All Historic Measurements



Well Name: KLINZMAN, FLORENCE

Owner: FLORENCE KLINZMAN

Permit #: 6607 - F -

Location #: SB00404611BD

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SE 11 4 N 46 W S From N/S line: 2515 N From E/W line: 1340 W

UTM Coordinates (NAD83): Northing (UTM y): 4467355.5 Easting (UTM x): 713646.1 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 40.329414 -102.485114

Surface Elevation (ft): 3888 **Top Perforated Interval (ft):** 173 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 333 **Bottom Perforated Interval (ft):** 333 **1 year:**


Aquifer(s): OGALLALA **5 year:**

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2007	189.50	3698.50	
1/27/2008	199.50	3688.50	-10.00
1/1/2009			
12/29/2009	205.50	3682.50	
1/24/2011	209.50	3678.50	-4.00
1/5/2012	219.50	3668.50	-10.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	KLINZMAN, FLORENCE	Owner:	KLINZMAN FLORENCE
Permit #:	213108 - A -	Location #:	SB00404611CAD
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NE SE 11	4 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4466982.0	Easting (UTM x): 713670.0 <i>GPS</i>
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	3895	Top Perforated Interval (ft):	300
		Base of grout (ft):	
Well depth (ft):	340	Bottom Perforated Interval (ft):	340
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 3.00
5 year:
10 year: -11.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	207.80	3687.20	-13.50
1/3/2006	205.00	3690.00	2.80
3/8/2007			
1/26/2008			
4/16/2009	199.00	3696.00	
12/18/2009	187.00	3708.00	12.00
1/5/2012	211.00	3684.00	-24.00
2/11/2013	208.00	3687.00	3.00

All Historic Measurements




Well Name:	FOUR QUARTER CO.	Owner:	MIDNIGHT SUN INC DBA MIDNIGHT SUN II
Permit #:	11927 - F -	Location #:	SB00404616CCA
		USGS Site ID:	401840102312000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW NE 16	4 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4465250.0	Easting (UTM x): 710448.0 <i>Digitized off map</i>
Latitude/Longitude (decimal degrees):		40.311274	-102.523419
Surface Elevation (ft):	3895.72	Top Perforated Interval (ft):	232
		Base of grout (ft):	
Well depth (ft):	432	Bottom Perforated Interval (ft):	432
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -5.00
5 year: -54.00
10 year: -18.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	149.90	3745.82	17.40
1/3/2006	136.90	3758.82	13.00
1/25/2007	130.90	3764.82	6.00
1/27/2008	132.90	3762.82	-2.00
4/23/2009	110.90	3784.82	22.00
12/18/2009	180.90	3714.82	-70.00
12/21/2010	181.90	3713.82	-1.00
1/5/2012	181.90	3713.82	0.00
12/17/2012	186.90	3708.82	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: HARRY TUELL TRUST

Owner: DAY BRYCE C & LYNETTA J

Permit #: 13218 - FP - **Location #:** SB00404632BA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE 32 4 N 46 W S From N/S line: 1310 N From E/W line: 1340 W
UTM Coordinates (NAD83): Northing (UTM y): 4461202.0 Easting (UTM x): 708947.5 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.275215 -102.542383


Surface Elevation (ft): 3949 **Top Perforated Interval (ft):** 180 **Base of grout (ft):**
Well depth (ft): 311 **Bottom Perforated Interval (ft):** 300
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: 3.00
10 year: -14.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	190.90	3758.10	-2.00
1/3/2006	212.50	3736.50	-21.60
1/25/2007	195.50	3753.50	17.00
1/27/2008	204.50	3744.50	-9.00
4/23/2009	213.50	3735.50	-9.00
12/18/2009	200.50	3748.50	13.00
12/21/2010	199.50	3749.50	1.00
1/5/2012	199.50	3749.50	0.00
1/27/2013	201.50	3747.50	-2.00

All Historic Measurements



Well Name: TUELL TRUST

Owner: DAY BRYCE C & LYNETTA J

Permit #: 13219 - FP - **Location #:** SB00404632CA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 32 4 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4460407.9 Easting (UTM x): 708948.2 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.268067 -102.542633


Surface Elevation (ft): 3944 **Top Perforated Interval (ft):** 180 **Base of grout (ft):**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 300
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: 13.00
10 year: -4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	184.30	3759.70	-5.50
1/3/2006	200.30	3743.70	-16.00
3/9/2007	197.30	3746.70	3.00
1/27/2008	208.30	3735.70	-11.00
4/23/2009	215.30	3728.70	-7.00
12/18/2009	196.30	3747.70	19.00
12/21/2010	193.30	3750.70	3.00
1/5/2012	193.30	3750.70	0.00
1/27/2013	195.30	3748.70	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: VILLINES, JACK

Owner: VILLINES JACK S & PATRICIA A

Permit #: 6575 - F -

Location #: SB00404717BBC

USGS Site ID: 401900102393000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SW 17 4 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4465533.9 Easting (UTM x): 698925.8 *User supplied*
Latitude/Longitude (decimal degrees): 40.316653 -102.658815


Surface Elevation (ft): 3989.77 **Top Perforated Interval (ft):** 257 **Base of grout (ft):**
Well depth (ft): 365 **Bottom Perforated Interval (ft):** 365
Aquifer(s):

Water Level Change
1 year: -11.00
5 year: -8.00
10 year: -16.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	224.40	3765.37	-7.40
1/3/2006	236.40	3753.37	-12.00
1/24/2007	228.40	3761.37	8.00
1/27/2008	223.40	3766.37	5.00
4/23/2009	209.40	3780.37	14.00
12/18/2009	202.40	3787.37	7.00
12/21/2010	218.40	3771.37	-16.00
1/4/2012	220.40	3769.37	-2.00
12/17/2012	231.40	3758.37	-11.00

All Historic Measurements



Well Name: SCHROETLIN FARMS INC

Owner:

Permit #: 18323 - F -

Location #: SB00404723DA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE 23 4 N 47 W S From N/S line: 2500 S From E/W line: 50 E
UTM Coordinates (NAD83): Northing (UTM y): 4463826.0 Easting (UTM x): 705219.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.299757 -102.585349


Surface Elevation (ft): 3959 **Top Perforated Interval (ft):** 199 **Base of grout (ft):**
Well depth (ft): 288 **Bottom Perforated Interval (ft):** 287
Aquifer(s): OGALLALA

Water Level Change
1 year: -6.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2009	211.00	3748.00	
1/20/2011	214.00	3745.00	-3.00
1/21/2012	212.00	3747.00	2.00
1/27/2013	218.00	3741.00	-6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	KORF, R.	Owner:	KORF RUSSELL
Permit #:	6478 - R -	Location #:	SB00404801BCC
		USGS Site ID:	402040102415000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW SW 1	4 N	48 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4468424.0	Easting (UTM x): 695448.0 Digitized off map
Latitude/Longitude (decimal degrees):		40.343490	-102.698830
Surface Elevation (ft):	4015.77	Top Perforated Interval (ft):	184
		Base of grout (ft):	
Well depth (ft):	385	Bottom Perforated Interval (ft):	284
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.00
5 year: 13.00
10 year: 3.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	226.20	3789.57	-1.10
1/4/2006	235.70	3780.07	-9.50
1/24/2007	231.70	3784.07	4.00
1/27/2008	233.70	3782.07	-2.00
4/23/2009	236.70	3779.07	-3.00
12/18/2009	236.70	3779.07	0.00
12/21/2010	215.70	3800.07	21.00
1/5/2012	217.70	3798.07	-2.00
12/17/2012	220.70	3795.07	-3.00

All Historic Measurements




Well Name:	SITZMAN INVESTMENTS LP	Owner:	
Permit #:	13359 - F -	Location #:	SB00404810CCD
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SE 10	4 N	48 W S
		Distance from section lines:	
		From N/S line:	1270 S
		From E/W line:	1550 W
UTM Coordinates (NAD83):	Northing (UTM y):	4466280.5	Easting (UTM x): 692738.8 Spotted from section lines
Latitude/Longitude (decimal degrees):		40.324824	-102.731351
Surface Elevation (ft):	4050	Top Perforated Interval (ft):	274
		Base of grout (ft):	
Well depth (ft):	354	Bottom Perforated Interval (ft):	354
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	228.00	3822.00	
1/24/2011	228.00	3822.00	0.00
1/5/2012	229.00	3821.00	-1.00
2/9/2013	231.00	3819.00	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **GORMAN, FRANK**

Owner: GORMAN FRANK & GOLDIE

Permit #: 17881 - FPR -

Location #: SB00404827B

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 27 4 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4462272.8 Easting (UTM x): 692753.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.288743 -102.732382


Surface Elevation (ft): 4073 **Top Perforated Interval (ft):** 240 **Base of grout (ft):**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 280
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.00
5 year: 43.00
10 year: -0.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	252.50	3820.50	-4.90
1/4/2006	269.00	3804.00	-16.50
1/29/2007	271.50	3801.50	-2.50
1/29/2008	281.00	3792.00	-9.50
4/23/2009	272.00	3801.00	9.00
12/18/2009	229.00	3844.00	43.00
12/21/2010	231.00	3842.00	-2.00
1/5/2012	234.00	3839.00	-3.00
2/11/2013	238.00	3835.00	-4.00

All Historic Measurements



Well Name: **KUNTZ, JUSTIN**

Owner: KUNTZ JUSTIN

Permit #: 249906 - -

Location #: SB00404902CDD1

USGS Site ID: 402014102492101

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE SE 2 4 N 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4467459.6 Easting (UTM x): 684919.2 *User supplied*
Latitude/Longitude (decimal degrees): 40.337207 -102.822986


Surface Elevation (ft): 4190.83 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 178 **Bottom Perforated Interval (ft):**
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year: 0.50
10 year: 18.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	159.10	4031.73	-0.10
1/2/2006	167.00	4023.83	-7.90
3/8/2007	160.50	4030.33	6.50
1/28/2008	157.50	4033.33	3.00
4/8/2009	164.00	4026.83	-6.50
12/15/2009	155.00	4035.83	9.00
1/5/2012			
2/12/2013	157.00	4033.83	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **SOUSER, ROBERT**

Owner:

Permit #: - -

Location #: SB00404906CCD1

USGS Site ID: 402022102542201


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 6 4 N 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4467534.8 Easting (UTM x): 677810.6 *User supplied*
Latitude/Longitude (decimal degrees): 40.339429 -102.906600

Surface Elevation (ft): 4286.88 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 154 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	151.40	4135.48	-2.00
1/9/2006	152.00	4134.88	-0.60
3/23/2007	148.00	4138.88	4.00
1/19/2008	146.00	4140.88	2.00
4/2/2009	148.00	4138.88	-2.00
12/15/2009	137.00	4149.88	11.00
1/5/2012			

All Historic Measurements



Well Name: **HANSEN, ALFRED**

Owner:

Permit #: - -

Location #: SB00404929AAA1

USGS Site ID: 401738102521901


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NE 29 4 N 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4462546.9 Easting (UTM x): 680834.4 *User supplied*
Latitude/Longitude (decimal degrees): 40.293873 -102.872433

Surface Elevation (ft): 4266.88 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 245 **Bottom Perforated Interval (ft):** **1 year:** 0.00
Aquifer(s): **5 year:** 7.00
10 year: 3.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	218.80	4048.08	3.40
1/2/2006	223.40	4043.48	-4.60
3/8/2007	223.40	4043.48	0.00
1/19/2008	220.40	4046.48	3.00
4/2/2009	225.40	4041.48	-5.00
12/15/2009	205.40	4061.48	20.00
12/27/2010	212.40	4054.48	-7.00
1/4/2012	213.40	4053.48	-1.00
12/17/2012	213.40	4053.48	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **GORMAN, WILLARD**

Owner: WILLARD GORMAN

Permit #: - - **Location #:** SB00404931C

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW 31 4 N 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4459803.5 Easting (UTM x): 678179.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.269743 -102.904415

Surface Elevation (ft): 4330 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** 8.00
Aquifer(s): **5 year:** -28.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2008	204.00	4126.00	
1/1/2009			
12/21/2009	198.00	4132.00	
1/25/2011	214.00	4116.00	-16.00
1/26/2012	240.00	4090.00	-26.00
12/17/2012	232.00	4098.00	8.00

All Historic Measurements



Well Name: **COGBURN, CHARLES**

Owner: TUELLAND INC

Permit #: 13778 - F - **Location #:** SB00504622A

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE 22 5 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4474292.3 Easting (UTM x): 714043.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.391746 -102.478112

Surface Elevation (ft): 3859 **Top Perforated Interval (ft):** 230 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 370 **Bottom Perforated Interval (ft):** 370 **1 year:**
Aquifer(s): OGALLALA **5 year:** 4.00
10 year: 0.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	187.80	3671.20	9.90
1/3/2006	190.00	3669.00	-2.20
1/25/2007	202.50	3656.50	-12.50
1/26/2008	201.00	3658.00	1.50
4/16/2009	208.00	3651.00	-7.00
12/15/2009	207.00	3652.00	1.00
12/28/2010	212.00	3647.00	-5.00
12/28/2012	199.00	3660.00	13.00
1/27/2013	197.00	3662.00	2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **SALVADOR, RODNEY.**

Owner: SALVADOR BRETT K & CHARLA D

Permit #: 13301 - F - **Location #:** SB00504627CB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW 27 5 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4472012.0 Easting (UTM x): 713066.0 GPS
Latitude/Longitude (decimal degrees): 40.371473 -102.490382


Surface Elevation (ft): 3882 **Top Perforated Interval (ft):** 290 **Base of grout (ft):**
Well depth (ft): 370 **Bottom Perforated Interval (ft):** 370
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: 7.00
10 year: 1.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	207.30	3674.70	-8.00
1/3/2006	209.50	3672.50	-2.20
1/25/2007	207.50	3674.50	2.00
1/26/2008	214.50	3667.50	-7.00
4/16/2009	206.50	3675.50	8.00
12/15/2009	208.50	3673.50	-2.00
12/28/2010	204.50	3677.50	4.00
1/5/2012	205.50	3676.50	-1.00
1/27/2013	207.50	3674.50	-2.00

All Historic Measurements



Well Name: **LUCKING, O.**

Owner: LUEKING OTTO

Permit #: 6804 - F - **Location #:** SB00504630BDD

USGS Site ID: 402230102322000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SE SE 30 5 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4472097.6 Easting (UTM x): 708807.0 User supplied
Latitude/Longitude (decimal degrees): 40.373321 -102.540475


Surface Elevation (ft): 3926.71 **Top Perforated Interval (ft):** 274 **Base of grout (ft):**
Well depth (ft): 346 **Bottom Perforated Interval (ft):** 346
Aquifer(s): OGALLALA

Water Level Change
1 year: -27.00
5 year: -7.00
10 year: -1.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	250.00	3676.71	-11.80
1/4/2006	227.60	3699.11	22.40
1/25/2007	229.60	3697.11	-2.00
1/26/2008	224.60	3702.11	5.00
4/16/2009	221.60	3705.11	3.00
12/15/2009	228.60	3698.11	-7.00
12/28/2010	214.60	3712.11	14.00
1/4/2012	204.60	3722.11	10.00
1/27/2013	231.60	3695.11	-27.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: HANSEN, NANCY J

Owner:

Permit #: 11769 - F -

Location #: SB00504722AA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE 22 5 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4474151.5 Easting (UTM x): 704496.5 Spotted from quarters
Latitude/Longitude (decimal degrees): 40.392877 -102.590546


Surface Elevation (ft): 3970 **Top Perforated Interval (ft):** 239 **Base of grout (ft):**
Well depth (ft): 389 **Bottom Perforated Interval (ft):** 389
Aquifer(s): OGALLALA

Water Level Change
1 year: -13.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	256.00	3714.00	
12/28/2010	255.00	3715.00	1.00
1/5/2012	256.00	3714.00	-1.00
1/27/2013	269.00	3701.00	-13.00

All Historic Measurements



Well Name: FRANSON, FARMS

Owner: SHAPE FARM

Permit #: 9276 - F -

Location #: SB00504728AAC

USGS Site ID: 402230102363000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE SW 28 5 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4472296.3 Easting (UTM x): 702546.8 User supplied
Latitude/Longitude (decimal degrees): 40.376654 -102.614089


Surface Elevation (ft): 3966.74 **Top Perforated Interval (ft):** 299 **Base of grout (ft):**
Well depth (ft): 387 **Bottom Perforated Interval (ft):** 387
Aquifer(s): OGALLALA

Water Level Change
1 year: -3.00
5 year: 6.00
10 year: 2.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	253.40	3713.34	-12.30
1/4/2006	240.50	3726.24	12.90
1/25/2007	247.50	3719.24	-7.00
1/26/2008	238.50	3728.24	9.00
4/16/2009	241.50	3725.24	-3.00
12/15/2009	240.50	3726.24	1.00
12/28/2010	244.50	3722.24	-4.00
1/3/2012	229.50	3737.24	15.00
12/17/2012	232.50	3734.24	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: MELENDY, ROY & MERTL

Owner:

Permit #: - -

Location #: SB00504917BAB

USGS Site ID: 402440102515000


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 17 5 N 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4475292.2 Easting (UTM x): 680929.1 User supplied
Latitude/Longitude (decimal degrees): 40.408598 -102.867707

Surface Elevation (ft): 4308.15 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 170 **Bottom Perforated Interval (ft):** **1 year:** 0.00
Aquifer(s): **5 year:** 0.00
10 year: -0.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	128.60	4179.55	3.20
1/3/2006	136.00	4172.15	-7.40
3/8/2007	130.00	4178.15	6.00
1/19/2008	129.00	4179.15	1.00
4/8/2009	139.00	4169.15	-10.00
12/15/2009	130.00	4178.15	9.00
12/27/2010	129.00	4179.15	1.00
1/7/2012	129.00	4179.15	0.00
12/17/2012	129.00	4179.15	0.00

All Historic Measurements



Well Name: RHOADES, LEWIS A.

Owner:

Permit #: - -

Location #: SB00504922DDD1

USGS Site ID: 402253102490601


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SE 22 5 N 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4472371.4 Easting (UTM x): 685152.4 User supplied
Latitude/Longitude (decimal degrees): 40.381375 -102.818818

Surface Elevation (ft): 4170.82 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 140 **Bottom Perforated Interval (ft):** **1 year:** -5.00
Aquifer(s): **5 year:** 1.00
10 year: -3.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	118.50	4052.32	-2.00
1/3/2006	119.50	4051.32	-1.00
3/8/2007	122.00	4048.82	-2.50
1/19/2008	123.50	4047.32	-1.50
4/8/2009	126.50	4044.32	-3.00
12/15/2009	107.50	4063.32	19.00
12/27/2010	105.50	4065.32	2.00
1/3/2012	117.50	4053.32	-12.00
12/17/2012	122.50	4048.32	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: BOLTJES, KELVIN

Owner: ECCLES HUGH & SUE

Permit #: 44137 - -

Location #: SB00505004DBA

USGS Site ID: 402546102572201

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW NE 4 5 N 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4477426.6 Easting (UTM x): 673332.5 *User supplied*

Latitude/Longitude (decimal degrees): 40.429431 -102.956599

Surface Elevation (ft): 4411.92 **Top Perforated Interval (ft):** 69 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 120 **Bottom Perforated Interval (ft):** 121

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	58.70	4353.22	0.20
1/3/2006	58.90	4353.02	-0.20
1/28/2007	49.90	4362.02	9.00
1/19/2008	38.90	4373.02	11.00
4/8/2009	53.90	4358.02	-15.00
12/15/2009	35.90	4376.02	18.00
1/3/2012			

All Historic Measurements



Well Name: ZWIRN, DONALD

Owner: ZWIRN DONALD

Permit #: 14727 - F -

Location #: SB00505021BBA1

USGS Site ID: 402336102575301

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NE 21 5 N 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4473400.9 Easting (UTM x): 672694.2 *User supplied*

Latitude/Longitude (decimal degrees): 40.393319 -102.965211

Surface Elevation (ft): 4341.91 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 66 **Bottom Perforated Interval (ft):**

Aquifer(s): OGALLALA

1 year: 2.00


5 year: 5.00

10 year: -3.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	25.70	4316.21	-0.50
1/3/2006	29.50	4312.41	-3.80
3/8/2007	34.00	4307.91	-4.50
1/26/2008	31.50	4310.41	2.50
4/8/2009	30.50	4311.41	1.00
12/15/2009	27.50	4314.41	3.00
12/27/2010	28.50	4313.41	-1.00
1/4/2012	28.50	4313.41	0.00
1/6/2012	28.50	4313.41	0.00
12/17/2012	26.50	4315.41	2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: WEATHERS, BYRON

Owner: WEATHERS, BYRON J

Permit #: 11855 - FP - **Location #:** SC00104809BB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NW 9 1 S 48 W S From N/S line: 990 N From E/W line: 1340 W
UTM Coordinates (NAD83): Northing (UTM y): 4428593.0 Easting (UTM x): 691042.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.985927 -102.762478


Surface Elevation (ft): 4222 **Top Perforated Interval (ft):** 180 **Base of grout (ft):**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** 200
Aquifer(s): OGALLALA

Water Level Change
1 year: 3.00
5 year: 16.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2006	187.00	4035.00	
3/9/2007	181.00	4041.00	6.00
1/27/2008	208.00	4014.00	-27.00
4/1/2009	216.00	4006.00	-8.00
12/18/2009	220.00	4002.00	-4.00
12/29/2010	190.00	4032.00	30.00
1/6/2012	195.00	4027.00	-5.00
1/28/2013	192.00	4030.00	3.00

All Historic Measurements



Well Name: SMITH, RICHARD

Owner: SMITH ROY & RICHARD

Permit #: 17584 - F - **Location #:** SC00104810A

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE 10 1 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4428585.5 Easting (UTM x): 693554.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.985288 -102.733071


Surface Elevation (ft): 4208 **Top Perforated Interval (ft):** 182 **Base of grout (ft):**
Well depth (ft): 214 **Bottom Perforated Interval (ft):** 214
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.00
5 year: 5.00
10 year: -15.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	200.00	4008.00	-17.50
12/29/2005	182.00	4026.00	18.00
3/9/2007	186.50	4021.50	-4.50
1/27/2008	197.00	4011.00	-10.50
4/1/2009	218.00	3990.00	-21.00
12/18/2009	214.00	3994.00	4.00
12/29/2010	190.00	4018.00	24.00
1/7/2012	191.00	4017.00	-1.00
1/28/2013	192.00	4016.00	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: SMITH, ROY & RICHARD

Owner: RUTLEDGE DONALD S

Permit #: 21161 - F - **Location #:** SC00104818D

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE 18 1 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4426082.0 Easting (UTM x): 688852.1 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.963812 -102.788837

Surface Elevation (ft): 4278 **Top Perforated Interval (ft):** 225 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** 245 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -6.00
10 year: -11.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	209.00	4069.00	8.20
12/29/2005	201.00	4077.00	8.00
3/9/2007	202.00	4076.00	-1.00
1/27/2008	201.00	4077.00	1.00
4/1/2009	194.00	4084.00	7.00
12/18/2009	203.00	4075.00	-9.00
12/29/2010	204.00	4074.00	-1.00
1/7/2012	205.00	4073.00	-1.00
1/28/2013	207.00	4071.00	-2.00

All Historic Measurements



Well Name: RUTLEDGE, DONALD & JUDITH

Owner: RUTLEDGE DONALD S & JUDITH ANN

Permit #: 16737 - F - **Location #:** SC00104912DAC

USGS Site ID: 395847102482701


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE SW 12 1 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4427806.2 Easting (UTM x): 687172.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.979709 -102.807990

Surface Elevation (ft): 4279.94 **Top Perforated Interval (ft):** 280 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 400 **Bottom Perforated Interval (ft):** 380 **1 year:** -1.00
Aquifer(s): OGALLALA **5 year:** -12.00
10 year: -10.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	214.70	4065.24	-9.50
12/29/2005	216.00	4063.94	-1.30
3/9/2007	217.00	4062.94	-1.00
1/27/2008	210.00	4069.94	7.00
4/1/2009	216.00	4063.94	-6.00
12/18/2009	208.00	4071.94	8.00
12/29/2010	204.00	4075.94	4.00
1/7/2012	221.00	4058.94	-17.00
1/28/2013	222.00	4057.94	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: COLBY, CLARENCE

Owner:

Permit #: 15171 - -

Location #: SC00104933ABC

USGS Site ID: 395541102520001

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SW 33 1 S 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4421948.4 Easting (UTM x): 682257.2 *User supplied*


Latitude/Longitude (decimal degrees): 39.928042 -102.867158

Surface Elevation (ft): 4357.01 **Top Perforated Interval (ft):** 166 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 192 **Bottom Perforated Interval (ft):** 192 **1 year:** 8.00
Aquifer(s): OGALLALA **5 year:** 8.00
10 year: -5.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	175.60	4181.41	0.80
1/4/2006	183.60	4173.41	-8.00
3/9/2007	185.60	4171.41	-2.00
1/28/2008	186.60	4170.41	-1.00
4/2/2009	187.60	4169.41	-1.00
12/19/2009	184.60	4172.41	3.00
12/29/2010	176.60	4180.41	8.00
12/16/2011	186.60	4170.41	-10.00
12/18/2012	178.60	4178.41	8.00

All Historic Measurements



Well Name: SCHAFFERT, ANTHONY

Owner: UHLER EDDIE E & OPAL R

Permit #: 17000 - F -

Location #: SC00105002ACA

USGS Site ID: 395958102562501

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW NE 2 1 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4429724.9 Easting (UTM x): 675783.4 *User supplied*


Latitude/Longitude (decimal degrees): 39.999430 -102.940770

Surface Elevation (ft): 4389.06 **Top Perforated Interval (ft):** 205 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 307 **Bottom Perforated Interval (ft):** 296 **1 year:** 19.00
Aquifer(s): OGALLALA **5 year:** 14.00
10 year: 0.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	256.20	4132.86	-12.60
12/29/2005	240.20	4148.86	16.00
3/8/2007	255.20	4133.86	-15.00
1/27/2008	248.20	4140.86	7.00
4/2/2009	256.20	4132.86	-8.00
12/19/2009	232.20	4156.86	24.00
12/29/2010	243.20	4145.86	-11.00
12/26/2011	253.20	4135.86	-10.00
1/28/2013	234.20	4154.86	19.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **VORCE, GERALD E**

Owner:

Permit #: 17217 - F -

Location #: SC00105011AC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW 11 1 S 50 W S From N/S line: 1900 N From E/W line: 1700 E

UTM Coordinates (NAD83): Northing (UTM y): 4428013.0 Easting (UTM x): 675773.9 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 39.984018 -102.941344

Surface Elevation (ft): 4400 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**


Well depth (ft): 300 **Bottom Perforated Interval (ft):** **1 year:** -5.00

Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/16/2009	240.00	4160.00	
12/29/2010	236.00	4164.00	4.00
1/7/2012	241.00	4159.00	-5.00
12/18/2012	246.00	4154.00	-5.00

All Historic Measurements



Well Name: **WINDY HILL LAND & CATTLE**

Owner:

Permit #: 21892 - FP -

Location #: SC00105016AB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW 16 1 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4426743.5 Easting (UTM x): 672462.3 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.973270 -102.980443

Surface Elevation (ft): 4140 **Top Perforated Interval (ft):** 382 **Base of grout (ft):** **Water Level Change**


Well depth (ft): 442 **Bottom Perforated Interval (ft):** 442 **1 year:** -7.00

Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2009	272.00	3868.00	
12/29/2010	268.00	3872.00	4.00
1/21/2012	268.00	3872.00	0.00
12/28/2012	275.00	3865.00	-7.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: HARMON, WM. & HENRY

Owner: UNREGISTERED

Permit #: - - **Location #:** SC00105021BA

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NE 21 1 S 50 W S From N/S line: 50 N From E/W line: 50 E
UTM Coordinates (NAD83): Northing (UTM y): 4425351.0 Easting (UTM x): 673087.6 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.960603 -102.973495

Surface Elevation (ft): 4450 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	246.00	4204.00	
1/21/2012	246.00	4204.00	0.00
2/11/2013	248.00	4202.00	-2.00

All Historic Measurements



Well Name: HARMAN, HENRY

Owner: RILEY LOREN

Permit #: 18167 - F - **Location #:** SC00105025BB

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW 25 1 S 50 W S From N/S line: 1300 N From E/W line: 50 W
UTM Coordinates (NAD83): Northing (UTM y): 4423402.0 Easting (UTM x): 676421.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.942366 -102.935015

Surface Elevation (ft): 4418 **Top Perforated Interval (ft):** 275 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 400 **Bottom Perforated Interval (ft):** 400 **1 year:** 8.00
Aquifer(s): OGALLALA **5 year:** 17.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2008	243.00	4175.00	
1/1/2009			
12/19/2009	236.00	4182.00	
12/29/2010	234.00	4184.00	2.00
1/21/2012	234.00	4184.00	0.00
12/18/2012	226.00	4192.00	8.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **HARMON, WM & HENRY**

Owner: GLENN BAKER

Permit #: 153279 - - A **Location #:** SC00105034CC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW 34 1 S 50 W S From N/S line: 1063 S From E/W line: 75 W
UTM Coordinates (NAD83): Northing (UTM y): 4420928.0 Easting (UTM x): 673234.5 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.920748 -102.972952


Surface Elevation (ft): 4450 **Top Perforated Interval (ft):** 160 **Base of grout (ft):**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** 200
Aquifer(s): OGALLALA

Water Level Change
1 year: -11.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	160.00	4290.00	3.00
1/21/2012	171.00	4279.00	-11.00

All Historic Measurements



Well Name: **PRICE, JIM**

Owner:

Permit #: - - **Location #:** SC00204908ABA

USGS Site ID: 395406102525701

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NE 8 2 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4418987.0 Easting (UTM x): 680973.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.901653 -102.882991


Surface Elevation (ft): 4383.02 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 175 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: -1.00
5 year: -3.00
10 year: -5.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2005	176.20	4206.82	-7.20
12/29/2005	175.70	4207.32	0.50
3/9/2007	173.20	4209.82	2.50
1/28/2008	168.20	4214.82	5.00
4/2/2009	177.20	4205.82	-9.00
12/19/2009	177.20	4205.82	0.00
12/29/2010	177.20	4205.82	0.00
1/8/2012	170.20	4212.82	7.00
12/18/2012	171.20	4211.82	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: ALLEN WILBUR

Owner: ALLEN WILBUR

Permit #: 21948 - FP -

Location #: SC00204915AA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE 15 2 S 49 W S From N/S line: 1076 N From E/W line: 1320 E

UTM Coordinates (NAD83): Northing (UTM y): 4417244.0 Easting (UTM x): 684344.1 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 39.885234 -102.844081


Surface Elevation (ft): 4370 **Top Perforated Interval (ft):** 190 **Base of grout (ft):**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** 240
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	208.00	4162.00	-14.00
1/21/2012	208.00	4162.00	0.00
2/9/2013	210.00	4160.00	-2.00

All Historic Measurements



Well Name: AXSOM, DANIEL

Owner: AXSON ESTATE FAY E

Permit #: 20293 - F -

Location #: SC00204928ADB

USGS Site ID: 395119102514401

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SE NW 28 2 S 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4413879.1 Easting (UTM x): 682830.4 *User supplied*

Latitude/Longitude (decimal degrees): 39.855265 -102.862713


Surface Elevation (ft): 4409.01 **Top Perforated Interval (ft):** 151 **Base of grout (ft):**
Well depth (ft): 241 **Bottom Perforated Interval (ft):** 241
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: 7.00
10 year: -11.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	187.20	4221.81	-0.10
12/29/2005	191.20	4217.81	-4.00
3/9/2007	197.20	4211.81	-6.00
1/28/2008	194.20	4214.81	3.00
4/2/2009	187.20	4221.81	7.00
12/19/2009	186.20	4222.81	1.00
12/29/2010	185.20	4223.81	1.00
1/8/2012	185.20	4223.81	0.00
12/18/2012	187.20	4221.81	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: MEIS R

Owner: MEIS RAYMOND N.

Permit #: 10899 - FP -

Location #: SC00304725B

USGS Site ID:

Division: 1

Water District: 65

County: YUMA

Location: Q160 Q40 Q10 Section Twnshp Range PM

Distance from section lines:

NW

25

3

N

47

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4453019.0 Easting (UTM x): 705924.8 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.202305 -102.580528

Surface Elevation (ft): 3972

Top Perforated Interval (ft): 200

Base of grout (ft):

Water Level Change

Well depth (ft): 420

Bottom Perforated Interval (ft): 420

1 year: -13.00

Aquifer(s): OGALLALA


5 year: -25.00

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	175.40	3796.60	2.20
1/2/2006	164.00	3808.00	11.40
1/27/2007	162.00	3810.00	2.00
12/21/2007	168.00	3804.00	-6.00
4/14/2009	164.00	3808.00	4.00
12/18/2009	188.00	3784.00	-24.00
12/20/2010	178.00	3794.00	10.00
1/4/2012	180.00	3792.00	-2.00
1/25/2013	193.00	3779.00	-13.00

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Washington County

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**


Well Name:	CSU	Owner:	STRAND, ROBERT
Permit #:	5082 - FP -	Location #:	SB00205101CCA
		USGS Site ID:	401000103020000
Division:		Water District:	
		County:	WASHINGTON
Location:	Q160 Q40 Q10	Section	Twnshp
	SW SW NE	1	2 N
		Range	PM
		51 W S	
		Distance from section lines:	
		From N/S line:	1050 S
		From E/W line:	1000 W
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.166649	-103.033827	
Surface Elevation (ft):	4427.04		
Well depth (ft):	157		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.40
5 year: 1.80
10 year: -0.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	95.50	4331.54	0.80
3/21/2004	96.00	4331.04	-0.50
2/4/2005	94.60	4332.44	1.40
2/28/2006	95.50	4331.54	-0.90
4/12/2007	96.60	4330.44	-1.10
2/10/2008	97.50	4329.54	-0.90
1/1/2009			
1/13/2010	95.10	4331.94	
2/3/2011	95.70	4331.34	-0.60
2/20/2012	95.30	4331.74	0.40
2/5/2013	95.70	4331.34	-0.40

All Historic Measurements




Well Name:	U.S. GOVERNMENT	Owner:	USDA AGRICULTURAL RESEARCH SERVIC
Permit #:	7699 - FP -	Location #:	SB00205212DBC
		USGS Site ID:	400920103082000
Division:		Water District:	
		County:	WASHINGTON
Location:	Q160 Q40 Q10	Section	Twnshp
	SE NW SW	12	2 N
		Range	PM
		52 W S	
		Distance from section lines:	
		From N/S line:	2000 S
		From E/W line:	2630 E
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	40.153038	-103.144106	
Surface Elevation (ft):	4540.13		
Well depth (ft):	100		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.10
5 year: -1.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2005	52.60	4487.53	-1.05
2/28/2006	52.30	4487.83	0.30
4/12/2007	52.80	4487.33	-0.50
2/10/2008	55.60	4484.53	-2.80
1/1/2009			
1/13/2010	54.60	4485.53	
2/3/2011	54.80	4485.33	-0.20
2/20/2012	55.50	4484.63	-0.70
2/5/2013	56.60	4483.53	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: **DIAMOND, ROBERT**

Owner:

Permit #: 18069 - -

Location #: SB00305104BAA

USGS Site ID: 401558103052401

Division:

Water District:

County: WASHINGTON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NW NE NE 4 3 N 51 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.266092

-103.090494

Surface Elevation (ft): 4492.03

Well depth (ft): 138

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2004	93.50	4398.53	0.20
2/2/2005	94.00	4398.03	-0.50
2/28/2006	94.90	4397.13	-0.90
4/12/2007	94.10	4397.93	0.80
2/10/2008	94.50	4397.53	-0.40
1/1/2009			
1/13/2010	95.10	4396.93	
2/3/2011	95.60	4396.43	-0.50
2/20/2012	96.40	4395.63	-0.80
2/5/2013			

All Historic Measurements



Well Name: **LAMBERTSON, EVERETT**

Owner:

Permit #: - -

Location #: SB00305203DDDD1

USGS Site ID: 401505103101801

Division:

Water District:

County: WASHINGTON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SE SE SE 3 3 N 52 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.251369

-103.172161

Surface Elevation (ft): 4559.98

Well depth (ft): 44

Aquifer(s):

Water Level Change

1 year: -10.70


5 year: -11.10

10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2004	36.90	4523.08	-1.60
2/2/2005	36.80	4523.18	0.10
2/28/2006	36.80	4523.18	0.00
4/11/2007	37.70	4522.28	-0.90
2/10/2008	37.90	4522.08	-0.20
1/1/2009			
1/13/2010	38.40	4521.58	
2/3/2011	38.60	4521.38	-0.20
2/20/2012	38.30	4521.68	0.30
2/5/2013	49.00	4510.98	-10.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: **PARRISH, ROWLAND**

Owner:

Permit #: 251011 - -

Location #: SB00305232CBC1

USGS Site ID: 401051103133101

Division:

Water District:

County: WASHINGTON

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SW NW SW 32 3 N 52 W S From N/S line: 1340 S From E/W line: 390 W

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

40.180815

-103.225773

Surface Elevation (ft): 4707.17

Well depth (ft): 167

Aquifer(s):

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2004	110.80	4596.37	0.60
2/2/2005	111.40	4595.77	-0.60
2/28/2006	111.30	4595.87	0.10
4/12/2007	111.40	4595.77	-0.10
2/10/2008	111.40	4595.77	0.00
1/1/2009			
1/13/2010	114.20	4592.97	
2/3/2011	113.80	4593.37	0.40
2/20/2012			
2/5/2013			

All Historic Measurements



Well Name: **ANTHOLZ, CARL W.**

Owner:

Permit #: - -

Location #: SB00405313CBB

USGS Site ID: 394212103162301

Division:

Water District:

County: WASHINGTON

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SW NW NW 13 4 N 53 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.703317

-103.273551

Surface Elevation (ft): 4937.45

Well depth (ft): 72

Aquifer(s):

Water Level Change

1 year:


5 year:

10 year: -2.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	59.30	4878.15	-0.50
3/21/2004	59.20	4878.25	0.10
2/4/2005	59.60	4877.85	-0.40
3/3/2006	60.00	4877.45	-0.40
4/12/2007	60.30	4877.15	-0.30
2/10/2008			
1/1/2009			
1/29/2010	59.20	4878.25	
1/1/2011			
2/20/2012			
2/5/2013	61.80	4875.65	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: JOHNSON, ORVILLE

Owner:

Permit #: 158895 - - A **Location #:** SB00505121CCD1 **USGS Site ID:** 402245103044301

Division: **Water District:** **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SE 21 5 N 51 W S From N/S line: 117 S From E/W line: 1585 W

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.379151 -103.079102

Surface Elevation (ft): 4369.98

Well depth (ft): 47

Aquifer(s):

Water Level Change

1 year: 3.50


5 year: 2.50

10 year: 3.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2004	16.90	4353.08	0.20
2/2/2005	17.70	4352.28	-0.80
2/3/2006	18.20	4351.78	-0.50
4/2/2007	17.10	4352.88	1.10
2/10/2008	16.50	4353.48	0.60
1/1/2009			
1/13/2010	13.20	4356.78	
2/3/2011	13.60	4356.38	-0.40
2/20/2012	17.50	4352.48	-3.90
2/5/2013	14.00	4355.98	3.50

All Historic Measurements



Well Name: TRAXLER, GENE

Owner:

Permit #: 124407 - - A **Location #:** SC00105118DCD **USGS Site ID:** 395730103075000

Division: **Water District:** **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SE 18 1 S 51 W S From N/S line: 500 S From E/W line: 2100 E

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 39.961096 -103.130217

Surface Elevation (ft): 4630.92

Well depth (ft): 140

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.20


5 year: 0.60

10 year: -1.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	93.40	4537.52	0.10
3/21/2004	92.50	4538.42	0.90
2/4/2005	93.90	4537.02	-1.40
3/3/2006	94.00	4536.92	-0.10
4/12/2007	94.40	4536.52	-0.40
2/10/2008	95.20	4535.72	-0.80
1/1/2009			
1/13/2010	96.40	4534.52	
2/3/2011	94.90	4536.02	1.50
2/20/2012	94.40	4536.52	0.50
2/5/2013	94.60	4536.32	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: MCCREATH, RUSSELL

Owner:

Permit #: - - **Location #:** SC00205005DDD **USGS Site ID:** 395355102594700

Division: **Water District:** **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE SE SE 5 2 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees): 39.904152 -102.993271

Surface Elevation (ft): 4489.15

Well depth (ft): 212

Aquifer(s):

Water Level Change

1 year: -1.70


5 year: -2.30

10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	177.90	4311.25	-0.30
2/4/2005	176.60	4312.55	1.30
3/3/2006			
4/12/2007	178.20	4310.95	
2/10/2008	179.50	4309.65	-1.30
1/1/2009			
1/13/2010	179.90	4309.25	
2/4/2011	179.50	4309.65	0.40
2/20/2012	180.10	4309.05	-0.60
2/5/2013	181.80	4307.35	-1.70

All Historic Measurements



Well Name: THIM, GENE

Owner: THIM T. H.

Permit #: 77961 - A - **Location #:** SC00205014ABD **USGS Site ID:** 395309102562501

Division: **Water District:** **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE NW SE 14 2 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees): 39.885820 -102.940770

Surface Elevation (ft): 4442.09

Well depth (ft): 230

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	203.40	4238.69	-1.40
3/23/2004	201.90	4240.19	1.50
3/3/2006	205.70	4236.39	-3.80
4/12/2007	204.70	4237.39	1.00
2/10/2008			
1/1/2009			
1/13/2010	202.60	4239.49	
1/1/2011			
2/20/2012			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**


Well Name:	YOUNG, BIRDSALL JR.	Owner:	YOUNG BIRDSALL JR
Permit #:	20292 - F -	Location #:	SC00205022DDD
		USGS Site ID:	395133102571901
Division:		Water District:	
		County:	WASHINGTON
Location:	Q160 Q40 Q10	Section	Twnshp
	SE SE SE	22	2 S
		Range	PM
		50 W S	
		Distance from section lines:	
		From N/S line:	70 S
		From E/W line:	550 E
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.859153	-102.955771	
Surface Elevation (ft):	4474.1		
Well depth (ft):	312		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.90
5 year: 0.30
10 year: -4.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	198.80	4275.30	1.80
3/23/2004	198.00	4276.10	0.80
2/4/2005	201.10	4273.00	-3.10
3/3/2006	201.60	4272.50	-0.50
4/12/2007	202.10	4272.00	-0.50
2/10/2008	203.20	4270.90	-1.10
1/1/2009			
1/13/2010	203.40	4270.70	
2/4/2011	203.80	4270.30	-0.40
2/20/2012	201.00	4273.10	2.80
2/5/2013	202.90	4271.20	-1.90

All Historic Measurements




Well Name:	ALISHOUSE, EZRA	Owner:	
Permit #:	12782 - F -	Location #:	SC00205103DAB
		USGS Site ID:	395425103042500
Division:		Water District:	
		County:	WASHINGTON
Location:	Q160 Q40 Q10	Section	Twnshp
	SE NE NW	3	2 S
		Range	PM
		51 W S	
		Distance from section lines:	
		From N/S line:	
		From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.908596	-103.071328	
Surface Elevation (ft):	4557.21		
Well depth (ft):	296		
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	207.40	4349.81	1.20
3/21/2004	208.20	4349.01	-0.80
2/4/2005	207.80	4349.41	0.40
3/3/2006	206.70	4350.51	1.10
4/12/2007	206.60	4350.61	0.10
2/10/2008	216.40	4340.81	-9.80
1/1/2009			
1/13/2010	217.10	4340.11	
2/3/2011	218.30	4338.91	-1.20
2/20/2012			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: FOUTZ, LYLE A.

Owner:

Permit #: 9098 - F -

Location #: SC00205105BDC

USGS Site ID: 395434103071102

Division:

Water District:

County: WASHINGTON

Location:

Q160 Q40 Q10 Section Township Range PM Distance from section lines:

NW SE SW 5 2 S 51 W S From N/S line: 2574 N From E/W line: 1383 W

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.909429

-103.120217

Surface Elevation (ft): 4630.24

Well depth (ft):

Aquifer(s): OGALLALA

Water Level Change

1 year: -3.30


5 year: -3.50

10 year: -7.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	213.00	4417.24	0.40
3/21/2004	213.80	4416.44	-0.80
2/4/2005	214.90	4415.34	-1.10
3/3/2006	215.20	4415.04	-0.30
4/12/2007	216.50	4413.74	-1.30
2/10/2008	216.70	4413.54	-0.20
1/1/2009			
1/13/2010	218.20	4412.04	
2/3/2011	218.90	4411.34	-0.70
2/20/2012	216.90	4413.34	2.00
2/5/2013	220.20	4410.04	-3.30

All Historic Measurements



Well Name: VOLBERDING, OTTO

Owner:

Permit #: 11568 - F -

Location #: SC00205107DAB

USGS Site ID: 395330103074000

Division:

Water District:

County: WASHINGTON

Location:

Q160 Q40 Q10 Section Township Range PM Distance from section lines:

SE NE NW 7 2 S 51 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.894151

-103.127995

Surface Elevation (ft): 4642.26

Well depth (ft): 278

Aquifer(s): OGALLALA

Water Level Change

1 year: -4.60


5 year: -0.20

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	221.10	4421.16	-1.80
3/3/2006	222.10	4420.16	-1.00
4/12/2007	221.90	4420.36	0.20
2/10/2008	222.50	4419.76	-0.60
1/1/2009			
1/13/2010	220.90	4421.36	
2/3/2011	221.30	4420.96	-0.40
2/20/2012	218.10	4424.16	3.20
2/5/2013	222.70	4419.56	-4.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: SCHENK, ROBERT L.

Owner: SCHENK ROBERT L

Permit #: 12907 - F - **Location #:** SC00205201DDD

USGS Site ID: 395410103085000

Division:

Water District:

County: WASHINGTON

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:

SE SE SE 1 2 S 52 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4418495.0 Easting (UTM x): 658534.0 [Digitized off map](#)

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 4659.27

Well depth (ft): 342

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.50


5 year: 2.50

10 year: 2.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	224.80	4434.47	-0.30
3/21/2004	227.80	4431.47	-3.00
2/4/2005	223.80	4435.47	4.00
3/3/2006	222.70	4436.57	1.10
4/12/2007	223.40	4435.87	-0.70
2/10/2008	224.50	4434.77	-1.10
1/1/2009			
1/29/2010	222.00	4437.27	
2/3/2011	222.30	4436.97	-0.30
2/20/2012	220.50	4438.77	1.80
2/5/2013	222.00	4437.27	-1.50

All Historic Measurements



Well Name: WRIGHT, DOYLE

Owner:

Permit #: 70463 - A - **Location #:** SC00205322CBB

USGS Site ID: 395147103183901

Division:

Water District:

County: WASHINGTON

Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:

SW NW NW 22 2 S 53 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): [User supplied](#)

Latitude/Longitude (decimal degrees): 39.863040 -103.311330

Surface Elevation (ft): 4940.4

Well depth (ft): 225

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.40


5 year:

10 year: -1.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	199.40	4741.00	0.90
2/4/2005	198.30	4742.10	1.10
3/3/2006	198.60	4741.80	-0.30
4/12/2007	198.70	4741.70	-0.10
2/10/2008			
1/1/2009			
1/29/2010	198.10	4742.30	
2/3/2011	198.60	4741.80	-0.50
2/20/2012	198.30	4742.10	0.30
2/5/2013	200.70	4739.70	-2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: CHRISTIANSON

Owner: SWAN VALLEY LAND & LIVESTOCK INC

Permit #: 2803 - F -

Location #: SC00304910DCA

USGS Site ID: 394810102504000

Division:

Water District:

County: WASHINGTON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

SE SW NE

10

3 S

49 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.802765

-102.845490

Surface Elevation (ft): 4399

Well depth (ft): 216

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.20


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	135.20	4263.80	2.30
3/3/2006	138.10	4260.90	-2.90
4/12/2007	132.40	4266.60	5.70
2/10/2008			
1/1/2009			
1/29/2010	130.50	4268.50	
2/4/2011	131.20	4267.80	-0.70
2/20/2012	130.70	4268.30	0.50
2/5/2013	131.90	4267.10	-1.20

All Historic Measurements



Well Name: WINGER

Owner: DAISY LANE FARMS LLC

Permit #: 17230 - FP -

Location #: SC00304927BCD

USGS Site ID:

Division: 1

Water District: 65

County: WASHINGTON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

NW SW SE

27

3 S

49 W S

From N/S line: 2600 N

From E/W line: 1300 W

UTM Coordinates (NAD83): Northing (UTM y): 4403830.5

Easting (UTM x): 683836.6

Spotted from section lines

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 4420

Well depth (ft): 279

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.00


5 year: 0.40

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	128.80	4291.20	-8.20
3/3/2006	129.60	4290.40	-0.80
4/12/2007	132.60	4287.40	-3.00
2/10/2008	132.00	4288.00	0.60
1/1/2009			
1/29/2010	130.60	4289.40	
2/4/2011	130.30	4289.70	0.30
2/20/2012	129.60	4290.40	0.70
2/5/2013	131.60	4288.40	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: **WINGER CATTLE COMP.**

Owner:

Permit #: 104969 - -

Location #: SC00304931BBB

USGS Site ID: 394520102544701

Division:

Water District:

County: WASHINGTON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NW NW NW 31 3 S 49 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.755542

-102.913547

Surface Elevation (ft): 4480.98

Well depth (ft): 220

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.90


5 year: -1.70

10 year: -10.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	174.50	4306.48	-0.10
3/21/2004	178.50	4302.48	-4.00
2/4/2005	179.00	4301.98	-0.50
3/3/2006	179.90	4301.08	-0.90
4/12/2007	181.30	4299.68	-1.40
2/10/2008	183.50	4297.48	-2.20
1/1/2009			
1/29/2010	184.00	4296.98	
1/1/2011			
2/20/2012	184.30	4296.68	
2/5/2013	185.20	4295.78	-0.90

All Historic Measurements



Well Name: **BIRDSAL YOUNG**

Owner: YOUNG BIRDSALL JR

Permit #: 21538 - F -

Location #: SC00305011CBB

USGS Site ID: 394828102570201

Division:

Water District:

County: WASHINGTON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SW NW NW 11 3 S 50 W S

From N/S line:

2560 S

From E/W line: 675 W

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.807764

-102.951048

Surface Elevation (ft): 4492.1

Well depth (ft): 230

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.40


5 year: -4.70

10 year: -5.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	144.50	4347.60	2.60
3/21/2004	144.30	4347.80	0.20
2/4/2005	145.10	4347.00	-0.80
3/3/2006	148.60	4343.50	-3.50
4/12/2007	145.40	4346.70	3.20
2/10/2008	145.50	4346.60	-0.10
1/1/2009			
1/29/2010	146.70	4345.40	
2/4/2011	147.40	4344.70	-0.70
2/20/2012	147.80	4344.30	-0.40
2/5/2013	150.20	4341.90	-2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**


Well Name:	JONES, ALVIN	Owner:	
Permit #:	- -	Location #:	SC00305114DCC
		USGS Site ID:	394714103032201
Division:		Water District:	
		County:	WASHINGTON
Location:	Q160 Q40 Q10	Section	Twnshp
	SE SW SW	14	3 S
		Range	PM
		51 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.787208	-103.056605	
Surface Elevation (ft):	4622.23		
Well depth (ft):	180		
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.20
5 year: -1.20
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2004	153.60	4468.63	0.60
2/4/2005	153.60	4468.63	0.00
3/3/2006	155.90	4466.33	-2.30
4/12/2007	153.50	4468.73	2.40
2/10/2008	153.70	4468.53	-0.20
1/1/2009			
1/29/2010	154.50	4467.73	
2/4/2011	154.20	4468.03	0.30
2/20/2012	154.70	4467.53	-0.50
2/5/2013	154.90	4467.33	-0.20

All Historic Measurements




Well Name:	JOHNSON, CARL	Owner:	JOHNSON RICK
Permit #:	234227 - -	Location #:	SC00305204CBD1
		USGS Site ID:	394904103125501
Division:		Water District:	
		County:	WASHINGTON
Location:	Q160 Q40 Q10	Section	Twnshp
	SW NW SE	4	3 S
		Range	PM
		52 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.817761	-103.215773	
Surface Elevation (ft):	4812.4		
Well depth (ft):	118		
Aquifer(s):			

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	104.00	4708.40	-0.10
3/21/2004	104.00	4708.40	0.00
2/4/2005	103.90	4708.50	0.10
3/3/2006	103.80	4708.60	0.10
4/12/2007	103.80	4708.60	0.00
2/10/2008			
1/1/2009			
1/29/2010	101.90	4710.50	
2/4/2011	102.30	4710.10	-0.40
2/20/2012			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: STATE OF COLORADO

Owner: CO BOARD OF LAND COMMISSIONERS

Permit #: 44031 - -

Location #: SC00404916CDD

USGS Site ID: 394158102520701

Division:

Water District:

County: WASHINGTON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

SW SE SE

16

4

S

49

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.699432

-102.869101

Surface Elevation (ft): 4447.05

Well depth (ft): 42

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.60


5 year:

10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	19.70	4427.35	0.30
3/21/2004	19.30	4427.75	0.40
2/5/2005	20.90	4426.15	-1.60
3/3/2006	21.20	4425.85	-0.30
4/12/2007			
2/10/2008			
1/1/2009			
1/29/2010	21.50	4425.55	
2/4/2011	21.90	4425.15	-0.40
2/20/2012	23.10	4423.95	-1.20
2/5/2013	23.70	4423.35	-0.60

All Historic Measurements



Well Name: STATE OF COLORADO

Owner:

Permit #: - -

Location #: SC00405016CCD

USGS Site ID: 394151102591800

Division:

Water District:

County: WASHINGTON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

SW SW SE

16

4

S

50

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x):

User supplied

Latitude/Longitude (decimal degrees):

39.700542

-102.988549

Surface Elevation (ft): 4606.17

Well depth (ft): 76

Aquifer(s):

Water Level Change

1 year: -1.10


5 year: -0.30

10 year: -0.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	60.50	4545.67	-2.00
3/21/2004	58.60	4547.57	1.90
2/4/2005	59.70	4546.47	-1.10
3/3/2006	59.60	4546.57	0.10
4/12/2007	59.80	4546.37	-0.20
2/10/2008	61.00	4545.17	-1.20
1/1/2009			
1/29/2010	59.50	4546.67	
2/4/2011	59.80	4546.37	-0.30
2/20/2012	60.20	4545.97	-0.40
2/5/2013	61.30	4544.87	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**


Well Name:	KNIESE, FRED	Owner:	
Permit #:	- -	Location #:	SC00405101BBA
		USGS Site ID:	394424103023600
Division:		Water District:	
		County:	WASHINGTON
Location:	Q160 Q40 Q10	Section	Twnshp
	NW NW NE	1	4 S
		Range	PM
		51 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	User supplied
Latitude/Longitude (decimal degrees):	39.741652	-103.044939	
Surface Elevation (ft):	4620.23		
Well depth (ft):	74		
Aquifer(s):			

Water Level Change
1 year: -0.10
5 year:
10 year: -0.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	66.00	4554.23	0.50
3/21/2004	65.60	4554.63	0.40
2/4/2005	65.80	4554.43	-0.20
3/3/2006	66.60	4553.63	-0.80
4/12/2007	66.30	4553.93	0.30
2/10/2008			
1/1/2009			
1/29/2010	65.60	4554.63	
2/4/2011	66.00	4554.23	-0.40
2/20/2012	66.50	4553.73	-0.50
2/5/2013	66.60	4553.63	-0.10

All Historic Measurements




Well Name:	CLANEY, WILLIAM	Owner:	CLANEY WILLIAM
Permit #:	42975 - -	Location #:	SC00405104AB
		USGS Site ID:	
Division:	1	Water District:	65
		County:	WASHINGTON
Location:	Q160 Q40 Q10	Section	Twnshp
	NE NW	4	4 S
		Range	PM
		51 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	Spotted from quarters
Latitude/Longitude (decimal degrees):	4400673.5	663446.3	
Surface Elevation (ft):	4740		
Well depth (ft):	130		
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/3/2006	89.20	4650.80	
4/12/2007	87.10	4652.90	2.10
2/10/2008	90.30	4649.70	-3.20
1/1/2009			
1/29/2010			
1/1/2011			
2/20/2012			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: CO BOARD OF LAND COMMISSIONERS **Owner:** COLORADO BOARD OF LAND COMMISSIONERS
Permit #: 250082 - - A **Location #:** SC00405216DA **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NE 16 4 S 52 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4396349.5 Easting (UTM x): 654238.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.703075 -103.200897

Surface Elevation (ft): 4855 **Water Level Change**
Well depth (ft): 100 **1 year:** 0.30
Aquifer(s): OGALLALA **5 year:** 3.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	75.00	4780.00	
3/3/2006	74.40	4780.60	0.60
4/12/2007	74.40	4780.60	0.00
2/10/2008	75.50	4779.50	-1.10
1/1/2009			
1/29/2010	70.50	4784.50	
2/3/2011	72.10	4782.90	-1.60
2/20/2012	72.80	4782.20	-0.70
2/5/2013	72.50	4782.50	0.30

All Historic Measurements



Arikaree Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: RUFF, RON

Owner: RON RUFF

Permit #: 11755 - FP - R **Location #:** SC00104227BC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW 27 1 S 42 W S From N/S line: 1465 N From E/W line: 476 W
UTM Coordinates (NAD83): Northing (UTM y): 4425740.5 Easting (UTM x): 750155.9 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.944836 -102.071972


Surface Elevation (ft): 3372 **Top Perforated Interval (ft):** 40 **Base of grout (ft):**
Well depth (ft): 83 **Bottom Perforated Interval (ft):** 83
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2011	13.30	3358.70	
3/6/2012	11.00	3361.00	2.30
3/6/2013	12.00	3360.00	-1.00

All Historic Measurements



Well Name: EKBERG, JOHN

Owner:

Permit #: 10931 - - **Location #:** SC00104327CBB

USGS Site ID: 395115102105901

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 27 1 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4415384.0 Easting (UTM x): 740950.0 *GPS*
Latitude/Longitude (decimal degrees): 39.854308 -102.183422


Surface Elevation (ft): 3760.54 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 27 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: -0.40
5 year: -0.80
10 year: 0.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	25.40	3735.14	-0.20
12/18/2004	25.40	3735.14	0.00
1/23/2006	25.00	3735.54	0.40
12/18/2006	24.50	3736.04	0.50
1/12/2008	23.90	3736.64	0.60
12/8/2008	24.70	3735.84	-0.80
1/11/2010	25.00	3735.54	-0.30
1/24/2011	25.20	3735.34	-0.20
3/6/2012	24.30	3736.24	0.90
3/6/2013	24.70	3735.84	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **WINGER/BRIGGS**

Owner:

Permit #: 280825 - -

Location #: SC00204208BBA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NE 8 2 S 42 W S From N/S line: 6 N From E/W line: 1073 W
UTM Coordinates (NAD83): Northing (UTM y): 4421268.0 Easting (UTM x): 747352.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.905415 -102.106448


Surface Elevation (ft): 3425 **Top Perforated Interval (ft):** 20 **Base of grout (ft):**
Well depth (ft): 80 **Bottom Perforated Interval (ft):** 80
Aquifer(s): OGALLALA

Water Level Change
1 year: -3.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2010	12.80	3412.20	
1/24/2011	11.50	3413.50	1.30
3/6/2012	11.00	3414.00	0.50
3/6/2013	14.00	3411.00	-3.00

All Historic Measurements



Well Name: **SIMMONS**

Owner:

Permit #: 4594 - R -

Location #: SC00204314AAC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 14 2 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4419230.0 Easting (UTM x): 743604.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.888160 -102.151001


Surface Elevation (ft): 3475 **Top Perforated Interval (ft):** 51 **Base of grout (ft):**
Well depth (ft): 84 **Bottom Perforated Interval (ft):** 84
Aquifer(s): OGALLALA

Water Level Change
1 year: -7.20
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2010	12.00	3463.00	
1/24/2011	10.60	3464.40	1.40
3/6/2012	9.80	3465.20	0.80
3/6/2013	17.00	3458.00	-7.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **BUSBY, CARL**

Owner:

Permit #: 12697 - R - **Location #:** SC00304231CCC **USGS Site ID:** 394452102073500

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 31 3 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4403724.0 Easting (UTM x): 746152.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.747891 -102.127058


Surface Elevation (ft): 3777.07 **Top Perforated Interval (ft):** 176 **Base of grout (ft):**
Well depth (ft): 236 **Bottom Perforated Interval (ft):** 236
Aquifer(s): OGALLALA

Water Level Change
1 year: -15.60
5 year: -17.00
10 year: -18.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	180.40	3596.67	-0.60
12/17/2004	180.60	3596.47	-0.20
1/23/2006	180.90	3596.17	-0.30
12/17/2006	180.90	3596.17	0.00
1/12/2008	181.60	3595.47	-0.70
12/30/2008	181.80	3595.27	-0.20
1/11/2010	182.30	3594.77	-0.50
1/24/2011	181.90	3595.17	0.40
3/6/2012	183.00	3594.07	-1.10
3/7/2013	198.60	3578.47	-15.60

All Historic Measurements



Well Name: **KLIE, WILMONT**

Owner:

Permit #: 20742 - R - **Location #:** SC00304234CAB **USGS Site ID:** 394510102034900

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE NW 34 3 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4404417.0 Easting (UTM x): 751524.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.752559 -102.064170


Surface Elevation (ft): 3756.54 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 276 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: -18.50
5 year: -20.30
10 year: -22.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	212.50	3544.04	-0.90
12/17/2004	212.70	3543.84	-0.20
1/23/2006	212.70	3543.84	0.00
12/17/2006	212.80	3543.74	-0.10
1/12/2008	213.50	3543.04	-0.70
12/30/2008	214.00	3542.54	-0.50
1/11/2010	214.50	3542.04	-0.50
1/24/2011	215.10	3541.44	-0.60
3/6/2012	215.30	3541.24	-0.20
3/6/2013	233.80	3522.74	-18.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: WHOMBLE, CHESTER

Owner:

Permit #: 3057 - F -

Location #: SC00304305ADC

USGS Site ID: 394935102122800

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

NE SE SW 5 3 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4412227.0 Easting (UTM x): 739198.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.826393 -102.205031

Surface Elevation (ft): 3660.56 **Top Perforated Interval (ft):** 30 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 112 **Bottom Perforated Interval (ft):** 100 **1 year:** -0.50


Aquifer(s): **5 year:** 5.00

10 year: 5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	14.00	3646.56	1.80
12/18/2004	13.80	3646.76	0.20
1/23/2006	14.00	3646.56	-0.20
12/18/2006	15.10	3645.46	-1.10
1/15/2008	15.30	3645.26	-0.20
12/8/2008	15.80	3644.76	-0.50
1/11/2010	10.80	3649.76	5.00
1/24/2011	9.80	3650.76	1.00
3/6/2012	9.80	3650.76	0.00
2/13/2013	10.30	3650.26	-0.50

All Historic Measurements



Well Name: MANSFIELD, BILL

Owner:

Permit #: 19763 - F -

Location #: SC00304314BAB

USGS Site ID: 394814102093700

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:

NW NE NW 14 3 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4409884.0 Easting (UTM x): 744288.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.803861 -102.146498

Surface Elevation (ft): 3803.58 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**

Well depth (ft): **Bottom Perforated Interval (ft):** 220 **1 year:** -14.20


Aquifer(s): OGALLALA **5 year:** -15.70

10 year: -17.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2004	175.10	3628.48	0.80
1/10/2005	174.20	3629.38	0.90
1/23/2006	176.20	3627.38	-2.00
12/18/2006			
1/12/2008	177.20	3626.38	
12/30/2008	177.50	3626.08	-0.30
1/11/2010	177.50	3626.08	0.00
1/26/2011	177.20	3626.38	0.30
3/6/2012	178.70	3624.88	-1.50
2/13/2013	192.90	3610.68	-14.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SOEHNER, DALE

Owner:

Permit #: 7197 - R - **Location #:** SC00304328ADC **USGS Site ID:** 394607102111300

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE SE SW 28 3 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4405848.0 Easting (UTM x): 740927.0 GPS
Latitude/Longitude (decimal degrees): 39.768498 -102.187193


Surface Elevation (ft): 3868.4 **Top Perforated Interval (ft):** 201 **Base of grout (ft):**
Well depth (ft): 293 **Bottom Perforated Interval (ft):** 293
Aquifer(s): OGALLALA

Water Level Change
1 year: -16.00
5 year: -18.90
10 year: -16.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2004	214.90	3653.50	0.10
1/10/2005	215.10	3653.30	-0.20
1/23/2006	212.10	3656.30	3.00
12/17/2006	212.30	3656.10	-0.20
1/15/2008	212.10	3656.30	0.20
12/31/2008	212.30	3656.10	-0.20
1/11/2010	214.20	3654.20	-1.90
1/24/2011	215.50	3652.90	-1.30
3/6/2012	215.00	3653.40	0.50
3/6/2013	231.00	3637.40	-16.00

All Historic Measurements



Well Name: ZION, CHARLES A.

Owner:

Permit #: - - **Location #:** SC00304407AAB **USGS Site ID:** 394855102202000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE NW 7 3 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4410907.0 Easting (UTM x): 727831.0 GPS
Latitude/Longitude (decimal degrees): 39.817635 -102.338172


Surface Elevation (ft): 3740.75 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 26 **Bottom Perforated Interval (ft):**
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.20
5 year: 0.80
10 year: 0.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	12.90	3727.85	-0.60
12/18/2004	13.00	3727.75	-0.10
1/24/2006	12.70	3728.05	0.30
12/17/2006	13.10	3727.65	-0.40
1/15/2008	12.90	3727.85	0.20
12/8/2008	12.30	3728.45	0.60
1/11/2010	12.70	3728.05	-0.40
1/24/2011	11.60	3729.15	1.10
3/6/2012	9.90	3730.85	1.70
3/6/2013	12.10	3728.65	-2.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: MCDONALD, HARVEY

Owner: HARVEY MCDONALD

Permit #: - -

Location #: SC00304507BBB1

USGS Site ID: 394902102274801


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW NW 7 3 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4410533.0 Easting (UTM x): 717078.0 GPS
Latitude/Longitude (decimal degrees): 39.817082 -102.463808

Surface Elevation (ft): 4010.78 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 90 **Bottom Perforated Interval (ft):** **1 year:** -4.90
Aquifer(s): **5 year:** -5.40
10 year: -5.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	43.90	3966.88	0.70
1/10/2005	44.00	3966.78	-0.10
1/24/2006	45.30	3965.48	-1.30
12/17/2006	45.30	3965.48	0.00
1/12/2008	45.00	3965.78	0.30
1/12/2009	46.30	3964.48	-1.30
1/11/2010	46.60	3964.18	-0.30
1/24/2011	46.80	3963.98	-0.20
1/30/2012	45.50	3965.28	1.30
3/7/2013	50.40	3960.38	-4.90

All Historic Measurements



Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SC00304630CCCC1

USGS Site ID: 394532102343101


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW 31 3 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4402832.0 Easting (UTM x): 707888.0 GPS
Latitude/Longitude (decimal degrees): 39.750054 -102.573523

Surface Elevation (ft): 4111.84 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 66 **Bottom Perforated Interval (ft):** **1 year:** -1.60
Aquifer(s): **5 year:**
10 year: 1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	49.77	4062.07	-0.10
1/10/2005	50.00	4061.84	-0.23
1/24/2006	47.67	4064.17	2.33
12/17/2006	50.67	4061.17	-3.00
1/17/2008			
1/1/2009			
1/21/2010	46.77	4065.07	
1/25/2011	46.97	4064.87	-0.20
1/30/2012	46.67	4065.17	0.30
3/7/2013	48.27	4063.57	-1.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: U.S. GOVERNMENT

Owner: USGS

Permit #: - -

Location #: SC00304714CDC1

USGS Site ID: 394715102362901


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE SW 14 3 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4406920.0 Easting (UTM x): 704746.0 GPS
Latitude/Longitude (decimal degrees): 39.787616 -102.608893

Surface Elevation (ft): 4168.86 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 80 **Bottom Perforated Interval (ft):** **1 year:** -2.40
Aquifer(s): **5 year:** -3.00
10 year: -4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	35.20	4133.66	-0.10
1/10/2005	35.00	4133.86	0.20
1/28/2006	36.10	4132.76	-1.10
12/17/2006	36.40	4132.46	-0.30
1/17/2008	36.30	4132.56	0.10
2/23/2009	37.00	4131.86	-0.70
1/21/2010	35.60	4133.26	1.40
1/25/2011	46.50	4122.36	-10.90
1/30/2012	36.90	4131.96	9.60
3/7/2013	39.30	4129.56	-2.40

All Historic Measurements



Well Name: POE, LARRY

Owner:

Permit #: 11528 - R -

Location #: SC00404232DAC

USGS Site ID: 394052102051500


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE SW 32 4 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4394600.0 Easting (UTM x): 749830.0 GPS
Latitude/Longitude (decimal degrees): 39.664718 -102.087639

Surface Elevation (ft): 3577.53 **Top Perforated Interval (ft):** 42 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 90 **Bottom Perforated Interval (ft):** 90 **1 year:** -2.60
Aquifer(s): **5 year:** -2.00
10 year: -2.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	37.60	3539.93	-0.40
12/17/2004	38.50	3539.03	-0.90
1/23/2006	37.80	3539.73	0.70
2/20/2007	37.90	3539.63	-0.10
1/18/2008	37.80	3539.73	0.10
12/31/2008	37.60	3539.93	0.20
1/12/2010	36.80	3540.73	0.80
1/25/2011	36.80	3540.73	0.00
1/30/2012	37.20	3540.33	-0.40
3/7/2013	39.80	3537.73	-2.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SOEHNER, JACK

Owner:

Permit #: 6371 - F -

Location #: SC00404305ADC

USGS Site ID: 394421102121000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE SE SW 5 4 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4402520.0 Easting (UTM x): 739640.0 GPS
Latitude/Longitude (decimal degrees): 39.738911 -102.203414

Surface Elevation (ft): 3890.61 **Top Perforated Interval (ft):** 246 **Base of grout (ft):**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 316
Aquifer(s): OGALLALA

Water Level Change

1 year: -17.00


5 year: -18.80

10 year: -15.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	247.20	3643.41	-0.30
1/11/2005	247.10	3643.51	0.10
1/18/2006	241.30	3649.31	5.80
12/17/2006	242.20	3648.41	-0.90
1/18/2008	243.20	3647.41	-1.00
12/30/2008	244.20	3646.41	-1.00
1/11/2010	244.20	3646.41	0.00
1/26/2011	244.50	3646.11	-0.30
1/30/2012	245.00	3645.61	-0.50
3/7/2013	262.00	3628.61	-17.00

All Historic Measurements



Well Name: BOWMAN, RALPH

Owner:

Permit #: 10546 - F -

Location #: SC00404307CCB

USGS Site ID: 394317102115500

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SW NW 7 4 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4400412.0 Easting (UTM x): 736938.0 GPS
Latitude/Longitude (decimal degrees): 39.720695 -102.235670

Surface Elevation (ft): 3936.63 **Top Perforated Interval (ft):** 230 **Base of grout (ft):**
Well depth (ft): 330 **Bottom Perforated Interval (ft):** 330
Aquifer(s): OGALLALA

Water Level Change

1 year: -18.00


5 year: -19.70

10 year: -25.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	250.10	3686.53	-1.10
1/10/2005	251.00	3685.63	-0.90
1/18/2006	252.80	3683.83	-1.80
12/18/2006	253.80	3682.83	-1.00
1/18/2008	254.80	3681.83	-1.00
12/30/2008	255.80	3680.83	-1.00
1/11/2010	257.40	3679.23	-1.60
1/26/2011	257.50	3679.13	-0.10
1/30/2012	256.50	3680.13	1.00
3/6/2013	274.50	3662.13	-18.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: ALLEN, L.

Owner:

Permit #: 6805 - F - **Location #:** SC00404310ADB **USGS Site ID:** 394340102100000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE SE NW 10 4 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4401397.0 Easting (UTM x): 742780.0 GPS
Latitude/Longitude (decimal degrees): 39.727917 -102.167226


Surface Elevation (ft): 3846.59 **Top Perforated Interval (ft):** 245 **Base of grout (ft):**
Well depth (ft): 285 **Bottom Perforated Interval (ft):** 285
Aquifer(s): OGALLALA

Water Level Change
1 year: -18.20
5 year: -21.20
10 year: -25.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	218.90	3627.69	-0.40
1/10/2005	220.50	3626.09	-1.60
1/18/2006	222.50	3624.09	-2.00
12/18/2006	222.00	3624.59	0.50
1/18/2008	222.50	3624.09	-0.50
12/31/2008	224.80	3621.79	-2.30
1/12/2010	225.50	3621.09	-0.70
1/26/2011	224.00	3622.59	1.50
1/30/2012	225.50	3621.09	-1.50
3/6/2013	243.70	3602.89	-18.20

All Historic Measurements



Well Name: STATE OF COLORADO

Owner:

Permit #: 4227 - F - **Location #:** SC00404316BAB **USGS Site ID:** 394302102113000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NE NW 16 4 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4400119.0 Easting (UTM x): 740692.0 GPS
Latitude/Longitude (decimal degrees): 39.717007 -102.192028


Surface Elevation (ft): 3883.6 **Top Perforated Interval (ft):** 210 **Base of grout (ft):**
Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310
Aquifer(s): OGALLALA

Water Level Change
1 year: -18.40
5 year: -19.30
10 year: -27.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	235.50	3648.10	-0.40
1/10/2005	236.00	3647.60	-0.50
1/18/2006	236.50	3647.10	-0.50
12/18/2006	239.50	3644.10	-3.00
1/18/2008	243.40	3640.20	-3.90
12/31/2008	244.50	3639.10	-1.10
1/11/2010	243.80	3639.80	0.70
1/26/2011	243.70	3639.90	0.10
1/30/2012	244.30	3639.30	-0.60
3/6/2013	262.70	3620.90	-18.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: CURE LAND, LLC

Owner: CURE LAND LLC

Permit #: - - **Location #:** SC00404327

USGS Site ID:


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section 27 Twtnshp 4 S Range 43 W S PM Distance from section lines:
 From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4396347.0 Easting (UTM x): 742003.0 GPS
Latitude/Longitude (decimal degrees): 39.682691 -102.178135

Surface Elevation (ft): 3825 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 263 **Bottom Perforated Interval (ft):** **1 year:** -16.50
Aquifer(s): OGALLALA **5 year:** -17.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2008	204.00	3621.00	
12/31/2008	204.60	3620.40	-0.60
1/12/2010	205.70	3619.30	-1.10
1/26/2011	204.20	3620.80	1.50
3/7/2012	204.50	3620.50	-0.30
2/13/2013	221.00	3604.00	-16.50

All Historic Measurements



Well Name: EKBERG, DALE

Owner:

Permit #: 3165 - F - **Location #:** SC00404336BBC

USGS Site ID: 394020102082300


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section 36 Twtnshp 4 S Range 43 W S PM Distance from section lines:
 NW NW SW 36 4 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4395287.3 Easting (UTM x): 745294.9 User supplied
Latitude/Longitude (decimal degrees): 39.672216 -102.140188

Surface Elevation (ft): 3779.56 **Top Perforated Interval (ft):** 173 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 273 **Bottom Perforated Interval (ft):** 273 **1 year:** -16.00
Aquifer(s): OGALLALA **5 year:** -17.00
10 year: -19.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	184.90	3594.66	-0.30
12/17/2004	186.60	3592.96	-1.70
1/24/2006	187.60	3591.96	-1.00
2/20/2007	188.00	3591.56	-0.40
1/18/2008	186.80	3592.76	1.20
1/1/2009			
1/12/2010	188.00	3591.56	
1/26/2011	188.30	3591.26	-0.30
3/7/2012	187.80	3591.76	0.50
2/13/2013	203.80	3575.76	-16.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **EKBERG, DALE H.**

Owner:

Permit #: 6577 - F - **Location #:** SC00404336DDC **USGS Site ID:** 393957102073100

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SW 36 4 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4394059.0 Easting (UTM x): 746631.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.660778 -102.125088


Surface Elevation (ft): 3744.54 **Top Perforated Interval (ft):** 145 **Base of grout (ft):**
Well depth (ft): 225 **Bottom Perforated Interval (ft):** 225
Aquifer(s): OGALLALA

Water Level Change
1 year: -15.00
5 year: -4.40
10 year: -10.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2004	176.50	3568.04	-3.00
1/9/2005	180.00	3564.54	-3.50
1/24/2006	181.00	3563.54	-1.00
2/20/2007	178.30	3566.24	2.70
1/18/2008	179.10	3565.44	-0.80
12/31/2008	168.50	3576.04	10.60
1/12/2010	167.70	3576.84	0.80
1/26/2011	168.00	3576.54	-0.30
3/7/2012	168.50	3576.04	-0.50
2/13/2013	183.50	3561.04	-15.00

All Historic Measurements



Well Name: **ELLIOTT, WILSON**

Owner:

Permit #: 9380 - F - **Location #:** SC00404404DCC **USGS Site ID:** 394354102180300

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SW 4 4 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4401431.0 Easting (UTM x): 731183.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.731445 -102.302384


Surface Elevation (ft): 3986.67 **Top Perforated Interval (ft):** 253 **Base of grout (ft):**
Well depth (ft): 343 **Bottom Perforated Interval (ft):** 343
Aquifer(s): OGALLALA

Water Level Change
1 year: -14.80
5 year: -17.10
10 year: -21.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	247.10	3739.57	-1.60
12/18/2004	248.50	3738.17	-1.40
1/18/2006	248.20	3738.47	0.30
12/18/2006	248.80	3737.87	-0.60
1/15/2008	249.90	3736.77	-1.10
12/30/2008	250.80	3735.87	-0.90
1/11/2010	251.60	3735.07	-0.80
1/26/2011	252.00	3734.67	-0.40
3/7/2012	252.20	3734.47	-0.20
2/13/2013	267.00	3719.67	-14.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SHARP SONS INC

Owner:

Permit #: - -

Location #: SC00404514

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section 14 Twnshp 4 S Range 45 W S PM Distance from section lines:
 From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4398719.0 Easting (UTM x): 724821.1 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.708733 -102.377472

Surface Elevation (ft): 4060 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/6/2013	257.00	3803.00	

All Historic Measurements



Well Name: WIESER, GRANT

Owner:

Permit #: 9529 - F -

Location #: SC00404515CBD

USGS Site ID: 394220102240300


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section 15 Twnshp 4 S Range 45 W S PM Distance from section lines:
 From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4398305.5 Easting (UTM x): 722787.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.705547 -102.401309

Surface Elevation (ft): 4074.74 **Top Perforated Interval (ft):** 285 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 342 **Bottom Perforated Interval (ft):** 345 **1 year:** -13.00
Aquifer(s): OGALLALA **5 year:** -14.50
10 year: -19.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	239.40	3835.34	0.40
1/9/2005	240.50	3834.24	-1.10
1/18/2006	243.30	3831.44	-2.80
12/18/2006	245.50	3829.24	-2.20
1/18/2008	245.00	3829.74	0.50
12/30/2008	245.40	3829.34	-0.40
1/21/2010	246.50	3828.24	-1.10
1/26/2011	247.00	3827.74	-0.50
3/7/2012	246.50	3828.24	0.50
2/13/2013	259.50	3815.24	-13.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: J.J. DAVIS

Owner:

Permit #: - -

Location #: SC00404517

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section 17 Twnshp 4 S Range 45 W S PM Distance from section lines:
 From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4398558.5 Easting (UTM x): 719916.7 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.708569 -102.434677

Surface Elevation (ft): 4040 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): ALL UNNAMED AQUIFERS **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/6/2013	251.00	3789.00	

All Historic Measurements



Well Name: JERRY BRENNER

Owner: JERRY BRENNER

Permit #: 16097 - FP -

Location #: SC00404527BA

USGS Site ID:


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section 27 Twnshp 4 S Range 45 W S PM Distance from section lines:
 From N/S line: 1319 N From E/W line: 1321 W
UTM Coordinates (NAD83): Northing (UTM y): 4395825.0 Easting (UTM x): 723000.0 *GPS*
Latitude/Longitude (decimal degrees): 39.683164 -102.399672

Surface Elevation (ft): 4067 **Top Perforated Interval (ft):** 210 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 330 **Bottom Perforated Interval (ft):** 330 **1 year:** -14.80
Aquifer(s): OGALLALA **5 year:** -25.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2007	219.00	3848.00	
1/18/2008	220.00	3847.00	-1.00
12/30/2008	230.10	3836.90	-10.10
1/21/2010	231.10	3835.90	-1.00
1/27/2011	230.30	3836.70	0.80
3/7/2012	230.70	3836.30	-0.40
3/6/2013	245.50	3821.50	-14.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: RICHARDS, DONALD

Owner:

Permit #: 12970 - FP - **Location #:** SC00404531CBC **USGS Site ID:** 393940102272400


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SW 31 4 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4393276.0 Easting (UTM x): 718165.0 GPS
Latitude/Longitude (decimal degrees): 39.661468 -102.456840

Surface Elevation (ft): 4124.78 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** **1 year:** -0.30
Aquifer(s): **5 year:** 3.30
10 year: -4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	204.00	3920.78	0.10
1/9/2005	206.10	3918.68	-2.10
1/18/2006	207.00	3917.78	-0.90
12/18/2006	209.60	3915.18	-2.60
1/18/2008	206.30	3918.48	3.30
12/31/2008			
1/21/2010	205.20	3919.58	
1/26/2011	206.00	3918.78	-0.80
3/7/2012	206.30	3918.48	-0.30

All Historic Measurements



Well Name: DUTTON, MILDRED

Owner:

Permit #: 13028 - FP - **Location #:** SC00404532BCA **USGS Site ID:** 394001102261000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 32 4 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4394008.0 Easting (UTM x): 720022.0 GPS
Latitude/Longitude (decimal degrees): 39.667581 -102.434969

Surface Elevation (ft): 4105.77 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -14.80
Aquifer(s): OGALLALA **5 year:** -22.20
10 year: -29.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	210.40	3895.37	0.40
1/9/2005	210.90	3894.87	-0.50
1/18/2006	211.50	3894.27	-0.60
12/18/2006	216.50	3889.27	-5.00
1/18/2008	217.80	3887.97	-1.30
12/30/2008	226.00	3879.77	-8.20
1/21/2010	225.50	3880.27	0.50
1/26/2011	224.00	3881.77	1.50
3/7/2012	225.20	3880.57	-1.20
3/6/2013	240.00	3865.77	-14.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: PHILLIPS, IVA DELL

Owner:

Permit #: 10741 - F - **Location #:** SC00404718AAB **USGS Site ID:** 394250102402500

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 18 4 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4398549.0 Easting (UTM x): 699388.0 GPS
Latitude/Longitude (decimal degrees): 39.713526 -102.673954


Surface Elevation (ft): 4162.91 **Top Perforated Interval (ft):** 20 **Base of grout (ft):**
Well depth (ft): 85 **Bottom Perforated Interval (ft):** 85
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.80
5 year: 1.80
10 year: 0.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	13.10	4149.81	-0.10
12/18/2004	13.60	4149.31	-0.50
1/28/2006	13.10	4149.81	0.50
2/28/2007	14.40	4148.51	-1.30
1/22/2008	14.00	4148.91	0.40
1/2/2009	13.40	4149.51	0.60
1/21/2010	12.10	4150.81	1.30
1/26/2011	9.70	4153.21	2.40
1/22/2012	10.40	4152.51	-0.70
3/7/2013	12.20	4150.71	-1.80

All Historic Measurements



Well Name: REHOR, EARL

Owner:

Permit #: 12646 - F - **Location #:** SC00404719DDB **USGS Site ID:** 394119102402300

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NW 19 4 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4395782.6 Easting (UTM x): 699471.4 User supplied
Latitude/Longitude (decimal degrees): 39.688601 -102.673818


Surface Elevation (ft): 4252.92 **Top Perforated Interval (ft):** 150 **Base of grout (ft):**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240
Aquifer(s): OGALLALA

Water Level Change
1 year: -16.00
5 year: -21.20
10 year: -24.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	127.50	4125.42	-1.50
1/20/2005	128.00	4124.92	-0.50
1/28/2006	129.50	4123.42	-1.50
2/28/2007	129.50	4123.42	0.00
1/22/2008	129.50	4123.42	0.00
2/23/2009	131.80	4121.12	-2.30
1/1/2010			
2/5/2011	135.00	4117.92	
2/28/2012	134.70	4118.22	0.30
3/5/2013	150.70	4102.22	-16.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: WISE, EMMETT

Owner:

Permit #: 12512 - F - **Location #:** SC00404726BBD **USGS Site ID:** 394055102362800

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW SE 26 4 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4395128.8 Easting (UTM x): 705115.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.681379 -102.608260


Surface Elevation (ft): 4166.87 **Top Perforated Interval (ft):** 175 **Base of grout (ft):**
Well depth (ft): 244 **Bottom Perforated Interval (ft):** 244
Aquifer(s): OGALLALA

Water Level Change
1 year: -8.40
5 year: -11.40
10 year: -15.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	110.80	4056.07	-1.70
12/15/2004	112.90	4053.97	-2.10
1/28/2006	113.10	4053.77	-0.20
2/28/2007	113.40	4053.47	-0.30
1/22/2008	113.60	4053.27	-0.20
2/23/2009	115.80	4051.07	-2.20
1/21/2010	116.30	4050.57	-0.50
2/5/2011	117.00	4049.87	-0.70
2/28/2012	116.60	4050.27	0.40
3/5/2013	125.00	4041.87	-8.40

All Historic Measurements



Well Name: RLS RANCH

Owner: CLARE SMITH

Permit #: 39762 - - **Location #:** SC00404822BC **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SW 22 4 S 48 W S **From N/S line:** 1906 N **From E/W line:** 560 W
UTM Coordinates (NAD83): Northing (UTM y): 4396236.5 Easting (UTM x): 693518.5 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.694057 -102.743055


Surface Elevation (ft): 4280 **Top Perforated Interval (ft):** 84 **Base of grout (ft):**
Well depth (ft): 104 **Bottom Perforated Interval (ft):** 104
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.20
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2011	51.00	4229.00	
2/28/2012	50.80	4229.20	0.20
3/7/2012	51.20	4228.80	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SMITH, CLARE E.

Owner:

Permit #: 11940 - F - **Location #:** SC00404827ADD **USGS Site ID:** 394044102433400

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SE 27 4 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4394577.0 Easting (UTM x): 694993.0 GPS
Latitude/Longitude (decimal degrees): 39.678781 -102.726361


Surface Elevation (ft): 4314.96 **Top Perforated Interval (ft):** 110 **Base of grout (ft):**
Well depth (ft): 210 **Bottom Perforated Interval (ft):** 210
Aquifer(s):

Water Level Change
1 year: -16.50
5 year: -19.60
10 year: -23.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	132.30	4182.66	-0.80
12/21/2004	133.50	4181.46	-1.20
1/28/2006	134.20	4180.76	-0.70
2/28/2007	133.90	4181.06	0.30
1/22/2008	134.60	4180.36	-0.70
1/2/2009	136.50	4178.46	-1.90
1/21/2010	137.00	4177.96	-0.50
2/5/2011	137.00	4177.96	0.00
2/28/2012	149.70	4165.26	-12.70
3/7/2012	153.50	4161.46	-3.80

All Historic Measurements



Well Name: MASON, MERRILL

Owner:

Permit #: - - **Location #:** SC00404829BC **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW 29 4 S 48 W S From N/S line: 2273 N From E/W line: 522 W
UTM Coordinates (NAD83): Northing (UTM y): 4394389.5 Easting (UTM x): 690341.8 Spotted from section lines
Latitude/Longitude (decimal degrees): 39.678142 -102.780610


Surface Elevation (ft): 4358 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): **Bottom Perforated Interval (ft):**
Aquifer(s): OGALLALA

Water Level Change
1 year: -5.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2011	81.00	4277.00	
2/28/2012	82.00	4276.00	-1.00
1/26/2013	87.00	4271.00	-5.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: REHOR, EARL		Owner:	
Permit #: 6627 - RFP -	Location #: SC00404835DAB	USGS Site ID: 393943102424200	
Division: 1	Water District: 65	County: YUMA	
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:			
SE NE NW 35 4 S 48 W S	From N/S line: From E/W line:		
UTM Coordinates (NAD83): Northing (UTM y): 4392738.0 Easting (UTM x): 696259.4 <i>User supplied</i>			
Latitude/Longitude (decimal degrees): 39.661934 -102.712152			
Surface Elevation (ft): 4299.95	Top Perforated Interval (ft):	Base of grout (ft):	Water Level Change
Well depth (ft): 260	Bottom Perforated Interval (ft):		1 year: -8.60
Aquifer(s):			5 year: -10.80
			10 year: -22.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	137.50	4162.45	-1.50
1/20/2005	139.10	4160.85	-1.60
1/28/2006	142.50	4157.45	-3.40
2/23/2007	145.10	4154.85	-2.60
1/22/2008	147.50	4152.45	-2.40
2/23/2009	147.20	4152.75	0.30
1/21/2010	147.60	4152.35	-0.40
2/5/2011	149.50	4150.45	-1.90
2/28/2012	149.70	4150.25	-0.20
3/6/2013	158.30	4141.65	-8.60

All Historic Measurements




Well Name: LOHR, GEORGE		Owner:	
Permit #: - -	Location #: SC00404919CCC	USGS Site ID:	
Division: 1	Water District: 65	County: WASHINGTON	
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:			
SW SW SW 19 4 S 49 W S	From N/S line: From E/W line:		
UTM Coordinates (NAD83): Northing (UTM y): 4394834.0 Easting (UTM x): 678784.0 <i>GPS</i>			
Latitude/Longitude (decimal degrees): 39.684641 -102.915167			
Surface Elevation (ft): 4495	Top Perforated Interval (ft):	Base of grout (ft):	Water Level Change
Well depth (ft): 64	Bottom Perforated Interval (ft):		1 year: -0.50
Aquifer(s):			5 year:
			10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	21.00	4474.00	
2/6/2011	21.50	4473.50	-0.50
2/26/2012	21.70	4473.30	-0.20
1/21/2013	22.20	4472.80	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: ROMINE, LARRY E.

Owner:

Permit #: 13105 - R -

Location #: SC00404924CAA

USGS Site ID: 394132102490000

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE NE 24 4 S 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4395690.0 Easting (UTM x): 687671.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.690442 -102.811360

Surface Elevation (ft): 4353.01 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 49 **Bottom Perforated Interval (ft):** **1 year:** -0.30
Aquifer(s): OGALLALA **5 year:** 2.50
10 year: 5.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2004	41.00	4312.01	0.60
12/19/2004	41.70	4311.31	-0.70
2/8/2006	40.10	4312.91	1.60
2/27/2007	41.30	4311.71	-1.20
1/23/2008	38.80	4314.21	2.50
1/2/2009	38.00	4315.01	0.80
2/3/2010	35.80	4317.21	2.20
2/6/2011	36.00	4317.01	-0.20
2/28/2012	36.00	4317.01	0.00
1/21/2013	36.30	4316.71	-0.30

All Historic Measurements



Well Name: LAYBOURN, GREGG

Owner:

Permit #: 19371 - R -

Location #: SC00404934DBA

USGS Site ID: 393928102503800

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW NE 34 4 S 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4392486.0 Easting (UTM x): 684773.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.662225 -102.846031

Surface Elevation (ft): 4403.03 **Top Perforated Interval (ft):** 20 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 52 **Bottom Perforated Interval (ft):** 53 **1 year:** 0.00
Aquifer(s): OGALLALA **5 year:** 3.20
10 year: 2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	20.60	4382.43	-0.60
12/19/2004	21.40	4381.63	-0.80
2/9/2006	20.30	4382.73	1.10
2/27/2007	20.70	4382.33	-0.40
1/23/2008	20.50	4382.53	0.20
1/2/2009	20.80	4382.23	-0.30
2/3/2010	17.40	4385.63	3.40
2/6/2011	19.50	4383.53	-2.10
2/28/2012	17.30	4385.73	2.20
1/21/2013	17.30	4385.73	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: BARBER, F.

Owner:

Permit #: - -

Location #: SC00405031CAD

USGS Site ID: 393936103011600

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE SE 31 4 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4391886.0 Easting (UTM x): 669701.0 GPS

Latitude/Longitude (decimal degrees): 39.659948 -103.021783

Surface Elevation (ft): 4632.2 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 67 **Bottom Perforated Interval (ft):** **1 year:** -3.00


Aquifer(s): **5 year:** -4.10

10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2004	53.90	4578.30	0.20
12/20/2004	54.00	4578.20	-0.10
2/5/2006	53.90	4578.30	0.10
2/27/2007	53.10	4579.10	0.80
1/23/2008	53.90	4578.30	-0.80
1/2/2009	54.40	4577.80	-0.50
2/5/2010	54.00	4578.20	0.40
2/6/2011	54.00	4578.20	0.00
1/25/2012	55.00	4577.20	-1.00
1/21/2013	58.00	4574.20	-3.00

All Historic Measurements



Well Name: STANSFIELD, STEPHEN.

Owner:

Permit #: 6857 - FP -

Location #: SC00405036CCC

USGS Site ID: 393920102504000

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 36 4 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4391550.0 Easting (UTM x): 677139.0 GPS

Latitude/Longitude (decimal degrees): 39.655413 -102.935219

Surface Elevation (ft): 4512.12 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 35 **Bottom Perforated Interval (ft):** **1 year:**


Aquifer(s): OGALLALA **5 year:**

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2004	22.50	4489.62	0.00
12/19/2004	22.00	4490.12	0.50
2/5/2006	22.40	4489.72	-0.40
2/27/2007	22.40	4489.72	0.00
1/28/2008	21.80	4490.32	0.60
1/2/2009	21.80	4490.32	0.00
1/17/2010	22.00	4490.12	-0.20
2/6/2011	22.00	4490.12	0.00
1/25/2012	21.50	4490.62	0.50
1/21/2013	22.50	4489.62	-1.00
1/22/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: DOANE, ELMER

Owner:

Permit #: - -

Location #: SC00405235ACB

USGS Site ID: 393950103100701


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE SW NW 35 4 S 52 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4392260.0 Easting (UTM x): 656181.0 GPS
Latitude/Longitude (decimal degrees): 39.665893 -103.179220

Surface Elevation (ft): 4844.37 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 120 **Bottom Perforated Interval (ft):** **1 year:** -1.30
Aquifer(s): **5 year:** -2.20
10 year: -5.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2004	100.40	4743.97	-0.40
12/20/2004	100.00	4744.37	0.40
2/5/2006	102.50	4741.87	-2.50
12/15/2006	102.60	4741.77	-0.10
1/23/2008	103.60	4740.77	-1.00
1/2/2009	104.10	4740.27	-0.50
2/5/2010	105.00	4739.37	-0.90
2/6/2011	104.80	4739.57	0.20
1/25/2012	104.50	4739.87	0.30
1/21/2013	105.80	4738.57	-1.30

All Historic Measurements



Well Name: WILEY, ERNEST

Owner:

Permit #: 11743 - R -

Location #: SC00504204CBA

USGS Site ID: 393911102044600


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW NW NE 4 5 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4393330.0 Easting (UTM x): 750527.0 GPS
Latitude/Longitude (decimal degrees): 39.653086 -102.080005

Surface Elevation (ft): 3556.52 **Top Perforated Interval (ft):** 28 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 68 **Bottom Perforated Interval (ft):** 68 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -1.40
10 year: -2.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	29.80	3526.72	0.20
12/17/2004	29.90	3526.62	-0.10
1/23/2006	29.60	3526.92	0.30
2/20/2007	29.80	3526.72	-0.20
1/18/2008	30.60	3525.92	-0.80
12/31/2008	29.20	3527.32	1.40
1/12/2010	29.80	3526.72	-0.60
1/26/2011	30.20	3526.32	-0.40
1/22/2012	30.00	3526.52	0.20
1/21/2013	32.00	3524.52	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: YENTER, THEODORE S.

Owner:

Permit #: 12524 - R - **Location #:** SC00504208DCC **USGS Site ID:** 393756102052800

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SW 8 5 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4390923.0 Easting (UTM x): 749715.0 GPS
Latitude/Longitude (decimal degrees): 39.631663 -102.090366


Surface Elevation (ft): 3581.53 **Top Perforated Interval (ft):** 22 **Base of grout (ft):**
Well depth (ft): 62 **Bottom Perforated Interval (ft):** 62
Aquifer(s):

Water Level Change
1 year: -2.00
5 year: 0.60
10 year: -1.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	23.40	3558.13	-0.60
12/16/2004	25.00	3556.53	-1.60
1/23/2006	24.90	3556.63	0.10
2/20/2007	24.20	3557.33	0.70
1/18/2008	25.10	3556.43	-0.90
12/31/2008	24.40	3557.13	0.70
1/12/2010	23.70	3557.83	0.70
1/26/2011	22.00	3559.53	1.70
1/23/2012	22.50	3559.03	-0.50
2/13/2013	24.50	3557.03	-2.00

All Historic Measurements



Well Name: GRAMM, LOYD

Owner:

Permit #: 9208 - F - **Location #:** SC00504231AAD **USGS Site ID:** 393504102061200

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SE 31 5 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4385695.0 Easting (UTM x): 748695.0 GPS
Latitude/Longitude (decimal degrees): 39.584914 -102.104199


Surface Elevation (ft): 3643.56 **Top Perforated Interval (ft):** 20 **Base of grout (ft):**
Well depth (ft): 80 **Bottom Perforated Interval (ft):** 80
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.80
5 year: -1.00
10 year: -6.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	15.40	3628.16	0.30
1/21/2005	15.10	3628.46	0.30
1/23/2006	15.20	3628.36	-0.10
2/20/2007	15.20	3628.36	0.00
1/19/2008	21.00	3622.56	-5.80
12/31/2008	20.40	3623.16	0.60
1/12/2010	21.50	3622.06	-1.10
1/26/2011	21.50	3622.06	0.00
1/23/2012	21.20	3622.36	0.30
2/13/2013	22.00	3621.56	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: BURAKER, HAROLD

Owner:

Permit #: 6348 - FP - **Location #:** SC00504314BDC **USGS Site ID:** 393728102090600

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE SW 14 5 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4389919.0 Easting (UTM x): 744575.0 GPS
Latitude/Longitude (decimal degrees): 39.624112 -102.150557


Surface Elevation (ft): 3646.57 **Top Perforated Interval (ft):** 60 **Base of grout (ft):**
Well depth (ft): 90 **Bottom Perforated Interval (ft):** 90
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.70
5 year: -0.70
10 year: -1.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	38.90	3607.67	0.10
12/16/2004	39.90	3606.67	-1.00
1/23/2006	39.10	3607.47	0.80
2/20/2007	39.50	3607.07	-0.40
1/18/2008	39.50	3607.07	0.00
12/31/2008	38.30	3608.27	1.20
1/12/2010	38.00	3608.57	0.30
1/26/2011	38.50	3608.07	-0.50
1/23/2012	38.50	3608.07	0.00
2/13/2013	40.20	3606.37	-1.70

All Historic Measurements



Well Name: SCHASE, ALFRED

Owner:

Permit #: - - **Location #:** SC00504314CCB **USGS Site ID:** 393725102093000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 14 5 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4389443.0 Easting (UTM x): 744069.0 GPS
Latitude/Longitude (decimal degrees): 39.619973 -102.156621


Surface Elevation (ft): 3652.57 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 63 **Bottom Perforated Interval (ft):**
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.60
5 year: -1.70
10 year: -2.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	36.60	3615.97	-0.10
12/16/2004	36.50	3616.07	0.10
1/23/2006	36.10	3616.47	0.40
2/20/2007	37.00	3615.57	-0.90
1/18/2008	37.20	3615.37	-0.20
12/31/2008	37.40	3615.17	-0.20
1/12/2010	37.40	3615.17	0.00
1/26/2011	37.10	3615.47	0.30
1/23/2012	37.30	3615.27	-0.20
2/13/2013	38.90	3613.67	-1.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **HUTTON, LINDA**

Owner: HUTTON, LINDA

Permit #: 78472 - -

Location #: SC00504329DA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE NE 29 5 S 43 W S From N/S line: 2561 S From E/W line: 735 W
UTM Coordinates (NAD83): Northing (UTM y): 4386517.0 Easting (UTM x): 740742.0 GPS
Latitude/Longitude (decimal degrees): 39.594582 -102.196399


Surface Elevation (ft): 3762 **Top Perforated Interval (ft):** 175 **Base of grout (ft):**
Well depth (ft): 195 **Bottom Perforated Interval (ft):** 195
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.70
5 year: -4.70
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2008	110.80	3651.20	
12/31/2008	110.90	3651.10	-0.10
1/12/2010	110.50	3651.50	0.40
1/26/2011	110.50	3651.50	0.00
1/23/2012	110.80	3651.20	-0.30
2/13/2013	115.50	3646.50	-4.70

All Historic Measurements



Well Name: **BUOL, JOHN**

Owner:

Permit #: 11490 - RFP -

Location #: SC00504409BAB

USGS Site ID: 393838102180100

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NE NW 9 5 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4391628.0 Easting (UTM x): 731628.0 GPS
Latitude/Longitude (decimal degrees): 39.643095 -102.300638


Surface Elevation (ft): 3934.65 **Top Perforated Interval (ft):** 180 **Base of grout (ft):**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** 260
Aquifer(s): OGALLALA

Water Level Change
1 year: -11.70
5 year: -13.00
10 year: -16.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2004	183.80	3750.85	-0.90
12/16/2004	185.00	3749.65	-1.20
1/24/2006	185.30	3749.35	-0.30
12/18/2006	185.90	3748.75	-0.60
1/19/2008	186.20	3748.45	-0.30
12/31/2008	186.80	3747.85	-0.60
1/12/2010	187.00	3747.65	-0.20
10/26/2011	187.00	3747.65	0.00
1/23/2012	187.50	3747.15	-0.50
2/13/2013	199.20	3735.45	-11.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SHANKS, CLIFFORD

Owner:

Permit #: 3131 - F - **Location #:** SC00504420ADB **USGS Site ID:** 393642102183800

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE SE NW 20 5 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4388073.0 Easting (UTM x): 730773.0 GPS
Latitude/Longitude (decimal degrees): 39.611329 -102.311831


Surface Elevation (ft): 3781.65 **Top Perforated Interval (ft):** 43 **Base of grout (ft):**
Well depth (ft): 79 **Bottom Perforated Interval (ft):** 79
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: -2.10
10 year: -2.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	20.30	3761.35	-0.20
12/16/2004	21.10	3760.55	-0.80
1/24/2006	20.50	3761.15	0.60
12/18/2006	20.30	3761.35	0.20
1/19/2008	20.40	3761.25	-0.10
12/31/2008	19.50	3762.15	0.90
1/12/2010	19.50	3762.15	0.00
1/26/2011	20.30	3761.35	-0.80
1/23/2012	20.50	3761.15	-0.20
2/13/2013	22.50	3759.15	-2.00

All Historic Measurements



Well Name: KNAPP, DON

Owner:

Permit #: 9645 - F - **Location #:** SC00504425ACC **USGS Site ID:** 393520102142000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE SW SW 25 5 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4386399.0 Easting (UTM x): 736940.0 GPS
Latitude/Longitude (decimal degrees): 39.594579 -102.240670


Surface Elevation (ft): 3736.61 **Top Perforated Interval (ft):** 55 **Base of grout (ft):**
Well depth (ft): 95 **Bottom Perforated Interval (ft):** 95
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.50
5 year: -0.40
10 year: -1.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	40.50	3696.11	-0.10
12/16/2004	42.30	3694.31	-1.80
1/24/2006	41.40	3695.21	0.90
2/20/2007	40.80	3695.81	0.60
1/19/2008	41.00	3695.61	-0.20
12/31/2008	39.90	3696.71	1.10
1/12/2010	39.90	3696.71	0.00
1/26/2011	39.90	3696.71	0.00
1/26/2012	39.90	3696.71	0.00
2/13/2013	41.40	3695.21	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: KLEWENO, R.

Owner:

Permit #: 19859 - R -

Location #: SC00504430BCA

USGS Site ID: 393543102202600

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW SW NE 30 5 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4386247.3 Easting (UTM x): 728341.8 User supplied
Latitude/Longitude (decimal degrees): 39.595548 -102.340751


Surface Elevation (ft): 3815.65 **Top Perforated Interval (ft):** 60 **Base of grout (ft):**
Well depth (ft): 85 **Bottom Perforated Interval (ft):** 85
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: -1.50
10 year: -8.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	25.00	3790.65	0.10
1/21/2005	25.00	3790.65	0.00
1/24/2006	30.00	3785.65	-5.00
12/18/2006	31.30	3784.35	-1.30
1/19/2008	31.90	3783.75	-0.60
1/3/2009	30.40	3785.25	1.50
1/12/2010	31.10	3784.55	-0.70
1/26/2011	30.40	3785.25	0.70
1/26/2012	31.40	3784.25	-1.00
2/13/2013	33.40	3782.25	-2.00

All Historic Measurements



Well Name: HOMM, RICHARD A.

Owner:

Permit #: 2387 - F -

Location #: SC00504534DDD

USGS Site ID: 393420102225400

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE SE SE 34 5 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4383588.0 Easting (UTM x): 724864.0 GPS
Latitude/Longitude (decimal degrees): 39.572531 -102.382114


Surface Elevation (ft): 3846.69 **Top Perforated Interval (ft):** 24 **Base of grout (ft):**
Well depth (ft): 84 **Bottom Perforated Interval (ft):** 84
Aquifer(s): OGALLALA

Water Level Change
1 year: -11.70
5 year: -10.80
10 year: -12.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2004	8.70	3837.99	0.10
12/15/2004	10.00	3836.69	-1.30
1/26/2006	10.10	3836.59	-0.10
2/20/2007	10.30	3836.39	-0.20
1/19/2008	10.40	3836.29	-0.10
1/3/2009	10.90	3835.79	-0.50
1/12/2010	10.50	3836.19	0.40
1/26/2011	10.00	3836.69	0.50
1/26/2012	9.50	3837.19	0.50
2/13/2013	21.20	3825.49	-11.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **WARKENTINE, ALVIN & DOTTY**

Owner:

Permit #: 12038 - FP - **Location #:** SC00504605BAC **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE SW 5 5 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4392253.0 Easting (UTM x): 710160.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.654264 -102.550398


Surface Elevation (ft): 4145 **Top Perforated Interval (ft):** 167 **Base of grout (ft):**
Well depth (ft): 277 **Bottom Perforated Interval (ft):** 277
Aquifer(s): OGALLALA

Water Level Change
1 year: -16.40
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2010	139.00	4006.00	
2/5/2011	140.00	4005.00	-1.00
1/26/2012	140.60	4004.40	-0.60
3/6/2013	157.00	3988.00	-16.40

All Historic Measurements



Well Name: **NELSON, EUGENE A**

Owner:

Permit #: 11580 - FP - **Location #:** SC00504622DBD **USGS Site ID:**

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SE 22 5 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4386733.0 Easting (UTM x): 714489.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.603500 -102.501773


Surface Elevation (ft): 4096 **Top Perforated Interval (ft):** 113 **Base of grout (ft):**
Well depth (ft): 173 **Bottom Perforated Interval (ft):** 173
Aquifer(s): OGALLALA

Water Level Change
1 year: -10.40
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2010	143.60	3952.40	
2/5/2011	144.20	3951.80	-0.60
1/26/2012	144.60	3951.40	-0.40
2/13/2013	155.00	3941.00	-10.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **MCDONALD BROTHERS**

Owner:

Permit #: 10822 - F -

Location #: SC00504624AAC

USGS Site ID: 393640102275000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 24 5 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4387606.0 Easting (UTM x): 717675.0 GPS
Latitude/Longitude (decimal degrees): 39.610555 -102.464412

Surface Elevation (ft): 4091.76 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 244 **Bottom Perforated Interval (ft):** **1 year:** -14.50
Aquifer(s): **5 year:** -19.30
10 year: -26.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2004	178.80	3912.96	-3.90
12/15/2004	181.00	3910.76	-2.20
1/26/2006	181.80	3909.96	-0.80
2/28/2007	181.00	3910.76	0.80
1/19/2008	181.70	3910.06	-0.70
1/3/2009	184.80	3906.96	-3.10
1/21/2010	185.00	3906.76	-0.20
2/5/2011	186.20	3905.56	-1.20
1/26/2012	186.50	3905.26	-0.30
2/13/2013	201.00	3890.76	-14.50

All Historic Measurements



Well Name: **LIMING, RICHARD A.**

Owner:

Permit #: 9114 - F -

Location #: SC00504632AAC

USGS Site ID: 393450102321000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 32 5 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4384255.0 Easting (UTM x): 711578.0 GPS
Latitude/Longitude (decimal degrees): 39.581916 -102.536440

Surface Elevation (ft): 4129.8 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 170 **Bottom Perforated Interval (ft):** **1 year:** -16.80
Aquifer(s): **5 year:** -22.90
10 year: -28.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	114.40	4015.40	-1.50
12/15/2004	117.00	4012.80	-2.60
1/26/2006	119.40	4010.40	-2.40
2/21/2007	117.40	4012.40	2.00
1/19/2008	118.90	4010.90	-1.50
2/23/2009	122.90	4006.90	-4.00
1/18/2010	122.90	4006.90	0.00
2/5/2011	124.80	4005.00	-1.90
1/26/2012	125.00	4004.80	-0.20
2/13/2013	141.80	3988.00	-16.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: NELSON, EUGENE

Owner:

Permit #: 12375 - F - **Location #:** SC00504701CBD **USGS Site ID:** 393847102351700

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW SE 1 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4391329.0 Easting (UTM x): 706980.0 GPS
Latitude/Longitude (decimal degrees): 39.646722 -102.587722


Surface Elevation (ft): 4176.85 **Top Perforated Interval (ft):** 163 **Base of grout (ft):**
Well depth (ft): 231 **Bottom Perforated Interval (ft):** 273
Aquifer(s): OGALLALA

Water Level Change
1 year: -16.80
5 year: -19.20
10 year: -27.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	131.90	4044.95	-1.40
1/21/2005	133.90	4042.95	-2.00
2/8/2006	136.50	4040.35	-2.60
2/23/2007	137.50	4039.35	-1.00
1/28/2008	138.50	4038.35	-1.00
2/23/2009	139.50	4037.35	-1.00
1/21/2010	140.20	4036.65	-0.70
2/5/2011	140.50	4036.35	-0.30
1/26/2012	140.90	4035.95	-0.40
3/6/2013	157.70	4019.15	-16.80

All Historic Measurements



Well Name: COX, ALFRED

Owner:

Permit #: 6763 - RR - **Location #:** SC00504704BCA **USGS Site ID:** 393908102384101

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SW NE 4 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4391796.0 Easting (UTM x): 702047.0 GPS
Latitude/Longitude (decimal degrees): 39.652106 -102.645026


Surface Elevation (ft): 4239.9 **Top Perforated Interval (ft):** 150 **Base of grout (ft):**
Well depth (ft): 230 **Bottom Perforated Interval (ft):** 230
Aquifer(s): OGALLALA

Water Level Change
1 year: -10.70
5 year: -11.90
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2004	139.90	4100.00	-16.60
12/19/2004	144.00	4095.90	-4.10
2/6/2006	143.80	4096.10	0.20
2/27/2007	144.20	4095.70	-0.40
1/28/2008	145.30	4094.60	-1.10
2/23/2009	146.40	4093.50	-1.10
1/18/2010	144.60	4095.30	1.80
2/5/2011	146.20	4093.70	-1.60
1/26/2012	146.50	4093.40	-0.30
3/6/2013	157.20	4082.70	-10.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SEARS, JACK, K.

Owner:

Permit #: 11727 - F -

Location #: SC00504707CDB

USGS Site ID: 393749102405700

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE NW 7 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4389292.0 Easting (UTM x): 698873.0 GPS
Latitude/Longitude (decimal degrees): 39.630306 -102.682745


Surface Elevation (ft): 4287.93 **Top Perforated Interval (ft):** 179 **Base of grout (ft):**
Well depth (ft): 279 **Bottom Perforated Interval (ft):** 279
Aquifer(s): OGALLALA

Water Level Change
1 year: -16.80
5 year: -20.70
10 year: -32.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	142.20	4145.73	-1.70
12/15/2004	152.20	4135.73	-10.00
2/7/2006	151.40	4136.53	0.80
2/28/2007	151.10	4136.83	0.30
1/28/2008	151.80	4136.13	-0.70
2/23/2009	154.10	4133.83	-2.30
1/18/2010	154.80	4133.13	-0.70
2/5/2011	155.50	4132.43	-0.70
1/26/2012	155.70	4132.23	-0.20
3/6/2013	172.50	4115.43	-16.80

All Historic Measurements



Well Name: BOONE, ELMER

Owner:

Permit #: 20449 - RFP -

Location #: SC00504714DCB

USGS Site ID: 393650102360000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NW 14 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4387802.0 Easting (UTM x): 705887.0 GPS
Latitude/Longitude (decimal degrees): 39.615234 -102.601548


Surface Elevation (ft): 4211.36 **Top Perforated Interval (ft):** 136 **Base of grout (ft):**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240
Aquifer(s): OGALLALA

Water Level Change
1 year: -17.00
5 year: -19.80
10 year: -25.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	137.00	4074.36	-1.90
12/15/2004	139.00	4072.36	-2.00
2/7/2006	138.90	4072.46	0.10
2/23/2007	139.30	4072.06	-0.40
1/28/2008	141.20	4070.16	-1.90
2/23/2009	143.40	4067.96	-2.20
1/18/2010	142.20	4069.16	1.20
2/5/2011	143.80	4067.56	-1.60
1/26/2012	144.00	4067.36	-0.20
2/13/2013	161.00	4050.36	-17.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SEARS, JACK

Owner:

Permit #: 12331 - FP -

Location #: SC00504715BAC

USGS Site ID: 393720102374000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE SW 15 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4388560.0 Easting (UTM x): 703831.0 GPS
Latitude/Longitude (decimal degrees): 39.622550 -102.625246


Surface Elevation (ft): 4229.88 **Top Perforated Interval (ft):** 180 **Base of grout (ft):**
Well depth (ft): 280 **Bottom Perforated Interval (ft):** 280
Aquifer(s): OGALLALA

Water Level Change
1 year: -7.40
5 year: -9.70
10 year: -15.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	139.80	4090.08	-1.80
1/22/2005	142.70	4087.18	-2.90
2/7/2006	141.10	4088.78	1.60
2/23/2007	144.00	4085.88	-2.90
1/28/2008	143.30	4086.58	0.70
2/23/2009	144.20	4085.68	-0.90
1/18/2010	144.50	4085.38	-0.30
2/5/2011	145.80	4084.08	-1.30
1/26/2012	145.60	4084.28	0.20
3/6/2013	153.00	4076.88	-7.40

All Historic Measurements



Well Name: SEAMAN, RODNEY

Owner:

Permit #: 6492 - RFP -

Location #: SC00504720BAB

USGS Site ID: 393640102394000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 20 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4387305.0 Easting (UTM x): 700669.0 GPS
Latitude/Longitude (decimal degrees): 39.611998 -102.662436


Surface Elevation (ft): 4275.91 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 281 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: -17.00
5 year:
10 year: -30.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	155.70	4120.21	-1.90
12/15/2004	158.40	4117.51	-2.70
2/7/2006	157.30	4118.61	1.10
2/23/2007	159.00	4116.91	-1.70
1/28/2008			
2/23/2009	164.40	4111.51	
1/18/2010	166.20	4109.71	-1.80
2/5/2011	167.00	4108.91	-0.80
1/26/2012	167.50	4108.41	-0.50
2/13/2013	184.50	4091.41	-17.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SEARS, JACK K.

Owner:

Permit #: 6642 - F - **Location #:** SC00504732CCA **USGS Site ID:** 393420102395000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 32 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4382878.0 Easting (UTM x): 700688.0 GPS
Latitude/Longitude (decimal degrees): 39.572138 -102.663555


Surface Elevation (ft): 4279.9 **Top Perforated Interval (ft):** 140 **Base of grout (ft):**
Well depth (ft): 220 **Bottom Perforated Interval (ft):** 220
Aquifer(s): OGALLALA

Water Level Change
1 year: -16.00
5 year: -18.00
10 year: -29.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	139.00	4140.90	-1.10
1/21/2005	143.00	4136.90	-4.00
2/7/2006	147.90	4132.00	-4.90
2/23/2007	148.30	4131.60	-0.40
1/28/2008	149.00	4130.90	-0.70
2/23/2009	152.10	4127.80	-3.10
1/18/2010	150.80	4129.10	1.30
2/5/2011	150.60	4129.30	0.20
1/26/2012	151.00	4128.90	-0.40
2/13/2013	167.00	4112.90	-16.00

All Historic Measurements



Well Name: SEARS, JACK

Owner:

Permit #: 12343 - F - **Location #:** SC00504736BBD **USGS Site ID:** 393450102351000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 36 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4384307.0 Easting (UTM x): 707407.0 GPS
Latitude/Longitude (decimal degrees): 39.583404 -102.584949


Surface Elevation (ft): 4196.84 **Top Perforated Interval (ft):** 61 **Base of grout (ft):**
Well depth (ft): 181 **Bottom Perforated Interval (ft):** 181
Aquifer(s):

Water Level Change
1 year: -11.20
5 year: -11.30
10 year: -18.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	124.50	4072.34	-2.60
12/15/2004	127.00	4069.84	-2.50
2/7/2006	128.10	4068.74	-1.10
2/21/2007	127.20	4069.64	0.90
1/28/2008	128.70	4068.14	-1.50
2/23/2009	129.00	4067.84	-0.30
1/18/2010	127.80	4069.04	1.20
2/5/2011	128.40	4068.44	-0.60
1/26/2012	128.80	4068.04	-0.40
2/13/2013	140.00	4056.84	-11.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SEARS IRRIGATED FARM

Owner:

Permit #: 95628 - -

Location #: SC00504801CBD

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW SE 1 5 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4391023.0 Easting (UTM x): 697099.0 GPS
Latitude/Longitude (decimal degrees): 39.646301 -102.702884


Surface Elevation (ft): 4298 **Top Perforated Interval (ft):** 215 **Base of grout (ft):**
Well depth (ft): 255 **Bottom Perforated Interval (ft):** 255
Aquifer(s): OGALLALA

Water Level Change
1 year: -15.40
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2010	128.80	4169.20	
2/5/2011	129.60	4168.40	-0.80
1/26/2012	129.80	4168.20	-0.20
3/6/2013	145.20	4152.80	-15.40

All Historic Measurements



Well Name: ROYAL PETROLEUM INC

Owner:

Permit #: 11969 - F -

Location #: SC00504804CDB

USGS Site ID: 393840102450000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SE NW 4 5 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4390633.9 Easting (UTM x): 692353.5 User supplied
Latitude/Longitude (decimal degrees): 39.643878 -102.758264


Surface Elevation (ft): 4353.98 **Top Perforated Interval (ft):** 170 **Base of grout (ft):**
Well depth (ft): 234 **Bottom Perforated Interval (ft):** 234
Aquifer(s): OGALLALA

Water Level Change
1 year: -11.20
5 year: -10.60
10 year: -17.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2004	152.10	4201.88	-0.80
1/21/2005	152.30	4201.68	-0.20
2/7/2006	155.40	4198.58	-3.10
2/23/2007	156.60	4197.38	-1.20
1/22/2008	158.60	4195.38	-2.00
2/23/2009			
1/21/2010	157.40	4196.58	
2/5/2011	157.60	4196.38	-0.20
1/26/2012	158.00	4195.98	-0.40
3/7/2013	169.20	4184.78	-11.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SEARS, JACK

Owner:

Permit #: 12151 - F - **Location #:** SC00504808CCA **USGS Site ID:** 393750102464000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 8 5 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4388987.8 Easting (UTM x): 690676.8 User supplied
Latitude/Longitude (decimal degrees): 39.629433 -102.778265


Surface Elevation (ft): 4386.99 **Top Perforated Interval (ft):** 164 **Base of grout (ft):**
Well depth (ft): 234 **Bottom Perforated Interval (ft):** 234
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.60
5 year: -6.80
10 year: -11.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	162.15	4224.84	-1.20
12/20/2004	164.20	4222.79	-2.05
2/7/2006	163.45	4223.54	0.75
2/23/2007	167.95	4219.04	-4.50
1/22/2008	165.15	4221.84	2.80
2/23/2009	165.75	4221.24	-0.60
2/6/2011	166.95	4220.04	-1.20
1/26/2012	167.35	4219.64	-0.40
3/6/2013	171.95	4215.04	-4.60

All Historic Measurements



Well Name: SEARS, JACK

Owner:

Permit #: 12625 - F - **Location #:** SC00504815AAC **USGS Site ID:** 393720102440000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 15 5 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4388349.3 Easting (UTM x): 694748.8 User supplied
Latitude/Longitude (decimal degrees): 39.622767 -102.731041


Surface Elevation (ft): 4331.96 **Top Perforated Interval (ft):** 180 **Base of grout (ft):**
Well depth (ft): 284 **Bottom Perforated Interval (ft):** 284
Aquifer(s): OGALLALA

Water Level Change
1 year: -17.60
5 year: -18.00
10 year: -20.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2004	162.50	4169.46	-0.80
1/21/2005	165.80	4166.16	-3.30
2/7/2006	163.30	4168.66	2.50
2/23/2007	162.00	4169.96	1.30
1/22/2008	164.00	4167.96	-2.00
2/23/2009	163.30	4168.66	0.70
1/13/2010	162.80	4169.16	0.50
2/6/2011	164.00	4167.96	-1.20
1/26/2012	164.40	4167.56	-0.40
3/6/2013	182.00	4149.96	-17.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **MASON, MERRILL**

Owner:

Permit #: 78711 - -

Location #: SC00504818DA

USGS Site ID:

Division: 0

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twnshp Range PM

Distance from section lines:

SE NE

18

5 S

48 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 690067.0 Easting (UTM x): 4387731.0 [GPS](#)

Latitude/Longitude (decimal degrees): 5.229190 -71.902100

Surface Elevation (ft): 4402 **Top Perforated Interval (ft):** 220 **Base of grout (ft):**

Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240

Aquifer(s): OGALLALA

Water Level Change

1 year: -4.20


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	164.20	4237.80	
2/6/2011	164.80	4237.20	-0.60
2/5/2012	165.00	4237.00	-0.20
1/26/2013	169.20	4232.80	-4.20

All Historic Measurements



Well Name: **SCHNEIDER, KENNETH**

Owner:

Permit #: 11997 - F -

Location #: SC00504821BBD

USGS Site ID: 393630102454000

Division: 1

Water District: 65

County: YUMA

Location: Q160 Q40 Q10 Section Twnshp Range PM

Distance from section lines:

NW NW SE 21

5 S

48 W S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4386652.0 Easting (UTM x): 692335.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.608031 -102.759636

Surface Elevation (ft): 4376.98 **Top Perforated Interval (ft):** 195 **Base of grout (ft):**

Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295

Aquifer(s): OGALLALA

Water Level Change

1 year: -4.70


5 year: -5.00

10 year: -10.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	167.80	4209.18	-2.80
12/20/2004	168.80	4208.18	-1.00
2/7/2006	168.90	4208.08	-0.10
2/23/2007	170.30	4206.68	-1.40
1/22/2008	170.80	4206.18	-0.50
2/23/2009	171.00	4205.98	-0.20
1/13/2010	171.00	4205.98	0.00
2/6/2011	172.80	4204.18	-1.80
2/5/2012	171.10	4205.88	1.70
1/26/2013	175.80	4201.18	-4.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	HILL, ELDEN	Owner:	
Permit #:	12349 - F -	Location #:	SC00504826CCA
		USGS Site ID:	393510102431000
Division:	1	Water District:	49
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SW SW NE 26	5 S 48 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4384326.0	Easting (UTM x): 695661.0 GPS
Latitude/Longitude (decimal degrees):		39.586336	-102.721609
Surface Elevation (ft):	4349.95	Top Perforated Interval (ft):	160
		Base of grout (ft):	
Well depth (ft):	300	Bottom Perforated Interval (ft):	300
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -15.60
5 year: -17.00
10 year: -23.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	158.10	4191.85	-1.50
1/22/2005	160.10	4189.85	-2.00
2/7/2006	161.10	4188.85	-1.00
2/23/2007	161.30	4188.65	-0.20
1/22/2008	163.50	4186.45	-2.20
2/23/2009	164.30	4185.65	-0.80
1/13/2010	164.00	4185.95	0.30
2/6/2011	164.70	4185.25	-0.70
2/5/2012	164.90	4185.05	-0.20
3/6/2013	180.50	4169.45	-15.60

All Historic Measurements




Well Name:	MASON, MERRELL	Owner:	
Permit #:	12333 - FP -	Location #:	SC00504901DDB
		USGS Site ID:	393830102482000
Division:	1	Water District:	65
		County:	WASHINGTON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SE SE NW 1	5 S 49 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4390455.0	Easting (UTM x): 688166.0 GPS
Latitude/Longitude (decimal degrees):		39.643199	-102.807083
Surface Elevation (ft):	4407.01	Top Perforated Interval (ft):	107
		Base of grout (ft):	
Well depth (ft):	174	Bottom Perforated Interval (ft):	174
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.00
5 year: -5.10
10 year: -8.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	152.50	4254.51	-1.00
2/9/2006	154.00	4253.01	-1.50
2/27/2007	153.60	4253.41	0.40
1/22/2008	154.40	4252.61	-0.80
2/24/2009	155.60	4251.41	-1.20
1/17/2010	155.00	4252.01	0.60
2/6/2011	155.70	4251.31	-0.70
1/26/2012	156.50	4250.51	-0.80
1/21/2013	159.50	4247.51	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SMITH, VIRGIL & BETTY

Owner:

Permit #: 19342 - SFP - **Location #:** SC00504904AAB **USGS Site ID:** 393936102514500

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 4 5 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4391609.0 Easting (UTM x): 683442.0 GPS
Latitude/Longitude (decimal degrees): 39.654616 -102.861780


Surface Elevation (ft): 4444.04 **Top Perforated Interval (ft):** 40 **Base of grout (ft):**
Well depth (ft): 56 **Bottom Perforated Interval (ft):** 80
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year: 0.30
10 year: -14.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2004	28.90	4415.14	-0.50
12/19/2004	32.90	4411.14	-4.00
2/9/2006	35.50	4408.54	-2.60
2/27/2007	39.30	4404.74	-3.80
1/28/2008	43.30	4400.74	-4.00
1/2/2009	43.10	4400.94	0.20
2/3/2010	40.00	4404.04	3.10
2/5/2011	39.80	4404.24	0.20
2/5/2012	41.00	4403.04	-1.20
1/21/2013	43.00	4401.04	-2.00

All Historic Measurements



Well Name: LAYBOURN, STAN

Owner:

Permit #: 16237 - R - **Location #:** SC00504905AA **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE 5 5 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4391291.0 Easting (UTM x): 682043.0 GPS
Latitude/Longitude (decimal degrees): 39.652051 -102.878164


Surface Elevation (ft): 4462 **Top Perforated Interval (ft):** 31 **Base of grout (ft):**
Well depth (ft): 56 **Bottom Perforated Interval (ft):** 56
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.20
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	33.00	4429.00	
2/6/2011	35.20	4426.80	-2.20
1/26/2012	35.40	4426.60	-0.20
1/21/2013	35.20	4426.80	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: HILL, GEORGE

Owner:

Permit #: - -

Location #: SC00504910CBC

USGS Site ID: 393744102513300


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW SW 10 5 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4388862.0 Easting (UTM x): 683777.0 GPS
Latitude/Longitude (decimal degrees): 39.629809 -102.858642

Surface Elevation (ft): 4468.04 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 107 **Bottom Perforated Interval (ft):** **1 year:** -0.50
Aquifer(s): **5 year:** -2.10
10 year: -4.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2004	99.10	4368.94	-1.10
1/23/2005	100.20	4367.84	-1.10
2/9/2006	99.80	4368.24	0.40
2/27/2007	99.50	4368.54	0.30
1/28/2008	100.80	4367.24	-1.30
1/2/2009	101.40	4366.64	-0.60
1/17/2010	101.60	4366.44	-0.20
2/6/2011	101.60	4366.44	0.00
1/26/2012	102.40	4365.64	-0.80
1/21/2013	102.90	4365.14	-0.50

All Historic Measurements



Well Name: SCHULTE, CHARLES

Owner: CHARLES SCHULTE

Permit #: 12431 - F -

Location #: SC00504912BD

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SE 12 5 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4389723.0 Easting (UTM x): 687375.0 Digitized off map
Latitude/Longitude (decimal degrees): 39.636782 -102.816502

Surface Elevation (ft): 4414 **Top Perforated Interval (ft):** 124 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 204 **Bottom Perforated Interval (ft):** 204 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	166.00	4248.00	
2/6/2011	167.40	4246.60	-1.40
1/26/2012	168.60	4245.40	-1.20
1/21/2013	170.20	4243.80	-1.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **TRAUTWEIN & WOODS**

Owner:

Permit #: 12337 - F - **Location #:** SC00504913CBD **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW SE 13 5 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4387323.0 Easting (UTM x): 687391.0 *GPS*
Latitude/Longitude (decimal degrees): 39.615169 -102.816996


Surface Elevation (ft): 4433 **Top Perforated Interval (ft):** 175 **Base of grout (ft):**
Well depth (ft): 242 **Bottom Perforated Interval (ft):** 245
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.50
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2010	159.00	4274.00	
2/6/2011	161.20	4271.80	-2.20
1/26/2012	161.50	4271.50	-0.30
1/21/2013	161.00	4272.00	0.50

All Historic Measurements



Well Name: **LICHTY, MICHAEL**

Owner: MICHAEL LITCHY

Permit #: 12336 - FP - **Location #:** SC00504914DD **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SE 14 5 S 49 W S From N/S line: 1259 S From E/W line: 1176 E
UTM Coordinates (NAD83): Northing (UTM y): 4387274.0 Easting (UTM x): 686652.2 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.614889 -102.825610


Surface Elevation (ft): 4436 **Top Perforated Interval (ft):** 176 **Base of grout (ft):**
Well depth (ft): 236 **Bottom Perforated Interval (ft):** 236
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/6/2011	170.00	4266.00	
1/26/2012	171.00	4265.00	-1.00
1/21/2013	175.00	4261.00	-4.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: BURNS, PAUL & ANITA

Owner: PAUL BURNS

Permit #: 17282 - FP - **Location #:** SC00504929BB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 29 5 S 49 W S From N/S line: 890 N From E/W line: 1260 W
UTM Coordinates (NAD83): Northing (UTM y): 4384930.5 Easting (UTM x): 680928.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.595016 -102.892886


Surface Elevation (ft): 4545 **Top Perforated Interval (ft):** 222 **Base of grout (ft):**
Well depth (ft): 272 **Bottom Perforated Interval (ft):** 272
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.20
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2011	185.00	4360.00	
1/26/2012	184.20	4360.80	0.80
1/21/2013	186.40	4358.60	-2.20

All Historic Measurements



Well Name: DUELL, ETHEL

Owner:

Permit #: - - **Location #:** SC00504930CC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW 30 5 S 49 W S From N/S line: 1294 S From E/W line: 1388 W
UTM Coordinates (NAD83): Northing (UTM y): 4383945.0 Easting (UTM x): 679344.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.586475 -102.911584


Surface Elevation (ft): 4578 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): **Bottom Perforated Interval (ft):**
Aquifer(s): OGALLALA

Water Level Change
1 year: -3.10
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2011	183.00	4395.00	
1/26/2012	182.40	4395.60	0.60
1/21/2013	185.50	4392.50	-3.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **MASON, GEORGIA**

Owner:

Permit #: 242152 - A **Location #:** SC00505001AAB **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 1 5 S 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4391502.0 Easting (UTM x): 678511.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.654696 -102.919250


Surface Elevation (ft): 4491 **Top Perforated Interval (ft):** 65 **Base of grout (ft):**
Well depth (ft): 85 **Bottom Perforated Interval (ft):** 85
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.20
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	25.00	4466.00	
2/6/2011	25.60	4465.40	-0.60
3/2/2012	25.80	4465.20	-0.20
1/21/2013	26.00	4465.00	-0.20

All Historic Measurements



Well Name: **MASON, RODNEY**

Owner: RODNEY MASON

Permit #: 10760 - R - **Location #:** SC00505001BBC **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SW 1 5 S 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4391242.0 Easting (UTM x): 677134.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.652641 -102.935360


Surface Elevation (ft): 4513 **Top Perforated Interval (ft):** 23 **Base of grout (ft):**
Well depth (ft): 43 **Bottom Perforated Interval (ft):** 43
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.50
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/11/2010	19.00	4494.00	
2/6/2011	20.00	4493.00	-1.00
1/25/2012	19.50	4493.50	0.50
1/21/2013	21.00	4492.00	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: MASON, RODNEY

Owner:

Permit #: 10759 - R -

Location #: SC00505002AAB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE NW 2 5 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4391424.0 Easting (UTM x): 676727.0 GPS


Latitude/Longitude (decimal degrees): 39.654364 -102.940052

Surface Elevation (ft): 4514 **Top Perforated Interval (ft):** 23 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 43 **Bottom Perforated Interval (ft):** 43 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2010	23.00	4491.00	
2/6/2011	23.40	4490.60	-0.40
1/25/2012	23.00	4491.00	0.40
1/21/2013	24.20	4489.80	-1.20

All Historic Measurements



Well Name: GLENN, HERSEL A.

Owner:

Permit #: 12047 - R -

Location #: SC00505003DBC

USGS Site ID: 393832102574500

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW SW 3 5 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4390425.0 Easting (UTM x): 674720.0 GPS


Latitude/Longitude (decimal degrees): 39.645781 -102.963696

Surface Elevation (ft): 4555.95 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 50 **Bottom Perforated Interval (ft):** **1 year:** -1.30
Aquifer(s): **5 year:** -0.90
10 year: -1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2004	28.90	4527.05	-0.50
12/19/2004	29.00	4526.95	-0.10
2/5/2006	29.00	4526.95	0.00
2/27/2007	28.90	4527.05	0.10
1/28/2008	28.90	4527.05	0.00
1/2/2009	24.20	4531.75	4.70
2/3/2010	28.00	4527.95	-3.80
2/6/2011	28.20	4527.75	-0.20
1/25/2012	28.50	4527.45	-0.30
1/27/2013	29.80	4526.15	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: DRULLINGER, REX H.

Owner:

Permit #: 13211 - R - **Location #:** SC00505009CCC **USGS Site ID:** 393734102592600


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 9 5 S 50 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4388338.0 Easting (UTM x): 672322.0 GPS
Latitude/Longitude (decimal degrees): 39.627474 -102.992171

Surface Elevation (ft): 4586.38 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 56 **Bottom Perforated Interval (ft):** **1 year:** 0.00
Aquifer(s): **5 year:** 0.00
10 year: -0.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2004	28.80	4557.58	-0.30
12/20/2004	29.80	4556.58	-1.00
2/5/2006	28.40	4557.98	1.40
2/27/2007	28.20	4558.18	0.20
1/28/2008	28.80	4557.58	-0.60
1/2/2009	28.50	4557.88	0.30
2/3/2010	28.00	4558.38	0.50
2/6/2011	27.80	4558.58	0.20
1/25/2012	28.80	4557.58	-1.00
1/27/2013	28.80	4557.58	0.00

All Historic Measurements



Well Name: NORMAN, WAUNETTA & LOYD

Owner:

Permit #: - - **Location #:** SC00505013BB **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 13 5 S 50 W S From N/S line: 287 N From E/W line: 109 W
UTM Coordinates (NAD83): Northing (UTM y): 4388236.5 Easting (UTM x): 677234.2 Spotted from section lines
Latitude/Longitude (decimal degrees): 39.625557 -102.934998

Surface Elevation (ft): 4568 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2011	98.00	4470.00	
3/3/2012	98.50	4469.50	-0.50
1/27/2013	99.00	4469.00	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: MARTIN, HERMAN

Owner:

Permit #: 15258 - F - **Location #:** SC00505023DCA **USGS Site ID:** 393600102563001


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NE 23 5 S 50 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4385404.0 Easting (UTM x): 676660.0 GPS
Latitude/Longitude (decimal degrees): 39.600170 -102.942440

Surface Elevation (ft): 4627.13 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** **1 year:** -2.00
Aquifer(s): **5 year:** -1.80
10 year: -5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	181.50	4445.63	-0.20
12/20/2004	182.00	4445.13	-0.50
2/5/2006	183.30	4443.83	-1.30
2/27/2007	184.50	4442.63	-1.20
1/28/2008	185.00	4442.13	-0.50
1/2/2009	184.80	4442.33	0.20
2/3/2010	184.50	4442.63	0.30
2/6/2011	184.00	4443.13	0.50
3/3/2012	184.80	4442.33	-0.80
1/27/2013	186.80	4440.33	-2.00

All Historic Measurements



Well Name: DOLIFKA, CHARLIE

Owner:

Permit #: - - **Location #:** SC00505221CCC **USGS Site ID:** 393545103130001


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 21 5 S 52 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4384498.0 Easting (UTM x): 653067.0 GPS
Latitude/Longitude (decimal degrees): 39.596552 -103.217302

Surface Elevation (ft): 4949.38 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 125 **Bottom Perforated Interval (ft):** **1 year:** -0.80
Aquifer(s): **5 year:** -1.80
10 year: -3.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2004	108.70	4840.68	-0.30
12/20/2004	109.80	4839.58	-1.10
2/8/2006	109.80	4839.58	0.00
12/15/2006	110.50	4838.88	-0.70
1/23/2008	110.20	4839.18	0.30
1/2/2009	111.00	4838.38	-0.80
2/5/2010	111.00	4838.38	0.00
2/7/2011	110.50	4838.88	0.50
3/3/2012	111.20	4838.18	-0.70
1/28/2013	112.00	4837.38	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: MEINZER, CHERYL

Owner:

Permit #: 13516 - F - **Location #:** SC00505225CCD **USGS Site ID:** 393453103092201


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 25 5 S 52 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4382918.6 Easting (UTM x): 658313.5 User supplied
Latitude/Longitude (decimal degrees): 39.581375 -103.156605

Surface Elevation (ft): 4794.32 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 70 **Bottom Perforated Interval (ft):** **1 year:** 1.00
Aquifer(s): **5 year:** -0.80
10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2004	37.90	4756.42	0.10
12/19/2004	39.20	4755.12	-1.30
2/5/2006	39.20	4755.12	0.00
12/15/2006	42.00	4752.32	-2.80
1/23/2008	41.20	4753.12	0.80
1/2/2009	41.90	4752.42	-0.70
2/6/2010	40.70	4753.62	1.20
2/7/2011	42.70	4751.62	-2.00
3/3/2012	43.00	4751.32	-0.30
1/28/2013	42.00	4752.32	1.00

All Historic Measurements



Well Name: HOFFMAN, MARY

Owner:

Permit #: - - **Location #:** SC00505314DAA **USGS Site ID:** 393657103162701


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE NE 14 5 S 53 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4386539.0 Easting (UTM x): 648093.0 GPS
Latitude/Longitude (decimal degrees): 39.615808 -103.274751

Surface Elevation (ft): 5021.43 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 125 **Bottom Perforated Interval (ft):** **1 year:** -1.70
Aquifer(s): **5 year:** -1.80
10 year: -2.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	121.10	4900.33	0.50
12/19/2004	121.00	4900.43	0.10
2/3/2006	122.00	4899.43	-1.00
12/15/2006	122.00	4899.43	0.00
1/23/2008	122.40	4899.03	-0.40
1/2/2009	122.60	4898.83	-0.20
2/5/2010	123.00	4898.43	-0.40
2/7/2011	122.20	4899.23	0.80
3/3/2012	122.50	4898.93	-0.30
1/28/2013	124.20	4897.23	-1.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	BROOKS	Owner:	EARVIL BROOKS
Permit #:	77784 - -	Location #:	SC00505318BB
USGS Site ID:			
Division:	1	Water District:	65
County:	WASHINGTON		
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NW 18 5 S 53 W S		From N/S line: 300 N From E/W line: 300 W
UTM Coordinates (NAD83):	Northing (UTM y): 4387052.5	Easting (UTM x): 640125.0	Spotted from section lines
Latitude/Longitude (decimal degrees):	39.621774	-103.367431	
Surface Elevation (ft):	5112	Top Perforated Interval (ft):	115
Well depth (ft):	130	Bottom Perforated Interval (ft):	130
Aquifer(s):	OGALLALA	Base of grout (ft):	
			Water Level Change
			1 year: -0.20
			5 year: -1.70
			10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2006	116.00	4996.00	
1/23/2008	115.90	4996.10	0.10
1/2/2009	116.90	4995.10	-1.00
2/6/2010	117.00	4995.00	-0.10
2/7/2011	117.20	4994.80	-0.20
3/3/2012	117.40	4994.60	-0.20
1/28/2013	117.60	4994.40	-0.20

All Historic Measurements




Well Name:	NUTTLEMAN, C.	Owner:	
Permit #:	77784 - -	Location #:	SC00505412BBB
USGS Site ID:	393732103225800		
Division:	1	Water District:	65
County:	WASHINGTON		
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NW NW 12 5 S 54 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y): 4386985.0	Easting (UTM x): 640099.0	GPS
Latitude/Longitude (decimal degrees):	39.621170	-103.367748	
Surface Elevation (ft):	5148.52	Top Perforated Interval (ft):	115
Well depth (ft):	127	Bottom Perforated Interval (ft):	130
Aquifer(s):	OGALLALA	Base of grout (ft):	
			Water Level Change
			1 year: -1.50
			5 year: -1.80
			10 year: 4.55

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004			
12/19/2004	122.20	5026.32	
2/3/2006			
12/15/2006			
1/23/2008	115.85	5032.67	
1/2/2009	116.85	5031.67	-1.00
2/7/2011	116.05	5032.47	0.80
3/3/2012	116.15	5032.37	-0.10
1/28/2013	117.65	5030.87	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **MCARTHER, ERNEST**

Owner:

Permit #: 278051 - -

Location #: SC00604508

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section 8 Twtnshp 6 S Range 45 W S PM Distance from section lines:
From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4380525.0 Easting (UTM x): 719575.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.546330 -102.444644

Surface Elevation (ft): 3918 **Top Perforated Interval (ft):** 56 **Base of grout (ft):**
Well depth (ft): 106 **Bottom Perforated Interval (ft):** 106
Aquifer(s): OGALLALA

Water Level Change

1 year: -10.10


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2010	12.80	3905.20	
2/4/2011	13.60	3904.40	-0.80
2/27/2012	14.50	3903.50	-0.90
2/13/2013	24.60	3893.40	-10.10

All Historic Measurements



Well Name: **CORLISS, MERVIN**

Owner: MERVIN CORLISS

Permit #: 6792 - F -

Location #: SC00604518AAC

USGS Site ID: 393151102275900

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section 18 Twtnshp 6 S Range 45 W S PM Distance from section lines:
From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4378736.0 Easting (UTM x): 717727.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.530697 -102.466716

Surface Elevation (ft): 3951.74 **Top Perforated Interval (ft):** 25 **Base of grout (ft):**
Well depth (ft): 85 **Bottom Perforated Interval (ft):** 85
Aquifer(s): OGALLALA

Water Level Change

1 year: -9.60


5 year: -8.60

10 year: -10.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2004	14.90	3936.84	-0.80
12/26/2004	15.10	3936.64	-0.20
1/25/2006	14.10	3937.64	1.00
2/21/2007	15.20	3936.54	-1.10
1/19/2008	15.80	3935.94	-0.60
1/3/2009	14.60	3937.14	1.20
1/12/2010	14.90	3936.84	-0.30
2/4/2011	15.60	3936.14	-0.70
2/27/2012	14.80	3936.94	0.80
2/13/2013	24.40	3927.34	-9.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **BURKART, H.A.**

Owner: H.A. BURKART

Permit #: 6979 - F -

Location #: SC00604603ABD

USGS Site ID: 393325102312500

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SE 3 6 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4381832.0 Easting (UTM x): 712683.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.559831 -102.524361

Surface Elevation (ft): 4161.78 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240 **1 year:** -8.50


Aquifer(s): OGALLALA **5 year:** -9.00

10 year: -21.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2004	157.20	4004.58	-2.20
1/23/2005	157.00	4004.78	0.20
1/26/2006	160.30	4001.48	-3.30
2/21/2007	163.80	3997.98	-3.50
1/19/2008	167.80	3993.98	-4.00
1/3/2009	168.40	3993.38	-0.60
1/12/2010	168.70	3993.08	-0.30
2/4/2011	168.80	3992.98	-0.10
2/27/2012	168.30	3993.48	0.50
2/13/2013	176.80	3984.98	-8.50

All Historic Measurements



Well Name: **HENRY, LOIS**

Owner:

Permit #: 10559 - FP -

Location #: SC00604703ACA

USGS Site ID: 393340102380000

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW NE 3 6 S 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4381614.0 Easting (UTM x): 703202.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.560166 -102.634697

Surface Elevation (ft): 4264.88 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 226 **Bottom Perforated Interval (ft):** 230 **1 year:** -11.50


Aquifer(s): OGALLALA **5 year:** -14.00

10 year: -20.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	150.70	4114.18	-2.10
1/24/2005	152.70	4112.18	-2.00
2/7/2006	152.50	4112.38	0.20
2/23/2007	152.70	4112.18	-0.20
1/20/2008	155.20	4109.68	-2.50
2/23/2009	156.50	4108.38	-1.30
2/1/2010	157.70	4107.18	-1.20
2/4/2011	157.40	4107.48	0.30
2/27/2012	157.70	4107.18	-0.30
3/6/2013	169.20	4095.68	-11.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	BRACHTENBACH, LARRY			Owner:	LARRY BRACHTENBACH		
Permit #:	9365 - F	-	Location #:	SC00604713ACC	USGS Site ID:	393130102355000	
Division:	1			Water District:	65		
Location:	Q160 Q40 Q10	Section	Twtnshp	Range	PM	County: KIT CARSON	
	NE SW SW	13	6 S	47 W S		Distance from section lines:	
						From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):			4377962.0	Easting (UTM x):	706751.0 <i>GPS</i>	
Latitude/Longitude (decimal degrees):				39.526441	-102.594556		
Surface Elevation (ft):	4200.83	Top Perforated Interval (ft):	90	Base of grout (ft):	Water Level Change		
Well depth (ft):	190	Bottom Perforated Interval (ft):	190	1 year: -14.60			
Aquifer(s):	OGALLALA			5 year: -19.20			
				10 year: -29.30			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	109.50	4091.33	-2.40
1/24/2005	111.50	4089.33	-2.00
2/7/2006	112.10	4088.73	-0.60
2/23/2007	113.60	4087.23	-1.50
1/28/2008	117.20	4083.63	-3.60
2/23/2009	117.30	4083.53	-0.10
2/1/2010	121.00	4079.83	-3.70
2/4/2011	121.80	4079.03	-0.80
2/3/2012	121.80	4079.03	0.00
3/16/2013	136.40	4064.43	-14.60

All Historic Measurements




Well Name:	KLEINS CO			Owner:			
Permit #:	11958 - FP	-	Location #:	SC00604809CBD	USGS Site ID:		
Division:	1			Water District:	49		
Location:	Q160 Q40 Q10	Section	Twtnshp	Range	PM	County: KIT CARSON	
	SW NW SE	9	6 S	48 W S		Distance from section lines:	
						From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):			4379031.0	Easting (UTM x):	691246.9 <i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees):				39.539658	-102.774498		
Surface Elevation (ft):	4408	Top Perforated Interval (ft):	185	Base of grout (ft):	Water Level Change		
Well depth (ft):	210	Bottom Perforated Interval (ft):	210	1 year: -16.60			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	173.00	4235.00	
2/4/2011	173.80	4234.20	-0.80
1/26/2012	173.40	4234.60	0.40
3/6/2013	190.00	4218.00	-16.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **LOUTZENHISER, RANDY**

Owner: LOUTZENHISER RANDY

Permit #: 5233 - FP - **Location #:** SC00605001CAA

USGS Site ID: 393320102562000

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE NE 1 6 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4380425.8 Easting (UTM x): 677037.0 *User supplied*

Latitude/Longitude (decimal degrees): 39.555266 -102.939380

Surface Elevation (ft): 4649.13 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 300 **Bottom Perforated Interval (ft):** 300 **1 year:** -10.00


Aquifer(s): OGALLALA **5 year:** -12.80

10 year: -15.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	227.70	4421.43	-0.10
1/22/2005	227.70	4421.43	0.00
2/5/2006	230.70	4418.43	-3.00
2/27/2007	230.70	4418.43	0.00
1/23/2008	230.70	4418.43	0.00
2/24/2009	231.80	4417.33	-1.10
2/6/2010	231.80	4417.33	0.00
2/7/2011	231.70	4417.43	0.10
1/26/2012	233.50	4415.63	-1.80
3/4/2013	243.50	4405.63	-10.00

All Historic Measurements



Well Name: **SAFFER, MERL**

Owner: STRATTON CARLIN S JR & ROBERTA

Permit #: 11379 - F - **Location #:** SC00605008ACA

USGS Site ID: 393240103003000

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW NE 8 6 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4378933.0 Easting (UTM x): 670837.0 *GPS*

Latitude/Longitude (decimal degrees): 39.543080 -103.011887

Surface Elevation (ft): 4736.19 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 268 **Bottom Perforated Interval (ft):** 268 **1 year:** -5.10


Aquifer(s): OGALLALA **5 year:** 7.00

10 year: -2.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	226.20	4509.99	-9.20
1/20/2005	229.00	4507.19	-2.80
2/5/2006	229.70	4506.49	-0.70
2/27/2007	222.10	4514.09	7.60
1/23/2008	226.10	4510.09	-4.00
2/24/2009	217.30	4518.89	8.80
2/1/2010	212.10	4524.09	5.20
2/7/2011	214.30	4521.89	-2.20
1/26/2012	214.00	4522.19	0.30
3/4/2013	219.10	4517.09	-5.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **LOUTZENHISER, EVERET**

Owner: LOUTZENHIZER RANDY

Permit #: 12618 - FP - **Location #:** SC00605009DBD

USGS Site ID: 393210102594000

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW SE 9 6 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4378313.0 Easting (UTM x): 672640.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.537136 -102.991078

Surface Elevation (ft): 4706.18 **Top Perforated Interval (ft):** 210 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 270 **Bottom Perforated Interval (ft):** 2707 **1 year:** -6.20


Aquifer(s): OGALLALA **5 year:** -8.70

10 year: -8.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	206.50	4499.68	-0.10
1/19/2005	206.70	4499.48	-0.20
2/5/2006	207.40	4498.78	-0.70
2/27/2007	206.70	4499.48	0.70
1/23/2008	205.70	4500.48	1.00
2/24/2009	207.40	4498.78	-1.70
2/1/2010	206.90	4499.28	0.50
2/7/2011	206.80	4499.38	0.10
1/26/2012	208.20	4497.98	-1.40
3/4/2013	214.40	4491.78	-6.20

All Historic Measurements



Well Name: **MCCAFFERY, FRANCIS**

Owner: MCCAFFERY FRANCIS JR

Permit #: 11749 - F - **Location #:** SC00605011BBB

USGS Site ID: 393250102575000

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 11 6 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4379515.0 Easting (UTM x): 674662.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.547551 -102.967247

Surface Elevation (ft): 4677.16 **Top Perforated Interval (ft):** 205 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295 **1 year:** -6.00


Aquifer(s): OGALLALA **5 year:** -7.00

10 year: -9.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	222.00	4455.16	-1.00
1/20/2005	221.80	4455.36	0.20
2/5/2006	223.00	4454.16	-1.20
2/27/2007	224.80	4452.36	-1.80
1/23/2008	223.10	4454.06	1.70
2/24/2009	224.80	4452.36	-1.70
2/1/2010	225.00	4452.16	-0.20
2/7/2011	223.90	4453.26	1.10
1/26/2012	224.10	4453.06	-0.20
3/4/2013	230.10	4447.06	-6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	GERING, PAUL	Owner:	GERING PAUL
Permit #:	13269 - FP -	Location #:	SC00605027BAC
		USGS Site ID:	393010102581000
Division:	1	Water District:	65
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NE SW 27	6 S	50 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4374451.0	Easting (UTM x): 673607.0 GPS
Latitude/Longitude (decimal degrees):		39.502164	-102.980839
Surface Elevation (ft):	4702.15	Top Perforated Interval (ft):	190
		Base of grout (ft):	
Well depth (ft):	240	Bottom Perforated Interval (ft):	240
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -6.20
5 year: -7.50
10 year: -7.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	193.50	4508.65	-0.10
1/23/2005	193.00	4509.15	0.50
2/5/2006	192.90	4509.25	0.10
2/27/2007	192.30	4509.85	0.60
1/23/2008	192.90	4509.25	-0.60
2/24/2009	192.80	4509.35	0.10
2/1/2010	193.20	4508.95	-0.40
2/7/2011	193.40	4508.75	-0.20
1/26/2012	194.20	4507.95	-0.80
3/4/2013	200.40	4501.75	-6.20

All Historic Measurements




Well Name:	WITT, JAMES	Owner:	WITT JAMES H
Permit #:	12860 - F -	Location #:	SC00605031BAA
		USGS Site ID:	392920103020000
Division:	1	Water District:	65
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NE NE 31	6 S	50 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4372925.0	Easting (UTM x): 669026.0 GPS
Latitude/Longitude (decimal degrees):		39.489335	-103.034477
Surface Elevation (ft):	4765.19	Top Perforated Interval (ft):	140
		Base of grout (ft):	
Well depth (ft):	201	Bottom Perforated Interval (ft):	201
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -5.00
5 year: -4.80
10 year: -5.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	164.30	4600.89	-1.30
1/20/2005	164.00	4601.19	0.30
2/5/2006	161.40	4603.79	2.60
2/27/2007	162.30	4602.89	-0.90
1/23/2008	163.50	4601.69	-1.20
2/24/2009	164.00	4601.19	-0.50
2/1/2010	162.60	4602.59	1.40
2/7/2011	163.50	4601.69	-0.90
1/26/2012	163.30	4601.89	0.20
3/4/2013	168.30	4596.89	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: CHARLES, DUANE

Owner: CHARLES CECIL E

Permit #: 10589 - FP -

Location #: SC00605102BBD

USGS Site ID: 393350103042000

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW NW SE 2 6 S 51 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4380732.0 Easting (UTM x): 665329.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.560359 -103.075504

Surface Elevation (ft): 4787.24 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 150 **Bottom Perforated Interval (ft):** 150 **1 year:** -5.60


Aquifer(s): OGALLALA **5 year:** -7.00

10 year: -7.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	119.10	4668.14	0.00
1/20/2005	119.00	4668.24	0.10
2/3/2006	119.00	4668.24	0.00
2/27/2007	118.40	4668.84	0.60
1/23/2008	119.20	4668.04	-0.80
1/2/2009	119.40	4667.84	-0.20
2/1/2010	120.20	4667.04	-0.80
2/7/2011	120.20	4667.04	0.00
1/26/2012	120.60	4666.64	-0.40
3/4/2013	126.20	4661.04	-5.60

All Historic Measurements



Well Name: CHARLES, DUANE

Owner: CHARLES C E

Permit #: 10530 - FP -

Location #: SC00605103CDD

USGS Site ID: 393300103053000

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW SE SE 3 6 S 51 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4379480.0 Easting (UTM x): 664179.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.549305 -103.089193

Surface Elevation (ft): 4787.25 **Top Perforated Interval (ft):** 100 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 135 **Bottom Perforated Interval (ft):** 135 **1 year:** -5.20


Aquifer(s): OGALLALA **5 year:** -4.90

10 year: -6.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	109.00	4678.25	-0.10
1/20/2005	109.10	4678.15	-0.10
2/3/2006	109.80	4677.45	-0.70
2/27/2007	109.40	4677.85	0.40
1/23/2008	110.30	4676.95	-0.90
1/2/2009	110.50	4676.75	-0.20
2/1/2010	111.00	4676.25	-0.50
2/7/2011	110.80	4676.45	0.20
1/26/2012	110.00	4677.25	0.80
3/4/2013	115.20	4672.05	-5.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	OSTROWSKI, VINCENT			Owner:	VINCENT OSTROWSKI		
Permit #:	2252 - FP -	Location #:	SC00605119BBD	USGS Site ID:	393110103090000		
Division:	1	Water District:	65	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW SE	19	6 S	51 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4375766.0	Easting (UTM x):	659014.0	GPS		
Latitude/Longitude (decimal degrees):	39.516830		-103.150164				
Surface Elevation (ft):	4844.3	Top Perforated Interval (ft):	78	Base of grout (ft):	Water Level Change		
Well depth (ft):	100	Bottom Perforated Interval (ft):	100	1 year: -4.20			
Aquifer(s):	OGALLALA			5 year: -5.80			
				10 year: -6.40			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	68.20	4776.10	-0.10
1/20/2005	68.00	4776.30	0.20
2/3/2006	69.30	4775.00	-1.30
2/27/2007	68.10	4776.20	1.20
1/20/2008	68.70	4775.60	-0.60
1/2/2009	68.70	4775.60	0.00
2/1/2010	69.60	4774.70	-0.90
2/7/2011	67.10	4777.20	2.50
1/28/2012	70.30	4774.00	-3.20
3/4/2013	74.50	4769.80	-4.20

All Historic Measurements




Well Name:	OSTROWSKI, VINCENT			Owner:	VINCENT OSTROWSKI		
Permit #:	11729 - F -	Location #:	SC00605120DBB	USGS Site ID:	393050103073000		
Division:	1	Water District:	65	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NW NW	20	6 S	51 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4375361.0	Easting (UTM x):	661191.0	GPS		
Latitude/Longitude (decimal degrees):	39.512777		-103.124950				
Surface Elevation (ft):	4850.27	Top Perforated Interval (ft):	105	Base of grout (ft):	Water Level Change		
Well depth (ft):	155	Bottom Perforated Interval (ft):	155	1 year: -5.00			
Aquifer(s):	OGALLALA			5 year: -6.10			
				10 year: -6.00			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	119.70	4730.57	0.00
1/20/2005	119.70	4730.57	0.00
2/3/2006	120.50	4729.77	-0.80
2/27/2007	119.60	4730.67	0.90
1/20/2008	119.60	4730.67	0.00
1/2/2009	121.20	4729.07	-1.60
2/1/2010	120.90	4729.37	0.30
2/7/2011	120.70	4729.57	0.20
1/28/2012	120.70	4729.57	0.00
3/4/2013	125.70	4724.57	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: COLLIE, LUELLA M.

Owner:

Permit #: - -

Location #: SC00605330DBD

USGS Site ID: 392951103215601

Division: 1 **Water District:** 65 **County:** LINCOLN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW SE 30 6 S 53 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4373158.3 Easting (UTM x): 640546.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.496563 -103.365469

Surface Elevation (ft): 5182.48 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -5.60


Aquifer(s): **5 year:** -7.30

10 year: -7.85

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	151.05	5031.43	-0.05
1/19/2005	151.10	5031.38	-0.05
2/3/2006	149.35	5033.13	1.75
12/15/2006	152.15	5030.33	-2.80
1/20/2008	151.55	5030.93	0.60
1/1/2009	152.35	5030.13	-0.80
1/1/2010			
2/7/2011	152.65	5029.83	
1/28/2012	153.25	5029.23	-0.60
3/4/2013	158.85	5023.63	-5.60

All Historic Measurements



Well Name: COLORADO BOARD OF LAND COMM

Owner:

Permit #: 282562 - -

Location #: SC00605336DDC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** LINCOLN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SW 36 6 S 53 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4371223.0 Easting (UTM x): 648750.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.477752 -103.270529

Surface Elevation (ft): 5082 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 200 **Bottom Perforated Interval (ft):** **1 year:** -5.80

Aquifer(s): OGALLALA


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	154.20	4927.80	
2/7/2011	154.40	4927.60	-0.20
1/28/2012	154.40	4927.60	0.00
3/4/2013	160.20	4921.80	-5.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	NORBYE, OLAF M.		Owner:	NORBYE KAREN	
Permit #:	23231 -	-	Location #:	SC00605530ADC	USGS Site ID: 392953103351401
Division:	1		Water District:	65	County: LINCOLN
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	NE SE SW	30	6 S	55 W	S
UTM Coordinates (NAD83):	Northing (UTM y):	4373119.0	Easting (UTM x):	621492.0	GPS
Latitude/Longitude (decimal degrees):		39.499112		-103.587003	
Surface Elevation (ft):	5505.72	Top Perforated Interval (ft):	129	Base of grout (ft):	
Well depth (ft):	135	Bottom Perforated Interval (ft):	135		
Aquifer(s):					

Water Level Change
1 year: -8.00
5 year: -8.30
10 year: -13.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	121.50	5384.22	0.50
1/19/2005	121.30	5384.42	0.20
2/3/2006	122.40	5383.32	-1.10
12/15/2006	126.60	5379.12	-4.20
1/20/2008	127.10	5378.62	-0.50
1/1/2009	125.80	5379.92	1.30
2/5/2010	128.00	5377.72	-2.20
2/6/2011	126.90	5378.82	1.10
1/28/2012	127.40	5378.32	-0.50
3/4/2013	135.40	5370.32	-8.00

All Historic Measurements




Well Name:	MCCAFFREY, FRANCIS		Owner:	MCCAFFREY FRANCIS	
Permit #:	48605 -	-	Location #:	SC00704827DD	USGS Site ID:
Division:	1		Water District:	49	County: KIT CARSON
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	SE SE	27	7 S	48 W	S
UTM Coordinates (NAD83):	Northing (UTM y):	4364037.0	Easting (UTM x):	694305.0	GPS
Latitude/Longitude (decimal degrees):		39.403971		-102.743305	
Surface Elevation (ft):	4406	Top Perforated Interval (ft):	162	Base of grout (ft):	
Well depth (ft):	182	Bottom Perforated Interval (ft):	182		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: -3.20
5 year: -4.10
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/23/2007	158.30	4247.70	
1/20/2008	158.90	4247.10	-0.60
1/1/2009	158.90	4247.10	0.00
2/1/2010	159.60	4246.40	-0.70
2/6/2011	160.20	4245.80	-0.60
1/26/2012	159.80	4246.20	0.40
3/4/2013	163.00	4243.00	-3.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: BENSON, EWELL & AUDREY

Owner:

Permit #: 15971 - FP - **Location #:** SC00705115AAB **USGS Site ID:**

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 15 7 S 51 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4368099.0 Easting (UTM x): 664791.0 GPS
Latitude/Longitude (decimal degrees): 39.446696 -103.084889


Surface Elevation (ft): 4872 **Top Perforated Interval (ft):** 159 **Base of grout (ft):**
Well depth (ft): 189 **Bottom Perforated Interval (ft):** 189
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	146.50	4725.50	
2/7/2011	146.70	4725.30	-0.20
1/26/2012	146.20	4725.80	0.50
3/4/2013	150.20	4721.80	-4.00

All Historic Measurements



Well Name: CORYELE, W.B.

Owner: MCCORMICK KENNETH J & DANIEL J

Permit #: 15427 - R - **Location #:** SC00705227BAC **USGS Site ID:** 392500103121701

Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE SW 27 7 S 52 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4364562.0 Easting (UTM x): 654497.0 GPS
Latitude/Longitude (decimal degrees): 39.416749 -103.205281


Surface Elevation (ft): 5052.3 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 260 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: -3.20
5 year: -3.20
10 year: -4.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	167.10	4885.20	0.50
1/21/2005	166.40	4885.90	0.70
2/3/2006	169.10	4883.20	-2.70
12/15/2006	168.60	4883.70	0.50
1/20/2008	168.90	4883.40	-0.30
1/1/2009	169.30	4883.00	-0.40
2/5/2010	168.70	4883.60	0.60
2/7/2011	168.20	4884.10	0.50
1/28/2012	168.90	4883.40	-0.70
3/4/2013	172.10	4880.20	-3.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **BEEDY, RAYMOND**

Owner:

Permit #: 37055 - FP - **Location #:** SC00705318DDD **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SE 18 7 S 53 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4366169.0 Easting (UTM x): 641065.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.433525 -103.360913


Surface Elevation (ft): 5190 **Top Perforated Interval (ft):** 113 **Base of grout (ft):**
Well depth (ft): 146 **Bottom Perforated Interval (ft):** 145
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	135.10	5054.90	
2/7/2011	135.20	5054.80	-0.10
1/30/2012	135.00	5055.00	0.20
3/4/2013	139.00	5051.00	-4.00

All Historic Measurements



Well Name: **ANDERSEN, CARLOS**

Owner: ANDERSON CARLOS

Permit #: 31967 - - **Location #:** SC00705415BAA **USGS Site ID:** 392652103253701

Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NE 15 7 S 54 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4367643.0 Easting (UTM x): 635301.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.447727 -103.427564


Surface Elevation (ft): 5274.55 **Top Perforated Interval (ft):** 110 **Base of grout (ft):**
Well depth (ft): 130 **Bottom Perforated Interval (ft):** 130
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.80
5 year: 2.90
10 year: 1.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	102.80	5171.75	0.00
1/19/2005	102.60	5171.95	0.20
2/3/2006	103.80	5170.75	-1.20
12/15/2006	103.70	5170.85	0.10
1/20/2008	103.80	5170.75	-0.10
1/1/2009	102.00	5172.55	1.80
2/5/2010	103.80	5170.75	-1.80
2/7/2011	100.90	5173.65	2.90
1/28/2012	100.10	5174.45	0.80
3/4/2013	100.90	5173.65	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: ROHRBAUGH, EDWARD

Owner: EDWARD ROHRBAUGH

Permit #: - -

Location #: SC00705514DCC

USGS Site ID:


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SW 14 7 S 55 W S From N/S line: 400 S From E/W line: 2510 E
UTM Coordinates (NAD83): Northing (UTM y): 4365957.0 Easting (UTM x): 627554.0 GPS
Latitude/Longitude (decimal degrees): 39.433722 -103.517891

Surface Elevation (ft): 5428 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -0.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2006	105.40	5322.60	
1/20/2008	104.30	5323.70	1.10
1/1/2009	104.00	5324.00	0.30
2/5/2010	104.50	5323.50	-0.50
2/7/2011	104.20	5323.80	0.30
1/28/2012	104.40	5323.60	-0.20
3/4/2013	104.80	5323.20	-0.40

All Historic Measurements



Well Name: REID, DAVID

Owner: DAVID REID

Permit #: - -

Location #: SC00804917CCB

USGS Site ID: 392050102543000


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 17 8 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4357370.0 Easting (UTM x): 680045.0 GPS
Latitude/Longitude (decimal degrees): 39.347031 -102.910607

Surface Elevation (ft): 4567.1 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 18 **Bottom Perforated Interval (ft):** **1 year:** -2.60
Aquifer(s): **5 year:** 1.80
10 year: 0.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	11.70	4555.40	-0.30
1/18/2005	13.80	4553.30	-2.10
2/5/2006	12.30	4554.80	1.50
12/15/2006	12.70	4554.40	-0.40
1/20/2008	12.50	4554.60	0.20
1/1/2009	10.60	4556.50	1.90
2/1/2010	8.00	4559.10	2.60
2/7/2011	8.50	4558.60	-0.50
1/28/2012	8.10	4559.00	0.40
3/4/2013	10.70	4556.40	-2.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	CONRAD, RALPH		Owner:	CONRAD RALPH A	
Permit #:	15380 - F -	Location #:	SC00805110ABB	USGS Site ID:	392230103052000
Division:	1	Water District:	65	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE NW NW 10	8 S	51 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4360093.0	Easting (UTM x):	664568.0	GPS
Latitude/Longitude (decimal degrees):		39.374639		-103.089449	
Surface Elevation (ft):	4875.23	Top Perforated Interval (ft):	32	Base of grout (ft):	Water Level Change
Well depth (ft):	74	Bottom Perforated Interval (ft):	72		1 year: -1.90
Aquifer(s):	OGALLALA				5 year: -1.30
					10 year: -1.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	41.10	4834.13	0.10
1/20/2005	42.50	4832.73	-1.40
2/3/2006	41.20	4834.03	1.30
12/15/2006	41.80	4833.43	-0.60
1/20/2008	41.10	4834.13	0.70
1/1/2009	41.10	4834.13	0.00
2/1/2010	41.90	4833.33	-0.80
2/7/2011	40.10	4835.13	1.80
1/28/2012	40.50	4834.73	-0.40
3/4/2013	42.40	4832.83	-1.90

All Historic Measurements




Well Name:	HEGER, CAROLYN K.		Owner:	HEGER CAROLYN KAY	
Permit #:	12921 - F -	Location #:	SC00805224CCB	USGS Site ID:	392004103102301
Division:	1	Water District:	65	County:	LINCOLN
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW SW NW 24	8 S	52 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4355457.0	Easting (UTM x):	657406.0	GPS
Latitude/Longitude (decimal degrees):		39.334221		-103.173644	
Surface Elevation (ft):	5045	Top Perforated Interval (ft):	60	Base of grout (ft):	Water Level Change
Well depth (ft):	110	Bottom Perforated Interval (ft):	110		1 year: 0.50
Aquifer(s):	OGALLALA				5 year: 1.60
					10 year: 4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	68.40	4976.60	0.30
1/18/2005	67.40	4977.60	1.00
2/3/2006	66.30	4978.70	1.10
12/15/2006	66.70	4978.30	-0.40
1/20/2008	66.10	4978.90	0.60
1/1/2009	66.20	4978.80	-0.10
2/5/2010	65.00	4980.00	1.20
2/7/2011	65.50	4979.50	-0.50
1/30/2012	65.00	4980.00	0.50
3/4/2013	64.50	4980.50	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: LILES, THELMA

Owner:

Permit #: - -

Location #: SC00805230DCA

USGS Site ID: 391910103152000

Division: 1 **Water District:** 49 **County:** LINCOLN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW NE 30 8 S 52 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4353817.0 Easting (UTM x): 650552.0 GPS

Latitude/Longitude (decimal degrees): 39.320671 -103.253502

Surface Elevation (ft): 5160.68 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 75 **Bottom Perforated Interval (ft):** **1 year:** 0.60


Aquifer(s): **5 year:** 2.60

10 year: 7.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	67.30	5093.38	0.10
1/18/2005	67.00	5093.68	0.30
2/3/2006	63.10	5097.58	3.90
12/15/2006	53.30	5107.38	9.80
1/20/2008	62.50	5098.18	-9.20
1/1/2009	61.00	5099.68	1.50
2/5/2010	59.90	5100.78	1.10
2/7/2011	60.50	5100.18	-0.60
1/30/2012	60.50	5100.18	0.00
3/4/2013	59.90	5100.78	0.60

All Historic Measurements



Well Name: BORDERS, RICHARD

Owner: RICHARD BORDERS

Permit #: - -

Location #: SC00805435AAD

USGS Site ID: 391850103240000

Division: 1 **Water District:** 65 **County:** LINCOLN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE SE 35 8 S 54 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4352808.0 Easting (UTM x): 638052.0 GPS

Latitude/Longitude (decimal degrees): 39.313668 -103.398661

Surface Elevation (ft): 5392.95 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 77 **Bottom Perforated Interval (ft):** **1 year:** -0.60


Aquifer(s): **5 year:** 1.50

10 year: 0.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2004	71.30	5321.65	0.50
1/18/2005	71.60	5321.35	-0.30
2/3/2006	71.70	5321.25	-0.10
12/15/2006	72.10	5320.85	-0.40
1/20/2008	72.60	5320.35	-0.50
1/1/2009	70.80	5322.15	1.80
2/5/2010	70.80	5322.15	0.00
2/7/2011	70.30	5322.65	0.50
1/30/2012	70.50	5322.45	-0.20
3/4/2013	71.10	5321.85	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **ANDERSEN, LU GALE**

Owner: RATLIFF, GENE

Permit #: 20730 - -

Location #: SC00805507DDA

USGS Site ID: 392148103350401

Division: 1 **Water District:** 65 **County:** LINCOLN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SE SE NE 7 8 S 55 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4358064.0 Easting (UTM x): 621893.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.363441 -103.585087

Surface Elevation (ft): 5610.72 **Top Perforated Interval (ft):** 60 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 102 **Bottom Perforated Interval (ft):** 80 **1 year:** -0.20


Aquifer(s): OGALLALA **5 year:** -0.40

10 year: -1.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	70.70	5540.02	0.20
1/19/2005	71.60	5539.12	-0.90
2/3/2006	70.70	5540.02	0.90
12/15/2006	71.90	5538.82	-1.20
1/20/2008	72.30	5538.42	-0.40
1/1/2009	71.90	5538.82	0.40
2/5/2010	72.70	5538.02	-0.80
2/7/2011	72.90	5537.82	-0.20
1/30/2012	72.50	5538.22	0.40
3/4/2013	72.70	5538.02	-0.20

All Historic Measurements



Well Name: **UNKNOWN**

Owner:

Permit #: - -

Location #: SC00805529DD

USGS Site ID:

Division: 1 **Water District:** 65 **County:** LINCOLN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SE SE 29 8 S 55 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4352892.0 Easting (UTM x): 623588.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.316611 -103.566369

Surface Elevation (ft): 5588 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**


Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.20

Aquifer(s): **5 year:** **10 year:**

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	10.50	5577.50	
2/7/2011	9.10	5578.90	1.40
1/30/2012	8.40	5579.60	0.70
3/4/2013	8.60	5579.40	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	GRIMES, J.S.	Owner:	GRIMES F S
Permit #:	14787 - -	Location #:	SC00905035BC
		USGS Site ID:	391317102575901
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW 35	9 S	50 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4343311.0	Easting (UTM x): 675508.0 GPS
Latitude/Longitude (decimal degrees):		39.221360	-102.966892
Surface Elevation (ft):	4789.18	Top Perforated Interval (ft):	61
		Base of grout (ft):	
Well depth (ft):	78	Bottom Perforated Interval (ft):	87
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.40
5 year: -1.80
10 year: -4.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	63.10	4726.08	-0.10
1/19/2005	63.00	4726.18	0.10
2/5/2006	63.00	4726.18	0.00
12/15/2006	65.70	4723.48	-2.70
1/20/2008	65.70	4723.48	0.00
1/1/2009	66.30	4722.88	-0.60
2/1/2010	67.50	4721.68	-1.20
2/6/2011	66.70	4722.48	0.80
1/30/2012	67.10	4722.08	-0.40
3/4/2013	67.50	4721.68	-0.40

All Historic Measurements




Well Name:	EDER, GEORGE	Owner:	EDER GEO
Permit #:	11726 - -	Location #:	SC00905214CCC
		USGS Site ID:	391540103113000
Division:	1	Water District:	49
		County:	LINCOLN
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW SW 14	9 S	52 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4347202.0	Easting (UTM x): 656089.0 GPS
Latitude/Longitude (decimal degrees):		39.260112	-103.190833
Surface Elevation (ft):	5152.2	Top Perforated Interval (ft):	57
		Base of grout (ft):	
Well depth (ft):	75	Bottom Perforated Interval (ft):	75
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.00
5 year: -1.40
10 year: -1.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2004	68.00	5084.20	0.00
1/18/2005	68.50	5083.70	-0.50
2/3/2006	68.20	5084.00	0.30
12/15/2006	68.20	5084.00	0.00
1/20/2008	67.60	5084.60	0.60
1/1/2009	67.40	5084.80	0.20
2/5/2010	68.00	5084.20	-0.60
2/7/2011	68.20	5084.00	-0.20
1/30/2012	68.00	5084.20	0.20
3/4/2013	69.00	5083.20	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SITTON, STACEY

Owner: STACEY SITTON

Permit #: - -

Location #: SC00905413DDD1

USGS Site ID: 391533103224401


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SE 13 9 S 54 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4346814.0 Easting (UTM x): 639838.0 GPS
Latitude/Longitude (decimal degrees): 39.259391 -103.379198

Surface Elevation (ft): 5422.53 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 89 **Bottom Perforated Interval (ft):** **1 year:** -1.00
Aquifer(s): **5 year:** -1.00
10 year: -2.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2004	71.40	5351.13	-0.10
1/19/2005	71.00	5351.53	0.40
2/3/2006	71.50	5351.03	-0.50
12/15/2006	72.10	5350.43	-0.60
1/20/2008	72.30	5350.23	-0.20
1/1/2009	72.40	5350.13	-0.10
2/5/2010	72.50	5350.03	-0.10
2/7/2011	72.50	5350.03	0.00
1/30/2012	72.30	5350.23	0.20
3/4/2013	73.30	5349.23	-1.00

All Historic Measurements



Well Name: TOWN OF GENOA

Owner:

Permit #: - -

Location #: SC00905501DDC

USGS Site ID: 391717103294001


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SW 1 9 S 55 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4349786.0 Easting (UTM x): 629799.0 GPS
Latitude/Longitude (decimal degrees): 39.287724 -103.494944

Surface Elevation (ft): 5572.62 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 80 **Bottom Perforated Interval (ft):** **1 year:** -0.40
Aquifer(s): **5 year:** 0.00
10 year: -0.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	58.90	5513.72	-0.20
1/19/2005	59.00	5513.62	-0.10
2/3/2006	58.90	5513.72	0.10
12/15/2006	58.90	5513.72	0.00
1/20/2008	59.00	5513.62	-0.10
1/1/2009	57.00	5515.62	2.00
2/5/2010	59.20	5513.42	-2.20
2/7/2011	59.00	5513.62	0.20
1/30/2012	58.60	5514.02	0.40
3/4/2013	59.00	5513.62	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: LANGENDOERFER, E.

Owner: BAR T RANCH A LTD PARTNERSHIP

Permit #: 7006 - R -

Location #: SC5.504536DCB

USGS Site ID: 393405102213600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW NW 36 5 H S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4383429.0 Easting (UTM x): 726744.0 GPS

Latitude/Longitude (decimal degrees): 39.570605 -102.360303

Surface Elevation (ft): 3831.68 **Top Perforated Interval (ft):** 50 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 90 **Bottom Perforated Interval (ft):** 90 **1 year:** -0.20


Aquifer(s): OGALLALA **5 year:** 2.50

10 year: 4.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2004	19.40	3812.28	1.60
12/15/2004	21.00	3810.68	-1.60
1/26/2006	19.00	3812.68	2.00
1/26/2007	19.20	3812.48	-0.20
1/19/2008	19.20	3812.48	0.00
1/3/2009	19.40	3812.28	-0.20
1/12/2010	14.20	3817.48	5.20
2/7/2011	17.00	3814.68	-2.80
1/30/2012	16.50	3815.18	0.50
3/4/2013	16.70	3814.98	-0.20

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Plains Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK


**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	MCDONALD JOINT VENTURE			Owner:	MCDONALD C VERLAN		
Permit #:	14178 - FP -	Location #:	SC00504418AD	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SE	18	5 S	44 W S		From N/S line: 2600 N From E/W line: 1200 E	
UTM Coordinates (NAD83):	Northing (UTM y):		Easting (UTM x):		Unable to spot		
Latitude/Longitude (decimal degrees):							
Surface Elevation (ft):	4051	Top Perforated Interval (ft):	195	Base of grout (ft):	Water Level Change		
Well depth (ft):	322	Bottom Perforated Interval (ft):	322	1 year: -7.50			
Aquifer(s):	OGALLALA			5 year: 14.60			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	228.40	3822.60	
4/10/2009	223.85	3827.15	4.55
2/1/2010	218.40	3832.60	5.45
1/5/2011	210.00	3841.00	8.40
2/24/2012	206.30	3844.70	3.70
2/12/2013	213.80	3837.20	-7.50

All Historic Measurements




Well Name:	JOHNSON, D.R. & K.M.			Owner:	CODY WILLIAM J & KANE		
Permit #:	20439 - RFP -	Location #:	SC00604216DCB	USGS Site ID:	393107102055000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SW NW	16	6 S	42 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):		Easting (UTM x):		User supplied		
Latitude/Longitude (decimal degrees):	39.517495		-102.097408				
Surface Elevation (ft):	3899.58	Top Perforated Interval (ft):	188	Base of grout (ft):	Water Level Change		
Well depth (ft):	313	Bottom Perforated Interval (ft):	313	1 year: -29.20			
Aquifer(s):	OGALLALA			5 year: -27.06			
				10 year: -34.60			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	223.83	3675.75	-1.66
1/11/2006	223.70	3675.88	0.13
4/2/2007	226.51	3673.07	-2.81
2/7/2008	229.74	3669.84	-3.23
4/10/2009	230.50	3669.08	-0.76
2/12/2010	235.35	3664.23	-4.85
2/4/2011	228.40	3671.18	6.95
2/25/2012	227.60	3671.98	0.80
2/8/2013	256.80	3642.78	-29.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	FORTMEYER, JOHN L.			Owner:	FORTMEYER JOHN L		
Permit #:	12962 - FP -	Location #:	SC00604220ACD	USGS Site ID:	393034102064800		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE SW SE 20	6 S	42 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4377279.0	Easting (UTM x):	748067.0	GPS		
Latitude/Longitude (decimal degrees):	39.509360		-102.114644				
Surface Elevation (ft):	3912.58	Top Perforated Interval (ft):	206	Base of grout (ft):	Water Level Change		
Well depth (ft):	306	Bottom Perforated Interval (ft):	306		1 year: -19.50		
Aquifer(s):	OGALLALA				5 year: -17.91		
					10 year: -23.36		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	215.11	3697.47	-1.41
1/11/2006	215.67	3696.91	-0.56
4/2/2007	216.07	3696.51	-0.40
2/28/2008	218.99	3693.59	-2.92
4/10/2009	220.27	3692.31	-1.28
2/12/2010	223.21	3689.37	-2.94
2/4/2011	219.10	3693.48	4.11
2/25/2012	217.40	3695.18	1.70
2/8/2013	236.90	3675.68	-19.50

All Historic Measurements




Well Name:	FORTMEYER, KEITH			Owner:	FORTMEYER JOHN L & FAYRENE		
Permit #:	20438 - RFP -	Location #:	SC00604223BDD	USGS Site ID:	393031102034800		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SE SE 23	6 S	42 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4377336.7	Easting (UTM x):	752442.2	User supplied		
Latitude/Longitude (decimal degrees):	39.508606		-102.063795				
Surface Elevation (ft):	3846.58	Top Perforated Interval (ft):	195	Base of grout (ft):	Water Level Change		
Well depth (ft):	280	Bottom Perforated Interval (ft):	285		1 year: -17.30		
Aquifer(s):	OGALLALA				5 year: -10.47		
					10 year: -17.12		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	181.50	3665.08	-1.45
1/11/2006	182.14	3664.44	-0.64
4/2/2007	184.52	3662.06	-2.38
2/27/2008	185.93	3660.65	-1.41
1/1/2009			
2/12/2010	183.10	3663.48	
2/4/2011	180.50	3666.08	2.60
2/25/2012	179.10	3667.48	1.40
2/8/2013	196.40	3650.18	-17.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: SALL, MELVIN A.

Owner: FORTMEYER JOHN L & FAYRENE

Permit #: 4878 - FP -

Location #: SC00604227DCB

USGS Site ID: 392922102045000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW NW 27 6 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4375131.7 Easting (UTM x): 751078.9 *User supplied*

Latitude/Longitude (decimal degrees): 39.489162 -102.080463

Surface Elevation (ft): 3899.59 **Top Perforated Interval (ft):** 182 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 312 **Bottom Perforated Interval (ft):** 312 **1 year:** -19.40


Aquifer(s): OGALLALA **5 year:** -17.39

10 year: -23.68

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	214.23	3685.36	-3.22
1/11/2006	214.88	3684.71	-0.65
4/2/2007	222.30	3677.29	-7.42
2/7/2008	225.41	3674.18	-3.11
1/1/2009			
2/12/2010	221.06	3678.53	
2/4/2011	222.20	3677.39	-1.14
2/25/2012	223.40	3676.19	-1.20
2/8/2013	242.80	3656.79	-19.40

All Historic Measurements



Well Name: PIZEL, ALLEN

Owner: PIZEL ALLEN D

Permit #: 11295 - FP -

Location #: SC00604233CCC

USGS Site ID: 392821102063200

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 33 6 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4373201.3 Easting (UTM x): 748653.4 *User supplied*

Latitude/Longitude (decimal degrees): 39.472495 -102.109352

Surface Elevation (ft): 3934.59 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 321 **Bottom Perforated Interval (ft):** 321 **1 year:** -22.90


Aquifer(s): OGALLALA **5 year:** -28.31

10 year: -40.44

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	218.33	3716.26	-1.62
1/11/2006	220.05	3714.54	-1.72
4/2/2007	224.41	3710.18	-4.36
2/7/2008	227.69	3706.90	-3.28
1/1/2009			
2/12/2010	230.94	3703.65	
2/4/2011	231.80	3702.79	-0.86
2/16/2012	233.10	3701.49	-1.30
2/8/2013	256.00	3678.59	-22.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	GERGEN. ROSE TRUST	Owner:	GERGEN ROSE MARY TRUST
Permit #:	6387 - FP -	Location #:	SC00604235CAB
		USGS Site ID:	392843102040200
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NE NW 35	6 S	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4373995.6	Easting (UTM x): 752216.2 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.478606	-102.067684
Surface Elevation (ft):	3896.59	Top Perforated Interval (ft):	245
		Base of grout (ft):	
Well depth (ft):	325	Bottom Perforated Interval (ft):	325
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -4.00
5 year: -12.81
10 year: -26.93

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	218.52	3678.07	-3.05
1/11/2006	219.46	3677.13	-0.94
4/4/2007	225.27	3671.32	-5.81
2/7/2008	228.79	3667.80	-3.52
1/1/2009			
2/12/2010	233.50	3663.09	
2/4/2011	236.40	3660.19	-2.90
2/25/2012	237.60	3658.99	-1.20
3/12/2013	241.60	3654.99	-4.00

All Historic Measurements




Well Name:	PAUL PARMER	Owner:	STANDLEY JUDY ELLEN
Permit #:	20752 - FP -	Location #:	SC00604310BB
		USGS Site ID:	
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NW 10	6 S	43 W S
		Distance from section lines:	
		From N/S line:	900 N
		From E/W line:	50 W
UTM Coordinates (NAD83):	Northing (UTM y):	4380767.0	Easting (UTM x): 740489.7 <i>Spotted from section lines</i>
Latitude/Longitude (decimal degrees):		39.542904	-102.201417
Surface Elevation (ft):	3897	Top Perforated Interval (ft):	175
		Base of grout (ft):	
Well depth (ft):	265	Bottom Perforated Interval (ft):	265
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -23.90
5 year: -10.53
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	210.92	3686.08	
1/1/2009			
2/12/2010	200.75	3696.25	
2/4/2011	197.25	3699.75	3.50
2/16/2012	197.55	3699.45	-0.30
2/6/2013	221.45	3675.55	-23.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: OCHSNER, HARVEY

Owner: OCHSNER HARVEY

Permit #: 14175 - FP - **Location #:** SC00604319AC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW 19 6 S 43 W S From N/S line: 2620 N From E/W line: 2625 E
UTM Coordinates (NAD83): Northing (UTM y): 4376958.5 Easting (UTM x): 736529.0 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.509728 -102.248811


Surface Elevation (ft): 4002 **Top Perforated Interval (ft):** 270 **Base of grout (ft):**
Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310
Aquifer(s): OGALLALA

Water Level Change
1 year: -5.40
5 year: -14.22
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	206.98	3795.02	
1/1/2009			
2/12/2010	209.60	3792.40	
2/4/2011	214.30	3787.70	-4.70
2/16/2012	215.80	3786.20	-1.50
2/12/2013	221.20	3780.80	-5.40

All Historic Measurements



Well Name: HARVEY OCHSNER

Owner: HARVEY OCHSNER

Permit #: 3158 - FP - **Location #:** SC00604319BB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 19 6 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4377501.0 Easting (UTM x): 735839.0 *GPS*
Latitude/Longitude (decimal degrees): 39.514800 -102.256636


Surface Elevation (ft): 4014 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 320 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: -7.10
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/28/2012	177.20	3836.80	
2/12/2013	184.30	3829.70	-7.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: KREOGER, WILLIAM

Owner: KREOGER WILLIAM C

Permit #: 3127 - FP - **Location #:** SC00604320CBB **USGS Site ID:** 393028102141600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 20 6 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4376766.3 Easting (UTM x): 737348.5 User supplied
Latitude/Longitude (decimal degrees): 39.507772 -102.239358

Surface Elevation (ft): 3997.62 **Top Perforated Interval (ft):** 223 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 303 **1 year:** -2.40
Aquifer(s): OGALLALA **5 year:** 0.89
10 year: -9.78

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	213.70	3783.92	-1.46
1/18/2006	213.46	3784.16	0.24
4/1/2007	217.55	3780.07	-4.09
2/7/2008	220.99	3776.63	-3.44
1/1/2009			
2/12/2010	215.10	3782.52	
2/4/2011	213.70	3783.92	1.40
2/16/2012	217.70	3779.92	-4.00
2/12/2013	220.10	3777.52	-2.40

All Historic Measurements



Well Name: BEN F PARMER

Owner: JAMES M TERRY

Permit #: 10310 - FP - **Location #:** SC00604334CB **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW 34 6 S 43 W S From N/S line: 2070 S From E/W line: 42 W
UTM Coordinates (NAD83): Northing (UTM y): 4373646.0 Easting (UTM x): 740601.0 Spotted from section lines
Latitude/Longitude (decimal degrees): 39.478786 -102.202697

Surface Elevation (ft): 3993 **Top Perforated Interval (ft):** 215 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 305 **1 year:** -18.00
Aquifer(s): OGALLALA **5 year:** -31.95
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	205.45	3787.55	
1/1/2009			
2/12/2010	199.70	3793.30	
2/4/2011	214.30	3778.70	-14.60
2/16/2012	219.40	3773.60	-5.10
2/6/2013	237.40	3755.60	-18.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **DALE MANGUS**

Owner: MANGUS DALE & SHIRLEY

Permit #: 3617 - FP -

Location #: SC00604429AB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NW 29 6 S 44 W S From N/S line: 1100 N From E/W line: 2500 E
UTM Coordinates (NAD83): Northing (UTM y): 4375751.0 Easting (UTM x): 728559.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.501015 -102.341829


Surface Elevation (ft): 4021 **Top Perforated Interval (ft):** 181 **Base of grout (ft):**
Well depth (ft): 261 **Bottom Perforated Interval (ft):** 261
Aquifer(s): OGALLALA

Water Level Change
1 year: -5.40
5 year: 15.05
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	194.75	3826.25	
1/1/2009			
2/1/2010	189.20	3831.80	
1/5/2011	175.70	3845.30	13.50
2/22/2012	174.30	3846.70	1.40
2/12/2013	179.70	3841.30	-5.40

All Historic Measurements



Well Name: **STAHLECKER, JERRY**

Owner: JERRY STAHLECKER

Permit #: 10084 - FP -

Location #: SC00604432AB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NW 32 6 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4374260.5 Easting (UTM x): 728725.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.487555 -102.340407


Surface Elevation (ft): 4010 **Top Perforated Interval (ft):** 151 **Base of grout (ft):**
Well depth (ft): 251 **Bottom Perforated Interval (ft):** 251
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.60
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2011	140.20	3869.80	
2/22/2012	141.20	3868.80	-1.00
2/12/2013	141.80	3868.20	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: JOHNSON, ALVIN C.

Owner: JOHNSON ALVIN C. & REBA G.

Permit #: 8836 - FP -

Location #: SC00604435BCA

USGS Site ID: 392904102173400

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW SW NE 35 6 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4374035.4 Easting (UTM x): 732792.5 *User supplied*

Latitude/Longitude (decimal degrees): 39.484438 -102.293248

Surface Elevation (ft): 4052.64 **Top Perforated Interval (ft):** 222 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 312 **Bottom Perforated Interval (ft):** 312

Aquifer(s): OGALLALA

1 year:


5 year: 5.05

10 year: -4.95

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	218.56	3834.08	-3.31
12/22/2004	220.65	3831.99	-2.09
1/18/2006	220.98	3831.66	-0.33
4/1/2007	224.71	3827.93	-3.73
2/10/2008	225.25	3827.39	-0.54
4/30/2009	222.07	3830.57	3.18
2/1/2010	218.10	3834.54	3.97
1/5/2011	220.80	3831.84	-2.70
2/22/2012			
2/12/2013	220.20	3832.44	

All Historic Measurements



Well Name: RICHARDS, RUTH.

Owner: RICHARDS HARRY L

Permit #: 19996 - RFP -

Location #: SC00604512CDC

USGS Site ID: 393159102225900

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW SE SW 12 6 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4379201.7 Easting (UTM x): 724870.0 *User supplied*

Latitude/Longitude (decimal degrees): 39.533048 -102.383529

Surface Elevation (ft): 4037.69 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 268 **Bottom Perforated Interval (ft):**

Aquifer(s): OGALLALA

1 year: -4.60


5 year: -0.81

10 year: -8.65

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	170.22	3867.47	-0.67
12/24/2004	170.75	3866.94	-0.53
1/18/2006	171.23	3866.46	-0.48
4/16/2007	175.31	3862.38	-4.08
2/21/2008	177.39	3860.30	-2.08
1/1/2009			
2/1/2010	182.29	3855.40	
1/6/2011	174.90	3862.79	7.39
2/22/2012	173.60	3864.09	1.30
2/13/2013	178.20	3859.49	-4.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: GRAMM, LOYD TRUST

Owner: GRAMM EDMUND & LOYD

Permit #: 19904 - FP -

Location #: SC00604523ABD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE NW SE 23 6 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4377270.0 Easting (UTM x): 723985.9 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.515892 -102.394457

Surface Elevation (ft): 4092 **Top Perforated Interval (ft):** 214 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 304 **Bottom Perforated Interval (ft):** 304 **1 year:** -6.60


Aquifer(s): OGALLALA **5 year:** -1.11

10 year: -8.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	206.20	3885.80	-0.90
12/24/2004	206.88	3885.12	-0.68
1/23/2006	208.56	3883.44	-1.68
4/16/2007	208.25	3883.75	0.31
2/21/2008	212.79	3879.21	-4.54
1/1/2009			
2/1/2010	208.40	3883.60	
1/6/2011	208.00	3884.00	0.40
2/22/2012	207.30	3884.70	0.70
2/13/2013	213.90	3878.10	-6.60

All Historic Measurements



Well Name: KOEHLER, WAYNE E.

Owner: KOEHLER WAYNE E.

Permit #: 4206 - FP -

Location #: SC00704222CBB

USGS Site ID: 392546102052500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW NW NW 22 7 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4368011.0 Easting (UTM x): 750424.0 *User supplied*

Latitude/Longitude (decimal degrees): 39.425274 -102.090740

Surface Elevation (ft): 3931.61 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 290 **Bottom Perforated Interval (ft):** 290 **1 year:** -29.10


Aquifer(s): OGALLALA **5 year:** -23.27

10 year: -33.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	193.46	3738.15	-0.50
1/23/2006	194.58	3737.03	-1.12
4/2/2007	199.24	3732.37	-4.66
2/7/2008	202.93	3728.68	-3.69
4/10/2009	204.62	3726.99	-1.69
2/8/2010	193.20	3738.41	11.42
2/4/2011	194.30	3737.31	-1.10
2/16/2012	197.10	3734.51	-2.80
2/5/2013	226.20	3705.41	-29.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **WRIGHT FARMS INC.**

Owner: WRIGHT FARMS INC OF KANSAS

Permit #: 6006 - FP -

Location #: SC00704223DDD

USGS Site ID: 392450102031500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SE 23 7 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4367320.8 Easting (UTM x): 752936.3 *User supplied*

Latitude/Longitude (decimal degrees): 39.418330 -102.061850

Surface Elevation (ft): 3923.6 **Top Perforated Interval (ft):** 189 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 309 **Bottom Perforated Interval (ft):** 309 **1 year:** -3.80


Aquifer(s): OGALLALA **5 year:** -6.73

10 year: -11.89

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	203.45	3720.15	-0.61
1/23/2006	203.89	3719.71	-0.44
4/2/2007	205.19	3718.41	-1.30
2/1/2008	207.07	3716.53	-1.88
1/1/2009			
2/8/2010	206.90	3716.70	
2/4/2011	207.00	3716.60	-0.10
2/16/2012	210.00	3713.60	-3.00
2/12/2013	213.80	3709.80	-3.80

All Historic Measurements



Well Name: **PLAUTZ, GERALD**

Owner: LANGE ARTHUR J F

Permit #: 11554 - FP -

Location #: SC00704231DBB

USGS Site ID: 392339102081300

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW NW 31 7 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4364428.9 Easting (UTM x): 746515.8 *User supplied*

Latitude/Longitude (decimal degrees): 39.394163 -102.137408

Surface Elevation (ft): 3993.63 **Top Perforated Interval (ft):** 210 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310 **1 year:** -23.20


Aquifer(s): OGALLALA **5 year:** -17.46

10 year: -25.36

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	213.67	3779.96	0.32
1/23/2006	213.37	3780.26	0.30
4/2/2007	218.53	3775.10	-5.16
2/2/2008	221.04	3772.59	-2.51
1/1/2009			
2/8/2010	212.80	3780.83	
2/4/2011	214.40	3779.23	-1.60
2/16/2012	215.30	3778.33	-0.90
2/5/2013	238.50	3755.13	-23.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: HINKHOUSE, B. TRUST

Owner: HINKHOUSE BROS

Permit #: 5044 - FP -

Location #: SC00704234BCB

USGS Site ID: 392355102052500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW NW 34 7 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4365050.9 Easting (UTM x): 750519.5 *User supplied*

Latitude/Longitude (decimal degrees): 39.398608 -102.090740

Surface Elevation (ft): 3966.62 **Top Perforated Interval (ft):** 222 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 322 **Bottom Perforated Interval (ft):** 322 **1 year:** -23.50


Aquifer(s): OGALLALA **5 year:** -22.25

10 year: -32.17

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	214.62	3752.00	-1.99
1/23/2006	215.20	3751.42	-0.58
4/2/2007	217.40	3749.22	-2.20
2/1/2008	220.55	3746.07	-3.15
4/10/2009	222.24	3744.38	-1.69
2/8/2010	218.50	3748.12	3.74
2/4/2011	217.80	3748.82	0.70
2/16/2012	219.30	3747.32	-1.50
2/12/2013	242.80	3723.82	-23.50

All Historic Measurements



Well Name: KARSPECK, HAROLD

Owner: KARSPECK HAROLD

Permit #: 10250 - FP -

Location #: SC00704235ABC

USGS Site ID: 392400102034200

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SW 35 7 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4365253.3 Easting (UTM x): 752955.8 *User supplied*

Latitude/Longitude (decimal degrees): 39.399719 -102.062406

Surface Elevation (ft): 3934.61 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 300 **Bottom Perforated Interval (ft):** **1 year:** -24.70


Aquifer(s): **5 year:** -6.90

10 year: -10.96

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	206.00	3728.61	-1.82
1/23/2006	204.27	3730.34	1.73
4/2/2007	206.15	3728.46	-1.88
2/1/2008	208.30	3726.31	-2.15
4/30/2009	207.33	3727.28	0.97
2/8/2010	194.50	3740.11	12.83
2/4/2011	191.80	3742.81	2.70
2/16/2012	190.50	3744.11	1.30
2/5/2013	215.20	3719.41	-24.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **PARMER, BEN F.**

Owner: STANDLEY JUDY ELLEN

Permit #: 10190 - F -

Location #: SC00704304ABB

USGS Site ID: 392823102123700

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW NW 4 7 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4372987.8 Easting (UTM x): 739928.4 *User supplied*

Latitude/Longitude (decimal degrees): 39.473050 -102.210745

Surface Elevation (ft): 4006.61 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310 **1 year:** -7.00


Aquifer(s): OGALLALA **5 year:** -4.48

10 year: -14.69

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	217.53	3789.08	-2.63
1/11/2006	216.56	3790.05	0.97
4/4/2007	220.69	3785.92	-4.13
2/1/2008	223.12	3783.49	-2.43
4/10/2009	223.50	3783.11	-0.38
2/12/2010	222.40	3784.21	1.10
2/7/2011	221.00	3785.61	1.40
2/25/2012	220.60	3786.01	0.40
2/6/2013	227.60	3779.01	-7.00

All Historic Measurements



Well Name: **SILKMAN, MELVIN L.**

Owner: M L SILKMAN & CO

Permit #: 12424 - F -

Location #: SC00704309CBB

USGS Site ID: 392704102131500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 9 7 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4370523.8 Easting (UTM x): 739095.3 *User supplied*

Latitude/Longitude (decimal degrees): 39.451106 -102.221301

Surface Elevation (ft): 4017.62 **Top Perforated Interval (ft):** 215 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295 **1 year:** -4.80


Aquifer(s): OGALLALA **5 year:** -5.81

10 year: -16.31

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	210.78	3806.84	-4.05
1/11/2006	210.35	3807.27	0.43
4/4/2007	214.21	3803.41	-3.86
2/1/2008	217.29	3800.33	-3.08
4/19/2009	220.13	3797.49	-2.84
2/12/2010	216.70	3800.92	3.43
2/7/2011	209.50	3808.12	7.20
2/16/2012	218.30	3799.32	-8.80
3/12/2013	223.10	3794.52	-4.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: SILKMAN, MELVIN L.

Owner: SILKMAN MELVIN L

Permit #: 12885 - FP - **Location #:** SC00704310BAA **USGS Site ID:** 392730102114500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NE 10 7 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4371392.2 Easting (UTM x): 741222.0 User supplied
Latitude/Longitude (decimal degrees): 39.458328 -102.196300

Surface Elevation (ft): 3970.61 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 275 **Bottom Perforated Interval (ft):** 275 **1 year:** -10.20
Aquifer(s): OGALLALA **5 year:** -2.92
10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	175.22	3795.39	-1.73
1/11/2006	175.42	3795.19	-0.20
4/4/2007	180.59	3790.02	-5.17
2/1/2008	183.18	3787.43	-2.59
4/10/2009	186.88	3783.73	-3.70
2/12/2010	180.20	3790.41	6.68
2/7/2011	176.30	3794.31	3.90
2/16/2012	175.90	3794.71	0.40
2/6/2013	186.10	3784.51	-10.20

All Historic Measurements



Well Name: BOLLWINKLE, GILBERT

Owner: BOLLWINKEL G F

Permit #: 16119 - R - R **Location #:** SC00704314ABC2 **USGS Site ID:** 392633102102801


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SW 14 7 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4369692.1 Easting (UTM x): 743117.7 User supplied
Latitude/Longitude (decimal degrees): 39.442495 -102.174910

Surface Elevation (ft): 4001.61 **Top Perforated Interval (ft):** 227 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 321 **Bottom Perforated Interval (ft):** 317 **1 year:** -6.60
Aquifer(s): OGALLALA **5 year:** -3.86
10 year: -9.57

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	206.18	3795.43	0.17
1/11/2006	207.43	3794.18	-1.25
4/16/2007	207.59	3794.02	-0.16
2/8/2008	210.14	3791.47	-2.55
4/10/2009	210.20	3791.41	-0.06
2/12/2010	209.40	3792.21	0.80
2/7/2011	208.00	3793.61	1.40
2/25/2012	207.40	3794.21	0.60
2/6/2013	215.50	3786.11	-8.10
3/12/2013	214.00	3787.61	1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **SCHAAL, CLIFFORD**

Owner: SCHAAL CLIFFORD G

Permit #: 5272 - FP -

Location #: SC00704319AB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW 19 7 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4367889.0 Easting (UTM x): 736927.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.427991 -102.247408

Surface Elevation (ft): 4048 **Top Perforated Interval (ft):** 204 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 284 **Bottom Perforated Interval (ft):** 284 **1 year:** 14.00
Aquifer(s): OGALLALA **5 year:** 19.11
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	236.01	3811.99	
4/30/2009	229.85	3818.15	6.16
2/12/2010	230.75	3817.25	-0.90
2/7/2011	230.30	3817.70	0.45
2/25/2012	230.90	3817.10	-0.60
2/12/2013	216.90	3831.10	14.00

All Historic Measurements



Well Name: **HOMESTEAD FARMS**

Owner: JAMES CHESTER

Permit #: 2284 - FP -

Location #: SC00704323ACA

USGS Site ID: 392536102102000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW NE 23 7 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4367940.6 Easting (UTM x): 743364.1 [User supplied](#)


Latitude/Longitude (decimal degrees): 39.426662 -102.172688

Surface Elevation (ft): 3999.62 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 307 **Bottom Perforated Interval (ft):** 307 **1 year:** -21.20
Aquifer(s): OGALLALA **5 year:** -20.36
10 year: -31.19

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	193.72	3805.90	-1.18
1/11/2006	194.80	3804.82	-1.08
4/4/2007	198.81	3800.81	-4.01
2/8/2008	202.94	3796.68	-4.13
1/1/2009			
2/12/2010	195.40	3804.22	
2/7/2011	201.60	3798.02	-6.20
2/25/2012	202.10	3797.52	-0.50
2/6/2013	223.30	3776.32	-21.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **BOECKMAN, JAMES**

Owner: BOECKMAN JAMES

Permit #: 10257 - FP -

Location #: SC00704334BCB

USGS Site ID: 392357102120900

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW NW 34 7 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4364807.5 Easting (UTM x): 740876.1 *User supplied*


Latitude/Longitude (decimal degrees): 39.399163 -102.202688

Surface Elevation (ft): 4042.65 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 315 **1 year:** -4.70
Aquifer(s): OGALLALA **5 year:** -0.71
10 year: -10.45

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	202.73	3839.92	1.32
1/11/2006	203.20	3839.45	-0.47
4/16/2007	205.59	3837.06	-2.39
2/8/2008	209.19	3833.46	-3.60
1/1/2009			
2/2/2010	204.50	3838.15	
2/7/2011	203.00	3839.65	1.50
2/25/2012	205.20	3837.45	-2.20
2/5/2013	209.90	3832.75	-4.70

All Historic Measurements



Well Name: **BERENS FARMS INC.**

Owner: BERENS ELMER F

Permit #: 6838 - FP -

Location #: SC00704407BBB

USGS Site ID: 392736102221200

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 7 7 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4371125.9 Easting (UTM x): 726253.0 *User supplied*


Latitude/Longitude (decimal degrees): 39.459994 -102.370195

Surface Elevation (ft): 4108.69 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 305 **1 year:** -7.20
Aquifer(s): OGALLALA **5 year:** -5.61
10 year: -12.02

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	203.03	3905.66	-1.05
12/24/2004	205.62	3903.07	-2.59
1/18/2006	205.42	3903.27	0.20
3/30/2007	207.82	3900.87	-2.40
2/18/2008	208.39	3900.30	-0.57
4/29/2009	207.45	3901.24	0.94
2/1/2010	206.60	3902.09	0.85
1/5/2011	206.00	3902.69	0.60
2/22/2012	206.80	3901.89	-0.80
2/13/2013	214.00	3894.69	-7.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: RIDDER, DALE K.

Owner: RIDDER DALE K

Permit #: 6518 - FP -

Location #: SC00704412BDB

USGS Site ID: 392724102161600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SE NW 12 7 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4371008.2 Easting (UTM x): 734749.7 *User supplied*

Latitude/Longitude (decimal degrees): 39.456661 -102.271580

Surface Elevation (ft): 4052.64 **Top Perforated Interval (ft):** 213 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 293 **Bottom Perforated Interval (ft):** 293 **1 year:** -8.70


Aquifer(s): OGALLALA **5 year:** -5.48

10 year: -13.93

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	211.55	3841.09	-1.98
12/24/2004	213.50	3839.14	-1.95
1/18/2006	215.10	3837.54	-1.60
4/1/2007	217.34	3835.30	-2.24
2/21/2008	218.02	3834.62	-0.68
4/29/2009	220.98	3831.66	-2.96
2/1/2010	223.34	3829.30	-2.36
1/6/2011	214.60	3838.04	8.74
2/22/2012	214.80	3837.84	-0.20
2/13/2013	223.50	3829.14	-8.70

All Historic Measurements



Well Name: BRILLHART, DARLENE

Owner: RIDDER HERMAN

Permit #: 20510 - FP -

Location #: SC00704423CBB

USGS Site ID: 392521102174800

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 23 7 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4367149.4 Easting (UTM x): 732664.3 *User supplied*

Latitude/Longitude (decimal degrees): 39.422495 -102.297136

Surface Elevation (ft): 4075.27 **Top Perforated Interval (ft):** 193 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 253 **Bottom Perforated Interval (ft):** 253 **1 year:** 0.50


Aquifer(s): OGALLALA **5 year:** -2.15

10 year: -11.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	177.40	3897.87	-2.70
12/22/2004	178.54	3896.73	-1.14
1/4/2006	179.57	3895.70	-1.03
4/1/2007	181.41	3893.86	-1.84
2/21/2008	184.05	3891.22	-2.64
4/29/2009	182.31	3892.96	1.74
2/1/2010	183.96	3891.31	-1.65
1/6/2011	189.96	3885.31	-6.00
2/22/2012	186.70	3888.57	3.26
2/13/2013	186.20	3889.07	0.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	WIEDMAN, GARVIN			Owner:	WORDEN VANESSA		
Permit #:	11988 - FP -	Location #:	SC00704429ABB	USGS Site ID:	392459102203500		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW NW 29	7 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y): 4366353.0		Easting (UTM x): 728714.3		User supplied		
Latitude/Longitude (decimal degrees):	39.416383		-102.343249				
Surface Elevation (ft):	4109.69	Top Perforated Interval (ft):	166	Base of grout (ft):	Water Level Change		
Well depth (ft):	246	Bottom Perforated Interval (ft):	246		1 year: 4.70		
Aquifer(s):	OGALLALA				5 year: 0.13		
					10 year: -10.66		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	177.15	3932.54	-2.51
12/22/2004	180.75	3928.94	-3.60
1/4/2006	180.23	3929.46	0.52
3/30/2007	182.51	3927.18	-2.28
2/19/2008	185.43	3924.26	-2.92
4/29/2009	182.39	3927.30	3.04
2/1/2010	184.15	3925.54	-1.76
1/5/2011	186.17	3923.52	-2.02
2/22/2012	190.00	3919.69	-3.83
2/13/2013	185.30	3924.39	4.70

All Historic Measurements




Well Name:	WEINGARDT, J.J.			Owner:	WEINGARDT JJ		
Permit #:	6365 - FP -	Location #:	SC00704501BDB	USGS Site ID:	392817102225900		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SE NW 1	7 S	45 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y): 4372355.9		Easting (UTM x): 725045.2		User supplied		
Latitude/Longitude (decimal degrees):	39.471382		-102.383806				
Surface Elevation (ft):	4096.71	Top Perforated Interval (ft):	185	Base of grout (ft):	Water Level Change		
Well depth (ft):	285	Bottom Perforated Interval (ft):	285		1 year: -11.80		
Aquifer(s):	OGALLALA				5 year: -11.10		
					10 year: -14.08		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	182.10	3914.61	-1.18
12/24/2004	183.70	3913.01	-1.60
1/18/2006	183.45	3913.26	0.25
3/30/2007	180.67	3916.04	2.78
2/18/2008	183.90	3912.81	-3.23
4/29/2009	184.50	3912.21	-0.60
2/1/2010	185.20	3911.51	-0.70
1/6/2011	183.70	3913.01	1.50
2/22/2012	183.20	3913.51	0.50
2/13/2013	195.00	3901.71	-11.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BUSBY PROPERTIES, LP			Owner:	BUSBY PROPERTIES		
Permit #:	12763 - F	-	Location #:	SC00704505ABB	USGS Site ID:	392832102240900	
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NW NW	5	7 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):		4372615.6	Easting (UTM x):		719034.4 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.475271			-102.453531	
Surface Elevation (ft):	4176.76	Top Perforated Interval (ft):	205	Base of grout (ft):	Water Level Change		
Well depth (ft):	305	Bottom Perforated Interval (ft):	305	1 year: -36.90			
Aquifer(s):	OGALLALA			5 year: -6.59			
				10 year: -13.95			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	218.22	3958.54	-2.17
12/24/2004	218.78	3957.98	-0.56
1/18/2006	219.62	3957.14	-0.84
3/30/2007	219.31	3957.45	0.31
1/27/2008	223.41	3953.35	-4.10
4/19/2009	219.38	3957.38	4.03
2/1/2010	214.40	3962.36	4.98
1/6/2011	209.20	3967.56	5.20
2/22/2012	193.10	3983.66	16.10
2/18/2013	230.00	3946.76	-36.90

All Historic Measurements




Well Name:	STROBEL, LELAND			Owner:	STROBEL EMIL		
Permit #:	10797 - FP	-	Location #:	SC00704507DBD	USGS Site ID:	392700102281200	
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NW SE	7	7 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):		4369769.3	Easting (UTM x):		717679.4 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.449993			-102.470198	
Surface Elevation (ft):	4221.78	Top Perforated Interval (ft):	220	Base of grout (ft):	Water Level Change		
Well depth (ft):	322	Bottom Perforated Interval (ft):	322	1 year: -6.20			
Aquifer(s):	OGALLALA			5 year: -2.11			
				10 year: -9.61			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	239.98	3981.80	-2.09
12/24/2004	241.17	3980.61	-1.19
1/18/2006	241.48	3980.30	-0.31
3/23/2007	244.06	3977.72	-2.58
2/19/2008	245.39	3976.39	-1.33
1/1/2009			
2/1/2010	244.10	3977.68	
1/6/2011	241.30	3980.48	2.80
2/22/2012	241.30	3980.48	0.00
3/8/2013	247.50	3974.28	-6.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: ZIEGLER, DELMER E

Owner: DELMER E ZIEGLER

Permit #: 46497 - -

Location #: SC00704511CBB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 11 7 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4370194.0 Easting (UTM x): 723111.9 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.452426 -102.406982

Surface Elevation (ft): 4109 **Top Perforated Interval (ft):** 238 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 268 **Bottom Perforated Interval (ft):** 268 **1 year:** -1.10
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	166.00	3943.00	
1/5/2011	165.40	3943.60	0.60
2/22/2012	166.20	3942.80	-0.80
2/13/2013	167.30	3941.70	-1.10

All Historic Measurements



Well Name: WEISS, EUGENE

Owner: WEISS D C

Permit #: 4067 - FP -

Location #: SC00704515BAC

USGS Site ID: 392634102251600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE SW 15 7 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4369087.0 Easting (UTM x): 721909.8 *User supplied*


Latitude/Longitude (decimal degrees): 39.442771 -102.421307

Surface Elevation (ft): 4196.75 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 348 **Bottom Perforated Interval (ft):** 348 **1 year:** -5.60
Aquifer(s): OGALLALA **5 year:** 0.27
10 year: -8.42

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	237.86	3958.89	-1.38
12/24/2004	239.44	3957.31	-1.58
1/18/2006	240.63	3956.12	-1.19
3/23/2007	242.09	3954.66	-1.46
2/19/2008	245.17	3951.58	-3.08
1/1/2009			
2/1/2010	242.90	3953.85	
1/6/2011	240.40	3956.35	2.50
2/22/2012	239.30	3957.45	1.10
2/13/2013	244.90	3951.85	-5.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	STROBEL, A.			Owner:	STROBEL ARTHUR P.		
Permit #:	3665 - FP -	Location #:	SC00704520DBC	USGS Site ID:	392515102271700		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NW SW	20	7 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4366568.2	Easting (UTM x):	719061.8	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.420827		-102.455197				
Surface Elevation (ft):	4223.78	Top Perforated Interval (ft):	230	Base of grout (ft):	Water Level Change		
Well depth (ft):	330	Bottom Perforated Interval (ft):	330			1 year:	-9.60
Aquifer(s):	OGALLALA					5 year:	-2.49
						10 year:	-10.96

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	239.45	3984.33	-2.01
12/24/2004	241.14	3982.64	-1.69
1/18/2006	241.97	3981.81	-0.83
3/23/2007	242.83	3980.95	-0.86
2/19/2008	245.91	3977.87	-3.08
4/29/2009	244.43	3979.35	1.48
2/1/2010	245.60	3978.18	-1.17
1/6/2011	240.00	3983.78	5.60
2/22/2012	238.80	3984.98	1.20
3/8/2013	248.40	3975.38	-9.60

All Historic Measurements




Well Name:	BERINGER, MILBERT			Owner:	BERINGER MILBERT E		
Permit #:	21090 - RFP -	Location #:	SC00704523CBB	USGS Site ID:	392527102242700		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW NW NW	23	7 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4367054.8	Easting (UTM x):	723140.7	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.424161		-102.407696				
Surface Elevation (ft):	4151.74	Top Perforated Interval (ft):	154	Base of grout (ft):	Water Level Change		
Well depth (ft):	274	Bottom Perforated Interval (ft):	274			1 year:	-12.70
Aquifer(s):	OGALLALA					5 year:	-25.40
						10 year:	-33.82

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	191.38	3960.36	-1.90
12/24/2004	193.35	3958.39	-1.97
1/18/2006	193.44	3958.30	-0.09
3/23/2007	194.60	3957.14	-1.16
2/21/2008	197.90	3953.84	-3.30
4/29/2009	195.31	3956.43	2.59
2/1/2010	200.70	3951.04	-5.39
1/6/2011	209.70	3942.04	-9.00
2/22/2012	210.60	3941.14	-0.90
2/13/2013	223.30	3928.44	-12.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	SCHULTE, R. & H.			Owner:	SCHULTE RAYMOND R		
Permit #:	5135 - FP -	Location #:	SC00704528CCC	USGS Site ID:	392411102264200		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW SW SW	28	7 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4364619.3	Easting (UTM x):	719978.6	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.403050		-102.445197				
Surface Elevation (ft):	4219.78	Top Perforated Interval (ft):	220	Base of grout (ft):	Water Level Change		
Well depth (ft):	300	Bottom Perforated Interval (ft):	300	1 year: -8.10			
Aquifer(s):	OGALLALA	5 year: -3.73					
		10 year: -15.36					

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	228.26	3991.52	-2.12
12/24/2004	229.75	3990.03	-1.49
1/26/2006	232.11	3987.67	-2.36
3/23/2007	233.92	3985.86	-1.81
2/21/2008	237.77	3982.01	-3.85
4/29/2009	236.93	3982.85	0.84
2/1/2010	230.70	3989.08	6.23
1/6/2011	232.30	3987.48	-1.60
2/22/2012	233.40	3986.38	-1.10
3/8/2013	241.50	3978.28	-8.10

All Historic Measurements




Well Name:	CURE LAND LLC			Owner:	CURE LAND LLC		
Permit #:	20513 - RFP -	Location #:	SC00704529ACB	USGS Site ID:	392447102271700		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SW NW	29	7 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4365705.6	Easting (UTM x):	719110.1	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.413049		-102.454919				
Surface Elevation (ft):	4233.58	Top Perforated Interval (ft):	237	Base of grout (ft):	Water Level Change		
Well depth (ft):	308	Bottom Perforated Interval (ft):	327	1 year: -7.30			
Aquifer(s):	OGALLALA	5 year: -3.97					
		10 year: -11.57					

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	242.40	3991.18	-1.87
12/24/2004	244.80	3988.78	-2.40
1/18/2006	244.80	3988.78	0.00
3/23/2007	245.85	3987.73	-1.05
2/19/2008	248.13	3985.45	-2.28
4/29/2009	246.70	3986.88	1.43
2/1/2010	246.40	3987.18	0.30
1/6/2011	245.40	3988.18	1.00
2/22/2012	244.80	3988.78	0.60
3/8/2013	252.10	3981.48	-7.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: CURE LAND LLC

Owner: BEEF ACRES INC

Permit #: 20732 - RFP -

Location #: SC00704531CCB

USGS Site ID: 392329102285000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW SW NW 31 7 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4363237.5 Easting (UTM x): 716928.9 *User supplied*

Latitude/Longitude (decimal degrees): 39.391383 -102.481031

Surface Elevation (ft): 4234.8 **Top Perforated Interval (ft):** 230 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 292 **Bottom Perforated Interval (ft):** 290 **1 year:** -15.90


Aquifer(s): OGALLALA **5 year:** -12.61

10 year: -21.51

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	222.21	4012.59	-4.92
12/27/2004	224.50	4010.30	-2.29
1/26/2006	222.72	4012.08	1.78
3/23/2007	223.76	4011.04	-1.04
2/21/2008	226.19	4008.61	-2.43
4/29/2009	222.01	4012.79	4.18
2/1/2010	221.90	4012.90	0.11
1/6/2011	219.18	4015.62	2.72
2/22/2012	222.90	4011.90	-3.72
2/18/2013	238.80	3996.00	-15.90

All Historic Measurements



Well Name: CURE LAND LLC

Owner:

Permit #: 4150 - FP -

Location #: SC00704533CCC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW SW SW 33 7 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4363051.5 Easting (UTM x): 720023.4 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.388925 -102.445192

Surface Elevation (ft): 4227 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295 **1 year:** -0.70

Aquifer(s): OGALLALA


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	200.40	4026.60	
1/6/2011	204.50	4022.50	-4.10
2/22/2012	206.30	4020.70	-1.80
2/18/2013	207.00	4020.00	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: LEMPP, GERALD

Owner: LIMING ROBIN L & KRISTY

Permit #: 17734 - FP -

Location #: SC00704604CBA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SW 4 7 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4372112.4 Easting (UTM x): 711013.8 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.472745 -102.546856

Surface Elevation (ft): 4153 **Top Perforated Interval (ft):** 115 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 185 **Bottom Perforated Interval (ft):** 185 **1 year:** -0.50


Aquifer(s): OGALLALA **5 year:** 4.99

10 year: -2.87

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	120.94	4032.06	-1.51
12/27/2004	122.27	4030.73	-1.33
1/24/2006	123.29	4029.71	-1.02
3/29/2007	125.00	4028.00	-1.71
2/21/2008	127.29	4025.71	-2.29
4/6/2009	130.57	4022.43	-3.28
2/10/2010	124.40	4028.60	6.17
1/7/2011	122.40	4030.60	2.00
2/25/2012	121.80	4031.20	0.60
3/8/2013	122.30	4030.70	-0.50

All Historic Measurements



Well Name: HASART, JEROLD & LESTER

Owner: HASART JEROLD & LESTER

Permit #: 2994 - FP -

Location #: SC00704635BBB

USGS Site ID: 392409102311000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 35 7 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4364374.0 Easting (UTM x): 713401.9 *User supplied*

Latitude/Longitude (decimal degrees): 39.402493 -102.521588

Surface Elevation (ft): 4270.81 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 300 **Bottom Perforated Interval (ft):** 300 **1 year:** 4.90


Aquifer(s): OGALLALA **5 year:** 16.25

10 year: 6.61

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	240.50	4030.31	-2.59
12/27/2004	242.58	4028.23	-2.08
1/26/2006	242.42	4028.39	0.16
3/23/2007	244.89	4025.92	-2.47
2/21/2008	247.55	4023.26	-2.66
4/29/2009	245.30	4025.51	2.25
2/10/2010	247.01	4023.80	-1.71
1/6/2011	238.20	4032.61	8.81
2/25/2012	236.20	4034.61	2.00
3/8/2013	231.30	4039.51	4.90

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	HORNUNG, PATRICK R			Owner:	HORNUNG DAVID L & BARBARA J		
Permit #:	17677 - FP -	Location #:	SC00704714DD	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SE	14	7 S	47 W S		From N/S line: 549 S From E/W line: 50 E	
UTM Coordinates (NAD83):	Northing (UTM y):	4367558.0	Easting (UTM x):	705483.4	<i>Spotted from section lines</i>		
Latitude/Longitude (decimal degrees):	39.433081		-102.612498				
Surface Elevation (ft):	4258	Top Perforated Interval (ft):	147	Base of grout (ft):	Water Level Change		
Well depth (ft):	207	Bottom Perforated Interval (ft):	197			1 year:	-4.00
Aquifer(s):	OGALLALA					5 year:	-0.42
						10 year:	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	172.98	4085.02	
1/1/2009			
2/10/2010	181.18	4076.82	
1/7/2011	173.12	4084.88	8.06
2/25/2012	169.40	4088.60	3.72
3/8/2013	173.40	4084.60	-4.00

All Historic Measurements




Well Name:	LEWIS, J. & K.			Owner:	LEWIS JAMES L.		
Permit #:	11287 - FP -	Location #:	SC00704722AAC	USGS Site ID:	392540102382000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NE SW	22	7 S	47 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4366946.6	Easting (UTM x):	703495.8	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.428048		-102.635759				
Surface Elevation (ft):	4256.86	Top Perforated Interval (ft):	115	Base of grout (ft):	Water Level Change		
Well depth (ft):	155	Bottom Perforated Interval (ft):	155			1 year:	-3.80
Aquifer(s):	OGALLALA					5 year:	1.27
						10 year:	-7.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	126.60	4130.26	-1.30
12/27/2004	127.11	4129.75	-0.51
1/24/2006	127.72	4129.14	-0.61
3/26/2007	129.67	4127.19	-1.95
2/21/2008	133.67	4123.19	-4.00
1/1/2009			
2/10/2010	127.69	4129.17	
1/7/2011	127.70	4129.16	-0.01
2/25/2012	128.60	4128.26	-0.90
3/8/2013	132.40	4124.46	-3.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HORNING, DAVID**

Owner: HORNING DAVID L & BARBARA J TRUST

Permit #: 13251 - FP -

Location #: SC00704726CAA

USGS Site ID: 392432102370600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE NE 26 7 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4364817.9 Easting (UTM x): 704676.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.408604 -102.622702

Surface Elevation (ft): 4312.85 **Top Perforated Interval (ft):** 164 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 234 **Bottom Perforated Interval (ft):** 234 **1 year:** 33.00
Aquifer(s): OGALLALA **5 year:** 31.91
10 year: 25.03

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	199.38	4113.47	-1.15
12/27/2004	200.24	4112.61	-0.86
1/24/2006	200.47	4112.38	-0.23
3/26/2007	201.79	4111.06	-1.32
2/21/2008	205.11	4107.74	-3.32
1/1/2009			
2/10/2010	208.23	4104.62	
1/7/2011	196.30	4116.55	11.93
2/25/2012	206.20	4106.65	-9.90
3/8/2013	173.20	4139.65	33.00

All Historic Measurements



Well Name: **BUOL, MARTIN**

Owner: BUOL MARTIN, TRUSTEE MARTIN A BUOL

Permit #: 3075 - FP -

Location #: SC00804204ACB

USGS Site ID: 392300102055900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NW 4 8 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4363328.7 Easting (UTM x): 749760.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.383330 -102.100185

Surface Elevation (ft): 3980.62 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** 340 **1 year:** -7.90
Aquifer(s): OGALLALA **5 year:** -5.33
10 year: -13.56

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	222.88	3757.74	-1.65
1/23/2006	224.57	3756.05	-1.69
4/2/2007	227.05	3753.57	-2.48
2/1/2008	229.37	3751.25	-2.32
4/10/2009	226.93	3753.69	2.44
2/8/2010	214.90	3765.72	12.03
2/4/2011	226.90	3753.72	-12.00
2/25/2012	226.80	3753.82	0.10
2/4/2013	234.70	3745.92	-7.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	HANSEN, DALE	Owner:	HANSEN DALE E & SHELLEY HANSEN	
Permit #:	4007 - FP -	Location #:	SC00804204CDA	USGS Site ID: 392239102060000
Division:	1	Water District:	49	County: KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM
	SW SE NE 4	8 S	42 W S	
				Distance from section lines:
				From N/S line:
				From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4362710.5	Easting (UTM x):	749732.5 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.377775		-102.100740
Surface Elevation (ft):	3984.62	Top Perforated Interval (ft):	264	Base of grout (ft):
Well depth (ft):	335	Bottom Perforated Interval (ft):	344	
Aquifer(s):	OGALLALA			

Water Level Change
1 year: -7.40
5 year: -8.82
10 year: -16.21

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	227.50	3757.12	-2.20
1/23/2006	228.21	3756.41	-0.71
4/2/2007	227.50	3757.12	0.71
2/1/2008	231.98	3752.64	-4.48
4/10/2009	228.40	3756.22	3.58
2/8/2010	229.80	3754.82	-1.40
2/4/2011	231.70	3752.92	-1.90
2/25/2012	233.40	3751.22	-1.70
2/4/2013	240.80	3743.82	-7.40

All Historic Measurements




Well Name:	DAVIS, EUGENE ET AL	Owner:	DAVIS JACK P. & WILLIAM S. & EUGEN	
Permit #:	9426 - FP -	Location #:	SC00804206ABB	USGS Site ID: 392316102081300
Division:	1	Water District:	49	County: KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM
	NE NW NW 6	8 S	42 W S	
				Distance from section lines:
				From N/S line:
				From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4363719.6	Easting (UTM x):	746538.4 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.387774		-102.137408
Surface Elevation (ft):	4000.63	Top Perforated Interval (ft):	160	Base of grout (ft):
Well depth (ft):	313	Bottom Perforated Interval (ft):	300	
Aquifer(s):	OGALLALA			

Water Level Change
1 year: -18.60
5 year: -1.52
10 year: -9.02

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	215.67	3784.96	-1.52
1/23/2006	215.58	3785.05	0.09
4/2/2007	218.73	3781.90	-3.15
2/1/2008	221.28	3779.35	-2.55
1/1/2009			
2/8/2010	207.80	3792.83	
2/4/2011	202.90	3797.73	4.90
2/25/2012	204.20	3796.43	-1.30
2/4/2013	222.80	3777.83	-18.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	DAVIS FAMILY		Owner:	
Permit #:	12026 - FP -	Location #:	SC00804206CA	USGS Site ID:
Division:	1	Water District:	49	County: KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM
	SW NE 6	8 S	42 W S	
UTM Coordinates (NAD83):	Northing (UTM y):	4362802.0	Easting (UTM x):	746332.3 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		39.379574		-102.140137
Surface Elevation (ft):	4000	Top Perforated Interval (ft):		Base of grout (ft):
Well depth (ft):	310	Bottom Perforated Interval (ft):		
Aquifer(s):	OGALLALA			

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	206.80	3793.20	

All Historic Measurements




Well Name:	SCHUTTE FARMS INC.		Owner:	FORKE BROTHERS & AVERY E
Permit #:	11650 - FP -	Location #:	SC00804211DCB	USGS Site ID: 392147102034500
Division:	1	Water District:	49	County: KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM
	SE SW NW 11	8 S	42 W S	
UTM Coordinates (NAD83):	Northing (UTM y):	4361182.3	Easting (UTM x):	753064.4 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.363053		-102.062683
Surface Elevation (ft):	3953.62	Top Perforated Interval (ft):	220	Base of grout (ft):
Well depth (ft):	330	Bottom Perforated Interval (ft):	328	
Aquifer(s):	OGALLALA			

Water Level Change
1 year: -28.90
5 year: -25.01
10 year: -32.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	215.15	3738.47	-4.59
1/23/2006	214.84	3738.78	0.31
4/2/2007	216.11	3737.51	-1.27
2/1/2008	218.79	3734.83	-2.68
4/10/2009	215.50	3738.12	3.29
2/8/2010	215.70	3737.92	-0.20
2/4/2011	216.00	3737.62	-0.30
2/25/2012	214.90	3738.72	1.10
2/4/2013	243.80	3709.82	-28.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: JAMES, WINIFRED

Owner: WINIFRED JAMES

Permit #: 3933 - FP -

Location #: SC00804220BBA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NE 20 8 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4358952.0 Easting (UTM x): 747731.4 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.344527 -102.125333

Surface Elevation (ft): 4005 **Top Perforated Interval (ft):** 217 **Base of grout (ft):** **Water Level Change**


Well depth (ft): 327 **Bottom Perforated Interval (ft):** 327 **1 year:** 3.30

Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	168.90	3836.10	
2/4/2011	172.00	3833.00	-3.10
2/25/2012	173.60	3831.40	-1.60
2/12/2013	170.30	3834.70	3.30

All Historic Measurements



Well Name: FASSE, EUGENE

Owner: FASSE EUGENE & ADRIENNE

Permit #: 20290 - RFP -

Location #: SC00804220CAB

USGS Site ID: 392017102072400

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE NW 20 8 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4358268.5 Easting (UTM x): 747885.8 *User supplied*

Latitude/Longitude (decimal degrees): 39.338331 -102.123796

Surface Elevation (ft): 3993.54 **Top Perforated Interval (ft):** 194 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 250 **Bottom Perforated Interval (ft):** 244 **1 year:** -2.40


Aquifer(s): OGALLALA **5 year:** -4.89

10 year: -11.98

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	174.30	3819.24	-2.08
1/23/2006	175.35	3818.19	-1.05
4/4/2007	176.50	3817.04	-1.15
2/8/2008	178.51	3815.03	-2.01
4/10/2009	179.24	3814.30	-0.73
2/8/2010	178.90	3814.64	0.34
2/4/2011	178.40	3815.14	0.50
2/25/2012	181.00	3812.54	-2.60
2/12/2013	183.40	3810.14	-2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **DAVIS, KENTON L. & T**

Owner: SMITH JOHN

Permit #: 10135 - FP -

Location #: SC00804222BBB

USGS Site ID: 392043102052600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 22 8 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4359129.9 Easting (UTM x): 750686.5 *User supplied*

Latitude/Longitude (decimal degrees): 39.345276 -102.091017

Surface Elevation (ft): 3969.63 **Top Perforated Interval (ft):** 212 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 302 **Bottom Perforated Interval (ft):** 302 **1 year:** -28.10


Aquifer(s): OGALLALA **5 year:** -18.05

10 year: -27.15

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	188.98	3780.65	-1.00
1/23/2006	188.28	3781.35	0.70
4/4/2007	193.53	3776.10	-5.25
2/8/2008	196.15	3773.48	-2.62
4/30/2009	197.71	3771.92	-1.56
2/8/2010	189.80	3779.83	7.91
2/4/2011	187.20	3782.43	2.60
2/25/2012	186.10	3783.53	1.10
2/24/2013	214.20	3755.43	-28.10

All Historic Measurements



Well Name: **SMITH, D.**

Owner: SMITH DUANE & BAER GEORGIA L

Permit #: 9626 - FP -

Location #: SC00804223DAB2

USGS Site ID: 392018102032000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NE NW 23 8 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4358423.7 Easting (UTM x): 753657.6 *User supplied*

Latitude/Longitude (decimal degrees): 39.338054 -102.056849

Surface Elevation (ft): 3931.62 **Top Perforated Interval (ft):** 240 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 250 **Bottom Perforated Interval (ft):** 256 **1 year:** -26.60


Aquifer(s): OGALLALA **5 year:** -25.89

10 year: -34.24

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	165.92	3765.70	-2.84
1/23/2006	165.64	3765.98	0.28
4/2/2007	166.17	3765.45	-0.53
2/20/2008	169.51	3762.11	-3.34
4/10/2009	170.27	3761.35	-0.76
2/8/2010	167.60	3764.02	2.67
2/4/2011	167.80	3763.82	-0.20
2/25/2012	168.80	3762.82	-1.00
2/4/2013	195.40	3736.22	-26.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **BOLLWINKLE, WILLIAM & CLAUDIA** **Owner:** WILLIAM & CLAUDIA BOLLWINKLE
Permit #: 2968 - FP - **Location #:** SC00804304CCB **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 4 8 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4362203.0 Easting (UTM x): 739373.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.376140 -102.221051
Surface Elevation (ft): 4061 **Top Perforated Interval (ft):** 206 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 306 **Bottom Perforated Interval (ft):** 306 **1 year:** -26.10
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	202.90	3858.10	
2/7/2011	208.40	3852.60	-5.50
2/25/2012	210.20	3850.80	-1.80
2/6/2013	236.30	3824.70	-26.10

All Historic Measurements




Well Name: **DAVIS BROTHERS FARM** **Owner:** DAVIS EUGENE G
Permit #: 13007 - FP - **Location #:** SC00804305BDC **USGS Site ID:** 392253102140900
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE SW 5 8 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4362894.0 Easting (UTM x): 738245.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 39.382672 -102.233890
Surface Elevation (ft): 4086.68 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -16.40
Aquifer(s): OGALLALA **5 year:** -21.07
10 year: -33.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	223.08	3863.60	-2.38
12/19/2004	224.70	3861.98	-1.62
1/11/2006	225.14	3861.54	-0.44
4/4/2007	227.05	3859.63	-1.91
2/22/2008	232.93	3853.75	-5.88
1/1/2009			
2/2/2010	235.10	3851.58	
2/7/2011	236.40	3850.28	-1.30
2/25/2012	237.60	3849.08	-1.20
2/6/2013	254.00	3832.68	-16.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: TRI-STATE TRANS.

Owner: GROSS MELVIN

Permit #: 3529 - FP - **Location #:** SC00804318ACC **USGS Site ID:** 392112102145900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW SW 18 8 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4359594.1 Easting (UTM x): 736940.1 User supplied
Latitude/Longitude (decimal degrees): 39.353330 -102.250190

Surface Elevation (ft): 4100.71 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** 300 **1 year:** -28.60
Aquifer(s): OGALLALA **5 year:** -36.26
10 year: -48.68

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	207.45	3893.26	-1.43
12/17/2004	208.88	3891.83	-1.43
1/11/2006	209.51	3891.20	-0.63
4/4/2007	215.12	3885.59	-5.61
2/22/2008	218.44	3882.27	-3.32
1/1/2009			
2/2/2010	219.40	3881.31	
1/29/2011	223.40	3877.31	-4.00
1/30/2012	226.10	3874.61	-2.70
2/12/2013	254.70	3846.01	-28.60

All Historic Measurements



Well Name: BUOL, JOHN

Owner: BUOL JOHN A

Permit #: 9312 - FP - **Location #:** SC00804320BAA **USGS Site ID:** 392039102135300


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NE 20 8 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4358624.8 Easting (UTM x): 738551.4 User supplied
Latitude/Longitude (decimal degrees): 39.344163 -102.231855

Surface Elevation (ft): 4076.71 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 308 **Bottom Perforated Interval (ft):** 308 **1 year:** -5.30
Aquifer(s): OGALLALA **5 year:** -7.49
10 year: -17.31

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	193.26	3883.45	-0.17
12/17/2004	194.80	3881.91	-1.54
1/11/2006	196.50	3880.21	-1.70
4/15/2007	198.75	3877.96	-2.25
2/8/2008	202.91	3873.80	-4.16
4/30/2009	205.60	3871.11	-2.69
2/2/2010	202.50	3874.21	3.10
1/29/2011	204.60	3872.11	-2.10
2/25/2012	205.10	3871.61	-0.50
2/12/2013	210.40	3866.31	-5.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	PRIOLA, RUBY M.	Owner:	CORYELL ZACHARY & JESSICA
Permit #:	5351 - FP -	Location #:	SC00804322BCB
		USGS Site ID:	392024102121100
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW NW 22	8 S	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4358236.8	Easting (UTM x): 740983.9 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.339997	-102.203799
Surface Elevation (ft):	4090.69	Top Perforated Interval (ft):	254
		Base of grout (ft):	
Well depth (ft):	334	Bottom Perforated Interval (ft):	334
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 3.15
5 year: -0.35
10 year: -8.88

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	224.52	3866.17	-2.00
12/17/2004	225.92	3864.77	-1.40
1/23/2006	227.29	3863.40	-1.37
4/4/2007	228.21	3862.48	-0.92
2/8/2008	231.05	3859.64	-2.84
4/30/2009	232.28	3858.41	-1.23
2/2/2010	230.85	3859.84	1.43
2/4/2011	234.90	3855.79	-4.05
1/30/2012	234.55	3856.14	0.35
2/12/2013	231.40	3859.29	3.15

All Historic Measurements




Well Name:	CORYELL, CHARLES	Owner:	BILLINGTON FARMS INC
Permit #:	2581 - FP -	Location #:	SC00804327ABD
		USGS Site ID:	
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NW SE 27	8 S	43 W S
		Distance from section lines:	
		From N/S line:	1100 N
		From E/W line:	2620 E
UTM Coordinates (NAD83):	Northing (UTM y):	4356883.5	Easting (UTM x): 741838.4 <i>Spotted from section lines</i>
Latitude/Longitude (decimal degrees):		39.327580	-102.194380
Surface Elevation (ft):	4118	Top Perforated Interval (ft):	157
		Base of grout (ft):	
Well depth (ft):	337	Bottom Perforated Interval (ft):	337
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -30.10
5 year: -26.78
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	221.32	3896.68	
1/23/2006	221.42	3896.58	-0.10
4/4/2007	225.48	3892.52	-4.06
2/8/2008	228.12	3889.88	-2.64
1/1/2009			
2/2/2010	228.58	3889.42	
2/4/2011	225.40	3892.60	3.18
2/25/2012	224.80	3893.20	0.60
2/12/2013	254.90	3863.10	-30.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: DVORAK, C.J. & CO.

Owner: GROSS MELVIN

Permit #: 10089 - FP -

Location #: SC00804330ABC

USGS Site ID: 391936102150100

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SW 30 8 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4356632.6 Easting (UTM x): 736982.4 *User supplied*

Latitude/Longitude (decimal degrees): 39.326664 -102.250745

Surface Elevation (ft): 4144.73 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 346 **Bottom Perforated Interval (ft):** 346 **1 year:** -2.40


Aquifer(s): OGALLALA **5 year:** -2.80

10 year: -13.44

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	243.88	3900.85	-1.62
12/17/2004	245.06	3899.67	-1.18
1/11/2006	244.01	3900.72	1.05
4/4/2007	249.50	3895.23	-5.49
2/8/2008	252.90	3891.83	-3.40
1/1/2009			
2/2/2010	251.81	3892.92	
1/29/2011	254.23	3890.50	-2.42
1/30/2012	253.30	3891.43	0.93
2/6/2013	255.70	3889.03	-2.40

All Historic Measurements



Well Name: HINKHOUSE, SYBILLA

Owner: HINKHOUSE SYBILLA A TRUST

Permit #: 20256 - RFP -

Location #: SC00804332CCC

USGS Site ID: 391806102141801

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 32 8 S 43 W S From N/S line: 700 S From E/W line: 2200 W

UTM Coordinates (NAD83): Northing (UTM y): 4354037.3 Easting (UTM x): 737900.6 *User supplied*

Latitude/Longitude (decimal degrees): 39.303053 -102.241022

Surface Elevation (ft): 4129.73 **Top Perforated Interval (ft):** 213 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 321 **Bottom Perforated Interval (ft):** 313 **1 year:** 0.20


Aquifer(s): OGALLALA **5 year:** 3.20

10 year: -4.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	217.25	3912.48	-0.63
12/15/2004	221.28	3908.45	-4.03
12/20/2005	221.53	3908.20	-0.25
4/20/2007	219.93	3909.80	1.60
1/30/2008	224.22	3905.51	-4.29
4/10/2009	223.71	3906.02	0.51
1/11/2010	222.02	3907.71	1.69
1/28/2011	224.38	3905.35	-2.36
12/28/2011	221.22	3908.51	3.16
3/7/2013	221.02	3908.71	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **DAVIS, RUSSELL E.**

Owner: UDYE FARMS US INC

Permit #: 4614 - FP -

Location #: SC00804334DBB

USGS Site ID: 391832102113900

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW NW 34 8 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4354776.4 Easting (UTM x): 741858.3 *User supplied*

Latitude/Longitude (decimal degrees): 39.308609 -102.194909

Surface Elevation (ft): 4057.7 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 290 **Bottom Perforated Interval (ft):** 290 **1 year:** -29.80


Aquifer(s): OGALLALA **5 year:** -32.05

10 year: -39.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/18/2007	184.45	3873.25	-4.75
2/18/2008	187.05	3870.65	-2.60
4/10/2009	188.21	3869.49	-1.16
1/15/2010	191.98	3865.72	-3.77
1/28/2011	188.20	3869.50	3.78
1/30/2012	189.30	3868.40	-1.10
1/16/2013	219.10	3838.60	-29.80

All Historic Measurements



Well Name: **VAVRA, LARRY & JOHN**

Owner: VAVRA BROS

Permit #: 38429 - FP -

Location #: SC00804402ABD1

USGS Site ID: 392308102170000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SE 2 8 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4362990.5 Easting (UTM x): 733938.6 *User supplied*

Latitude/Longitude (decimal degrees): 39.384718 -102.283802

Surface Elevation (ft): 4086.69 **Top Perforated Interval (ft):** 174 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 244 **Bottom Perforated Interval (ft):** 224 **1 year:** -7.50


Aquifer(s): OGALLALA **5 year:** -15.59

10 year: -29.27

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	182.15	3904.54	-2.62
12/19/2004	185.18	3901.51	-3.03
1/4/2006	185.48	3901.21	-0.30
4/1/2007	190.71	3895.98	-5.23
2/21/2008	193.21	3893.48	-2.50
1/1/2009			
1/18/2010	194.79	3891.90	
1/6/2011	198.07	3888.62	-3.28
2/25/2012	201.30	3885.39	-3.23
2/13/2013	208.80	3877.89	-7.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HANSEN, DALE**

Owner: HANSEN DALE E & SHELLEY A

Permit #: 3958 - FP -

Location #: SC00804402DBD

USGS Site ID: 392238102165800

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW SE 2 8 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4362159.5 Easting (UTM x): 734011.5 *User supplied*

Latitude/Longitude (decimal degrees): 39.377218 -102.283247

Surface Elevation (ft): 4095.7 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 260 **Bottom Perforated Interval (ft):** 260 **1 year:** -6.10


Aquifer(s): OGALLALA **5 year:** -6.45

10 year: -18.33

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	189.26	3906.44	-2.19
12/19/2004	194.18	3901.52	-4.92
1/4/2006	193.08	3902.62	1.10
4/1/2007	200.77	3894.93	-7.69
2/21/2008	198.95	3896.75	1.82
4/29/2009	195.36	3900.34	3.59
1/17/2010	197.72	3897.98	-2.36
1/6/2011	197.80	3897.90	-0.08
2/16/2012	199.30	3896.40	-1.50
2/13/2013	205.40	3890.30	-6.10

All Historic Measurements



Well Name: **PEARARCH, PATRICIA**

Owner: PATRICIA PEARARCH

Permit #: 12587 - FP -

Location #: SC00804406BBA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NE 6 8 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4363043.0 Easting (UTM x): 726654.6 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.387133 -102.368272

Surface Elevation (ft): 4152 **Top Perforated Interval (ft):** 210 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 261 **Bottom Perforated Interval (ft):** 261 **1 year:** -25.80


Aquifer(s): OGALLALA **5 year:**

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	170.40	3981.60	
1/5/2011	169.80	3982.20	0.60
2/25/2012	170.60	3981.40	-0.80
2/13/2013	196.40	3955.60	-25.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: REED, MARIE M.

Owner: MARIE M. REED

Permit #: 5941 - FP -

Location #: SC00804417CB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW 17 8 S 44 W S From N/S line: 2555 S From E/W line: 2615 E

UTM Coordinates (NAD83): Northing (UTM y): 4359210.5 Easting (UTM x): 728874.5 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 39.352051 -102.343830


Surface Elevation (ft): 4182 **Top Perforated Interval (ft):** 207 **Base of grout (ft):**
Well depth (ft): 347 **Bottom Perforated Interval (ft):** 347
Aquifer(s): OGALLALA

Water Level Change
1 year: 4.55
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2011	136.45	4045.55	
2/25/2012	142.60	4039.40	-6.15
2/13/2013	138.05	4043.95	4.55

All Historic Measurements



Well Name: ADOLF, HERMAN TRUST

Owner: HERMAN & IRENE ADOLF TRUST

Permit #: 4966 - FP -

Location #: SC00804419DAD

USGS Site ID: 392003102211500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NE SE 19 8 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4357197.6 Easting (UTM x): 728001.3 *User supplied*

Latitude/Longitude (decimal degrees): 39.334163 -102.354637


Surface Elevation (ft): 4209.77 **Top Perforated Interval (ft):** 203 **Base of grout (ft):**
Well depth (ft): 283 **Bottom Perforated Interval (ft):** 283
Aquifer(s): OGALLALA

Water Level Change
1 year: -20.70
5 year: 0.01
10 year: -9.03

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	216.80	3992.97	-0.93
12/22/2004	218.81	3990.96	-2.01
1/4/2006	219.11	3990.66	-0.30
3/26/2007	221.58	3988.19	-2.47
2/19/2008	224.91	3984.86	-3.33
4/29/2009	222.11	3987.66	2.80
1/18/2010	217.00	3992.77	5.11
1/5/2011	206.50	4003.27	10.50
2/25/2012	204.20	4005.57	2.30
1/16/2013	224.90	3984.87	-20.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	HANSEN, DALE			Owner:	HANSEN DALE		
Permit #:	3450 - FP -	Location #:	SC00804424BCC	USGS Site ID:	392019102164000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW SW 24	8 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4357979.8	Easting (UTM x):	734592.7	User supplied		
Latitude/Longitude (decimal degrees):	39.339441		-102.277968				
Surface Elevation (ft):	4150.73	Top Perforated Interval (ft):	228	Base of grout (ft):	Water Level Change		
Well depth (ft):	327	Bottom Perforated Interval (ft):	328		1 year: -16.80		
Aquifer(s):	OGALLALA				5 year: -10.92		
					10 year: -19.37		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	223.08	3927.65	-0.85
12/19/2004	224.70	3926.03	-1.62
1/4/2006	226.08	3924.65	-1.38
3/26/2007	228.01	3922.72	-1.93
2/19/2008	230.68	3920.05	-2.67
4/29/2009	229.45	3921.28	1.23
2/8/2010	228.80	3921.93	0.65
1/5/2011	225.30	3925.43	3.50
2/25/2012	224.80	3925.93	0.50
2/13/2013	241.60	3909.13	-16.80

All Historic Measurements




Well Name:	KC-SE-MW #7			Owner:	KIT CARSON COUNTY LANDFILL		
Permit #:	249015 - -	Location #:	SC00804428AAD	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NE SE 28	8 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4356539.0	Easting (UTM x):	731275.8	Spotted from quarters		
Latitude/Longitude (decimal degrees):	39.327366		-102.316911				
Surface Elevation (ft):	4128	Top Perforated Interval (ft):	140	Base of grout (ft):	Water Level Change		
Well depth (ft):	190	Bottom Perforated Interval (ft):	180		1 year: -38.60		
Aquifer(s):	OGALLALA				5 year: -34.87		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/11/2008	168.03	3959.97	
5/9/2009	166.30	3961.70	1.73
1/11/2010	163.20	3964.80	3.10
1/5/2011	163.71	3964.29	-0.51
2/25/2012	164.30	3963.70	-0.59
1/16/2013	205.90	3922.10	-41.60
3/7/2013	202.90	3925.10	3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	HINKHOUSE, MAUDE			Owner:	MAUDE HINKHOUSE		
Permit #:	16006 - RFP -			Location #:	SC00804435CBC		
USGS Site ID:							
Division:	1			Water District:	49		
County:	KIT CARSON						
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	SW	NW	SW	35	8	S	44
							W S
Distance from section lines:							
From N/S line:				From E/W line:			
UTM Coordinates (NAD83):	Northing (UTM y):			4354148.0			Easting (UTM x):
							733141.6
Latitude/Longitude (decimal degrees):				39.305344			-102.296117
Surface Elevation (ft):	4191			Top Perforated Interval (ft):	266		
Well depth (ft):	346			Bottom Perforated Interval (ft):	346		
Aquifer(s):	OGALLALA						

Water Level Change
1 year: -2.70
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	182.80	4008.20	
1/7/2011	189.40	4001.60	-6.60
2/25/2012	191.50	3999.50	-2.10
2/13/2013	194.20	3996.80	-2.70

All Historic Measurements




Well Name:	CITY OF BURLINGTON			Owner:	BURLINGTON CITY OF		
Permit #:	10598 - RFP -			Location #:	SC00804436CDD		
USGS Site ID:							
Division:	1			Water District:	49		
County:	KIT CARSON						
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	SW	SE	SE	36	8	S	44
							W S
Distance from section lines:							
From N/S line:				From E/W line:			
UTM Coordinates (NAD83):	Northing (UTM y):			4353778.0			Easting (UTM x):
							735415.0
Latitude/Longitude (decimal degrees):				39.301399			-102.269908
Surface Elevation (ft):	4162			Top Perforated Interval (ft):	292		
Well depth (ft):	348			Bottom Perforated Interval (ft):	341		
Aquifer(s):	OGALLALA						

Water Level Change
1 year: -10.80
5 year: 11.74
10 year: -13.82

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	214.29	3947.71	-0.51
12/17/2004	218.04	3943.96	-3.75
12/22/2005	231.87	3930.13	-13.83
4/20/2007	237.53	3924.47	-5.66
1/30/2008	239.34	3922.66	-1.81
5/9/2009	231.15	3930.85	8.19
1/11/2010	227.60	3934.40	3.55
1/5/2011	226.80	3935.20	0.80
12/28/2011	216.80	3945.20	10.00
2/11/2013	227.60	3934.40	-10.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	CURE LAND LLC			Owner:	CURE LAND LLC		
Permit #:	16298 - FP -	Location #:	SC00804503BDC	USGS Site ID:	392257102252100		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SE SW	3	8 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4362423.6	Easting (UTM x):	721980.6	User supplied		
Latitude/Longitude (decimal degrees):	39.382772		-102.422696				
Surface Elevation (ft):	4189.77	Top Perforated Interval (ft):	156	Base of grout (ft):	Water Level Change		
Well depth (ft):	256	Bottom Perforated Interval (ft):	256	1 year: -3.70			
Aquifer(s):	OGALLALA			5 year: -2.69			
				10 year: -10.68			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	194.23	3995.54	-1.71
12/24/2004	195.85	3993.92	-1.62
1/26/2006	196.28	3993.49	-0.43
3/23/2007	197.47	3992.30	-1.19
2/22/2008	200.51	3989.26	-3.04
4/29/2009	198.51	3991.26	2.00
2/10/2010	199.20	3990.57	-0.69
1/6/2011	203.50	3986.27	-4.30
2/22/2012	199.50	3990.27	4.00
2/18/2013	203.20	3986.57	-3.70

All Historic Measurements




Well Name:	DREITZ, A.			Owner:	DREITZ ALVIN J & MILDRED		
Permit #:	14014 - FP -	Location #:	SC00804519ABC	USGS Site ID:	392026102282200		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NW SW	19	8 S	45 W S		From N/S line: 3970 S From E/W line: 2450 E	
UTM Coordinates (NAD83):	Northing (UTM y):	4357613.8	Easting (UTM x):	717756.8	User supplied		
Latitude/Longitude (decimal degrees):	39.340550		-102.473253				
Surface Elevation (ft):	4251.81	Top Perforated Interval (ft):	155	Base of grout (ft):	Water Level Change		
Well depth (ft):	245	Bottom Perforated Interval (ft):	245	1 year: -5.80			
Aquifer(s):				5 year: 17.45			
				10 year: 9.93			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	183.97	4067.84	-0.94
12/24/2004	184.16	4067.65	-0.19
1/13/2006	185.26	4066.55	-1.10
3/26/2007	188.16	4063.65	-2.90
2/21/2008	190.55	4061.26	-2.39
4/19/2009	189.75	4062.06	0.80
2/10/2010	179.00	4072.81	10.75
1/6/2011	169.10	4082.71	9.90
2/22/2012	167.30	4084.51	1.80
2/18/2013	173.10	4078.71	-5.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	MILTENBERGER, BEN			Owner:	MILTENBERGER BROTHERS		
Permit #:	13234 - F	-	Location #:	SC00804532BCC	USGS Site ID:	391833102275000	
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SW SW	32	8 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):		4354151.3	Easting (UTM x):		718620.8 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.309162			-102.464363	
Surface Elevation (ft):	4247.83	Top Perforated Interval (ft):	135	Base of grout (ft):	Water Level Change		
Well depth (ft):	215	Bottom Perforated Interval (ft):	215	1 year: -18.00			
Aquifer(s):	OGALLALA			5 year: -16.64			
				10 year: -19.45			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	152.40	4095.43	-1.65
12/24/2004	151.04	4096.79	1.36
1/13/2006	152.82	4095.01	-1.78
3/26/2007	152.78	4095.05	0.04
2/21/2008	153.56	4094.27	-0.78
1/1/2009			
2/10/2010	158.40	4089.43	
1/6/2011	155.20	4092.63	3.20
2/22/2012	152.20	4095.63	3.00
2/18/2013	170.20	4077.63	-18.00

All Historic Measurements




Well Name:	CURE INC.			Owner:	CURE INC		
Permit #:	5614 - FP	-	Location #:	SC00804601BCC	USGS Site ID:	392252102300000	
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SW SW	1	8 S	46 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):		4362050.1	Easting (UTM x):		715285.7 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.381105			-102.500476	
Surface Elevation (ft):	4280.81	Top Perforated Interval (ft):	227	Base of grout (ft):	Water Level Change		
Well depth (ft):	305	Bottom Perforated Interval (ft):	307	1 year: -1.88			
Aquifer(s):	OGALLALA			5 year: -13.09			
				10 year: -21.34			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	249.87	4030.94	-1.96
12/27/2004	252.76	4028.05	-2.89
1/26/2006	251.13	4029.68	1.63
3/23/2007	254.11	4026.70	-2.98
2/21/2008	258.53	4022.28	-4.42
1/1/2009			
2/11/2010	259.13	4021.68	
1/6/2011	265.32	4015.49	-6.19
2/25/2012	267.20	4013.61	-1.88

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HORNUNG, EDITH**

Owner: HORNUNG EDITH A ETAL

Permit #: 3449 - FP - **Location #:** SC00804616AB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW 16 8 S 46 W S From N/S line: 1020 N From E/W line: 2600 E
UTM Coordinates (NAD83): Northing (UTM y): 4359230.5 Easting (UTM x): 711318.1 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.356702 -102.547390


Surface Elevation (ft): 4314 **Top Perforated Interval (ft):** 205 **Base of grout (ft):**
Well depth (ft): 265 **Bottom Perforated Interval (ft):** 265
Aquifer(s): OGALLALA

Water Level Change
1 year: -3.20
5 year: 7.11
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	241.56	4072.44	
1/1/2009			
2/10/2010	238.25	4075.75	
1/7/2011	233.13	4080.87	5.12
2/25/2012	231.25	4082.75	1.88
3/8/2013	234.45	4079.55	-3.20

All Historic Measurements



Well Name: **KLIESEN, J.C.**

Owner: KLIESEN, J.C.

Permit #: 3861 - FP - **Location #:** SC00804620CBB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 20 8 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4356943.0 Easting (UTM x): 709036.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.336663 -102.574558


Surface Elevation (ft): 4363 **Top Perforated Interval (ft):** 200 **Base of grout (ft):**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.20
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/11/2010	199.80	4163.20	
1/7/2011	196.60	4166.40	3.20
2/25/2012	194.90	4168.10	1.70
3/8/2013	199.10	4163.90	-4.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: SIMON FAMILY INC.

Owner: SIMON ROSE M.

Permit #: 6976 - FP - **Location #:** SC00804629DCD **USGS Site ID:** 391858102334500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SE 29 8 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4354688.1 Easting (UTM x): 710096.4 User supplied
Latitude/Longitude (decimal degrees): 39.316106 -102.562978

Surface Elevation (ft): 4373.86 **Top Perforated Interval (ft):** 213 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 263 **Bottom Perforated Interval (ft):** 263 **1 year:** -4.20
Aquifer(s): OGALLALA **5 year:** 1.73
10 year: -3.83

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	217.21	4156.65	-0.64
12/27/2004	218.38	4155.48	-1.17
1/24/2006	218.51	4155.35	-0.13
3/26/2007	220.43	4153.43	-1.92
2/21/2008	222.13	4151.73	-1.70
4/7/2009	225.41	4148.45	-3.28
2/11/2010	226.26	4147.60	-0.85
1/7/2011	218.00	4155.86	8.26
2/25/2012	216.20	4157.66	1.80
3/8/2013	220.40	4153.46	-4.20

All Historic Measurements



Well Name: PICKARD, LOUIS

Owner:

Permit #: - - **Location #:** SC00804706DDD **USGS Site ID:** 392230102412000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SE 6 8 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4362668.9 Easting (UTM x): 699154.9 User supplied
Latitude/Longitude (decimal degrees): 39.390548 -102.687427

Surface Elevation (ft): 4427.92 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 212 **Bottom Perforated Interval (ft):** **1 year:** 6.30
Aquifer(s): **5 year:** 7.17
10 year: 2.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	204.00	4223.92	-0.20
12/27/2004	203.75	4224.17	0.25
1/24/2006	204.02	4223.90	-0.27
4/19/2007	209.79	4218.13	-5.77
2/22/2008	208.77	4219.15	1.02
4/6/2009	209.86	4218.06	-1.09
2/6/2010	220.20	4207.72	-10.34
1/7/2011	211.80	4216.12	8.40
2/25/2012	207.90	4220.02	3.90
3/8/2013	201.60	4226.32	6.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	CONRARDY, DALE & V.			Owner:	CONRARDY BERNARD		
Permit #:	14337 - FP -	Location #:	SC00804726CCC	USGS Site ID:	391900102375000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW SW 26	8 S	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y): 4354652.8		Easting (UTM x): 704129.5		User supplied		
Latitude/Longitude (decimal degrees):	39.317216		-102.632146				
Surface Elevation (ft):	4323.87	Top Perforated Interval (ft):	79	Base of grout (ft):	Water Level Change		
Well depth (ft):	115	Bottom Perforated Interval (ft):	115		1 year: -0.45		
Aquifer(s):	OGALLALA				5 year: 0.93		
					10 year: -8.21		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	73.62	4250.25	-0.63
12/15/2004	74.05	4249.82	-0.43
1/24/2006	74.25	4249.62	-0.20
4/19/2007	78.04	4245.83	-3.79
2/22/2008	82.13	4241.74	-4.09
4/6/2009	86.17	4237.70	-4.04
1/30/2010	88.53	4235.34	-2.36
1/7/2011	82.83	4241.04	5.70
2/25/2012	80.75	4243.12	2.08
3/8/2013	81.20	4242.67	-0.45

All Historic Measurements




Well Name:	PRALLE, DALE & ALLEN			Owner:	PRALLE DALE & ALLAN D		
Permit #:	5271 - FP -	Location #:	SC00904214BBB	USGS Site ID:	391620102042100		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NW 14	9 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y): 4351072.3		Easting (UTM x): 752553.4		User supplied		
Latitude/Longitude (decimal degrees):	39.272222		-102.072405				
Surface Elevation (ft):	3987.63	Top Perforated Interval (ft):	157	Base of grout (ft):	Water Level Change		
Well depth (ft):	277	Bottom Perforated Interval (ft):	277		1 year: -3.00		
Aquifer(s):	OGALLALA				5 year: -3.41		
					10 year: -12.85		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	166.03	3821.60	-2.38
1/1/2005	169.86	3817.77	-3.83
12/20/2005	171.16	3816.47	-1.30
3/19/2007	169.80	3817.83	1.36
2/8/2008	173.09	3814.54	-3.29
4/5/2009	174.93	3812.70	-1.84
1/15/2010	173.50	3814.13	1.43
2/7/2011	171.70	3815.93	1.80
2/2/2012	173.50	3814.13	-1.80
3/13/2013	176.50	3811.13	-3.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	PENNY, KEVIN, GARY & GREG			Owner:	KEVIN, GARY & GREG PENNY		
Permit #:	14588 - FP -	Location #:	SC00904218BC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW 18	9 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4350363.5	Easting (UTM x):	746277.6	Spotted from quarters		
Latitude/Longitude (decimal degrees):	39.267648		-102.145327				
Surface Elevation (ft):	4055	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	272	Bottom Perforated Interval (ft):			1 year: -1.90		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2011	176.40	3878.60	
2/2/2012	179.70	3875.30	-3.30
3/12/2013	181.60	3873.40	-1.90

All Historic Measurements




Well Name:	HARTMAN, JODEY & SUSAN			Owner:	HARTMAN YVONNE TRUST ETAL		
Permit #:	3852 - FP -	Location #:	SC00904219DBC	USGS Site ID:	391452102081600		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NW SW 19	9 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4348208.7	Easting (UTM x):	746981.9	User supplied		
Latitude/Longitude (decimal degrees):	39.248055		-102.137962				
Surface Elevation (ft):	4084.66	Top Perforated Interval (ft):	240	Base of grout (ft):	Water Level Change		
Well depth (ft):	320	Bottom Perforated Interval (ft):	320		1 year: -14.50		
Aquifer(s):	OGALLALA				5 year: -20.29		
					10 year: -30.69		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	218.66	3866.00	-1.05
1/1/2005	220.48	3864.18	-1.82
12/21/2005	222.06	3862.60	-1.58
3/19/2007	225.17	3859.49	-3.11
2/18/2008	228.01	3856.65	-2.84
4/5/2009	228.38	3856.28	-0.37
1/15/2010	224.30	3860.36	4.08
2/7/2011	230.50	3854.16	-6.20
2/2/2012	233.80	3850.86	-3.30
1/18/2013	248.30	3836.36	-14.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: MARTENS, ARTHUR F.

Owner: MARTENS ARTHUR F

Permit #: 3476 - FP - **Location #:** SC00904222ACD **USGS Site ID:** 391507102043800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW SE 22 9 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4348806.7 Easting (UTM x): 752170.7 User supplied
Latitude/Longitude (decimal degrees): 39.251944 -102.077683

Surface Elevation (ft): 4012.63 **Top Perforated Interval (ft):** 232 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 312 **Bottom Perforated Interval (ft):** 312 **1 year:** -4.70
Aquifer(s): OGALLALA **5 year:** -6.79
10 year: -20.05

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	179.03	3833.60	-2.18
1/1/2005	182.30	3830.33	-3.27
12/20/2005	183.64	3828.99	-1.34
3/19/2007	189.00	3823.63	-5.36
2/8/2008	190.11	3822.52	-1.11
4/5/2009	192.89	3819.74	-2.78
1/15/2010	193.02	3819.61	-0.13
2/7/2011	192.40	3820.23	0.62
2/2/2012	192.20	3820.43	0.20
1/18/2013	196.90	3815.73	-4.70

All Historic Measurements



Well Name: GILBERT, DANIEL & DONALD

Owner: GILBERT MARVIN

Permit #: 11594 - FP - **Location #:** SC00904226AAC **USGS Site ID:** 391425102032900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 26 9 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4347565.3 Easting (UTM x): 753867.1 User supplied
Latitude/Longitude (decimal degrees): 39.240278 -102.058515

Surface Elevation (ft): 3994.62 **Top Perforated Interval (ft):** 223 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 303 **Bottom Perforated Interval (ft):** 303 **1 year:** -20.50
Aquifer(s): OGALLALA **5 year:** -24.07
10 year: -39.48

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	170.00	3824.62	-3.28
1/1/2005	175.80	3818.82	-5.80
12/21/2005			
3/18/2007	178.33	3816.29	
2/8/2008	182.13	3812.49	-3.80
4/5/2009	183.27	3811.35	-1.14
1/15/2010	184.10	3810.52	-0.83
2/7/2011	184.30	3810.32	-0.20
2/2/2012	185.70	3808.92	-1.40
1/18/2013	206.20	3788.42	-20.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: DEPCO FARMS INC.

Owner: DEPCO FARMS C/O NORMAN SIMPSON

Permit #: 4952 - FP - **Location #:** SC00904229CC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW 29 9 S 42 W S From N/S line: 300 S From E/W line: 50 W
UTM Coordinates (NAD83): Northing (UTM y): 4346105.5 Easting (UTM x): 747840.3 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.228883 -102.128799


Surface Elevation (ft): 4080 **Top Perforated Interval (ft):** 196 **Base of grout (ft):**
Well depth (ft): 336 **Bottom Perforated Interval (ft):** 336
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.60
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2011	217.20	3862.80	
2/2/2012	222.20	3857.80	-5.00
1/18/2013	221.90	3858.10	0.30
2/11/2013	226.80	3853.20	-4.90

All Historic Measurements



Well Name: GEORGE D WILLS

Owner: GEORGE D WILLS

Permit #: 6490 - F - **Location #:** SC00904231AC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW 31 9 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4345494.5 Easting (UTM x): 747263.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.223549 -102.135689


Surface Elevation (ft): 4095 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 335 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: -7.60
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/28/2012	234.80	3860.20	
2/11/2013	242.40	3852.60	-7.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: UNRUH, B.E. & M.K.

Owner: WOODRICK OTTO H

Permit #: 1479 - RFP -

Location #: SC00904231CCC

USGS Site ID: 391258102084800

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 31 9 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4344637.8 Easting (UTM x): 746302.5 *User supplied*

Latitude/Longitude (decimal degrees): 39.216111 -102.147129

Surface Elevation (ft): 4106.66 **Top Perforated Interval (ft):** 215 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 337 **Bottom Perforated Interval (ft):** 335 **1 year:** -10.30


Aquifer(s): OGALLALA **5 year:** -3.01

10 year: -13.17

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	228.20	3878.46	-1.47
1/1/2005	230.80	3875.86	-2.60
12/21/2005	231.88	3874.78	-1.08
3/19/2007	235.11	3871.55	-3.23
2/8/2008	236.89	3869.77	-1.78
4/5/2009	238.70	3867.96	-1.81
1/15/2010	235.65	3871.01	3.05
2/7/2011	230.60	3876.06	5.05
2/2/2012	229.60	3877.06	1.00
1/18/2013	239.90	3866.76	-10.30

All Historic Measurements



Well Name: MARTENS, ART

Owner: MARTENS ARTHUR F

Permit #: 11369 - FP -

Location #: SC00904301CDB

USGS Site ID: 391757102093800

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SE NW 1 9 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4352863.5 Easting (UTM x): 744843.8 *User supplied*

Latitude/Longitude (decimal degrees): 39.290554 -102.161019

Surface Elevation (ft): 4001.68 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 220 **Bottom Perforated Interval (ft):** 221 **1 year:** -1.50


Aquifer(s): OGALLALA **5 year:** -6.50

10 year: -11.45

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	117.54	3884.14	-2.59
1/1/2005	117.70	3883.98	-0.16
12/20/2005	118.55	3883.13	-0.85
3/19/2007	119.47	3882.21	-0.92
2/8/2008	119.90	3881.78	-0.43
4/10/2009	120.91	3880.77	-1.01
1/15/2010	122.10	3879.58	-1.19
1/28/2011	122.70	3878.98	-0.60
2/2/2012	124.90	3876.78	-2.20
1/18/2013	126.40	3875.28	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	REED, KENNETH & PENNY			Owner:	REED RANCHES		
Permit #:	20527 - SFP -			Location #:	SC00904305CB		
USGS Site ID:							
Division:	1			Water District:	49		
County:	KIT CARSON						
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	SW	NW		5	9	S	43
						W	S
Distance from section lines:							
From N/S line:	3443 N			From E/W line:	35 W		
UTM Coordinates (NAD83):	Northing (UTM y):			4352783.0			Easting (UTM x):
							737925.8
Latitude/Longitude (decimal degrees):	39.291757			-102.241174			
Surface Elevation (ft):	4110			Top Perforated Interval (ft):	210		
Well depth (ft):	301			Bottom Perforated Interval (ft):	301		
Aquifer(s):	OGALLALA						

Water Level Change
1 year: -0.90
5 year: 8.30
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	214.75	3895.25	
4/10/2009	212.30	3897.70	2.45
1/15/2010	212.64	3897.36	-0.34
1/28/2011	198.85	3911.15	13.79
1/10/2012	205.55	3904.45	-6.70
1/21/2013	207.45	3902.55	-1.90
2/11/2013	206.45	3903.55	1.00

All Historic Measurements




Well Name:	PENNY JOHN C.			Owner:	PENNY JOHN C		
Permit #:	4057 - FP -			Location #:	SC00904314CCC		
USGS Site ID:	391531102110300						
Division:	1			Water District:	49		
County:	KIT CARSON						
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	SW	SW	SW	14	9	S	43
						W	S
Distance from section lines:							
From N/S line:				From E/W line:			
UTM Coordinates (NAD83):	Northing (UTM y):			4349253.9			Easting (UTM x):
							742917.5
Latitude/Longitude (decimal degrees):	39.258610			-102.184631			
Surface Elevation (ft):	4120.69			Top Perforated Interval (ft):	295		
Well depth (ft):	335			Bottom Perforated Interval (ft):	335		
Aquifer(s):	OGALLALA						

Water Level Change
1 year: -5.20
5 year: -12.49
10 year: -24.08

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	215.43	3905.26	-2.11
12/31/2004	218.99	3901.70	-3.56
12/21/2005			
3/19/2007	221.68	3899.01	
2/18/2008	224.91	3895.78	-3.23
4/30/2009	225.11	3895.58	-0.20
1/15/2010	224.49	3896.20	0.62
1/28/2011	231.50	3889.19	-7.01
1/10/2012	232.20	3888.49	-0.70
2/11/2013	237.40	3883.29	-5.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: PENNY JOHN C.

Owner: PENNY JOHN C

Permit #: 11984 - FP -

Location #: SC00904327BAA

USGS Site ID: 391434102114400

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NE 27 9 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4347465.9 Easting (UTM x): 741989.1 *User supplied*

Latitude/Longitude (decimal degrees): 39.242777 -102.196020

Surface Elevation (ft): 4117.7 **Top Perforated Interval (ft):** 20 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 290 **Bottom Perforated Interval (ft):** 290

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	205.50	3912.20	-1.24
12/31/2004	209.32	3908.38	-3.82
12/21/2005			
3/25/2007	210.34	3907.36	
2/18/2008	212.89	3904.81	-2.55
4/30/2009	211.52	3906.18	1.37
1/15/2010	214.40	3903.30	-2.88
1/28/2011	197.40	3920.30	17.00
2/2/2012			

All Historic Measurements



Well Name: PENNY, KEVIN & GREG.

Owner:

Permit #: 2180 - FP -

Location #: SC00904328ABB

USGS Site ID: 391437102124400

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW NW 28 9 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4347513.9 Easting (UTM x): 740547.6 *User supplied*

Latitude/Longitude (decimal degrees): 39.243610 -102.212687

Surface Elevation (ft): 4161.71 **Top Perforated Interval (ft):** 177 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 337 **Bottom Perforated Interval (ft):** 337

Aquifer(s):

1 year: -4.00


5 year: -7.69

10 year: -18.97

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	245.25	3916.46	-1.02
12/31/2004	247.83	3913.88	-2.58
12/21/2005	249.31	3912.40	-1.48
3/25/2007	252.37	3909.34	-3.06
2/18/2008	255.51	3906.20	-3.14
4/30/2009	254.59	3907.12	0.92
1/15/2010	255.00	3906.71	-0.41
1/28/2011	257.76	3903.95	-2.76
2/26/2012	259.20	3902.51	-1.44
2/11/2013	263.20	3898.51	-4.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	PENNY RANCHES INC.			Owner:	SHAMBRUG ROBERT F		
Permit #:	11553 - FP -	Location #:	SC00904332BBB2	USGS Site ID:	391345102142201		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NW 32	9 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):		4345838.5	Easting (UTM x):		738246.8	User supplied
Latitude/Longitude (decimal degrees):			39.229165			-102.239910	
Surface Elevation (ft):	4186.73	Top Perforated Interval (ft):	224	Base of grout (ft):	Water Level Change		
Well depth (ft):	331	Bottom Perforated Interval (ft):	334			1 year:	-1.40
Aquifer(s):	OGALLALA					5 year:	1.63
						10 year:	-8.13

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	233.20	3953.53	-0.93
12/31/2004	235.50	3951.23	-2.30
12/21/2005	236.69	3950.04	-1.19
3/19/2007	238.07	3948.66	-1.38
2/18/2008	242.03	3944.70	-3.96
4/30/2009	239.70	3947.03	2.33
1/15/2010	240.20	3946.53	-0.50
1/28/2011	240.00	3946.73	0.20
1/5/2012	239.00	3947.73	1.00
2/11/2013	240.40	3946.33	-1.40

All Historic Measurements




Well Name:	PENNY RANCHES INC.			Owner:	PENNY GENE		
Permit #:	5972 - FP -	Location #:	SC00904332CCB	USGS Site ID:	391305102142300		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW NW 32	9 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):		4344603.8	Easting (UTM x):		738236.4	User supplied
Latitude/Longitude (decimal degrees):			39.218055			-102.240466	
Surface Elevation (ft):	4191.73	Top Perforated Interval (ft):	207	Base of grout (ft):	Water Level Change		
Well depth (ft):	327	Bottom Perforated Interval (ft):	327			1 year:	-14.45
Aquifer(s):	OGALLALA					5 year:	-3.99
						10 year:	-10.92

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	230.70	3961.03	-0.92
12/31/2004	232.65	3959.08	-1.95
12/21/2005	233.66	3958.07	-1.01
3/19/2007	235.68	3956.05	-2.02
2/18/2008	236.71	3955.02	-1.03
4/30/2009	236.70	3955.03	0.01
1/15/2010	234.50	3957.23	2.20
1/28/2011	228.50	3963.23	6.00
1/5/2012	226.25	3965.48	2.25
2/11/2013	240.70	3951.03	-14.45

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BEN F. PARMER TRUST			Owner:	PARMER TONY HELEN & STANDLEY JUDY		
Permit #:	3938 - FP -	Location #:	SC00904401BBC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW SW 1	9 S	44 W S		From N/S line: 1010 N From E/W line: 195 W		
UTM Coordinates (NAD83):	Northing (UTM y):	4353396.5	Easting (UTM x):	734724.9	Spotted from section lines		
Latitude/Longitude (decimal degrees):	39.298152		-102.278036				
Surface Elevation (ft):	4169	Top Perforated Interval (ft):	252	Base of grout (ft):	Water Level Change		
Well depth (ft):	350	Bottom Perforated Interval (ft):	342	1 year: -1.15			
Aquifer(s):	OGALLALA			5 year: -4.51			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/12/2008	235.04	3933.96	
1/1/2009			
1/15/2010	233.75	3935.25	
1/8/2011	236.25	3932.75	-2.50
2/23/2012	238.40	3930.60	-2.15
2/11/2013	239.55	3929.45	-1.15

All Historic Measurements




Well Name:	PARMER, TONY, HELEN, ET AL			Owner:	PARMER TONY HELEN & STANDLEY JUDY		
Permit #:	11142 - FP -	Location #:	SC00904401CBB	USGS Site ID:	391734102163700		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NW NW 1	9 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4352771.1	Easting (UTM x):	734821.6	User supplied		
Latitude/Longitude (decimal degrees):	39.292497		-102.277134				
Surface Elevation (ft):	4159.75	Top Perforated Interval (ft):	235	Base of grout (ft):	Water Level Change		
Well depth (ft):	315	Bottom Perforated Interval (ft):	315	1 year: -1.40			
Aquifer(s):	OGALLALA			5 year: -0.97			
				10 year: -13.99			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	210.14	3949.61	-3.13
12/31/2004	213.84	3945.91	-3.70
12/19/2005	214.99	3944.76	-1.15
3/20/2007	214.12	3945.63	0.87
1/31/2008	220.03	3939.72	-5.91
1/1/2009			
1/13/2010	216.00	3943.75	
1/5/2011	218.90	3940.85	-2.90
2/23/2012	219.60	3940.15	-0.70
1/22/2013	221.00	3938.75	-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HINKHOUSE, TRUST**

Owner: HINKHOUSE BILL & R E

Permit #: 3176 - FP -

Location #: SC00904411ACC

USGS Site ID: 391649102171400

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW SW 11 9 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4351387.1 Easting (UTM x): 733951.8 *User supplied*

Latitude/Longitude (decimal degrees): 39.280275 -102.287690

Surface Elevation (ft): 4154.75 **Top Perforated Interval (ft):** 208 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 287 **Bottom Perforated Interval (ft):** 288 **1 year:** -1.60


Aquifer(s): OGALLALA **5 year:** -3.90

10 year: -7.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	188.70	3966.05	0.30
12/31/2004	191.55	3963.20	-2.85
12/19/2005	192.09	3962.66	-0.54
3/25/2007	191.21	3963.54	0.88
1/31/2008	193.00	3961.75	-1.79
4/19/2009	193.67	3961.08	-0.67
1/13/2010	194.78	3959.97	-1.11
1/5/2011	194.90	3959.85	-0.12
2/23/2012	195.30	3959.45	-0.40
1/22/2013	196.90	3957.85	-1.60

All Historic Measurements



Well Name: **WHITMORE, FLOYD & VIC**

Owner: WHITMORE VIC & FLOYD C

Permit #: 4756 - FP -

Location #: SC00904412CA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE 12 9 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4351323.0 Easting (UTM x): 735526.0 *GPS*

Latitude/Longitude (decimal degrees): 39.279272 -102.269481

Surface Elevation (ft): 4142 **Top Perforated Interval (ft):** 243 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 298 **Bottom Perforated Interval (ft):** 298 **1 year:** -6.10


Aquifer(s): OGALLALA **5 year:** 3.63

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	210.83	3931.17	
4/10/2009	210.73	3931.27	0.10
1/13/2010	202.60	3939.40	8.13
1/5/2011	198.70	3943.30	3.90
2/23/2012	201.10	3940.90	-2.40
3/7/2013	207.20	3934.80	-6.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: MCARTHUR, JERRY

Owner: JERRY MCARTHUR FARMS

Permit #: 2893 - FP - R

Location #: SC00904414BAA2

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW NE NE 14 9 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4350368.5 Easting (UTM x): 733876.1 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.271127 -102.288920

Surface Elevation (ft): 4161 **Top Perforated Interval (ft):** 230 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 298 **Bottom Perforated Interval (ft):** 290 **1 year:** 4.80


Aquifer(s): OGALLALA **5 year:** -0.99

10 year: -8.76

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	187.47	3973.53	-0.33
12/31/2004	189.72	3971.28	-2.25
12/19/2005	189.88	3971.12	-0.16
3/20/2007	191.76	3969.24	-1.88
2/1/2008	194.91	3966.09	-3.15
4/29/2009	195.67	3965.33	-0.76
1/13/2010	196.00	3965.00	-0.33
1/5/2011	198.14	3962.86	-2.14
2/23/2012	200.70	3960.30	-2.56
1/22/2013	195.90	3965.10	4.80

All Historic Measurements



Well Name: MCARTHUR, LARRY D. TRUST

Owner: CHARLENE M.MCARTHUR TRUST

Permit #: 5840 - FP -

Location #: SC00904416BB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW NW 16 9 S 44 W S From N/S line: 20 N From E/W line: 1315 W

UTM Coordinates (NAD83): Northing (UTM y): 4350376.0 Easting (UTM x): 730347.4 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 39.272140 -102.329780

Surface Elevation (ft): 4233 **Top Perforated Interval (ft):** 193 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 333 **Bottom Perforated Interval (ft):** 333 **1 year:** -1.50

Aquifer(s): OGALLALA


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2011	220.80	4012.20	
2/23/2012	225.70	4007.30	-4.90
3/12/2013	227.20	4005.80	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **KLIESEN, ROGER**

Owner: PETERS WILLIAM

Permit #: 2917 - FP -

Location #: SC00904429BCC

USGS Site ID: 391414102120600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW SW 29 9 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4346832.8 Easting (UTM x): 741480.7 *User supplied*


Latitude/Longitude (decimal degrees): 39.237221 -102.202131

Surface Elevation (ft): 4211.7 **Top Perforated Interval (ft):** 166 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 266 **Bottom Perforated Interval (ft):** 266 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** 0.15
10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	165.31	4046.39	-2.01
12/28/2004	168.12	4043.58	-2.81
12/19/2005	168.13	4043.57	-0.01
3/20/2007	173.22	4038.48	-5.09
2/1/2008	178.65	4033.05	-5.43
4/29/2009	176.29	4035.41	2.36
1/18/2010	177.50	4034.20	-1.21
1/5/2011	173.70	4038.00	3.80
2/23/2012	177.20	4034.50	-3.50
3/12/2013	178.50	4033.20	-1.30

All Historic Measurements



Well Name: **KUHN WEST MONITORING WELL**

Owner:

Permit #: - -

Location #: SC00904431CCC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 31 9 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4343957.5 Easting (UTM x): 727093.9 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.215222 -102.369618

Surface Elevation (ft): 4220 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 139 **Bottom Perforated Interval (ft):** **1 year:** -2.60
Aquifer(s): **5 year:** 2.59
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/10/2008	138.04	4081.96	
4/19/2009	135.25	4084.75	2.79
1/18/2010	129.85	4090.15	5.40
1/5/2011	125.85	4094.15	4.00
2/23/2012	132.85	4087.15	-7.00
3/13/2013	135.45	4084.55	-2.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: TRAVIS, SAM E.

Owner: TRAVIS SAM E

Permit #: 4156 - FP -

Location #: SC00904432BCB

USGS Site ID: 391330102210500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW NW 32 9 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4345087.3 Easting (UTM x): 728595.7 User supplied

Latitude/Longitude (decimal degrees): 39.224998 -102.351858

Surface Elevation (ft): 4214.78 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 265 **Bottom Perforated Interval (ft):** 265 **1 year:** -20.10


Aquifer(s): OGALLALA **5 year:** -13.59

10 year: -26.19

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	161.94	4052.84	-0.63
12/28/2004	163.96	4050.82	-2.02
12/19/2005	164.12	4050.66	-0.16
3/20/2007	169.75	4045.03	-5.63
2/1/2008	173.91	4040.87	-4.16
4/29/2009	169.45	4045.33	4.46
1/18/2010	172.45	4042.33	-3.00
1/5/2011	166.00	4048.78	6.45
2/23/2012	167.40	4047.38	-1.40
1/22/2013	187.50	4027.28	-20.10

All Historic Measurements



Well Name: OBSERVATION WELL

Owner: MILTENBERGER, BENEDICT AND PAULINE

Permit #: - -

Location #: SC00904505BA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE 5 9 S 45 W S From N/S line: 173 N From E/W line: 2482 W

UTM Coordinates (NAD83): Northing (UTM y): 4353233.0 Easting (UTM x): 719326.8 Spotted from section lines

Latitude/Longitude (decimal degrees): 39.300717 -102.456481

Surface Elevation (ft): 4200 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 130 **Bottom Perforated Interval (ft):** **1 year:** -1.40

Aquifer(s): OGALLALA


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2011	97.71	4102.29	
2/25/2012	97.40	4102.60	0.31
2/18/2013	98.80	4101.20	-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	VAVRA BROTHERS	Owner:	MCCORMICK TOM
Permit #:	9336 - FP -	Location #:	SC00904514BDA
		USGS Site ID:	391607102235800
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SE NE 14	9 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4349808.4	Easting (UTM x): 724331.5 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.268608	-102.399638
Surface Elevation (ft):	4286.82	Top Perforated Interval (ft):	222
		Base of grout (ft):	
Well depth (ft):	288	Bottom Perforated Interval (ft):	292
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -11.90
5 year: -13.93
10 year: -24.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	222.23	4064.59	-1.33
12/28/2004	224.08	4062.74	-1.85
1/3/2006	227.36	4059.46	-3.28
3/25/2007	228.56	4058.26	-1.20
1/28/2008	231.67	4055.15	-3.11
1/1/2009			
1/30/2010	233.11	4053.71	
1/8/2011	233.61	4053.21	-0.50
2/24/2012	233.70	4053.12	-0.09
1/25/2013	245.60	4041.22	-11.90

All Historic Measurements




Well Name:	HILDEBRANDT, KEN M.	Owner:	HILDEBRANDT KEN M
Permit #:	12832 - FP -	Location #:	SC00904518BCB
		USGS Site ID:	391602102285400
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW NW 18	9 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4349451.4	Easting (UTM x): 717169.4 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.267218	-102.482697
Surface Elevation (ft):	4281.85	Top Perforated Interval (ft):	138
		Base of grout (ft):	
Well depth (ft):	228	Bottom Perforated Interval (ft):	232
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.30
5 year: 3.98
10 year: -1.56

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	140.85	4141.00	-1.51
12/27/2004	140.97	4140.88	-0.12
1/3/2006	141.37	4140.48	-0.40
3/25/2007	141.76	4140.09	-0.39
1/28/2008	144.88	4136.97	-3.12
1/1/2009			
1/30/2010	141.50	4140.35	
1/8/2011	138.20	4143.65	3.30
2/25/2012	137.60	4144.25	0.60
2/25/2013	140.90	4140.95	-3.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	CROUSE, MAE B. TRUST	Owner:	JERRY & SHELLEY MCARTHUR
Permit #:	15944 - RFP -	Location #:	SC00904521CDC
		USGS Site ID:	391435102262600


Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW SE SW 21	9 S	45 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4346870.5	Easting (UTM x):	720864.5	User supplied
Latitude/Longitude (decimal degrees):	39.243052	-102.440751			

Surface Elevation (ft):	4331.84	Top Perforated Interval (ft):	200	Base of grout (ft):		Water Level Change
Well depth (ft):	300	Bottom Perforated Interval (ft):	300			1 year: -18.20
Aquifer(s):	OGALLALA					5 year: -1.61
						10 year: -6.25

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	217.78	4114.06	0.57
12/28/2004	219.10	4112.74	-1.32
1/3/2006	219.90	4111.94	-0.80
3/25/2007			
1/28/2008	222.99	4108.85	
1/1/2009			
1/30/2010	219.40	4112.44	
1/8/2011	207.00	4124.84	12.40
2/24/2012	206.40	4125.44	0.60
1/25/2013	224.60	4107.24	-18.20

All Historic Measurements



Well Name:	CROUSE, BARNEY	Owner:	TRIPLE H FARMS INC
Permit #:	10929 - F -	Location #:	SC00904522DDC
		USGS Site ID:	391436102244300


Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE SE SW 22	9 S	45 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4346970.9	Easting (UTM x):	723309.3	User supplied
Latitude/Longitude (decimal degrees):	39.243330	-102.412416			

Surface Elevation (ft):	4313.83	Top Perforated Interval (ft):	220	Base of grout (ft):		Water Level Change
Well depth (ft):	320	Bottom Perforated Interval (ft):	320			1 year: -2.00
Aquifer(s):	OGALLALA					5 year: 3.71
						10 year: -7.53

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	222.93	4090.90	-0.36
12/28/2004	223.30	4090.53	-0.37
1/3/2006	224.89	4088.94	-1.59
3/25/2007	229.28	4084.55	-4.39
1/28/2008	233.81	4080.02	-4.53
1/1/2009			
1/30/2010	229.80	4084.03	
1/8/2011	224.60	4089.23	5.20
2/24/2012	228.10	4085.73	-3.50
1/25/2013	230.70	4083.13	-2.60
3/13/2013	230.10	4083.73	0.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	POTTOFF, KENNETH E.			Owner:	POTTORFF KENNETH		
Permit #:	3907 - FP -	Location #:	SC00904529DBC	USGS Site ID:	391402102271600		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NW SW 29	9 S	45 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y): 4345819.2		Easting (UTM x): 719694.3		User supplied		
Latitude/Longitude (decimal degrees):	39.233885		-102.454640				
Surface Elevation (ft):	4347.85	Top Perforated Interval (ft):	150	Base of grout (ft):	Water Level Change		
Well depth (ft):	278	Bottom Perforated Interval (ft):	278		1 year: -2.60		
Aquifer(s):	OGALLALA				5 year: -3.37		
					10 year: -6.85		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	211.58	4136.27	1.17
12/28/2004	214.09	4133.76	-2.51
1/3/2006	214.10	4133.75	-0.01
3/22/2007	215.85	4132.00	-1.75
1/28/2008	216.23	4131.62	-0.38
1/1/2009			
1/30/2010	221.00	4126.85	
1/7/2011	224.21	4123.64	-3.21
2/24/2012	217.00	4130.85	7.21
2/25/2013	219.60	4128.25	-2.60

All Historic Measurements




Well Name:	CROUSE, MAE B.			Owner:	CROUSE MAE B.		
Permit #:	4706 - FP -	Location #:	SC00904533ACD	USGS Site ID:	391322102255300		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE SW SE 33	9 S	45 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y): 4344642.2		Easting (UTM x): 721719.7		User supplied		
Latitude/Longitude (decimal degrees):	39.222775		-102.431583				
Surface Elevation (ft):	4326.84	Top Perforated Interval (ft):	210	Base of grout (ft):	Water Level Change		
Well depth (ft):	290	Bottom Perforated Interval (ft):	290		1 year: -4.10		
Aquifer(s):	OGALLALA				5 year: -8.37		
					10 year: -16.75		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	202.63	4124.21	-0.68
12/28/2004	203.46	4123.38	-0.83
1/3/2006	204.16	4122.68	-0.70
3/22/2007	205.27	4121.57	-1.11
2/2/2008	210.33	4116.51	-5.06
1/1/2009			
1/30/2010	213.80	4113.04	
1/8/2011	212.70	4114.14	1.10
2/23/2012	214.60	4112.24	-1.90
2/25/2013	218.70	4108.14	-4.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HERTNEKY, DAVID & KATHERINE**

Owner:

Permit #: 11141 - FP - **Location #:** SC00904533CCC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 33 9 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4343743.0 Easting (UTM x): 720645.9 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.214954 -102.444304

Surface Elevation (ft): 4346 **Top Perforated Interval (ft):** 203 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 293 **Bottom Perforated Interval (ft):** 293 **1 year:** -14.70
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	125.70	4220.30	
2/4/2011	125.70	4220.30	0.00
2/23/2012	126.70	4219.30	-1.00
2/25/2013	141.40	4204.60	-14.70

All Historic Measurements



Well Name: **HILLMAN, D.L. & B.J.**

Owner: POTTORFF ERNEST

Permit #: 6505 - FP - **Location #:** SC00904610DCD

USGS Site ID: 391629102313600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SE 10 9 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4350180.7 Easting (UTM x): 713407.7 *User supplied*


Latitude/Longitude (decimal degrees): 39.274718 -102.526032

Surface Elevation (ft): 4346.87 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 255 **Bottom Perforated Interval (ft):** 255 **1 year:** -10.70
Aquifer(s): OGALLALA **5 year:** 1.32
10 year: -7.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	170.85	4176.02	1.25
12/27/2004	172.71	4174.16	-1.86
1/3/2006	172.12	4174.75	0.59
4/15/2007	176.81	4170.06	-4.69
2/21/2008	180.92	4165.95	-4.11
4/7/2009	175.93	4170.94	4.99
1/30/2010	169.80	4177.07	6.13
1/7/2011	170.70	4176.17	-0.90
2/24/2012	168.90	4177.97	1.80
2/25/2013	179.60	4167.27	-10.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **POTTORFF, W.T.**

Owner: POTTORFF W T

Permit #: 6076 - FP -

Location #: SC00904618DAA1

USGS Site ID: 391550102344000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NE NE 18 9 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4348856.2 Easting (UTM x): 708934.5 *User supplied*

Latitude/Longitude (decimal degrees): 39.263884 -102.578255

Surface Elevation (ft): 4405.9 **Top Perforated Interval (ft):** 175 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 245 **Bottom Perforated Interval (ft):** 245 **1 year:** -5.90


Aquifer(s): OGALLALA **5 year:** -7.75

10 year: -7.85

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	175.92	4229.98	-0.07
12/27/2004	175.88	4230.02	0.04
1/10/2006	175.78	4230.12	0.10
4/16/2007	176.00	4229.90	-0.22
2/20/2008	175.95	4229.95	0.05
4/7/2009	175.06	4230.84	0.89
1/30/2010	174.78	4231.12	0.28
1/7/2011	176.11	4229.79	-1.33
2/24/2012	177.80	4228.10	-1.69
2/25/2013	183.70	4222.20	-5.90

All Historic Measurements



Well Name: **MILTENBERGER, GEORGE**

Owner: MILTENBERGER BROS

Permit #: 15979 - FP -

Location #: SC00904626BBB1

USGS Site ID: 391437102311101

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 26 9 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4346741.3 Easting (UTM x): 714005.6 *User supplied*

Latitude/Longitude (decimal degrees): 39.243607 -102.520198

Surface Elevation (ft): 4347.88 **Top Perforated Interval (ft):** 177 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 237 **Bottom Perforated Interval (ft):** 227 **1 year:** 1.80


Aquifer(s): OGALLALA **5 year:** 10.54

10 year: 4.09

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	151.33	4196.55	0.26
12/27/2004	152.58	4195.30	-1.25
1/3/2006	152.80	4195.08	-0.22
4/15/2007	154.53	4193.35	-1.73
2/21/2008	158.04	4189.84	-3.51
1/1/2009			
1/30/2010	152.70	4195.18	
1/7/2011	150.70	4197.18	2.00
2/24/2012	149.30	4198.58	1.40
2/25/2013	147.50	4200.38	1.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: PICKARD, L.

Owner: STRATTON TOWN OF

Permit #: 3786 - FP -

Location #: SC00904701DBC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW SW 1 9 S 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4351826.0 Easting (UTM x): 706655.1 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.291168 -102.603745

Surface Elevation (ft): 4418 **Top Perforated Interval (ft):** 178 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 238 **Bottom Perforated Interval (ft):** 238 **1 year:** -9.90


Aquifer(s): OGALLALA **5 year:** 2.17

10 year: -2.35

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	191.22	4226.78	-0.07
12/27/2004	190.88	4227.12	0.34
1/24/2006	190.47	4227.53	0.41
3/22/2007	192.21	4225.79	-1.74
2/21/2008	195.67	4222.33	-3.46
1/1/2009			
1/30/2010	190.40	4227.60	
1/7/2011	184.00	4234.00	6.40
2/24/2012	183.60	4234.40	0.40
2/25/2013	193.50	4224.50	-9.90

All Historic Measurements



Well Name: SCHULTE, RAYMOND R

Owner: POTTORFF ERNEST

Permit #: 12066 - F -

Location #: SC00904705CCC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 5 9 S 47 W S From N/S line: 20 S From E/W line: 20 W

UTM Coordinates (NAD83): Northing (UTM y): 4351139.0 Easting (UTM x): 699462.4 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 39.286668 -102.687284

Surface Elevation (ft): 4447 **Top Perforated Interval (ft):** 129 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 159 **Bottom Perforated Interval (ft):** 159 **1 year:** -8.30


Aquifer(s): OGALLALA **5 year:** 8.65

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	153.15	4293.85	
4/7/2009	155.06	4291.94	-1.91
1/30/2010	150.00	4297.00	5.06
1/7/2011	140.40	4306.60	9.60
2/24/2012	136.20	4310.80	4.20
2/19/2013	144.50	4302.50	-8.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: THEISSEN, RUBY

Owner: THIESSEN WINIFRED RUBY

Permit #: 167454 - -

Location #: SC00904810BCD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW NW 10 9 S 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4350299.0 Easting (UTM x): 693333.0 GPS

Latitude/Longitude (decimal degrees): 39.280494 -102.758542

Surface Elevation (ft): 4498 **Top Perforated Interval (ft):** 55 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 85 **Bottom Perforated Interval (ft):** 80 **1 year:** -2.70


Aquifer(s): OGALLALA **5 year:** -2.17

10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	49.89	4448.11	-0.09
12/15/2004	51.12	4446.88	-1.23
1/24/2006	50.73	4447.27	0.39
4/16/2007	50.86	4447.14	-0.13
2/21/2008	51.63	4446.37	-0.77
4/7/2009	51.47	4446.53	0.16
1/30/2010	51.70	4446.30	-0.23
1/4/2011	50.00	4448.00	1.70
2/24/2012	51.10	4446.90	-1.10
2/26/2013	53.80	4444.20	-2.70

All Historic Measurements



Well Name: DAVIS, TEDDY WAYNE

Owner: HEINTGES FARMS INC

Permit #: 10531 - FP -

Location #: SC01004203CBD

USGS Site ID: 391228102051700

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW SE 3 10 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4343873.9 Easting (UTM x): 751393.4 User supplied

Latitude/Longitude (decimal degrees): 39.207778 -102.088516

Surface Elevation (ft): 4029.64 **Top Perforated Interval (ft):** 168 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 288 **Bottom Perforated Interval (ft):** 288 **1 year:** -3.00


Aquifer(s): OGALLALA **5 year:** -4.99

10 year: -15.68

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	174.03	3855.61	-1.31
1/1/2005	176.00	3853.64	-1.97
12/20/2005	178.24	3851.40	-2.24
3/18/2007	180.55	3849.09	-2.31
2/18/2008	183.41	3846.23	-2.86
1/1/2009			
2/12/2010	183.70	3845.94	
2/7/2011	182.00	3847.64	1.70
2/2/2012	185.40	3844.24	-3.40
2/11/2013	188.40	3841.24	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **CRAMER, GEO & RAMONA**

Owner:

Permit #: - -

Location #: SC01004212DCD

USGS Site ID: 391110102030100


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SW SE 12 10 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4341551.0 Easting (UTM x): 754456.0 GPS
Latitude/Longitude (decimal degrees): 39.185983 -102.053965

Surface Elevation (ft): 4002.62 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 273 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	158.16	3844.46	-3.06
1/1/2005	161.54	3841.08	-3.38
12/20/2005	163.02	3839.60	-1.48
3/18/2007	163.47	3839.15	-0.45
2/22/2008	163.11	3839.51	0.36
4/5/2009	163.63	3838.99	-0.52
2/12/2010	167.10	3835.52	-3.47
2/7/2011	166.20	3836.42	0.90
2/2/2012	166.45	3836.17	-0.25
2/11/2013			

All Historic Measurements



Well Name: **WHITMORE, JIM**

Owner: WHITMORE JAMES

Permit #: 20498 - RFP - R

Location #: SC01004216CBB

USGS Site ID:


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW NW 16 10 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4340507.6 Easting (UTM x): 749710.2 Spotted from quarters
Latitude/Longitude (decimal degrees): 39.177968 -102.109230

Surface Elevation (ft): 4055 **Top Perforated Interval (ft):** 181 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 291 **Bottom Perforated Interval (ft):** 281 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -2.28
10 year: -11.65

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	179.25	3875.75	-1.60
1/1/2005	183.00	3872.00	-3.75
12/21/2005	185.29	3869.71	-2.29
3/18/2007	184.85	3870.15	0.44
2/18/2008	187.02	3867.98	-2.17
1/1/2009			
2/12/2010	186.20	3868.80	
2/7/2011	184.10	3870.90	2.10
2/2/2012	187.30	3867.70	-3.20
2/11/2013	189.30	3865.70	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: TOMES, ERNEST D.

Owner: TOMES ERNEST D.

Permit #: 4226 - FP - **Location #:** SC01004221BCA **USGS Site ID:** 391005102062800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 21 10 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4339417.8 Easting (UTM x): 750071.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.168057 -102.105460

Surface Elevation (ft): 4030.64 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 238 **Bottom Perforated Interval (ft):** 238 **1 year:** 1.10
Aquifer(s): OGALLALA **5 year:** -6.01
10 year: -13.65

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	147.34	3883.30	-1.69
1/1/2005	151.17	3879.47	-3.83
12/21/2005	151.94	3878.70	-0.77
3/18/2007	150.75	3879.89	1.19
2/18/2008	153.29	3877.35	-2.54
1/1/2009			
2/12/2010	154.12	3876.52	
2/7/2011	159.30	3871.34	-5.18
2/2/2012	160.40	3870.24	-1.10
2/11/2013	159.30	3871.34	1.10

All Historic Measurements



Well Name: TOMES, ERNEST D.

Owner: TOMES ERNEST D & JOAN R

Permit #: 10698 - FP - **Location #:** SC01004223BBB **USGS Site ID:** 391016102042200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 23 10 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4339847.2 Easting (UTM x): 752868.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.171113 -102.072959

Surface Elevation (ft): 3996.62 **Top Perforated Interval (ft):** 150 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 270 **Bottom Perforated Interval (ft):** 270 **1 year:** -4.70
Aquifer(s): OGALLALA **5 year:** -8.21
10 year: -18.86

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	133.37	3863.25	-1.73
1/1/2005	137.16	3859.46	-3.79
12/20/2005	138.06	3858.56	-0.90
3/18/2007	138.17	3858.45	-0.11
2/4/2008	142.29	3854.33	-4.12
1/1/2009			
2/12/2010	145.80	3850.82	
2/7/2011	144.60	3852.02	1.20
2/2/2012	145.80	3850.82	-1.20
2/11/2013	150.50	3846.12	-4.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: ADAMS JOINT TRUST

Owner:

Permit #: - - **Location #:** SC01004235AAA

USGS Site ID: 390830102031500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE NE NE 35 10 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4336596.2 Easting (UTM x): 754463.8 *User supplied*

Latitude/Longitude (decimal degrees): 39.141391 -102.055736

Surface Elevation (ft): 3961.62 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 142 **Bottom Perforated Interval (ft):** **1 year:** -42.90


Aquifer(s): **5 year:** -48.39

10 year: -55.59

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	80.04	3881.58	-1.33
12/15/2004	82.06	3879.56	-2.02
12/20/2005	83.62	3878.00	-1.56
3/18/2007	83.10	3878.52	0.52
2/22/2008	85.91	3875.71	-2.81
4/5/2009	87.27	3874.35	-1.36
2/12/2010	87.60	3874.02	-0.33
2/7/2011	90.00	3871.62	-2.40
2/2/2012	91.40	3870.22	-1.40
2/11/2013	134.30	3827.32	-42.90

All Historic Measurements



Well Name: GARY E. & JUDY A. ANDREWS

Owner:

Permit #: 10423 - FP - **Location #:** SC01004303BC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW SW 3 10 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4343751.5 Easting (UTM x): 741686.3 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.209431 -102.200851

Surface Elevation (ft): 4160 **Top Perforated Interval (ft):** 207 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 327 **Bottom Perforated Interval (ft):** 327 **1 year:**


Aquifer(s): OGALLALA **5 year:**

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	248.20	3911.80	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **GARY E. & JUDY A. ANDREWS**

Owner:

Permit #: 10526 - FP - **Location #:** SC01004303DB **USGS Site ID:**

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE NW 3 10 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4343380.5 Easting (UTM x): 742506.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.205864 -102.191490


Surface Elevation (ft): 4155 **Top Perforated Interval (ft):** 214 **Base of grout (ft):**
Well depth (ft): 334 **Bottom Perforated Interval (ft):** 334
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	239.80	3915.20	

All Historic Measurements



Well Name: **THOMPSON, TIM&KAREN**

Owner: THOMPSON KAREN

Permit #: 10422 - F - **Location #:** SC01004309BAC **USGS Site ID:** 391153102125600

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NE SW 9 10 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4342448.4 Easting (UTM x): 740415.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.198055 -102.216020


Surface Elevation (ft): 4177.71 **Top Perforated Interval (ft):** 215 **Base of grout (ft):**
Well depth (ft): 335 **Bottom Perforated Interval (ft):** 335
Aquifer(s): OGALLALA

Water Level Change
1 year: -3.80
5 year: -5.83
10 year: -13.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	231.20	3946.51	-0.90
12/31/2004	232.68	3945.03	-1.48
12/21/2005	234.24	3943.47	-1.56
3/19/2007	236.01	3941.70	-1.77
2/23/2008	237.77	3939.94	-1.76
1/1/2009			
1/15/2010	238.50	3939.21	
1/28/2011	238.60	3939.11	-0.10
2/1/2012	239.80	3937.91	-1.20
1/21/2013	243.60	3934.11	-3.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: GREGORY E. ANDREWS

Owner:

Permit #: 3738 - FP - **Location #:** SC01004310BA **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NE 10 10 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4342558.0 Easting (UTM x): 742135.1 Spotted from quarters
Latitude/Longitude (decimal degrees): 39.198566 -102.196091

Surface Elevation (ft): 4150 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 342 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	239.80		

All Historic Measurements



Well Name: HITCHCOCK FARMS

Owner: HITCHCOCK FARMS INC

Permit #: 10660 - F - **Location #:** SC01004311ABB **USGS Site ID:** 391202102102100


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NW NW 11 10 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4342841.2 Easting (UTM x): 744125.6 User supplied
Latitude/Longitude (decimal degrees): 39.200556 -102.172963

Surface Elevation (ft): 4123.68 **Top Perforated Interval (ft):** 187 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 322 **Bottom Perforated Interval (ft):** 322 **1 year:** -18.20
Aquifer(s): OGALLALA **5 year:** -20.51
10 year: -30.42

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	214.58	3909.10	-1.60
12/31/2004	216.36	3907.32	-1.78
12/21/2005	217.35	3906.33	-0.99
3/19/2007	220.72	3902.96	-3.37
2/18/2008	222.89	3900.79	-2.17
4/10/2009	221.83	3901.85	1.06
1/15/2010	220.80	3902.88	1.03
1/28/2011	222.70	3900.98	-1.90
2/1/2012	225.20	3898.48	-2.50
1/21/2013	243.40	3880.28	-18.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: SCOTT, R.E. TRUST

Owner: MCARTHUR KEITH & THERESA

Permit #: 5628 - FP -

Location #: SC01004313DDD

USGS Site ID: 391024102085200

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE SE SE 13 10 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4339886.4 Easting (UTM x): 746356.0 *User supplied*

Latitude/Longitude (decimal degrees): 39.173334 -102.148240

Surface Elevation (ft): 4111.66 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -29.30


Aquifer(s): OGALLALA **5 year:** -13.81

10 year: -22.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	204.75	3906.91	-0.85
1/1/2005	206.70	3904.96	-1.95
12/21/2005	207.55	3904.11	-0.85
3/18/2007	209.29	3902.37	-1.74
2/18/2008	212.59	3899.07	-3.30
4/10/2009	214.03	3897.63	-1.44
2/10/2010	195.00	3916.66	19.03
1/29/2011	196.20	3915.46	-1.20
2/2/2012	197.10	3914.56	-0.90
2/11/2013	226.40	3885.26	-29.30

All Historic Measurements



Well Name: BURLINGTON FARMS INC

Owner: JONES HARDY S

Permit #: 10702 - FP -

Location #: SC01004317CBB

USGS Site ID: 391044102142200

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW NW NW 17 10 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4340257.8 Easting (UTM x): 738416.9 *User supplied*

Latitude/Longitude (decimal degrees): 39.178889 -102.239910

Surface Elevation (ft): 4187.73 **Top Perforated Interval (ft):** 207 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 327 **Bottom Perforated Interval (ft):** 327 **1 year:** -23.40


Aquifer(s): OGALLALA **5 year:** -26.43

10 year: -33.93

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	210.90	3976.83	-0.53
12/31/2004	213.75	3973.98	-2.85
12/21/2005	214.10	3973.63	-0.35
3/18/2007	214.58	3973.15	-0.48
2/18/2008	217.87	3969.86	-3.29
4/10/2009	218.61	3969.12	-0.74
2/10/2010	217.10	3970.63	1.51
2/7/2011	218.90	3968.83	-1.80
2/2/2012	220.90	3966.83	-2.00
2/11/2013	244.30	3943.43	-23.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: BELL INVESTMENTS, LLP		Owner: JONES BESS FARMS	
Permit #: 10424 - FP -	Location #: SC01004324DCC	USGS Site ID: 390926102092000	
Division: 1	Water District: 49	County: KIT CARSON	
Location: Q160 Q40 Q10 Section Twnshp Range PM	Distance from section lines:		
SE SW SW 24 10 S 43 W S	From N/S line: From E/W line:		
UTM Coordinates (NAD83): Northing (UTM y): 4338077.7		Easting (UTM x): 745764.1 <i>User supplied</i>	
Latitude/Longitude (decimal degrees): 39.157223		-102.155740	
Surface Elevation (ft): 4073.66	Top Perforated Interval (ft): 144	Base of grout (ft):	Water Level Change 1 year: 5 year: 10 year:
Well depth (ft): 224	Bottom Perforated Interval (ft): 224		
Aquifer(s): OGALLALA			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	154.45	3919.21	-1.65
1/1/2005	156.79	3916.87	-2.34
12/21/2005	156.48	3917.18	0.31
3/18/2007	156.90	3916.76	-0.42
2/4/2008	160.66	3913.00	-3.76
4/10/2009	163.43	3910.23	-2.77
2/10/2010	152.80	3920.86	10.63
1/28/2011	161.68	3911.98	-8.88
2/2/2012	162.80	3910.86	-1.12
2/11/2013			

All Historic Measurements




Well Name: BELLINVESTMENT, LLLP		Owner: JONES BESSIE	
Permit #: 276 - RFP - R	Location #: SC01004325BBB	USGS Site ID: 390924102095200	
Division: 1	Water District: 49	County: KIT CARSON	
Location: Q160 Q40 Q10 Section Twnshp Range PM	Distance from section lines:		
NW NW NW 25 10 S 43 W S	From N/S line: From E/W line:		
UTM Coordinates (NAD83): Northing (UTM y): 4337991.3		Easting (UTM x): 744973.8 <i>User supplied</i>	
Latitude/Longitude (decimal degrees): 39.156668		-102.164907	
Surface Elevation (ft): 4183.07	Top Perforated Interval (ft): 155	Base of grout (ft):	Water Level Change 1 year: 5 year: 10 year:
Well depth (ft): 248	Bottom Perforated Interval (ft): 235		
Aquifer(s): OGALLALA			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	154.30	4028.77	-1.40
1/1/2005	155.18	4027.89	-0.88
12/21/2005	156.27	4026.80	-1.09
3/18/2007	160.57	4022.50	-4.30
2/18/2008	162.11	4020.96	-1.54
4/10/2009	164.07	4019.00	-1.96
2/10/2010	154.10	4028.97	9.97
1/28/2011	155.10	4027.97	-1.00
2/2/2012	156.80	4026.27	-1.70
2/11/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: PENNY, GENE ETAL

Owner: BELL BRITT

Permit #: 10224 - F -

Location #: SC01004332ABB

USGS Site ID: 390832102134500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW NW 32 10 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4336214.9 Easting (UTM x): 739429.3 User supplied

Latitude/Longitude (decimal degrees): 39.142223 -102.229631

Surface Elevation (ft): 4179.71 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 280 **Bottom Perforated Interval (ft):** 280 **1 year:** -18.80


Aquifer(s): OGALLALA **5 year:** -17.18

10 year: -24.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	180.10	3999.61	-2.80
12/31/2004	180.70	3999.01	-0.60
12/22/2005	181.48	3998.23	-0.78
3/18/2007	184.50	3995.21	-3.02
2/18/2008	184.72	3994.99	-0.22
4/30/2009	183.10	3996.61	1.62
1/18/2010	180.53	3999.18	2.57
2/7/2011	181.50	3998.21	-0.97
2/2/2012	183.10	3996.61	-1.60
2/11/2013	201.90	3977.81	-18.80

All Historic Measurements



Well Name: MIDWEST FARMS

Owner: MIDWEST FARMS LLC

Permit #: 5080 - FP -

Location #: SC01004408DCC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SW 8 10 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4341019.5 Easting (UTM x): 729617.6 Spotted from quarters

Latitude/Longitude (decimal degrees): 39.188110 -102.341415

Surface Elevation (ft): 4294 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 315 **Bottom Perforated Interval (ft):** 315 **1 year:** -6.80


Aquifer(s): OGALLALA **5 year:** -14.08

10 year: -20.95

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	242.45	4051.55	0.20
12/28/2004	244.03	4049.97	-1.58
12/19/2005	244.38	4049.62	-0.35
3/20/2007	248.71	4045.29	-4.33
2/1/2008	249.52	4044.48	-0.81
4/7/2009	250.77	4043.23	-1.25
1/18/2010	252.50	4041.50	-1.73
1/5/2011	254.71	4039.29	-2.21
2/23/2012	256.80	4037.20	-2.09
2/25/2013	263.60	4030.40	-6.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: WALKINSHAW, SAM

Owner: WALKINSHAW STEPHEN A

Permit #: 5673 - FP -

Location #: SC01004410ACB

USGS Site ID: 391157102181900

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW NW 10 10 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4342337.3 Easting (UTM x): 732662.2 *User supplied*

Latitude/Longitude (decimal degrees): 39.199165 -102.305745

Surface Elevation (ft): 4220.76 **Top Perforated Interval (ft):** 177 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 275 **Bottom Perforated Interval (ft):** 197 **1 year:** -3.40


Aquifer(s): OGALLALA **5 year:** -3.93

10 year: -10.38

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	194.59	4026.17	-0.47
12/28/2004	196.27	4024.49	-1.68
12/22/2005	196.98	4023.78	-0.71
3/20/2007	197.74	4023.02	-0.76
2/1/2008	200.57	4020.19	-2.83
1/1/2009			
2/15/2010	195.70	4025.06	
1/5/2011	196.50	4024.26	-0.80
2/23/2012	201.10	4019.66	-4.60
1/23/2013	204.50	4016.26	-3.40

All Historic Measurements



Well Name: PEKAREK N & M

Owner: BELL CLAUDE M

Permit #: 3979 - FP -

Location #: SC01004411BDA2

USGS Site ID: 391152102171001

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SE NE 11 10 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4342231.0 Easting (UTM x): 734345.0 *GPS*

Latitude/Longitude (decimal degrees): 39.197756 -102.286316

Surface Elevation (ft): 4236.75 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 288 **Bottom Perforated Interval (ft):** 310 **1 year:** -12.00


Aquifer(s): OGALLALA **5 year:** -1.69

10 year: -10.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	219.84	4016.91	-1.44
12/28/2004	221.40	4015.35	-1.56
12/22/2005	222.08	4014.67	-0.68
3/20/2007	225.15	4011.60	-3.07
2/1/2008	226.91	4009.84	-1.76
1/1/2009			
2/15/2010	219.50	4017.25	
1/5/2011	215.30	4021.45	4.20
2/23/2012	216.60	4020.15	-1.30
1/23/2013	228.60	4008.15	-12.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	NIDER TRUST	Owner:	NIDER LOUIS
Permit #:	3823 - FP -	Location #:	SC01004414CBC
		USGS Site ID:	391038102174600
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NW SW 14	10 S	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4339925.9	Easting (UTM x): 733550.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.177222	-102.296300
Surface Elevation (ft):	4250.75	Top Perforated Interval (ft):	267
		Base of grout (ft):	
Well depth (ft):	307	Bottom Perforated Interval (ft):	307
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 1.00
5 year: -10.68
10 year: -20.42

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	220.56	4030.19	-1.68
12/28/2004	221.88	4028.87	-1.32
12/22/2005	223.50	4027.25	-1.62
3/20/2007	225.81	4024.94	-2.31
2/1/2008	228.62	4022.13	-2.81
4/7/2009	231.79	4018.96	-3.17
2/15/2010	232.30	4018.45	-0.51
2/7/2011	239.30	4011.45	-7.00
2/23/2012	240.30	4010.45	-1.00
1/23/2013	239.30	4011.45	1.00

All Historic Measurements




Well Name:	GRUSING, GEORGEANNA & MARVIN H.	Owner:	MARVIN AND GEORGEANNA GRUSING
Permit #:	10418 - FP -	Location #:	SC01004417CCD
		USGS Site ID:	
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW SE 17	10 S	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4339424.5	Easting (UTM x): 729071.4 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		39.173900	-102.348271
Surface Elevation (ft):	4305	Top Perforated Interval (ft):	246
		Base of grout (ft):	
Well depth (ft):	326	Bottom Perforated Interval (ft):	326
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -16.20
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2011	248.90	4056.10	
2/23/2012	250.50	4054.50	-1.60
1/23/2013	266.70	4038.30	-16.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	ERKER, A.			Owner:	ERKER ALFRED		
Permit #:	20477 - SFP -			Location #:	SC01004423CBC		
				USGS Site ID:	390945102174600		
Division:	1			Water District:	49		
				County:	KIT CARSON		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	SW	NW	SW	23	10	S	44 W S
				Distance from section lines:			
				From N/S line:	From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):			4338291.0		Easting (UTM x):	
						733575.4 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):				39.162500		-102.296578	
Surface Elevation (ft):	4228.75			Top Perforated Interval (ft):	Base of grout (ft):		
Well depth (ft):	296			Bottom Perforated Interval (ft):			
Aquifer(s):	OGALLALA						

Water Level Change
1 year: -5.50
5 year: -0.97
10 year: -10.12

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	193.15	4035.60	-1.97
12/28/2004	193.60	4035.15	-0.45
12/22/2005	194.43	4034.32	-0.83
3/20/2007	197.77	4030.98	-3.34
2/1/2008	200.33	4028.42	-2.56
4/7/2009	201.92	4026.83	-1.59
2/15/2010	200.53	4028.22	1.39
2/7/2011	193.80	4034.95	6.73
2/23/2012	195.80	4032.95	-2.00
1/22/2013	201.30	4027.45	-5.50

All Historic Measurements




Well Name:	ERKER, A.A. & CO.			Owner:	ERKER ALFRED A		
Permit #:	20477 - FP -			Location #:	SC01004426CDD		
				USGS Site ID:	390838102171200		
Division:	1			Water District:	49		
				County:	KIT CARSON		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	SW	SE	SE	26	10	S	44 W S
				Distance from section lines:			
				From N/S line:	From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):			4336187.9		Easting (UTM x):	
						734455.2 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):				39.143333		-102.287133	
Surface Elevation (ft):	4230.74			Top Perforated Interval (ft):	160		
Well depth (ft):	296			Bottom Perforated Interval (ft):	280		
Aquifer(s):	OGALLALA						

Water Level Change
1 year: -8.60
5 year: -8.31
10 year: -19.34

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	191.78	4038.96	-1.22
12/28/2004	192.98	4037.76	-1.20
12/19/2005	193.61	4037.13	-0.63
3/20/2007	197.29	4033.45	-3.68
2/1/2008	201.59	4029.15	-4.30
4/7/2009	204.53	4026.21	-2.94
2/15/2010	207.05	4023.69	-2.52
2/7/2011	197.60	4033.14	9.45
2/23/2012	201.30	4029.44	-3.70
1/22/2013	209.90	4020.84	-8.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BMR FARMS INC.			Owner:	BMR FARMS INC		
Permit #:	6910 - FP -	Location #:	SC01004429BBB	USGS Site ID:	390923102211400		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NW 29	10 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):		4337472.3	Easting (UTM x):		728842.3	User supplied
Latitude/Longitude (decimal degrees):			39.156388			-102.351580	
Surface Elevation (ft):	4319.79	Top Perforated Interval (ft):	280	Base of grout (ft):	Water Level Change		
Well depth (ft):	330	Bottom Perforated Interval (ft):	330	1 year:			-0.10
Aquifer(s):	OGALLALA			5 year:			1.49
				10 year:			-6.64

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	247.51	4072.28	-0.65
12/28/2004	248.47	4071.32	-0.96
12/19/2005	248.20	4071.59	0.27
3/20/2007	250.62	4069.17	-2.42
2/1/2008	254.99	4064.80	-4.37
4/7/2009	255.29	4064.50	-0.30
1/18/2010	253.71	4066.08	1.58
2/7/2011	253.70	4066.09	0.01
2/23/2012	253.40	4066.39	0.30
1/22/2013	253.50	4066.29	-0.10

All Historic Measurements




Well Name:	MIDWEST FARMS LLC			Owner:	MIDWEST FARMS LLC		
Permit #:	4456 - FP -	Location #:	SC01004433CDC	USGS Site ID:	390744102193800		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SE SW 33	10 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):		4334480.6	Easting (UTM x):		730996.8	User supplied
Latitude/Longitude (decimal degrees):			39.128889			-102.327690	
Surface Elevation (ft):	4294.76	Top Perforated Interval (ft):	215	Base of grout (ft):	Water Level Change		
Well depth (ft):	315	Bottom Perforated Interval (ft):	315	1 year:			-20.70
Aquifer(s):	OGALLALA			5 year:			-28.28
				10 year:			-38.19

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	221.50	4073.26	-1.29
12/28/2004	223.50	4071.26	-2.00
12/19/2005	224.20	4070.56	-0.70
3/21/2007	226.87	4067.89	-2.67
2/1/2008	230.12	4064.64	-3.25
4/7/2009	233.91	4060.85	-3.79
1/18/2010	235.40	4059.36	-1.49
2/7/2011	236.10	4058.66	-0.70
2/23/2012	237.70	4057.06	-1.60
1/22/2013	258.40	4036.36	-20.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	KANARCO CO.	Owner:	GRUSING MARVIN H
Permit #:	12058 - FP -	Location #:	SC01004505DBB
		USGS Site ID:	391234102271600
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SE NW NW 5	10 S 45 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4343105.4	Easting (UTM x): 719746.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.209442	-102.454917	
Surface Elevation (ft):	4360.86	Top Perforated Interval (ft):	214
		Base of grout (ft):	
Well depth (ft):	294	Bottom Perforated Interval (ft):	294
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 6.60
5 year: -1.10
10 year: -6.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	209.40	4151.46	-0.20
12/28/2004	210.14	4150.72	-0.74
1/3/2006	210.78	4150.08	-0.64
3/22/2007	211.28	4149.58	-0.50
2/2/2008	214.90	4145.96	-3.62
4/19/2009	214.34	4146.52	0.56
2/10/2010	215.58	4145.28	-1.24
2/7/2011	220.20	4140.66	-4.62
2/23/2012	222.60	4138.26	-2.40
1/25/2013	216.00	4144.86	6.60

All Historic Measurements




Well Name:	CROUSE, SCOTT R.	Owner:	CROUSE MAE B
Permit #:	6657 - FP -	Location #:	SC01004508ABC
		USGS Site ID:	391154102271800
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NE NW SW 8	10 S 45 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4341870.8	Easting (UTM x): 719733.3 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.198331	-102.455473	
Surface Elevation (ft):	4364.86	Top Perforated Interval (ft):	204
		Base of grout (ft):	
Well depth (ft):	294	Bottom Perforated Interval (ft):	294
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 1.00
5 year: -27.32
10 year: -34.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	204.10	4160.76	0.30
12/28/2004	205.78	4159.08	-1.68
1/3/2006	206.97	4157.89	-1.19
3/22/2007	207.56	4157.30	-0.59
2/2/2008	211.98	4152.88	-4.42
1/1/2009			
2/11/2010	208.70	4156.16	
2/7/2011	204.90	4159.96	3.80
2/23/2012	240.30	4124.56	-35.40
2/25/2013	239.30	4125.56	1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **CROUSE, MAE**

Owner:

Permit #: 6656 - FP -

Location #: SC01004510BBD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW SE 10 10 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4341874.5 Easting (UTM x): 722532.7 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.197652 -102.423085

Surface Elevation (ft): 4312 **Top Perforated Interval (ft):** 235 **Base of grout (ft):** **Water Level Change**


Well depth (ft): 285 **Bottom Perforated Interval (ft):** 285 **1 year:** -2.10

Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	191.40	4120.60	
2/7/2011	185.00	4127.00	6.40
2/23/2012	194.50	4117.50	-9.50
2/25/2013	196.60	4115.40	-2.10

All Historic Measurements



Well Name: **BEESON, LEONARD E.**

Owner: BEESON AGNES M & LEONARD E

Permit #: 5627 - FP -

Location #: SC01004521BBB

USGS Site ID: 391021102264200

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 21 10 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4339027.7 Easting (UTM x): 720677.9 *User supplied*

Latitude/Longitude (decimal degrees): 39.172498 -102.445472

Surface Elevation (ft): 4319.86 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**


Well depth (ft): 250 **Bottom Perforated Interval (ft):** 250 **1 year:** 10.30

Aquifer(s): OGALLALA **5 year:** -0.99
10 year: -7.33

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	146.94	4172.92	-0.47
12/27/2004	148.00	4171.86	-1.06
1/3/2006	148.72	4171.14	-0.72
4/16/2007	149.15	4170.71	-0.43
1/27/2008	152.81	4167.05	-3.66
4/19/2009	151.45	4168.41	1.36
2/11/2010	162.40	4157.46	-10.95
2/7/2011	158.00	4161.86	4.40
2/23/2012	164.10	4155.76	-6.10
2/25/2013	153.80	4166.06	10.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	DRAKE, CLAYTON & PHYLLIS			Owner:	CLAYTON & PHYLLIS DRAKE		
Permit #:	17406 - FP -	Location #:	SC01004526CBC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NW SW 26	10 S	45 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4336398.0	Easting (UTM x):	724075.7	Spotted from quarters		
Latitude/Longitude (decimal degrees):	39.147957		-102.407047				
Surface Elevation (ft):	4342	Top Perforated Interval (ft):	212	Base of grout (ft):	Water Level Change		
Well depth (ft):	287	Bottom Perforated Interval (ft):	282	1 year: -1.60			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	198.00	4144.00	
2/7/2011	196.00	4146.00	2.00
2/23/2012	199.10	4142.90	-3.10
2/25/2013	200.70	4141.30	-1.60

All Historic Measurements




Well Name:	HERNDON, EDWIN LEROY			Owner:	HERTNEKY DAVID D & KATHERINE ANNE		
Permit #:	5761 - FP -	Location #:	SC01004613BCD	USGS Site ID:	391046102295100		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW SE 13	10 S	46 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4339671.9	Easting (UTM x):	716120.5	User supplied		
Latitude/Longitude (decimal degrees):	39.179442		-102.497974				
Surface Elevation (ft):	4420.91	Top Perforated Interval (ft):	204	Base of grout (ft):	Water Level Change		
Well depth (ft):	294	Bottom Perforated Interval (ft):	294	1 year: -1.70			
Aquifer(s):	OGALLALA			5 year: 3.92			
				10 year: -5.30			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	211.44	4209.47	-0.44
12/27/2004	212.58	4208.33	-1.14
1/3/2006	214.78	4206.13	-2.20
4/16/2007			
2/2/2008	220.22	4200.69	
1/1/2009			
2/10/2010	211.60	4209.31	
1/7/2011	213.40	4207.51	-1.80
2/24/2012	214.60	4206.31	-1.20
1/25/2013	216.30	4204.61	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: FUNDINGSLAND, RONALD M

Owner:

Permit #: 9109 - FP - **Location #:** SC01004623ABA **USGS Site ID:**

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NE 23 10 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4338724.5 Easting (UTM x): 715259.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.171126 -102.508237


Surface Elevation (ft): 4472 **Top Perforated Interval (ft):** 224 **Base of grout (ft):**
Well depth (ft): 324 **Bottom Perforated Interval (ft):** 324
Aquifer(s): OGALLALA

Water Level Change
1 year: -21.50
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	191.20	4280.80	
1/7/2011	187.80	4284.20	3.40
2/24/2012	185.40	4286.60	2.40
1/25/2013	206.90	4265.10	-21.50

All Historic Measurements



Well Name: MAY BROTHERS INC.

Owner: MAY JAMES M

Permit #: 13824 - FP - **Location #:** SC01004713CCD **USGS Site ID:** 391015102363800

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 13 10 S 47 W S **From N/S line:** 252 S **From E/W line:** 1048 W
UTM Coordinates (NAD83): Northing (UTM y): 4338452.5 Easting (UTM x): 706378.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.170830 -102.611033


Surface Elevation (ft): 4522.99 **Top Perforated Interval (ft):** 167 **Base of grout (ft):**
Well depth (ft): 252 **Bottom Perforated Interval (ft):** 252
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.70
5 year: 1.81
10 year: -1.61

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	189.84	4333.15	0.55
12/30/2004	191.18	4331.81	-1.34
1/10/2006	191.96	4331.03	-0.78
3/22/2007	192.98	4330.01	-1.02
2/2/2008	193.81	4329.18	-0.83
1/1/2009			
2/6/2010	190.60	4332.39	
1/7/2011	188.40	4334.59	2.20
2/24/2012	191.30	4331.69	-2.90
2/19/2013	192.00	4330.99	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: DOWNEY, R.

Owner:

Permit #: - -

Location #: SC01004717CCC

USGS Site ID: 391020102402000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 17 10 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4338463.3 Easting (UTM x): 699653.9 *User supplied*
Latitude/Longitude (decimal degrees): 39.172496 -102.688814

Surface Elevation (ft): 4605.03 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 227 **Bottom Perforated Interval (ft):** **1 year:** -5.30
Aquifer(s): **5 year:** 8.58
10 year: 1.95

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	181.27	4423.76	0.08
12/30/2004	181.42	4423.61	-0.15
1/10/2006	183.46	4421.57	-2.04
3/22/2007	184.40	4420.63	-0.94
2/1/2008	187.98	4417.05	-3.58
4/7/2009	186.19	4418.84	1.79
2/6/2010	175.50	4429.53	10.69
1/7/2011	174.60	4430.43	0.90
2/24/2012	174.10	4430.93	0.50
3/13/2013	179.40	4425.63	-5.30

All Historic Measurements



Well Name: GEIKEN, S & M

Owner:

Permit #: - -

Location #: SC01004923DCC

USGS Site ID: 390930102504000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SW 23 10 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4336371.3 Easting (UTM x): 686112.2 *User supplied*
Latitude/Longitude (decimal degrees): 39.156662 -102.846040

Surface Elevation (ft): 4789.13 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** **1 year:** -0.60
Aquifer(s): **5 year:** 11.31
10 year: 8.12

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	171.58	4617.55	0.14
12/21/2004	171.50	4617.63	0.08
1/10/2006	170.97	4618.16	0.53
4/16/2007	176.84	4612.29	-5.87
2/25/2008	174.91	4614.22	1.93
4/21/2009	174.00	4615.13	0.91
2/6/2010	161.50	4627.63	12.50
1/4/2011	160.40	4628.73	1.10
12/24/2011	163.00	4626.13	-2.60
2/19/2013	163.60	4625.53	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	HALDE, K & G	Owner:	RAINBOLT EDWIN F & LINDSEY MURIEL
Permit #:	16059 - RFP -	Location #:	SC01104204CBA
		USGS Site ID:	390731102073100

Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	SW NW NE	4	11 S	42 W S	
				Distance from section lines:	
				From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4334336.2	Easting (UTM x):	748478.1	User supplied
Latitude/Longitude (decimal degrees):		39.122780		-102.125738	


Surface Elevation (ft):	4051.65	Top Perforated Interval (ft):	120	Base of grout (ft):	
Well depth (ft):	174	Bottom Perforated Interval (ft):	174		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: -6.50
5 year: -17.76
10 year: -26.33

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	126.48	3925.17	-2.81
1/1/2005	129.30	3922.35	-2.82
12/20/2005	127.95	3923.70	1.35
3/17/2007	131.20	3920.45	-3.25
2/4/2008	132.24	3919.41	-1.04
1/1/2009			
2/12/2010	137.28	3914.37	
1/28/2011	141.98	3909.67	-4.70
2/1/2012	143.50	3908.15	-1.52
2/11/2013	150.00	3901.65	-6.50

All Historic Measurements



Well Name:	LEIBL, LINDA L.	Owner:	ZORN FARM CO.
Permit #:	2196 - FP -	Location #:	SC01104208BBC
		USGS Site ID:	390704102084800

Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	NW NW SW	8	11 S	42 W S	
				Distance from section lines:	
				From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4333723.6	Easting (UTM x):	746670.1	User supplied
Latitude/Longitude (decimal degrees):		39.117780		-102.146850	


Surface Elevation (ft):	4064.66	Top Perforated Interval (ft):	77	Base of grout (ft):	
Well depth (ft):	177	Bottom Perforated Interval (ft):	177		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: 0.00
5 year: 17.43
10 year: 2.93

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	120.63	3944.03	-1.80
1/1/2005	122.44	3942.22	-1.81
12/20/2005	123.42	3941.24	-0.98
3/17/2007	128.70	3935.96	-5.28
2/4/2008	133.33	3931.33	-4.63
1/1/2009			
2/20/2010	125.60	3939.06	
1/28/2011	118.80	3945.86	6.80
2/1/2012	115.90	3948.76	2.90
2/11/2013	115.90	3948.76	0.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	TOMES LLLP			Owner:	TOMES ERNEST D & JOAN R		
Permit #:	4663 - FP -	Location #:	SC01104213BCB	USGS Site ID:	390602102042000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SW NW	13	11 S	42 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4332016.9	Easting (UTM x):	753169.3	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.100558		-102.072403				
Surface Elevation (ft):	3993.63	Top Perforated Interval (ft):	138	Base of grout (ft):	Water Level Change		
Well depth (ft):	178	Bottom Perforated Interval (ft):	178	1 year: -18.25			
Aquifer(s):	OGALLALA			5 year: -7.23			
				10 year: -13.50			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	99.20	3894.43	-1.70
1/1/2005	98.27	3895.36	0.93
12/20/2005	99.01	3894.62	-0.74
3/18/2007	100.59	3893.04	-1.58
2/4/2008	103.77	3889.86	-3.18
1/1/2009			
2/12/2010	98.50	3895.13	
1/28/2011	92.40	3901.23	6.10
2/1/2012	92.75	3900.88	-0.35
2/11/2013	111.00	3882.63	-18.25

All Historic Measurements




Well Name:	COLORADO AGRA LTD			Owner:	VEASE AURELIA ERESCH		
Permit #:	10317 - FP -	Location #:	SC01104305ABC	USGS Site ID:	390741102145700		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NW SW	5	11 S	43 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4334589.8	Easting (UTM x):	737748.1	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.128056		-102.249632				
Surface Elevation (ft):	4161.72	Top Perforated Interval (ft):	142	Base of grout (ft):	Water Level Change		
Well depth (ft):	242	Bottom Perforated Interval (ft):	242	1 year: -2.70			
Aquifer(s):	OGALLALA			5 year: -8.49			
				10 year: -11.84			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	143.04	4018.68	-1.18
12/31/2004	143.76	4017.96	-0.72
12/22/2005	144.45	4017.27	-0.69
3/17/2007	144.98	4016.74	-0.53
2/4/2008	145.21	4016.51	-0.23
1/1/2009			
1/18/2010	147.00	4014.72	
2/7/2011	139.80	4021.92	7.20
2/2/2012	151.00	4010.72	-11.20
2/11/2013	153.70	4008.02	-2.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	HILLS, ANN J.			Owner:	ZORN MARIE		
Permit #:	9075 - FP -	Location #:	SC01104308CAC	USGS Site ID:	390622102151800		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NE SW 8	11 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4332138.7	Easting (UTM x):	737317.5	User supplied		
Latitude/Longitude (decimal degrees):	39.106112		-102.255465				
Surface Elevation (ft):	4147.72	Top Perforated Interval (ft):	78	Base of grout (ft):	Water Level Change		
Well depth (ft):	198	Bottom Perforated Interval (ft):	198		1 year: 2.00		
Aquifer(s):	OGALLALA				5 year: -5.65		
					10 year: -8.53		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	116.55	4031.17	-0.28
12/31/2004	117.40	4030.32	-0.85
12/22/2005	117.88	4029.84	-0.48
3/17/2007	118.85	4028.87	-0.97
2/4/2008	119.15	4028.57	-0.30
1/1/2009			
1/18/2010	121.05	4026.67	
2/7/2011	125.40	4022.32	-4.35
2/2/2012	126.80	4020.92	-1.40
2/11/2013	124.80	4022.92	2.00

All Historic Measurements




Well Name:	KORBELIK, H & C			Owner:	BANEY DOROTHY F & LELAND L		
Permit #:	4999 - FP -	Location #:	SC01104312BCB	USGS Site ID:	390650102110500		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW NW 12	11 S	43 W S		From N/S line: 1650 N From E/W line: 50 W		
UTM Coordinates (NAD83):	Northing (UTM y):	4332974.0	Easting (UTM x):	743423.5	User supplied		
Latitude/Longitude (decimal degrees):	39.111946		-102.184629				
Surface Elevation (ft):	4079.68	Top Perforated Interval (ft):	99	Base of grout (ft):	Water Level Change		
Well depth (ft):	199	Bottom Perforated Interval (ft):	199		1 year: -6.30		
Aquifer(s):	OGALLALA				5 year: 1.13		
					10 year: -5.45		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	108.92	3970.76	-2.47
12/31/2004	108.21	3971.47	0.71
12/22/2005	109.47	3970.21	-1.26
3/17/2007	112.52	3967.16	-3.05
2/4/2008	113.03	3966.65	-0.51
1/1/2009			
2/12/2010	110.30	3969.38	
2/7/2011	101.70	3977.98	8.60
2/2/2012	105.60	3974.08	-3.90
2/11/2013	111.90	3967.78	-6.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: RUSSELL SCOTT TRUST

Owner:

Permit #: 5595 - FP - **Location #:** SC01104313CBB **USGS Site ID:**

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 13 11 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4331033.5 Easting (UTM x): 743515.4 Spotted from quarters
Latitude/Longitude (decimal degrees): 39.094456 -102.184263


Surface Elevation (ft): 4108 **Top Perforated Interval (ft):** 144 **Base of grout (ft):**
Well depth (ft): 252 **Bottom Perforated Interval (ft):** 252
Aquifer(s): OGALLALA

Water Level Change
1 year: -13.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	138.00	3970.00	
2/7/2011	135.70	3972.30	2.30
2/2/2012	133.80	3974.20	1.90
2/11/2013	146.80	3961.20	-13.00

All Historic Measurements



Well Name: BANEY, L&D

Owner: BANEY DOROTHY F & LELAND L

Permit #: 4980 - FP - **Location #:** SC01104316BBC **USGS Site ID:** 390559102142700

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SW 16 11 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4331344.2 Easting (UTM x): 738592.0 User supplied
Latitude/Longitude (decimal degrees): 39.098613 -102.241020


Surface Elevation (ft): 4141.71 **Top Perforated Interval (ft):** 105 **Base of grout (ft):**
Well depth (ft): 215 **Bottom Perforated Interval (ft):** 215
Aquifer(s): OGALLALA

Water Level Change
1 year: 2.10
5 year: -2.39
10 year: -7.24

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	121.07	4020.64	-2.01
12/31/2004	121.72	4019.99	-0.65
12/22/2005	121.87	4019.84	-0.15
3/17/2007	121.52	4020.19	0.35
2/4/2008	123.91	4017.80	-2.39
1/1/2009			
1/18/2010	117.50	4024.21	
2/7/2011	126.30	4015.41	-8.80
2/2/2012	128.40	4013.31	-2.10
2/11/2013	126.30	4015.41	2.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: FED LAND BANK

Owner:

Permit #: - -

Location #: SC01104319CBB

USGS Site ID: 390455102164100


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 19 11 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4329396.3 Easting (UTM x): 735403.9 User supplied
Latitude/Longitude (decimal degrees): 39.081946 -102.278521

Surface Elevation (ft): 4154.73 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 97 **Bottom Perforated Interval (ft):** **1 year:** -4.90
Aquifer(s): **5 year:** 1.87
10 year: -2.11

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	88.02	4066.71	-0.43
12/15/2004	88.73	4066.00	-0.71
12/22/2005	89.05	4065.68	-0.32
3/17/2007	89.48	4065.25	-0.43
2/23/2008	91.57	4063.16	-2.09
4/7/2009	90.70	4064.03	0.87
1/18/2010	90.20	4064.53	0.50
1/3/2011	87.90	4066.83	2.30
2/2/2012	84.80	4069.93	3.10
1/8/2013	89.70	4065.03	-4.90

All Historic Measurements



Well Name: LOOSEN, SUSAN E.

Owner: LOOSEN SUSAN

Permit #: 11591 - FP -

Location #: SC01104322BCA

USGS Site ID: 390505102130600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 22 11 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4329861.2 Easting (UTM x): 740561.3 User supplied
Latitude/Longitude (decimal degrees): 39.084724 -102.218797

Surface Elevation (ft): 4143.7 **Top Perforated Interval (ft):** 105 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 205 **Bottom Perforated Interval (ft):** 205 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** 11.22
10 year: 5.75

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	154.84	3988.86	-3.19
12/31/2004	153.43	3990.27	1.41
12/22/2005	153.89	3989.81	-0.46
3/17/2007	154.38	3989.32	-0.49
2/4/2008	157.12	3986.58	-2.74
1/1/2009			
2/12/2010	145.70	3998.00	
2/7/2011	143.80	3999.90	1.90
2/2/2012	145.10	3998.60	-1.30
2/11/2013	145.90	3997.80	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **BANEY PARTNERSHIP**

Owner: ZORN EDWARD ESTATE

Permit #: 9074 - FP -

Location #: SC01104324BBB

USGS Site ID: 390518102110500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 24 11 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4330351.7 Easting (UTM x): 743456.7 *User supplied*

Latitude/Longitude (decimal degrees): 39.088336 -102.185185

Surface Elevation (ft): 4117.68 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 275 **Bottom Perforated Interval (ft):** 275 **1 year:** -15.60


Aquifer(s): OGALLALA **5 year:** -25.79

10 year: -34.95

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	150.13	3967.55	-4.58
12/31/2004	146.06	3971.62	4.07
12/22/2005	147.82	3969.86	-1.76
3/17/2007	151.25	3966.43	-3.43
2/4/2008	154.71	3962.97	-3.46
1/1/2009			
2/12/2010	156.40	3961.28	
2/7/2011	162.40	3955.28	-6.00
2/2/2012	164.90	3952.78	-2.50
2/11/2013	180.50	3937.18	-15.60

All Historic Measurements



Well Name: **MIDWEST FARMS**

Owner:

Permit #: 16652 - FP -

Location #: SC01104325BBB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 25 11 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4328701.5 Easting (UTM x): 743581.9 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.073448 -102.184330

Surface Elevation (ft): 4090 **Top Perforated Interval (ft):** 125 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 205 **Bottom Perforated Interval (ft):** 195 **1 year:** -2.40

Aquifer(s): OGALLALA


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	142.40	3947.60	
2/7/2011	140.00	3950.00	2.40
2/2/2012	142.10	3947.90	-2.10
2/11/2013	144.50	3945.50	-2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: HILT, FRED & BONNIE

Owner: US FHA

Permit #: 9176 - FP -

Location #: SC01104332CCC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SW SW 32 11 S 43 W S From N/S line: 400 S From E/W line: 80 W
UTM Coordinates (NAD83): Northing (UTM y): 4325597.5 Easting (UTM x): 737114.6 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.047290 -102.260088


Surface Elevation (ft): 4229 **Top Perforated Interval (ft):** 129 **Base of grout (ft):**
Well depth (ft): 189 **Bottom Perforated Interval (ft):** 189
Aquifer(s): OGALLALA

Water Level Change
1 year: 11.50
5 year: 21.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	197.30	4031.70	
4/8/2009	200.59	4028.41	-3.29
1/18/2010	196.66	4032.34	3.93
2/7/2011	187.80	4041.20	8.86
2/2/2012	187.30	4041.70	0.50
2/11/2013	175.80	4053.20	11.50

All Historic Measurements



Well Name: BUOL TRUSTS

Owner: BUOL MARTIN A & ROGENE A TRUSTS

Permit #: 6262 - FP -

Location #: SC01104402DCD

USGS Site ID: 390701102180600

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SW SE 2 11 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4333220.2 Easting (UTM x): 733245.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.116945 -102.302133


Surface Elevation (ft): 4214.74 **Top Perforated Interval (ft):** 204 **Base of grout (ft):**
Well depth (ft): 254 **Bottom Perforated Interval (ft):** 254
Aquifer(s): OGALLALA

Water Level Change
1 year: -3.40
5 year: -5.33
10 year: -11.44

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	155.87	4058.87	-1.51
12/31/2004	157.58	4057.16	-1.71
12/19/2005	158.14	4056.60	-0.56
3/21/2007	158.26	4056.48	-0.12
2/1/2008	160.47	4054.27	-2.21
4/4/2009	159.60	4055.14	0.87
2/15/2010	160.40	4054.34	-0.80
1/28/2011	164.70	4050.04	-4.30
2/25/2012	162.40	4052.34	2.30
2/26/2013	165.80	4048.94	-3.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: MCCARTNEY, DOROTHY M & C.E.

Owner:

Permit #: 6503 - FP - **Location #:** SC01104409AD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SE 9 11 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4332666.0 Easting (UTM x): 731120.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.112523 -102.326884

Surface Elevation (ft): 4253 **Top Perforated Interval (ft):** 155 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 225 **Bottom Perforated Interval (ft):** 225 **1 year:** -14.40
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	149.60	4103.40	
1/28/2011	148.50	4104.50	1.10
2/25/2012	145.80	4107.20	2.70
3/13/2013	160.20	4092.80	-14.40

All Historic Measurements



Well Name: STAATZ, ROBERT & CAROLYN

Owner: ROBERT & CAROLYN STAATZ

Permit #: 2340 - FP - **Location #:** SC01104415BAB

USGS Site ID: 390607102194500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NW 15 11 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4331494.0 Easting (UTM x): 730842.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.102047 -102.330495

Surface Elevation (ft): 4220.75 **Top Perforated Interval (ft):** 95 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 215 **Bottom Perforated Interval (ft):** 215 **1 year:** -3.10
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	110.40	4110.35	16.39
1/28/2011	104.80	4115.95	5.60
2/25/2012	103.10	4117.65	1.70
2/26/2013	106.20	4114.55	-3.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	ARNOLD, WILLIAM G. JR, ET AL			Owner:	RECTOR TEFFANIE SUE		
Permit #:	4956 - FP -	Location #:	SC01104416BBD	USGS Site ID:	390555102205700		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW SE	16	11 S	44 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4331064.1	Easting (UTM x):	729197.7	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.098611		-102.349635				
Surface Elevation (ft):	4229.76	Top Perforated Interval (ft):	126	Base of grout (ft):	Water Level Change		
Well depth (ft):	206	Bottom Perforated Interval (ft):	206	1 year: -2.60			
Aquifer(s):	OGALLALA			5 year: 1.95			
				10 year: -6.09			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	119.07	4110.69	0.34
12/31/2004	121.53	4108.23	-2.46
1/5/2006	121.52	4108.24	0.01
3/21/2007	124.45	4105.31	-2.93
2/1/2008	127.45	4102.31	-3.00
4/7/2009	128.81	4100.95	-1.36
2/15/2010	122.30	4107.46	6.51
1/28/2011	123.10	4106.66	-0.80
2/25/2012	122.90	4106.86	0.20
2/26/2013	125.50	4104.26	-2.60

All Historic Measurements




Well Name:	CURE, DAVID & DEBBIE			Owner:	DAVID & DEBBIE CURE		
Permit #:	4956 - FP -	Location #:	SC01104416BC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SW	16	11 S	44 W	S	From N/S line: 1430 N From E/W line: 1320 W	
UTM Coordinates (NAD83):	Northing (UTM y):	4331001.5	Easting (UTM x):	729239.9	<i>Spotted from section lines</i>		
Latitude/Longitude (decimal degrees):	39.098036		-102.349169				
Surface Elevation (ft):	4228	Top Perforated Interval (ft):	126	Base of grout (ft):	Water Level Change		
Well depth (ft):	206	Bottom Perforated Interval (ft):	206	1 year: 2.60			
Aquifer(s):	OGALLALA			5 year: 27.05			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	138.25	4089.75	
4/7/2009	138.22	4089.78	0.03
2/15/2010	127.40	4100.60	10.82
1/30/2011	117.40	4110.60	10.00
2/25/2012	113.80	4114.20	3.60
2/26/2013	111.20	4116.80	2.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **FELDHUSEN, LARRY A & JUDY R**

Owner:

Permit #: 10160 - FP - **Location #:** SC01104417ABB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW NW 17 11 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4331289.0 Easting (UTM x): 728116.6 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.100919 -102.362049

Surface Elevation (ft): 4252 **Top Perforated Interval (ft):** 135 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 195 **Bottom Perforated Interval (ft):** 195 **1 year:** -30.50
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	127.30	4124.70	
1/28/2011	110.20	4141.80	17.10
2/25/2012	109.80	4142.20	0.40
1/24/2013	140.30	4111.70	-30.50

All Historic Measurements



Well Name: **MATTHIES, LEONARD J.**

Owner: MATTHIES LEONARD

Permit #: 4731 - FP - **Location #:** SC01104418DCA

USGS Site ID: 390528102223700

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW NE 18 11 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4330161.9 Easting (UTM x): 726819.2 *User supplied*


Latitude/Longitude (decimal degrees): 39.091111 -102.377414

Surface Elevation (ft): 4280.79 **Top Perforated Interval (ft):** 600 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 222 **Bottom Perforated Interval (ft):** 126 **1 year:** -1.70
Aquifer(s): OGALLALA **5 year:** 1.22
10 year: -5.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	131.87	4148.92	-0.37
12/31/2004	132.93	4147.86	-1.06
1/5/2006	133.87	4146.92	-0.94
3/21/2007	135.62	4145.17	-1.75
2/1/2008	137.72	4143.07	-2.10
4/7/2009	138.25	4142.54	-0.53
2/15/2010	124.30	4156.49	13.95
1/28/2011	136.40	4144.39	-12.10
2/25/2012	134.80	4145.99	1.60
3/13/2013	136.50	4144.29	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **PIERSON, WALTER**

Owner:

Permit #: - -

Location #: SC01104420CCC

USGS Site ID:


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 20 11 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4328331.5 Easting (UTM x): 727372.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.074490 -102.371630

Surface Elevation (ft): 4245 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 170 **Bottom Perforated Interval (ft):** **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** 19.79
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	123.19	4121.81	
4/7/2009	125.47	4119.53	-2.28
2/15/2010	112.20	4132.80	13.27
1/28/2011	102.60	4142.40	9.60
2/25/2012	102.60	4142.40	0.00
2/26/2013	103.40	4141.60	-0.80

All Historic Measurements



Well Name: **WITZEL, K.P. & D.L.**

Owner: WITZEL KENNETH P

Permit #: 12524 - F -

Location #: SC01104508BAB

USGS Site ID: 390650102284800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 8 11 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4332226.4 Easting (UTM x): 718008.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.111943 -102.478528

Surface Elevation (ft): 4436.88 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** 260 **1 year:** -5.60
Aquifer(s): OGALLALA **5 year:** -4.65
10 year: -5.86

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	187.95	4248.93	-0.21
12/31/2004	188.39	4248.49	-0.44
1/5/2006	188.95	4247.93	-0.56
3/21/2007	188.85	4248.03	0.10
1/27/2008	188.95	4247.93	-0.10
1/1/2009			
2/15/2010	186.50	4250.38	
1/28/2011	189.90	4246.98	-3.40
2/25/2012	188.00	4248.88	1.90
2/13/2013	193.60	4243.28	-5.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	ARANCI, D & L			Owner:	ARANCI DAVID D & LINDA M		
Permit #:	3923 - FP -	Location #:	SC01104522BBB	USGS Site ID:	390505102264600		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NW 22	11 S	45 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):		4329282.2	Easting (UTM x):		720856.1	User supplied
Latitude/Longitude (decimal degrees):			39.084722			-102.446583	
Surface Elevation (ft):	4353.85	Top Perforated Interval (ft):	140	Base of grout (ft):	Water Level Change		
Well depth (ft):	221	Bottom Perforated Interval (ft):	218	1 year: -9.00			
Aquifer(s):	OGALLALA			5 year: -5.61			
				10 year: -10.35			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	134.20	4219.65	0.05
12/31/2004	135.20	4218.65	-1.00
1/5/2006	135.68	4218.17	-0.48
3/21/2007	135.51	4218.34	0.17
1/27/2008	138.99	4214.86	-3.48
4/4/2009	140.13	4213.72	-1.14
2/15/2010	136.80	4217.05	3.33
1/28/2011	136.50	4217.35	0.30
2/25/2012	135.60	4218.25	0.90
2/26/2013	144.60	4209.25	-9.00

All Historic Measurements




Well Name:	DICKEY, CLARK & SONS			Owner:	COCKREHAM ED		
Permit #:	12645 - FP -	Location #:	SC01104527ABB	USGS Site ID:	390419102260600		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW NW 27	11 S	45 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):		4327891.0	Easting (UTM x):		721857.4	User supplied
Latitude/Longitude (decimal degrees):			39.071944			-102.435471	
Surface Elevation (ft):	4321.83	Top Perforated Interval (ft):	130	Base of grout (ft):	Water Level Change		
Well depth (ft):	200	Bottom Perforated Interval (ft):	200	1 year: -6.00			
Aquifer(s):	OGALLALA			5 year: -1.52			
				10 year: -9.60			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	111.64	4210.19	-0.84
1/5/2006	113.08	4208.75	-1.44
3/21/2007	115.36	4206.47	-2.28
1/27/2008	118.88	4202.95	-3.52
4/4/2009	108.00	4213.83	10.88
2/15/2010	112.80	4209.03	-4.80
1/28/2011	113.40	4208.43	-0.60
2/25/2012	114.40	4207.43	-1.00
2/26/2013	120.40	4201.43	-6.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	CARROLL, MIKE			Owner:	HUDYE FARMS US INC		
Permit #:	18086 - FP -	Location #:	SC01104534DC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SW	34	11 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4325181.0	Easting (UTM x):	722113.0	GPS		
Latitude/Longitude (decimal degrees):	39.047483		-102.433403				
Surface Elevation (ft):	4360	Top Perforated Interval (ft):	160	Base of grout (ft):	Water Level Change		
Well depth (ft):	220	Bottom Perforated Interval (ft):	220			1 year:	11.60
Aquifer(s):	OGALLALA					5 year:	39.41
						10 year:	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	189.01	4170.99	
4/4/2009	183.00	4177.00	6.01
2/15/2010	172.30	4187.70	10.70
1/4/2011	164.20	4195.80	8.10
2/25/2012	161.20	4198.80	3.00
2/26/2013	149.60	4210.40	11.60

All Historic Measurements




Well Name:	MAY BROTHERS INC.			Owner:	MAY JAMES		
Permit #:	10483 - FP -	Location #:	SC01104613BAB	USGS Site ID:	390552102305300		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NE NW	13	11 S	46 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4330566.5	Easting (UTM x):	714881.0	User supplied		
Latitude/Longitude (decimal degrees):	39.097776		-102.515196				
Surface Elevation (ft):	4449.91	Top Perforated Interval (ft):	189	Base of grout (ft):	Water Level Change		
Well depth (ft):	286	Bottom Perforated Interval (ft):	279			1 year:	-9.50
Aquifer(s):	OGALLALA					5 year:	-6.06
						10 year:	-11.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	169.00	4280.91	0.10
12/31/2004	170.10	4279.81	-1.10
1/5/2006	170.12	4279.79	-0.02
3/21/2007	168.91	4281.00	1.21
2/1/2008	174.14	4275.77	-5.23
1/1/2009			
2/6/2010	167.80	4282.11	
1/28/2011	169.80	4280.11	-2.00
2/24/2012	170.70	4279.21	-0.90
2/19/2013	180.20	4269.71	-9.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	LOWE, PAUL							Owner:	LOWE PAUL ARTHUR		
Permit #:	4070 - FP -			Location #:			SC01104623BAA			USGS Site ID:	
Division:	1			Water District:			49			County: KIT CARSON	
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:			
	NW	NE	NE	23	11 S	46	W S	From N/S line:		From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):			4328958.5			Easting (UTM x):			713511.5 <i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees):				39.083633			-102.531525				
Surface Elevation (ft):	4440			Top Perforated Interval (ft):			193			Base of grout (ft):	Water Level Change
Well depth (ft):	257			Bottom Perforated Interval (ft):			257			1 year:	-1.70
Aquifer(s):	OGALLALA									5 year:	0.93
										10 year:	-5.69

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	140.98	4299.02	-0.47
12/30/2004	141.90	4298.10	-0.92
1/5/2006	142.90	4297.10	-1.00
3/21/2007	143.63	4296.37	-0.73
2/1/2008	147.13	4292.87	-3.50
4/7/2009	144.97	4295.03	2.16
2/6/2010	142.10	4297.90	2.87
1/28/2011	143.60	4296.40	-1.50
2/24/2012	144.50	4295.50	-0.90
2/19/2013	146.20	4293.80	-1.70

All Historic Measurements




Well Name:	MCCORMICK, D & J							Owner:	HAPPY CREEK INC		
Permit #:	11314 - FP - R			Location #:	SC01104627BBB			USGS Site ID: 390411102332800			
Division:	1			Water District:	49			County:	KIT CARSON		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:			
	NW	NW	NW	27	11 S	46 W	S	From N/S line:		From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):			4327351.5		Easting (UTM x):		711240.8		User supplied	
Latitude/Longitude (decimal degrees):				39.069721		-102.558253					
Surface Elevation (ft):	4458.94		Top Perforated Interval (ft):			192		Base of grout (ft):		Water Level Change	
Well depth (ft):	234		Bottom Perforated Interval (ft):			232				1 year: -2.00	
Aquifer(s):	OGALLALA										5 year: -5.02
											10 year: -13.35

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	138.20	4320.74	-0.55
12/30/2004	139.90	4319.04	-1.70
1/5/2006	140.70	4318.24	-0.80
3/21/2007	142.52	4316.42	-1.82
2/1/2008	145.98	4312.96	-3.46
1/1/2009			
2/6/2010	146.00	4312.94	
1/28/2011	148.20	4310.74	-2.20
2/24/2012	149.00	4309.94	-0.80
2/19/2013	151.00	4307.94	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: PETERS, ELMER

Owner: SMELKER THEODORE R

Permit #: 6869 - FP -

Location #: SC01104630CDD

USGS Site ID: 390318102361800

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SE SE 30 11 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4325608.8 Easting (UTM x): 707198.0 *User supplied*

Latitude/Longitude (decimal degrees): 39.054999 -102.605476

Surface Elevation (ft): 4507.98 **Top Perforated Interval (ft):** 175 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 235 **Bottom Perforated Interval (ft):** 235 **1 year:** 2.00


Aquifer(s): OGALLALA **5 year:** 6.07

10 year: -6.16

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	134.35	4373.63	-0.71
1/5/2006	141.05	4366.93	-6.70
3/21/2007	143.14	4364.84	-2.09
2/1/2008	145.87	4362.11	-2.73
4/7/2009	145.55	4362.43	0.32
2/6/2010	135.40	4372.58	10.15
1/7/2011	134.60	4373.38	0.80
2/24/2012	141.80	4366.18	-7.20
2/19/2013	139.80	4368.18	2.00

All Historic Measurements



Well Name: GREENWOOD, W. TRUST

Owner: GREENWOOD WAYNE E TRUSTEE O

Permit #: 10085 - FP -

Location #: SC01104701CCB

USGS Site ID: 390700102375000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW NW 1 11 S 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4332364.9 Easting (UTM x): 704832.5 *User supplied*

Latitude/Longitude (decimal degrees): 39.116386 -102.630756

Surface Elevation (ft): 4589.01 **Top Perforated Interval (ft):** 185 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 265 **Bottom Perforated Interval (ft):** 265 **1 year:** -3.50


Aquifer(s): OGALLALA **5 year:** -17.35

10 year: -23.72

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	196.69	4392.32	0.69
12/30/2004	197.94	4391.07	-1.25
1/5/2006	198.48	4390.53	-0.54
3/21/2007	199.05	4389.96	-0.57
2/2/2008	203.75	4385.26	-4.70
4/6/2009	212.63	4376.38	-8.88
2/6/2010	219.80	4369.21	-7.17
1/7/2011	218.29	4370.72	1.51
2/24/2012	217.60	4371.41	0.69
2/25/2013	221.10	4367.91	-3.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: SMELKER FARMS, FP **Owner:** SMELKER DOYLE & CHRISTINA
Permit #: 9015 - FP - **Location #:** SC01104717ABD **USGS Site ID:** 390540102414000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SE 17 11 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4329878.3 Easting (UTM x): 699319.7 User supplied
Latitude/Longitude (decimal degrees): 39.095275 -102.695202

Surface Elevation (ft): 4647.05 **Top Perforated Interval (ft):** 167 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 244 **Bottom Perforated Interval (ft):** 244 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** 4.28
10 year: 0.79

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	172.00	4475.05	-0.41
12/30/2004	171.98	4475.07	0.02
1/5/2006	172.55	4474.50	-0.57
3/21/2007	174.15	4472.90	-1.60
2/2/2008	175.08	4471.97	-0.93
4/7/2009	175.40	4471.65	-0.32
2/6/2010	168.50	4478.55	6.90
1/7/2011	168.10	4478.95	0.40
2/24/2012	167.80	4479.25	0.30
2/25/2013	170.80	4476.25	-3.00

All Historic Measurements



Well Name: CURE, JOE **Owner:** JOE CURE
Permit #: 13793 - FP - **Location #:** SC01104735BC **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW 35 11 S 47 W S From N/S line: 2560 N From E/W line: 63 W
UTM Coordinates (NAD83): Northing (UTM y): 4324625.0 Easting (UTM x): 703330.4 Spotted from section lines
Latitude/Longitude (decimal degrees): 39.047050 -102.650431

Surface Elevation (ft): 4575 **Top Perforated Interval (ft):** 172 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 232 **Bottom Perforated Interval (ft):** 232 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/10/2008	191.47	4383.53	
4/6/2009	189.71	4385.29	1.76
2/6/2010	177.50	4397.50	12.21
1/7/2011	167.50	4407.50	10.00
2/24/2012	161.80	4413.20	5.70
2/25/2013			

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	SIMON FARMS			Owner:	SIMON FARMS		
Permit #:	9667 - FP -	Location #:	SC01104834DAB	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NE NW	34	11 S	48 W S		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4324361.0	Easting (UTM x):	693346.0	GPS		
Latitude/Longitude (decimal degrees):	39.046940		-102.765796				
Surface Elevation (ft):	4750	Top Perforated Interval (ft):		Base of grout (ft):			
Well depth (ft):		Bottom Perforated Interval (ft):					
Aquifer(s):					Water Level Change 1 year: -4.90 5 year: -3.40 10 year: -3.78		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	197.82	4552.18	-0.30
12/21/2004	197.23	4552.77	0.59
1/10/2006	197.26	4552.74	-0.03
4/16/2007	198.87	4551.13	-1.61
2/23/2008	197.90	4552.10	0.97
4/21/2009	198.21	4551.79	-0.31
2/6/2010	198.06	4551.94	0.15
1/4/2011	197.00	4553.00	1.06
2/24/2012	196.40	4553.60	0.60
3/13/2013	201.30	4548.70	-4.90

All Historic Measurements




Well Name:	NORDQUIS, SELMA			Owner:	NORDQUIST CLIFFORD		
Permit #:	11629 - FP -	Location #:	SC01104922ABB	USGS Site ID:	390458102522601		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NW NW	22	11 S	49 W S		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4328112.8	Easting (UTM x):	683855.8	User supplied		
Latitude/Longitude (decimal degrees):	39.082774		-102.874374				
Surface Elevation (ft):	4827.19	Top Perforated Interval (ft):	90	Base of grout (ft):			
Well depth (ft):	164	Bottom Perforated Interval (ft):	172				
Aquifer(s):	OGALLALA				Water Level Change 1 year: -5.30 5 year: 2.68 10 year: -0.77		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	106.00	4721.19	-0.27
12/21/2004	105.85	4721.34	0.15
1/10/2006	105.95	4721.24	-0.10
4/16/2007	110.20	4716.99	-4.25
2/23/2008	109.18	4718.01	1.02
4/21/2009	108.74	4718.45	0.44
2/6/2010	106.43	4720.76	2.31
1/4/2011	103.12	4724.07	3.31
2/24/2012	101.20	4725.99	1.92
2/19/2013	106.50	4720.69	-5.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: VASSIOS, G & V

Owner:

Permit #: - -

Location #: SC01105103BAA1

USGS Site ID: 390740103055801


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NE 3 11 S 51 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4332674.5 Easting (UTM x): 664239.7 User supplied
Latitude/Longitude (decimal degrees): 39.127771 -103.099936

Surface Elevation (ft): 5087.29 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 63 **Bottom Perforated Interval (ft):** **1 year:** -1.10
Aquifer(s): **5 year:** 3.96
10 year: 1.08

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	47.45	5039.84	-0.80
1/11/2006	47.93	5039.36	-0.48
4/16/2007	48.90	5038.39	-0.97
2/23/2008	48.86	5038.43	0.04
4/21/2009	48.52	5038.77	0.34
2/6/2010	45.00	5042.29	3.52
1/4/2011	44.20	5043.09	0.80
2/24/2012	43.80	5043.49	0.40
2/19/2013	44.90	5042.39	-1.10

All Historic Measurements



Well Name: CODY, W. JR.

Owner: CODY WILLIAM J JR

Permit #: 12598 - RFP -

Location #: SC5.504233DAC

USGS Site ID: 393356102043500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE SW 33 5 H S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4383541.0 Easting (UTM x): 751122.0 GPS
Latitude/Longitude (decimal degrees): 39.564823 -102.076788

Surface Elevation (ft): 3779.56 **Top Perforated Interval (ft):** 80 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 223 **Bottom Perforated Interval (ft):** 143 **1 year:** 9.10
Aquifer(s): OGALLALA **5 year:** 6.52
10 year: 2.44

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	148.80	3630.76	-1.66
1/11/2006	147.80	3631.76	1.00
4/18/2007	150.15	3629.41	-2.35
2/27/2008	149.72	3629.84	0.43
4/30/2009	152.18	3627.38	-2.46
2/12/2010	147.60	3631.96	4.58
2/4/2011	150.50	3629.06	-2.90
2/16/2012	152.30	3627.26	-1.80
2/17/2012	152.30	3627.26	0.00
3/12/2013	143.20	3636.36	9.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: LIGHTLE, H.J.

Owner: LIGHTLE JAMES & JOYCE

Permit #: 247 - RFP -

Location #: SC5.504433DDB

USGS Site ID: 393357102180400

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SE NW 33 5 H S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4383068.0 Easting (UTM x): 731825.0 GPS

Latitude/Longitude (decimal degrees): 39.565998 -102.301339

Surface Elevation (ft): 3897.65 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 183 **Bottom Perforated Interval (ft):** 180 **1 year:** -8.50


Aquifer(s): OGALLALA **5 year:** 5.26

10 year: -2.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	125.10	3772.55	-0.79
1/11/2006	124.64	3773.01	0.46
4/18/2007	127.38	3770.27	-2.74
2/13/2008	130.96	3766.69	-3.58
4/10/2009	123.95	3773.70	7.01
2/1/2010	120.40	3777.25	3.55
1/6/2011	118.50	3779.15	1.90
2/22/2012	117.20	3780.45	1.30
2/13/2013	125.70	3771.95	-8.50

All Historic Measurements



Well Name: HOMM, CLIFFORD

Owner: HOMM CLIFFORD

Permit #: 20632 - RFP -

Location #: SC5.504436DAB

USGS Site ID: 393400102143601

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE NE NW 36 5 H S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4383691.0 Easting (UTM x): 736631.0 GPS

Latitude/Longitude (decimal degrees): 39.570293 -102.245230

Surface Elevation (ft): 3761.64 **Top Perforated Interval (ft):** 90 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 125 **Bottom Perforated Interval (ft):** 125 **1 year:** -8.10


Aquifer(s): OGALLALA **5 year:** -4.17

10 year: -8.75

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	40.52	3721.12	-2.40
4/18/2007	40.59	3721.05	-0.07
2/13/2008	42.03	3719.61	-1.44
4/10/2009	40.60	3721.04	1.43
2/1/2010	40.30	3721.34	0.30
1/6/2011	39.30	3722.34	1.00
2/24/2012	38.10	3723.54	1.20
2/13/2013	46.20	3715.44	-8.10

All Historic Measurements



East Cheyenne Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: WAUGH, MAX

Owner:

Permit #: - -

Location #: SC01204214BBD

USGS Site ID:


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE NW NW 14 12 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4321764.0 Easting (UTM x): 752868.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.008373 -102.079689

Surface Elevation (ft): 3960 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** 2.40
Aquifer(s): **5 year:** 2.98
10 year: 3.13

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	125.38	3834.62	-0.13
2/1/2006	125.74	3834.26	-0.36
4/18/2007	125.71	3834.29	0.03
1/26/2008	124.88	3835.12	0.83
4/4/2009	125.70	3834.30	-0.82
2/12/2010	126.60	3833.40	-0.90
1/3/2011	125.80	3834.20	0.80
2/6/2012	124.30	3835.70	1.50
2/26/2013	121.90	3838.10	2.40

All Historic Measurements



Well Name: FRED HILT JR. TRUST

Owner: FRED HILT JR.

Permit #: 10012 - FP -

Location #: SC01204304BBB

USGS Site ID:


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW NW 4 12 S 43 W S From N/S line: 220 N From E/W line: 800 W
UTM Coordinates (NAD83): Northing (UTM y): 4325472.0 Easting (UTM x): 738951.9 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.045660 -102.238925

Surface Elevation (ft): 4222 **Top Perforated Interval (ft):** 250 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 352 **Bottom Perforated Interval (ft):** 352 **1 year:** 6.10
Aquifer(s): OGALLALA **5 year:** 1.59
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/10/2008	197.79	4024.21	
4/7/2009	200.59	4021.41	-2.80
2/12/2010	195.66	4026.34	4.93
1/3/2011	198.02	4023.98	-2.36
2/6/2012	202.30	4019.70	-4.28
2/26/2013	196.20	4025.80	6.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name:	HUDYE FARMS US, INC			Owner:	HUDYE FARMS US, INC		
Permit #:	5139 - F	-	Location #:	SC01204310ADA	USGS Site ID:	390147102121600	
Division:	1	Water District:	49	County:	CHEYENNE		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SE NE	10	12 S	43 W S		From N/S line: 400 N From E/W line: 2300 W	
UTM Coordinates (NAD83):	Northing (UTM y):		4323454.9	Easting (UTM x):		741985.3 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.026670			-102.204629	
Surface Elevation (ft):	4176.67	Top Perforated Interval (ft):	112	Base of grout (ft):	Water Level Change		
Well depth (ft):	178	Bottom Perforated Interval (ft):	178			1 year:	-2.60
Aquifer(s):	OGALLALA					5 year:	13.61
						10 year:	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	134.11	4042.56	-11.51
4/10/2009	136.05	4040.62	-1.94
2/12/2010	119.05	4057.62	17.00
1/3/2011	118.44	4058.23	0.61
2/6/2012	117.90	4058.77	0.54
2/26/2013	120.50	4056.17	-2.60

All Historic Measurements




Well Name:	MICHAEL DORMAN TRUST #1			Owner:	MICHAEL DORMAN		
Permit #:	19028 - FP	-	Location #:	SC01204334ACA	USGS Site ID:		
Division:	1	Water District:	49	County:	CHEYENNE		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SW NE	34	12 S	43 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):		4316146.0	Easting (UTM x):		741464.0 <i>GPS</i>	
Latitude/Longitude (decimal degrees):			38.961029			-102.213227	
Surface Elevation (ft):	4098	Top Perforated Interval (ft):	153	Base of grout (ft):	Water Level Change		
Well depth (ft):	207	Bottom Perforated Interval (ft):	203			1 year:	0.60
Aquifer(s):	OGALLALA					5 year:	-3.11
						10 year:	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	121.89	3976.11	
4/7/2009	124.90	3973.10	-3.01
2/12/2010	123.20	3974.80	1.70
1/3/2011	123.20	3974.80	0.00
2/6/2012	125.60	3972.40	-2.40
2/26/2013	125.00	3973.00	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: TALBERT, GREG

Owner: DORMAN MICHAEL B TRUST NO 1

Permit #: 19029 - F -

Location #: SC01204334BBC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW SW 34 12 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4317077.5 Easting (UTM x): 740663.9 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 38.969635 -102.222122

Surface Elevation (ft): 4120 **Top Perforated Interval (ft):** 153 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 207 **Bottom Perforated Interval (ft):** 203 **1 year:** 0.20


Aquifer(s): OGALLALA **5 year:** -2.13

10 year: -5.27

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	124.17	3995.83	-1.92
1/31/2006	123.75	3996.25	0.42
4/17/2007	122.95	3997.05	0.80
1/8/2008	125.17	3994.83	-2.22
4/7/2009	128.15	3991.85	-2.98
2/12/2010	125.70	3994.30	2.45
1/3/2011	125.60	3994.40	0.10
2/6/2012	127.50	3992.50	-1.90
2/26/2013	127.30	3992.70	0.20

All Historic Measurements



Well Name: KIMMEL, E.G.

Owner:

Permit #: - -

Location #: SC01204435ADD

USGS Site ID: 385730102171000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SE SE 35 12 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4316426.0 Easting (UTM x): 734057.5 *User supplied*

Latitude/Longitude (decimal degrees): 38.965559 -102.298521

Surface Elevation (ft): 4211.2 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 153 **Bottom Perforated Interval (ft):** **1 year:** -2.80


Aquifer(s): **5 year:** 3.60

10 year: -2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	137.10	4074.10	1.40
12/21/2004	139.99	4071.21	-2.89
1/31/2006	140.23	4070.97	-0.24
4/18/2007	141.34	4069.86	-1.11
1/26/2008	144.80	4066.40	-3.46
4/12/2009	144.20	4067.00	0.60
2/15/2010	141.20	4070.00	3.00
1/4/2011	140.50	4070.70	0.70
2/6/2012	138.40	4072.80	2.10
2/26/2013	141.20	4070.00	-2.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name:	HEINTGES, G.J. & TINA			Owner:	HUDYE FARMS US INC		
Permit #:	16411 - F	-	Location #:	SC01204503CDD	USGS Site ID:		
Division:	1		Water District:	49	County:	CHEYENNE	
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW SE SE	3	12 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):		4323208.5	Easting (UTM x):		721698.6 <i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees):			39.029831			-102.438828	
Surface Elevation (ft):	4382	Top Perforated Interval (ft):	141	Base of grout (ft):	Water Level Change		
Well depth (ft):	208	Bottom Perforated Interval (ft):	208	1 year: 0.60			
Aquifer(s):	OGALLALA			5 year: 1.19			
				10 year: -4.46			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	155.78	4226.22	-1.10
1/31/2006	156.78	4225.22	-1.00
4/17/2007	160.90	4221.10	-4.12
1/27/2008	159.89	4222.11	1.01
1/1/2009			
2/15/2010	142.40	4239.60	
1/4/2011	157.72	4224.28	-15.32
2/6/2012	159.30	4222.70	-1.58
2/26/2013	158.70	4223.30	0.60

All Historic Measurements




Well Name:	HEINTGES, GERHARD & TINA			Owner:	HUDYE FARMS US INC		
Permit #:	19477 - FP	-	Location #:	SC01204503DD	USGS Site ID:		
Division:	1		Water District:	49	County:	CHEYENNE	
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SE	3	12 S	45 W S		From N/S line: 40 S From E/W line: 250 E	
UTM Coordinates (NAD83):	Northing (UTM y):		4323175.5	Easting (UTM x):		722533.1 <i>Spotted from section lines</i>	
Latitude/Longitude (decimal degrees):			39.029322			-102.429208	
Surface Elevation (ft):	4332	Top Perforated Interval (ft):	91	Base of grout (ft):	Water Level Change		
Well depth (ft):	161	Bottom Perforated Interval (ft):	161	1 year: 0.10			
Aquifer(s):	OGALLALA			5 year: -16.43			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	123.77	4208.23	
1/1/2009			
2/15/2010	131.40	4200.60	
1/4/2011	137.55	4194.45	-6.15
2/6/2012	140.30	4191.70	-2.75
2/26/2013	140.20	4191.80	0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: U S GOVERNMENT

Owner:

Permit #: - -

Location #: SC01204505DDD

USGS Site ID: 390150102281000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section 5 Twnshp 12 S Range 45 W S PM Distance from section lines:
SE SE SE From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4323438.7 Easting (UTM x): 719335.7 User supplied

Latitude/Longitude (decimal degrees): 39.032500 -102.466027

Surface Elevation (ft): 4440.86 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 209 **Bottom Perforated Interval (ft):** **1 year:** -4.70


Aquifer(s): **5 year:** -1.28

10 year: -2.45

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	184.45	4256.41	-0.27
1/31/2006	184.62	4256.24	-0.17
4/17/2007	185.95	4254.91	-1.33
1/27/2008	185.22	4255.64	0.73
4/4/2009	187.67	4253.19	-2.45
2/15/2010	182.80	4258.06	4.87
1/4/2011	182.50	4258.36	0.30
2/6/2012	181.80	4259.06	0.70
2/26/2013	186.50	4254.36	-4.70

All Historic Measurements



Well Name: MCCLURE FARMS

Owner:

Permit #: - -

Location #: SC01204509

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section 9 Twnshp 12 S Range 45 W S PM Distance from section lines:
From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4322209.5 Easting (UTM x): 720221.8 Spotted from quarters

Latitude/Longitude (decimal degrees): 39.021211 -102.456196

Surface Elevation (ft): **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**


Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -2.35

Aquifer(s): OGALLALA **5 year:** 5.17

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	177.02		
4/4/2009	180.00		-2.98
2/15/2010	170.15		9.85
1/4/2011	169.85		0.30
2/6/2012	169.50		0.35
2/26/2013	171.85		-2.35

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: **SMELKER FARMS CO**

Owner: SMELKER FARMS CO

Permit #: 15548 - F -

Location #: SC01204710DBC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW SW 10 12 S 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4321087.8 Easting (UTM x): 702741.1 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.015339 -102.658286

Surface Elevation (ft): 4565 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** 295 **1 year:** -2.50
Aquifer(s): OGALLALA **5 year:** 3.80
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	112.75	4452.25	-0.24
1/10/2006	114.02	4450.98	-1.27
4/17/2007	111.90	4453.10	2.12
1/7/2008	112.50	4452.50	-0.60
4/6/2009	115.22	4449.78	-2.72
2/6/2010	107.00	4458.00	8.22
1/4/2011	106.80	4458.20	0.20
2/6/2012	106.20	4458.80	0.60
2/26/2013	108.70	4456.30	-2.50

All Historic Measurements



Well Name: **SHARP, A.**

Owner:

Permit #: - -

Location #: SC01204810ABD

USGS Site ID: 390120102460000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SE 10 12 S 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4321581.2 Easting (UTM x): 693200.9 *User supplied*


Latitude/Longitude (decimal degrees): 39.021942 -102.768259

Surface Elevation (ft): 4720.31 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 214 **Bottom Perforated Interval (ft):** **1 year:** -2.50
Aquifer(s): **5 year:** -0.05
10 year: -1.43

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	149.10	4571.21	0.05
1/10/2006	149.35	4570.96	-0.25
4/17/2007	150.75	4569.56	-1.40
1/7/2008	150.85	4569.46	-0.10
4/12/2009	151.29	4569.02	-0.44
2/6/2010	150.30	4570.01	0.99
1/4/2011	150.00	4570.31	0.30
2/6/2012	148.40	4571.91	1.60
2/26/2013	150.90	4569.41	-2.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: DURR, D.

Owner:

Permit #: - -

Location #: SC01304209AAB

USGS Site ID: 385639102064300

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE NW 9 13 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4314514.0 Easting (UTM x): 750189.6 *User supplied*

Latitude/Longitude (decimal degrees): 38.943894 -102.113237

Surface Elevation (ft): 3911.88 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 169 **Bottom Perforated Interval (ft):** **1 year:** -4.50


Aquifer(s): OGALLALA **5 year:** -8.75

10 year: -14.82

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2004	131.74	3780.14	-1.08
2/1/2006	132.64	3779.24	-0.90
4/18/2007	138.55	3773.33	-5.91
1/26/2008	134.85	3777.03	3.70
4/4/2009	135.50	3776.38	-0.65
2/12/2010	138.10	3773.78	-2.60
1/3/2011	138.40	3773.48	-0.30
2/6/2012	139.10	3772.78	-0.70
2/26/2013	143.60	3768.28	-4.50

All Historic Measurements



Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SC01304217CCC

USGS Site ID: 385500102084000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 17 13 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4311279.6 Easting (UTM x): 747446.7 *User supplied*

Latitude/Longitude (decimal degrees): 38.915562 -102.146016

Surface Elevation (ft): 4003.58 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 247 **Bottom Perforated Interval (ft):** **1 year:** -1.70


Aquifer(s): **5 year:** 4.20

10 year: 0.03

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2004	244.13	3759.45	-0.89
2/1/2006	245.01	3758.57	-0.88
4/18/2007			
1/26/2008	246.50	3757.08	
4/4/2009	245.50	3758.08	1.00
2/12/2010	243.00	3760.58	2.50
1/3/2011	240.30	3763.28	2.70
2/6/2012	240.60	3762.98	-0.30
2/26/2013	242.30	3761.28	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: MYERS, STEVE

Owner: CURE LAND LLC

Permit #: 9530 - FP -

Location #: SC01304224DDA

USGS Site ID: 385414102031800

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE SE NE 24 13 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4310207.6 Easting (UTM x): 755427.9 GPS

Latitude/Longitude (decimal degrees): 38.903629 -102.054474

Surface Elevation (ft): 3885.53 **Top Perforated Interval (ft):** 155 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 275 **Bottom Perforated Interval (ft):** 275 **1 year:** -5.00


Aquifer(s): OGALLALA **5 year:** -5.56

10 year: -18.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	179.98	3705.55	-2.58
2/1/2006	180.31	3705.22	-0.33
4/9/2007	185.85	3699.68	-5.54
1/9/2008	186.84	3698.69	-0.99
4/4/2009	188.77	3696.76	-1.93
2/12/2010	190.20	3695.33	-1.43
1/3/2011	188.60	3696.93	1.60
2/6/2012	187.40	3698.13	1.20
2/26/2013	192.40	3693.13	-5.00

All Historic Measurements



Well Name: HADACHEK, JIM

Owner: HADACHEK JAMES R & MARLA K

Permit #: 15670 - FP -

Location #: SC01304310BAA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE NW NW 10 13 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4314147.6 Easting (UTM x): 741665.9 Spotted from quarters

Latitude/Longitude (decimal degrees): 38.942986 -102.211605

Surface Elevation (ft): 4160 **Top Perforated Interval (ft):** 218 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 322 **Bottom Perforated Interval (ft):** 318 **1 year:** -2.60


Aquifer(s): OGALLALA **5 year:** 4.29

10 year: -6.58

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	228.27	3931.73	-0.79
1/31/2006	228.52	3931.48	-0.25
4/17/2007	230.78	3929.22	-2.26
1/8/2008	236.99	3923.01	-6.21
4/7/2009	232.40	3927.60	4.59
2/12/2010	237.50	3922.50	-5.10
1/3/2011	231.10	3928.90	6.40
2/6/2012	230.10	3929.90	1.00
2/26/2013	232.70	3927.30	-2.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: HANAVAN, C.L. & P.

Owner: HANAVAN CHARLES L.

Permit #: 7381 - FP -

Location #: SC01304421BCA

USGS Site ID: 385430102205000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW SW NE 21 13 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4310011.1 Easting (UTM x): 729980.0 User supplied

Latitude/Longitude (decimal degrees): 38.908893 -102.347689

Surface Elevation (ft): 4228.73 **Top Perforated Interval (ft):** 30 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 131 **Bottom Perforated Interval (ft):** 135 **1 year:** -1.20


Aquifer(s): OGALLALA **5 year:** -2.93

10 year: -3.75

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	37.70	4191.03	0.22
1/31/2006	37.38	4191.35	0.32
3/16/2007	33.90	4194.83	3.48
1/26/2008	38.87	4189.86	-4.97
1/1/2009			
2/6/2010	37.60	4191.13	
1/4/2011	39.10	4189.63	-1.50
2/6/2012	40.60	4188.13	-1.50
2/26/2013	41.80	4186.93	-1.20

All Historic Measurements



Well Name: GERWECK, GEORGE

Owner: GERWECK GEORGE

Permit #: 12352 - F -

Location #: SC01304502DDA

USGS Site ID: 385640102242000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SE NE 2 13 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4313800.8 Easting (UTM x): 724423.5 User supplied

Latitude/Longitude (decimal degrees): 38.944447 -102.410469

Surface Elevation (ft): 4383.8 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 230 **Bottom Perforated Interval (ft):** 230 **1 year:** -5.40


Aquifer(s): OGALLALA **5 year:** 15.29

10 year: 2.43

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	192.44	4191.36	-1.35
1/31/2006	193.85	4189.95	-1.41
4/17/2007	198.41	4185.39	-4.56
1/28/2008	202.79	4181.01	-4.38
4/4/2009	204.23	4179.57	-1.44
2/15/2010	189.40	4194.40	14.83
1/4/2011	184.20	4199.60	5.20
2/6/2012	182.10	4201.70	2.10
2/26/2013	187.50	4196.30	-5.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: **LOWE, MARVIN**

Owner: LOWE MARVIN

Permit #: 5665 - FP -

Location #: SC01304525CCC

USGS Site ID: 385300102240000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW SW SW 25 13 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4307246.9 Easting (UTM x): 725068.0 [User supplied](#)

Latitude/Longitude (decimal degrees): 38.885282 -102.405190

Surface Elevation (ft): 4361.78 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 305 **Bottom Perforated Interval (ft):** 300

Aquifer(s): OGALLALA

1 year:


5 year: 0.32

10 year: -1.72

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	223.42	4138.36	-0.70
1/31/2006	222.89	4138.89	0.53
3/16/2007	225.00	4136.78	-2.11
1/8/2008	226.42	4135.36	-1.42
4/4/2009	224.83	4136.95	1.59
2/6/2010	212.90	4148.88	11.93
1/3/2011	221.80	4139.98	-8.90
2/6/2012			
2/26/2013	226.10	4135.68	

All Historic Measurements



Well Name: **SIMON, E.**

Owner: SIMON FAMILY INC

Permit #: 13365 - F -

Location #: SC01304614DCC

USGS Site ID: 385440102313000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SW SW 14 13 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4310094.9 Easting (UTM x): 714307.4 [User supplied](#)

Latitude/Longitude (decimal degrees): 38.913613 -102.528250

Surface Elevation (ft): 4528.9 **Top Perforated Interval (ft):** 162 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 222 **Bottom Perforated Interval (ft):** 222

Aquifer(s): OGALLALA

1 year: -3.30


5 year: 6.59

10 year: 7.05

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	166.93	4361.97	0.32
1/31/2006	164.53	4364.37	2.40
4/17/2007	169.11	4359.79	-4.58
1/8/2008	170.99	4357.91	-1.88
1/1/2009			
2/6/2010	168.94	4359.96	
1/4/2011	163.60	4365.30	5.34
2/6/2012	161.10	4367.80	2.50
2/26/2013	164.40	4364.50	-3.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name:	ALDRIDGE, RAYMOND			Owner:	ALDRIDGE RAYMOND		
Permit #:	20718 - FP -	Location #:	SC01404106DBA	USGS Site ID:	385140102025000		
Division:	1	Water District:	49	County:	CHEYENNE		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NW NE 6	14 S	41 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y): 4305834.7		Easting (UTM x): 755773.3		User supplied		
Latitude/Longitude (decimal degrees):	38.864174		-102.052124				
Surface Elevation (ft):	3898.83	Top Perforated Interval (ft):	193	Base of grout (ft):	Water Level Change		
Well depth (ft):	393	Bottom Perforated Interval (ft):	393		1 year: -14.60		
Aquifer(s):	OGALLALA				5 year: -15.40		
					10 year: -26.63		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	224.77	3674.06	-2.15
2/1/2006	227.05	3671.78	-2.28
3/16/2007	232.55	3666.28	-5.50
1/9/2008	231.30	3667.53	1.25
4/27/2009	232.17	3666.66	-0.87
2/12/2010	228.80	3670.03	3.37
1/3/2011	228.90	3669.93	-0.10
2/6/2012	232.10	3666.73	-3.20
2/26/2013	246.70	3652.13	-14.60

All Historic Measurements




Well Name:	SIMPSON, V.G.			Owner:	SIMPSON GOODER G		
Permit #:	13776 - F -	Location #:	SC01404118ABD	USGS Site ID:	385020102025000		
Division:	1	Water District:	49	County:	CHEYENNE		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW SE 18	14 S	41 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y): 4303032.8		Easting (UTM x): 755984.5		User supplied		
Latitude/Longitude (decimal degrees):	38.838897		-102.050735				
Surface Elevation (ft):	3897.53	Top Perforated Interval (ft):	266	Base of grout (ft):	Water Level Change		
Well depth (ft):	356	Bottom Perforated Interval (ft):	356		1 year:		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	246.77	3650.76	-0.77
2/1/2006	248.29	3649.24	-1.52
4/17/2007	250.35	3647.18	-2.06
1/11/2008	255.43	3642.10	-5.08
4/4/2009	254.60	3642.93	0.83
2/15/2010	255.70	3641.83	-1.10
12/28/2010	211.50	3686.03	44.20
1/3/2011	262.10	3635.43	-50.60
2/6/2012	268.10	3629.43	-6.00
2/26/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: PURVIS FARMS INC.

Owner: PURVIS LAWRENCE

Permit #: 20969 - FP -

Location #: SC01404130ABB

USGS Site ID: 384840102025000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE NW NW 30 14 S 41 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4299975.0 Easting (UTM x): 755914.3 *User supplied*

Latitude/Longitude (decimal degrees): 38.811398 -102.052679

Surface Elevation (ft): 3887.53 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 272 **Bottom Perforated Interval (ft):** **1 year:** -4.30


Aquifer(s): OGALLALA **5 year:** -20.22

10 year: -33.93

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	233.42	3654.11	-1.34
2/1/2006	234.28	3653.25	-0.86
4/9/2007	237.11	3650.42	-2.83
1/11/2008	243.98	3643.55	-6.87
4/4/2009	244.69	3642.84	-0.71
2/15/2010	252.20	3635.33	-7.51
1/3/2011	256.10	3631.43	-3.90
2/6/2012	259.90	3627.63	-3.80
2/26/2013	264.20	3623.33	-4.30

All Historic Measurements



Well Name: ROTHER, HAROLD

Owner: ROTHER, HAROLD

Permit #: 15490 - FP -

Location #: SC01404233CC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW SW 33 14 S 42 W S From N/S line: 674 S From E/W line: 666 W

UTM Coordinates (NAD83): Northing (UTM y): 4296924.0 Easting (UTM x): 749677.4 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 38.785727 -102.125527

Surface Elevation (ft): 3960 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 392 **Bottom Perforated Interval (ft):** **1 year:** -2.30


Aquifer(s): OGALLALA **5 year:**

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2011	261.20	3698.80	
2/6/2012	263.10	3696.90	-1.90
2/26/2013	265.40	3694.60	-2.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: KERN, AUGUST S

Owner:

Permit #: 18663 - FP - **Location #:** SC01404305DCC **USGS Site ID:**

Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE SW SW 5 14 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4304238.0 Easting (UTM x): 739711.0 GPS
Latitude/Longitude (decimal degrees): 38.854327 -102.237597


Surface Elevation (ft): 4122 **Top Perforated Interval (ft):** 276 **Base of grout (ft):**
Well depth (ft): 356 **Bottom Perforated Interval (ft):** 356
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.60
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2010	219.40	3902.60	
1/3/2011	214.30	3907.70	5.10
2/6/2012	212.60	3909.40	1.70
2/26/2013	215.20	3906.80	-2.60

All Historic Measurements



Well Name: BET-MAR FARMS LTD

Owner: BET MAR FARMS LTD

Permit #: 279690 - - **Location #:** SC01404307AA **USGS Site ID:**

Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NE 7 14 S 43 W S From N/S line: 70 N From E/W line: 70 E
UTM Coordinates (NAD83): Northing (UTM y): 4304427.0 Easting (UTM x): 737849.1 Spotted from section lines
Latitude/Longitude (decimal degrees): 38.856533 -102.258965


Surface Elevation (ft): 4725 **Top Perforated Interval (ft):** 230 **Base of grout (ft):**
Well depth (ft): 322 **Bottom Perforated Interval (ft):** 322
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.80
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2011	233.60	4491.40	
2/6/2012	231.30	4493.70	2.30
2/26/2013	234.10	4490.90	-2.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: **ANDERSON, GERALD ET AL**

Owner: S.S. COBB

Permit #: 20514 - RFP - **Location #:** SC01404418AD

USGS Site ID:


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE SE 18 14 S 44 W S From N/S line: 2496 N From E/W line: 856 E
UTM Coordinates (NAD83): Northing (UTM y): 4301703.5 Easting (UTM x): 728063.6 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 38.834608 -102.372525

Surface Elevation (ft): 4260 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 308 **Bottom Perforated Interval (ft):** **1 year:** -5.10
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2011	186.80	4073.20	
2/6/2012	186.20	4073.80	0.60
2/26/2013	191.30	4068.70	-5.10

All Historic Measurements



Well Name: **MITCHEK, SAM & GAILA**

Owner:

Permit #: 6931 - FP - **Location #:** SC01404419CBC

USGS Site ID:


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW NW SW 19 14 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4299810.0 Easting (UTM x): 727293.0 *GPS*
Latitude/Longitude (decimal degrees): 38.817761 -102.382020

Surface Elevation (ft): 4322 **Top Perforated Interval (ft):** 323 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 403 **Bottom Perforated Interval (ft):** 393 **1 year:** -12.50
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2010	142.80	4179.20	
1/3/2011	137.00	4185.00	5.80
2/6/2012	136.10	4185.90	0.90
2/26/2013	148.60	4173.40	-12.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name:	MITCHEK, D.			Owner:	MITCHEK DALE		
Permit #:	11751 - F -	Location #:	SC01404505ADD	USGS Site ID:	385150102274000		
Division:	1	Water District:	49	County:	CHEYENNE		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SE SE	5	14 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4304665.5	Easting (UTM x):	719954.6	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	38.863337		-102.464914				
Surface Elevation (ft):	4353.84	Top Perforated Interval (ft):	100	Base of grout (ft):	Water Level Change		
Well depth (ft):	170	Bottom Perforated Interval (ft):	170	1 year:		0.60	
Aquifer(s):				5 year:		5.54	
				10 year:		3.44	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	112.30	4241.54	-0.64
3/16/2007	112.18	4241.66	0.12
1/8/2008	112.24	4241.60	-0.06
1/1/2009			
2/6/2010	106.20	4247.64	
1/3/2011	106.20	4247.64	0.00
2/6/2012	107.30	4246.54	-1.10
2/26/2013	106.70	4247.14	0.60

All Historic Measurements




Well Name:	BUELL, LEON			Owner:	BUELL LEONA		
Permit #:	13825 - F -	Location #:	SC01504203BBD	USGS Site ID:	384640102061000		
Division:	1	Water District:	49	County:	CHEYENNE		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW SE	3	15 S	42 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4296375.9	Easting (UTM x):	751464.1	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	38.780287		-102.105181				
Surface Elevation (ft):	3945.56	Top Perforated Interval (ft):	320	Base of grout (ft):	Water Level Change		
Well depth (ft):	420	Bottom Perforated Interval (ft):	420	1 year:		-3.30	
Aquifer(s):	OGALLALA			5 year:		-18.00	
				10 year:		-24.56	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	240.10	3705.46	0.13
4/18/2007			
1/11/2008	245.10	3700.46	
4/11/2009	246.10	3699.46	-1.00
2/15/2010	254.10	3691.46	-8.00
1/3/2011	257.40	3688.16	-3.30
2/6/2012	259.80	3685.76	-2.40
2/26/2013	263.10	3682.46	-3.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: ADAMS, L.B.

Owner: ADAMS, L.B.

Permit #: - -

Location #: SC01504223BCC

USGS Site ID: 384350102052000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW SW 23 15 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4291300.8 Easting (UTM x): 752978.6 *User supplied*

Latitude/Longitude (decimal degrees): 38.734177 -102.089625

Surface Elevation (ft): 3978.77 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 220 **Bottom Perforated Interval (ft):** **1 year:** -2.46


Aquifer(s): **5 year:** 2.05

10 year: 0.05

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	207.86	3770.91	0.80
2/1/2006	208.39	3770.38	-0.53
4/17/2007	209.89	3768.88	-1.50
1/26/2008	210.81	3767.96	-0.92
1/1/2009			
2/15/2010	205.56	3773.21	
1/3/2011	205.56	3773.21	0.00
2/6/2012	206.30	3772.47	-0.74
2/26/2013	208.76	3770.01	-2.46

All Historic Measurements



Well Name: U.S. GOVERNMENT

Owner: U.S. GOVERNMENT

Permit #: - -

Location #: SC01504301AAA

USGS Site ID: 384650102100000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE NE 1 15 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4296612.6 Easting (UTM x): 746214.5 *User supplied*

Latitude/Longitude (decimal degrees): 38.783898 -102.165460

Surface Elevation (ft): 4022.57 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 275 **Bottom Perforated Interval (ft):** **1 year:** -6.00


Aquifer(s): **5 year:** -6.30

10 year: -9.27

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2004	209.20	3813.37	-1.03
2/1/2006	210.02	3812.55	-0.82
4/17/2007	210.78	3811.79	-0.76
1/26/2008	211.20	3811.37	-0.42
4/4/2009	210.40	3812.17	0.80
2/15/2010	209.30	3813.27	1.10
1/3/2011	210.10	3812.47	-0.80
2/6/2012	211.50	3811.07	-1.40
2/26/2013	217.50	3805.07	-6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: **WHEELER, GARY L.**

Owner: WHEELER RALPH & RUBY

Permit #: 5725 - FP -

Location #: SC01504302BBD

USGS Site ID: 384640102115000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW NW SE 2 15 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4296187.1 Easting (UTM x): 743425.4 *User supplied*


Latitude/Longitude (decimal degrees): 38.780842 -102.197684

Surface Elevation (ft): 4072.58 **Top Perforated Interval (ft):** 225 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 315 **Bottom Perforated Interval (ft):** 315 **1 year:** -2.30
Aquifer(s): OGALLALA **5 year:** 0.85
10 year: -7.76

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	252.37	3820.21	-1.30
2/1/2006	252.91	3819.67	-0.54
4/9/2007	256.91	3815.67	-4.00
1/26/2008	259.05	3813.53	-2.14
4/12/2009	259.63	3812.95	-0.58
2/15/2010	261.50	3811.08	-1.87
1/3/2011	257.20	3815.38	4.30
2/6/2012	255.90	3816.68	1.30
2/26/2013	258.20	3814.38	-2.30

All Historic Measurements



Well Name: **HARMS, MELVIN B.**

Owner: MARMEL INC

Permit #: 17469 - F -

Location #: SC01504504BAB

USGS Site ID: 384657102272101

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW NE NW 4 15 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4295714.7 Easting (UTM x): 720951.9 *User supplied*


Latitude/Longitude (decimal degrees): 38.782506 -102.456301

Surface Elevation (ft): 4392.82 **Top Perforated Interval (ft):** 295 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 365 **Bottom Perforated Interval (ft):** 365 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** 12.05
10 year: 8.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	269.07	4123.75	3.07
1/31/2006	266.75	4126.07	2.32
3/16/2007	272.57	4120.25	-5.82
1/8/2008	274.65	4118.17	-2.08
1/1/2009			
2/6/2010	263.30	4129.52	
1/3/2011	262.10	4130.72	1.20
2/6/2012	261.30	4131.52	0.80
2/26/2013	262.60	4130.22	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: REHFELD, E.A.

Owner: REHFELD RONALD

Permit #: 4245 - FP -

Location #: SC01604208BBB

USGS Site ID: 384100102093000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section 8 Twnshp 16 S Range 42 W S PM Distance from section lines:
From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4285865.2 Easting (UTM x): 746958.7 [User supplied](#)

Latitude/Longitude (decimal degrees): 38.686956 -102.160738

Surface Elevation (ft): 4066.61 **Top Perforated Interval (ft):** 226 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 266 **Bottom Perforated Interval (ft):** 266 **1 year:** -3.90


Aquifer(s): OGALLALA **5 year:** 19.70

10 year: 16.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	243.50	3823.11	0.50
2/1/2006	245.13	3821.48	-1.63
4/17/2007	243.00	3823.61	2.13
1/26/2008	247.70	3818.91	-4.70
1/1/2009			
2/15/2010	225.00	3841.61	
1/3/2011	224.60	3842.01	0.40
2/6/2012	224.10	3842.51	0.50
2/26/2013	228.00	3838.61	-3.90

All Historic Measurements



Kiowa County

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SC01704131CCC

USGS Site ID: 383150102040000


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 31 17 S 41 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4268626.2 Easting (UTM x): 755478.5 GPS
Latitude/Longitude (decimal degrees): 38.529385 -102.069227

Surface Elevation (ft): 3936.61 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 56 **Bottom Perforated Interval (ft):** **1 year:** 0.09
Aquifer(s): **5 year:** 0.28
10 year: 0.99

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	49.90	3886.71	-0.20
1/25/2005	48.99	3887.62	0.91
1/23/2006	48.96	3887.65	0.03
3/26/2007	49.46	3887.15	-0.50
1/28/2008	48.99	3887.62	0.47
1/1/2009			
1/25/2010	49.47	3887.14	
1/26/2011	48.98	3887.63	0.49
1/30/2012	48.80	3887.81	0.18
2/5/2013	48.71	3887.90	0.09

All Historic Measurements



Well Name: ANDREWS, BILL

Owner:

Permit #: - -

Location #: SC01904208BAB1

USGS Site ID: 382534102091701


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 8 19 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4256918.0 Easting (UTM x): 748369.4 GPS
Latitude/Longitude (decimal degrees): 38.426011 -102.154835

Surface Elevation (ft): 3956.65 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 78 **Bottom Perforated Interval (ft):** **1 year:** -0.22
Aquifer(s): **5 year:** 1.12
10 year: -0.34

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	23.95	3932.70	-0.80
1/25/2005	24.06	3932.59	-0.11
1/23/2006	23.49	3933.16	0.57
3/26/2007	25.01	3931.64	-1.52
1/28/2008	24.61	3932.04	0.40
1/1/2009			
1/25/2010	25.37	3931.28	
1/26/2011	22.72	3933.93	2.65
1/30/2012	23.27	3933.38	-0.55
2/5/2013	23.49	3933.16	-0.22

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: KOELLER, HARLEY

Owner:

Permit #: 88015 - -

Location #: SC01904414DDA

USGS Site ID:

Division: 2 **Water District:** 67 **County:** KIOWA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE NE 14 19 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4253727.8 Easting (UTM x): 735075.4 GPS


Latitude/Longitude (decimal degrees): 38.400889 -102.308029

Surface Elevation (ft): 4116 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 85 **Bottom Perforated Interval (ft):** **1 year:** -0.25
Aquifer(s): OGALLALA **5 year:** -1.67
10 year: -1.09

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	44.01	4071.99	-0.41
1/26/2005	43.45	4072.55	0.56
1/24/2006	43.34	4072.66	0.11
2/27/2007	42.31	4073.69	1.03
1/29/2008	43.02	4072.98	-0.71
1/1/2009			
1/26/2010	44.21	4071.79	
1/27/2011	44.18	4071.82	0.03
1/31/2012	44.44	4071.56	-0.26
2/6/2013	44.69	4071.31	-0.25

All Historic Measurements



Well Name: WELSCH, P.

Owner:

Permit #: - -

Location #: SC02004106CBB

USGS Site ID: 382050102032000

Division: 2 **Water District:** 67 **County:** KIOWA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 6 20 S 41 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4248540.8 Easting (UTM x): 756261.3 GPS


Latitude/Longitude (decimal degrees): 38.348384 -102.067587

Surface Elevation (ft): 3842.79 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 54 **Bottom Perforated Interval (ft):** **1 year:** -2.86
Aquifer(s): **5 year:** -3.68
10 year: -3.88

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	48.18	3794.61	-1.13
1/25/2005	47.31	3795.48	0.87
1/23/2006	47.61	3795.18	-0.30
3/26/2007	47.74	3795.05	-0.13
1/28/2008	47.25	3795.54	0.49
1/1/2009			
1/25/2010	48.07	3794.72	
1/26/2011	47.39	3795.40	0.68
1/30/2012	48.07	3794.72	-0.68
2/5/2013	50.93	3791.86	-2.86

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: CRUM, S.

Owner:

Permit #: 9301 - F - **Location #:** SC02004229AAD **USGS Site ID:** 381730102082000

Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SE 29 20 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4242372.5 Easting (UTM x): 750041.2 GPS
Latitude/Longitude (decimal degrees): 38.294620 -102.140864


Surface Elevation (ft): 3854.59 **Top Perforated Interval (ft):** 140 **Base of grout (ft):**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240
Aquifer(s): OGALLALA

Water Level Change
1 year: 3.63
5 year: 5.21
10 year: -0.75

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	142.12	3712.47	2.78
1/25/2005	141.64	3712.95	0.48
1/23/2006	162.55	3692.04	-20.91
3/26/2007	141.62	3712.97	20.93
1/28/2008	150.86	3703.73	-9.24
1/1/2009			
1/25/2010	142.99	3711.60	
1/26/2011	142.44	3712.15	0.55
1/30/2012	149.28	3705.31	-6.84
2/5/2013	145.65	3708.94	3.63

All Historic Measurements



Well Name: REINERT, JAMES

Owner: HUDDLESTON DENNIS M

Permit #: 13096 - FP - **Location #:** SC02004235CAA **USGS Site ID:** 381630102053000

Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE NE 35 20 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4240273.5 Easting (UTM x): 754202.2 GPS
Latitude/Longitude (decimal degrees): 38.274558 -102.094095


Surface Elevation (ft): 3786.56 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 223 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	164.85	3621.71	-2.90
1/25/2005	164.56	3622.00	0.29
1/23/2006	163.99	3622.57	0.57
3/26/2007	164.70	3621.86	-0.71
1/28/2008			
1/1/2009			
1/25/2010	164.62	3621.94	
1/26/2011	167.32	3619.24	-2.70
1/30/2012			
2/6/2013			

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name:	LOUIS HINES TRUST NO. 1			Owner:	LOUIS HINES TRUST NO. 1		
Permit #:	14954 - FP -	Location #:	SC02004311BD	USGS Site ID:			
Division:	0	Water District:		County:	KIOWA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SE	11	20 S	43 W	S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	744118.0	Easting (UTM x):	4246729.0	GPS		
Latitude/Longitude (decimal degrees):	5.706127		-72.948709				
Surface Elevation (ft):	3975	Top Perforated Interval (ft):	196	Base of grout (ft):	Water Level Change		
Well depth (ft):	300	Bottom Perforated Interval (ft):	296	1 year: 4.83			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2011	199.18	3775.82	
1/31/2012	193.87	3781.13	5.31
2/6/2013	189.04	3785.96	4.83

All Historic Measurements




Well Name:	BURROWS, JACK			Owner:	BURROWS RUBY M		
Permit #:	76677 - -	Location #:	SC02004311CAA	USGS Site ID:			
Division:	2	Water District:	67	County:	KIOWA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW NE NE	11	20 S	43 W	S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4246733.0	Easting (UTM x):	744133.0	GPS		
Latitude/Longitude (decimal degrees):	38.335500		-102.206840				
Surface Elevation (ft):	3975	Top Perforated Interval (ft):	247	Base of grout (ft):	Water Level Change		
Well depth (ft):	307	Bottom Perforated Interval (ft):	307	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	223.44	3751.56	3.36
1/26/2005	224.28	3750.72	-0.84
1/24/2006	215.92	3759.08	8.36
3/27/2007	211.52	3763.48	4.40
1/29/2008	211.36	3763.64	0.16
1/1/2009			
1/26/2010	204.34	3770.66	
1/27/2011			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: YOUNG COLORADO FARMS

Owner:

Permit #: 14475 - F - **Location #:** SC02004314DD

USGS Site ID:

Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SE 14 20 S 43 W S

From N/S line: **From E/W line:**

UTM Coordinates (NAD83): Northing (UTM y): 4244212.0 Easting (UTM x): 745132.0 [GPS](#)

Latitude/Longitude (decimal degrees): 38.312533 -102.196299

Surface Elevation (ft): 3960 **Top Perforated Interval (ft):** 226 **Base of grout (ft):**

Well depth (ft): 306 **Bottom Perforated Interval (ft):** 306

Aquifer(s): OGALLALA

Water Level Change

1 year: 0.05


5 year: -13.30

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/27/2007	251.37	3708.63	
1/29/2008	258.49	3701.51	-7.12
1/1/2009			
1/26/2010	260.31	3699.69	
1/27/2011	258.48	3701.52	1.83
1/31/2012	271.84	3688.16	-13.36
2/6/2013	271.79	3688.21	0.05

All Historic Measurements



Well Name: SUTFIN

Owner: J-S FARMS INC

Permit #: 13563 - F - **Location #:** SC02004324BCC1

USGS Site ID:

Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW SW SW 24 20 S 43 W S

From N/S line: **From E/W line:**

UTM Coordinates (NAD83): Northing (UTM y): 4243395.4 Easting (UTM x): 745245.1 [GPS](#)

Latitude/Longitude (decimal degrees): 38.305151 -102.195289

Surface Elevation (ft): 3952 **Top Perforated Interval (ft):** **Base of grout (ft):**

Well depth (ft): 305 **Bottom Perforated Interval (ft):**

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.85


5 year: -5.68

10 year: -22.13

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	234.98	3717.02	-12.58
1/26/2005	232.31	3719.69	2.67
1/24/2006	242.25	3709.75	-9.94
3/27/2007	230.49	3721.51	11.76
1/29/2008	238.85	3713.15	-8.36
1/1/2009			
1/26/2010	237.85	3714.15	
1/27/2011	242.99	3709.01	-5.14
1/31/2012	241.68	3710.32	1.31
2/6/2013	244.53	3707.47	-2.85

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name:	DREILING, ANTON F.			Owner:	DREILING ANTON F & NELSOLINE		
Permit #:	12801 - F	-	Location #:	SC02004334DDD	USGS Site ID:	381610102124000	
Division:	2			Water District:	67		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	SE	SE	SE	34	20	S	43 W S
							Distance from section lines:
							From N/S line:
							From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):			4239278.2	Easting (UTM x):	743723.1 GPS	
Latitude/Longitude (decimal degrees):				38.268504	-102.214095		
Surface Elevation (ft):	3884.59	Top Perforated Interval (ft):	128	Base of grout (ft):	Water Level Change		
Well depth (ft):	238	Bottom Perforated Interval (ft):	238		1 year:		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	203.12	3681.47	-0.12
1/26/2005	205.92	3678.67	-2.80
1/24/2006			
3/26/2007	202.98	3681.61	
1/28/2008	202.04	3682.55	0.94
1/1/2009			
1/26/2010	202.14	3682.45	
1/27/2011	203.95	3680.64	-1.81
1/31/2012	204.39	3680.20	-0.44
2/6/2013	205.00	3679.59	-0.61

All Historic Measurements




Well Name:	WILSON, DEWEY			Owner:			
Permit #:	13079 - F	-	Location #:	SC02004414BAA	USGS Site ID:	381930102190000	
Division:	2			Water District:	67		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	NW	NE	NE	14	20	S	44 W S
							Distance from section lines:
							From N/S line:
							From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):			4245369.4	Easting (UTM x):	734648.3 GPS	
Latitude/Longitude (decimal degrees):				38.325756	-102.315698		
Surface Elevation (ft):	4006.67	Top Perforated Interval (ft):	150	Base of grout (ft):	Water Level Change		
Well depth (ft):	192	Bottom Perforated Interval (ft):	192		1 year:		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	112.33	3894.34	-0.75
1/26/2005	114.24	3892.43	-1.91
1/24/2006	112.96	3893.71	1.28
3/27/2007	105.47	3901.20	7.49
1/29/2008	100.89	3905.78	4.58
1/1/2009			
1/26/2010	96.82	3909.85	
1/27/2011	95.01	3911.66	1.81
1/31/2012	98.48	3908.19	-3.47
2/6/2013	91.78	3914.89	6.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: PREISSER, J.G.

Owner: CO BOARD OF LAND COMMISSIONERS

Permit #: 10381 - F -

Location #: SC02004436BBD

USGS Site ID: 381650102180000

Division: 2 **Water District:** 67 **County:** KIOWA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW SE 36 20 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4240290.2 Easting (UTM x): 736061.1 [GPS](#)

Latitude/Longitude (decimal degrees): 38.279660 -102.301247

Surface Elevation (ft): 3886.62 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 200 **Bottom Perforated Interval (ft):** 200 **1 year:** 0.52


Aquifer(s): OGALLALA **5 year:** 6.96

10 year: 8.17

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	149.41	3737.21	-2.38
1/26/2005	147.34	3739.28	2.07
1/24/2006	143.62	3743.00	3.72
2/27/2007	144.23	3742.39	-0.61
1/28/2008	145.82	3740.80	-1.59
1/1/2009			
1/26/2010	142.25	3744.37	
1/27/2011	139.61	3747.01	2.64
1/31/2012	139.38	3747.24	0.23
2/6/2013	138.86	3747.76	0.52

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Prowers County

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK


**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**

Well Name:	WILCOXEN, J.			Owner:	SCHAEFER HOMA LEE		
Permit #:	11891 - F -	Location #:	SC02104106ADC	USGS Site ID:	381530102035000		
Division:	2	Water District:	67	County:	PROWERS		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SE SW	6	21 S	41 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4238046.0	Easting (UTM x):	756651.0 GPS			
Latitude/Longitude (decimal degrees):	38.253813		-102.066942				
Surface Elevation (ft):	3756.55	Top Perforated Interval (ft):	55	Base of grout (ft):	Water Level Change		
Well depth (ft):	155	Bottom Perforated Interval (ft):	155	1 year: -13.81			
Aquifer(s):	OGALLALA			5 year: -18.68			
				10 year: -15.36			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	114.45	3642.10	7.68
1/25/2005	123.12	3633.43	-8.67
1/23/2006	126.68	3629.87	-3.56
3/26/2007	127.69	3628.86	-1.01
1/28/2008	118.81	3637.74	8.88
1/1/2009			
1/25/2010	119.82	3636.73	
1/26/2011	120.93	3635.62	-1.11
1/31/2012	123.68	3632.87	-2.75
2/6/2013	137.49	3619.06	-13.81

All Historic Measurements




Well Name:	BUTLER BROTHERS			Owner:			
Permit #:	20928 - S -	Location #:	SC02104202BBA	USGS Site ID:	381600102064000		
Division:	2	Water District:	67	County:	PROWERS		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW NE	2	21 S	42 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4239008.4	Easting (UTM x):	752391.1 GPS			
Latitude/Longitude (decimal degrees):	38.263682		-102.115224				
Surface Elevation (ft):	3777.56	Top Perforated Interval (ft):	151	Base of grout (ft):	Water Level Change		
Well depth (ft):	184	Bottom Perforated Interval (ft):	191	1 year: -1.45			
Aquifer(s):	OGALLALA			5 year: -4.18			
				10 year: -4.40			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	144.80	3632.76	-0.12
1/25/2005	144.56	3633.00	0.24
1/23/2006	144.84	3632.72	-0.28
3/26/2007	144.73	3632.83	0.11
1/28/2008	144.90	3632.66	-0.17
1/1/2009			
1/25/2010	146.59	3630.97	
1/26/2011	147.25	3630.31	-0.66
1/30/2012	147.63	3629.93	-0.38
2/5/2013	149.08	3628.48	-1.45

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**

Well Name: BURNETT, D.

Owner: BURNETT D W

Permit #: 6816 - F -

Location #: SC02104206CCB

USGS Site ID: 381520102112000

Division: 2 **Water District:** 67 **County:** PROWERS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW NW 6 21 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4237087.2 Easting (UTM x): 745705.0 GPS

Latitude/Longitude (decimal degrees): 38.248241 -102.192225

Surface Elevation (ft): 3826.57 **Top Perforated Interval (ft):** 112 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 172 **Bottom Perforated Interval (ft):** 172 **1 year:** -1.09


Aquifer(s): OGALLALA **5 year:** 2.90

10 year: 4.67

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	112.48	3714.09	-0.28
1/26/2005	113.12	3713.45	-0.64
1/24/2006	114.49	3712.08	-1.37
3/26/2007	108.69	3717.88	5.80
1/28/2008	110.43	3716.14	-1.74
1/1/2009			
1/25/2010	112.22	3714.35	
1/27/2011	106.46	3720.11	5.76
1/31/2012	106.44	3720.13	0.02
2/6/2013	107.53	3719.04	-1.09

All Historic Measurements



Well Name: CAMPBELL, ROY

Owner:

Permit #: 12698 - R -

Location #: SC02104224DDA

USGS Site ID: 381220102045801

Division: 2 **Water District:** 67 **County:** PROWERS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE NE 24 21 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4232653.3 Easting (UTM x): 755407.1 GPS

Latitude/Longitude (decimal degrees): 38.205629 -102.083081

Surface Elevation (ft): 3741.52 **Top Perforated Interval (ft):** 97 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 132 **Bottom Perforated Interval (ft):** 147 **1 year:** -0.47


Aquifer(s): OGALLALA **5 year:** -7.51

10 year: -0.78

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	116.87	3624.65	1.05
1/25/2005	117.07	3624.45	-0.20
1/23/2006	117.14	3624.38	-0.07
3/26/2007	117.11	3624.41	0.03
1/28/2008	111.19	3630.33	5.92
1/1/2009			
1/25/2010	117.68	3623.84	
1/26/2011	117.90	3623.62	-0.22
1/31/2012	118.23	3623.29	-0.33
2/6/2013	118.70	3622.82	-0.47

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**

Well Name: **SUN VUE FARMS**

Owner: SUN VUE NURSERY

Permit #: 9664 - F -

Location #: SC02104232ADC

USGS Site ID: 381053102090300

Division: 2 **Water District:** 67 **County:** PROWERS

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE SE SW 32 21 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4229686.1 Easting (UTM x): 748726.1 [GPS](#)

Latitude/Longitude (decimal degrees): 38.180789 -102.160334

Surface Elevation (ft): 3666.49 **Top Perforated Interval (ft):** 84 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 148 **Bottom Perforated Interval (ft):** 148 **1 year:** -4.95


Aquifer(s): OGALLALA **5 year:** -5.47

10 year: -5.57

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	77.94	3588.55	-0.71
1/25/2005	78.26	3588.23	-0.32
1/24/2006	78.15	3588.34	0.11
3/26/2007	77.90	3588.59	0.25
1/28/2008	77.33	3589.16	0.57
1/1/2009			
1/25/2010	77.55	3588.94	
1/26/2011	77.64	3588.85	-0.09
1/31/2012	77.85	3588.64	-0.21
2/6/2013	82.80	3583.69	-4.95

All Historic Measurements



Well Name: **HALLOCK, L.**

Owner: HALLOCK LELA

Permit #: 13121 - F -

Location #: SC02104304DCD

USGS Site ID: 381500102150000

Division: 2 **Water District:** 67 **County:** PROWERS

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SW SE 4 21 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4236684.0 Easting (UTM x): 740297.0 [GPS](#)

Latitude/Longitude (decimal degrees): 38.246074 -102.254095

Surface Elevation (ft): 3831.57 **Top Perforated Interval (ft):** 70 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 150 **Bottom Perforated Interval (ft):** 150 **1 year:** 1.54


Aquifer(s): OGALLALA **5 year:** -5.22

10 year: -11.11

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	100.27	3731.30	1.03
1/26/2005	100.76	3730.81	-0.49
1/24/2006	103.26	3728.31	-2.50
3/26/2007	104.99	3726.58	-1.73
1/28/2008	107.19	3724.38	-2.20
1/1/2009			
1/25/2010	110.73	3720.84	
1/27/2011	111.53	3720.04	-0.80
1/31/2012	113.95	3717.62	-2.42
2/6/2013	112.41	3719.16	1.54

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**


Well Name:	SCHLATTER	Owner:	SCHLATTER WILLIAM
Permit #:	4710 - F -	Location #:	SC02104305DDC
		USGS Site ID:	
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE SE SW 5	21 S	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4236632.0	Easting (UTM x): 738893.0 GPS
Latitude/Longitude (decimal degrees):	38.245980	-102.270140	
Surface Elevation (ft):	3834	Top Perforated Interval (ft):	70
		Base of grout (ft):	
Well depth (ft):	156	Bottom Perforated Interval (ft):	156
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.22
5 year: -6.17
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	97.32	3736.68	
1/24/2006	96.49	3737.51	0.83
3/26/2007	99.42	3734.58	-2.93
1/28/2008	99.47	3734.53	-0.05
1/1/2009			
1/25/2010	103.21	3730.79	
1/27/2011	104.31	3729.69	-1.10
1/31/2012	105.86	3728.14	-1.55
2/6/2013	105.64	3728.36	0.22

All Historic Measurements




Well Name:	REYNOLDS, LEROY	Owner:	REYNOLDS LEROY
Permit #:	4541 - R -	Location #:	SC02104324BBB
		USGS Site ID:	381300102123000
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NW NW 24	21 S	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4233523.0	Easting (UTM x): 744199.0 GPS
Latitude/Longitude (decimal degrees):	38.216568	-102.210643	
Surface Elevation (ft):	3752.53	Top Perforated Interval (ft):	54
		Base of grout (ft):	
Well depth (ft):	134	Bottom Perforated Interval (ft):	134
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.19
5 year: 0.36
10 year: 0.91

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	107.33	3645.20	0.07
1/25/2005	109.91	3642.62	-2.58
1/24/2006	107.25	3645.28	2.66
3/26/2007	108.19	3644.34	-0.94
1/28/2008	106.85	3645.68	1.34
1/1/2009			
1/25/2010	106.87	3645.66	
1/26/2011	106.80	3645.73	0.07
1/31/2012	106.68	3645.85	0.12
2/6/2013	106.49	3646.04	0.19

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**

Well Name: FREY, W.R.

Owner: FREY WILFORD R

Permit #: 11456 - F -

Location #: SC02204202BCA

USGS Site ID: 381020102063000

Division: 2 **Water District:** 67 **County:** PROWERS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW NE 2 22 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4228457.1 Easting (UTM x): 752672.1 [GPS](#)

Latitude/Longitude (decimal degrees): 38.168630 -102.115771

Surface Elevation (ft): 3629.48 **Top Perforated Interval (ft):** 94 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 134 **Bottom Perforated Interval (ft):** 134 **1 year:** -0.50


Aquifer(s): OGALLALA **5 year:** -1.78

10 year: -0.01

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	72.87	3556.61	-0.07
1/25/2005	72.44	3557.04	0.43
1/23/2006	72.20	3557.28	0.24
2/27/2007	71.65	3557.83	0.55
1/28/2008	71.03	3558.45	0.62
1/1/2009			
1/25/2010	72.03	3557.45	
1/26/2011	72.01	3557.47	0.02
1/31/2012	72.31	3557.17	-0.30
2/6/2013	72.81	3556.67	-0.50

All Historic Measurements



Well Name: SEYBERT, GERALD

Owner: SEYBERT GERALD A

Permit #: 5622 - F -

Location #: SC02204202CCC

USGS Site ID:

Division: 2 **Water District:** 67 **County:** PROWERS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 2 22 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4227619.1 Easting (UTM x): 752413.1 [GPS](#)

Latitude/Longitude (decimal degrees): 38.161159 -102.119021

Surface Elevation (ft): 3524 **Top Perforated Interval (ft):** 111 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 156 **Bottom Perforated Interval (ft):** 156 **1 year:** -1.27

Aquifer(s): OGALLALA **5 year:** -3.43

10 year: 0.12

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	70.29	3453.71	1.03
1/25/2005	69.08	3454.92	1.21
1/23/2006	68.89	3455.11	0.19
2/27/2007	68.31	3455.69	0.58
1/28/2008	67.77	3456.23	0.54
1/1/2009			
1/25/2010	68.65	3455.35	
1/26/2011	69.44	3454.56	-0.79
1/31/2012	69.93	3454.07	-0.49
2/6/2013	71.20	3452.80	-1.27

All Historic Measurements

