

**GROUNDWATER LEVELS
in the
NORTHERN HIGH PLAINS
DESIGNATED GROUND WATER BASIN
2015**



by
Kevin C. Donegan



COLORADO
Division of Water Resources
Department of Natural Resources

John W. Hickenlooper
Governor

Mike King
Executive Director, DNR

Dick Wolfe
State Engineer

Matthew A. Sares
Project Manager

GROUNDWATER LEVELS IN THE NORTHERN HIGH PLAINS DESIGNATED BASIN 2015

This report contains the basic groundwater level data collected from wells in the Northern High Plains Designated Ground Water Basin during the winter of 2014-2015. Data were collected in cooperation with the Marks Butte, Frenchman, Sand Hills, Central Yuma, W-Y, Arikaree, Plains and East Cheyenne Ground Water Management Districts, and local well owners. This data collection effort is part of a statewide groundwater-level monitoring program funded by Senate Bill 200 (1987 legislative session). That legislation authorized the Office of the State Engineer to establish and maintain a water-level monitoring network throughout the state to obtain information on groundwater conditions, to evaluate groundwater trends and to manage the groundwater resources of the state.

During the winter of 2014-2015, a total of 699 wells were measured. Wells which have gone dry, are inaccessible, have been plugged, or are otherwise unusable, are removed from the network and replaced where feasible. The wells in this report are listed first by the management district in which they lie (or county if outside of a management district) then by township, range and section, beginning in the north and proceeding south. Tabular data are presented for each well for the previous ten years. Graphical data show the entire period of record for each well. Analyses of changes in the water level in the aquifer are based on single point comparisons and may be complicated by unknown pumping schedules or other site-specific hydrologic factors.

The report also contains data from wells, which are part of this monitoring effort, but for which measurements were not available in 2015. The map titled "Monitoring Well Locations" shows the location of these wells in addition to those that were measured in 2015. Wells lacking measurements for the past 10 years have been removed from the monitoring program and are no longer included in this publication, though the data are retained in the Division of Water Resources HydroBase database. To provide a broader perspective of long-term water level trends we have also recorded the initial static water level, if reported, when the well was constructed.

Table 1 summarizes some of the statistics gleaned from the data and is organized by management district or county. This information includes the range of water levels recorded and the average change in water levels of all wells in the district on a one, five, and ten year interval. It should be remembered that this value is an average change in water level over all of the wells within the district, which may not be truly representative of the district as a whole.

On average, the water levels were relatively similar to 2014, with declines of 1.5 feet or less. Since 2014, water levels rose, on average, in the Plains Management District and in Kiowa and Prowers Counties. The long-term 10-year water level comparisons show a declining trend that ranges from approximately -2 to -10 feet, with the exception of Kiowa County where average water levels have actually increased 3 feet for that time period.

We have included color-coded maps showing the change in water levels for a one (2014-2015), five (2010-2015), and ten (2005-2015) year period. This year the maps include all wells within the monitoring program with data for the selected time period. The changes, both positive and negative are displayed by color in accordance with the map key.

Copies of this report can be purchased from the Office of the State Engineer, Records Section, 1313 Sherman St., Room 821, Denver, CO 80203, (303) 866-3581.

An electronic copy of this report is available on the Division of Water Resources website <http://water.state.co.us/groundwater/Levels/Pages/HydroGeo.aspx>.

Additionally, all groundwater level data may be accessed and exported using the tools available on the Colorado Decision Support System website:

<http://cdss.state.co.us/onlineTools/Pages/GroundWaterWaterLevels.aspx>

and the Colorado Information Marketplace HydroBase Bulk Data Exporter:

<https://data.colorado.gov/Information-Sharing/DWR-Well-Water-Level/hfwh-wsgi>

or the Colorado Decision Support System MapViewer

<http://water.state.co.us/DataMaps/GISandMaps/MapViewer/Pages/FAQ.aspx>

If you have any questions regarding groundwater and the information in this report, please contact the Groundwater Information Desk at (303) 866-3587.

Table 1
Northern High Plains Designated Ground Water Basin
Water Level Statistics

DISTRICT	# of Wells in Statistics	2015 Range of Water Levels (ft)	Δ 1 year 2014-2015	Δ 5 year 2010-2015	Δ 10 year 2005-2015
MARKS BUTTE	17	192 - 279	-0.45	-3.08	-4.21
FRENCHMAN	89	49 - 242	-0.83	-3.42	-7.96
SAND HILLS	48	65 - 196	-0.92	-3.78	-9.74
CENTRAL YUMA	59	37 - 226	-0.55	-3.76	-7.36
WASH. COUNTY	25	17 - 224	-0.55	-2.58	-3.38
W-Y	88	31 - 276	-1.57	-3.24	-1.52
ARIKAREE	130	9 - 275	-0.09	-7.15	-8.82
PLAINS	184	45 - 268	1.36	-3.61	-8.32
EAST CHEYENNE	35	55 - 272	-1.57	-5.79	-6.99
KIOWA COUNTY	14	24 - 262	2.21	-0.47	2.98
PROWERS COUNTY	10	69 - 151	1.95	-4.28	-5.25

THIS PAGE INTENTIONALLY BLANK

Marks Butte Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: FULSCHER, M.

Owner:

Permit #: 218894 - A

Location #: SB00904316BAB

USGS Site ID: 404548102084200

Division: 1 **Water District:** 65 **County:** SEDGWICK

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NW 16 9 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4516343.9 Easting (UTM x): 740944.6 User supplied


Latitude/Longitude (decimal degrees): 40.762774 -102.145462

Surface Elevation (ft): 3669.47 **Top Perforated Interval (ft):** 215 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 225 **Bottom Perforated Interval (ft):** 295 **1 year:** -0.70
Aquifer(s): OGALLALA **5 year:** -2.40
10 year: 9.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2005	201.70	3467.77	0.85
1/3/2006	202.40	3467.07	-0.70
3/8/2007	203.40	3466.07	-1.00
1/30/2008	203.90	3465.57	-0.50
4/21/2009	204.60	3464.87	-0.70
1/5/2010	189.90	3479.57	14.70
1/24/2011	190.60	3478.87	-0.70
2/1/2012	190.00	3479.47	0.60
2/1/2013	191.30	3478.17	-1.30
3/5/2014	191.60	3477.87	-0.30
1/27/2015	192.30	3477.17	-0.70

All Historic Measurements



Well Name: CUMMING, G.

Owner: BAUER SCOTT M & LIESL M

Permit #: 12422 - F -

Location #: SB00904411BBB

USGS Site ID: 404640102133800

Division: 1 **Water District:** 65 **County:** SEDGWICK

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 11 9 N 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4517785.7 Easting (UTM x): 733927.4 User supplied


Latitude/Longitude (decimal degrees): 40.777773 -102.227963

Surface Elevation (ft): 3726.5 **Top Perforated Interval (ft):** 215 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -1.50
10 year: -2.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	198.60	3527.90	-0.90
1/3/2006	198.90	3527.60	-0.30
3/8/2007	198.80	3527.70	0.10
1/30/2008	196.70	3529.80	2.10
4/21/2009	196.20	3530.30	0.50
1/5/2010	198.70	3527.80	-2.50
1/25/2010	199.30	3527.20	-0.60
2/1/2012	199.60	3526.90	-0.30
2/1/2013	201.50	3525.00	-1.90
3/5/2014	200.00	3526.50	1.50
1/27/2015	200.80	3525.70	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**


Well Name:	ANDERSON	Owner:	ANDERSON TROY LEE
Permit #:	15970 - F -	Location #:	SB00904518BDB
		USGS Site ID:	404535102241901
Division:	1	Water District:	65
		County:	SEDGWICK
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SE NW 18	9 N	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4515321.8	Easting (UTM x): 718982.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.759716	-102.405742
Surface Elevation (ft):	3883.59	Top Perforated Interval (ft):	253
		Base of grout (ft):	
Well depth (ft):	318	Bottom Perforated Interval (ft):	318
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.10
5 year: -6.50
10 year: -7.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	214.90	3668.69	-1.20
1/4/2006	215.40	3668.19	-0.50
3/7/2007	216.50	3667.09	-1.10
1/31/2008	214.90	3668.69	1.60
4/21/2009	214.70	3668.89	0.20
1/5/2010	217.50	3666.09	-2.80
12/28/2010	218.20	3665.39	-0.70
2/1/2012	218.50	3665.09	-0.30
2/2/2013	220.10	3663.49	-1.60
1/27/2014	222.10	3661.49	-2.00
3/5/2014	221.20	3662.39	0.90

All Historic Measurements




Well Name:	ANDERSON, A.	Owner:	ZION INC
Permit #:	14063 - F -	Location #:	SB00904610CCA
		USGS Site ID:	404601102283300
Division:	1	Water District:	65
		County:	SEDGWICK
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW NE 10	9 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4515987.3	Easting (UTM x): 713236.9 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.767215	-102.473521
Surface Elevation (ft):	3932.63	Top Perforated Interval (ft):	230
		Base of grout (ft):	
Well depth (ft):	274	Bottom Perforated Interval (ft):	390
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.60
5 year: -1.20
10 year: -6.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	224.20	3708.43	-0.40
1/4/2006	225.10	3707.53	-0.90
3/15/2007	228.00	3704.63	-2.90
1/31/2008	227.50	3705.13	0.50
4/21/2009	228.30	3704.33	-0.80
1/5/2010	229.80	3702.83	-1.50
12/28/2010	230.60	3702.03	-0.80
2/1/2012	231.10	3701.53	-0.50
2/2/2013	232.00	3700.63	-0.90
3/5/2014	231.60	3701.03	0.40
1/27/2015	231.00	3701.63	0.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name:	BIESEMEIER FARMS			Owner:	BIESEMEIER FARM INC		
Permit #:	20051 - FP - R	Location #:	SB00904711DDB	USGS Site ID:	404605102333501		
Division:	1	Water District:	65	County:	SEDGWICK		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE SE NW 11	9 N	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4515872.6	Easting (UTM x):	705918.8	User supplied		
Latitude/Longitude (decimal degrees):	40.768048		-102.560189				
Surface Elevation (ft):	3991.68	Top Perforated Interval (ft):	240	Base of grout (ft):	Water Level Change		
Well depth (ft):	263	Bottom Perforated Interval (ft):	323		1 year: -0.70		
Aquifer(s):	OGALLALA				5 year: -3.20		
					10 year: -4.90		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	202.70	3788.98	-0.10
12/28/2005	203.70	3787.98	-1.00
3/16/2007	204.00	3787.68	-0.30
2/10/2008	204.00	3787.68	0.00
1/1/2009			
1/5/2010	204.40	3787.28	
2/8/2011	204.50	3787.18	-0.10
2/1/2012	205.20	3786.48	-0.70
2/2/2013	207.40	3784.28	-2.20
3/5/2014	206.90	3784.78	0.50
1/27/2015	207.60	3784.08	-0.70

All Historic Measurements




Well Name:	MEAKINS, RICHARD			Owner:	MEAKINS PAT & RICHARD STARKEBAUM		
Permit #:	19419 - FP - R	Location #:	SB00904717C	USGS Site ID:			
Division:	1	Water District:	65	County:	SEDGWICK		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW	17	9 N	47 W S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4514053.1	Easting (UTM x):	700289.0	Spotted from quarters		
Latitude/Longitude (decimal degrees):	40.753061		-102.627420				
Surface Elevation (ft):	4052	Top Perforated Interval (ft):	240	Base of grout (ft):	Water Level Change		
Well depth (ft):	405	Bottom Perforated Interval (ft):	360		1 year: -0.70		
Aquifer(s):	OGALLALA				5 year: -2.30		
					10 year: -3.90		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	204.20	3847.80	-0.40
12/28/2005	204.60	3847.40	-0.40
3/16/2007	205.30	3846.70	-0.70
2/10/2008	206.10	3845.90	-0.80
4/21/2009	206.60	3845.40	-0.50
1/5/2010	205.80	3846.20	0.80
2/28/2011	206.10	3845.90	-0.30
2/1/2012	206.30	3845.70	-0.20
2/2/2013	207.10	3844.90	-0.80
3/5/2014	207.40	3844.60	-0.30
1/27/2015	208.10	3843.90	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SB01004232DDD

USGS Site ID: 404741102030500


Division: 1 **Water District:** 65 **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SE SE 32 10 N 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4520059.6 Easting (UTM x): 748731.1 User supplied
Latitude/Longitude (decimal degrees): 40.793885 -102.051849

Surface Elevation (ft): 3613.46 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.70
Aquifer(s): **5 year:** -3.20
10 year: 0.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2005	195.20	3418.26	0.30
1/6/2006	196.50	3416.96	-1.30
3/8/2007	195.40	3418.06	1.10
1/30/2008	192.90	3420.56	2.50
4/21/2009	194.80	3418.66	-1.90
1/5/2010	191.70	3421.76	3.10
1/24/2011	192.20	3421.26	-0.50
2/1/2012	191.10	3422.36	1.10
2/1/2013	193.90	3419.56	-2.80
3/5/2014	194.20	3419.26	-0.30
1/27/2015	194.90	3418.56	-0.70

All Historic Measurements



Well Name: HOLCOMB, BRICE

Owner:

Permit #: 19259 - F -

Location #: SB01004303B

USGS Site ID:


Division: 1 **Water District:** 65 **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW 3 10 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4529095.0 Easting (UTM x): 742045.4 Spotted from quarters
Latitude/Longitude (decimal degrees): 40.877175 -102.127487

Surface Elevation (ft): 3670 **Top Perforated Interval (ft):** 290 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 410 **Bottom Perforated Interval (ft):** 410 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -5.20
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2010	236.80	3433.20	
1/24/2011	236.90	3433.10	-0.10
2/1/2012	235.80	3434.20	1.10
2/1/2013	240.60	3429.40	-4.80
3/4/2014	241.20	3428.80	-0.60
1/27/2015	242.00	3428.00	-0.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name:	DEDEN, D			Owner:	DEDEN DAVID A		
Permit #:	19257 - F	-	Location #:	SB01004306BB	USGS Site ID:		
Division:	1	Water District:	65	County:	SEDGWICK		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW	6	10 N	43 W	S	From N/S line: 1319 N From E/W line: 1319 W	
UTM Coordinates (NAD83):	Northing (UTM y)		4528900.0	Easting (UTM x):		737250.5 <i>Spotted from section lines</i>	
Latitude/Longitude (decimal degrees):			40.876823			-102.184399	
Surface Elevation (ft):	3720	Top Perforated Interval (ft):	280	Base of grout (ft):	Water Level Change		
Well depth (ft):	440	Bottom Perforated Interval (ft):	380	1 year: -3.70			
Aquifer(s):	OGALLALA			5 year: -6.20			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	251.10	3468.90	
3/8/2007	254.60	3465.40	-3.50
1/30/2008	255.10	3464.90	-0.50
4/21/2009	256.50	3463.50	-1.40
1/5/2010	255.10	3464.90	1.40
1/25/2011	255.80	3464.20	-0.70
2/1/2012	255.40	3464.60	0.40
2/1/2013	257.40	3462.60	-2.00
3/5/2014	257.60	3462.40	-0.20
1/27/2015	261.30	3458.70	-3.70

All Historic Measurements




Well Name:	RENQUIST, M.			Owner:	RENQUIST MERVIN		
Permit #:	18605 - RFP	-	Location #:	SB01004435CAD	USGS Site ID:	404747102130400	
Division:	1	Water District:	65	County:	SEDGWICK		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW NE SE	35	10 N	44 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4519878.0	Easting (UTM x):		734682.3 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.796384			-102.218241	
Surface Elevation (ft):	3713.5	Top Perforated Interval (ft):	230	Base of grout (ft):	Water Level Change		
Well depth (ft):	320	Bottom Perforated Interval (ft):	320	1 year: -0.40			
Aquifer(s):	OGALLALA			5 year: -4.30			
				10 year: -5.80			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	200.60	3512.90	-1.30
1/3/2006	203.80	3509.70	-3.20
3/8/2007	201.40	3512.10	2.40
1/31/2008	201.80	3511.70	-0.40
1/1/2009			
1/5/2010	202.10	3511.40	
1/25/2011	203.80	3509.70	-1.70
2/1/2012	204.10	3509.40	-0.30
2/1/2013	204.80	3508.70	-0.70
3/5/2014	206.00	3507.50	-1.20
1/27/2015	206.40	3507.10	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**


Well Name:	RENQUIST, M. J.	Owner:	M. J. RENQUIST & SONS
Permit #:	24159 - F -	Location #:	SB01004524CCC
		USGS Site ID:	404922102192602
Division:	1	Water District:	65
		County:	SEDGWICK
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW SW 24	10 N	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4522528.8	Easting (UTM x): 725639.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.822771	-102.324353
Surface Elevation (ft):	3827.55	Top Perforated Interval (ft):	280
		Base of grout (ft):	
Well depth (ft):	400	Bottom Perforated Interval (ft):	400
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.90
5 year: -4.20
10 year: -6.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	251.90	3575.65	-1.90
1/3/2006	251.70	3575.85	0.20
3/8/2007	252.50	3575.05	-0.80
1/31/2008	253.20	3574.35	-0.70
4/21/2009	253.00	3574.55	0.20
1/5/2010	253.80	3573.75	-0.80
12/28/2010	254.20	3573.35	-0.40
2/1/2012	254.20	3573.35	0.00
2/1/2013	256.40	3571.15	-2.20
3/5/2014	257.10	3570.45	-0.70
1/27/2015	258.00	3569.55	-0.90

All Historic Measurements




Well Name:	PRICE BROTHERS	Owner:	ANDERSON LARRY R
Permit #:	19587 - F -	Location #:	SB01004617CAC
		USGS Site ID:	405029102304001
Division:	1	Water District:	65
		County:	SEDGWICK
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NE SW 17	10 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4524129.4	Easting (UTM x): 709790.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.841381	-102.511577
Surface Elevation (ft):	3979.66	Top Perforated Interval (ft):	270
		Base of grout (ft):	
Well depth (ft):	370	Bottom Perforated Interval (ft):	370
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.50
5 year: -2.90
10 year: -7.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	266.80	3712.86	-0.50
12/28/2005	267.30	3712.36	-0.50
3/15/2007	267.80	3711.86	-0.50
1/31/2008	268.00	3711.66	-0.20
1/1/2009			
1/5/2010	271.40	3708.26	
12/28/2010	271.80	3707.86	-0.40
2/1/2012	273.20	3706.46	-1.40
2/2/2013	273.80	3705.86	-0.60
3/5/2014	273.80	3705.86	0.00
1/27/2015	274.30	3705.36	-0.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name:	ANDERSON							Owner:	ANDERSON LARRY R	
Permit #:	19134 - F -			Location #: SB01004631B				USGS Site ID:		
Division:	1			Water District:			65		County: SEDGWICK	
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:		
	NW			31	10 N	46	W S	From N/S line:		From E/W line:
UTM Coordinates (NAD83):				Northing (UTM y)		4520015.5	Easting (UTM x):		708186.4	Spotted from quarters
Latitude/Longitude (decimal degrees):						40.804764			-102.531964	
Surface Elevation (ft):		3994		Top Perforated Interval (ft):		250		Base of grout (ft):		Water Level Change
Well depth (ft):		360		Bottom Perforated Interval (ft):		360				1 year: -0.40
Aquifer(s):		OGALLALA								5 year: -3.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	263.40	3730.60	-3.30
12/28/2005	264.40	3729.60	-1.00
3/15/2007	263.00	3731.00	1.40
1/31/2008	263.50	3730.50	-0.50
4/21/2009	264.20	3729.80	-0.70
1/5/2010	264.90	3729.10	-0.70
12/28/2010	265.60	3728.40	-0.70
2/1/2012	266.50	3727.50	-0.90
2/2/2013	267.30	3726.70	-0.80
3/5/2014	267.60	3726.40	-0.30
1/27/2015	268.00	3726.00	-0.40

All Historic Measurements




Well Name:	ANDERSON							Owner:	ANDERSON LARRY R		
Permit #:	20245 - FP -			Location #: SB01004631C				USGS Site ID:			
Division:	1			Water District: 65			County: SEDGWICK				
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:			
	SW		31		10 N	46 W	S	From N/S line:		From E/W line:	
UTM Coordinates (NAD83):				Northing (UTM y)		4519201.5	Easting (UTM x):		708216.7	<i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees):				40.797430		-102.531876					
Surface Elevation (ft):	3970		Top Perforated Interval (ft):			252		Base of grout (ft):		Water Level Change	
Well depth (ft):	402		Bottom Perforated Interval (ft):			402				1 year: 0.80	
Aquifer(s):	OGALLALA									5 year: -1.40	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	238.10	3731.90	-0.90
12/28/2005	238.70	3731.30	-0.60
3/15/2007	238.50	3731.50	0.20
1/31/2008	238.30	3731.70	0.20
4/21/2009	237.70	3732.30	0.60
1/5/2010	238.40	3731.60	-0.70
12/28/2010	238.90	3731.10	-0.50
2/1/2012	239.60	3730.40	-0.70
2/2/2013	240.40	3729.60	-0.80
3/5/2014	240.60	3729.40	-0.20
1/27/2015	239.80	3730.20	0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: **ANDERSON**

Owner: ROTHE FARMS INC.

Permit #: - - **Location #:** SB01004631D

USGS Site ID:

Division: 1 **Water District:** 65 **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE 31 10 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4519212.0 Easting (UTM x): 709034.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.797317 -102.522189


Surface Elevation (ft): 3960 **Top Perforated Interval (ft):** 243 **Base of grout (ft):**
Well depth (ft): 353 **Bottom Perforated Interval (ft):** 353
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.60
5 year: -2.50
10 year: -4.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	232.10	3727.90	0.70
12/28/2005	233.10	3726.90	-1.00
3/15/2007	232.90	3727.10	0.20
1/31/2008	233.20	3726.80	-0.30
4/21/2009	233.60	3726.40	-0.40
1/5/2010	234.10	3725.90	-0.50
12/28/2010	234.40	3725.60	-0.30
2/1/2012	235.00	3725.00	-0.60
2/2/2013	235.80	3724.20	-0.80
3/5/2014	236.00	3724.00	-0.20
1/27/2015	236.60	3723.40	-0.60

All Historic Measurements



Well Name: **ROOS, T.**

Owner:

Permit #: - - **Location #:** SB01004634CDD

USGS Site ID: 404742102280700

Division: 1 **Water District:** 65 **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SE SE 34 10 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4519082.0 Easting (UTM x): 713523.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.794993 -102.469076


Surface Elevation (ft): 3940.63 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 285 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: 1.50
5 year: -1.90
10 year: -22.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	232.30	3708.33	-0.30
12/28/2005	232.20	3708.43	0.10
3/15/2007	232.20	3708.43	0.00
1/31/2008	233.60	3707.03	-1.40
1/1/2009			
1/5/2010	252.70	3687.93	
12/28/2010	253.10	3687.53	-0.40
2/1/2012	253.50	3687.13	-0.40
2/2/2013	254.30	3686.33	-0.80
3/5/2014	256.10	3684.53	-1.80
1/27/2015	254.60	3686.03	1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: **HAM, STANLEY**

Owner: HAM STANLEY R

Permit #: 94334 - -

Location #: SB01004731D

USGS Site ID:

Division: 1 **Water District:** 65 **County:** SEDGWICK

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE 31 10 N 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4518925.6 Easting (UTM x): 699304.2 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.797158 -102.637523

Surface Elevation (ft): 4095 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** 1.00


Aquifer(s): OGALLALA **5 year:** -0.20

10 year: 1.69

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	264.79	3830.21	-0.40
12/28/2005	263.60	3831.40	1.19
3/16/2007	264.30	3830.70	-0.70
2/10/2008	263.10	3831.90	1.20
4/21/2009	261.50	3833.50	1.60
1/5/2010	262.90	3832.10	-1.40
12/28/2010	262.40	3832.60	0.50
2/1/2012	262.80	3832.20	-0.40
2/2/2013	264.20	3830.80	-1.40
3/5/2014	264.10	3830.90	0.10
1/27/2015	263.10	3831.90	1.00

All Historic Measurements



Well Name: **GERK, BRUCE**

Owner:

Permit #: 18077 - F -

Location #: SB01104327C

USGS Site ID:

Division: 1 **Water District:** 65 **County:** SEDGWICK

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW 27 11 N 43 W S From N/S line: 1320 S From E/W line: 1320 W

UTM Coordinates (NAD83): Northing (UTM y) 4531479.5 Easting (UTM x): 742062.7 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 40.898623 -102.126353

Surface Elevation (ft): 3691 **Top Perforated Interval (ft):** 300 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 460 **Bottom Perforated Interval (ft):** 405 **1 year:** -0.70


Aquifer(s): OGALLALA **5 year:** -6.70

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2010	272.60	3418.40	
1/25/2011	273.30	3417.70	-0.70
2/1/2012	272.40	3418.60	0.90
2/1/2013	277.40	3413.60	-5.00
3/5/2014	278.60	3412.40	-1.20
1/27/2015	279.30	3411.70	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: **TRANSCH, A.**

Owner:

Permit #:

-

-

Location #: SB01104333DAD

USGS Site ID: 405305102075600

Division:

1

Water District:

65

County: SEDGWICK

Location:

Q160 Q40 Q10 Section
SE NE SE 33

Twtnshp Range PM
11 N 43 W S

Distance from section lines:

From N/S line:

From E/W line:

UTM Coordinates (NAD83): *Northing (UTM y)*

4529887.2

Easting (UTM x):

741581.0 *User supplied*

Latitude/Longitude (decimal degrees):

40.884439

-102.132684

Surface Elevation (ft):

3680.49

Top Perforated Interval (ft):

Base of grout (ft):

Water Level Change

Well depth (ft):

282

Bottom Perforated Interval (ft):

1 year:

Aquifer(s):


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2005	247.60	3432.89	0.30
1/2/2006	249.30	3431.19	-1.70
3/8/2007			
1/30/2008	251.20	3429.29	
4/21/2009	251.80	3428.69	-0.60

All Historic Measurements



Frenchman Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	KRAMER	Owner:	KRAMER FEEDLOT
Permit #:	3484 - FP -	Location #:	SB00604207BAB
		USGS Site ID:	403050102052000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NE NW 7	6 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4488755.8	Easting (UTM x): 746977.0 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.512772	-102.084908
Surface Elevation (ft):	3596.49	Top Perforated Interval (ft):	160
		Base of grout (ft):	
Well depth (ft):	260	Bottom Perforated Interval (ft):	260
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.40
5 year: -2.70
10 year: -9.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	97.00	3499.49	-2.00
1/11/2006	99.00	3497.49	-2.00
4/3/2007	101.10	3495.39	-2.10
2/7/2008	103.00	3493.49	-1.90
3/30/2009	103.80	3492.69	-0.80
2/5/2010	103.60	3492.89	0.20
2/8/2011	104.00	3492.49	-0.40
2/23/2012	104.20	3492.29	-0.20
2/13/2013	105.00	3491.49	-0.80
2/18/2014	105.90	3490.59	-0.90
2/24/2015	106.30	3490.19	-0.40

All Historic Measurements




Well Name:	DARWIN, KLEVE	Owner:	KLEVE DARWIN
Permit #:	14574 - F -	Location #:	SB00604231CCB
		USGS Site ID:	402630102052000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW NW 31	6 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4481001.0	Easting (UTM x): 746808.6 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.443049	-102.089909
Surface Elevation (ft):	3593.51	Top Perforated Interval (ft):	246
		Base of grout (ft):	
Well depth (ft):	345	Bottom Perforated Interval (ft):	345
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.70
5 year: -6.30
10 year: -12.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	79.70	3513.81	-2.10
1/11/2006	82.00	3511.51	-2.30
4/3/2007	82.80	3510.71	-0.80
2/7/2008	85.30	3508.21	-2.50
3/30/2009	85.70	3507.81	-0.40
2/15/2010	85.80	3507.71	-0.10
2/8/2011	85.80	3507.71	0.00
2/23/2012	87.80	3505.71	-2.00
2/13/2013	89.70	3503.81	-1.90
2/18/2014	90.40	3503.11	-0.70
2/25/2015	92.10	3501.41	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	KRAMER	Owner:	KRAMER LAND CO LLLP
Permit #:	13210 - R -	Location #:	SB00604232BBC
		USGS Site ID:	402700102041000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NW SW 32	6 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4482011.7	Easting (UTM x): 748426.3 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.451661	-102.070464
Surface Elevation (ft):	3576.5	Top Perforated Interval (ft):	120
		Base of grout (ft):	
Well depth (ft):	260	Bottom Perforated Interval (ft):	260
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.30
5 year: -5.20
10 year: -12.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	76.70	3499.80	-3.20
1/11/2006	78.30	3498.20	-1.60
4/3/2007	81.10	3495.40	-2.80
2/7/2008	83.80	3492.70	-2.70
3/30/2009	84.60	3491.90	-0.80
2/15/2010	84.40	3492.10	0.20
2/8/2011	84.80	3491.70	-0.40
2/23/2012	86.00	3490.50	-1.20
2/13/2013	87.60	3488.90	-1.60
2/18/2014	88.30	3488.20	-0.70
2/25/2015	89.60	3486.90	-1.30

All Historic Measurements




Well Name:	MILES, RON AND RICH	Owner:	MILES RON & RICHARD
Permit #:	12043 - FP -	Location #:	SB00604309BBA
		USGS Site ID:	403040102100000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NW NE 9	6 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4488475.9	Easting (UTM x): 740294.2 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.512216	-102.163798
Surface Elevation (ft):	3653.53	Top Perforated Interval (ft):	285
		Base of grout (ft):	
Well depth (ft):	345	Bottom Perforated Interval (ft):	345
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.80
5 year: -5.50
10 year: -13.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	116.60	3536.93	-0.80
1/24/2006	119.60	3533.93	-3.00
4/3/2007	121.50	3532.03	-1.90
2/6/2008	123.00	3530.53	-1.50
3/30/2009	124.30	3529.23	-1.30
2/5/2010	124.70	3528.83	-0.40
2/9/2011	124.90	3528.63	-0.20
2/23/2012	125.50	3528.03	-0.60
2/13/2013	128.90	3524.63	-3.40
2/18/2014	129.40	3524.13	-0.50
2/25/2015	130.20	3523.33	-0.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	SCHNELLER FARMS INC.			Owner:	SCHNELLER ENTERPRISES INC		
Permit #:	15274 - FP -	Location #:	SB00604319BCD	USGS Site ID:	402830102114000		
Division:	1	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW SE 19	6 N	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4484397.4	Easting (UTM x):	737289.9	User supplied		
Latitude/Longitude (decimal degrees):	40.476381		-102.200744				
Surface Elevation (ft):	3690.56	Top Perforated Interval (ft):	200	Base of grout (ft):	Water Level Change		
Well depth (ft):	356	Bottom Perforated Interval (ft):	356	1 year: 0.20			
Aquifer(s):	OGALLALA	5 year: -1.00					
		10 year: -6.20					

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	134.00	3556.56	-2.20
1/25/2006	133.40	3557.16	0.60
4/3/2007	135.20	3555.36	-1.80
2/6/2008	137.20	3553.36	-2.00
3/30/2009	138.90	3551.66	-1.70
2/5/2010	139.20	3551.36	-0.30
2/8/2011	139.80	3550.76	-0.60
2/23/2012	139.30	3551.26	0.50
2/13/2013	139.70	3550.86	-0.40
2/18/2014	140.40	3550.16	-0.70
2/25/2015	140.20	3550.36	0.20

All Historic Measurements




Well Name:	MILES, RON & RICH			Owner:	RICH AND RON MILES		
Permit #:	22491 - F -	Location #:	SB00604322CC	USGS Site ID:			
Division:	0	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW 22	6 N	43 W S		From N/S line: 1050 S From E/W line: 1319 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4484029.0	Easting (UTM x):	742176.0	Digitized		
Latitude/Longitude (decimal degrees):	40.471656		-102.143312				
Surface Elevation (ft):	3660	Top Perforated Interval (ft):	280	Base of grout (ft):	Water Level Change		
Well depth (ft):	370	Bottom Perforated Interval (ft):	360	1 year: -0.50			
Aquifer(s):	OGALLALA	5 year: -2.90					
		10 year:					

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/30/2009	135.40	3524.60	
2/5/2010	135.30	3524.70	0.10
2/9/2011	135.10	3524.90	0.20
2/23/2012	136.00	3524.00	-0.90
2/13/2013	138.20	3521.80	-2.20
2/18/2014	137.70	3522.30	0.50
2/25/2015	138.20	3521.80	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **GARLAND, GEORGE** **Owner:** FAST FARMS/ COLVER DAVID & ADRIA E
Permit #: 11672 - FP - **Location #:** SB00604404BBC **USGS Site ID:** 403130102164000


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW SW 4 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4489517.4 Easting (UTM x): 730248.9 *User supplied*
Latitude/Longitude (decimal degrees): 40.524436 -102.281855

Surface Elevation (ft): 3745.57 **Top Perforated Interval (ft):** 150 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 276 **Bottom Perforated Interval (ft):** 276 **1 year:** -1.00
Aquifer(s): OGALLALA **5 year:** -5.10
10 year: -12.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	170.30	3575.27	-1.20
1/25/2006	172.10	3573.47	-1.80
4/3/2007	174.10	3571.47	-2.00
2/6/2008	177.30	3568.27	-3.20
1/1/2009			
2/5/2010	177.60	3567.97	
2/8/2011	178.40	3567.17	-0.80
2/23/2012	179.90	3565.67	-1.50
2/13/2013	181.40	3564.17	-1.50
2/18/2014	181.70	3563.87	-0.30
2/25/2015	182.70	3562.87	-1.00

All Historic Measurements



Well Name: **HARGREAVES, J.** **Owner:** HARGREAVES CAROL A
Permit #: 5009 - FP - **Location #:** SB00604408CBA **USGS Site ID:** 403020102175000


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW NE 8 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4487318.1 Easting (UTM x): 728997.2 *User supplied*
Latitude/Longitude (decimal degrees): 40.504992 -102.297411

Surface Elevation (ft): 3750.58 **Top Perforated Interval (ft):** 196 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 256 **Bottom Perforated Interval (ft):** 256 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -2.80
10 year: -12.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	167.50	3583.08	-1.50
1/25/2006	169.50	3581.08	-2.00
4/2/2007	171.50	3579.08	-2.00
2/6/2008	174.50	3576.08	-3.00
1/1/2009			
2/5/2010	176.70	3573.88	
2/8/2011	176.30	3574.28	0.40
2/23/2012	176.70	3573.88	-0.40
2/13/2013	177.40	3573.18	-0.70
2/18/2014	178.70	3571.88	-1.30
2/25/2015	179.50	3571.08	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	BIEBER, CHRIS	Owner:	CHRIS BIEBER
Permit #:	10528 - F -	Location #:	SB00604411BC
USGS Site ID:			
Division:	0	Water District:	65
County:	PHILLIPS		
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW 11	6 N	44 W S
Distance from section lines:			
	From N/S line:	1900 N	From E/W line: 125 W
UTM Coordinates (NAD83):	Northing (UTM y)	4487721.0	Easting (UTM x): 733543.0 <i>Digitized</i>
Latitude/Longitude (decimal degrees):	40.507350 -102.243673		
Surface Elevation (ft):	3711	Top Perforated Interval (ft):	161
Well depth (ft):	321	Bottom Perforated Interval (ft):	321
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.40
5 year: -3.10
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/30/2009	158.70	3552.30	
2/15/2010	158.90	3552.10	-0.20
2/8/2011	158.70	3552.30	0.20
2/23/2012	159.10	3551.90	-0.40
2/13/2013	161.10	3549.90	-2.00
2/18/2014	161.60	3549.40	-0.50
2/25/2015	162.00	3549.00	-0.40

All Historic Measurements




Well Name:	FRENCHMAN	Owner:	
Permit #:	14862 - FP -	Location #:	SB00604418A
USGS Site ID:			
Division:	1	Water District:	65
County:	PHILLIPS		
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE 18	6 N	44 W S
Distance from section lines:			
	From N/S line:		From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4486118.2	Easting (UTM x): 728277.0 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.494392 -102.306335		
Surface Elevation (ft):	3758	Top Perforated Interval (ft):	
Well depth (ft):		Bottom Perforated Interval (ft):	
Aquifer(s):			

Water Level Change
1 year: -0.10
5 year: -3.10
10 year: -10.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	169.50	3588.50	-1.40
1/25/2006	172.10	3585.90	-2.60
4/2/2007	173.20	3584.80	-1.10
2/6/2008	175.50	3582.50	-2.30
3/30/2009	177.00	3581.00	-1.50
2/5/2010	177.30	3580.70	-0.30
2/8/2011	177.90	3580.10	-0.60
2/23/2012	178.30	3579.70	-0.40
2/13/2013	179.40	3578.60	-1.10
2/18/2014	180.30	3577.70	-0.90
2/25/2015	180.40	3577.60	-0.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	FRENCHMAN			Owner:	COLVER DAVID O & ADRIA		
Permit #:	18877 - FP -	Location #:	SB00604418D	USGS Site ID:			
Division:	1	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE	18	6 N	44 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4485166.0	Easting (UTM x):	728313.0	GPS		
Latitude/Longitude (decimal degrees):	40.485813		-102.306253				
Surface Elevation (ft):	3758	Top Perforated Interval (ft):	150	Base of grout (ft):	Water Level Change		
Well depth (ft):	250	Bottom Perforated Interval (ft):	250	1 year: -0.40			
Aquifer(s):	OGALLALA			5 year: -2.80			
				10 year: -9.40			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	158.70	3599.30	-1.60
1/25/2006	160.60	3597.40	-1.90
4/3/2007	162.60	3595.40	-2.00
2/6/2008	163.80	3594.20	-1.20
3/30/2009	165.70	3592.30	-1.90
2/5/2010	165.30	3592.70	0.40
2/8/2011	165.40	3592.60	-0.10
2/23/2012	165.80	3592.20	-0.40
2/13/2013	167.10	3590.90	-1.30
2/18/2014	167.70	3590.30	-0.60
2/25/2015	168.10	3589.90	-0.40

All Historic Measurements




Well Name:	FRENCHMAN			Owner:			
Permit #:	14975 - FP -	Location #:	SB00604419A	USGS Site ID:			
Division:	1	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE	19	6 N	44 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4484496.7	Easting (UTM x):	728331.7	Spotted from quarters		
Latitude/Longitude (decimal degrees):	40.479785		-102.306274				
Surface Elevation (ft):	3760	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):		Bottom Perforated Interval (ft):		1 year: 0.50			
Aquifer(s):				5 year: -2.80			
				10 year: -8.80			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	165.00	3595.00	-1.60
1/25/2006	166.70	3593.30	-1.70
4/3/2007	168.50	3591.50	-1.80
2/6/2008	169.80	3590.20	-1.30
3/30/2009	171.30	3588.70	-1.50
2/5/2010	171.00	3589.00	0.30
2/8/2011	171.40	3588.60	-0.40
2/23/2012	172.60	3587.40	-1.20
2/13/2013	174.50	3585.50	-1.90
2/18/2014	174.30	3585.70	0.20
2/25/2015	173.80	3586.20	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **TUELL, TOM** **Owner:** RAYMOND BOYD
Permit #: 2313 - F - **Location #:** SB00604423CAC **USGS Site ID:** 402830102142000


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE SW 23 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4483899.2 Easting (UTM x): 734217.4 *User supplied*
Latitude/Longitude (decimal degrees): 40.472770 -102.237134

Surface Elevation (ft): 3699.57 **Top Perforated Interval (ft):** 123 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 223 **Bottom Perforated Interval (ft):** 223 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2006			
4/3/2007			
2/6/2008	126.00	3573.57	
1/1/2009			

All Historic Measurements



Well Name: **MAILANDER, ROBERT R.** **Owner:** MAILANDER ROBERT R
Permit #: 10142 - FP - **Location #:** SB00604425CBD **USGS Site ID:** 402730102130000


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SE 25 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4482372.3 Easting (UTM x): 735727.2 *User supplied*
Latitude/Longitude (decimal degrees): 40.458603 -102.21911

Surface Elevation (ft): 3697.57 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** 260 **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:** -4.50
10 year: -11.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	125.60	3571.97	-0.70
1/25/2006	127.70	3569.87	-2.10
4/3/2007	129.90	3567.67	-2.20
2/6/2008	130.50	3567.07	-0.60
1/1/2009			
2/5/2010	132.80	3564.77	
2/8/2011	133.60	3563.97	-0.80
2/23/2012	135.20	3562.37	-1.60
2/13/2013	136.60	3560.97	-1.40
2/18/2014	136.80	3560.77	-0.20
2/25/2015	137.30	3560.27	-0.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	COLVER	Owner:	COLVER DAVID & ADRIA
Permit #:	21627 - FP -	Location #:	SB00604430A
Division:	1	Water District:	65
Location:	Q160 Q40 Q10 Section	County:	PHILLIPS
	NE 30 6 N 44 W S	Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y)	Easting (UTM x):	728389.4 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.465122		-102.306180
Surface Elevation (ft):	3770	Top Perforated Interval (ft):	254
Well depth (ft):	353	Bottom Perforated Interval (ft):	354
Aquifer(s):	OGALLALA	Base of grout (ft):	
Water Level Change			
1 year:			
5 year:			
10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	172.80	3597.20	-2.80
1/25/2006	173.10	3596.90	-0.30
4/3/2007	176.20	3593.80	-3.10
2/6/2008	177.20	3592.80	-1.00
3/30/2009	177.70	3592.30	-0.50
2/5/2010	178.00	3592.00	-0.30
2/8/2011	178.70	3591.30	-0.70
2/23/2012	179.60	3590.40	-0.90
2/13/2013	183.30	3586.70	-3.70
2/18/2014	183.90	3586.10	-0.60
2/25/2015	184.70	3585.30	-0.80

All Historic Measurements




Well Name:	MAILANDER	Owner:	SAND PARTNERS OF HOLYOKE LLC
Permit #:	19619 - FP -	Location #:	SB00604435D
Division:	1	Water District:	65
Location:	Q160 Q40 Q10 Section	County:	PHILLIPS
	SE 35 6 N 44 W S	Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y)	Easting (UTM x):	734994.3 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.443138		-102.229187
Surface Elevation (ft):	3708	Top Perforated Interval (ft):	200
Well depth (ft):	400	Bottom Perforated Interval (ft):	320
Aquifer(s):	OGALLALA	Base of grout (ft):	
Water Level Change			
1 year:			
5 year:			
10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	124.50	3583.50	-2.50
1/25/2006	124.60	3583.40	-0.10
4/3/2007	126.90	3581.10	-2.30
2/6/2008	127.50	3580.50	-0.60
3/30/2009	128.20	3579.80	-0.70
2/5/2010	129.00	3579.00	-0.80
2/8/2011	129.10	3578.90	-0.10
2/23/2012	129.60	3578.40	-0.50
2/13/2013	131.20	3576.80	-1.60
2/18/2014	131.50	3576.50	-0.30
2/25/2015	133.20	3574.80	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	NEWTON, SW 12	Owner:	FEDERAL LAND BANK OF WICHITA
Permit #:	19688 - FP -	Location #:	SB00604512C
		USGS Site ID:	
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW 12 6 N 45 W S		
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4486842.0	Easting (UTM x): 725790.1 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		40.501587	-102.335396
Surface Elevation (ft):	3780	Top Perforated Interval (ft):	183
		Base of grout (ft):	
Well depth (ft):	294	Bottom Perforated Interval (ft):	294
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2005	190.20	3589.80	-1.40
1/18/2006	191.90	3588.10	-1.70
4/3/2007	193.80	3586.20	-1.90
2/8/2008	196.00	3584.00	-2.20
4/16/2009	193.40	3586.60	2.60
2/5/2010	194.00	3586.00	-0.60
2/14/2011	194.30	3585.70	-0.30
2/23/2012	194.60	3585.40	-0.30
2/13/2013			
2/18/2014	196.60	3583.40	
1/5/2015			

All Historic Measurements




Well Name:	NEWTON, SE 12	Owner:	HEIMER
Permit #:	20239 - FP -	Location #:	SB00604512D
		USGS Site ID:	
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE 12 6 N 45 W S		
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4486870.2	Easting (UTM x): 726606.9 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		40.501617	-102.325752
Surface Elevation (ft):	3800	Top Perforated Interval (ft):	189
		Base of grout (ft):	
Well depth (ft):	293	Bottom Perforated Interval (ft):	287
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	221.70	3578.30	-1.60
1/18/2006	223.40	3576.60	-1.70
4/3/2007	225.30	3574.70	-1.90
2/8/2008	226.50	3573.50	-1.20
4/16/2009	227.20	3572.80	-0.70
2/5/2010	228.00	3572.00	-0.80
2/14/2011	228.50	3571.50	-0.50
2/23/2012	229.10	3570.90	-0.60
2/13/2013			
2/18/2014	233.10	3566.90	
1/5/2015			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **NEWTON, NW 13**

Owner: WELSH GENE

Permit #: 20443 - FP -

Location #: SB00604513

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW 13 6 N 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4486035.0 Easting (UTM x): 725815.3 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.494316 -102.335381

Surface Elevation (ft): 3850 **Top Perforated Interval (ft):** 250 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 321 **Bottom Perforated Interval (ft):** 321

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	264.70	3585.30	-1.70
1/18/2006	266.30	3583.70	-1.60
4/3/2007	268.10	3581.90	-1.80
2/8/2008	269.20	3580.80	-1.10
4/19/2009	270.00	3580.00	-0.80
2/5/2010	270.40	3579.60	-0.40
2/14/2011	271.80	3578.20	-1.40
2/23/2012	271.40	3578.60	0.40
2/13/2013			
2/18/2014	273.10	3576.90	
1/5/2015			

All Historic Measurements



Well Name: **MILLAGE, H.**

Owner: MILNER KAREN

Permit #: 12013 - FP -

Location #: SB00604517DAB

USGS Site ID: 402940102245000

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NE NW 17 6 N 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4485477.7 Easting (UTM x): 720145.5 *User supplied*

Latitude/Longitude (decimal degrees): 40.490824 -102.402413

Surface Elevation (ft): 3820.62 **Top Perforated Interval (ft):** 196 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 276 **Bottom Perforated Interval (ft):** 276

Aquifer(s): OGALLALA

1 year: -1.20


5 year: -3.10

10 year: -10.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	203.90	3616.72	-1.70
1/17/2006	205.70	3614.92	-1.80
3/16/2007	207.30	3613.32	-1.60
2/8/2008	209.10	3611.52	-1.80
4/16/2009	210.60	3610.02	-1.50
1/26/2010	211.30	3609.32	-0.70
2/14/2011	211.10	3609.52	0.20
2/23/2012	211.30	3609.32	-0.20
2/16/2013	212.70	3607.92	-1.40
2/18/2014	213.20	3607.42	-0.50
1/5/2015	214.40	3606.22	-1.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	HAYNES		Owner:	HAYNES CATTLE CO	
Permit #:	23597 - FP -	Location #:	SB00604526A	USGS Site ID:	
Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE 26 6 N 45 W S				From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4482765.6	Easting (UTM x):	725112.9	Spotted from quarters
Latitude/Longitude (decimal degrees):		40.465085		-102.344822	
Surface Elevation (ft):	3788	Top Perforated Interval (ft):	185	Base of grout (ft):	Water Level Change
Well depth (ft):	324	Bottom Perforated Interval (ft):	305		1 year:
Aquifer(s):	OGALLALA				5 year:
					10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	178.80	3609.20	-0.70
1/18/2006	180.20	3607.80	-1.40
4/3/2007	182.70	3605.30	-2.50
2/10/2008			
1/1/2009			
1/1/2010			

All Historic Measurements




Well Name:	BARKEY, ROLAND		Owner:	THOMPSON JOHN C	
Permit #:	6209 - F -	Location #:	SB00604529BBC	USGS Site ID:	402800102240000
Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NW NW SW 29 6 N 45 W S				From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4482636.7	Easting (UTM x):	719050.4	User supplied
Latitude/Longitude (decimal degrees):		40.465545		-102.416303	
Surface Elevation (ft):	3843.63	Top Perforated Interval (ft):	225	Base of grout (ft):	Water Level Change
Well depth (ft):	285	Bottom Perforated Interval (ft):	285		1 year:
Aquifer(s):	OGALLALA				5 year:
					10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	212.00	3631.63	-1.70
1/17/2006	213.70	3629.93	-1.70
3/16/2007	214.90	3628.73	-1.20
2/8/2008	218.00	3625.63	-3.10
4/16/2009	216.80	3626.83	1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: SAGEHORN, KEITH

Owner: SAGSHORN KEITH

Permit #: 18560 - FP - **Location #:** SB00604534C

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW 34 6 N 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4480260.5 Easting (UTM x): 722764.9 Spotted from quarters
Latitude/Longitude (decimal degrees): 40.443173 -102.373368


Surface Elevation (ft): 3796 **Top Perforated Interval (ft):** 208 **Base of grout (ft):**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** 299
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.10
5 year: -4.40
10 year: -11.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	173.20	3622.80	-1.40
1/18/2006	175.50	3620.50	-2.30
3/16/2007	177.00	3619.00	-1.50
2/8/2008	179.00	3617.00	-2.00
4/16/2009	179.50	3616.50	-0.50
1/26/2010	179.80	3616.20	-0.30
2/14/2011	180.70	3615.30	-0.90
2/23/2012	181.30	3614.70	-0.60
2/15/2013	182.60	3613.40	-1.30
2/18/2014	183.10	3612.90	-0.50
1/5/2015	184.20	3611.80	-1.10

All Historic Measurements



Well Name: HAYNES, DALE

Owner: CO BOARD OF LAND COMMISSIONERS

Permit #: - - **Location #:** SB00604536B

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW 36 6 N 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4481156.1 Easting (UTM x): 725989.1 Spotted from quarters
Latitude/Longitude (decimal degrees): 40.450362 -102.335072


Surface Elevation (ft): 3781 **Top Perforated Interval (ft):** 215 **Base of grout (ft):**
Well depth (ft): 360 **Bottom Perforated Interval (ft):** 340
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.60
5 year:
10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	172.00	3609.00	-1.30
1/18/2006	174.50	3606.50	-2.50
4/3/2007	177.60	3603.40	-3.10
2/8/2008	180.00	3601.00	-2.40
4/16/2009	179.60	3601.40	0.40
1/1/2010			
2/14/2011	183.00	3598.00	
2/23/2012	183.40	3597.60	-0.40
2/15/2013	184.90	3596.10	-1.50
2/18/2014	185.10	3595.90	-0.20
1/5/2015	185.70	3595.30	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: KURTZER

Owner:

Permit #: - -

Location #: SB00604603DDD

USGS Site ID: 400045102283001

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SE SE 3 6 N 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4487703.9 Easting (UTM x): 713908.1 *User supplied*

Latitude/Longitude (decimal degrees): 40.512490 -102.475191

Surface Elevation (ft): 3891.65 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -2.10


Aquifer(s): **5 year:** -3.70

10 year: -2.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	216.10	3675.55	-3.00
1/17/2006	215.00	3676.65	1.10
3/16/2007	215.00	3676.65	0.00
2/8/2008	214.60	3677.05	0.40
4/16/2009	214.70	3676.95	-0.10
1/27/2010	214.60	3677.05	0.10
2/14/2011	213.00	3678.65	1.60
2/18/2012	213.60	3678.05	-0.60
2/15/2013	215.30	3676.35	-1.70
3/3/2014	216.20	3675.45	-0.90
1/5/2015	218.30	3673.35	-2.10

All Historic Measurements



Well Name: NIESLANIK, RAY

Owner: BENNETT MERLE D JR FAMILY TRUST

Permit #: 11664 - FP -

Location #: SB00604627DAA

USGS Site ID: 402740102282701

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE NE NE 27 6 N 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4482000.1 Easting (UTM x): 714118.4 *User supplied*

Latitude/Longitude (decimal degrees): 40.461100 -102.474637

Surface Elevation (ft): 3886.66 **Top Perforated Interval (ft):** 240 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -1.40


Aquifer(s): OGALLALA **5 year:** -1.80

10 year: -7.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	233.90	3652.76	-1.10
1/17/2006	234.70	3651.96	-0.80
3/16/2007	236.40	3650.26	-1.70
2/8/2008	236.90	3649.76	-0.50
4/16/2009	239.40	3647.26	-2.50
1/27/2010	239.90	3646.76	-0.50
2/14/2011	239.50	3647.16	0.40
2/18/2012	240.20	3646.46	-0.70
2/15/2013	239.70	3646.96	0.50
3/3/2014	240.30	3646.36	-0.60
1/5/2015	241.70	3644.96	-1.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	SHINER, KURT			Owner:	TUELLAND INC		
Permit #:	15919 - FP -	Location #:	SB00604632ACA	USGS Site ID:	402700102305000		
Division:	1	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE SW NE 32	6 N	46 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4480670.9	Easting (UTM x):	710784.8	User supplied		
Latitude/Longitude (decimal degrees):		40.449989		-102.514360			
Surface Elevation (ft):	3916.68	Top Perforated Interval (ft):	230	Base of grout (ft):	Water Level Change		
Well depth (ft):	305	Bottom Perforated Interval (ft):	305		1 year: -0.30		
Aquifer(s):	OGALLALA				5 year: -1.40		
					10 year: 1.70		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	240.50	3676.18	-0.50
1/17/2006	241.80	3674.88	-1.30
3/16/2007			
2/8/2008	242.00	3674.68	
4/16/2009	238.00	3678.68	4.00
1/27/2010	237.40	3679.28	0.60
2/14/2011	238.00	3678.68	-0.60
2/18/2012	238.80	3677.88	-0.80
2/15/2013	238.50	3678.18	0.30
3/3/2014	238.50	3678.18	0.00
1/5/2015	238.80	3677.88	-0.30

All Historic Measurements




Well Name:	SHINER, KURT			Owner:	TUELLAND INC		
Permit #:	13807 - FP -	Location #:	SB00604632BBD	USGS Site ID:	402700102313000		
Division:	1	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW SE 32	6 N	46 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4480611.0	Easting (UTM x):	709757.0	Digitized		
Latitude/Longitude (decimal degrees):		40.449710		-102.526489			
Surface Elevation (ft):	3933.69	Top Perforated Interval (ft):	230	Base of grout (ft):	Water Level Change		
Well depth (ft):	305	Bottom Perforated Interval (ft):	305		1 year: -1.70		
Aquifer(s):	OGALLALA				5 year: -3.50		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2007			
2/8/2008	243.00	3690.69	
4/16/2009	239.30	3694.39	3.70
1/27/2010	238.80	3694.89	0.50
2/14/2011	239.30	3694.39	-0.50
2/18/2012	239.60	3694.09	-0.30
2/15/2013	240.60	3693.09	-1.00
3/3/2014	240.60	3693.09	0.00
1/5/2015	242.30	3691.39	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	DAHL, ART	Owner:	DAHL ARTHUR R
Permit #:	227507 - -	Location #:	SB00604729DB
		USGS Site ID:	
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE NW 29	6 N	47 W S
			Distance from section lines:
			From N/S line: 1600 S From E/W line: 1500 E
UTM Coordinates (NAD83):	Northing (UTM y)	4481221.0	Easting (UTM x): 700799.2
			Spotted from section lines
Latitude/Longitude (decimal degrees):		40.457412	-102.631841
Surface Elevation (ft):	4033	Top Perforated Interval (ft):	218
		Base of grout (ft):	
Well depth (ft):	280	Bottom Perforated Interval (ft):	238
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.50
5 year: -1.10
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/6/2006	217.80	3815.20	
3/16/2007	217.60	3815.40	0.20
2/10/2008	221.60	3811.40	-4.00
4/16/2009	231.00	3802.00	-9.40
1/27/2010	231.00	3802.00	0.00
2/14/2011	233.40	3799.60	-2.40
2/18/2012	231.60	3801.40	1.80
3/6/2013	231.20	3801.80	0.40
3/3/2014	231.60	3801.40	-0.40
1/5/2015	232.10	3800.90	-0.50

All Historic Measurements




Well Name:	WISDOM, W	Owner:	WISDOM WILFORD & SHIRLEY
Permit #:	28612 - F -	Location #:	SB00604809C
		USGS Site ID:	
Division:	1	Water District:	65
		County:	LOGAN
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW 9	6 N	48 W S
			Distance from section lines:
			From N/S line: 1320 S From E/W line: 1320 W
UTM Coordinates (NAD83):	Northing (UTM y)	4485771.0	Easting (UTM x): 691833.4
			Spotted from section lines
Latitude/Longitude (decimal degrees):		40.500489	-102.736125
Surface Elevation (ft):	4164	Top Perforated Interval (ft):	147
		Base of grout (ft):	
Well depth (ft):	227	Bottom Perforated Interval (ft):	227
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.40
5 year: -2.70
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/4/2007	137.90	4026.10	
2/10/2008	140.00	4024.00	-2.10
1/1/2009			
1/13/2010	139.30	4024.70	
2/3/2011	139.50	4024.50	-0.20
2/18/2012	139.90	4024.10	-0.40
3/1/2013	141.70	4022.30	-1.80
3/3/2014	141.60	4022.40	0.10
1/5/2015	142.00	4022.00	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: SULLIVAN, PAULINE

Owner:

Permit #: - -

Location #: SB00604825ABB

USGS Site ID: 402803102401901


Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NW NW 25 6 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4482248.0 Easting (UTM x): 697328.7 User supplied
Latitude/Longitude (decimal degrees): 40.467488 -102.672420

Surface Elevation (ft): 4096.76 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 186 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	158.00	3938.76	-0.60
4/2/2007			

All Historic Measurements



Well Name: ATKIN, DOUG

Owner: ATKIN LAND & CATTLE INC

Permit #: 44372 - F -

Location #: SB00604902A

USGS Site ID:


Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE 2 6 N 49 W S From N/S line: 300 N From E/W line: 3750 W
UTM Coordinates (NAD83): Northing (UTM y) 4488324.0 Easting (UTM x): 685972.7 Spotted from section lines
Latitude/Longitude (decimal degrees): 40.524805 -102.804490

Surface Elevation (ft): 4251 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 280 **Bottom Perforated Interval (ft):** 220 **1 year:** -0.60
Aquifer(s): OGALLALA **5 year:** -1.80
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/4/2007	131.00	4120.00	
2/10/2008	131.50	4119.50	-0.50
4/16/2009	131.50	4119.50	0.00
1/13/2010	132.50	4118.50	-1.00
2/3/2011	131.50	4119.50	1.00
2/18/2012	131.70	4119.30	-0.20
3/1/2013	133.00	4118.00	-1.30
3/3/2014	133.70	4117.30	-0.70
1/5/2015	134.30	4116.70	-0.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	HARRIS, JAY			Owner:	SONNENBERG DELBERT J		
Permit #:	6366 - F -	Location #:	SB00605014DAC	USGS Site ID:	402920102550000		
Division:	1	Water District:	65	County:	LOGAN		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NE SW 14	6 N	50 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4483982.8	Easting (UTM x):	676620.2	User supplied		
Latitude/Longitude (decimal degrees):		40.487766		-102.916040			
Surface Elevation (ft):	4346.89	Top Perforated Interval (ft):	60	Base of grout (ft):	Water Level Change		
Well depth (ft):	80	Bottom Perforated Interval (ft):	80		1 year:		
Aquifer(s):	OGALLALA				5 year: -1.90		
					10 year: -7.40		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	42.00	4304.89	-2.00
2/3/2006	42.20	4304.69	-0.20
4/2/2007	41.80	4305.09	0.40
2/10/2008	42.00	4304.89	-0.20
4/16/2009	47.40	4299.49	-5.40
1/13/2010	47.50	4299.39	-0.10
2/3/2011	48.60	4298.29	-1.10
2/21/2012			
3/1/2013			
3/3/2014			
1/5/2015	49.40	4297.49	

All Historic Measurements




Well Name:	SCHAAL-SCHMIDT			Owner:	SCHMIDT JANET R & SCHAAL DOLA B		
Permit #:	11621 - R -	Location #:	SB00605025AAC	USGS Site ID:	402750102534000		
Division:	1	Water District:	65	County:	LOGAN		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NE SW 25	6 N	50 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4481460.2	Easting (UTM x):	678235.2	User supplied		
Latitude/Longitude (decimal degrees):		40.464710		-102.897706			
Surface Elevation (ft):	4303.87	Top Perforated Interval (ft):	40	Base of grout (ft):	Water Level Change		
Well depth (ft):	80	Bottom Perforated Interval (ft):	80		1 year:		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	34.20	4269.67	-1.10
2/3/2006	35.20	4268.67	-1.00
4/2/2007	36.30	4267.57	-1.10
2/10/2008	37.50	4266.37	-1.20
4/16/2009	36.50	4267.37	1.00
1/13/2010	39.10	4264.77	-2.60
2/3/2011	37.90	4265.97	1.20
2/18/2012	38.90	4264.97	-1.00
3/1/2013	41.10	4262.77	-2.20
3/3/2014	41.70	4262.17	-0.60
1/5/2015			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: SWINDELL, DENNIS

Owner: DENNIS SWINDELL

Permit #: 29142 - -

Location #: SB00605101DDC

USGS Site ID: 403046103003901

Division: 1 **Water District:** 65 **County:** LOGAN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SW 1 6 N 51 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4486571.7 Easting (UTM x): 668481.8 *User supplied*

Latitude/Longitude (decimal degrees): 40.512767 -103.011321

Surface Elevation (ft): 4491.97 **Top Perforated Interval (ft):** 150 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 150 **Bottom Perforated Interval (ft):** 187

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	125.90	4366.07	-0.40
2/3/2006	126.10	4365.87	-0.20
4/2/2007	126.00	4365.97	0.10
2/8/2008			
1/1/2009			
1/1/2010			

All Historic Measurements



Well Name: PAUL, KARL

Owner: BOHLENDER JAY & MARY M

Permit #: 2736 - F -

Location #: SB00704230ABB

USGS Site ID: 403320102050000

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW NW 30 7 N 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4493610.2 Easting (UTM x): 747193.1 *User supplied*

Latitude/Longitude (decimal degrees): 40.556384 -102.080463

Surface Elevation (ft): 3585.48 **Top Perforated Interval (ft):** 125 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 285 **Bottom Perforated Interval (ft):** 160

Aquifer(s): OGALLALA

1 year: -1.00


5 year: -8.20

10 year: -16.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2005	101.00	3484.48	-2.60
1/11/2006	102.60	3482.88	-1.60
4/3/2007	104.90	3480.58	-2.30
2/7/2008	108.00	3477.48	-3.10
3/30/2009	108.50	3476.98	-0.50
2/3/2010	109.00	3476.48	-0.50
1/11/2011	109.30	3476.18	-0.30
1/24/2012	110.00	3475.48	-0.70
2/15/2013	115.30	3470.18	-5.30
2/18/2014	116.20	3469.28	-0.90
2/25/2015	117.20	3468.28	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	KORTE	Owner:	HAYNES GALE L & CYNTHIA
Permit #:	12761 - F -	Location #:	SB00704232DBA USGS Site ID: 403200102034000
Division:	1	Water District:	65
Location:	Q160 Q40 Q10 Section	County:	PHILLIPS
	SE NW NE 32	Distance from section lines:	
	7 N 42 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4491269.6	Easting (UTM x): 749225.9 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.534717	-102.057407	
Surface Elevation (ft):	3556.48	Top Perforated Interval (ft):	121
Well depth (ft):	261	Base of grout (ft):	
Aquifer(s):	OGALLALA	Bottom Perforated Interval (ft):	261

Water Level Change
1 year: -0.70
5 year: -5.40
10 year: -10.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2005	83.30	3473.18	-2.20
1/11/2006	84.90	3471.58	-1.60
4/3/2007	87.10	3469.38	-2.20
2/7/2008	89.50	3466.98	-2.40
3/30/2009	90.00	3466.48	-0.50
2/3/2010	88.30	3468.18	1.70
1/11/2011	89.60	3466.88	-1.30
1/24/2012	90.00	3466.48	-0.40
2/15/2013	92.20	3464.28	-2.20
2/18/2014	93.00	3463.48	-0.80
2/25/2015	93.70	3462.78	-0.70

All Historic Measurements




Well Name:	KORTE, R.	Owner:	KORTE RAYMOND
Permit #:	11512 - F -	Location #:	SB00704301ABB USGS Site ID: 403640102061000
Division:	1	Water District:	65
Location:	Q160 Q40 Q10 Section	County:	PHILLIPS
	NE NW NW 1	Distance from section lines:	
	7 N 43 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4499938.9	Easting (UTM x): 745312.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.613884	-102.100185	
Surface Elevation (ft):	3611.48	Top Perforated Interval (ft):	131
Well depth (ft):	241	Base of grout (ft):	
Aquifer(s):	OGALLALA	Bottom Perforated Interval (ft):	241

Water Level Change
1 year: -0.10
5 year: -3.90
10 year: -19.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2005	127.50	3483.98	-4.10
1/20/2006	128.60	3482.88	-1.10
3/17/2007	129.00	3482.48	-0.40
2/7/2008	131.50	3479.98	-2.50
3/30/2009	135.00	3476.48	-3.50
2/3/2010	143.40	3468.08	-8.40
1/13/2011	144.70	3466.78	-1.30
1/24/2012	145.00	3466.48	-0.30
2/27/2013	148.00	3463.48	-3.00
2/18/2014	147.20	3464.28	0.80
2/25/2015	147.30	3464.18	-0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	GREENLEE	Owner:	KAISER ROY
Permit #:	11780 - FP -	Location #:	SB00704307DBB
		USGS Site ID:	403540102115000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE NW NW 7	7 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4497331.3	Easting (UTM x): 737255.6 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.592772	-102.196298
Surface Elevation (ft):	3679.5	Top Perforated Interval (ft):	195
		Base of grout (ft):	
Well depth (ft):	266	Bottom Perforated Interval (ft):	266
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.40
5 year: -6.30
10 year: -13.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2005	146.10	3533.40	-3.10
1/20/2006	146.90	3532.60	-0.80
3/17/2007	146.90	3532.60	0.00
2/7/2008	149.70	3529.80	-2.80
3/30/2009	154.10	3525.40	-4.40
1/26/2010	153.70	3525.80	0.40
1/13/2011	154.70	3524.80	-1.00
2/21/2012			
2/15/2013	159.10	3520.40	
2/18/2014	159.60	3519.90	-0.50
2/25/2015	160.00	3519.50	-0.40

All Historic Measurements




Well Name:	KRUEGER, DAN	Owner:	BOHLENDER JAY & MARY M
Permit #:	12550 - F -	Location #:	SB00704313AAB
		USGS Site ID:	403500102055000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NE NW 13	7 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4496811.8	Easting (UTM x): 745980.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.585551	-102.093518
Surface Elevation (ft):	3621.48	Top Perforated Interval (ft):	170
		Base of grout (ft):	
Well depth (ft):	290	Bottom Perforated Interval (ft):	250
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2007			
2/10/2008			
1/1/2009			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **HAMM, FAITH**

Owner: BENNETT CLIFFORD & MARY

Permit #: 6729 - F -

Location #: SB00704314CBB

USGS Site ID: 403440102074000

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW NW NW 14 7 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4495851.7 Easting (UTM x): 743069.8 *User supplied*

Latitude/Longitude (decimal degrees): 40.577772 -102.128241

Surface Elevation (ft): 3619.49 **Top Perforated Interval (ft):** 154 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 264 **Bottom Perforated Interval (ft):** 264 **1 year:** -0.40


Aquifer(s): OGALLALA **5 year:** -1.80

10 year: -10.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	114.80	3504.69	-2.00
1/20/2006	116.80	3502.69	-2.00
4/3/2007	119.70	3499.79	-2.90
2/1/2008	122.00	3497.49	-2.30
3/30/2009	122.50	3496.99	-0.50
1/26/2010	123.20	3496.29	-0.70
1/11/2011	124.00	3495.49	-0.80
1/24/2012	124.70	3494.79	-0.70
2/15/2013	124.90	3494.59	-0.20
2/18/2014	124.60	3494.89	0.30
2/25/2015	125.00	3494.49	-0.40

All Historic Measurements



Well Name: **KRUEGER, TED**

Owner: KRUGER THEODORE R

Permit #: 18220 - RFP - R

Location #: SB00704318ABB

USGS Site ID: 403510102114000

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE NW NW 18 7 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4496500.1 Easting (UTM x): 737329.2 *User supplied*

Latitude/Longitude (decimal degrees): 40.585272 -102.195742

Surface Elevation (ft): 3676.01 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 230 **Bottom Perforated Interval (ft):** 270 **1 year:** -0.70


Aquifer(s): OGALLALA **5 year:** -1.00

10 year: -24.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2005	142.20	3533.81	-2.00
1/20/2006	144.00	3532.01	-1.80
3/17/2007	145.90	3530.11	-1.90
2/7/2008	148.50	3527.51	-2.60
3/30/2009	164.90	3511.11	-16.40
1/26/2010	165.30	3510.71	-0.40
1/13/2011	166.00	3510.01	-0.70
1/24/2012	162.60	3513.41	3.40
2/15/2013	165.40	3510.61	-2.80
2/18/2014	165.60	3510.41	-0.20
2/25/2015	166.30	3509.71	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	KLUTE, K.	Owner:	SHAFER DALLAS
Permit #:	10785 - FP -	Location #:	SB00704320AAC
		USGS Site ID:	403400102102000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NE SW 20	7 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4494558.7	Easting (UTM x): 739368.6 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.567216	-102.172409
Surface Elevation (ft):	3651.51	Top Perforated Interval (ft):	215
		Base of grout (ft):	
Well depth (ft):	274	Bottom Perforated Interval (ft):	274
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.10
5 year: -2.80
10 year: -11.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	126.40	3525.11	-2.30
1/24/2006	129.00	3522.51	-2.60
4/3/2007	131.10	3520.41	-2.10
2/7/2008	132.30	3519.21	-1.20
3/30/2009	135.10	3516.41	-2.80
1/26/2010	134.80	3516.71	0.30
1/11/2011	134.60	3516.91	0.20
2/28/2012	134.20	3517.31	0.40
2/27/2013	135.30	3516.21	-1.10
2/18/2014	136.50	3515.01	-1.20
2/25/2015	137.60	3513.91	-1.10

All Historic Measurements




Well Name:	SWANSON, MARVIN	Owner:	SWANSON MARVIN D
Permit #:	11163 - R -	Location #:	SB00704327BBB
		USGS Site ID:	403312102074201
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NW NW 27	7 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4493393.4	Easting (UTM x): 741525.2 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.556105	-102.147408
Surface Elevation (ft):	3634.5	Top Perforated Interval (ft):	192
		Base of grout (ft):	
Well depth (ft):	215	Bottom Perforated Interval (ft):	232
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.60
5 year: -2.90
10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	111.80	3522.70	-2.10
1/24/2006	113.70	3520.80	-1.90
4/3/2007	115.90	3518.60	-2.20
2/7/2008	119.60	3514.90	-3.70
4/16/2009	124.40	3510.10	-4.80
1/26/2010	124.10	3510.40	0.30
1/11/2011	124.30	3510.20	-0.20
2/28/2012	124.10	3510.40	0.20
2/27/2013	125.80	3508.70	-1.70
2/18/2014	126.40	3508.10	-0.60
2/25/2015	127.00	3507.50	-0.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	BAHLER, ROBERT		Owner:	KRAMER LAND COMPANY LLLP	
Permit #:	11974 - F -	Location #:	SB00704332CCA	USGS Site ID:	403150102104000
Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW SW NE 32	7 N	43 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4490459.2	Easting (UTM x):	738605.1	User supplied
Latitude/Longitude (decimal degrees):		40.530549		-102.182965	
Surface Elevation (ft):	3662.53	Top Perforated Interval (ft):	223	Base of grout (ft):	Water Level Change
Well depth (ft):	323	Bottom Perforated Interval (ft):	323		1 year: 0.20
Aquifer(s):	OGALLALA				5 year: -1.60
					10 year: -6.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	129.20	3533.33	-1.40
1/24/2006	131.00	3531.53	-1.80
4/3/2007	133.30	3529.23	-2.30
2/1/2008	133.30	3529.23	0.00
1/1/2009			
1/26/2010	134.10	3528.43	
1/11/2011	134.30	3528.23	-0.20
2/28/2012	134.60	3527.93	-0.30
2/27/2013	135.70	3526.83	-1.10
2/18/2014	135.90	3526.63	-0.20
2/25/2015	135.70	3526.83	0.20

All Historic Measurements




Well Name:	COLGLAZIER, H.		Owner:	COLGLAZIER VIOLA L & HAROLD C	
Permit #:	10878 - F -	Location #:	SB00704332DCA	USGS Site ID:	403150102102000
Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE SW NE 32	7 N	43 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4490483.3	Easting (UTM x):	739358.1	User supplied
Latitude/Longitude (decimal degrees):		40.530549		-102.174076	
Surface Elevation (ft):	3650.53	Top Perforated Interval (ft):	206	Base of grout (ft):	Water Level Change
Well depth (ft):	266	Bottom Perforated Interval (ft):	266		1 year: 0.00
Aquifer(s):	OGALLALA				5 year: -2.70
					10 year: -9.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	113.90	3536.63	-2.10
1/24/2006	115.90	3534.63	-2.00
4/3/2007	118.50	3532.03	-2.60
2/7/2008	118.10	3532.43	0.40
3/30/2009	121.10	3529.43	-3.00
1/26/2010	120.90	3529.63	0.20
1/11/2011	121.90	3528.63	-1.00
2/28/2012	121.90	3528.63	0.00
2/27/2013	123.10	3527.43	-1.20
2/18/2014	123.60	3526.93	-0.50
2/25/2015	123.60	3526.93	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: GERHARDT, MAXINE

Owner: KRAMER LAND COMPANY LLLP

Permit #: 16200 - F -

Location #: SB00704335ABB

USGS Site ID: 403230102070901

Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 35 7 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4491866.4 Easting (UTM x): 743929.9 User supplied
Latitude/Longitude (decimal degrees): 40.541661 -102.119630


Surface Elevation (ft): 3602.5 **Top Perforated Interval (ft):** 210 **Base of grout (ft):**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** 300
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	91.60	3510.90	-2.60
1/24/2006	93.60	3508.90	-2.00
4/3/2007	95.60	3506.90	-2.00

All Historic Measurements



Well Name: KRAMER

Owner: KRAMER FEEDLOT A COLO PARTNERSHIP

Permit #: 603 - RFP - R

Location #: SB00704335B

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 35 7 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4491467.5 Easting (UTM x): 743537.6 Spotted from quarters
Latitude/Longitude (decimal degrees): 40.538188 -102.124411


Surface Elevation (ft): 3614 **Top Perforated Interval (ft):** 149 **Base of grout (ft):**
Well depth (ft): 285 **Bottom Perforated Interval (ft):** 278
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.80
5 year: -5.60
10 year: -14.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	100.10	3513.90	-2.10
1/24/2006	102.10	3511.90	-2.00
4/3/2007	104.20	3509.80	-2.10
2/7/2008	107.50	3506.50	-3.30
3/30/2009	109.00	3505.00	-1.50
1/26/2010	109.20	3504.80	-0.20
1/11/2011	110.00	3504.00	-0.80
2/28/2012	110.80	3503.20	-0.80
2/27/2013	113.60	3500.40	-2.80
2/18/2014	114.00	3500.00	-0.40
2/25/2015	114.80	3499.20	-0.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	HEERMANN, KENNETH			Owner:	HEERMANN KENNETH L & ALOIS C		
Permit #:	9582 - F	-	Location #:	SB00704411AAC	USGS Site ID:	403550102134000	
Division:	1	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NE SW	11	7 N	44 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4497739.0	Easting (UTM x):		734536.5 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.597216			-102.228243	
Surface Elevation (ft):	3704.51	Top Perforated Interval (ft):	140	Base of grout (ft):	Water Level Change		
Well depth (ft):	282	Bottom Perforated Interval (ft):	280	1 year: -0.70			
Aquifer(s):	OGALLALA			5 year: -1.40			
				10 year: -5.90			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2005	157.30	3547.21	0.70
1/20/2006	159.00	3545.51	-1.70
3/17/2007	160.10	3544.41	-1.10
2/7/2008	161.60	3542.91	-1.50
3/30/2009	161.10	3543.41	0.50
2/3/2010	161.80	3542.71	-0.70
1/13/2011	162.20	3542.31	-0.40
2/27/2012	162.70	3541.81	-0.50
2/27/2013	162.60	3541.91	0.10
2/18/2014	162.50	3542.01	0.10
2/25/2015	163.20	3541.31	-0.70

All Historic Measurements




Well Name:	HEERMANN, KENNETH			Owner:	HEERMANN ELDON		
Permit #:	9583 - FP	-	Location #:	SB00704411BBD	USGS Site ID:	403550102142001	
Division:	1	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW SE	11	7 N	44 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4497709.4	Easting (UTM x):		733596.2 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.597216			-102.239354	
Surface Elevation (ft):	3713.51	Top Perforated Interval (ft):	133	Base of grout (ft):	Water Level Change		
Well depth (ft):	273	Bottom Perforated Interval (ft):	273	1 year: -1.10			
Aquifer(s):	OGALLALA			5 year: -4.00			
				10 year: -5.30			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2005	163.10	3550.41	-5.30
1/20/2006	160.40	3553.11	2.70
3/17/2007	161.40	3552.11	-1.00
2/7/2008	162.40	3551.11	-1.00
1/1/2009			
2/3/2010	164.40	3549.11	
1/13/2011	164.90	3548.61	-0.50
2/27/2012	165.40	3548.11	-0.50
2/27/2013	167.00	3546.51	-1.60
2/18/2014	167.30	3546.21	-0.30
2/25/2015	168.40	3545.11	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	ORTNER, J. W.	Owner:	ORTNER JOSEPH W
Permit #:	12531 - FP -	Location #:	SB00704412CCD
		USGS Site ID:	403520102130000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW SE 12	7 N	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4496463.7	Easting (UTM x): 735212.1 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.585549	-102.220743	
Surface Elevation (ft):	3698.51	Top Perforated Interval (ft):	186
		Base of grout (ft):	
Well depth (ft):	286	Bottom Perforated Interval (ft):	286
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.80
5 year: -4.50
10 year: -8.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2005	158.60	3539.91	0.20
1/19/2006	159.60	3538.91	-1.00
3/17/2007	160.90	3537.61	-1.30
2/7/2008	161.70	3536.81	-0.80
3/30/2009	162.00	3536.51	-0.30
2/3/2010	162.60	3535.91	-0.60
1/13/2011	164.20	3534.31	-1.60
2/27/2012	164.60	3533.91	-0.40
2/27/2013	166.50	3532.01	-1.90
2/18/2014	166.30	3532.21	0.20
2/25/2015	167.10	3531.41	-0.80

All Historic Measurements




Well Name:	EINSPHR, E.	Owner:	EINSPHR ELNORA
Permit #:	4619 - F -	Location #:	SB00704415DCC
		USGS Site ID:	403430102145000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE SW SW 15	7 N	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4494806.0	Easting (UTM x): 732557.3 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.571382	-102.252688	
Surface Elevation (ft):	3724.54	Top Perforated Interval (ft):	158
		Base of grout (ft):	
Well depth (ft):	237	Bottom Perforated Interval (ft):	237
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.90
5 year: -0.90
10 year: -8.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	163.60	3560.94	-1.50
1/24/2006	165.50	3559.04	-1.90
4/3/2007	166.10	3558.44	-0.60
2/7/2008	166.00	3558.54	0.10
3/30/2009	165.50	3559.04	0.50
2/3/2010	171.00	3553.54	-5.50
1/13/2011	171.30	3553.24	-0.30
2/23/2012	170.90	3553.64	0.40
2/27/2013	172.40	3552.14	-1.50
2/18/2014	172.80	3551.74	-0.40
2/25/2015	171.90	3552.64	0.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	O'NEAL	Owner:	ROBER LA VERNE C
Permit #:	12708 - F -	Location #:	SB00704417CCA
		USGS Site ID:	403430102175000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW NE 17	7 N	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4494842.9	Easting (UTM x): 728766.5 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.572770	-102.297410
Surface Elevation (ft):	3744.56	Top Perforated Interval (ft):	194
		Base of grout (ft):	
Well depth (ft):	285	Bottom Perforated Interval (ft):	285
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.90
5 year: -6.90
10 year: -10.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	177.20	3567.36	-1.10
1/25/2006	179.40	3565.16	-2.20
4/3/2007	180.00	3564.56	-0.60
2/7/2008	180.50	3564.06	-0.50
4/18/2009	181.00	3563.56	-0.50
2/3/2010	180.50	3564.06	0.50
1/13/2011	182.50	3562.06	-2.00
2/27/2012	183.10	3561.46	-0.60
2/27/2013	184.80	3559.76	-1.70
2/18/2014	185.50	3559.06	-0.70
2/25/2015	187.40	3557.16	-1.90

All Historic Measurements




Well Name:	KROGEMEIER, VINCENT	Owner:	
Permit #:	- -	Location #:	SB00704420C
		USGS Site ID:	
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW	20	7 N
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4493424.0	Easting (UTM x): 728831.5 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		40.559982	-102.297157
Surface Elevation (ft):	3737	Top Perforated Interval (ft):	
		Base of grout (ft):	
Well depth (ft):		Bottom Perforated Interval (ft):	
Aquifer(s):			

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	173.10	3563.90	-1.00
1/25/2006	175.20	3561.80	-2.10
4/3/2007	177.30	3559.70	-2.10
2/8/2008			
1/1/2009			
2/3/2010	180.40	3556.60	
1/13/2011	181.50	3555.50	-1.10
2/27/2012	182.10	3554.90	-0.60
2/27/2013	183.60	3553.40	-1.50
2/18/2014	182.90	3554.10	0.70
2/25/2015			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: EINSPAHR, MIKE

Owner: EINSPAHR RICHARD E

Permit #: 12578 - FP -

Location #: SB00704424BCA

USGS Site ID: 403410102131000

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW SW NE 24 7 N 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4494428.2 Easting (UTM x): 735276.4 *User supplied*

Latitude/Longitude (decimal degrees): 40.567215 -102.220743

Surface Elevation (ft): 3691.53 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 270 **Bottom Perforated Interval (ft):** 270 **1 year:** -1.80


Aquifer(s): OGALLALA **5 year:** -5.10

10 year: -13.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	146.00	3545.53	-0.40
1/24/2006	147.70	3543.83	-1.70
4/3/2007	149.90	3541.63	-2.20
2/7/2008	152.20	3539.33	-2.30
3/30/2009	154.50	3537.03	-2.30
2/3/2010	154.50	3537.03	0.00
1/13/2011	155.00	3536.53	-0.50
2/27/2012	155.80	3535.73	-0.80
2/13/2013	157.00	3534.53	-1.20
2/18/2014	157.80	3533.73	-0.80
2/25/2015	159.60	3531.93	-1.80

All Historic Measurements



Well Name: OWENS, R & B

Owner: OWENS GERALD R

Permit #: 5216 - F -

Location #: SB00704528ACD

USGS Site ID: 403310102224000

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE SW SE 28 7 N 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4492093.0 Easting (UTM x): 721528.1 *User supplied*

Latitude/Longitude (decimal degrees): 40.549991 -102.383800

Surface Elevation (ft): 3819.59 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 260 **Bottom Perforated Interval (ft):** 260 **1 year:** -2.40


Aquifer(s): OGALLALA **5 year:** -3.50

10 year: -7.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	225.40	3594.19	-1.30
1/18/2006	226.00	3593.59	-0.60
3/15/2007	229.40	3590.19	-3.40
2/8/2008	230.00	3589.59	-0.60
4/16/2009	230.90	3588.69	-0.90
2/3/2010	229.10	3590.49	1.80
2/14/2011	229.20	3590.39	-0.10
2/21/2012	229.60	3589.99	-0.40
2/15/2013	230.90	3588.69	-1.30
2/18/2014	230.20	3589.39	0.70
1/5/2015	232.60	3586.99	-2.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	PREMIER PARTNERS			Owner:	PREMIERE PARTNERS II LMTD PRTNRSHI		
Permit #:	5311 - F -	Location #:	SB00704535CBD	USGS Site ID:	403200102211000		
Division:	1	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NW SE 35	7 N	45 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4490069.0	Easting (UTM x):	724037.5	User supplied		
Latitude/Longitude (decimal degrees):	40.531102		-102.354912				
Surface Elevation (ft):	3795.59	Top Perforated Interval (ft):	200	Base of grout (ft):	Water Level Change		
Well depth (ft):	283	Bottom Perforated Interval (ft):	285		1 year: -0.70		
Aquifer(s):	OGALLALA				5 year: -5.40		
					10 year: -3.70		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	205.60	3589.99	-1.60
1/18/2006	200.90	3594.69	4.70
3/15/2007	201.20	3594.39	-0.30
2/8/2008	204.00	3591.59	-2.80
1/1/2009			
2/3/2010	203.90	3591.69	
2/14/2011	204.00	3591.59	-0.10
2/21/2012	206.20	3589.39	-2.20
2/15/2013	207.90	3587.69	-1.70
2/18/2014	208.60	3586.99	-0.70
1/5/2015	209.30	3586.29	-0.70

All Historic Measurements




Well Name:	GORDON, M.			Owner:			
Permit #:	- -	Location #:	SB00704612A	USGS Site ID:			
Division:	1	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE 12	7 N	46 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4497107.5	Easting (UTM x):	716484.6	Spotted from quarters		
Latitude/Longitude (decimal degrees):	40.596454		-102.441586				
Surface Elevation (ft):	3850	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):		Bottom Perforated Interval (ft):			1 year: -0.70		
Aquifer(s):					5 year: -2.00		
					10 year: -2.10		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	108.70	3741.30	0.00
1/13/2006	109.00	3741.00	-0.30
3/15/2007	109.10	3740.90	-0.10
2/8/2008	108.50	3741.50	0.60
4/16/2009	108.50	3741.50	0.00
1/27/2010	108.80	3741.20	-0.30
2/14/2011	109.50	3740.50	-0.70
2/21/2012	107.80	3742.20	1.70
2/15/2013	109.20	3740.80	-1.40
2/18/2014	110.10	3739.90	-0.90
1/5/2015	110.80	3739.20	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	ROB, DEE	Owner:	BIESEMEIER FARMS INC
Permit #:	88265 - -	Location #:	SB00704621AAA
		USGS Site ID:	403410102294000


Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE NE NE 21	7 N	46 W	S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4494068.5	Easting (UTM x):	711984.1	User supplied
Latitude/Longitude (decimal degrees):		40.570268		-102.495746	

Surface Elevation (ft):	3919.65	Top Perforated Interval (ft):	162	Base of grout (ft):		Water Level Change
Well depth (ft):	182	Bottom Perforated Interval (ft):	182			1 year: -0.50
Aquifer(s):	OGALLALA					5 year: -3.30
						10 year: -3.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	131.40	3788.25	0.40
1/13/2006	131.50	3788.15	-0.10
3/15/2007	130.80	3788.85	0.70
2/8/2008	131.00	3788.65	-0.20
4/16/2009	131.30	3788.35	-0.30
1/27/2010	131.90	3787.75	-0.60
2/14/2011	131.40	3788.25	0.50
2/21/2012	131.50	3788.15	-0.10
2/15/2013	133.10	3786.55	-1.60
3/3/2014	134.70	3784.95	-1.60
1/5/2015	135.20	3784.45	-0.50

All Historic Measurements



Well Name:	FUESZ, MARVIN	Owner:	CO BOARD OF LAND COMMISSIONERS
Permit #:	17679 - FP -	Location #:	SB00704716BCB
		USGS Site ID:	403447102373001


Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NW SW NW 16	7 N	47 W	S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4494811.4	Easting (UTM x):	700926.6	User supplied
Latitude/Longitude (decimal degrees):		40.579712		-102.626027	

Surface Elevation (ft):	4056.73	Top Perforated Interval (ft):	175	Base of grout (ft):		Water Level Change
Well depth (ft):	201	Bottom Perforated Interval (ft):	205			1 year: -1.00
Aquifer(s):	OGALLALA					5 year: -5.90
						10 year: -4.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	157.50	3899.23	0.40
1/17/2006	157.50	3899.23	0.00
3/16/2007	157.00	3899.73	0.50
2/10/2008	157.50	3899.23	-0.50
4/16/2009	155.80	3900.93	1.70
1/27/2010	156.20	3900.53	-0.40
2/14/2011	156.30	3900.43	-0.10
2/21/2012	157.20	3899.53	-0.90
2/15/2013	159.50	3897.23	-2.30
3/3/2014	161.10	3895.63	-1.60
1/5/2015	162.10	3894.63	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **NELSON, KIETH**

Owner:

Permit #: - -

Location #: SB00704807ADD

USGS Site ID: 403530102453000


Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SE 7 7 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4495897.9 Easting (UTM x): 689393.5 *User supplied*
Latitude/Longitude (decimal degrees): 40.592212 -102.761863

Surface Elevation (ft): 4176.8 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 161 **Bottom Perforated Interval (ft):** **1 year:** -0.60
Aquifer(s): **5 year:** -0.60
10 year: 0.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	132.20	4044.60	0.20
2/3/2006	132.10	4044.70	0.10
4/4/2007	132.30	4044.50	-0.20
2/10/2008	132.00	4044.80	0.30
4/16/2009	131.80	4045.00	0.20
1/13/2010	131.10	4045.70	0.70
2/3/2011	130.90	4045.90	0.20
2/21/2012	130.80	4046.00	0.10
3/1/2013	131.50	4045.30	-0.70
3/3/2014	131.10	4045.70	0.40
3/3/2015	131.70	4045.10	-0.60

All Historic Measurements



Well Name: **SONNENBERG**

Owner:

Permit #: 251101 - -

Location #: SB00704917ADA

USGS Site ID: 403450102514000


Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE NE 17 7 N 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4494339.3 Easting (UTM x): 681316.1 *User supplied*
Latitude/Longitude (decimal degrees): 40.579990 -102.857701

Surface Elevation (ft): 4306.85 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 194 **Bottom Perforated Interval (ft):** **1 year:** -0.20
Aquifer(s): **5 year:** 0.30
10 year: 3.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	154.50	4152.35	1.70
2/3/2006	154.00	4152.85	0.50
4/4/2007	154.00	4152.85	0.00
2/10/2008	154.30	4152.55	-0.30
4/16/2009	154.80	4152.05	-0.50
1/13/2010	151.20	4155.65	3.60
2/3/2011	151.20	4155.65	0.00
2/21/2012	151.30	4155.55	-0.10
3/1/2013	151.50	4155.35	-0.20
3/3/2014	150.70	4156.15	0.80
3/3/2015	150.90	4155.95	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: LOOS, B.

Owner:

Permit #: - -

Location #: SB00704931ABA

USGS Site ID: 403220102525000


Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NE 31 7 N 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4489850.3 Easting (UTM x): 679424.2 User supplied
Latitude/Longitude (decimal degrees): 40.539989 -102.881314

Surface Elevation (ft): 4302.86 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 147 **Bottom Perforated Interval (ft):** **1 year:** -1.90
Aquifer(s): **5 year:**
10 year: -4.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	74.20	4228.66	-0.80
2/3/2006	74.70	4228.16	-0.50
4/4/2007	75.50	4227.36	-0.80
2/10/2008	75.60	4227.26	-0.10
4/16/2009	75.60	4227.26	0.00
1/13/2010			
1/1/2011			
2/21/2012			
3/1/2013			
3/3/2014	77.00	4225.86	
3/3/2015	78.90	4223.96	-1.90

All Historic Measurements



Well Name: SCHMIDT, G

Owner: WUNDERLICH IOLA

Permit #: 125310 - -

Location #: SB00705029BB

USGS Site ID:


Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 29 7 N 50 W S From N/S line: 900 N From E/W line: 900 W
UTM Coordinates (NAD83): Northing (UTM y) 4490992.5 Easting (UTM x): 670396.5 Spotted from section lines
Latitude/Longitude (decimal degrees): 40.552178 -102.987544

Surface Elevation (ft): 4437 **Top Perforated Interval (ft):** 173 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 230 **Bottom Perforated Interval (ft):** 232 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/2/2007	107.30	4329.70	
2/10/2008	118.30	4318.70	-11.00
1/1/2009			
1/13/2010	116.80	4320.20	
1/1/2011			
2/21/2012			
3/1/2013			
3/3/2014			
3/3/2015			

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	SCHLIEP, E.		Owner:	NEWTON MONICA A	
Permit #:	5859 - FP -	Location #:	SB00804230CDD	USGS Site ID:	403744102043000
Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW SE SE 30	8 N	42 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4501673.5	Easting (UTM x):	747349.0	User supplied
Latitude/Longitude (decimal degrees):		40.628884		-102.075462	
Surface Elevation (ft):	3607.47	Top Perforated Interval (ft):	144	Base of grout (ft):	Water Level Change
Well depth (ft):	206	Bottom Perforated Interval (ft):	206		1 year: -0.40
Aquifer(s):	OGALLALA				5 year: -3.70
					10 year: -12.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	136.40	3471.07	-2.40
1/20/2006	138.50	3468.97	-2.10
3/17/2007	139.90	3467.57	-1.40
2/7/2008	142.50	3464.97	-2.60
4/18/2009	145.00	3462.47	-2.50
2/3/2010	145.10	3462.37	-0.10
2/14/2011	145.10	3462.37	0.00
2/22/2012	146.70	3460.77	-1.60
2/27/2013	148.80	3458.67	-2.10
3/3/2014	148.40	3459.07	0.40
2/27/2015	148.80	3458.67	-0.40

All Historic Measurements




Well Name:	GERK, CASEY		Owner:	SCHNELLER FARMS INC	
Permit #:	11760 - FP -	Location #:	SB00804231CBC	USGS Site ID:	403700102050000
Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW NW SW 31	8 N	42 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4500414.9	Easting (UTM x):	746638.0	User supplied
Latitude/Longitude (decimal degrees):		40.617773		-102.084351	
Surface Elevation (ft):	3604.48	Top Perforated Interval (ft):	145	Base of grout (ft):	Water Level Change
Well depth (ft):	245	Bottom Perforated Interval (ft):	245		1 year: -1.70
Aquifer(s):	OGALLALA				5 year: -7.30
					10 year: -15.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2005	126.80	3477.68	-2.70
1/20/2006	128.10	3476.38	-1.30
3/17/2007	129.30	3475.18	-1.20
2/7/2008	130.80	3473.68	-1.50
4/18/2009	134.80	3469.68	-4.00
2/3/2010	134.80	3469.68	0.00
2/14/2011	135.40	3469.08	-0.60
2/22/2012	138.10	3466.38	-2.70
2/27/2013	140.00	3464.48	-1.90
3/3/2014	140.40	3464.08	-0.40
2/27/2015	142.10	3462.38	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: VIESELMAYER, ALLAN

Owner: VIESELMAYER DALE

Permit #: 4760 - F -

Location #: SB00804304BBB

USGS Site ID: 404213102094100

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW NW NW 4 8 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4509730.0 Easting (UTM x): 739773.5 User supplied

Latitude/Longitude (decimal degrees): 40.703607 -102.161852

Surface Elevation (ft): 3686.48 **Top Perforated Interval (ft):** 172 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 315 **Bottom Perforated Interval (ft):** 315 **1 year:** -0.40


Aquifer(s): OGALLALA **5 year:** -2.20

10 year: -2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	175.60	3510.88	-0.50
1/20/2006	176.50	3509.98	-0.90
3/8/2007	176.00	3510.48	0.50
2/7/2008	179.00	3507.48	-3.00
4/18/2009	175.40	3511.08	3.60
2/3/2010	176.10	3510.38	-0.70
1/13/2011	176.00	3510.48	0.10
2/22/2012	176.20	3510.28	-0.20
2/27/2013	178.00	3508.48	-1.80
3/3/2014	177.90	3508.58	0.10
2/27/2015	178.30	3508.18	-0.40

All Historic Measurements



Well Name: LEBEN, G

Owner: LEBEN GORDON L

Permit #: 24223 - FP -

Location #: SB00804311C

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW 11 8 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4506710.0 Easting (UTM x): 743397.6 Spotted from quarters

Latitude/Longitude (decimal degrees): 40.675373 -102.120178

Surface Elevation (ft): 3645 **Top Perforated Interval (ft):** 230 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 300 **Bottom Perforated Interval (ft):** 280 **1 year:** -1.50


Aquifer(s): OGALLALA **5 year:** -3.50

10 year: -5.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	136.70	3508.30	0.20
1/20/2006	138.40	3506.60	-1.70
3/17/2007	136.70	3508.30	1.70
2/7/2008	137.40	3507.60	-0.70
4/18/2009	138.20	3506.80	-0.80
2/3/2010	138.20	3506.80	0.00
1/13/2011	139.40	3505.60	-1.20
2/22/2012	137.80	3507.20	1.60
2/27/2013	139.80	3505.20	-2.00
3/3/2014	140.20	3504.80	-0.40
2/27/2015	141.70	3503.30	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	OZMAN, D.		Owner:	OZMAN DALE	
Permit #:	12700 - FP -	Location #:	SB00804319	USGS Site ID:	
Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10	Section	19	Twnshp	8 N
		Range	43 W	PM	S
		Distance from section lines:		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4503737.0	Easting (UTM x):	737202.4	Spotted from quarters
Latitude/Longitude (decimal degrees):		40.650425		-102.194511	
Surface Elevation (ft):	3695	Top Perforated Interval (ft):	162	Base of grout (ft):	
Well depth (ft):	222	Bottom Perforated Interval (ft):	222		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: -0.80
5 year: -1.30
10 year: -1.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	168.80	3526.20	-1.00
1/20/2006	172.40	3522.60	-3.60
3/17/2007	175.30	3519.70	-2.90
2/7/2008	178.00	3517.00	-2.70
4/18/2009	178.00	3517.00	0.00
2/3/2010	167.40	3527.60	10.60
2/27/2010	169.10	3525.90	-1.70
1/13/2011	167.60	3527.40	1.50
2/22/2012	167.80	3527.20	-0.20
2/27/2013	169.10	3525.90	-1.30
3/3/2014	169.60	3525.40	-0.50
2/27/2015	170.40	3524.60	-0.80

All Historic Measurements




Well Name:	VIESELMEIR		Owner:	GRASS VALLEY FARMS INC	
Permit #:	16330 - FP -	Location #:	SB00804326B	USGS Site ID:	
Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10	Section	26	Twnshp	8 N
	NW	Range	43 W	PM	S
		Distance from section lines:		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4502728.0	Easting (UTM x):	743532.1	Spotted from quarters
Latitude/Longitude (decimal degrees):		40.639503		-102.120132	
Surface Elevation (ft):	3645	Top Perforated Interval (ft):	120	Base of grout (ft):	
Well depth (ft):	210	Bottom Perforated Interval (ft):	210		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: -0.90
5 year: -4.50
10 year: -13.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	143.50	3501.50	-3.40
1/20/2006	144.90	3500.10	-1.40
3/17/2007	146.50	3498.50	-1.60
2/7/2008	148.00	3497.00	-1.50
4/18/2009	148.80	3496.20	-0.80
2/3/2010	152.30	3492.70	-3.50
1/13/2011	153.00	3492.00	-0.70
2/22/2012	153.70	3491.30	-0.70
2/27/2013	155.30	3489.70	-1.60
3/3/2014	155.90	3489.10	-0.60
2/27/2015	156.80	3488.20	-0.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: VIESEMEIER, VERDIE

Owner: VIESELMAYER VERDIS

Permit #: 14797 - FP - **Location #:** SB00804326C

USGS Site ID:


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW 26 8 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4501931.3 Easting (UTM x): 743561.0 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.632329 -102.120096

Surface Elevation (ft): 3632 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 212 **Bottom Perforated Interval (ft):** 212 **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:** -5.40
10 year: -12.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	133.80	3498.20	-2.30
1/20/2006	137.60	3494.40	-3.80
3/17/2007	137.70	3494.30	-0.10
2/7/2008	139.50	3492.50	-1.80
4/18/2009	141.50	3490.50	-2.00
2/3/2010	140.50	3491.50	1.00
1/13/2011	141.80	3490.20	-1.30
2/22/2012	142.60	3489.40	-0.80
2/27/2013	145.80	3486.20	-3.20
3/3/2014	145.40	3486.60	0.40
2/27/2015	145.90	3486.10	-0.50

All Historic Measurements



Well Name: COLVER

Owner: VIESELMAYER VERDIS

Permit #: 14798 - FP - **Location #:** SB00804328A

USGS Site ID:


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE 28 8 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4502656.8 Easting (UTM x): 741015.1 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.639603 -102.149886

Surface Elevation (ft): 3655 **Top Perforated Interval (ft):** 196 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 276 **Bottom Perforated Interval (ft):** 276 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -5.10
10 year: -13.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	143.50	3511.50	-1.80
1/20/2006	146.00	3509.00	-2.50
3/17/2007	146.60	3508.40	-0.60
2/7/2008	147.00	3508.00	-0.40
4/18/2009	147.00	3508.00	0.00
2/3/2010	152.20	3502.80	-5.20
1/13/2011	153.10	3501.90	-0.90
2/22/2012	155.80	3499.20	-2.70
2/27/2013	155.40	3499.60	0.40
3/3/2014	156.50	3498.50	-1.10
2/27/2015	157.30	3497.70	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	WEBER, B.	Owner:	WEBER LARRY
Permit #:	6671 - F -	Location #:	SB00804335ACA
		USGS Site ID:	403740102064000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SW NE 35	8 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4501051.3	Easting (UTM x): 744405.6 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.624162	-102.110463
Surface Elevation (ft):	3622.48	Top Perforated Interval (ft):	110
		Base of grout (ft):	
Well depth (ft):	243	Bottom Perforated Interval (ft):	243
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.10
5 year: -8.90
10 year: -12.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	132.90	3489.58	-3.10
1/20/2006	134.70	3487.78	-1.80
3/17/2007	134.50	3487.98	0.20
2/7/2008	136.50	3485.98	-2.00
4/16/2009	138.00	3484.48	-1.50
2/3/2010	136.60	3485.88	1.40
1/13/2011	137.00	3485.48	-0.40
2/22/2012	138.30	3484.18	-1.30
2/27/2013	145.10	3477.38	-6.80
3/3/2014	145.40	3477.08	-0.30
2/27/2015	145.50	3476.98	-0.10

All Historic Measurements




Well Name:	LAHNERT	Owner:	LAHNERT JERRY
Permit #:	5452 - FP -	Location #:	SB00804425BA
		USGS Site ID:	
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NE 25	8 N	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4502534.0	Easting (UTM x): 735528.4 <i>Spotted from section lines</i>
Latitude/Longitude (decimal degrees):		40.640081	-102.214741
Surface Elevation (ft):	3705	Top Perforated Interval (ft):	166
		Base of grout (ft):	
Well depth (ft):	206	Bottom Perforated Interval (ft):	206
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.30
5 year: -5.80
10 year: -7.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	190.80		-1.30
1/20/2006	186.60		4.20
3/17/2007	186.20		0.40
2/8/2008	190.50	3514.50	-4.30
4/16/2009	190.80	3514.20	-0.30
2/3/2010	192.00	3513.00	-1.20
2/14/2011	191.80	3513.20	0.20
2/22/2012	192.40	3512.60	-0.60
2/27/2013	193.80	3511.20	-1.40
2/26/2014	194.50	3510.50	-0.70
2/27/2015	197.80	3507.20	-3.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	RODEMANN, K		Owner:	CO BOARD OF LAND COMMISSIONERS	
Permit #:	3358 - F -	Location #:	SB00804436DDC	USGS Site ID:	403700102124000
Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE SE SW 36	8 N	44 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4499946.1	Easting (UTM x):	735996.0	User supplied
Latitude/Longitude (decimal degrees):		40.616661		-102.210187	
Surface Elevation (ft):	3692.5	Top Perforated Interval (ft):	154	Base of grout (ft):	Water Level Change
Well depth (ft):	234	Bottom Perforated Interval (ft):	234		1 year: -2.20
Aquifer(s):	OGALLALA				5 year: -10.90
					10 year: -16.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	160.20	3532.30	1.50
1/20/2006	163.60	3528.90	-3.40
3/17/2007	163.70	3528.80	-0.10
2/8/2008	163.70	3528.80	0.00
4/18/2009	165.50	3527.00	-1.80
2/3/2010	166.00	3526.50	-0.50
2/14/2011	168.10	3524.40	-2.10
2/22/2012	169.00	3523.50	-0.90
2/27/2013	174.10	3518.40	-5.10
2/26/2014	174.70	3517.80	-0.60
2/27/2015	176.90	3515.60	-2.20

All Historic Measurements




Well Name:	KOBERSTEIN, RAY		Owner:	KOBERSTEIN RAY W	
Permit #:	8917 - F -	Location #:	SB00804504ABB	USGS Site ID:	404214102230300
Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE NW NW 4	8 N	45 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4509175.2	Easting (UTM x):	720926.0	User supplied
Latitude/Longitude (decimal degrees):		40.703882		-102.384910	
Surface Elevation (ft):	3853.57	Top Perforated Interval (ft):	165	Base of grout (ft):	Water Level Change
Well depth (ft):	265	Bottom Perforated Interval (ft):	265		1 year: -1.20
Aquifer(s):	OGALLALA				5 year: -4.40
					10 year: -3.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	166.00	3687.57	-0.50
1/3/2006	166.80	3686.77	-0.80
3/7/2007	166.80	3686.77	0.00
2/8/2008	167.50	3686.07	-0.70
4/18/2009	169.00	3684.57	-1.50
2/3/2010	164.70	3688.87	4.30
12/28/2010	164.70	3688.87	0.00
2/21/2012	164.50	3689.07	0.20
2/27/2013	169.20	3684.37	-4.70
2/26/2014	167.90	3685.67	1.30
1/5/2015	169.10	3684.47	-1.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	KOBERSTEIN, RAY			Owner:	KOBERSTEIN R		
Permit #:	24053 - FP -	Location #:	SB00804504AD	USGS Site ID:			
Division:	1	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE SE 4	8 N	45 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4508337.3	Easting (UTM x):	721488.2	Spotted from quarters		
Latitude/Longitude (decimal degrees):	40.696191		-102.378558				
Surface Elevation (ft):	3845	Top Perforated Interval (ft):	212	Base of grout (ft):	Water Level Change		
Well depth (ft):	290	Bottom Perforated Interval (ft):	282	1 year: -0.40			
Aquifer(s):	OGALLALA			5 year: -1.00			
				10 year: -2.40			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2005	155.40	3689.60	-0.40
1/3/2006	156.40	3688.60	-1.00
3/7/2007	156.40	3688.60	0.00
2/8/2008	157.50	3687.50	-1.10
4/18/2009	162.00	3683.00	-4.50
2/3/2010	156.80	3688.20	5.20
12/28/2010	156.80	3688.20	0.00
2/21/2012	156.30	3688.70	0.50
2/27/2013	158.10	3686.90	-1.80
2/28/2014	157.40	3687.60	0.70
1/5/2015	157.80	3687.20	-0.40

All Historic Measurements




Well Name:	RUCH			Owner:	RUCH PAUL		
Permit #:	13116 - FP -	Location #:	SB00804605DAD	USGS Site ID:	404123102311600		
Division:	1	Water District:	65	County:	PHILLIPS		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NE SE 5	8 N	46 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4507379.7	Easting (UTM x):	710125.1	User supplied		
Latitude/Longitude (decimal degrees):	40.690547		-102.513244				
Surface Elevation (ft):	3936.64	Top Perforated Interval (ft):	166	Base of grout (ft):	Water Level Change		
Well depth (ft):	265	Bottom Perforated Interval (ft):	236	1 year: -0.10			
Aquifer(s):	OGALLALA			5 year: 1.30			
				10 year: 0.50			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	163.50	3773.14	-2.60
1/10/2006	164.30	3772.34	-0.80
3/15/2007	163.80	3772.84	0.50
2/9/2008	164.00	3772.64	-0.20
4/18/2009	172.00	3764.64	-8.00
1/27/2010	164.30	3772.34	7.70
2/14/2011	163.50	3773.14	0.80
2/21/2012	163.00	3773.64	0.50
2/6/2013	162.40	3774.24	0.60
2/26/2014	162.90	3773.74	-0.50
1/5/2015	163.00	3773.64	-0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	CARMEL FARMS, ANDERSON	Owner:	CARMEL FARMS INC
Permit #:	13542 - FP -	Location #:	SB00804612BCA
		USGS Site ID:	404059102265900


Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NW SW NE 12	8 N	46 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4506697.9	Easting (UTM x):	715407.4	User supplied
Latitude/Longitude (decimal degrees):		40.683048		-102.451022	

Surface Elevation (ft):	3893.61	Top Perforated Interval (ft):	190	Base of grout (ft):		Water Level Change
Well depth (ft):	288	Bottom Perforated Interval (ft):	288			1 year: -0.70
Aquifer(s):	OGALLALA					5 year: -4.80
						10 year: -5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	151.80	3741.81	-1.70
1/10/2006	152.80	3740.81	-1.00
3/15/2007	154.00	3739.61	-1.20
2/9/2008	155.50	3738.11	-1.50
4/16/2009	157.00	3736.61	-1.50
1/27/2010	152.50	3741.11	4.50
2/14/2011	152.80	3740.81	-0.30
2/21/2012	153.20	3740.41	-0.40
2/6/2013	156.00	3737.61	-2.80
2/26/2014	156.60	3737.01	-0.60
1/5/2015	157.30	3736.31	-0.70

All Historic Measurements



Well Name:	HILL, GLENN	Owner:	
Permit #:	9497 - F -	Location #:	SB00804617AAC
		USGS Site ID:	404008102313000


Division:	1	Water District:	65	County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE NE SW 17	8 N	46 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4504964.3	Easting (UTM x):	709840.9	User supplied
Latitude/Longitude (decimal degrees):		40.668880		-102.517411	

Surface Elevation (ft):	3930.65	Top Perforated Interval (ft):		Base of grout (ft):		Water Level Change
Well depth (ft):	210	Bottom Perforated Interval (ft):				1 year:
Aquifer(s):						5 year:
						10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	138.90	3791.75	-0.20
1/10/2006			
3/15/2007			
2/8/2008			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **STRYKER, EARNIE**

Owner: STRYKER ERNIE

Permit #: 19387 - F -

Location #: SB00804706A

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section 6 Twtnshp 8 N Range 47 W S PM Distance from section lines:
NE From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4508033.0 Easting (UTM x): 698519.8 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.699306 -102.650269

Surface Elevation (ft): 4059 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 248 **Bottom Perforated Interval (ft):** **1 year:** -1.10


Aquifer(s): OGALLALA **5 year:** -4.10

10 year: -8.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	162.30	3896.70	-2.90
1/10/2006	164.10	3894.90	-1.80
3/16/2007	164.90	3894.10	-0.80
2/10/2008	166.50	3892.50	-1.60
4/18/2009	167.30	3891.70	-0.80
1/27/2010	166.20	3892.80	1.10
2/14/2011	165.90	3893.10	0.30
2/21/2012	166.30	3892.70	-0.40
2/3/2013	168.30	3890.70	-2.00
2/26/2014	169.20	3889.80	-0.90
1/5/2015	170.30	3888.70	-1.10

All Historic Measurements



Well Name: **GUECK, REESE**

Owner: GUECK K

Permit #: 11356 - RFP - R

Location #: SB00804719BBD

USGS Site ID: 403912102393501

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section 19 Twtnshp 8 N Range 47 W S PM Distance from section lines:
NW NW SE From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4502906.2 Easting (UTM x): 697817.3 *User supplied*

Latitude/Longitude (decimal degrees): 40.653325 -102.660192

Surface Elevation (ft): 4069.74 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 272 **Bottom Perforated Interval (ft):** 290 **1 year:** -0.70


Aquifer(s): OGALLALA **5 year:** -1.60

10 year: -4.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	151.90	3917.84	0.90
1/10/2006	153.10	3916.64	-1.20
3/16/2007	153.50	3916.24	-0.40
2/10/2008	154.80	3914.94	-1.30
4/18/2009	155.10	3914.64	-0.30
1/27/2010	154.40	3915.34	0.70
2/14/2011	154.50	3915.24	-0.10
2/21/2012	154.60	3915.14	-0.10
2/3/2013	155.70	3914.04	-1.10
2/26/2014	155.30	3914.44	0.40
1/5/2015	156.00	3913.74	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	KOCH, L.	Owner:	KOCH LOUIS A
Permit #:	11056 - FP -	Location #:	SB00804732BAD
		USGS Site ID:	403720102382000
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NE SE 32	8 N	47 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4499720.2	Easting (UTM x): 699853.6 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.624157	-102.637137	
Surface Elevation (ft):	4037.73	Top Perforated Interval (ft):	124
		Base of grout (ft):	
Well depth (ft):	173	Bottom Perforated Interval (ft):	174
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.90
5 year: -2.60
10 year: -4.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	116.90	3920.83	-0.20
1/10/2006	117.20	3920.53	-0.30
3/16/2007	117.50	3920.23	-0.30
2/10/2008	119.30	3918.43	-1.80
1/1/2009			
1/27/2010	119.10	3918.63	
2/14/2011	118.90	3918.83	0.20
2/21/2012	118.70	3919.03	0.20
2/3/2013	120.10	3917.63	-1.40
2/26/2014	119.80	3917.93	0.30
1/5/2015	121.70	3916.03	-1.90

All Historic Measurements




Well Name:	BOERNER, JAMES	Owner:	BOERNER JAMES C.
Permit #:	19759 - FP -	Location #:	SB00804811D
		USGS Site ID:	
Division:	1	Water District:	65
		County:	LOGAN
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE 11	8 N	48 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4505234.0	Easting (UTM x): 695352.8 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.674866	-102.688599	
Surface Elevation (ft):	4099	Top Perforated Interval (ft):	220
		Base of grout (ft):	
Well depth (ft):	303	Bottom Perforated Interval (ft):	300
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.20
5 year: -4.90
10 year: -7.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	149.50	3949.50	-0.50
2/3/2006	149.30	3949.70	0.20
3/16/2007	150.60	3948.40	-1.30
2/10/2008			
1/1/2009			
1/27/2010	151.90	3947.10	
1/3/2011	152.50	3946.50	-0.60
2/21/2012	152.60	3946.40	-0.10
2/3/2013	155.80	3943.20	-3.20
2/26/2014	156.60	3942.40	-0.80
3/3/2015	156.80	3942.20	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: F&H GOLF COURSE

Owner: F&H GOLF CLUB

Permit #: 31799 - FP - **Location #:** SB00804820CA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE 20 8 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4502018.2 Easting (UTM x): 689994.2 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.647169 -102.752924


Surface Elevation (ft): 4150 **Top Perforated Interval (ft):** 155 **Base of grout (ft):**
Well depth (ft): 175 **Bottom Perforated Interval (ft):** 175
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.20
5 year: -2.60
10 year: -2.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	125.50	4024.50	-1.80
2/3/2006	125.50	4024.50	0.00
4/4/2007	126.40	4023.60	-0.90
2/10/2008	125.90	4024.10	0.50
1/1/2009			
1/27/2010	125.50	4024.50	
2/3/2011	125.80	4024.20	-0.30
2/21/2012	125.30	4024.70	0.50
3/1/2013			
2/26/2014	125.90	4024.10	
3/3/2015	128.10	4021.90	-2.20

All Historic Measurements



Well Name: LAMBERT

Owner:

Permit #: - - **Location #:** SB00804901DCD

USGS Site ID: 404048102471800

Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SE 1 8 N 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4506271.9 Easting (UTM x): 687180.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.686103 -102.784916


Surface Elevation (ft): 4214.81 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 159 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: -0.70
5 year: -0.20
10 year: -3.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	135.10	4079.71	-2.60
2/3/2006	136.40	4078.41	-1.30
4/2/2007	137.10	4077.71	-0.70
2/10/2008	138.30	4076.51	-1.20
1/1/2009			
1/13/2010	138.00	4076.81	
2/3/2011	138.70	4076.11	-0.70
2/21/2012	137.10	4077.71	1.60
2/6/2013	136.50	4078.31	0.60
2/26/2014	137.50	4077.31	-1.00
3/3/2015	138.20	4076.61	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	ROWEN, G. & L.	Owner:	ROWAN GEORGIA & LLOYD & LLOYD
Permit #:	12720 - F -	Location #:	SB00804903ACD
		USGS Site ID:	404141102493200


Division:	1	Water District:	64	County:	LOGAN
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE SW SE 3	8 N	49 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4507110.2	Easting (UTM x):	683682.8	User supplied
Latitude/Longitude (decimal degrees):		40.694436		-102.826028	

Surface Elevation (ft):	4261.84	Top Perforated Interval (ft):	116	Base of grout (ft):		Water Level Change
Well depth (ft):	166	Bottom Perforated Interval (ft):	166			1 year: -1.00
Aquifer(s):						5 year: -0.80
						10 year: -1.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	118.50	4143.34	-2.20
2/3/2006	118.90	4142.94	-0.40
4/2/2007	119.30	4142.54	-0.40
2/10/2008			
1/1/2009			
1/13/2010	118.80	4143.04	
2/3/2011	119.10	4142.74	-0.30
2/21/2012	118.80	4143.04	0.30
2/6/2013	118.30	4143.54	0.50
2/26/2014	118.60	4143.24	-0.30
3/3/2015	119.60	4142.24	-1.00

All Historic Measurements



Well Name:	KELLY, RITA	Owner:	
Permit #:	- -	Location #:	SB00805026BAA1
		USGS Site ID:	403832102552501


Division:	1	Water District:	65	County:	LOGAN
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NW NE NE 26	8 N	50 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4501112.2	Easting (UTM x):	675533.9	User supplied
Latitude/Longitude (decimal degrees):		40.642213		-102.924089	

Surface Elevation (ft):	4356.89	Top Perforated Interval (ft):		Base of grout (ft):		Water Level Change
Well depth (ft):	195	Bottom Perforated Interval (ft):				1 year:
Aquifer(s):						5 year:
						10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	125.00	4231.89	0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: MCDANIEL, RICHARD

Owner:

Permit #: - -

Location #: SB00805026DA

USGS Site ID:


Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE 26 8 N 50 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4500156.0 Easting (UTM x): 676187.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.633465 -102.916627

Surface Elevation (ft): **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/2/2007	142.10		
2/10/2008			
1/1/2009			

All Historic Measurements



Well Name: DUDDEN, JOAN

Owner:

Permit #: 19110 - FP -

Location #: SB00904219BDC

USGS Site ID:


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE SW 19 9 N 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4514397.0 Easting (UTM x): 747466.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.743322 -102.069059

Surface Elevation (ft): 3606 **Top Perforated Interval (ft):** 175 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -6.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/3/2010	153.30	3452.70	
2/14/2011	153.80	3452.20	-0.50
2/22/2012	154.30	3451.70	-0.50
2/27/2013	156.40	3449.60	-2.10
2/26/2014	157.80	3448.20	-1.40
2/27/2015	159.30	3446.70	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: US GOVERNMENT

Owner:

Permit #: - -

Location #: SB00904232DDD

USGS Site ID: 404235102030200


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SE 32 9 N 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4510344.8 Easting (UTM x): 749057.6 User supplied
Latitude/Longitude (decimal degrees): 40.706385 -102.051850

Surface Elevation (ft): 3591.45 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 171 **Bottom Perforated Interval (ft):** **1 year:** -0.40
Aquifer(s): **5 year:** 0.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/2/2007			
2/7/2008	116.00	3475.45	
4/16/2009	116.40	3475.05	-0.40
2/3/2010	116.40	3475.05	0.00
2/14/2011	116.20	3475.25	0.20
2/22/2012	116.20	3475.25	0.00
2/27/2013	116.40	3475.05	-0.20
2/26/2014	116.00	3475.45	0.40
2/27/2015	116.40	3475.05	-0.40

All Historic Measurements



Well Name: FROMM, M.

Owner: FROM MERLE

Permit #: 15744 - RFP -

Location #: SB00904325AAA

USGS Site ID: 404401102043600


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NE 25 9 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4513264.2 Easting (UTM x): 746798.7 User supplied
Latitude/Longitude (decimal degrees): 40.733330 -102.077406

Surface Elevation (ft): 3612.45 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 199 **Bottom Perforated Interval (ft):** 200 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2005	145.00	3467.45	0.40
1/6/2006	146.10	3466.35	-1.10
3/8/2007			
2/10/2008			
1/1/2009			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **MATTSON, A.**

Owner:

Permit #: - -

Location #: SB00904527CCD

USGS Site ID: 404310102212000


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 27 9 N 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4511183.5 Easting (UTM x): 723050.3 *User supplied*
Latitude/Longitude (decimal degrees): 40.721383 -102.359076

Surface Elevation (ft): 3845.56 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 210 **Bottom Perforated Interval (ft):** **1 year:** -0.30
Aquifer(s): **5 year:** -2.00
10 year: -1.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2005	195.80	3649.76	-0.10
1/3/2006	196.60	3648.96	-0.80
3/7/2007	197.20	3648.36	-0.60
2/10/2008			
1/1/2009			
1/27/2010	195.10	3650.46	
12/28/2010	194.70	3650.86	0.40
2/21/2012	196.10	3649.46	-1.40
2/2/2013	196.40	3649.16	-0.30
2/26/2014	196.80	3648.76	-0.40
3/3/2015	197.10	3648.46	-0.30

All Historic Measurements



Well Name: **LEONARD, MICHAEL**

Owner:

Permit #: - -

Location #: SB00904622AAA

USGS Site ID: 404440102281000


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NE 22 9 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4513957.6 Easting (UTM x): 714562.9 *User supplied*
Latitude/Longitude (decimal degrees): 40.748604 -102.458521

Surface Elevation (ft): 3909.62 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 206 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	200.40	3709.22	-0.50
1/4/2006			
4/2/2007			
2/10/2008			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name:	ANDERSON	Owner:	ANDERSON LARRY R
Permit #:	13766 - FP -	Location #:	SB00904624ACA
		USGS Site ID:	404444102252600
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SW NE 24	9 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4512778.0	Easting (UTM x): 717508.3 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.737215	-102.424076
Surface Elevation (ft):	3888.6	Top Perforated Interval (ft):	200
		Base of grout (ft):	
Well depth (ft):	291	Bottom Perforated Interval (ft):	291
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.30
5 year: -0.40
10 year: -2.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	204.20	3684.40	-1.20
1/4/2006	204.90	3683.70	-0.70
3/7/2007	206.00	3682.60	-1.10
2/9/2008	206.50	3682.10	-0.50
4/18/2009	206.50	3682.10	0.00
1/27/2010	205.80	3682.80	0.70
2/14/2011	205.30	3683.30	0.50
2/21/2012	204.90	3683.70	0.40
2/2/2013	205.40	3683.20	-0.50
2/26/2014	205.90	3682.70	-0.50
3/3/2015	206.20	3682.40	-0.30

All Historic Measurements




Well Name:	ECKMAN. DENNIS	Owner:	ECKMAN DENNIS
Permit #:	12577 - FP -	Location #:	SB00904629DAB
		USGS Site ID:	404334102300800
Division:	1	Water District:	65
		County:	PHILLIPS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE NE NW 29	9 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4511320.4	Easting (UTM x): 710858.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.725826	-102.503244
Surface Elevation (ft):	3956.64	Top Perforated Interval (ft):	217
		Base of grout (ft):	
Well depth (ft):	317	Bottom Perforated Interval (ft):	317
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.60
5 year: -2.00
10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	195.90	3760.74	-1.40
1/4/2006	196.70	3759.94	-0.80
3/7/2007	196.40	3760.24	0.30
2/9/2008	197.60	3759.04	-1.20
4/18/2009	198.00	3758.64	-0.40
1/27/2010	197.80	3758.84	0.20
2/14/2011	198.00	3758.64	-0.20
2/21/2012	197.80	3758.84	0.20
2/2/2013	200.00	3756.64	-2.20
2/26/2014	199.20	3757.44	0.80
3/3/2015	199.80	3756.84	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: MEAKINS, RICHARD

Owner: MEAKINS LLP

Permit #: 20093 - FP - R **Location #:** SB00904719A

USGS Site ID:

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE 19 9 N 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4513209.0 Easting (UTM x): 699511.0 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.745653 -102.636898

Surface Elevation (ft): 4070 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 380 **Bottom Perforated Interval (ft):** 370 **1 year:** -0.80


Aquifer(s): OGALLALA **5 year:** -1.50

10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	210.40	3859.60	-1.10
12/28/2005	211.10	3858.90	-0.70
3/16/2007	211.50	3858.50	-0.40
2/10/2008	212.20	3857.80	-0.70
4/18/2009	212.70	3857.30	-0.50
1/27/2010	212.90	3857.10	-0.20
2/14/2011	213.60	3856.40	-0.70
2/21/2012	212.70	3857.30	0.90
2/2/2013	213.70	3856.30	-1.00
2/26/2014	213.60	3856.40	0.10
3/3/2015	214.40	3855.60	-0.80

All Historic Measurements



Well Name: DEE, STANLEY

Owner:

Permit #: 6412 - FP - **Location #:** SB00904721BDA

USGS Site ID: 404448102361000

Division: 1 **Water District:** 65 **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SE NE 21 9 N 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4513397.9 Easting (UTM x): 702349.4 *User supplied*

Latitude/Longitude (decimal degrees): 40.746660 -102.603245

Surface Elevation (ft): 4021.7 **Top Perforated Interval (ft):** 226 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 326 **Bottom Perforated Interval (ft):** 316 **1 year:** -1.10


Aquifer(s): OGALLALA **5 year:** -3.30

10 year: -4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	182.80	3838.90	0.40
12/28/2005	183.40	3838.30	-0.60
3/16/2007	184.10	3837.60	-0.70
2/10/2008	185.00	3836.70	-0.90
4/18/2009	185.80	3835.90	-0.80
1/27/2010	183.70	3838.00	2.10
2/14/2011	184.10	3837.60	-0.40
2/21/2012	184.30	3837.40	-0.20
2/2/2013	187.20	3834.50	-2.90
2/26/2014	185.90	3835.80	1.30
3/3/2015	187.00	3834.70	-1.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	MEAKINS, RICHARD								Owner:	MEAKINS PATRICIA	
Permit #:	14097 - FP -			Location #:		SB00904733C			USGS Site ID:		
Division:	1			Water District:		65			County: PHILLIPS		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM		Distance from section lines:		
	SW			33	9 N	47	W	S	From N/S line:		From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)			4509195.0		Easting (UTM x):		702099.6		<i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees):				40.708893		-102.607559					
Surface Elevation (ft):	4015		Top Perforated Interval (ft):		180		Base of grout (ft):		Water Level Change		
Well depth (ft):	288		Bottom Perforated Interval (ft):		288				1 year:		-1.10
Aquifer(s):	OGALLALA								5 year:		-2.50
									10 year:		-4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	157.80	3857.20	-0.50
1/10/2006	159.40	3855.60	-1.60
3/16/2007	159.70	3855.30	-0.30
2/10/2008	160.50	3854.50	-0.80
4/4/2009	160.50	3854.50	0.00
1/27/2010	159.30	3855.70	1.20
2/14/2011	159.60	3855.40	-0.30
2/21/2012	159.10	3855.90	0.50
2/3/2013	160.10	3854.90	-1.00
2/26/2014	160.70	3854.30	-0.60
3/3/2015	161.80	3853.20	-1.10

All Historic Measurements




Well Name:		KIPP, WILBUR					Owner:				
Permit #:		-		-		Location #:		SB00904811D		USGS Site ID:	
Division:		1		Water District:		65		County:		LOGAN	
Location:		Q160 Q40 Q10		Section		Twnshp		Range		PM	
		SE		11		9 N		48 W		S	
UTM Coordinates (NAD83):		Northing (UTM y)		4515534.6		Easting (UTM x):		696179.6		<i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees):				40.767387				-102.675596			
Surface Elevation (ft):		4119		Top Perforated Interval (ft):		260		Base of grout (ft):		Water Level Change	
Well depth (ft):		360		Bottom Perforated Interval (ft):		340				1 year:	
Aquifer(s):		OGALLALA								5 year:	
										10 year:	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	240.50	3878.50	-0.50
12/28/2005	240.40	3878.60	0.10
3/16/2007	240.00	3879.00	0.40
2/10/2008	241.30	3877.70	-1.30
4/4/2009	241.00	3878.00	0.30
1/27/2010	239.30	3879.70	1.70
2/3/2011	240.20	3878.80	-0.90
2/21/2012	240.10	3878.90	0.10
2/3/2013	242.30	3876.70	-2.20
2/26/2014	242.50	3876.50	-0.20
3/3/2015	242.30	3876.70	0.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	MEAKINS, RICHARD			Owner:	MEAKINS LLP		
Permit #:	13018 - FP -	Location #:	SB00904814ABD	USGS Site ID:	404540102403000		
Division:	1	Water District:	65	County:	LOGAN		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW SE 14	9 N	48 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4514837.3	Easting (UTM x):	696208.9	User supplied		
Latitude/Longitude (decimal degrees):	40.761104		-102.675468				
Surface Elevation (ft):	4101.75	Top Perforated Interval (ft):	200	Base of grout (ft):	Water Level Change		
Well depth (ft):	275	Bottom Perforated Interval (ft):	275	1 year: -0.50			
Aquifer(s):	OGALLALA			5 year: -2.50			
				10 year: -4.80			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	228.50	3873.25	-1.00
12/28/2005	229.10	3872.65	-0.60
3/16/2007	230.60	3871.15	-1.50
2/10/2008	231.00	3870.75	-0.40
4/4/2009	231.00	3870.75	0.00
1/27/2010	230.80	3870.95	0.20
2/3/2011	232.20	3869.55	-1.40
2/21/2012	231.80	3869.95	0.40
2/3/2013	233.00	3868.75	-1.20
2/26/2014	232.80	3868.95	0.20
3/3/2015	233.30	3868.45	-0.50

All Historic Measurements




Well Name:	MEAKINS, RICHARD			Owner:			
Permit #:	-	Location #:	SB00904814B	USGS Site ID:			
Division:	1	Water District:	65	County:	LOGAN		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW 14	9 N	48 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4514693.5	Easting (UTM x):	695384.5	Spotted from quarters		
Latitude/Longitude (decimal degrees):	40.760006		-102.685272				
Surface Elevation (ft):		Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):		Bottom Perforated Interval (ft):		1 year:			
Aquifer(s):				5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	222.20		0.60

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Sand Hills Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK


**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	CURE BROTHERS LLC			Owner:	CURE LAND LLC		
Permit #:	13813 - F -	Location #:	SB00304204CDA	USGS Site ID:	401510102035000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SE NE 4	3 N	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4460035.6	Easting (UTM x):	749532.8	User supplied		
Latitude/Longitude (decimal degrees):	40.253603		-102.066021				
Surface Elevation (ft):	3596.53	Top Perforated Interval (ft):	142	Base of grout (ft):	Water Level Change		
Well depth (ft):	332	Bottom Perforated Interval (ft):	332	1 year: -0.10			
Aquifer(s):	OGALLALA			5 year: 0.10			
				10 year: 4.20			

Measurements from last 10 years


Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	82.20	3514.33	-2.80
4/6/2007	76.60	3519.93	5.60
2/11/2008	77.10	3519.43	-0.50
4/12/2009	77.70	3518.83	-0.60
12/27/2009	78.10	3518.43	-0.40
2/9/2011	77.70	3518.83	0.40
3/1/2012	78.10	3518.43	-0.40
3/4/2013	76.50	3520.03	1.60
2/25/2014	77.90	3518.63	-1.40
2/11/2015	78.00	3518.53	-0.10

All Historic Measurements



Well Name:	CURE BROTHERS			Owner:			
Permit #:	13814 - F -	Location #:	SB00304209CDB	USGS Site ID:	401420102041000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SE NW 9	3 N	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4458391.1	Easting (UTM x):	749279.7	User supplied		
Latitude/Longitude (decimal degrees):	40.238881		-102.069632				
Surface Elevation (ft):	3595.53	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	330	Bottom Perforated Interval (ft):		1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	CURE BROTHERS	Owner:	CURE LAND LLC
Permit #:	15285 - F -	Location #:	SB00304217ADB
		USGS Site ID:	401350102045500
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SE NW 17	3 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4457592.7	Easting (UTM x): 748477.9 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.231936	-102.079355
Surface Elevation (ft):	3599.54	Top Perforated Interval (ft):	140
		Base of grout (ft):	
Well depth (ft):	300	Bottom Perforated Interval (ft):	300
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.60
5 year: -0.50
10 year: -4.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	61.30	3538.24	-1.10
2/13/2006	62.60	3536.94	-1.30
4/6/2007	62.40	3537.14	0.20
2/11/2008	63.90	3535.64	-1.50
4/12/2009	64.60	3534.94	-0.70
12/26/2009	64.90	3534.64	-0.30
2/9/2011	64.30	3535.24	0.60
3/1/2012	65.00	3534.54	-0.70
3/1/2013	64.80	3534.74	0.20
2/25/2014	64.80	3534.74	0.00
2/11/2015	65.40	3534.14	-0.60

All Historic Measurements




Well Name:	CURE BROTHERS	Owner:	CURE LAND LLC
Permit #:	14121 - FP -	Location #:	SB00304222CCC
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW SW 22	3 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4454905.6	Easting (UTM x): 750511.2 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		40.207153	-102.056532
Surface Elevation (ft):	3570	Top Perforated Interval (ft):	165
		Base of grout (ft):	
Well depth (ft):	265	Bottom Perforated Interval (ft):	265
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.30
5 year: -4.80
10 year: -13.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	58.00	3512.00	-1.60
2/13/2006	57.30	3512.70	0.70
4/6/2007	58.70	3511.30	-1.40
2/11/2008	59.60	3510.40	-0.90
1/1/2009			
12/27/2009	66.50	3503.50	
2/9/2011	67.20	3502.80	-0.70
3/1/2012	68.00	3502.00	-0.80
3/1/2013	68.60	3501.40	-0.60
2/25/2014	69.00	3501.00	-0.40
2/11/2015	71.30	3498.70	-2.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	WILEY, W.	Owner:	CURE LAND LLC
Permit #:	4319 - FPR -	Location #:	SB00304229BAB
		USGS Site ID:	401220102051000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NE NW 29	3 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4454482.4	Easting (UTM x): 747775.5 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.204158	-102.088800
Surface Elevation (ft):	3598.55	Top Perforated Interval (ft):	120
		Base of grout (ft):	
Well depth (ft):	75	Bottom Perforated Interval (ft):	240
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.30
5 year: -3.50
10 year: -7.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	60.60	3537.95	-1.90
2/13/2006	62.50	3536.05	-1.90
4/6/2007	64.10	3534.45	-1.60
2/11/2008	64.80	3533.75	-0.70
4/12/2009	64.20	3534.35	0.60
12/27/2009	64.40	3534.15	-0.20
2/9/2011	64.60	3533.95	-0.20
3/1/2012	64.40	3534.15	0.20
3/1/2013	67.40	3531.15	-3.00
2/25/2014	68.20	3530.35	-0.80
2/11/2015	67.90	3530.65	0.30

All Historic Measurements




Well Name:	U.S. GOVERNMENT	Owner:	
Permit #:	-	Location #:	SB00304231BDD
		USGS Site ID:	401105102061101
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SE SE 31	3 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4452249.4	Easting (UTM x): 746522.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.184435	-102.104356
Surface Elevation (ft):	3615.36	Top Perforated Interval (ft):	
		Base of grout (ft):	
Well depth (ft):	91	Bottom Perforated Interval (ft):	
Aquifer(s):			

Water Level Change
1 year: 0.20
5 year: -0.70
10 year: -6.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	76.30	3539.06	-1.60
2/13/2006	77.90	3537.46	-1.60
4/6/2007	79.30	3536.06	-1.40
2/11/2008	80.80	3534.56	-1.50
4/12/2009	81.80	3533.56	-1.00
12/27/2009	82.30	3533.06	-0.50
2/9/2011	81.60	3533.76	0.70
3/1/2012	82.20	3533.16	-0.60
3/1/2013	84.80	3530.56	-2.60
2/25/2014	83.20	3532.16	1.60
2/11/2015	83.00	3532.36	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	CURE	Owner:	DENSLOW CLYDE J
Permit #:	13522 - F -	Location #:	SB00304313ACC
		USGS Site ID:	401350102072500
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SW SW 13	3 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4457074.2	Easting (UTM x): 744898.1 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.228324	-102.121579
Surface Elevation (ft):	3629.55	Top Perforated Interval (ft):	90
		Base of grout (ft):	
Well depth (ft):	316	Bottom Perforated Interval (ft):	316
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.30
5 year: -6.20
10 year: -9.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	66.40	3563.15	0.10
2/13/2006	66.40	3563.15	0.00
4/6/2007	68.10	3561.45	-1.70
2/11/2008	69.30	3560.25	-1.20
4/12/2009	70.10	3559.45	-0.80
12/27/2009	69.80	3559.75	0.30
2/9/2011	70.10	3559.45	-0.30
3/1/2012	70.70	3558.85	-0.60
3/1/2013	73.50	3556.05	-2.80
2/25/2014	74.70	3554.85	-1.20
2/11/2015	76.00	3553.55	-1.30

All Historic Measurements




Well Name:	U.S. GOVERNMENT	Owner:	
Permit #:	- -	Location #:	SB00304318AAC1
		USGS Site ID:	401356102124401
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NE SW 18	3 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4457258.0	Easting (UTM x): 737131.4 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.232212	-102.212694
Surface Elevation (ft):	3705.58	Top Perforated Interval (ft):	
		Base of grout (ft):	
Well depth (ft):	87	Bottom Perforated Interval (ft):	
Aquifer(s):			

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/6/2007			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	CURE BROTHERS	Owner:	CURE LAND LLC
Permit #:	13511 - F -	Location #:	SB00304324CBD
		USGS Site ID:	401230102075000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NW SE 24	3 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4455050.6	Easting (UTM x): 744372.1 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.210269	-102.128524
Surface Elevation (ft):	3635.56	Top Perforated Interval (ft):	80
		Base of grout (ft):	
Well depth (ft):	310	Bottom Perforated Interval (ft):	310
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.60
5 year: -3.10
10 year: -7.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	67.20	3568.36	-1.70
2/13/2006	68.00	3567.56	-0.80
4/6/2007	70.10	3565.46	-2.10
2/11/2008	70.40	3565.16	-0.30
4/12/2009	70.70	3564.86	-0.30
12/27/2009	71.30	3564.26	-0.60
2/9/2011	71.60	3563.96	-0.30
3/1/2012	71.90	3563.66	-0.30
3/1/2013	73.40	3562.16	-1.50
2/25/2014	73.80	3561.76	-0.40
2/11/2015	74.40	3561.16	-0.60

All Historic Measurements




Well Name:	DOKE	Owner:	MUNDELL JOHN
Permit #:	15042 - F -	Location #:	SB00304326DBA
		USGS Site ID:	401150102082500
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE NW NE 26	3 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4453603.7	Easting (UTM x): 743543.0 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.197491	-102.138802
Surface Elevation (ft):	3642.56	Top Perforated Interval (ft):	120
		Base of grout (ft):	
Well depth (ft):	268	Bottom Perforated Interval (ft):	268
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.60
5 year: -3.80
10 year: -8.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	58.30	3584.26	-1.40
2/13/2006	58.60	3583.96	-0.30
4/6/2007	61.30	3581.26	-2.70
2/11/2008	61.90	3580.66	-0.60
4/12/2009	63.10	3579.46	-1.20
12/27/2009	63.20	3579.36	-0.10
2/9/2011	63.80	3578.76	-0.60
3/1/2012	63.50	3579.06	0.30
3/1/2013	65.00	3577.56	-1.50
2/25/2014	65.40	3577.16	-0.40
2/11/2015	67.00	3575.56	-1.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	DOKE, WILLIAM	Owner:	DOKE WILLIAM F
Permit #:	21000 - F -	Location #:	SB00304332AAB
		USGS Site ID:	401128102113801
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NE NW 32	3 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4452743.3	Easting (UTM x): 738835.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.191101	-102.194360
Surface Elevation (ft):	3679.57	Top Perforated Interval (ft):	227
		Base of grout (ft):	
Well depth (ft):	326	Bottom Perforated Interval (ft):	326
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.40
5 year: -4.40
10 year: -11.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	67.30	3612.27	-2.20
2/13/2006	69.70	3609.87	-2.40
4/6/2007	72.30	3607.27	-2.60
2/11/2008	73.00	3606.57	-0.70
4/12/2009	73.80	3605.77	-0.80
12/27/2009	74.20	3605.37	-0.40
2/9/2011	74.60	3604.97	-0.40
3/1/2012	75.20	3604.37	-0.60
3/1/2013	76.40	3603.17	-1.20
2/25/2014	77.20	3602.37	-0.80
2/11/2015	78.60	3600.97	-1.40

All Historic Measurements




Well Name:	BLEDSON	Owner:	BLEDSON HENRY
Permit #:	18775 - F -	Location #:	SB00304426B
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW 26	3 N	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line: 1200 W
UTM Coordinates (NAD83):	Northing (UTM y)	4453690.0	Easting (UTM x): 733148.8 <i>Spotted from section lines</i>
Latitude/Longitude (decimal degrees):		40.201220	-102.260750
Surface Elevation (ft):	3717	Top Perforated Interval (ft):	150
		Base of grout (ft):	
Well depth (ft):	360	Bottom Perforated Interval (ft):	343
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.40
5 year: -5.10
10 year: -8.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2005	70.80	3646.20	0.00
2/13/2006	71.60	3645.40	-0.80
4/6/2007	73.40	3643.60	-1.80
2/11/2008	74.90	3642.10	-1.50
1/1/2009			
12/27/2009	74.60	3642.40	
2/9/2011	75.20	3641.80	-0.60
3/1/2012	75.60	3641.40	-0.40
3/1/2013	76.80	3640.20	-1.20
2/25/2014	77.30	3639.70	-0.50
2/11/2015	79.70	3637.30	-2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: UNKNOWN-REPLACES BLEDSOE

Owner:

Permit #: - - **Location #:** SB00304426CA

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NE 26 3 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4453173.0 Easting (UTM x): 733393.8 Spotted from quarters
Latitude/Longitude (decimal degrees): 40.196500 -102.258062

Surface Elevation (ft): 3740 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -1.80
Aquifer(s): **5 year:** -7.20
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/15/2009	83.00	3657.00	
12/27/2009	84.20	3655.80	-1.20
2/9/2011	84.70	3655.30	-0.50
3/1/2012	85.00	3655.00	-0.30
3/2/2013	89.00	3651.00	-4.00
2/25/2014	89.60	3650.40	-0.60
2/11/2015	91.40	3648.60	-1.80

All Historic Measurements



Well Name: HEMPHILL

Owner: COUNTRY ACRES

Permit #: 12608 - F - **Location #:** SB00304501BCB

USGS Site ID: 401540102212000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SW NW 1 3 N 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4459963.1 Easting (UTM x): 724678.0 User supplied
Latitude/Longitude (decimal degrees): 40.259989 -102.357976

Surface Elevation (ft): 3802.64 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 372 **Bottom Perforated Interval (ft):** 372 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** -2.80
10 year: -7.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	112.40	3690.24	-1.70
2/13/2006	113.70	3688.94	-1.30
4/5/2007	115.80	3686.84	-2.10
2/12/2008	116.40	3686.24	-0.60
4/15/2009	116.90	3685.74	-0.50
12/27/2009	117.30	3685.34	-0.40
2/15/2011	116.20	3686.44	1.10
3/2/2012	116.70	3685.94	-0.50
3/2/2013	118.00	3684.64	-1.30
2/25/2014	118.50	3684.14	-0.50
2/3/2015	120.10	3682.54	-1.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	COUNTRY ACRES	Owner:	COUNTRY ACRES
Permit #:	12601 - F -	Location #:	SB00304502CCA
		USGS Site ID:	401510102222000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW NE 2	3 N	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4459185.1	Easting (UTM x): 723424.2 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.253322	-102.372976
Surface Elevation (ft):	3815.65	Top Perforated Interval (ft):	120
		Base of grout (ft):	
Well depth (ft):	345	Bottom Perforated Interval (ft):	345
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.60
5 year: -4.20
10 year: -12.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	119.10	3696.55	-1.00
2/13/2006	121.10	3694.55	-2.00
4/5/2007	123.40	3692.25	-2.30
2/12/2008	125.60	3690.05	-2.20
4/15/2009	126.80	3688.85	-1.20
12/27/2009	127.00	3688.65	-0.20
2/15/2011	127.00	3688.65	0.00
3/2/2012	127.60	3688.05	-0.60
3/2/2013	129.00	3686.65	-1.40
2/25/2014	130.60	3685.05	-1.60
2/3/2015	131.20	3684.45	-0.60

All Historic Measurements




Well Name:	ROTH	Owner:	FRASIER MELVIN
Permit #:	12605 - F -	Location #:	SB00304513BAC
		USGS Site ID:	401400102212000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NE SW 13	3 N	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4456827.5	Easting (UTM x): 725102.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.231655	-102.354087
Surface Elevation (ft):	3800.64	Top Perforated Interval (ft):	130
		Base of grout (ft):	
Well depth (ft):	354	Bottom Perforated Interval (ft):	354
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.60
5 year: -3.70
10 year: -8.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	108.60	3692.04	-1.80
2/13/2006	110.00	3690.64	-1.40
4/5/2007	111.70	3688.94	-1.70
2/12/2008	112.30	3688.34	-0.60
1/1/2009			
12/27/2009	113.30	3687.34	
2/15/2011	114.00	3686.64	-0.70
3/2/2012	114.50	3686.14	-0.50
3/2/2013	115.60	3685.04	-1.10
2/25/2014	116.40	3684.24	-0.80
2/3/2015	117.00	3683.64	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: NEWBANKS, JOHN

Owner:

Permit #: 138403 - -

Location #: SB00304530DDD2

USGS Site ID: 401140102260302

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SE 30 3 N 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4452493.9 Easting (UTM x): 718367.9 User supplied
Latitude/Longitude (decimal degrees): 40.194433 -102.434645


Surface Elevation (ft): 3866.68 **Top Perforated Interval (ft):** 295 **Base of grout (ft):**
Well depth (ft): 111 **Bottom Perforated Interval (ft):** 335
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.60
5 year: 17.00
10 year: 12.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/13/2006	113.50	3753.18	0.20
4/5/2007	115.50	3751.18	-2.00
2/12/2008	117.50	3749.18	-2.00
4/15/2009	118.40	3748.28	-0.90
12/27/2009	118.60	3748.08	-0.20
2/15/2011	96.90	3769.78	21.70
3/2/2012	97.00	3769.68	-0.10
3/2/2013	99.30	3767.38	-2.30
2/25/2014	100.00	3766.68	-0.70
2/3/2015	101.60	3765.08	-1.60

All Historic Measurements



Well Name: BROPHY, T.

Owner: BROPHY THOMAS

Permit #: 12811 - F -

Location #: SB00304604CAC

USGS Site ID: 401520102312000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE SW 4 3 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4458970.2 Easting (UTM x): 710613.7 User supplied
Latitude/Longitude (decimal degrees): 40.254709 -102.523535


Surface Elevation (ft): 3924.72 **Top Perforated Interval (ft):** 204 **Base of grout (ft):**
Well depth (ft): 335 **Bottom Perforated Interval (ft):** 335
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	163.50	3761.22	-2.50
12/21/2005	164.70	3760.02	-1.20
4/5/2007	165.80	3758.92	-1.10
2/12/2008	167.00	3757.72	-1.20
1/1/2009			

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	OESTMAN			Owner:	NEUSCHWANGER FLOYD		
Permit #:	11945 - FP -	Location #:	SB00304616DAC	USGS Site ID:	401330102305000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NE SW 16	3 N	46 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4455693.2	Easting (UTM x):	711509.5	User supplied		
Latitude/Longitude (decimal degrees):	40.224987		-102.514091				
Surface Elevation (ft):	3919.72	Top Perforated Interval (ft):	120	Base of grout (ft):	Water Level Change		
Well depth (ft):	370	Bottom Perforated Interval (ft):	370		1 year: -1.30		
Aquifer(s):	OGALLALA				5 year: -4.50		
					10 year: -18.80		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	143.00	3776.72	-0.40
12/21/2005	146.40	3773.32	-3.40
4/6/2007	153.90	3765.82	-7.50
2/12/2008	155.00	3764.72	-1.10
4/12/2009	156.50	3763.22	-1.50
12/27/2009	157.30	3762.42	-0.80
2/15/2011	157.50	3762.22	-0.20
3/2/2012	158.90	3760.82	-1.40
3/2/2013	159.80	3759.92	-0.90
2/25/2014	160.50	3759.22	-0.70
2/3/2015	161.80	3757.92	-1.30

All Historic Measurements




Well Name:	WARD, A. & SON			Owner:	WARD ALFRED & SON		
Permit #:	10603 - F -	Location #:	SB00304617CBD	USGS Site ID:	401330102324000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NW SE 17	3 N	46 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4455565.0	Easting (UTM x):	709123.9	User supplied		
Latitude/Longitude (decimal degrees):	40.224431		-102.542147				
Surface Elevation (ft):	3935.73	Top Perforated Interval (ft):	120	Base of grout (ft):	Water Level Change		
Well depth (ft):	372	Bottom Perforated Interval (ft):	372		1 year: 0.20		
Aquifer(s):	OGALLALA				5 year: -1.10		
					10 year: -8.70		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	152.10	3783.63	-3.00
12/21/2005	154.80	3780.93	-2.70
4/5/2007	156.40	3779.33	-1.60
2/12/2008	158.60	3777.13	-2.20
4/12/2009	159.80	3775.93	-1.20
12/27/2009	159.70	3776.03	0.10
2/15/2011	159.40	3776.33	0.30
3/2/2012	159.70	3776.03	-0.30
3/2/2013	161.00	3774.73	-1.30
2/25/2014	161.00	3774.73	0.00
2/3/2015	160.80	3774.93	0.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	NEWBANKS, J.			Owner:	NEWBANKS JOHN		
Permit #:	14047 - F -	Location #:	SB00304623BDC	USGS Site ID:	401300102290000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SE SW 23	3 N	46 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4454808.1	Easting (UTM x):	714042.2	User supplied		
Latitude/Longitude (decimal degrees):	40.216377		-102.484646				
Surface Elevation (ft):	3906.7	Top Perforated Interval (ft):	140	Base of grout (ft):	Water Level Change		
Well depth (ft):	368	Bottom Perforated Interval (ft):	368	1 year: -1.60			
Aquifer(s):	OGALLALA			5 year: -5.90			
				10 year: -12.30			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	139.80	3766.90	-2.10
12/21/2005	142.50	3764.20	-2.70
4/6/2007	143.70	3763.00	-1.20
2/12/2008	145.20	3761.50	-1.50
4/15/2009	146.00	3760.70	-0.80
12/27/2009	146.20	3760.50	-0.20
1/1/2011			
3/2/2012	146.90	3759.80	
3/2/2013	150.30	3756.40	-3.40
2/25/2014	150.50	3756.20	-0.20
2/3/2015	152.10	3754.60	-1.60

All Historic Measurements




Well Name:	SANDHILLS GW MGMT DISTRICT			Owner:	SAND HILLS GROUNDWATER MGMT DIST		
Permit #:	271650 - -	Location #:	SB00404204BC	USGS Site ID:			
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW 4	4 N	42 W	S	From N/S line: 2250 N From E/W line: 40 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4470278.5	Easting (UTM x):	748357.7	Spotted from section lines		
Latitude/Longitude (decimal degrees):	40.346113		-102.075847				
Surface Elevation (ft):	3602	Top Perforated Interval (ft):	210	Base of grout (ft):	Water Level Change		
Well depth (ft):	360	Bottom Perforated Interval (ft):	350	1 year: 0.10			
Aquifer(s):	OGALLALA			5 year: -4.60			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/4/2007	83.50	3518.50	
2/11/2008	84.60	3517.40	-1.10
4/10/2009	85.30	3516.70	-0.70
12/30/2009	86.00	3516.00	-0.70
1/21/2011	86.30	3515.70	-0.30
3/1/2012	87.20	3514.80	-0.90
3/4/2013	90.00	3512.00	-2.80
2/21/2014	90.70	3511.30	-0.70
2/11/2015	90.60	3511.40	0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: SPRAGUE, LEO

Owner: SPRAGUE FARMS

Permit #: 13214 - F -

Location #: SB00404217DAC

USGS Site ID: 401840102050000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE NE SW 17 4 N 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4466440.4 Easting (UTM x): 748091.6 User supplied
Latitude/Longitude (decimal degrees): 40.311659 -102.080466

Surface Elevation (ft): 3601.52 **Top Perforated Interval (ft):** 145 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 385 **Bottom Perforated Interval (ft):** 385 **1 year:** -1.40
Aquifer(s): OGALLALA **5 year:** -5.30
10 year: -11.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	69.10	3532.42	-5.70
2/1/2006	69.40	3532.12	-0.30
4/4/2007	71.50	3530.02	-2.10
2/11/2008	72.40	3529.12	-0.90
1/1/2009			
12/30/2009	75.70	3525.82	
1/21/2011	76.40	3525.12	-0.70
3/1/2012	77.00	3524.52	-0.60
3/1/2013	79.00	3522.52	-2.00
2/21/2014	79.60	3521.92	-0.60
2/11/2015	81.00	3520.52	-1.40

All Historic Measurements



Well Name: DODGE FARMS

Owner: DODGE FARM LLC

Permit #: 19292 - FP -

Location #: SB00404301

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
1 4 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4469928.0 Easting (UTM x): 744768.0 Digitized
Latitude/Longitude (decimal degrees): 40.344020 -102.118195

Surface Elevation (ft): 3639 **Top Perforated Interval (ft):** 143 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** 338 **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:** -3.70
10 year: -10.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	87.00	3552.00	-2.40
2/1/2006	87.90	3551.10	-0.90
4/4/2007	90.90	3548.10	-3.00
2/11/2008	92.50	3546.50	-1.60
4/17/2009	93.30	3545.70	-0.80
12/30/2009	93.50	3545.50	-0.20
1/21/2011	94.00	3545.00	-0.50
3/1/2012	94.70	3544.30	-0.70
3/1/2013	95.50	3543.50	-0.80
2/21/2014	96.70	3542.30	-1.20
2/11/2015	97.20	3541.80	-0.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	G L G INC.			Owner:	HASKELL COUNTY FARMS		
Permit #:	11534 - F	-		Location #:	SB00404302AAC	USGS Site ID:	402050102082000
Division:	1			Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10	Section	Twtnshp	Range	PM	Distance from section lines:	
	NE NE SW	2	4 N	43 W S		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)		4470354.4	Easting (UTM x):		743167.3	User supplied
Latitude/Longitude (decimal degrees):			40.348325			-102.136856	
Surface Elevation (ft):	3636.54	Top Perforated Interval (ft):	120	Base of grout (ft):		Water Level Change	
Well depth (ft):	335	Bottom Perforated Interval (ft):	335			1 year:	0.20
Aquifer(s):	OGALLALA					5 year:	-0.50
						10 year:	-5.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	88.20	3548.34	-2.50
2/1/2006	89.70	3546.84	-1.50
4/4/2007	91.10	3545.44	-1.40
2/11/2008	92.60	3543.94	-1.50
4/17/2009	93.00	3543.54	-0.40
12/30/2009	93.60	3542.94	-0.60
1/21/2011	93.10	3543.44	0.50
3/1/2012	93.70	3542.84	-0.60
3/1/2013	94.10	3542.44	-0.40
2/21/2014	94.30	3542.24	-0.20
2/11/2015	94.10	3542.44	0.20

All Historic Measurements




Well Name:	WISDOM.			Owner:	LENZ MARGARET E		
Permit #:	5492 - F	-		Location #:	SB00404315CCB	USGS Site ID:	401840102100000
Division:	1			Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10	Section	Twtnshp	Range	PM	Distance from section lines:	
	SW SW NW	15	4 N	43 W S		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)		4465916.5	Easting (UTM x):		740522.1	User supplied
Latitude/Longitude (decimal degrees):			40.309158			-102.169636	
Surface Elevation (ft):	3656.56	Top Perforated Interval (ft):	150	Base of grout (ft):		Water Level Change	
Well depth (ft):	204	Bottom Perforated Interval (ft):	204			1 year:	-1.80
Aquifer(s):	OGALLALA					5 year:	-3.80
						10 year:	-10.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	80.30	3576.26	-3.70
2/1/2006	80.10	3576.46	0.20
4/4/2007	83.60	3572.96	-3.50
2/11/2008	84.30	3572.26	-0.70
4/17/2009	86.20	3570.36	-1.90
12/30/2009	86.80	3569.76	-0.60
1/21/2011	86.80	3569.76	0.00
3/1/2012	82.50	3574.06	4.30
2/25/2013	90.50	3566.06	-8.00
2/21/2014	88.80	3567.76	1.70
2/11/2015	90.60	3565.96	-1.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	TATE	Owner:	KRAMER MARIE L
Permit #:	14114 - FP -	Location #:	SB00404318CAD
		USGS Site ID:	401845102131000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NE SE 18	4 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4466151.0	Easting (UTM x): 736237.2 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.312490	-102.219915	
Surface Elevation (ft):	3711.59	Top Perforated Interval (ft):	265
		Base of grout (ft):	
Well depth (ft):	345	Bottom Perforated Interval (ft):	345
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.20
5 year: -2.90
10 year: -8.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	96.00	3615.59	-2.30
2/1/2006	98.20	3613.39	-2.20
4/4/2007	100.30	3611.29	-2.10
2/11/2008	100.90	3610.69	-0.60
1/1/2009			
12/30/2009	101.70	3609.89	
1/21/2011	101.50	3610.09	0.20
3/1/2012	102.80	3608.79	-1.30
2/25/2013	103.00	3608.59	-0.20
2/21/2014	103.40	3608.19	-0.40
2/11/2015	104.60	3606.99	-1.20

All Historic Measurements




Well Name:	CURE	Owner:	CURE LAND LLC
Permit #:	16920 - FP -	Location #:	SB00404327ADB
		USGS Site ID:	401730102092000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SE NW 27	4 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4463707.7	Easting (UTM x): 741916.6 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.288880	-102.154080	
Surface Elevation (ft):	3661.56	Top Perforated Interval (ft):	
		Base of grout (ft):	
Well depth (ft):	365	Bottom Perforated Interval (ft):	
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.60
5 year: -1.90
10 year: -5.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	95.60	3565.96	-2.50
2/1/2006	97.40	3564.16	-1.80
4/4/2007			
2/11/2008	97.90	3563.66	
4/17/2009	98.70	3562.86	-0.80
12/30/2009	98.90	3562.66	-0.20
1/21/2011	98.40	3563.16	0.50
3/1/2012	100.20	3561.36	-1.80
2/25/2013	100.70	3560.86	-0.50
2/21/2014	101.40	3560.16	-0.70
2/11/2015	100.80	3560.76	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	DODGE FARMS	Owner:	DODGE FARMS
Permit #:	14431 - FP -	Location #:	SB00404328CDC
		USGS Site ID:	401700102111000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SE SW 28	4 N	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4462518.1	Easting (UTM x): 739472.1 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.278879	-102.183248
Surface Elevation (ft):	3663.57	Top Perforated Interval (ft):	270
		Base of grout (ft):	
Well depth (ft):	370	Bottom Perforated Interval (ft):	370
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.80
5 year: -4.60
10 year: -10.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	71.20	3592.37	-2.00
2/1/2006	72.40	3591.17	-1.20
4/4/2007	74.10	3589.47	-1.70
2/11/2008	76.30	3587.27	-2.20
4/17/2009	75.70	3587.87	0.60
12/30/2009	76.60	3586.97	-0.90
1/21/2011	77.00	3586.57	-0.40
3/1/2012	77.60	3585.97	-0.60
2/25/2013	79.60	3583.97	-2.00
2/21/2014	80.40	3583.17	-0.80
2/11/2015	81.20	3582.37	-0.80

All Historic Measurements




Well Name:	AGRI-VAL/ HENDRIX	Owner:	HENDRIX JAMES B
Permit #:	11476 - F -	Location #:	SB00404401BCB
		USGS Site ID:	402050102144000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW NW 1	4 N	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4469943.1	Easting (UTM x): 734110.5 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.347213	-102.243526
Surface Elevation (ft):	3733.6	Top Perforated Interval (ft):	125
		Base of grout (ft):	
Well depth (ft):	345	Bottom Perforated Interval (ft):	345
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.70
5 year: -2.80
10 year: -11.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	115.00	3618.60	-2.10
1/11/2006			
4/4/2007	119.70	3613.90	
2/12/2008	121.80	3611.80	-2.10
1/1/2009			
12/30/2009	124.00	3609.60	
2/15/2011	122.80	3610.80	1.20
3/1/2012			
3/1/2013	125.10	3608.50	
2/21/2014	125.10	3608.50	0.00
2/11/2015	126.80	3606.80	-1.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	EINSPAHR, G							Owner:	CERES LAND CO			
Permit #:	16070 - FP -			Location #:			SB00404406A			USGS Site ID:		
Division:	1			Water District:			65			County: YUMA		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:				
	NE			6	4 N	44	W S	From N/S line:			From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)			4469828.3			Easting (UTM x):			727111.2 <i>Spotted from quarters</i>		
Latitude/Longitude (decimal degrees):				40.348114						-102.325892		
Surface Elevation (ft):	3785			Top Perforated Interval (ft):			Base of grout (ft):			Water Level Change		
Well depth (ft):	376			Bottom Perforated Interval (ft):						1 year: -0.40		
Aquifer(s):	OGALLALA									5 year: -2.40		
										10 year: -11.80		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	142.20	3642.80	-2.70
1/18/2006	144.00	3641.00	-1.80
4/4/2007	146.20	3638.80	-2.20
2/11/2008			
1/1/2009			
12/30/2009	151.60	3633.40	
2/15/2011	152.00	3633.00	-0.40
3/1/2012	152.60	3632.40	-0.60
3/1/2013	153.70	3631.30	-1.10
2/21/2014	153.60	3631.40	0.10
2/11/2015	154.00	3631.00	-0.40

All Historic Measurements




Well Name:		BLECHA, HARRY					Owner:		BLECHA DAVID STUART		
Permit #:		6507 - F -			Location #:		SB00404414DCD		USGS Site ID: 401830102152000		
Division:		1			Water District:		65		County: YUMA		
Location:		Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:		
		SE	SW	SE	14	4 N	44	W S	From N/S line:		From E/W line:
UTM Coordinates (NAD83):		Northing (UTM y)			4465509.6		Easting (UTM x):		733492.3 <i>User supplied</i>		
Latitude/Longitude (decimal degrees):					40.307490				-102.252417		
Surface Elevation (ft):		3706.6			Top Perforated Interval (ft):		225		Base of grout (ft):		Water Level Change
Well depth (ft):		319			Bottom Perforated Interval (ft):		325				1 year: -0.80
Aquifer(s):		OGALLALA									5 year: -6.60
											10 year: -15.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	85.30	3621.30	-3.10
2/1/2006	87.20	3619.40	-1.90
4/4/2007	89.20	3617.40	-2.00
2/11/2008	91.40	3615.20	-2.20
4/15/2009	93.30	3613.30	-1.90
12/30/2009	93.80	3612.80	-0.50
2/15/2011	95.30	3611.30	-1.50
3/2/2012	96.10	3610.50	-0.80
2/25/2013	98.80	3607.80	-2.70
2/21/2014	99.60	3607.00	-0.80
2/11/2015	100.40	3606.20	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SB00404417DDA1

USGS Site ID: 401834102180701


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE NE 17 4 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4465594.7 Easting (UTM x): 729236.1 *User supplied*
Latitude/Longitude (decimal degrees): 40.309434 -102.302417

Surface Elevation (ft): 3748.62 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 100 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006			
4/4/2007			

All Historic Measurements



Well Name: BEAVERS

Owner: DENNY JAY LLLP

Permit #: 13259 - F -

Location #: SB00404435DBD

USGS Site ID: 401610102150000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW SE 35 4 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4461137.2 Easting (UTM x): 733840.7 *User supplied*
Latitude/Longitude (decimal degrees): 40.268045 -102.249918

Surface Elevation (ft): 3724.59 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 360 **Bottom Perforated Interval (ft):** 360 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -8.90
10 year: -15.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	87.70	3636.89	-1.50
2/13/2006	89.60	3634.99	-1.90
4/4/2007	91.40	3633.19	-1.80
2/11/2008	92.90	3631.69	-1.50
4/17/2009	93.40	3631.19	-0.50
12/30/2009	94.70	3629.89	-1.30
2/15/2011	94.20	3630.39	0.50
3/1/2012			
2/25/2013	103.40	3621.19	
2/21/2014	103.20	3621.39	0.20
2/11/2015	103.60	3620.99	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name: BROPHY		Owner:	
Permit #:	- -	Location #: SB00404514CCD	USGS Site ID: 401830102221000
Division:	1	Water District:	65 County: YUMA
Location:	Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:		
	SW SW SE 14 4 N 45 W S From N/S line:	From E/W line:	
UTM Coordinates (NAD83): Northing (UTM y) 4465298.6 Easting (UTM x): 723502.9 <i>User supplied</i>			
Latitude/Longitude (decimal degrees):		40.308322 -102.369919	
Surface Elevation (ft):	3807.66	Top Perforated Interval (ft):	Base of grout (ft):
Well depth (ft):	140	Bottom Perforated Interval (ft):	
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.00
5 year: -5.40
10 year: -11.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	124.20	3683.46	0.60
2/1/2006	127.80	3679.86	-3.60
4/5/2007			
2/12/2008	128.00	3679.66	
4/15/2009	129.50	3678.16	-1.50
12/27/2009	129.80	3677.86	-0.30
1/1/2011			
3/1/2012			
3/2/2013	134.40	3673.26	
2/21/2014	135.20	3672.46	-0.80
2/3/2015	135.20	3672.46	0.00

All Historic Measurements




Well Name: BROPHY, THOMAS E.		Owner: BROPHY BROTHERS RANCH	
Permit #:	100241 - -	Location #: SB00404517CAD2	USGS Site ID: 401847102252902
Division:	1	Water District:	65 County: YUMA
Location:	Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:		
	SW NE SE 17 4 N 45 W S From N/S line:	From E/W line:	
UTM Coordinates (NAD83): Northing (UTM y) 4465684.7 Easting (UTM x): 718789.6 <i>User supplied</i>			
Latitude/Longitude (decimal degrees):		40.313044 -102.425197	
Surface Elevation (ft):	3851.68	Top Perforated Interval (ft):	205 Base of grout (ft):
Well depth (ft):	235	Bottom Perforated Interval (ft):	235
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	158.00	3693.68	-1.70
2/1/2006	159.40	3692.28	-1.40
4/5/2007	162.00	3689.68	-2.60
2/12/2008	162.50	3689.18	-0.50
1/1/2009			
12/27/2009	165.20	3686.48	
2/15/2011	162.50	3689.18	2.70
3/2/2012	163.10	3688.58	-0.60
3/2/2013	163.50	3688.18	-0.40
2/21/2014	164.00	3687.68	-0.50
2/11/2015			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	KITZMILLER	Owner:	
Permit #:	33410 - -	Location #:	SB00404533
USGS Site ID:			
Division:	1	Water District:	65
County:	YUMA		
Location:	Q160 Q40 Q10	Section:	33
Twnshp:	4 N	Range:	45 W S
PM:		Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	4461150.0	Easting (UTM x): 720579.7 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.271761	-102.405713	
Surface Elevation (ft):	3850	Top Perforated Interval (ft):	96
Well depth (ft):	190	Bottom Perforated Interval (ft):	190
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -5.00
5 year: -8.10
10 year: -12.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	148.70	3701.30	-1.60
2/13/2006	150.10	3699.90	-1.40
4/5/2007	152.50	3697.50	-2.40
2/12/2008	153.10	3696.90	-0.60
4/12/2009	153.70	3696.30	-0.60
12/27/2009	153.30	3696.70	0.40
2/15/2011	154.20	3695.80	-0.90
3/2/2012	154.10	3695.90	0.10
3/3/2013	155.20	3694.80	-1.10
2/21/2014	156.40	3693.60	-1.20
2/3/2015	161.40	3688.60	-5.00

All Historic Measurements




Well Name:	YOUNG	Owner:	HOTALING BERDINA L & YOUNG KATHY
Permit #:	11850 - F -	Location #:	SB00504207AAC
USGS Site ID:	402510102043000		
Division:	1	Water District:	65
County:	YUMA		
Location:	Q160 Q40 Q10	Section:	7
Twnshp:	5 N	Range:	42 W S
PM:		Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	4478666.1	Easting (UTM x): 748089.0 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.421660	-102.075742	
Surface Elevation (ft):	3576.5	Top Perforated Interval (ft):	225
Well depth (ft):	330	Bottom Perforated Interval (ft):	325
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.70
5 year: -3.40
10 year: -7.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	66.60	3509.90	-2.40
1/11/2006	68.40	3508.10	-1.80
4/4/2007	69.30	3507.20	-0.90
2/11/2008	70.40	3506.10	-1.10
1/1/2009			
2/10/2010	70.90	3505.60	
1/21/2011	71.70	3504.80	-0.80
3/1/2012	73.00	3503.50	-1.30
3/1/2013	73.40	3503.10	-0.40
2/21/2014	75.00	3501.50	-1.60
2/11/2015	74.30	3502.20	0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: THOMPSON, G.L.

Owner: THOMPSON G L & M

Permit #: 10451 - FP -

Location #: SB00504229CAA

USGS Site ID: 402220102035000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE NE 29 5 N 42 W S From N/S line: 1310 S From E/W line: 1310 W
UTM Coordinates (NAD83): Northing (UTM y) 4473208.7 Easting (UTM x): 749237.8 User supplied
Latitude/Longitude (decimal degrees): 40.372215 -102.064353

Surface Elevation (ft): 3598.48 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** 340 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -6.40
10 year: -12.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	71.30	3527.18	-3.10
2/1/2006	72.80	3525.68	-1.50
4/4/2007	75.10	3523.38	-2.30
2/11/2008	75.50	3522.98	-0.40
1/1/2009			
2/10/2010	77.80	3520.68	
1/21/2011	78.60	3519.88	-0.80
3/1/2012	79.70	3518.78	-1.10
3/1/2013	81.80	3516.68	-2.10
2/21/2014	83.40	3515.08	-1.60
2/11/2015	84.20	3514.28	-0.80

All Historic Measurements



Well Name: BENEDETTI

Owner: REDI FARMS

Permit #: 16216 - RFP -

Location #: SB00504231CCA

USGS Site ID: 402120102050000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 31 5 N 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4471334.5 Easting (UTM x): 747646.7 User supplied
Latitude/Longitude (decimal degrees): 40.355826 -102.083798

Surface Elevation (ft): 3602.41 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 216 **Bottom Perforated Interval (ft):** **1 year:** -0.70
Aquifer(s): OGALLALA **5 year:** -6.60
10 year: -12.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	69.90	3532.51	-2.10
2/1/2006	71.10	3531.31	-1.20
4/4/2007	73.00	3529.41	-1.90
2/11/2008	73.50	3528.91	-0.50
4/15/2009	75.30	3527.11	-1.80
2/10/2010	76.00	3526.41	-0.70
1/21/2011	76.70	3525.71	-0.70
3/1/2012	77.60	3524.81	-0.90
3/4/2013	81.30	3521.11	-3.70
2/21/2014	81.90	3520.51	-0.60
2/11/2015	82.60	3519.81	-0.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	BANAKA, H.		Owner:	KRAMER CRAIG A & TERESA J	
Permit #:	12478 - F -	Location #:	SB00504303DDB	USGS Site ID:	402550102075000
Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE SE NW 3	5 N	43 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4479277.0	Easting (UTM x):	743185.0	User supplied
Latitude/Longitude (decimal degrees):		40.428604		-102.133243	
Surface Elevation (ft):	3626.53	Top Perforated Interval (ft):	84	Base of grout (ft):	Water Level Change
Well depth (ft):	175	Bottom Perforated Interval (ft):	175		1 year: -0.40
Aquifer(s):	OGALLALA				5 year: -8.00
					10 year: -17.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	78.10	3548.43	-0.70
1/25/2006	82.00	3544.53	-3.90
4/4/2007	83.40	3543.13	-1.40
2/11/2008	85.00	3541.53	-1.60
4/15/2009	87.00	3539.53	-2.00
2/10/2010	87.20	3539.33	-0.20
1/21/2011	87.00	3539.53	0.20
3/1/2012			
3/1/2013	93.60	3532.93	
2/21/2014	94.80	3531.73	-1.20
2/11/2015	95.20	3531.33	-0.40

All Historic Measurements




Well Name:	HAYES, S&R		Owner:	HAYES STEVE & RONDA & DEBORAH CAL	
Permit #:	3592 - F -	Location #:	SB00504314ADC	USGS Site ID:	402400102073000
Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE SE SW 14	5 N	43 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4476495.0	Easting (UTM x):	744974.6	User supplied
Latitude/Longitude (decimal degrees):		40.403048		-102.113243	
Surface Elevation (ft):	3626.53	Top Perforated Interval (ft):	153	Base of grout (ft):	Water Level Change
Well depth (ft):	253	Bottom Perforated Interval (ft):	253		1 year: -0.90
Aquifer(s):	OGALLALA				5 year: -6.40
					10 year: -12.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	89.50	3537.03	-2.70
1/11/2006	91.90	3534.63	-2.40
4/4/2007	92.00	3534.53	-0.10
2/11/2008	94.30	3532.23	-2.30
1/1/2009			
2/10/2010	95.40	3531.13	
1/21/2011	95.80	3530.73	-0.40
3/1/2012	96.50	3530.03	-0.70
3/1/2013	98.90	3527.63	-2.40
2/21/2014	100.90	3525.63	-2.00
2/11/2015	101.80	3524.73	-0.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	ORTNER, T.	Owner:	ORTNER TIMOTHY E & MARIANE V
Permit #:	19950 - FP -	Location #:	SB00504323B
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW 23 5 N	43 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4475263.6	Easting (UTM x): 744215.8 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.392191	-102.122646	
Surface Elevation (ft):	3628	Top Perforated Interval (ft):	180
		Base of grout (ft):	
Well depth (ft):	340	Bottom Perforated Interval (ft):	340
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.80
5 year: -7.20
10 year: -17.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	71.20	3556.80	-0.50
1/11/2006	74.20	3553.80	-3.00
4/4/2007	79.50	3548.50	-5.30
2/11/2008	80.50	3547.50	-1.00
1/1/2009			
2/10/2010	81.20	3546.80	
1/1/2011			
3/1/2012	83.40	3544.60	
3/1/2013	86.60	3541.40	-3.20
2/21/2014	87.60	3540.40	-1.00
2/11/2015	88.40	3539.60	-0.80

All Historic Measurements




Well Name:	GRAHAM	Owner:	GRAHAM JERRY
Permit #:	20293 - R -	Location #:	SB00504324DDA
		USGS Site ID:	402300102054000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE SE NE 24 5 N	43 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4474520.0	Easting (UTM x): 746880.6 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.384715	-102.091576	
Surface Elevation (ft):	3602.91	Top Perforated Interval (ft):	
		Base of grout (ft):	
Well depth (ft):	340	Bottom Perforated Interval (ft):	
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.10
5 year: -5.40
10 year: -11.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	70.40	3532.51	-2.30
2/1/2006	71.70	3531.21	-1.30
4/4/2007	73.30	3529.61	-1.60
2/11/2008	74.60	3528.31	-1.30
1/1/2009			
2/10/2010	76.60	3526.31	
1/21/2011	77.20	3525.71	-0.60
3/1/2012	77.00	3525.91	0.20
3/1/2013	79.30	3523.61	-2.30
2/21/2014	79.90	3523.01	-0.60
2/11/2015	82.00	3520.91	-2.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	BRINKEMA			Owner:	BRINKEMA HARRY		
Permit #:	23466 - F	-	Location #:	SB00504403CAA	USGS Site ID:	402554102151701	
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW NE NE	3	5 N	44 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4479287.2	Easting (UTM x):		732828.4 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.431658			-102.255191	
Surface Elevation (ft):	3736.59	Top Perforated Interval (ft):	128	Base of grout (ft):	Water Level Change		
Well depth (ft):	228	Bottom Perforated Interval (ft):	228	1 year: -1.30			
Aquifer(s):	OGALLALA			5 year: -4.20			
				10 year: -10.20			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	129.00	3607.59	8.00
1/18/2006	131.70	3604.89	-2.70
4/3/2007	132.70	3603.89	-1.00
2/12/2008	133.50	3603.09	-0.80
4/10/2009	134.60	3601.99	-1.10
2/10/2010	135.00	3601.59	-0.40
2/15/2011	135.30	3601.29	-0.30
3/2/2012	136.10	3600.49	-0.80
3/1/2013	137.60	3598.99	-1.50
2/21/2014	137.90	3598.69	-0.30
2/11/2015	139.20	3597.39	-1.30

All Historic Measurements




Well Name:	U.S. GOVERNMENT			Owner:			
Permit #:	-	-	Location #:	SB00504428BBA1	USGS Site ID:	402252102163601	
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW NE	28	5 N	44 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4473616.9	Easting (UTM x):		731139.6 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.381102			-102.277137	
Surface Elevation (ft):	3736.61	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	127	Bottom Perforated Interval (ft):		1 year:			
Aquifer(s):				5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	ORTNER-STATE	Owner:	CO BOARD OF LAND COMMISSIONERS
Permit #:	13884 - FP -	Location #:	SB00504436B
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW 36 5 N	44 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4471453.0	Easting (UTM x): 736271.0 <i>Digitized</i>
Latitude/Longitude (decimal degrees):		40.360191	-102.217557
Surface Elevation (ft):	3715	Top Perforated Interval (ft):	190
		Base of grout (ft):	
Well depth (ft):	290	Bottom Perforated Interval (ft):	290
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.20
5 year: -2.60
10 year: -8.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2005	116.50	3598.50	-3.70
1/18/2006	117.10	3597.90	-0.60
4/4/2007	119.10	3595.90	-2.00
2/12/2008	121.10	3593.90	-2.00
1/1/2009			
2/10/2010	122.80	3592.20	
2/14/2011	122.50	3592.50	0.30
3/2/2012	123.00	3592.00	-0.50
3/1/2013	123.50	3591.50	-0.50
2/21/2014	124.20	3590.80	-0.70
2/11/2015	125.40	3589.60	-1.20

All Historic Measurements




Well Name:	WAGNER	Owner:	FIDDLER PEAK RANCH LLLP
Permit #:	21105 - F -	Location #:	SB00504503B
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW 3 5 N	45 W S	
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4479447.0	Easting (UTM x): 722796.6 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		40.435843	-102.373280
Surface Elevation (ft):	3796	Top Perforated Interval (ft):	155
		Base of grout (ft):	
Well depth (ft):	275	Bottom Perforated Interval (ft):	275
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.40
5 year: -4.00
10 year: -7.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	171.60	3624.40	2.30
1/18/2006	172.10	3623.90	-0.50
3/16/2007	172.90	3623.10	-0.80
2/12/2008	174.00	3622.00	-1.10
4/15/2009	175.30	3620.70	-1.30
2/10/2010	175.00	3621.00	0.30
2/15/2011	175.60	3620.40	-0.60
3/2/2012	176.00	3620.00	-0.40
3/2/2013	177.50	3618.50	-1.50
2/21/2014	178.60	3617.40	-1.10
2/3/2015	179.00	3617.00	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	DODGE FARMS	Owner:	SUTTER JOHN A & JAMES T
Permit #:	13523 - F -	Location #:	SB00504504CCA
		USGS Site ID:	402540102233000

Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	SW SW NE	4	5 N	45 W S	
				Distance from section lines:	
				From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4478595.6	Easting (UTM x):	721220.7	User supplied
Latitude/Longitude (decimal degrees):		40.428601		-102.392137	


Surface Elevation (ft):	3816.63	Top Perforated Interval (ft):	205	Base of grout (ft):	
Well depth (ft):	355	Bottom Perforated Interval (ft):	355		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: -0.60
5 year: -3.10
10 year: -9.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	180.70	3635.93	0.20
1/18/2006	182.30	3634.33	-1.60
3/16/2007	183.90	3632.73	-1.60
2/12/2008	185.40	3631.23	-1.50
4/15/2009	187.20	3629.43	-1.80
2/10/2010	186.80	3629.83	0.40
2/15/2011	187.20	3629.43	-0.40
3/2/2012	187.80	3628.83	-0.60
3/2/2013	188.40	3628.23	-0.60
2/21/2014	189.30	3627.33	-0.90
2/3/2015	189.90	3626.73	-0.60

All Historic Measurements



Well Name:	BENNETT	Owner:	BENNETT MICHAEL J SUSAN THOS D ETA
Permit #:	5775 - F -	Location #:	SB00504515CCA
		USGS Site ID:	402350102223000

Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	SW SW NE	15	5 N	45 W S	
				Distance from section lines:	
				From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4474481.4	Easting (UTM x):	722994.0	User supplied
Latitude/Longitude (decimal degrees):		40.391101		-102.372694	


Surface Elevation (ft):	3806.64	Top Perforated Interval (ft):	190	Base of grout (ft):	
Well depth (ft):	250	Bottom Perforated Interval (ft):	250		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: -0.50
5 year: -2.90
10 year: -9.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	168.00	3638.64	-0.50
1/18/2006	170.60	3636.04	-2.60
4/4/2007	171.80	3634.84	-1.20
2/12/2008	173.70	3632.94	-1.90
1/1/2009			
2/10/2010	174.20	3632.44	
3/2/2012	173.70	3632.94	0.50
3/2/2013	176.30	3630.34	-2.60
2/21/2014	176.60	3630.04	-0.30
2/3/2015	177.10	3629.54	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name:	BLED SOE	Owner:	BLED SOE RANCH CO
Permit #:	21858 - F -	Location #:	SB00504515D
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE 15 5 N 45 W S		
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4475431.4	Easting (UTM x): 723779.3 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		40.399440	-102.363117
Surface Elevation (ft):	3800	Top Perforated Interval (ft):	210
		Base of grout (ft):	
Well depth (ft):	380	Bottom Perforated Interval (ft):	360
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	171.90	3628.10	-2.10
1/18/2006	173.80	3626.20	-1.90
4/4/2007	175.70	3624.30	-1.90
2/11/2008	176.50	3623.50	-0.80
1/1/2009			
2/10/2010	176.10	3623.90	
2/15/2011	176.50	3623.50	-0.40
3/2/2012	176.30	3623.70	0.20
3/2/2013	176.60	3623.40	-0.30
2/21/2014	178.00	3622.00	-1.40
2/11/2015			

All Historic Measurements




Well Name:	EINSPAHR	Owner:	EINSPAHR GAYLN
Permit #:	11976 - FP -	Location #:	SB00504534AAB
		USGS Site ID:	402210102215000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NE NW 34 5 N 45 W S		
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4471788.6	Easting (UTM x): 723782.3 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.366656	-102.364361
Surface Elevation (ft):	3786.64	Top Perforated Interval (ft):	175
		Base of grout (ft):	
Well depth (ft):	275	Bottom Perforated Interval (ft):	275
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.70
5 year: -3.50
10 year: -11.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	141.50	3645.14	-2.00
1/18/2006	143.10	3643.54	-1.60
4/4/2007	145.60	3641.04	-2.50
2/11/2008	148.50	3638.14	-2.90
1/1/2009			
2/10/2010	149.70	3636.94	
2/15/2011	149.30	3637.34	0.40
3/2/2012	149.60	3637.04	-0.30
3/2/2013	152.10	3634.54	-2.50
2/21/2014	152.50	3634.14	-0.40
2/3/2015	153.20	3633.44	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name: LETT		Owner: SHINER KIRK A & KRISTINE A	
Permit #:	11965 - F -	Location #: SB00504624CDB	USGS Site ID: 402300102270000
Division:	1	Water District:	65
Location:	Q160 Q40 Q10 Section	County:	YUMA
	SW SE NW 24	Distance from section lines:	
	5 N 46 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y): 4473612.2	Easting (UTM x): 716505.7	User supplied
Latitude/Longitude (decimal degrees):	40.384989	-102.449362	
Surface Elevation (ft):	3853.67	Top Perforated Interval (ft):	252
Well depth (ft):	450	Base of grout (ft):	
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year: -4.40
10 year: -11.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	184.20	3669.47	-2.00
12/21/2005	186.30	3667.37	-2.10
3/16/2007	187.80	3665.87	-1.50
2/11/2008			
1/1/2009			
2/10/2010	191.10	3662.57	
1/1/2011			
3/1/2012			
2/3/2015	195.50	3658.17	

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Central Yuma Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **STAN SHAFER** **Owner:** CENTRAL YUMA CNTY GRND WTR MNMT
Permit #: 214078 - - **Location #:** SB00104326CD **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SE 26 1 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4433808.0 Easting (UTM x): 743668.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.019325 -102.144798

Surface Elevation (ft): 3690 **Top Perforated Interval (ft):** 115 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 160 **Bottom Perforated Interval (ft):** 160 **1 year:** 1.00
Aquifer(s): OGALLALA **5 year:** -2.60
10 year: -6.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2005	98.40	3591.60	-0.80
1/31/2006	99.10	3590.90	-0.70
4/11/2007	99.80	3590.20	-0.70
2/13/2008	102.30	3587.70	-2.50
4/2/2009	102.30	3587.70	0.00
1/12/2010	101.90	3588.10	0.40
1/26/2011	102.40	3587.60	-0.50
2/8/2012	103.30	3586.70	-0.90
2/19/2013	104.10	3585.90	-0.80
2/20/2014	105.50	3584.50	-1.40
2/10/2015	104.50	3585.50	1.00

All Historic Measurements



Well Name: **CARSON** **Owner:** CARSON SHIRLEY
Permit #: 12414 - FP - **Location #:** SB00104331B **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW 31 1 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4433002.0 Easting (UTM x): 737008.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.013969 -102.223038

Surface Elevation (ft): 3801 **Top Perforated Interval (ft):** 260 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 325 **Bottom Perforated Interval (ft):** 325 **1 year:** -3.40
Aquifer(s): OGALLALA **5 year:** -4.00
10 year: -6.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2005	183.00	3618.00	-0.10
2/15/2006	181.80	3619.20	1.20
4/11/2007	185.40	3615.60	-3.60
2/13/2008	186.20	3614.80	-0.80
4/2/2009	185.00	3616.00	1.20
1/12/2010	185.00	3616.00	0.00
1/26/2011	185.30	3615.70	-0.30
2/8/2012	185.70	3615.30	-0.40
2/19/2013	185.40	3615.60	0.30
2/20/2014	185.60	3615.40	-0.20
2/5/2015	189.00	3612.00	-3.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **QUIGGLE, D.**

Owner: FIX GEORGE A & CLEORA L

Permit #: 2997 - FP -

Location #: SB00104336CAD

USGS Site ID: 400028102073600


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NE SE 36 1 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4432482.5 Easting (UTM x): 745267.6 *User supplied*
Latitude/Longitude (decimal degrees): 40.006934 -102.126579

Surface Elevation (ft): 3656.55 **Top Perforated Interval (ft):** 68 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 128 **Bottom Perforated Interval (ft):** 128 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2005	68.30	3588.25	-1.80
1/31/2006	71.60	3584.95	-3.30
4/11/2007			
2/13/2008	74.80	3581.75	
4/2/2009	75.00	3581.55	-0.20

All Historic Measurements



Well Name: **JT FARMS**

Owner: J-T FARMS

Permit #: 11936 - F -

Location #: SB00104504DDB

USGS Site ID: 400447102240800


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SE NW 4 1 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4439836.8 Easting (UTM x): 721436.2 *User supplied*
Latitude/Longitude (decimal degrees): 40.079711 -102.402977

Surface Elevation (ft): 3851.64 **Top Perforated Interval (ft):** 80 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** 340 **1 year:** -2.60
Aquifer(s): OGALLALA **5 year:** -5.70
10 year: 9.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/14/2006	89.10	3762.54	-1.50
4/11/2007	92.70	3758.94	-3.60
2/13/2008	93.90	3757.74	-1.20
4/12/2009	95.40	3756.24	-1.50
1/12/2010	72.90	3778.74	22.50
1/26/2011	73.30	3778.34	-0.40
2/15/2012	74.00	3777.64	-0.70
3/5/2013	74.40	3777.24	-0.40
2/20/2014	76.00	3775.64	-1.60
2/5/2015	78.60	3773.04	-2.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **ROCKWELL** **Owner:** CENTRAL YUMA CNTY GRND WATER MG
Permit #: 209883 - **Location #:** SB00104514C **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW 14 1 N 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4436637.5 Easting (UTM x): 723984.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.050243 -102.374229

Surface Elevation (ft): 3853 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** 291 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -1.30
10 year: -3.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/14/2006	126.20	3726.80	-0.50
4/11/2007	126.70	3726.30	-0.50
2/13/2008	127.50	3725.50	-0.80
1/1/2009			
1/12/2010	127.70	3725.30	
1/26/2011	128.00	3725.00	-0.30
2/15/2012	128.30	3724.70	-0.30
3/5/2013	129.50	3723.50	-1.20
2/20/2014	128.60	3724.40	0.90
2/5/2015	129.00	3724.00	-0.40

All Historic Measurements



Well Name: **GODSEY** **Owner:** GODSEY DALLAS
Permit #: 19669 - FP - **Location #:** SB00104520AA **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE 20 1 N 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4435927.1 Easting (UTM x): 720174.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.044853 -102.419091

Surface Elevation (ft): 3870 **Top Perforated Interval (ft):** 182 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** 242 **1 year:** -1.10
Aquifer(s): OGALLALA **5 year:** -3.00
10 year: -6.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	101.00	3769.00	-0.70
2/14/2006	102.30	3767.70	-1.30
4/11/2007	102.90	3767.10	-0.60
2/13/2008	105.00	3765.00	-2.10
4/12/2009	104.00	3766.00	1.00
1/12/2010	104.30	3765.70	-0.30
1/26/2011	104.50	3765.50	-0.20
2/15/2012	105.20	3764.80	-0.70
3/5/2013	105.70	3764.30	-0.50
2/20/2014	106.20	3763.80	-0.50
2/5/2015	107.30	3762.70	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	BROWN	Owner:	BROWN BARRY R & VIRGINIA M
Permit #:	9136 - F -	Location #:	SB00104532ACA
		USGS Site ID:	400033102250900
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SW NE 32	1 N	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4432326.9	Easting (UTM x): 720017.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.012489	-102.422145
Surface Elevation (ft):	3859.66	Top Perforated Interval (ft):	160
		Base of grout (ft):	
Well depth (ft):	240	Bottom Perforated Interval (ft):	240
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.80
5 year: -6.10
10 year: -13.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	69.30	3790.36	2.60
2/14/2006	71.20	3788.46	-1.90
4/11/2007	77.10	3782.56	-5.90
2/13/2008	77.50	3782.16	-0.40
4/12/2009	79.20	3780.46	-1.70
1/12/2010	76.30	3783.36	2.90
1/26/2011	78.20	3781.46	-1.90
2/15/2012	79.10	3780.56	-0.90
3/5/2013	78.50	3781.16	0.60
2/20/2014	79.60	3780.06	-1.10
2/5/2015	82.40	3777.26	-2.80

All Historic Measurements




Well Name:	JACKSON-WAKEFIELD	Owner:	WAKEFIELD GENEVA H & ARTHUR J
Permit #:	6708 - F -	Location #:	SB00104601DDB
		USGS Site ID:	400446102273000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE SE NW 1	1 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4439698.6	Easting (UTM x): 716651.2 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.079711	-102.459090
Surface Elevation (ft):	3901.68	Top Perforated Interval (ft):	180
		Base of grout (ft):	
Well depth (ft):	360	Bottom Perforated Interval (ft):	280
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.30
5 year: -2.00
10 year: 4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/14/2006	108.00	3793.68	-1.30
4/11/2007	111.30	3790.38	-3.30
2/13/2008	112.80	3788.88	-1.50
4/14/2009	100.60	3801.08	12.20
1/12/2010	100.50	3801.18	0.10
2/16/2011	100.60	3801.08	-0.10
2/10/2012	100.30	3801.38	0.30
3/5/2013	101.20	3800.48	-0.90
2/20/2014	102.20	3799.48	-1.00
2/5/2015	102.50	3799.18	-0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	BLACH	Owner:	BLACH HAROLD B
Permit #:	11971 - FP -	Location #:	SB00104605DCD
		USGS Site ID:	400432102320400
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE SW SE 5	1 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4439084.8	Easting (UTM x): 710196.3 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.075822	-102.534926
Surface Elevation (ft):	3958.73	Top Perforated Interval (ft):	151
		Base of grout (ft):	
Well depth (ft):	271	Bottom Perforated Interval (ft):	271
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.30
5 year: -7.10
10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	110.80	3847.93	-1.00
2/14/2006			
4/11/2007	114.40	3844.33	
2/13/2008	116.50	3842.23	-2.10
4/14/2009	118.70	3840.03	-2.20
1/30/2010	118.90	3839.83	-0.20
2/16/2011	120.70	3838.03	-1.80
2/10/2012	120.60	3838.13	0.10
3/5/2013	123.70	3835.03	-3.10
2/20/2014	125.70	3833.03	-2.00
2/5/2015	126.00	3832.73	-0.30

All Historic Measurements




Well Name:	PARISET	Owner:	PARISET ROBERT
Permit #:	12890 - FP -	Location #:	SB00104614CCA
		USGS Site ID:	400300102291500
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW NE 14	1 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4436392.8	Easting (UTM x): 714350.1 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.050544	-102.487147
Surface Elevation (ft):	3916.71	Top Perforated Interval (ft):	163
		Base of grout (ft):	
Well depth (ft):	248	Bottom Perforated Interval (ft):	243
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.30
5 year: -4.50
10 year: -14.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	86.50	3830.21	-1.30
2/14/2006	88.30	3828.41	-1.80
4/11/2007	90.00	3826.71	-1.70
2/13/2008	91.40	3825.31	-1.40
4/14/2009	91.20	3825.51	0.20
1/12/2010	96.40	3820.31	-5.20
2/16/2011	96.30	3820.41	0.10
2/10/2012	97.50	3819.21	-1.20
3/5/2013	99.50	3817.21	-2.00
2/20/2014	100.60	3816.11	-1.10
2/5/2015	100.90	3815.81	-0.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	WAKEFIELD, ARTHUR			Owner:	WAKEFIELD JACK		
Permit #:	12632 - FP -	Location #:	SB00104624AAC	USGS Site ID:	400236102272900		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NE SW 24	1 N	46 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4435659.0	Easting (UTM x):	716766.6	User supplied		
Latitude/Longitude (decimal degrees):	40.043322		-102.459090				
Surface Elevation (ft):	3905.69	Top Perforated Interval (ft):	141	Base of grout (ft):	Water Level Change		
Well depth (ft):	225	Bottom Perforated Interval (ft):	225		1 year: -0.80		
Aquifer(s):	OGALLALA				5 year: -4.00		
					10 year: -8.00		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	96.80	3808.89	-1.40
2/14/2006	98.00	3807.69	-1.20
4/11/2007	104.00	3801.69	-6.00
2/13/2008	105.20	3800.49	-1.20
4/14/2009	99.30	3806.39	5.90
1/12/2010	100.80	3804.89	-1.50
2/16/2011	101.00	3804.69	-0.20
2/10/2012	101.80	3803.89	-0.80
3/5/2013	104.70	3800.99	-2.90
2/20/2014	104.00	3801.69	0.70
2/5/2015	104.80	3800.89	-0.80

All Historic Measurements




Well Name:	ROUNDTREE			Owner:	ROUNDTREE CLAYTON & DEBRA		
Permit #:	12327 - FP -	Location #:	SB00104626CDA	USGS Site ID:	400115102285700		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SE NE 26	1 N	46 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4433134.9	Easting (UTM x):	714821.7	User supplied		
Latitude/Longitude (decimal degrees):	40.021100		-102.482702				
Surface Elevation (ft):	3946.71	Top Perforated Interval (ft):	216	Base of grout (ft):	Water Level Change		
Well depth (ft):	306	Bottom Perforated Interval (ft):	306		1 year: -0.20		
Aquifer(s):	OGALLALA				5 year: -4.00		
					10 year: -9.40		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	102.50	3844.21	-1.80
2/14/2006	104.20	3842.51	-1.70
4/11/2007	106.10	3840.61	-1.90
2/13/2008	107.50	3839.21	-1.40
4/14/2009	106.30	3840.41	1.20
1/12/2010	107.90	3838.81	-1.60
2/16/2011	108.30	3838.41	-0.40
2/10/2012	109.50	3837.21	-1.20
3/5/2013	111.90	3834.81	-2.40
2/20/2014	111.70	3835.01	0.20
2/5/2015	111.90	3834.81	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: PLETCHER, GEORGE **Owner:** PLETCHER GEORGE
Permit #: 17699 - FP - **Location #:** SB00104726BDC1 **USGS Site ID:** 400130102354701


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW 26 1 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4433297.3 Easting (UTM x): 705065.9 User supplied
Latitude/Longitude (decimal degrees): 40.024988 -102.596873

Surface Elevation (ft): 4056.75 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 180 **Bottom Perforated Interval (ft):** 180 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -6.00
10 year: -15.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	130.10	3926.65	-2.30
12/22/2005	132.30	3924.45	-2.20
4/11/2007	134.40	3922.35	-2.10
2/12/2008	136.00	3920.75	-1.60
4/14/2009	136.70	3920.05	-0.70
1/29/2010	139.50	3917.25	-2.80
2/16/2011	140.20	3916.55	-0.70
2/10/2012	141.50	3915.25	-1.30
3/5/2013	144.00	3912.75	-2.50
2/20/2014	145.30	3911.45	-1.30
2/6/2015	145.50	3911.25	-0.20

All Historic Measurements



Well Name: PLETCHER, K. **Owner:**
Permit #: 185694 - - **Location #:** SB00104736BCB **USGS Site ID:** 400058102351100


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SW NW 36 1 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4432028.6 Easting (UTM x): 706073.1 User supplied
Latitude/Longitude (decimal degrees): 40.013322 -102.585483

Surface Elevation (ft): 4061.75 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 147 **Bottom Perforated Interval (ft):** 220 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	145.00	3916.75	-1.90
12/22/2005	146.40	3915.35	-1.40
4/11/2007	148.00	3913.75	-1.60
2/12/2008			
4/14/2009	127.20	3934.55	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	CURE	Owner:	CURE LAND LLC
Permit #:	12570 - F -	Location #:	SB00204208AAC
		USGS Site ID:	400930102050000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NE SW 8	2 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4449606.3	Easting (UTM x): 748764.6 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.159991	-102.079077
Surface Elevation (ft):	3589.56	Top Perforated Interval (ft):	130
		Base of grout (ft):	
Well depth (ft):	249	Bottom Perforated Interval (ft):	249
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.00
5 year: -3.30
10 year: -9.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	66.60	3522.96	-1.00
2/13/2006	66.70	3522.86	-0.10
4/6/2007	70.90	3518.66	-4.20
2/13/2008	71.50	3518.06	-0.60
4/10/2009	72.70	3516.86	-1.20
2/9/2010	72.50	3517.06	0.20
1/26/2011	72.80	3516.76	-0.30
2/7/2012			
2/19/2013	74.00	3515.56	
2/20/2014	74.80	3514.76	-0.80
2/12/2015	75.80	3513.76	-1.00

All Historic Measurements




Well Name:	SEWARD, R.	Owner:	BOWMAN FAMILY PARTNERSHIP
Permit #:	1357 - RFP -	Location #:	SB00204227AAC
		USGS Site ID:	400658102032100
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NE SW 27	2 N	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4444767.1	Easting (UTM x): 750867.4 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.115824	-102.056298
Surface Elevation (ft):	3543.64	Top Perforated Interval (ft):	100
		Base of grout (ft):	
Well depth (ft):	140	Bottom Perforated Interval (ft):	140
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.40
5 year: -4.40
10 year: -9.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	65.00	3478.64	-1.70
2/13/2006	65.20	3478.44	-0.20
4/6/2007	66.70	3476.94	-1.50
2/13/2008	67.10	3476.54	-0.40
1/1/2009			
2/9/2010	69.70	3473.94	
1/26/2011	70.10	3473.54	-0.40
2/7/2012	70.80	3472.84	-0.70
2/19/2013	71.00	3472.64	-0.20
2/20/2014	71.70	3471.94	-0.70
2/12/2015	74.10	3469.54	-2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	KINNIE, E.	Owner:	
Permit #:	14377 - R -	Location #:	SB00204234DDB
		USGS Site ID:	400550102032000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SE SE NW 34	2 N 42 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4442116.5	Easting (UTM x): 751002.6 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.091935	-102.055743
Surface Elevation (ft):	3475.23	Top Perforated Interval (ft):	Base of grout (ft):
Well depth (ft):	65	Bottom Perforated Interval (ft):	
Aquifer(s):			

Water Level Change
1 year: -0.30
5 year: -1.70
10 year: -4.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	38.00	3437.23	-0.70
2/13/2006	38.90	3436.33	-0.90
4/6/2007	39.30	3435.93	-0.40
2/13/2008	39.80	3435.43	-0.50
1/1/2009			
2/9/2010	40.70	3434.53	
1/26/2011	41.20	3434.03	-0.50
2/7/2012	41.60	3433.63	-0.40
2/19/2013			
2/20/2014	42.10	3433.13	
2/12/2015	42.40	3432.83	-0.30

All Historic Measurements




Well Name:	DOKE, WILLIAM	Owner:	DOKE SYLVIA
Permit #:	13313 - FP -	Location #:	SB00204305DDB
		USGS Site ID:	401000102114000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SE SE NW 5	2 N 43 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4449935.5	Easting (UTM x): 738877.2 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.165823	-102.194915
Surface Elevation (ft):	3671.58	Top Perforated Interval (ft):	104
Well depth (ft):	284	Bottom Perforated Interval (ft):	284
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.60
5 year: -4.10
10 year: -9.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	67.00	3604.58	1.80
2/13/2006	67.80	3603.78	-0.80
4/6/2007	69.40	3602.18	-1.60
2/13/2008	71.20	3600.38	-1.80
4/12/2009	71.70	3599.88	-0.50
2/9/2010	72.20	3599.38	-0.50
1/26/2011	72.00	3599.58	0.20
2/7/2012	73.30	3598.28	-1.30
2/19/2013	74.10	3597.48	-0.80
2/20/2014	75.70	3595.88	-1.60
2/12/2015	76.30	3595.28	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **DOKE, WILLIAM**

Owner: DOKE SYLVIA J

Permit #: 12568 - FP -

Location #: SB00204312ACB

USGS Site ID: 400930102072000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE SW NW 12 2 N 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4449420.9 Easting (UTM x): 744980.7 *User supplied*
Latitude/Longitude (decimal degrees): 40.159435 -102.123523

Surface Elevation (ft): 3618.57 **Top Perforated Interval (ft):** 130 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 242 **Bottom Perforated Interval (ft):** 242 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -5.40
10 year: -5.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	67.70	3550.87	-3.80
2/13/2006	64.50	3554.07	3.20
4/6/2007	66.00	3552.57	-1.50
2/13/2008	67.00	3551.57	-1.00
4/12/2009	67.50	3551.07	-0.50
2/9/2010	68.00	3550.57	-0.50
1/26/2011	68.30	3550.27	-0.30
2/7/2012	69.60	3548.97	-1.30
2/19/2013	71.90	3546.67	-2.30
2/20/2014	73.00	3545.57	-1.10
2/12/2015	73.40	3545.17	-0.40

All Historic Measurements



Well Name: **DRYDEN, GLEASON**

Owner: CURE LAND LLC

Permit #: 13316 - FP -

Location #: SB00204401CDB

USGS Site ID: 401000102143000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SE NW 1 2 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4449780.8 Easting (UTM x): 734927.1 *User supplied*
Latitude/Longitude (decimal degrees): 40.165545 -102.241306

Surface Elevation (ft): 3718.6 **Top Perforated Interval (ft):** 100 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -4.20
10 year: -9.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	78.90	3639.70	-2.20
2/13/2006	79.30	3639.30	-0.40
4/6/2007	81.80	3636.80	-2.50
2/13/2008	82.20	3636.40	-0.40
1/1/2009			
2/9/2010	83.80	3634.80	
1/26/2011	84.20	3634.40	-0.40
2/10/2012	85.40	3633.20	-1.20
2/19/2013	87.20	3631.40	-1.80
2/20/2014	87.60	3631.00	-0.40
2/12/2015	88.00	3630.60	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: WILSON, CHARLES J.

Owner:

Permit #: 9134 - F - **Location #:** SB00204404BDB **USGS Site ID:** 401020102172000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE NW 4 2 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4450438.4 Easting (UTM x): 730218.2 User supplied
Latitude/Longitude (decimal degrees): 40.172767 -102.296308

Surface Elevation (ft): 3762.62 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 355 **Bottom Perforated Interval (ft):** **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:** -4.60
10 year: -13.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	87.90	3674.72	-1.10
2/13/2006	89.50	3673.12	-1.60
4/6/2007	93.00	3669.62	-3.50
2/13/2008	95.60	3667.02	-2.60
4/10/2009	96.20	3666.42	-0.60
2/9/2010	96.60	3666.02	-0.40
1/26/2011	97.20	3665.42	-0.60
2/10/2012	97.60	3665.02	-0.40
2/19/2013	99.10	3663.52	-1.50
2/20/2014	100.00	3662.62	-0.90
2/12/2015	101.20	3661.42	-1.20

All Historic Measurements



Well Name: PETERSON, CARL O.

Owner: PETERSON MARY LOU

Permit #: 84682 - - **Location #:** SB00204407CBB1 **USGS Site ID:** 400918102202501


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 7 2 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4448350.4 Easting (UTM x): 726492.3 User supplied
Latitude/Longitude (decimal degrees): 40.154989 -102.340753

Surface Elevation (ft): 3781.64 **Top Perforated Interval (ft):** 100 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 220 **Bottom Perforated Interval (ft):** 120 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:** -8.40
10 year: -11.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	71.30	3710.34	-1.10
2/13/2006	72.90	3708.74	-1.60
4/6/2007	75.30	3706.34	-2.40
2/13/2008	75.90	3705.74	-0.60
4/10/2009	74.40	3707.24	1.50
2/9/2010	74.20	3707.44	0.20
1/26/2011	74.40	3707.24	-0.20
2/10/2012	79.40	3702.24	-5.00
2/19/2013	81.00	3700.64	-1.60
2/20/2014	81.40	3700.24	-0.40
2/12/2015	82.60	3699.04	-1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: BLED SOE CATTLE CO.

Owner:

Permit #: - - **Location #:** SB00204411D

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE 11 2 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4448241.0 Easting (UTM x): 734452.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.151821 -102.247439

Surface Elevation (ft): 3710 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 120 **Bottom Perforated Interval (ft):** **1 year:** -0.60
Aquifer(s): **5 year:** -3.70
10 year: 5.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	75.30	3634.70	-1.30
2/13/2006	76.00	3634.00	-0.70
4/6/2007	78.00	3632.00	-2.00
2/13/2008	78.90	3631.10	-0.90
4/10/2009	66.80	3643.20	12.10
2/9/2010	66.50	3643.50	0.30
1/26/2011	66.80	3643.20	-0.30
2/10/2012	67.40	3642.60	-0.60
2/19/2013	68.00	3642.00	-0.60
2/20/2014	69.60	3640.40	-1.60
2/12/2015	70.20	3639.80	-0.60

All Historic Measurements



Well Name: CROUSE, THEODORE

Owner:

Permit #: - - **Location #:** SB00204413BBC

USGS Site ID: 400840102144000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW NW SW 13 2 N 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4447523.0 Easting (UTM x): 734784.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.145267 -102.243806

Surface Elevation (ft): 3697.6 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 53 **Bottom Perforated Interval (ft):** **1 year:** -0.60
Aquifer(s): **5 year:** **10 year:** -9.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	64.00	3633.60	-2.40
2/13/2006	65.00	3632.60	-1.00
4/6/2007	66.40	3631.20	-1.40
2/13/2008	65.90	3631.70	0.50
4/10/2009	67.40	3630.20	-1.50
1/30/2010			
1/1/2011			
2/10/2012	70.80	3626.80	
2/19/2013	71.50	3626.10	-0.70
2/20/2014	73.10	3624.50	-1.60
2/12/2015	73.70	3623.90	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: DICKSON, L.

Owner:

Permit #: - -

Location #: SB00204520BBB

USGS Site ID: 400725102253000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 20 2 N 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4445586.5 Easting (UTM x): 718567.5 *User supplied*
Latitude/Longitude (decimal degrees): 40.132211 -102.434645

Surface Elevation (ft): 3855.17 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.40
Aquifer(s): **5 year:** -0.50
10 year: -11.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/13/2006	92.90	3762.27	-1.30
4/5/2007	94.70	3760.47	-1.80
2/13/2008			
1/1/2009			
2/2/2010	102.30	3752.87	
1/26/2011	102.80	3752.37	-0.50
2/10/2012	100.40	3754.77	2.40
2/19/2013			
2/20/2014	102.40	3752.77	
2/12/2015	102.80	3752.37	-0.40

All Historic Measurements



Well Name: WEATHERS

Owner: FIVE RIVERS RANCH CATTLE FEEDING LL

Permit #: 11433 - FP -

Location #: SB00204619CCA

USGS Site ID: 400720102334000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 19 2 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4444262.2 Easting (UTM x): 707707.3 *User supplied*
Latitude/Longitude (decimal degrees): 40.123043 -102.562427

Surface Elevation (ft): 3957.73 **Top Perforated Interval (ft):** 85 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 405 **Bottom Perforated Interval (ft):** 405 **1 year:** -0.10
Aquifer(s): OGALLALA **5 year:** 0.00
10 year: -9.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	115.90	3841.83	-2.40
12/21/2005	118.60	3839.13	-2.70
4/6/2007			
2/12/2008	123.50	3834.23	
1/1/2009			
2/2/2010	125.30	3832.43	
1/26/2011	124.70	3833.03	0.60
2/10/2012	125.20	3832.53	-0.50
3/5/2013	125.00	3832.73	0.20
2/20/2014	125.20	3832.53	-0.20
2/12/2015	125.30	3832.43	-0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: ROBERTSON, DEXTER

Owner: ROBERTSON DEXTER L. & JENNIE

Permit #: 8802 - FP - **Location #:** SB00204630DCA

USGS Site ID: 400620102330000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SW NE 30 2 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4442461.2 Easting (UTM x): 708420.2 *User supplied*
Latitude/Longitude (decimal degrees): 40.106655 -102.554649

Surface Elevation (ft): 3961.72 **Top Perforated Interval (ft):** 87 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 327 **Bottom Perforated Interval (ft):** 327 **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:** -6.60
10 year: -11.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	120.20	3841.52	-2.60
12/22/2005	122.70	3839.02	-2.50
4/5/2007	123.70	3838.02	-1.00
2/12/2008	124.20	3837.52	-0.50
4/14/2009	124.70	3837.02	-0.50
2/2/2010	125.20	3836.52	-0.50
1/1/2011			
2/8/2012			
3/5/2013	130.70	3831.02	
2/20/2014	131.30	3830.42	-0.60
2/12/2015	131.80	3829.92	-0.50

All Historic Measurements



Well Name: SHAFER, STANLEY

Owner:

Permit #: 215032 - - A **Location #:** SC00104205BBA

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW NE 5 1 S 42 W S From N/S line: 200 N From E/W line: 1400 W
UTM Coordinates (NAD83): Northing (UTM y) 4432056.5 Easting (UTM x): 746886.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.002629 -102.107794

Surface Elevation (ft): 3668 **Top Perforated Interval (ft):** 80 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 120 **Bottom Perforated Interval (ft):** 120 **1 year:** 0.60
Aquifer(s): OGALLALA **5 year:** -2.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2010	73.10	3594.90	
1/1/2011			
2/8/2012	74.90	3593.10	
2/19/2013	75.00	3593.00	-0.10
2/21/2014	76.30	3591.70	-1.30
2/10/2015	75.70	3592.30	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	FIX	Owner:	FIX DUARD
Permit #:	10094 - FP -	Location #:	SC00104303BBB
		USGS Site ID:	395958102095800
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NW NW 3	1 S	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4431708.2	Easting (UTM x): 740354.4 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.001379	-102.184359
Surface Elevation (ft):	3813.57	Top Perforated Interval (ft):	208
		Base of grout (ft):	
Well depth (ft):	278	Bottom Perforated Interval (ft):	278
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.10
5 year: 1.70
10 year: -0.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	211.50	3602.07	-2.30
1/31/2006	207.70	3605.87	3.80
4/11/2007			
2/1/2008	215.80	3597.77	
4/2/2009	228.20	3585.37	-12.40
1/12/2010	213.60	3599.97	14.60
1/28/2011	214.00	3599.57	-0.40
2/8/2012	210.60	3602.97	3.40
2/19/2013	211.20	3602.37	-0.60
2/21/2014	211.80	3601.77	-0.60
2/10/2015	211.90	3601.67	-0.10

All Historic Measurements




Well Name:	KELLY	Owner:	KELLY JEFF & MICHELLE
Permit #:	3496 - F -	Location #:	SC00104316CBB
		USGS Site ID:	395809102120600
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NW NW 16	1 S	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4428083.3	Easting (UTM x): 738948.9 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.969157	-102.202137
Surface Elevation (ft):	3804.57	Top Perforated Interval (ft):	192
		Base of grout (ft):	
Well depth (ft):	302	Bottom Perforated Interval (ft):	302
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	181.20	3623.37	-5.50
1/31/2006	176.70	3627.87	4.50
4/11/2007	176.00	3628.57	0.70
2/1/2008			
1/1/2009			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: OSMUS, DALLAS

Owner:

Permit #: 4842 - FP -

Location #: SC00104317AAA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE NE 17 1 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4428756.5 Easting (UTM x): 738678.3 Spotted from quarters
Latitude/Longitude (decimal degrees): 39.975291 -102.205055

Surface Elevation (ft): 3823 **Top Perforated Interval (ft):** 250 **Base of grout (ft):**
Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310
Aquifer(s): OGALLALA

Water Level Change

1 year: -0.90


5 year: -2.50

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2010	204.30	3618.70	
1/28/2011	204.20	3618.80	0.10
2/8/2012	204.90	3618.10	-0.70
2/19/2013	205.80	3617.20	-0.90
2/21/2014	205.90	3617.10	-0.10
2/10/2015	206.80	3616.20	-0.90

All Historic Measurements



Well Name: FIX

Owner: ENDERSON HERMAN E & EVELYN L

Permit #: 11290 - FP -

Location #: SC00104320CCB

USGS Site ID: 395717102131800

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SW NW 20 1 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4426056.3 Easting (UTM x): 737302.0 User supplied
Latitude/Longitude (decimal degrees): 39.951379 -102.222138

Surface Elevation (ft): 3791.57 **Top Perforated Interval (ft):** 188 **Base of grout (ft):**
Well depth (ft): 244 **Bottom Perforated Interval (ft):** 244
Aquifer(s): OGALLALA

Water Level Change

1 year: -2.20


5 year: -4.10

10 year: -8.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	137.90	3653.67	-0.40
1/31/2006	138.70	3652.87	-0.80
4/11/2007	140.50	3651.07	-1.80
2/1/2008	139.50	3652.07	1.00
4/14/2009	139.80	3651.77	-0.30
1/12/2010	142.00	3649.57	-2.20
1/28/2011	141.30	3650.27	0.70
2/19/2013	143.50	3648.07	-2.20
2/21/2014	143.90	3647.67	-0.40
2/10/2015	146.10	3645.47	-2.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	OSMUS, JOHN			Owner:	OSMUS LAND COMPANY		
Permit #:	10377 - F -	Location #:	SC00104321ABA	USGS Site ID:	395743102112400		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW NE 21	1 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)		4427280.6	Easting (UTM x):		739924.3	User supplied
Latitude/Longitude (decimal degrees):			39.961657			-102.191025	
Surface Elevation (ft):	3793.56	Top Perforated Interval (ft):	187	Base of grout (ft):	Water Level Change		
Well depth (ft):	227	Bottom Perforated Interval (ft):	227			1 year:	-0.60
Aquifer(s):	OGALLALA					5 year:	-3.90
						10 year:	-5.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	168.50	3625.06	1.10
1/31/2006	167.70	3625.86	0.80
4/11/2007	169.00	3624.56	-1.30
2/1/2008			
4/2/2009	171.50	3622.06	
1/12/2010	169.80	3623.76	1.70
1/28/2011	171.10	3622.46	-1.30
2/8/2012	170.70	3622.86	0.40
2/19/2013	172.60	3620.96	-1.90
2/21/2014	173.10	3620.46	-0.50
2/10/2015	173.70	3619.86	-0.60

All Historic Measurements




Well Name:	BOWMAN, DELFORD			Owner:	BOWMAN DELFORD		
Permit #:	12006 - F -	Location #:	SC00104411BBC	USGS Site ID:	395917102165100		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW SW 11	1 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)		4430095.6	Easting (UTM x):		732166.3	User supplied
Latitude/Longitude (decimal degrees):			39.989156			-102.280751	
Surface Elevation (ft):	3872.59	Top Perforated Interval (ft):	203	Base of grout (ft):	Water Level Change		
Well depth (ft):	383	Bottom Perforated Interval (ft):	383			1 year:	0.30
Aquifer(s):	OGALLALA					5 year:	-2.80
						10 year:	-37.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	188.40	3684.19	-1.20
2/14/2006	186.60	3685.99	1.80
4/11/2007	188.20	3684.39	-1.60
2/13/2008	189.40	3683.19	-1.20
4/12/2009	228.10	3644.49	-38.70
1/12/2010	223.30	3649.29	4.80
1/28/2011	224.80	3647.79	-1.50
2/15/2012	224.50	3648.09	0.30
2/19/2013	225.40	3647.19	-0.90
2/21/2014	226.40	3646.19	-1.00
2/10/2015	226.10	3646.49	0.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	DETERDING, ALVA		Owner:	DETERDING ALVA	
Permit #:	4399 - F -	Location #:	SC00104417CBA	USGS Site ID:	395810102195800
Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW NW NE 17	1 S	44 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4427770.7	Easting (UTM x):	727748.7	User supplied
Latitude/Longitude (decimal degrees):		39.969434		-102.333253	
Surface Elevation (ft):	3957.63	Top Perforated Interval (ft):	250	Base of grout (ft):	Water Level Change
Well depth (ft):	320	Bottom Perforated Interval (ft):	320		1 year: 0.60
Aquifer(s):	OGALLALA				5 year: -4.10
					10 year: -3.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	212.90	3744.73	-4.60
2/14/2006	209.20	3748.43	3.70
4/11/2007			
2/13/2008	211.00	3746.63	
4/12/2009	212.20	3745.43	-1.20
1/12/2010	212.00	3745.63	0.20
1/28/2011	212.30	3745.33	-0.30
2/15/2012	212.80	3744.83	-0.50
2/19/2013	215.50	3742.13	-2.70
2/21/2014	216.70	3740.93	-1.20
2/10/2015	216.10	3741.53	0.60

All Historic Measurements




Well Name:	ALLISON		Owner:	ALLISON BARRY & STEPHEN	
Permit #:	9533 - FP -	Location #:	SC00104426ABB	USGS Site ID:	395652102161200
Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE NW NW 26	1 S	44 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4425531.5	Easting (UTM x):	733303.4	User supplied
Latitude/Longitude (decimal degrees):		39.947768		-102.269084	
Surface Elevation (ft):	3870.59	Top Perforated Interval (ft):	169	Base of grout (ft):	Water Level Change
Well depth (ft):	409	Bottom Perforated Interval (ft):	409		1 year: 0.90
Aquifer(s):	OGALLALA				5 year: -1.00
					10 year: -2.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	179.20	3691.39	0.00
2/14/2006	179.40	3691.19	-0.20
4/11/2007	183.10	3687.49	-3.70
2/13/2008	183.30	3687.29	-0.20
4/12/2009	185.00	3685.59	-1.70
1/12/2010	181.00	3689.59	4.00
1/28/2011	180.60	3689.99	0.40
2/15/2012	181.50	3689.09	-0.90
2/19/2013	182.30	3688.29	-0.80
2/21/2014	182.90	3687.69	-0.60
2/10/2015	182.00	3688.59	0.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **STULTS, CLARENCE**

Owner: STULTS LAVERN & WILMA

Permit #: 2545 - FP - **Location #:** SC00104430BAD **USGS Site ID:** 395644102204100


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NE SE 30 1 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4425088.5 Easting (UTM x): 726807.4 User supplied
Latitude/Longitude (decimal degrees): 39.945546 -102.345198

Surface Elevation (ft): 3932.65 **Top Perforated Interval (ft):** 261 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 331 **Bottom Perforated Interval (ft):** 331 **1 year:** -3.80
Aquifer(s): OGALLALA **5 year:** -9.40
10 year: -12.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	165.50	3767.15	-1.60
2/14/2006	166.20	3766.45	-0.70
4/11/2007	167.10	3765.55	-0.90
2/13/2008	168.50	3764.15	-1.40
1/1/2009			
1/12/2010	168.80	3763.85	
1/1/2011			
2/15/2012	170.80	3761.85	
2/19/2013	173.50	3759.15	-2.70
2/21/2014	174.40	3758.25	-0.90
2/10/2015	178.20	3754.45	-3.80

All Historic Measurements



Well Name: **KERBS, THOMAS**

Owner: KULA ROBERT L

Permit #: 11756 - FP - **Location #:** SC00104508BDB **USGS Site ID:** 395910102263900


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW SE NW 8 1 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4429343.4 Easting (UTM x): 718228.7 User supplied
Latitude/Longitude (decimal degrees): 39.986100 -102.444090

Surface Elevation (ft): 3899.69 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:** -6.70
10 year: -6.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	67.30	3832.39	-0.70
2/14/2006	69.90	3829.79	-2.60
4/11/2007	71.20	3828.49	-1.30
2/13/2008	72.20	3827.49	-1.00
4/12/2009	67.00	3832.69	5.20
2/2/2010	66.70	3832.99	0.30
1/28/2011	67.30	3832.39	-0.60
2/15/2012	69.10	3830.59	-1.80
3/5/2013	71.40	3828.29	-2.30
2/21/2014	72.20	3827.49	-0.80
2/5/2015	73.40	3826.29	-1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	CROWNOVER, RAMONA	Owner:	CROWNOVER RAMONA WELP
Permit #:	5243 - FP -	Location #:	SC00104513ABD
		USGS Site ID:	395828102214200
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NW SE 13	1 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4428252.3	Easting (UTM x): 725264.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.974434	-102.362143	
Surface Elevation (ft):	3944.64	Top Perforated Interval (ft):	225
		Base of grout (ft):	
Well depth (ft):	345	Bottom Perforated Interval (ft):	345
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.20
5 year: -0.70
10 year: -4.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	168.20	3776.44	-0.40
2/14/2006	168.80	3775.84	-0.60
4/11/2007	169.80	3774.84	-1.00
2/13/2008			
1/1/2009			
2/2/2010	171.90	3772.74	
1/28/2011	172.00	3772.64	-0.10
2/15/2012	171.60	3773.04	0.40
3/5/2013	171.50	3773.14	0.10
2/21/2014	171.40	3773.24	0.10
2/5/2015	172.60	3772.04	-1.20

All Historic Measurements




Well Name:	PARISET, ROBERT G.	Owner:	PARISET ROBERT G
Permit #:	12416 - FP -	Location #:	SC00104516ADB
		USGS Site ID:	395820102245800
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SE NW 16	1 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4427870.2	Easting (UTM x): 720645.5 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.972212	-102.416311	
Surface Elevation (ft):	3902.67	Top Perforated Interval (ft):	270
		Base of grout (ft):	
Well depth (ft):	370	Bottom Perforated Interval (ft):	370
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.40
5 year: -0.70
10 year: -2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	90.60	3812.07	-3.50
2/14/2006	92.70	3809.97	-2.10
4/11/2007	90.90	3811.77	1.80
2/13/2008	91.80	3810.87	-0.90
4/12/2009	92.60	3810.07	-0.80
2/2/2010	92.60	3810.07	0.00
1/1/2011			
2/15/2012	92.30	3810.37	
3/5/2013	93.10	3809.57	-0.80
2/20/2014	93.70	3808.97	-0.60
2/5/2015	93.30	3809.37	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	PARISET, ROBERT	Owner:	PARISET ROBERT G
Permit #:	12415 - F -	Location #:	SC00104516BDB
		USGS Site ID:	395818102253000


Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NW SE NW 16	1 S	45 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4427785.8	Easting (UTM x):	719864.3	User supplied
Latitude/Longitude (decimal degrees):		39.971656		-102.425478	

Surface Elevation (ft):	3904.68	Top Perforated Interval (ft):	202	Base of grout (ft):		Water Level Change
Well depth (ft):	370	Bottom Perforated Interval (ft):	370			1 year: 0.30
Aquifer(s):	OGALLALA					5 year: -8.70
						10 year: -9.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	81.70	3822.98	-1.40
2/14/2006	83.00	3821.68	-1.30
4/11/2007	80.70	3823.98	2.30
2/13/2008	81.60	3823.08	-0.90
4/12/2009	82.40	3822.28	-0.80
2/2/2010	82.30	3822.38	0.10
1/1/2011			
2/15/2012	89.80	3814.88	
3/5/2013	90.60	3814.08	-0.80
2/20/2014	91.30	3813.38	-0.70
2/5/2015	91.00	3813.68	0.30

All Historic Measurements



Well Name:	KERBS	Owner:	KERBS AG INC
Permit #:	10336 - FP -	Location #:	SC00104520DDB
		USGS Site ID:	395703102263800


Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE SE NW 20	1 S	45 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4425481.4	Easting (UTM x):	719147.0	User supplied
Latitude/Longitude (decimal degrees):		39.951101		-102.434645	

Surface Elevation (ft):	3933.7	Top Perforated Interval (ft):	258	Base of grout (ft):		Water Level Change
Well depth (ft):	358	Bottom Perforated Interval (ft):	358			1 year: -0.80
Aquifer(s):	OGALLALA					5 year: -3.20
						10 year: -7.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	81.00	3852.70	-1.20
2/14/2006	84.10	3849.60	-3.10
4/11/2007	84.60	3849.10	-0.50
2/13/2008	86.40	3847.30	-1.80
4/12/2009	85.90	3847.80	0.50
2/2/2010	85.00	3848.70	0.90
1/28/2011	85.60	3848.10	-0.60
2/15/2012	87.10	3846.60	-1.50
2/21/2014	87.40	3846.30	-0.30
2/5/2015	88.20	3845.50	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **CANTRALL, FRANK**

Owner: CANTRALL FRANK & OPAL

Permit #: 5097 - FP -

Location #: SC00104522DDB

USGS Site ID: 395704102234900


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SE NW 22 1 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4425575.0 Easting (UTM x): 722374.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.951101 -102.396866

Surface Elevation (ft): 3923.67 **Top Perforated Interval (ft):** 226 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 286 **Bottom Perforated Interval (ft):** 286 **1 year:** 0.20
Aquifer(s): OGALLALA **5 year:** -2.20
10 year: -6.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	96.90	3826.77	-2.10
2/14/2006	97.70	3825.97	-0.80
4/11/2007	100.10	3823.57	-2.40
2/13/2008	100.70	3822.97	-0.60
4/12/2009	101.70	3821.97	-1.00
2/2/2010	101.30	3822.37	0.40
1/28/2011	101.50	3822.17	-0.20
2/15/2012	102.10	3821.57	-0.60
3/5/2013	103.30	3820.37	-1.20
2/21/2014	103.70	3819.97	-0.40
2/5/2015	103.50	3820.17	0.20

All Historic Measurements



Well Name: **WARKENTINE**

Owner: WARKENTINE ALVIN & DOTTY

Permit #: 13307 - F -

Location #: SC00104605CDB

USGS Site ID: 395935102331700


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW SE NW 5 1 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4429817.3 Easting (UTM x): 708720.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.992767 -102.555205

Surface Elevation (ft): 4019.74 **Top Perforated Interval (ft):** 118 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 140 **Bottom Perforated Interval (ft):** 158 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -1.80
10 year: -6.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	107.70	3912.04	-1.10
12/22/2005	108.90	3910.84	-1.20
4/11/2007	110.50	3909.24	-1.60
2/13/2008	111.40	3908.34	-0.90
4/12/2009	111.70	3908.04	-0.30
2/2/2010	112.00	3907.74	-0.30
2/16/2011	112.70	3907.04	-0.70
2/15/2012	113.30	3906.44	-0.60
3/5/2013	113.20	3906.54	0.10
2/21/2014	113.40	3906.34	-0.20
2/5/2015	113.80	3905.94	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **RUTLEDGE, STANLEY**

Owner: RUTLEDGE STANLEY EST

Permit #: 13889 - FP -

Location #: SC00104702ACA

USGS Site ID: 395954102360800


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE SW NE 2 1 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4429486.7 Easting (UTM x): 704504.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.990822 -102.604651

Surface Elevation (ft): 4071.75 **Top Perforated Interval (ft):** 125 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 155 **Bottom Perforated Interval (ft):** 155 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -5.40
10 year: -10.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	130.90	3940.85	-1.20
12/22/2005	132.10	3939.65	-1.20
4/11/2007	133.80	3937.95	-1.70
2/13/2008	135.30	3936.45	-1.50
4/14/2009	134.30	3937.45	1.00
2/2/2010	136.10	3935.65	-1.80
2/16/2011	138.30	3933.45	-2.20
2/15/2012	138.60	3933.15	-0.30
3/5/2013	139.90	3931.85	-1.30
2/21/2014	141.30	3930.45	-1.40
2/6/2015	141.50	3930.25	-0.20

All Historic Measurements



Well Name: **ALLIANCE FARMS**

Owner: MURPHY BROWN OF YUMA

Permit #: 12779 - FP -

Location #: SC00104706CCA

USGS Site ID: 395930102412000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SW NE 6 1 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4429518.9 Easting (UTM x): 697549.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.992766 -102.686042

Surface Elevation (ft): 4169.79 **Top Perforated Interval (ft):** 145 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 185 **Bottom Perforated Interval (ft):** 185 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	159.90	4009.89	-1.10
12/22/2005	160.40	4009.39	-0.50
4/13/2007	162.10	4007.69	-1.70
2/13/2008	163.00	4006.79	-0.90
4/14/2009	163.00	4006.79	0.00
2/2/2010	164.80	4004.99	-1.80
1/1/2011			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **ANDERSON, LARRY**

Owner: ANDERSON LARRY

Permit #: 17985 - F -

Location #: SC00104729BCA

USGS Site ID: 395634102395801


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SW NE 29 1 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4424011.9 Easting (UTM x): 699354.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.942766 -102.666597

Surface Elevation (ft): 4161.81 **Top Perforated Interval (ft):** 136 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 236 **Bottom Perforated Interval (ft):** 236 **1 year:** -0.30
Aquifer(s): OGALLALA **5 year:** -4.00
10 year: -9.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	157.10	4004.71	-0.90
12/22/2005	159.00	4002.81	-1.90
4/13/2007	160.50	4001.31	-1.50
2/13/2008	163.10	3998.71	-2.60
4/14/2009	158.40	4003.41	4.70
2/2/2010	162.80	3999.01	-4.40
2/16/2011	163.50	3998.31	-0.70
2/15/2012	164.10	3997.71	-0.60
3/5/2013	165.80	3996.01	-1.70
2/21/2014	166.50	3995.31	-0.70
2/6/2015	166.80	3995.01	-0.30

All Historic Measurements



Well Name: **NEWBANKS**

Owner: CENTRAL YUMA COUNTY GWMD

Permit #: 225558 - -

Location #: SC00104824CD

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NE 24 1 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4424873.0 Easting (UTM x): 696328.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.951226 -102.701731

Surface Elevation (ft): 4184 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 220 **Bottom Perforated Interval (ft):** 220 **1 year:** -0.30
Aquifer(s): OGALLALA **5 year:** -5.20
10 year: -9.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2005	158.80	4025.20	-1.00
12/22/2005	159.90	4024.10	-1.10
4/13/2007	161.00	4023.00	-1.10
2/13/2008	162.80	4021.20	-1.80
4/14/2009	162.70	4021.30	0.10
1/29/2010	163.10	4020.90	-0.40
2/16/2011	164.00	4020.00	-0.90
2/15/2012	164.80	4019.20	-0.80
3/5/2013	166.40	4017.60	-1.60
2/21/2014	168.00	4016.00	-1.60
2/6/2015	168.30	4015.70	-0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name:	BOX ELDER	Owner:	HOWARD DON M
Permit #:	23206 - FP -	Location #:	SC00204417ADA
		USGS Site ID:	395311102190001
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SE NE 17	2 S	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4418592.2	Easting (UTM x): 729402.2 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.886380	-102.317141
Surface Elevation (ft):	3872.65	Top Perforated Interval (ft):	135
		Base of grout (ft):	
Well depth (ft):	170	Bottom Perforated Interval (ft):	170
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 2.80
5 year: 0.10
10 year: -4.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	139.60	3733.05	-1.70
12/22/2005	141.20	3731.45	-1.60
4/13/2007	140.30	3732.35	0.90
2/14/2008	142.80	3729.85	-2.50
4/14/2009	143.10	3729.55	-0.30
1/12/2010	144.60	3728.05	-1.50
2/16/2011	145.40	3727.25	-0.80
2/24/2012	146.20	3726.45	-0.80
2/26/2013	146.60	3726.05	-0.40
2/21/2014	147.30	3725.35	-0.70
2/10/2015	144.50	3728.15	2.80

All Historic Measurements




Well Name:	ALBERT RICHERS TRUST	Owner:	RICHES ALBERT H
Permit #:	6724 - FP -	Location #:	SC00204503ACA
		USGS Site ID:	395455102234800
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SW NE 3	2 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4421596.5	Easting (UTM x): 722467.0 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.915268	-102.397144
Surface Elevation (ft):	3922.7	Top Perforated Interval (ft):	83
		Base of grout (ft):	
Well depth (ft):	146	Bottom Perforated Interval (ft):	145
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.00
5 year: -4.70
10 year: 1.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	86.20	3836.50	1.80
12/22/2005	88.20	3834.50	-2.00
4/11/2007			
2/14/2008	88.50	3834.20	
1/1/2009			
1/12/2010	80.30	3842.40	
2/16/2011	81.60	3841.10	-1.30
2/24/2012	82.00	3840.70	-0.40
2/26/2013	83.30	3839.40	-1.30
2/21/2014	84.00	3838.70	-0.70
2/5/2015	85.00	3837.70	-1.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	BOHNEN			Owner:	BOHNEN JOE M & MARY E		
Permit #:	5038 - F	-	Location #:	SC00204510ABD	USGS Site ID:	395403102234800	
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NW SE	10	2 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4419992.9	Easting (UTM x):		722513.9 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.900823			-102.397143	
Surface Elevation (ft):	3929.71	Top Perforated Interval (ft):	51	Base of grout (ft):	Water Level Change		
Well depth (ft):	111	Bottom Perforated Interval (ft):	111	1 year: -0.60			
Aquifer(s):	OGALLALA			5 year: -4.80			
				10 year: -7.90			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	74.10	3855.61	-0.80
12/22/2005	75.40	3854.31	-1.30
4/11/2007	76.30	3853.41	-0.90
2/14/2008	77.00	3852.71	-0.70
4/12/2009	77.40	3852.31	-0.40
1/12/2010	77.20	3852.51	0.20
2/16/2011	77.70	3852.01	-0.50
2/24/2012	78.00	3851.71	-0.30
2/26/2013	80.30	3849.41	-2.30
2/21/2014	81.40	3848.31	-1.10
2/5/2015	82.00	3847.71	-0.60

All Historic Measurements




Well Name:	U.S. GOVERNMENT			Owner:			
Permit #:	-	-	Location #:	SC00204525CCB1	USGS Site ID:	395055102221701	
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW SW NW	25	2 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4414259.3	Easting (UTM x):		724845.8 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.848602			-102.371864	
Surface Elevation (ft):	3924.7	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	46	Bottom Perforated Interval (ft):		1 year: -0.20			
Aquifer(s):				5 year: 0.00			
				10 year: -8.50			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	28.10	3896.60	-1.50
12/22/2005	28.70	3896.00	-0.60
4/13/2007	30.20	3894.50	-1.50
2/14/2008	35.40	3889.30	-5.20
4/12/2009	35.20	3889.50	0.20
1/12/2010	36.60	3888.10	-1.40
2/16/2011	36.00	3888.70	0.60
2/24/2012	35.90	3888.80	0.10
2/26/2013	36.30	3888.40	-0.40
2/21/2014	36.40	3888.30	-0.10
2/5/2015	36.60	3888.10	-0.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	MCDONALD	Owner:	CENTRAL YUMA CO GWMD
Permit #:	217457 -	Location #:	SC00204625AB
Division:	1	Water District:	65
Location:	Q160 Q40 Q10 Section 25 Twnshp 2 S Range 46 W S	County:	YUMA
UTM Coordinates (NAD83):	Northing (UTM y) 4415163.0	Distance from section lines:	
Latitude/Longitude (decimal degrees):	39.858982	From N/S line:	
		From E/W line:	
UTM Coordinates (NAD83):	Easting (UTM x) 716195.4	Spotted from quarters	
Surface Elevation (ft):	4031	Top Perforated Interval (ft):	100
Well depth (ft):	160	Base of grout (ft):	
Aquifer(s):	OGALLALA	Bottom Perforated Interval (ft):	150
Water Level Change			
1 year:			
5 year:			
10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	106.40	3924.60	-1.10
12/22/2005	107.90	3923.10	-1.50
4/13/2007	108.90	3922.10	-1.00
2/14/2008	111.60	3919.40	-2.70
4/12/2009	112.80	3918.20	-1.20
2/2/2010	112.00	3919.00	0.80
2/16/2011	112.20	3918.80	-0.20
2/24/2012	111.80	3919.20	0.40
2/26/2013	111.60	3919.40	0.20
2/21/2014	112.20	3918.80	-0.60
2/5/2015	113.10	3917.90	-0.90

All Historic Measurements




Well Name:	ROTH	Owner:	ROTH RICHARD L
Permit #:	11573 - F -	Location #:	SC00204628ADB
Division:	1	Water District:	65
Location:	Q160 Q40 Q10 Section 28 Twnshp 2 S Range 46 W S	County:	YUMA
UTM Coordinates (NAD83):	Northing (UTM y) 4414808.9	Distance from section lines:	
Latitude/Longitude (decimal degrees):	39.856934	From N/S line:	
		From E/W line:	
UTM Coordinates (NAD83):	Easting (UTM x) 711676.2	User supplied	
Surface Elevation (ft):	4071.82	Top Perforated Interval (ft):	200
Well depth (ft):	305	Base of grout (ft):	
Aquifer(s):	OGALLALA	Bottom Perforated Interval (ft):	305
Water Level Change			
1 year:			
5 year:			
10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	113.00	3958.82	-1.20
12/22/2005	115.60	3956.22	-2.60
4/13/2007	116.70	3955.12	-1.10
2/14/2008			
1/1/2009			
2/2/2010	117.30	3954.52	
2/16/2011	117.80	3954.02	-0.50
2/24/2012	118.20	3953.62	-0.40
2/26/2013	118.00	3953.82	0.20
2/21/2014	117.80	3954.02	0.20
2/5/2015	118.10	3953.72	-0.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	HAROUFF, KENNETH		Owner:	YOUNG VERNON E & YOUNG CORAL M	
Permit #:	11743 - FP -	Location #:	SC00204703DDA	USGS Site ID:	395429102364900
Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE SE NE 3	2 S	47 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4420276.2	Easting (UTM x):	703943.6	User supplied
Latitude/Longitude (decimal degrees):		39.908044		-102.614095	
Surface Elevation (ft):	4124.82	Top Perforated Interval (ft):	150	Base of grout (ft):	Water Level Change
Well depth (ft):	270	Bottom Perforated Interval (ft):	270		1 year: 0.00
Aquifer(s):	OGALLALA				5 year: -2.50
					10 year: -11.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	135.70	3989.12	-1.50
12/22/2005	137.80	3987.02	-2.10
4/13/2007	141.10	3983.72	-3.30
2/14/2008	142.80	3982.02	-1.70
4/14/2009	144.00	3980.82	-1.20
2/2/2010	144.20	3980.62	-0.20
2/16/2011	145.00	3979.82	-0.80
2/10/2012	145.20	3979.62	-0.20
2/26/2013	146.60	3978.22	-1.40
2/21/2014	146.70	3978.12	-0.10
2/5/2015	146.70	3978.12	0.00

All Historic Measurements




Well Name:	BIRDSALL YOUNG		Owner:	BLACH PERRY J	
Permit #:	14166 - F -	Location #:	SC00204808ACA	USGS Site ID:	395358102461000
Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE SW NE 8	2 S	48 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4418913.0	Easting (UTM x):	690599.4	User supplied
Latitude/Longitude (decimal degrees):		39.898877		-102.770489	
Surface Elevation (ft):	4270.92	Top Perforated Interval (ft):	196	Base of grout (ft):	Water Level Change
Well depth (ft):	222	Bottom Perforated Interval (ft):	222		1 year: -0.60
Aquifer(s):	OGALLALA				5 year: -8.50
					10 year: -12.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	192.40	4078.52	-0.90
12/22/2005	193.40	4077.52	-1.00
4/13/2007			
2/13/2008	197.50	4073.42	
1/1/2009			
1/29/2010	196.30	4074.62	
2/16/2011	197.10	4073.82	-0.80
2/7/2012			
2/26/2013	203.80	4067.12	
2/21/2014	204.20	4066.72	-0.40
2/6/2015	204.80	4066.12	-0.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	D BUELTELL			Owner:	CENTRAL YUMA COUNTY GWMD		
Permit #:	14699 - FP	- R	Location #:	SC00204810BC	USGS Site ID:		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SW	10	2 S	48 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4418800.0	Easting (UTM x):		692955.4 <i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees):			39.897327			-102.742981	
Surface Elevation (ft):	4250	Top Perforated Interval (ft):	190	Base of grout (ft):	Water Level Change		
Well depth (ft):	265	Bottom Perforated Interval (ft):	250	1 year: -0.10			
Aquifer(s):	OGALLALA			5 year: -2.50			
				10 year: -5.20			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	195.10	4054.90	-2.10
12/22/2005	197.20	4052.80	-2.10
4/13/2007	196.80	4053.20	0.40
2/13/2008	197.50	4052.50	-0.70
1/1/2009			
1/29/2010	197.80	4052.20	
2/16/2011	197.00	4053.00	0.80
2/10/2012	198.60	4051.40	-1.60
2/26/2013	200.50	4049.50	-1.90
2/21/2014	200.20	4049.80	0.30
2/6/2015	200.30	4049.70	-0.10

All Historic Measurements




Well Name:	SEEDORF, C.D.			Owner:	SEEDORF C D		
Permit #:	14164 - FP	-	Location #:	SC00204811ACA	USGS Site ID:	395355102425000	
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SW NE	11	2 S	48 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4418911.0	Easting (UTM x):		695400.1 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.897766			-102.714376	
Surface Elevation (ft):	4221.88	Top Perforated Interval (ft):	180	Base of grout (ft):	Water Level Change		
Well depth (ft):	254	Bottom Perforated Interval (ft):	254	1 year: -0.30			
Aquifer(s):	OGALLALA			5 year: -3.10			
				10 year: -6.60			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	185.80	4036.08	-1.80
12/22/2005	187.80	4034.08	-2.00
4/13/2007	189.60	4032.28	-1.80
2/13/2008			
1/1/2009			
1/29/2010	189.30	4032.58	
2/16/2011	189.90	4031.98	-0.60
2/10/2012	189.70	4032.18	0.20
2/26/2013	191.90	4029.98	-2.20
2/20/2014	192.10	4029.78	-0.20
2/6/2015	192.40	4029.48	-0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: THOMASON, W

Owner: JOHNS THOMAS

Permit #: 126444 - - A

Location #: SC00204828CB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW 28 2 S 48 W S From N/S line: 2000 S From E/W line: 60 W
UTM Coordinates (NAD83): Northing (UTM y) 4413568.0 Easting (UTM x): 691355.0 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.850585 -102.763222


Surface Elevation (ft): 4291 **Top Perforated Interval (ft):** 160 **Base of grout (ft):**
Well depth (ft): 220 **Bottom Perforated Interval (ft):** 200
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.60
5 year: -21.20
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	126.60	4164.40	
4/13/2007	127.40	4163.60	-0.80
2/13/2008	127.30	4163.70	0.10
4/14/2009	125.90	4165.10	1.40
1/29/2010	123.60	4167.40	2.30
2/16/2011	141.00	4150.00	-17.40
2/10/2012	144.00	4147.00	-3.00
2/26/2013	143.80	4147.20	0.20
2/21/2014	144.20	4146.80	-0.40
2/6/2015	144.80	4146.20	-0.60

All Historic Measurements



Well Name: JOHNS, TOM

Owner:

Permit #: 73752 - -

Location #: SC00204828DDC1

USGS Site ID: 395048102445401

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SW 28 2 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4413162.6 Easting (UTM x): 692598.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.846655 -102.748821


Surface Elevation (ft): 4283.92 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 214 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	157.70	4126.22	2.40
12/22/2005			
4/13/2007			

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	WEATHERS, T.							Owner:	WEATHERS THOMAS W.			
Permit #:	24459 - FP -			Location #:				SC00204835BBB			USGS Site ID:	
Division:	1			Water District:				65			County:	YUMA
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:				
	NW	NW	NW	35	2 S	48 W	S	From N/S line:			From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)				4412942.0		Easting (UTM x):		694674.0 <i>Spotted from quarters</i>			
Latitude/Longitude (decimal degrees):					39.844196		-102.724640					
Surface Elevation (ft):	4251		Top Perforated Interval (ft):				170		Base of grout (ft):		Water Level Change	
Well depth (ft):	220		Bottom Perforated Interval (ft):				205				1 year:	-0.30
Aquifer(s):	OGALLALA										5 year:	-0.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	140.00	4111.00	0.80
12/22/2005	140.40	4110.60	-0.40
4/13/2007	140.10	4110.90	0.30
2/13/2008	141.00	4110.00	-0.90
4/14/2009	142.60	4108.40	-1.60
1/29/2010	140.80	4110.20	1.80
2/16/2011	140.80	4110.20	0.00
2/10/2012	142.20	4108.80	-1.40
2/26/2013	141.30	4109.70	0.90
2/21/2014	141.10	4109.90	0.20
2/6/2015	141.40	4109.60	-0.30

All Historic Measurements




Well Name:	WINGFIELD							Owner:	MEKELBURG EDWARD						
Permit #:	33070 -			-			Location #:	SC00304702CBD1			USGS Site ID:	394916102364001			
Division:	1						Water District:	65			County:	YUMA			
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:							
	SW	NW	SE	2	3	S	47	W	S	From N/S line:			From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)				4410630.7		Easting (UTM x):		704415.4					User supplied	
Latitude/Longitude (decimal degrees):					39.821100				-102.611594						
Surface Elevation (ft):	4170.87		Top Perforated Interval (ft):			124		Base of grout (ft):			Water Level Change				
Well depth (ft):	147		Bottom Perforated Interval (ft):			147					1 year: 0.30				
Aquifer(s):	OGALLALA									5 year: -1.60					
										10 year: -2.30					

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	112.70	4058.17	-0.50
12/22/2005	112.70	4058.17	0.00
4/13/2007	112.90	4057.97	-0.20
2/14/2008	114.20	4056.67	-1.30
4/14/2009	113.70	4057.17	0.50
2/2/2010	113.40	4057.47	0.30
2/16/2011	113.60	4057.27	-0.20
2/10/2012	114.20	4056.67	-0.60
2/26/2013	115.30	4055.57	-1.10
2/21/2014	115.30	4055.57	0.00
2/6/2015	115.00	4055.87	0.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	WINGER, M.							Owner:	TRIPLE FARMS INC		
Permit #:	22674 - FP -			Location #:				SC00304704B		USGS Site ID:	
Division:	1			Water District:				65		County: YUMA	
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:			
	NW			4	3 S	47	W S	From N/S line:		From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)			4411204.3		Easting (UTM x):		701424.9		Spotted from quarters	
Latitude/Longitude (decimal degrees):				39.826978				-102.646331			
Surface Elevation (ft):	4211		Top Perforated Interval (ft):			200		Base of grout (ft):		Water Level Change	
Well depth (ft):	240		Bottom Perforated Interval (ft):			240				1 year:	-0.20
Aquifer(s):	OGALLALA									5 year:	-3.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	179.50	4031.50	-2.60
12/22/2005	182.20	4028.80	-2.70
4/13/2007	182.00	4029.00	0.20
2/14/2008			
4/14/2009	183.40	4027.60	
2/2/2010	183.90	4027.10	-0.50
2/16/2011	184.50	4026.50	-0.60
2/10/2012	187.00	4024.00	-2.50
2/26/2013	186.80	4024.20	0.20
2/21/2014	187.10	4023.90	-0.30
2/6/2015	187.30	4023.70	-0.20

All Historic Measurements




Well Name:	U.S. GOVERNMENT										Owner:	CO BOARD OF LAND COMMISSIONERS																		
Permit #:	10682 - -					Location #:					SC00304836CBB1					USGS Site ID:					394502102422301									
Division:	1					Water District:					65					County:					YUMA									
Location:	Q160		Q40		Q10		Section			Twnshp		Range		PM		Distance from section lines:														
	SW		NW		NW		36			3		S		48		W		S		From N/S line:					From E/W line:					
UTM Coordinates (NAD83):	Northing (UTM y)					4402585.3					Easting (UTM x):					696460.5					User supplied									
Latitude/Longitude (decimal degrees):						39.750544										-102.706875														
Surface Elevation (ft):	4282.94					Top Perforated Interval (ft):					61					Base of grout (ft):					Water Level Change									
Well depth (ft):	92					Bottom Perforated Interval (ft):					85										1 year:					-0.40				
Aquifer(s):	OGALLALA																				5 year:					1.00				

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	41.00	4241.94	-0.60
12/22/2006	41.30	4241.64	-0.30
4/13/2007	40.60	4242.34	0.70
2/13/2008	41.90	4241.04	-1.30
4/14/2009	42.10	4240.84	-0.20
1/29/2010	40.70	4242.24	1.40
2/16/2011	39.80	4243.14	0.90
2/10/2012	39.00	4243.94	0.80
2/26/2013	40.20	4242.74	-1.20
2/21/2014	39.30	4243.64	0.90
2/6/2015	39.70	4243.24	-0.40

All Historic Measurements



Washington County Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: CSU

Owner: STRAND, ROBERT

Permit #: 5082 - FP - **Location #:** SB00205101CCA **USGS Site ID:** 401000103020000


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 1 2 N 51 W S From N/S line: 1050 S From E/W line: 1000 W
UTM Coordinates (NAD83): Northing (UTM y) 4448107.3 Easting (UTM x): 667428.8 *User supplied*
Latitude/Longitude (decimal degrees): 40.166649 -103.033827

Surface Elevation (ft): 4427.04 **Top Perforated Interval (ft):** 100 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 157 **Bottom Perforated Interval (ft):** 160 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -2.90
10 year: -3.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	94.60	4332.44	1.40
2/28/2006	95.50	4331.54	-0.90
4/12/2007	96.60	4330.44	-1.10
2/10/2008	97.50	4329.54	-0.90
1/1/2009			
1/13/2010	95.10	4331.94	
2/3/2011	95.70	4331.34	-0.60
2/20/2012	95.30	4331.74	0.40
2/5/2013	95.70	4331.34	-0.40
3/4/2014	96.50	4330.54	-0.80
12/30/2014	98.00	4329.04	-1.50

All Historic Measurements



Well Name: U.S. GOVERNMENT

Owner: USDA AGRICULTURAL RESEARCH SERVIC

Permit #: 7699 - FP - **Location #:** SB00205212DBC **USGS Site ID:** 400920103082000


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SW 12 2 N 52 W S From N/S line: 2000 S From E/W line: 2630 E
UTM Coordinates (NAD83): Northing (UTM y) 4446394.3 Easting (UTM x): 658069.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.153038 -103.144106

Surface Elevation (ft): 4540.13 **Top Perforated Interval (ft):** 70 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 100 **Bottom Perforated Interval (ft):** 100 **1 year:** -0.60
Aquifer(s): OGALLALA **5 year:** -3.00
10 year: -5.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2005	52.60	4487.53	-1.05
2/28/2006	52.30	4487.83	0.30
4/12/2007	52.80	4487.33	-0.50
2/10/2008	55.60	4484.53	-2.80
1/1/2009			
1/13/2010	54.60	4485.53	
2/3/2011	54.80	4485.33	-0.20
2/20/2012	55.50	4484.63	-0.70
2/5/2013	56.60	4483.53	-1.10
3/4/2014	57.00	4483.13	-0.40
12/30/2014	57.60	4482.53	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: **DIAMOND, ROBERT**

Owner:

Permit #: 18069 - - **Location #:** SB00305104BAA **USGS Site ID:** 401558103052401


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NE NE 4 3 N 51 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4459040.6 Easting (UTM x): 662365.4 *User supplied*
Latitude/Longitude (decimal degrees): 40.266092 -103.090494

Surface Elevation (ft): 4492.03 **Top Perforated Interval (ft):** 99 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 138 **Bottom Perforated Interval (ft):** 132 **1 year:**
Aquifer(s): OGALLALA **5 year:** -3.10
10 year: -4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2005	94.00	4398.03	-0.50
2/28/2006	94.90	4397.13	-0.90
4/12/2007	94.10	4397.93	0.80
2/10/2008	94.50	4397.53	-0.40
1/1/2009			
1/13/2010	95.10	4396.93	
2/3/2011	95.60	4396.43	-0.50
2/20/2012	96.40	4395.63	-0.80
2/5/2013			
12/30/2014	98.20	4393.83	

All Historic Measurements



Well Name: **LAMBERTSON, EVERETT**

Owner:

Permit #: 89446 - - A **Location #:** SB00305203DDDD1 **USGS Site ID:** 401505103101801


Division: 1 **Water District:** 64 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SE SE 3 3 N 52 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4457259.8 Easting (UTM x): 655454.6 *User supplied*
Latitude/Longitude (decimal degrees): 40.251369 -103.172161

Surface Elevation (ft): 4559.98 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 44 **Bottom Perforated Interval (ft):** **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:** -10.90
10 year: -12.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2005	36.80	4523.18	0.10
2/28/2006	36.80	4523.18	0.00
4/11/2007	37.70	4522.28	-0.90
2/10/2008	37.90	4522.08	-0.20
1/1/2009			
1/13/2010	38.40	4521.58	
2/3/2011	38.60	4521.38	-0.20
2/20/2012	38.30	4521.68	0.30
2/5/2013	49.00	4510.98	-10.70
3/4/2014	48.80	4511.18	0.20
12/30/2014	49.30	4510.68	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: **PARRISH, ROWLAND**

Owner:

Permit #: 251011 - - **Location #:** SB00305232CBC1 **USGS Site ID:** 401051103133101


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SW 32 3 N 52 W S From N/S line: 1340 S From E/W line: 390 W
UTM Coordinates (NAD83): Northing (UTM y) 4449335.4 Easting (UTM x): 651051.4 *User supplied*
Latitude/Longitude (decimal degrees): 40.180815 -103.225773

Surface Elevation (ft): 4707.17 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 167 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:** -2.10
10 year: -4.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2005	111.40	4595.77	-0.60
2/28/2006	111.30	4595.87	0.10
4/12/2007	111.40	4595.77	-0.10
2/10/2008	111.40	4595.77	0.00
1/1/2009			
1/13/2010	114.20	4592.97	
2/3/2011	113.80	4593.37	0.40
2/20/2012			
2/5/2013			
12/30/2014	116.30	4590.87	

All Historic Measurements



Well Name: **JOHNSON, ORVILLE**

Owner:

Permit #: 158895 - - A **Location #:** SB00505121CCD1 **USGS Site ID:** 402245103044301


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 21 5 N 51 W S From N/S line: 117 S From E/W line: 1585 W
UTM Coordinates (NAD83): Northing (UTM y) 4471611.8 Easting (UTM x): 663061.8 *User supplied*
Latitude/Longitude (decimal degrees): 40.379151 -103.079102

Surface Elevation (ft): 4369.98 **Top Perforated Interval (ft):** 20 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 47 **Bottom Perforated Interval (ft):** 63 **1 year:** -2.60
Aquifer(s): **5 year:** -4.20
10 year: 0.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2005	17.70	4352.28	-0.80
2/3/2006	18.20	4351.78	-0.50
4/2/2007	17.10	4352.88	1.10
2/10/2008	16.50	4353.48	0.60
1/1/2009			
1/13/2010	13.20	4356.78	
2/3/2011	13.60	4356.38	-0.40
2/20/2012	17.50	4352.48	-3.90
2/5/2013	14.00	4355.98	3.50
3/4/2014	14.80	4355.18	-0.80
12/30/2014	17.40	4352.58	-2.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: TRAXLER, GENE

Owner:

Permit #: 124407 - - A

Location #: SC00105118DCD

USGS Site ID: 395730103075000

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SW SE 18 1 S 51 W S From N/S line: 500 S From E/W line: 2100 E
UTM Coordinates (NAD83): Northing (UTM y) 4425113.2 Easting (UTM x): 659699.7 User supplied
Latitude/Longitude (decimal degrees): 39.961096 -103.130217


Surface Elevation (ft): 4630.92 **Top Perforated Interval (ft):** 100 **Base of grout (ft):**
Well depth (ft): 140 **Bottom Perforated Interval (ft):** 140
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.90
5 year: 2.70
10 year: 0.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	93.90	4537.02	-1.40
3/3/2006	94.00	4536.92	-0.10
4/12/2007	94.40	4536.52	-0.40
2/10/2008	95.20	4535.72	-0.80
1/1/2009			
1/13/2010	96.40	4534.52	
2/3/2011	94.90	4536.02	1.50
2/20/2012	94.40	4536.52	0.50
2/5/2013	94.60	4536.32	-0.20
3/4/2014	94.60	4536.32	0.00
12/30/2014	93.70	4537.22	0.90

All Historic Measurements



Well Name: MCCREATH, RUSSELL

Owner:

Permit #: - -

Location #: SC00205005DDD

USGS Site ID: 395355102594700

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SE SE 5 2 S 50 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4419046.6 Easting (UTM x): 671539.3 User supplied
Latitude/Longitude (decimal degrees): 39.904152 -102.993271


Surface Elevation (ft): 4489.15 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 212 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: -3.20
5 year: -5.80
10 year: -9.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	176.60	4312.55	1.30
3/3/2006			
4/12/2007	178.20	4310.95	
2/10/2008	179.50	4309.65	-1.30
1/1/2009			
1/13/2010	179.90	4309.25	
2/4/2011	179.50	4309.65	0.40
2/20/2012	180.10	4309.05	-0.60
2/5/2013	181.80	4307.35	-1.70
3/4/2014	182.50	4306.65	-0.70
12/30/2014	185.70	4303.45	-3.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name:	YOUNG, BIRDSALL JR.			Owner:	YOUNG BIRDSALL JR		
Permit #:	20292 - F	-	Location #:	SC00205022DDD	USGS Site ID:	395133102571901	
Division:	1			Water District:	65		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	SE	SE	SE	22	2	S	50 W S
							Distance from section lines:
							From N/S line: 70 S From E/W line: 550 E
UTM Coordinates (NAD83):	Northing (UTM y)			4414124.4	Easting (UTM x): 674859.5 <i>User supplied</i>		
Latitude/Longitude (decimal degrees):				39.859153	-102.955771		
Surface Elevation (ft):	4474.1	Top Perforated Interval (ft):	240	Base of grout (ft):	Water Level Change		
Well depth (ft):	312	Bottom Perforated Interval (ft):	320		1 year: 0.50		
Aquifer(s):	OGALLALA				5 year: 1.20		
					10 year: -1.10		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	201.10	4273.00	-3.10
3/3/2006	201.60	4272.50	-0.50
4/12/2007	202.10	4272.00	-0.50
2/10/2008	203.20	4270.90	-1.10
1/1/2009			
1/13/2010	203.40	4270.70	
2/4/2011	203.80	4270.30	-0.40
2/20/2012	201.00	4273.10	2.80
2/5/2013	202.90	4271.20	-1.90
3/4/2014	202.70	4271.40	0.20
12/30/2014	202.20	4271.90	0.50

All Historic Measurements




Well Name:	ALISHOUSE, EZRA			Owner:			
Permit #:	12782 - F	-	Location #:	SC00205103DAB	USGS Site ID:	395425103042500	
Division:	1			Water District:	65		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	SE	NE	NW	3	2	S	51 W S
							Distance from section lines:
							From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)			4419392.8	Easting (UTM x): 664855.7 <i>User supplied</i>		
Latitude/Longitude (decimal degrees):				39.908596	-103.071328		
Surface Elevation (ft):	4557.21	Top Perforated Interval (ft):	260	Base of grout (ft):	Water Level Change		
Well depth (ft):	296	Bottom Perforated Interval (ft):	296		1 year:		
Aquifer(s):	OGALLALA				5 year: -0.80		
					10 year: -10.10		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	207.80	4349.41	0.40
3/3/2006	206.70	4350.51	1.10
4/12/2007	206.60	4350.61	0.10
2/10/2008	216.40	4340.81	-9.80
1/1/2009			
1/13/2010	217.10	4340.11	
2/3/2011	218.30	4338.91	-1.20
2/20/2012			
12/30/2014	217.90	4339.31	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: FOUTZ, LYLE A.

Owner:

Permit #: 9098 - F - **Location #:** SC00205105BDC **USGS Site ID:** 395434103071102

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE SW 5 2 S 51 W S From N/S line: 2574 N From E/W line: 1383 W
UTM Coordinates (NAD83): Northing (UTM y) 4419396.2 Easting (UTM x): 660674.7 User supplied
Latitude/Longitude (decimal degrees): 39.909429 -103.120217


Surface Elevation (ft): 4630.24 **Top Perforated Interval (ft):** 242 **Base of grout (ft):**
Well depth (ft): 285 **Bottom Perforated Interval (ft):** 282
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.30
5 year: -3.00
10 year: -6.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	214.90	4415.34	-1.10
3/3/2006	215.20	4415.04	-0.30
4/12/2007	216.50	4413.74	-1.30
2/10/2008	216.70	4413.54	-0.20
1/1/2009			
1/13/2010	218.20	4412.04	
2/3/2011	218.90	4411.34	-0.70
2/20/2012	216.90	4413.34	2.00
2/5/2013	220.20	4410.04	-3.30
3/4/2014	219.90	4410.34	0.30
12/30/2014	221.20	4409.04	-1.30

All Historic Measurements



Well Name: VOLBERDING, OTTO

Owner:

Permit #: 11568 - F - **Location #:** SC00205107DAB **USGS Site ID:** 395330103074000

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE NW 7 2 S 51 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4417686.3 Easting (UTM x): 660045.4 User supplied
Latitude/Longitude (decimal degrees): 39.894151 -103.127995


Surface Elevation (ft): 4642.26 **Top Perforated Interval (ft):** 200 **Base of grout (ft):**
Well depth (ft): 278 **Bottom Perforated Interval (ft):** 278
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.10
5 year: -2.10
10 year: -1.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	221.10	4421.16	-1.80
3/3/2006	222.10	4420.16	-1.00
4/12/2007	221.90	4420.36	0.20
2/10/2008	222.50	4419.76	-0.60
1/1/2009			
1/13/2010	220.90	4421.36	
2/3/2011	221.30	4420.96	-0.40
2/20/2012	218.10	4424.16	3.20
2/5/2013	222.70	4419.56	-4.60
3/4/2014	223.10	4419.16	-0.40
12/30/2014	223.00	4419.26	0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: SCHENK, ROBERT L.

Owner: SCHENK ROBERT L

Permit #: 12907 - F - **Location #:** SC00205201DDD

USGS Site ID: 395410103085000

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SE 1 2 S 52 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4418495.0 Easting (UTM x): 658534.0 Digitized


Latitude/Longitude (decimal degrees): 39.901717 -103.145468

Surface Elevation (ft): 4659.27 **Top Perforated Interval (ft):** 252 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 342 **Bottom Perforated Interval (ft):** 342 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:** -1.80
10 year: 0.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	223.80	4435.47	4.00
3/3/2006	222.70	4436.57	1.10
4/12/2007	223.40	4435.87	-0.70
2/10/2008	224.50	4434.77	-1.10
1/1/2009			
1/29/2010	222.00	4437.27	
2/3/2011	222.30	4436.97	-0.30
2/20/2012	220.50	4438.77	1.80
2/5/2013	222.00	4437.27	-1.50
3/4/2014	222.60	4436.67	-0.60
12/30/2014	223.80	4435.47	-1.20

All Historic Measurements



Well Name: WRIGHT, DOYLE

Owner:

Permit #: 70463 - A - **Location #:** SC00205322CBB

USGS Site ID: 395147103183901

Division: 1 **Water District:** 1 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 22 2 S 53 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4413920.6 Easting (UTM x): 644435.7 User supplied


Latitude/Longitude (decimal degrees): 39.863040 -103.311330

Surface Elevation (ft): 4940.4 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 225 **Bottom Perforated Interval (ft):** 225 **1 year:** 0.80
Aquifer(s): OGALLALA **5 year:** -2.80
10 year: -2.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	198.30	4742.10	1.10
3/3/2006	198.60	4741.80	-0.30
4/12/2007	198.70	4741.70	-0.10
2/10/2008			
1/1/2009			
1/29/2010	198.10	4742.30	
2/3/2011	198.60	4741.80	-0.50
2/20/2012	198.30	4742.10	0.30
2/5/2013	200.70	4739.70	-2.40
3/4/2014	201.70	4738.70	-1.00
12/30/2014	200.90	4739.50	0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: CHRISTIANSON

Owner: SWAN VALLEY LAND & LIVESTOCK INC

Permit #: 2803 - F -

Location #: SC00304910DCA

USGS Site ID: 394810102504000

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW NE 10 3 S 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4408086.9 Easting (UTM x): 684444.3 *User supplied*

Latitude/Longitude (decimal degrees): 39.802765 -102.845490

Surface Elevation (ft): 4399 **Top Perforated Interval (ft):** 116 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 216 **Bottom Perforated Interval (ft):** 216 **1 year:** -0.20


Aquifer(s): OGALLALA **5 year:** -1.00

10 year: 3.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	135.20	4263.80	2.30
3/3/2006	138.10	4260.90	-2.90
4/12/2007	132.40	4266.60	5.70
2/10/2008			
1/1/2009			
1/29/2010	130.50	4268.50	
2/4/2011	131.20	4267.80	-0.70
2/20/2012	130.70	4268.30	0.50
2/5/2013	131.90	4267.10	-1.20
3/4/2014	131.30	4267.70	0.60
12/30/2014	131.50	4267.50	-0.20

All Historic Measurements



Well Name: WINGER

Owner: DAISY LANE FARMS LLC

Permit #: 17230 - FP -

Location #: SC00304927BCD

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW SE 27 3 S 49 W S From N/S line: 2600 N From E/W line: 1300 W

UTM Coordinates (NAD83): Northing (UTM y) 4403830.5 Easting (UTM x): 683836.6 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 39.764572 -102.853775

Surface Elevation (ft): 4420 **Top Perforated Interval (ft):** 199 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 279 **Bottom Perforated Interval (ft):** 279 **1 year:** -2.00


Aquifer(s): OGALLALA **5 year:** -1.80

10 year: -3.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	128.80	4291.20	-8.20
3/3/2006	129.60	4290.40	-0.80
4/12/2007	132.60	4287.40	-3.00
2/10/2008	132.00	4288.00	0.60
1/1/2009			
1/29/2010	130.60	4289.40	
2/4/2011	130.30	4289.70	0.30
2/20/2012	129.60	4290.40	0.70
2/5/2013	131.60	4288.40	-2.00
3/4/2014	130.40	4289.60	1.20
12/30/2014	132.40	4287.60	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: **WINGER CATTLE COMP.**

Owner:

Permit #: 104969 - - **Location #:** SC00304931BBB **USGS Site ID:** 394520102544701


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 31 3 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4402707.1 Easting (UTM x): 678739.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.755542 -102.913547

Surface Elevation (ft): 4480.98 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 220 **Bottom Perforated Interval (ft):** 220 **1 year:** -0.60
Aquifer(s): OGALLALA **5 year:** -2.00
10 year: -7.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	179.00	4301.98	-0.50
3/3/2006	179.90	4301.08	-0.90
4/12/2007	181.30	4299.68	-1.40
2/10/2008	183.50	4297.48	-2.20
1/1/2009			
1/29/2010	184.00	4296.98	
1/1/2011			
2/20/2012	184.30	4296.68	
2/5/2013	185.20	4295.78	-0.90
3/4/2014	185.40	4295.58	-0.20
12/30/2014	186.00	4294.98	-0.60

All Historic Measurements



Well Name: **BIRDSAL YOUNG**

Owner: YOUNG BIRDSALL JR

Permit #: 21538 - F - **Location #:** SC00305011CBB **USGS Site ID:** 394828102570201


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 11 3 S 50 W S From N/S line: 2560 S From E/W line: 675 W
UTM Coordinates (NAD83): Northing (UTM y) 4408429.5 Easting (UTM x): 675394.2 *User supplied*
Latitude/Longitude (decimal degrees): 39.807764 -102.951048

Surface Elevation (ft): 4492.1 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 230 **Bottom Perforated Interval (ft):** 230 **1 year:** 0.40
Aquifer(s): OGALLALA **5 year:** -2.30
10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	145.10	4347.00	-0.80
3/3/2006	148.60	4343.50	-3.50
4/12/2007	145.40	4346.70	3.20
2/10/2008	145.50	4346.60	-0.10
1/1/2009			
1/29/2010	146.70	4345.40	
2/4/2011	147.40	4344.70	-0.70
2/20/2012	147.80	4344.30	-0.40
2/5/2013	150.20	4341.90	-2.40
3/4/2014	149.40	4342.70	0.80
12/30/2014	149.00	4343.10	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: JONES, ALVIN

Owner:

Permit #: - -

Location #: SC00305114DCC

USGS Site ID: 394714103032201


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SW 14 3 S 51 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4405946.2 Easting (UTM x): 666407.2 *User supplied*
Latitude/Longitude (decimal degrees): 39.787208 -103.056605

Surface Elevation (ft): 4622.23 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 180 **Bottom Perforated Interval (ft):** **1 year:** -0.10
Aquifer(s): OGALLALA **5 year:** -1.20
10 year: -2.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	153.60	4468.63	0.00
3/3/2006	155.90	4466.33	-2.30
4/12/2007	153.50	4468.73	2.40
2/10/2008	153.70	4468.53	-0.20
1/1/2009			
1/29/2010	154.50	4467.73	
2/4/2011	154.20	4468.03	0.30
2/20/2012	154.70	4467.53	-0.50
2/5/2013	154.90	4467.33	-0.20
3/4/2014	155.60	4466.63	-0.70
12/30/2014	155.70	4466.53	-0.10

All Historic Measurements



Well Name: JOHNSON, CARL

Owner: JOHNSON RICK

Permit #: 234227 - -

Location #: SC00305204CBD1

USGS Site ID: 394904103125501


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW SE 4 3 S 52 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4409053.6 Easting (UTM x): 652709.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.817761 -103.215773

Surface Elevation (ft): 4812.4 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 118 **Bottom Perforated Interval (ft):** **1 year:** 1.70
Aquifer(s): **5 year:** -2.20
10 year: -0.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	103.90	4708.50	0.10
3/3/2006	103.80	4708.60	0.10
4/12/2007	103.80	4708.60	0.00
2/10/2008			
1/1/2009			
1/29/2010	101.90	4710.50	
2/4/2011	102.30	4710.10	-0.40
2/20/2012			
3/4/2014	105.80	4706.60	
12/30/2014	104.10	4708.30	1.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name:	STATE OF COLORADO			Owner:	CO BOARD OF LAND COMMISSIONERS		
Permit #:	44031 -	-	Location #:	SC00404916CDD	USGS Site ID:	394158102520701	
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW SE SE	16	4 S	49 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4396568.6	Easting (UTM x):		682695.7 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.699432			-102.869101	
Surface Elevation (ft):	4447.05	Top Perforated Interval (ft):	22	Base of grout (ft):	Water Level Change		
Well depth (ft):	42	Bottom Perforated Interval (ft):	42	1 year: -1.10			
Aquifer(s):	OGALLALA			5 year: -3.90			
				10 year: -4.50			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2005	20.90	4426.15	-1.60
3/3/2006	21.20	4425.85	-0.30
4/12/2007			
2/10/2008			
1/1/2009			
1/29/2010	21.50	4425.55	
2/4/2011	21.90	4425.15	-0.40
2/20/2012	23.10	4423.95	-1.20
2/5/2013	23.70	4423.35	-0.60
3/4/2014	24.30	4422.75	-0.60
12/30/2014	25.40	4421.65	-1.10

All Historic Measurements




Well Name:	STATE OF COLORADO			Owner:			
Permit #:	-	-	Location #:	SC00405016CCD	USGS Site ID:	394151102591800	
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW SW SE	16	4 S	50 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4396455.2	Easting (UTM x):		672451.1 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.700542			-102.988549	
Surface Elevation (ft):	4606.17	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	76	Bottom Perforated Interval (ft):		1 year: -0.40			
Aquifer(s):				5 year: -1.80			
				10 year: -1.60			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	59.70	4546.47	-1.10
3/3/2006	59.60	4546.57	0.10
4/12/2007	59.80	4546.37	-0.20
2/10/2008	61.00	4545.17	-1.20
1/1/2009			
1/29/2010	59.50	4546.67	
2/4/2011	59.80	4546.37	-0.30
2/20/2012	60.20	4545.97	-0.40
2/5/2013	61.30	4544.87	-1.10
3/4/2014	60.90	4545.27	0.40
12/30/2014	61.30	4544.87	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: **KNIESE, FRED** **Owner:**
Permit #: - - **Location #:** SC00405101BBA **USGS Site ID:** 394424103023600


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NE 1 4 S 51 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4400911.4 Easting (UTM x): 667516.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.741652 -103.044939

Surface Elevation (ft): 4620.23 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 74 **Bottom Perforated Interval (ft):** **1 year:** -0.10
Aquifer(s): **5 year:** -2.80
10 year: -2.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	65.80	4554.43	-0.20
3/3/2006	66.60	4553.63	-0.80
4/12/2007	66.30	4553.93	0.30
2/10/2008			
1/1/2009			
1/29/2010	65.60	4554.63	
2/4/2011	66.00	4554.23	-0.40
2/20/2012	66.50	4553.73	-0.50
2/5/2013	66.60	4553.63	-0.10
3/4/2014	68.30	4551.93	-1.70
12/30/2014	68.40	4551.83	-0.10

All Historic Measurements



Well Name: **CO BOARD OF LAND COMMISSIONERS** **Owner:** COLORADO BOARD OF LAND COMMISSIO
Permit #: 250082 - - A **Location #:** SC00405216DA **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE 16 4 S 52 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4396349.5 Easting (UTM x): 654238.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.703075 -103.200897

Surface Elevation (ft): 4855 **Top Perforated Interval (ft):** 80 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 100 **Bottom Perforated Interval (ft):** 100 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -3.50
10 year: 1.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	75.00	4780.00	
3/3/2006	74.40	4780.60	0.60
4/12/2007	74.40	4780.60	0.00
2/10/2008	75.50	4779.50	-1.10
1/1/2009			
1/29/2010	70.50	4784.50	
2/3/2011	72.10	4782.90	-1.60
2/20/2012	72.80	4782.20	-0.70
2/5/2013	72.50	4782.50	0.30
3/4/2014	73.20	4781.80	-0.70
12/30/2014	74.00	4781.00	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: ANTHOLZ, CARL W.

Owner:

Permit #: - -

Location #: SC00405313CBB

USGS Site ID: 394212103162301


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 13 4 S 53 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4396253.9 Easting (UTM x): 648009.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.703317 -103.273551

Surface Elevation (ft): 4937.45 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 72 **Bottom Perforated Interval (ft):** **1 year:** -0.20
Aquifer(s): **5 year:** -3.40
10 year: -3.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	59.60	4877.85	-0.40
3/3/2006	60.00	4877.45	-0.40
4/12/2007	60.30	4877.15	-0.30
2/10/2008			
1/1/2009			
1/29/2010	59.20	4878.25	
1/1/2011			
2/20/2012			
2/5/2013	61.80	4875.65	
3/4/2014	62.40	4875.05	-0.60
12/30/2014	62.60	4874.85	-0.20

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

W-Y
Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK


**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	HAHN, RODNEY			Owner:	BOHLENDER WILMER		
Permit #:	16073 - R	-	Location #:	SB00104704CAC	USGS Site ID:	400450102381000	
Division:	1		Water District:	65	County:	YUMA	
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW NE SW	4	1 N	47 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4439280.5	Easting (UTM x):		701490.9 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.079710			-102.636874	
Surface Elevation (ft):	4057.36	Top Perforated Interval (ft):	113	Base of grout (ft):	Water Level Change		
Well depth (ft):	314	Bottom Perforated Interval (ft):	313	1 year: -11.00			
Aquifer(s):	OGALLALA			5 year: -18.00			
				10 year: -19.00			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2005	171.90	3885.46	-5.00
12/19/2006	163.90	3893.46	8.00
12/19/2007	177.90	3879.46	-14.00
4/7/2009	188.90	3868.46	-11.00
12/17/2009	167.90	3889.46	21.00
12/27/2010	167.90	3889.46	0.00
12/16/2011	167.90	3889.46	0.00
1/21/2013	173.90	3883.46	-6.00
12/3/2013	174.90	3882.46	-1.00
1/20/2015	185.90	3871.46	-11.00

All Historic Measurements




Well Name:	HAHN, M.			Owner:	HAHN MAURICE		
Permit #:	6524 - F	-	Location #:	SB00104705BAC	USGS Site ID:	400520102392000	
Division:	1		Water District:	65	County:	YUMA	
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NE SW	5	1 N	47 W S		From N/S line: 1320 N From E/W line: 2092 W	
UTM Coordinates (NAD83):	Northing (UTM y)		4439948.2	Easting (UTM x):		699908.8 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.086098			-102.655208	
Surface Elevation (ft):	4079.77	Top Perforated Interval (ft):	220	Base of grout (ft):	Water Level Change		
Well depth (ft):	340	Bottom Perforated Interval (ft):	340	1 year: 23.00			
Aquifer(s):	OGALLALA			5 year: 8.00			
				10 year: 8.00			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2005	186.50	3893.27	-9.00
12/19/2006	183.20	3896.57	3.30
12/19/2007	187.00	3892.77	-3.80
1/1/2009			
12/17/2009	177.50	3902.27	
12/27/2010	186.50	3893.27	-9.00
12/16/2011	186.50	3893.27	0.00
1/21/2013	192.50	3887.27	-6.00
12/3/2013	192.50	3887.27	0.00
1/20/2015	169.50	3910.27	23.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: KOENIG, ROGER

Owner: ROTH RICHARD & AVA TRUST OF

Permit #: 12328 - F -

Location #: SB00104708DDB

USGS Site ID: 400350102385000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SE NW 8 1 N 47 W S From N/S line: 1320 S From E/W line: 1320 E
UTM Coordinates (NAD83): Northing (UTM y) 4437589.6 Easting (UTM x): 700563.7 *User supplied*
Latitude/Longitude (decimal degrees): 40.064710 -102.648263


Surface Elevation (ft): 4071.76 **Top Perforated Interval (ft):** 270 **Base of grout (ft):**
Well depth (ft): 360 **Bottom Perforated Interval (ft):** 360
Aquifer(s): OGALLALA

Water Level Change
1 year: -6.00
5 year: 12.00
10 year: -6.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2005	179.50	3892.26	-4.00
12/19/2006	189.50	3882.26	-10.00
12/19/2007	196.50	3875.26	-7.00
4/7/2009	194.50	3877.26	2.00
12/17/2009	193.50	3878.26	1.00
12/27/2010	169.50	3902.26	24.00
12/16/2011	172.50	3899.26	-3.00
1/21/2013	174.50	3897.26	-2.00
12/3/2013	175.50	3896.26	-1.00
1/20/2015	181.50	3890.26	-6.00

All Historic Measurements



Well Name: STULP, J.

Owner: STULP JOHN

Permit #: 13551 - F -

Location #: SB00104719AAC

USGS Site ID: 400240102395000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE SW 19 1 N 47 W S From N/S line: 1500 N From E/W line: 1350 E
UTM Coordinates (NAD83): Northing (UTM y) 4435081.0 Easting (UTM x): 699040.9 *User supplied*
Latitude/Longitude (decimal degrees): 40.042488 -102.666875


Surface Elevation (ft): 4106.77 **Top Perforated Interval (ft):** 162 **Base of grout (ft):**
Well depth (ft): 229 **Bottom Perforated Interval (ft):** 229
Aquifer(s): OGALLALA

Water Level Change
1 year: -10.00
5 year: -23.00
10 year: 6.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2005	187.50	3919.27	0.80
12/19/2006	172.50	3934.27	15.00
12/19/2007	177.50	3929.27	-5.00
4/7/2009	173.50	3933.27	4.00
12/17/2009	158.50	3948.27	15.00
12/27/2010	153.50	3953.27	5.00
12/16/2011	175.50	3931.27	-22.00
1/21/2013	177.50	3929.27	-2.00
12/3/2013	171.50	3935.27	6.00
1/20/2015	181.50	3925.27	-10.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **TRAUTMAN, ED**

Owner: BEAUPREZ MARCELLUS C

Permit #: 5183 - FP -

Location #: SB00104802AA

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NE 2 1 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4440029.1 Easting (UTM x): 695624.2 [GPS](#)
Latitude/Longitude (decimal degrees): 40.087832 -102.705400

Surface Elevation (ft): 4123 **Top Perforated Interval (ft):** 145 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 345 **Bottom Perforated Interval (ft):** 345 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** -8.00
10 year: -15.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/8/2005	192.60	3930.40	-3.50
12/19/2006	187.10	3935.90	5.50
12/19/2007	188.10	3934.90	-1.00
4/22/2009	184.10	3938.90	4.00
12/17/2009	196.10	3926.90	-12.00
12/27/2010	195.10	3927.90	1.00
12/16/2011	197.10	3925.90	-2.00
1/21/2013	202.10	3920.90	-5.00
2/13/2014	201.10	3921.90	1.00
1/20/2015	204.10	3918.90	-3.00

All Historic Measurements



Well Name: **SEEDORF, RICHARD & RUTH**

Owner:

Permit #: 12777 - F -

Location #: SB00104806DB

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE NW 6 1 N 48 W S From N/S line: 1320 S From E/W line: 2480 E
UTM Coordinates (NAD83): Northing (UTM y) 4438819.0 Easting (UTM x): 688935.2 [Spotted from section lines](#)
Latitude/Longitude (decimal degrees): 40.078465 -102.784157

Surface Elevation (ft): 4200 **Top Perforated Interval (ft):** 270 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 306 **Bottom Perforated Interval (ft):** 306 **1 year:** -10.00
Aquifer(s): OGALLALA **5 year:** -13.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2009	217.00	3983.00	
12/27/2010	216.00	3984.00	1.00
1/16/2012	216.00	3984.00	0.00
2/11/2013	221.00	3979.00	-5.00
2/17/2014	220.00	3980.00	1.00
2/6/2015	230.00	3970.00	-10.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	REHOR, EARL			Owner:	REHOR FARMS UNLIMITED		
Permit #:	12594 - F -	Location #:	SB00104814CAA	USGS Site ID:	400300102425000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NE NE 14	1 N	48 W S		From N/S line: 1285 S From E/W line: 1285 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4435808.9	Easting (UTM x):	694990.6	User supplied		
Latitude/Longitude (decimal degrees):	40.049987		-102.714098				
Surface Elevation (ft):	4152.8	Top Perforated Interval (ft):	205	Base of grout (ft):	Water Level Change		
Well depth (ft):	280	Bottom Perforated Interval (ft):	280		1 year: -12.00		
Aquifer(s):	OGALLALA				5 year: -15.00		
					10 year: -20.60		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2005	197.80	3955.00	-11.60
12/19/2006	202.80	3950.00	-5.00
12/20/2007	194.80	3958.00	8.00
4/23/2009	190.80	3962.00	4.00
12/17/2009	191.80	3961.00	-1.00
12/27/2010	190.80	3962.00	1.00
12/16/2011	192.80	3960.00	-2.00
1/21/2013	195.80	3957.00	-3.00
2/13/2014	194.80	3958.00	1.00
1/20/2015	206.80	3946.00	-12.00

All Historic Measurements




Well Name:	STATE OF COLORADO LB			Owner:	CO BOARD OF LAND COMMISSIONERS		
Permit #:	10316 - F -	Location #:	SB00104816ACA	USGS Site ID:	400320102444000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE SW NE 16	1 N	48 W S		From N/S line: 1900 N From E/W line: 2180 E		
UTM Coordinates (NAD83):	Northing (UTM y)	4436357.8	Easting (UTM x):	692320.7	User supplied		
Latitude/Longitude (decimal degrees):	40.055542		-102.745211				
Surface Elevation (ft):	4202.83	Top Perforated Interval (ft):	230	Base of grout (ft):	Water Level Change		
Well depth (ft):	340	Bottom Perforated Interval (ft):	340		1 year: 0.00		
Aquifer(s):	OGALLALA				5 year: -17.00		
					10 year: -7.00		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2005	206.90	3995.93	16.00
12/19/2006	211.90	3990.93	-5.00
1/28/2008	214.90	3987.93	-3.00
4/22/2009	209.90	3992.93	5.00
12/17/2009	212.90	3989.93	-3.00
12/27/2010	230.90	3971.93	-18.00
1/15/2012	230.90	3971.93	0.00
1/21/2013	233.90	3968.93	-3.00
2/13/2014	229.90	3972.93	4.00
1/20/2015	229.90	3972.93	0.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	GOEGLEIN, KENNETH			Owner:	GOEGLEIN KENNETH		
Permit #:	15195 - F	-	Location #:	SB00104818DBC	USGS Site ID:	400305102475500	
Division:	1			Water District:	65		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	County: YUMA	
	SE NW SW	18	1 N	48 W S		Distance from section lines:	
						From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)			4435619.0	Easting (UTM x):	689186.0 <i>Digitized</i>	
Latitude/Longitude (decimal degrees):				40.049600	-102.782152		
Surface Elevation (ft):	4209.88	Top Perforated Interval (ft):	248	Base of grout (ft):	Water Level Change		
Well depth (ft):	284	Bottom Perforated Interval (ft):	284	1 year: -5.00			
Aquifer(s):	OGALLALA			5 year: -18.00			
				10 year: -2.00			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2005	213.30	3996.58	-3.00
12/19/2006	202.30	4007.58	11.00
12/20/2007	198.80	4011.08	3.50
1/1/2009			
12/17/2009	194.30	4015.58	
12/27/2010	209.30	4000.58	-15.00
1/15/2011	208.30	4001.58	1.00
1/22/2013	215.30	3994.58	-7.00
2/13/2014	207.30	4002.58	8.00
1/20/2015	212.30	3997.58	-5.00

All Historic Measurements




Well Name:	KELLER, G.			Owner:	KELLER GUY		
Permit #:	10228 - F	-	Location #:	SB00104902BBB	USGS Site ID:	400530102495000	
Division:	1			Water District:	65		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	County: WASHINGTON	
	NW NW NW	2	1 N	49 W S		Distance from section lines:	
						From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)			4439937.6	Easting (UTM x):	684907.1 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):				40.089430	-102.831046		
Surface Elevation (ft):	4249.92	Top Perforated Interval (ft):	249	Base of grout (ft):	Water Level Change		
Well depth (ft):	349	Bottom Perforated Interval (ft):	349	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2005	219.40	4030.52	24.00
12/19/2006	212.40	4037.52	7.00
12/20/2007	207.40	4042.52	5.00
4/22/2009	211.40	4038.52	-4.00
12/17/2009	248.40	4001.52	-37.00
1/24/2011	248.40	4001.52	0.00
1/26/2011	242.40	4007.52	6.00
1/22/2013	242.40	4007.52	0.00
1/20/2015			

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	STATE OF COLORADO LB			Owner:	CO BOARD OF LAND COMMISSIONERS		
Permit #:	11786 - F -	Location #:	SB00104936BDB	USGS Site ID:	400050102481000		
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SE NW 36	1 N	49 W S		From N/S line: 1370 N From E/W line: 3640 E		
UTM Coordinates (NAD83):	Northing (UTM y)	4431510.4	Easting (UTM x):	687247.7	User supplied		
Latitude/Longitude (decimal degrees):	40.013042		-102.806045				
Surface Elevation (ft):	4256.92	Top Perforated Interval (ft):	245	Base of grout (ft):	Water Level Change		
Well depth (ft):	285	Bottom Perforated Interval (ft):	285	1 year: 7.00			
Aquifer(s):	OGALLALA			5 year: -9.00			
				10 year: 28.40			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2005	248.40	4008.52	-16.70
12/29/2005	219.00	4037.92	29.40
12/19/2006	215.00	4041.92	4.00
12/20/2007	214.00	4042.92	1.00
4/22/2009	212.00	4044.92	2.00
12/17/2009	211.00	4045.92	1.00
12/28/2010	223.00	4033.92	-12.00
1/23/2012	225.00	4031.92	-2.00
1/22/2013	225.00	4031.92	0.00
2/13/2014	227.00	4029.92	-2.00
1/20/2015	220.00	4036.92	7.00

All Historic Measurements




Well Name:	YOUNG, B. JR.			Owner:	SOUSER CLARENCE JR		
Permit #:	38380 - -	Location #:	SB00105003C	USGS Site ID:			
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW 3	1 N	50 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4438597.5	Easting (UTM x):	673967.9	Spotted from quarters		
Latitude/Longitude (decimal degrees):	40.079695		-102.959643				
Surface Elevation (ft):	4454	Top Perforated Interval (ft):	290	Base of grout (ft):	Water Level Change		
Well depth (ft):	330	Bottom Perforated Interval (ft):	330	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	253.90	4200.10	5.30
12/29/2005	234.20	4219.80	19.70
3/8/2007	258.20	4195.80	-24.00
12/20/2007	253.20	4200.80	5.00
4/2/2009	235.20	4218.80	18.00
12/17/2009			
1/25/2010			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **RICHARDSON, R.**

Owner:

Permit #: 2250 - F - **Location #:** SB00204705BAB **USGS Site ID:** 401040102392000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NE NW 5 2 N 47 W S From N/S line: 10 N From E/W line: 1940 W
UTM Coordinates (NAD83): Northing (UTM y) 4449970.4 Easting (UTM x): 699668.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.176375 -102.654929

Surface Elevation (ft): 4034.77 **Top Perforated Interval (ft):** 359 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 383 **Bottom Perforated Interval (ft):** 383 **1 year:** 0.00
Aquifer(s): OGALLALA **5 year:** -11.00
10 year: -13.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/30/2005	190.00	3844.77	-10.00
12/19/2006	187.00	3847.77	3.00
12/18/2007	182.50	3852.27	4.50
4/14/2009	179.00	3855.77	3.50
12/16/2009	182.00	3852.77	-3.00
12/9/2010	183.00	3851.77	-1.00
12/19/2011	204.00	3830.77	-21.00
1/22/2013	206.00	3828.77	-2.00
1/23/2014	193.00	3841.77	13.00
1/21/2015	193.00	3841.77	0.00

All Historic Measurements



Well Name: **MEIS, RAYMOND**

Owner: MEIS RAYMOND N

Permit #: 10706 - F - **Location #:** SB00204707B **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW 7 2 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4447916.0 Easting (UTM x): 697936.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.158291 -102.675880

Surface Elevation (ft): 4064 **Top Perforated Interval (ft):** 300 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 360 **Bottom Perforated Interval (ft):** 360 **1 year:** -19.00
Aquifer(s): OGALLALA **5 year:** -12.00
10 year: -24.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	184.00	3880.00	6.20
12/30/2005	187.00	3877.00	-3.00
12/19/2006	176.00	3888.00	11.00
12/18/2007	178.50	3885.50	-2.50
4/14/2009	193.00	3871.00	-14.50
12/16/2009	196.00	3868.00	-3.00
12/9/2010	183.00	3881.00	13.00
12/18/2011	184.00	3880.00	-1.00
1/22/2013	186.00	3878.00	-2.00
1/23/2014	189.00	3875.00	-3.00
1/21/2015	208.00	3856.00	-19.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **TRAUTMAN, ED**

Owner: WARD ALFRED & SON

Permit #: 10509 - F -

Location #: SB00204710CCA

USGS Site ID: 400910102370000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SW NE 10 2 N 47 W S From N/S line: 1320 S From E/W line: 1320 W
UTM Coordinates (NAD83): Northing (UTM y) 4447277.1 Easting (UTM x): 702817.5 *User supplied*
Latitude/Longitude (decimal degrees): 40.151376 -102.618817

Surface Elevation (ft): 4010.75 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 392 **Bottom Perforated Interval (ft):** 392 **1 year:** -6.00
Aquifer(s): OGALLALA **5 year:** -13.00
10 year: -2.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/30/2005	163.60	3847.15	13.40
12/19/2006	171.60	3839.15	-8.00
12/18/2007	174.10	3836.65	-2.50
4/14/2009	177.60	3833.15	-3.50
12/16/2009	166.60	3844.15	11.00
12/9/2010	168.60	3842.15	-2.00
12/18/2011	167.60	3843.15	1.00
1/22/2013	173.60	3837.15	-6.00
1/23/2014	173.60	3837.15	0.00
1/21/2015	179.60	3831.15	-6.00

All Historic Measurements



Well Name: **YUMA CO DAIRY**

Owner: YUMA COUNTY DAIRY LLC

Permit #: 6517 - R -

Location #: SB00204717DA

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE NE 17 2 N 47 W S From N/S line: 1988 S From E/W line: 664 E
UTM Coordinates (NAD83): Northing (UTM y) 4445776.0 Easting (UTM x): 700612.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.138393 -102.645152

Surface Elevation (ft): 4030 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 360 **Bottom Perforated Interval (ft):** **1 year:** 0.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	166.00	3864.00	
1/21/2012	167.00	3863.00	-1.00
2/8/2013	172.00	3858.00	-5.00
2/18/2014	168.00	3862.00	4.00
2/5/2015	168.00	3862.00	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: GOEGLEIN, ED

Owner: GOEGLEIN EDWIN

Permit #: 2039 - F -

Location #: SB00204718C

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW 18 2 N 47 W S From N/S line: 1350 S From E/W line: 12 W
UTM Coordinates (NAD83): Northing (UTM y) 4445501.5 Easting (UTM x): 697576.7 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.136640 -102.680842

Surface Elevation (ft): 4067 **Top Perforated Interval (ft):** 146 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 445 **Bottom Perforated Interval (ft):** 445 **1 year:** -10.00
Aquifer(s): OGALLALA **5 year:** 7.00
10 year: -8.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/31/2005	196.00	3871.00	-12.80
1/24/2007	213.00	3854.00	-17.00
12/18/2007	216.00	3851.00	-3.00
4/14/2009	209.00	3858.00	7.00
12/16/2009	199.00	3868.00	10.00
12/9/2010	177.00	3890.00	22.00
1/28/2012	179.00	3888.00	-2.00
1/22/2013	183.00	3884.00	-4.00
1/23/2014	182.00	3885.00	1.00
1/21/2015	192.00	3875.00	-10.00

All Historic Measurements



Well Name: GOEGLIN, ED

Owner: GOEGLEIN EDWIN W.

Permit #: 15462 - F -

Location #: SB00204719B

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW 19 2 N 47 W S From N/S line: 1320 N From E/W line: 1320 W
UTM Coordinates (NAD83): Northing (UTM y) 4444701.0 Easting (UTM x): 697984.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.129338 -102.676301

Surface Elevation (ft): 4076 **Top Perforated Interval (ft):** 368 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 456 **Bottom Perforated Interval (ft):** 456 **1 year:** -19.00
Aquifer(s): OGALLALA **5 year:** -14.00
10 year: -1.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/30/2005	210.00	3866.00	-1.60
1/26/2007	216.00	3860.00	-6.00
12/18/2007	217.00	3859.00	-1.00
4/23/2009	199.00	3877.00	18.00
12/16/2009	196.00	3880.00	3.00
12/9/2010	188.00	3888.00	8.00
1/28/2012	188.00	3888.00	0.00
1/23/2013	192.00	3884.00	-4.00
1/23/2014	191.00	3885.00	1.00
1/21/2015	210.00	3866.00	-19.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	HMH CATTLE CORP			Owner:	YUMA COUNTY DAIRY LLC		
Permit #:	5779 - F -	Location #:	SB00204720ACB	USGS Site ID:	400750102390000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE SW NW 20	2 N	47 W S		From N/S line: 1420 N From E/W line: 1320 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4444710.2	Easting (UTM x):	699120.0	User supplied		
Latitude/Longitude (decimal degrees):	40.129153		-102.662985				
Surface Elevation (ft):	4052.77	Top Perforated Interval (ft):	356	Base of grout (ft):	Water Level Change		
Well depth (ft):	413	Bottom Perforated Interval (ft):	412		1 year: -12.00		
Aquifer(s):	OGALLALA				5 year: -23.00		
					10 year: -12.10		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	179.20	3873.57	2.40
1/7/2006	174.30	3878.47	4.90
1/26/2007	169.30	3883.47	5.00
1/28/2008	181.30	3871.47	-12.00
4/13/2009	174.30	3878.47	7.00
12/16/2009	168.30	3884.47	6.00
1/21/2011	165.30	3887.47	3.00
1/4/2012	175.30	3877.47	-10.00
1/23/2013	179.30	3873.47	-4.00
1/23/2014	179.30	3873.47	0.00
1/21/2015	191.30	3861.47	-12.00

All Historic Measurements




Well Name:	BROWN, CLEO			Owner:	BROWN JENNIE M		
Permit #:	12629 - F -	Location #:	SB00204732DDA	USGS Site ID:	400540102385000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE SE NE 32	2 N	47 W S		From N/S line: 1330 S From E/W line: 1320 E		
UTM Coordinates (NAD83):	Northing (UTM y)	4440765.0	Easting (UTM x):	700456.0	User supplied		
Latitude/Longitude (decimal degrees):	40.093321		-102.648541				
Surface Elevation (ft):	4075.77	Top Perforated Interval (ft):	315	Base of grout (ft):	Water Level Change		
Well depth (ft):	375	Bottom Perforated Interval (ft):	375		1 year: -2.00		
Aquifer(s):	OGALLALA				5 year: -8.00		
					10 year: -8.00		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/30/2005	201.00	3874.77	-9.00
1/26/2007	204.00	3871.77	-3.00
12/18/2007	203.00	3872.77	1.00
4/13/2009	204.00	3871.77	-1.00
12/16/2009	192.00	3883.77	12.00
1/21/2011	193.00	3882.77	-1.00
1/4/2012	194.00	3881.77	-1.00
1/23/2013	197.00	3878.77	-3.00
1/23/2014	198.00	3877.77	-1.00
1/21/2015	200.00	3875.77	-2.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	BEAUPREZ, E.			Owner:	RICHARDSON RUBEN R		
Permit #:	11245 - F	-	Location #:	SB00204735BCA	USGS Site ID:	400610102360000	
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SW NE	35	2 N	47 W S		From N/S line:	
						From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4441676.0	Easting (UTM x):		704472.0	<i>Digitized</i>
Latitude/Longitude (decimal degrees):			40.100556			-102.601182	
Surface Elevation (ft):	4021.74	Top Perforated Interval (ft):	324	Base of grout (ft):	Water Level Change		
Well depth (ft):	420	Bottom Perforated Interval (ft):	420			1 year:	-17.00
Aquifer(s):	OGALLALA					5 year:	-23.00
						10 year:	-27.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	167.00	3854.74	-16.20
1/26/2007	161.00	3860.74	6.00
12/18/2007	166.00	3855.74	-5.00
4/13/2009	164.00	3857.74	2.00
12/16/2009	155.00	3866.74	9.00
12/9/2010	162.00	3859.74	-7.00
12/4/2011	169.00	3852.74	-7.00
1/23/2013	162.00	3859.74	7.00
1/23/2014	161.00	3860.74	1.00
1/21/2015	178.00	3843.74	-17.00

All Historic Measurements




Well Name:	BAUCHE, R.			Owner:	BAUCKE ROYLYNN		
Permit #:	12411 - F	-	Location #:	SB00204801DDC	USGS Site ID:	401000102410000	
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SE SW	1	2 N	48 W S		From N/S line:	
						From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4448535.0	Easting (UTM x):		697110.0	<i>Digitized</i>
Latitude/Longitude (decimal degrees):			40.164058			-102.685389	
Surface Elevation (ft):	4076.78	Top Perforated Interval (ft):	218	Base of grout (ft):	Water Level Change		
Well depth (ft):	359	Bottom Perforated Interval (ft):	360			1 year:	-5.00
Aquifer(s):	OGALLALA					5 year:	-5.00
						10 year:	-18.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/30/2005	191.70	3885.08	-3.00
1/26/2007	199.70	3877.08	-8.00
12/18/2007	205.70	3871.08	-6.00
4/13/2009	208.70	3868.08	-3.00
12/16/2009	201.70	3875.08	7.00
12/9/2010	197.70	3879.08	4.00
1/4/2012	197.70	3879.08	0.00
1/23/2013	199.70	3877.08	-2.00
1/23/2014	201.70	3875.08	-2.00
1/21/2015	206.70	3870.08	-5.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	COLO NATIONAL BANK			Owner:	ROTH HOLDINGS LLC		
Permit #:	12631 - F -	Location #:	SB00204803CBD	USGS Site ID:	401000102440000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NW SE 3	2 N	48 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4448565.0	Easting (UTM x):	693079.0	Digitized		
Latitude/Longitude (decimal degrees):	40.165265		-102.732679				
Surface Elevation (ft):	4124.81	Top Perforated Interval (ft):	378	Base of grout (ft):	Water Level Change		
Well depth (ft):	378	Bottom Perforated Interval (ft):	438	1 year:			
Aquifer(s):				5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/30/2005	243.50	3881.31	-9.00
1/26/2007	240.50	3884.31	3.00
12/19/2007	253.50	3871.31	-13.00
4/13/2009	247.50	3877.31	6.00
12/16/2009	251.50	3873.31	-4.00

All Historic Measurements




Well Name:	DONALD CHRISMER			Owner:	DONALD CHRISMER		
Permit #:	6196 - F -	Location #:	SB00204803DD	USGS Site ID:			
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE SE 3	2 N	48 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4448393.0	Easting (UTM x):	694108.0	Spotted from quarters		
Latitude/Longitude (decimal degrees):	40.163479		-102.720657				
Surface Elevation (ft):	4105	Top Perforated Interval (ft):	209	Base of grout (ft):	Water Level Change		
Well depth (ft):	429	Bottom Perforated Interval (ft):	429	1 year: -3.00			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	192.00	3913.00	-44.00
1/15/2012	193.00	3912.00	-1.00
2/8/2013	198.00	3907.00	-5.00
2/18/2014	195.00	3910.00	3.00
2/2/2015	198.00	3907.00	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **GOEGLEIN, ED**

Owner: GOEGLEIN EDWIN

Permit #: 14981 - F -

Location #: SB00204812C

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW 12 2 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4447066.5 Easting (UTM x): 696339.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.151020 -102.694870


Surface Elevation (ft): 4088 **Top Perforated Interval (ft):** 360 **Base of grout (ft):**
Well depth (ft): 432 **Bottom Perforated Interval (ft):** 432
Aquifer(s): OGALLALA

Water Level Change
1 year: -3.00
5 year: 12.00
10 year: 7.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/30/2005	210.00	3878.00	-5.00
1/26/2007	209.00	3879.00	1.00
12/18/2007	206.00	3882.00	3.00
4/13/2009	220.00	3868.00	-14.00
12/16/2009	210.00	3878.00	10.00
12/14/2010	190.00	3898.00	20.00
1/4/2012	189.00	3899.00	1.00
1/23/2013	194.00	3894.00	-5.00
1/23/2014	195.00	3893.00	-1.00
1/21/2015	198.00	3890.00	-3.00

All Historic Measurements



Well Name: **KORF, L.**

Owner: KORF LLOYD H

Permit #: 5914 - F -

Location #: SB00204813BCC

USGS Site ID: 400830102415000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SW SW 13 2 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4445894.0 Easting (UTM x): 695975.0 *Digitized*
Latitude/Longitude (decimal degrees): 40.140549 -102.699509


Surface Elevation (ft): 4086.78 **Top Perforated Interval (ft):** 250 **Base of grout (ft):**
Well depth (ft): 390 **Bottom Perforated Interval (ft):** 390
Aquifer(s): OGALLALA

Water Level Change
1 year: -6.00
5 year: 5.00
10 year: -3.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/31/2005	187.50	3899.28	-14.00
1/26/2007	182.50	3904.28	5.00
12/19/2007	177.50	3909.28	5.00
4/23/2009	188.50	3898.28	-11.00
12/16/2009	181.50	3905.28	7.00
12/14/2010	180.50	3906.28	1.00
1/4/2012	181.50	3905.28	-1.00
1/23/2013	184.50	3902.28	-3.00
1/23/2014	170.50	3916.28	14.00
1/22/2015	176.50	3910.28	-6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: NEWBANKS FARMS

Owner: NEWBANKS FARMS

Permit #: 12613 - F -

Location #: SB00204814AB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NW 14 2 N 48 W S From N/S line: 40 N From E/W line: 1320 E
UTM Coordinates (NAD83): Northing (UTM y) 4446626.5 Easting (UTM x): 695541.9 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.147244 -102.704367


Surface Elevation (ft): 4095 **Top Perforated Interval (ft):** 342 **Base of grout (ft):**
Well depth (ft): 432 **Bottom Perforated Interval (ft):** 432
Aquifer(s): OGALLALA

Water Level Change
1 year: 10.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	186.00	3909.00	-46.00
1/15/2012	187.00	3908.00	-1.00
2/9/2013	191.00	3904.00	-4.00
2/17/2014	189.00	3906.00	2.00
2/5/2015	179.00	3916.00	10.00

All Historic Measurements



Well Name: HAMRICK, H.

Owner: YUMA CITY OF

Permit #: 10665 - F -

Location #: SB00204827CBA

USGS Site ID: 400640102440000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW NE 27 2 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4442546.5 Easting (UTM x): 693016.8 *User supplied*
Latitude/Longitude (decimal degrees): 40.111097 -102.735210


Surface Elevation (ft): 4165.82 **Top Perforated Interval (ft):** 280 **Base of grout (ft):**
Well depth (ft): 420 **Bottom Perforated Interval (ft):** 420
Aquifer(s):

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/31/2005	225.50	3940.32	-4.50
1/26/2007	233.50	3932.32	-8.00
12/19/2007	240.50	3925.32	-7.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	SEEDORF BROS			Owner:	SEEDORF BROTHERS		
Permit #:	9076 - F -	Location #:	SB00204829CB	USGS Site ID:			
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NW 29	2 N	48 W S		From N/S line: 1750 S From E/W line: 30 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4442187.0	Easting (UTM x):	689578.5	Spotted from section lines		
Latitude/Longitude (decimal degrees):		40.108642		-102.775630			
Surface Elevation (ft):	4180	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	340	Bottom Perforated Interval (ft):			1 year: 2.00		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	224.00	3956.00	
1/21/2012	224.00	3956.00	0.00
2/8/2013	229.00	3951.00	-5.00
2/17/2014	226.00	3954.00	3.00
2/5/2015	224.00	3956.00	2.00

All Historic Measurements




Well Name:	HARPER BROS			Owner:	HARPER BROTHERS		
Permit #:	11531 - F -	Location #:	SB00204836AC	USGS Site ID:			
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE SW 36	2 N	48 W S		From N/S line: 1380 N From E/W line: 2610 E		
UTM Coordinates (NAD83):	Northing (UTM y)	4441450.5	Easting (UTM x):	696822.3	Spotted from section lines		
Latitude/Longitude (decimal degrees):		40.100349		-102.690925			
Surface Elevation (ft):	4105	Top Perforated Interval (ft):	240	Base of grout (ft):	Water Level Change		
Well depth (ft):	342	Bottom Perforated Interval (ft):	342		1 year: 6.00		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	179.00	3926.00	-8.00
1/15/2012	198.00	3907.00	-19.00
2/8/2013	207.00	3898.00	-9.00
2/17/2014	203.00	3902.00	4.00
2/5/2015	197.00	3908.00	6.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	WARREN 13543-F			Owner:	WARREN DONALD S		
Permit #:	13543 - F	-	Location #:	SB00204901BC	USGS Site ID:		
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SW	1	2 N	49 W	S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4448867.0	Easting (UTM x):	686267.1	<i>Digitized</i>		
Latitude/Longitude (decimal degrees):	40.169522		-102.812528				
Surface Elevation (ft):	4210	Top Perforated Interval (ft):	278	Base of grout (ft):	Water Level Change		
Well depth (ft):	350	Bottom Perforated Interval (ft):	350	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/13/2015	276.00	3934.00	

All Historic Measurements




Well Name:	HAMRICK, F.			Owner:	HAMRICK FRANCIS		
Permit #:	6846 - FP	-	Location #:	SB00204905DA	USGS Site ID:		
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NE	5	2 N	49 W	S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4448634.0	Easting (UTM x):	681053.7	<i>Spotted from section lines</i>		
Latitude/Longitude (decimal degrees):	40.168565		-102.873778				
Surface Elevation (ft):	4249	Top Perforated Interval (ft):	250	Base of grout (ft):	Water Level Change		
Well depth (ft):	360	Bottom Perforated Interval (ft):	311	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2008	211.00	4038.00	47.80
4/13/2009	200.00	4049.00	11.00
12/18/2009	192.00	4057.00	8.00
12/14/2010	221.00	4028.00	-29.00
1/4/2012	270.00	3979.00	-49.00
1/23/2013	278.00	3971.00	-8.00
1/23/2014	271.00	3978.00	7.00
1/23/2015	266.00	3983.00	5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **WARREN FARMS**

Owner:

Permit #: 13544 - F - **Location #:** SB00204911BA **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NE 11 2 N 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4447821.0 Easting (UTM x): 685225.7 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.160335 -102.825050


Surface Elevation (ft): 4225 **Top Perforated Interval (ft):** 277 **Base of grout (ft):**
Well depth (ft): 367 **Bottom Perforated Interval (ft):** 367
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2009	264.00	3961.00	
12/14/2010	265.00	3960.00	-1.00
1/5/2012	265.00	3960.00	0.00
2/11/2013	268.00	3957.00	-3.00
2/19/2014	269.00	3956.00	-1.00

All Historic Measurements



Well Name: **GOEGLEIN, C.**

Owner: GOEGLEIN HENRY J

Permit #: 15171 - F - **Location #:** SB00204913DCA **USGS Site ID:** 400809102480101

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SW NE 13 2 N 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4445150.5 Easting (UTM x): 687361.3 *User supplied*
Latitude/Longitude (decimal degrees): 40.135819 -102.800767


Surface Elevation (ft): 4186.88 **Top Perforated Interval (ft):** 273 **Base of grout (ft):**
Well depth (ft): 353 **Bottom Perforated Interval (ft):** 353
Aquifer(s): OGALLALA

Water Level Change
1 year: 8.00
5 year: 2.00
10 year: 22.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2006	252.60	3934.28	-6.50
1/26/2007	246.60	3940.28	6.00
12/19/2007	244.60	3942.28	2.00
4/13/2009	256.60	3930.28	-12.00
12/16/2009	225.60	3961.28	31.00
12/15/2010	228.60	3958.28	-3.00
1/5/2012	229.60	3957.28	-1.00
1/23/2013	234.60	3952.28	-5.00
1/23/2014	231.60	3955.28	3.00
1/27/2015	223.60	3963.28	8.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	CORMAN, EDWARD	Owner:	CORMAN EDWARD R
Permit #:	11953 - F -	Location #:	SB00204920BAB
		USGS Site ID:	400756102530201
Division:	1	Water District:	65
		County:	WASHINGTON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NE NW 20	2 N	49 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4444576.5	Easting (UTM x): 680246.9 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		40.132207	-102.884380
Surface Elevation (ft):	4275.96	Top Perforated Interval (ft):	288
		Base of grout (ft):	
Well depth (ft):	318	Bottom Perforated Interval (ft):	318
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 2.00
5 year: -12.00
10 year: 14.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2006	261.60	4014.36	18.00
1/26/2007	272.60	4003.36	-11.00
12/19/2007	269.10	4006.86	3.50
4/13/2009	262.60	4013.36	6.50
12/16/2009	253.60	4022.36	9.00
12/20/2010	265.60	4010.36	-12.00
1/4/2012	262.60	4013.36	3.00
1/23/2013	262.60	4013.36	0.00
1/23/2014	267.60	4008.36	-5.00
1/23/2015	265.60	4010.36	2.00

All Historic Measurements




Well Name:	BUELTELL, DONALD	Owner:	DONALD D. BUELTELL
Permit #:	9056 - F -	Location #:	SB00204932AA
		USGS Site ID:	
Division:	1	Water District:	65
		County:	WASHINGTON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NE 32	2 N	49 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4441140.0	Easting (UTM x): 681070.4 <i>Spotted from section lines</i>
Latitude/Longitude (decimal degrees):		40.101090	-102.875685
Surface Elevation (ft):	4270	Top Perforated Interval (ft):	159
		Base of grout (ft):	
Well depth (ft):	289	Bottom Perforated Interval (ft):	289
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 5.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	262.00	4008.00	-22.00
1/21/2012	264.00	4006.00	-2.00
2/8/2013	268.00	4002.00	-4.00
2/18/2014	261.00	4009.00	7.00
2/4/2015	256.00	4014.00	5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: KIT ROBERTSON

Owner: KIT ROBERTSON

Permit #: 10663 - FP -

Location #: SB00204935BB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW 35 2 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4441573.5 Easting (UTM x): 684893.2 Digitized

Latitude/Longitude (decimal degrees): 40.104161 -102.830742

Surface Elevation (ft): 4235 **Top Perforated Interval (ft):** 306 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 345 **Bottom Perforated Interval (ft):** 345

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2015	231.90	4003.10	

All Historic Measurements



Well Name: PATTERSON, LONNY

Owner: BOE LEWIS GERALD JR. & DARLENE A.

Permit #: 4162 - F -

Location #: SB00205015ADD

USGS Site ID: 400830102565000

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SE SE 15 2 N 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4445683.2 Easting (UTM x): 674822.0 User supplied

Latitude/Longitude (decimal degrees): 40.143317 -102.947715

Surface Elevation (ft): 4327 **Top Perforated Interval (ft):** 232 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 297 **Bottom Perforated Interval (ft):** 297

Aquifer(s):

1 year: -2.00


5 year: 12.00

10 year: -6.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	216.50	4110.50	18.00
12/31/2005	225.10	4101.90	-8.60
1/26/2007	231.10	4095.90	-6.00
12/19/2007	228.10	4098.90	3.00
4/13/2009	234.10	4092.90	-6.00
12/16/2009	235.10	4091.90	-1.00
12/20/2010	230.10	4096.90	5.00
1/4/2012	229.10	4097.90	1.00
1/28/2013	226.10	4100.90	3.00
1/23/2014	221.10	4105.90	5.00
1/23/2015	223.10	4103.90	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	CORMAN, ED	Owner:	CORMAN EDWARD
Permit #:	12863 - F -	Location #:	SB00205024DAD2
		USGS Site ID:	
Division:	1	Water District:	65
		County:	WASHINGTON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE NE SE 24	2 N	50 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4443649.0	Easting (UTM x): 678146.8 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		40.124304	-102.909271
Surface Elevation (ft):	4308	Top Perforated Interval (ft):	275
		Base of grout (ft):	
Well depth (ft):	320	Bottom Perforated Interval (ft):	325
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 2.00
5 year: 3.00
10 year: -6.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	248.20	4059.80	5.40
1/4/2006	257.40	4050.60	-9.20
1/27/2006	263.40	4044.60	-6.00
12/19/2007	251.40	4056.60	12.00
4/23/2009	217.40	4090.60	34.00
12/16/2009	257.40	4050.60	-40.00
12/20/2010	256.40	4051.60	1.00
1/4/2012	255.40	4052.60	1.00
1/23/2013	258.40	4049.60	-3.00
1/23/2014	256.40	4051.60	2.00
1/24/2015	254.40	4053.60	2.00

All Historic Measurements




Well Name:	GARY WHITEHEAD	Owner:	WARD ALFRED & SON
Permit #:	10604 - F -	Location #:	SB00304617BB
		USGS Site ID:	
Division:	1	Water District:	65
		County:	WASHINGTON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NW 17	3 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4456570.8	Easting (UTM x): 708878.6 <i>GPS</i>
Latitude/Longitude (decimal degrees):		40.233546	-102.544700
Surface Elevation (ft):		Top Perforated Interval (ft):	
		Base of grout (ft):	
Well depth (ft):	382	Bottom Perforated Interval (ft):	
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/17/2014	174.00		
2/9/2015	174.00		0.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	MONK GILBERT DALE			Owner:	MONK GILBERT DALE		
Permit #:	19236 - F	-	Location #:	SB00304630CB	USGS Site ID:		
Division:	1		Water District:	65	County:	WASHINGTON	
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW NW	30	3 N	46 W	S	From N/S line: 1340 S From E/W line: 1300 W	
UTM Coordinates (NAD83):	Northing (UTM y)		4452256.7	Easting (UTM x):		707566.1 GPS	
Latitude/Longitude (decimal degrees):			40.195040			-102.561508	
Surface Elevation (ft):	3960	Top Perforated Interval (ft):		Base of grout (ft):		Water Level Change	
Well depth (ft):	400	Bottom Perforated Interval (ft):				1 year: -2.00	
Aquifer(s):	OGALLALA					5 year:	
						10 year:	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/17/2014	171.00	3789.00	
2/9/2015	173.00	3787.00	-2.00

All Historic Measurements




Well Name:	MEIS, R.			Owner:	KINCHELOE CHESTER		
Permit #:	11626 - F	-	Location #:	SB00304630DDB	USGS Site ID:	401140102330000	
Division:	1		Water District:	65	County:	YUMA	
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SE NW	30	3 N	46 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4452305.0	Easting (UTM x):		708402.0 Digitized	
Latitude/Longitude (decimal degrees):			40.195267			-102.551681	
Surface Elevation (ft):	3959.73	Top Perforated Interval (ft):	260	Base of grout (ft):		Water Level Change	
Well depth (ft):	430	Bottom Perforated Interval (ft):	430			1 year: -10.00	
Aquifer(s):	OGALLALA					5 year: 8.00	
						10 year: 4.30	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2006	202.30	3757.43	-12.70
1/27/2007	203.30	3756.43	-1.00
12/20/2007	206.30	3753.43	-3.00
4/14/2009	194.30	3765.43	12.00
12/18/2009	193.30	3766.43	1.00
12/20/2010	172.30	3787.43	21.00
1/21/2012	171.30	3788.43	1.00
2/9/2013	176.30	3783.43	-5.00
2/13/2014	175.30	3784.43	1.00
2/8/2015	185.30	3774.43	-10.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	MEKELBURG, DENIS E.			Owner:	MEKELBERG STANLEY		
Permit #:	9140 - F	-	Location #:	SB00304712DBD	USGS Site ID:	401420102340000	
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NW SE	12	3 N	47 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4457161.1	Easting (UTM x):		706572.6 User supplied	
Latitude/Longitude (decimal degrees):			40.239431			-102.571593	
Surface Elevation (ft):	3964.74	Top Perforated Interval (ft):	203	Base of grout (ft):	Water Level Change		
Well depth (ft):	263	Bottom Perforated Interval (ft):	263	1 year: 1.00			
Aquifer(s):	OGALLALA			5 year: -20.00			
				10 year: -19.00			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	174.00	3790.74	9.00
1/2/2006	197.00	3767.74	-23.00
3/9/2007	190.00	3774.74	7.00
12/21/2007	193.00	3771.74	-3.00
4/14/2009	189.00	3775.74	4.00
12/18/2009	173.00	3791.74	16.00
12/20/2010	177.00	3787.74	-4.00
1/23/2012	185.00	3779.74	-8.00
1/25/2013	194.00	3770.74	-9.00
2/13/2014	194.00	3770.74	0.00
2/8/2015	193.00	3771.74	1.00

All Historic Measurements




Well Name:	BAUCKE, LARRY			Owner:	FUERST CHARLES E		
Permit #:	12564 - FP	-	Location #:	SB00304717C	USGS Site ID:		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW	17	3 N	47 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4455196.7	Easting (UTM x):		699361.1 Spotted from quarters	
Latitude/Longitude (decimal degrees):			40.223495			-102.656911	
Surface Elevation (ft):	4042	Top Perforated Interval (ft):	225	Base of grout (ft):	Water Level Change		
Well depth (ft):	385	Bottom Perforated Interval (ft):	385	1 year: -1.00			
Aquifer(s):	OGALLALA			5 year: -21.00			
				10 year: -8.60			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2005	211.30	3830.70	0.60
1/18/2005	209.70	3832.30	1.60
1/2/2006	211.30	3830.70	-1.60
3/7/2007	212.30	3829.70	-1.00
12/21/2007	203.30	3838.70	9.00
4/14/2009	202.30	3839.70	1.00
12/18/2009	197.30	3844.70	5.00
12/20/2010	216.30	3825.70	-19.00
1/4/2012	216.30	3825.70	0.00
1/25/2013	219.30	3822.70	-3.00
2/13/2014	217.30	3824.70	2.00
2/7/2015	218.30	3823.70	-1.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	HICKMAN, CLAIR			Owner:	CLAIR HICKMAN		
Permit #:	6358 - F -	Location #:	SB00304719CDB	USGS Site ID:	401240102403000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SE NW 19	3 N	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4453469.2	Easting (UTM x):	697777.4	User supplied		
Latitude/Longitude (decimal degrees):		40.208319		-102.676041			
Surface Elevation (ft):	4053.78	Top Perforated Interval (ft):		Base of grout (ft):		Water Level Change	
Well depth (ft):	293	Bottom Perforated Interval (ft):				1 year:	-4.00
Aquifer(s):	OGALLALA					5 year:	7.00
						10 year:	-10.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	189.90	3863.88	7.30
1/2/2006	197.00	3856.78	-7.10
1/28/2007	198.00	3855.78	-1.00
12/21/2007	197.00	3856.78	1.00
4/14/2009	210.00	3843.78	-13.00
12/18/2009	207.00	3846.78	3.00
12/20/2010	194.00	3859.78	13.00
1/4/2012	194.00	3859.78	0.00
1/25/2013	198.00	3855.78	-4.00
2/16/2014	196.00	3857.78	2.00
2/7/2015	200.00	3853.78	-4.00

All Historic Measurements



Well Name:	MEKELBURG, E.			Owner:			
Permit #:	12710 - F -	Location #:	SB00304723D	USGS Site ID:			
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE	23	3 N	47 W S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4453805.8	Easting (UTM x):	705090.8	Spotted from quarters		
Latitude/Longitude (decimal degrees):		40.209592		-102.590070			
Surface Elevation (ft):		Top Perforated Interval (ft):		Base of grout (ft):		Water Level Change	
Well depth (ft):		Bottom Perforated Interval (ft):				1 year:	
Aquifer(s):						5 year:	
						10 year:	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	MEIS, R.	Owner:	REESE BERT C & KINCHELOE CHESTER
Permit #:	10900 - F -	Location #:	SB00304724CCA
		USGS Site ID:	401240102345000

Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	SW SW NE	24	3 N	47 W S	
				Distance from section lines:	
				From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4453831.0	Easting (UTM x):	705909.0	<i>Digitized</i>
Latitude/Longitude (decimal degrees):		40.209619		-102.580455	


Surface Elevation (ft):	3968.74	Top Perforated Interval (ft):	270	Base of grout (ft):	
Well depth (ft):	344	Bottom Perforated Interval (ft):	344		
Aquifer(s):					

Water Level Change
1 year: -3.00
5 year: 3.00
10 year: -2.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	181.50	3787.24	-9.70
1/2/2006	200.50	3768.24	-19.00
1/27/2007	206.50	3762.24	-6.00
12/21/2007	188.50	3780.24	18.00
4/14/2009	203.50	3765.24	-15.00
12/18/2009	186.50	3782.24	17.00
12/20/2010	177.50	3791.24	9.00
1/4/2012	179.50	3789.24	-2.00
1/25/2013	182.50	3786.24	-3.00
2/16/2014	180.50	3788.24	2.00
2/7/2015	183.50	3785.24	-3.00

All Historic Measurements



Well Name:	MCCASLAND, D.	Owner:	MEKELBURG MILTON
Permit #:	11246 - F -	Location #:	SB00304735CCA
		USGS Site ID:	401050102360000

Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	SW SW NE	35	3 N	47 W S	
				Distance from section lines:	
				From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4450544.0	Easting (UTM x):	704367.0	<i>Digitized</i>
Latitude/Longitude (decimal degrees):		40.180408		-102.599604	


Surface Elevation (ft):	3990.74	Top Perforated Interval (ft):	240	Base of grout (ft):	
Well depth (ft):	320	Bottom Perforated Interval (ft):	320		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: -2.00
5 year: 6.00
10 year: -27.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	177.50	3813.24	1.50
1/2/2006	194.50	3796.24	-17.00
3/7/2007	195.50	3795.24	-1.00
12/21/2007	202.50	3788.24	-7.00
4/14/2009	207.50	3783.24	-5.00
12/17/2009	210.50	3780.24	-3.00
12/20/2010	213.50	3777.24	-3.00
12/27/2011	196.50	3794.24	17.00
1/25/2013	214.50	3776.24	-18.00
2/16/2014	202.50	3788.24	12.00
2/8/2015	204.50	3786.24	-2.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	WARD, ALFRED			Owner:	WARD ALFRED & SONS		
Permit #:	10515 - F -	Location #:	SB00304736C	USGS Site ID:			
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW	36	3 N	47 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4450577.2	Easting (UTM x):	705991.8	<i>Spotted from quarters</i>		
Latitude/Longitude (decimal degrees):	40.180310		-102.580525				
Surface Elevation (ft):	3982	Top Perforated Interval (ft):	120	Base of grout (ft):	Water Level Change		
Well depth (ft):	372	Bottom Perforated Interval (ft):	372	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	184.40	3797.60	-9.80
1/2/2006	171.00	3811.00	13.40
1/28/2007	168.00	3814.00	3.00
12/21/2007	158.00	3824.00	10.00
4/14/2009	174.00	3808.00	-16.00
12/17/2009	172.00	3810.00	2.00
12/20/2010	173.00	3809.00	-1.00
1/21/2012	182.00	3800.00	-9.00
2/9/2013	182.00	3800.00	0.00

All Historic Measurements




Well Name:	WARD, A. & SONS			Owner:	WARD ALFRED & SON		
Permit #:	10586 - F -	Location #:	SB00304736DBD	USGS Site ID:	401050102342000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NW SE	36	3 N	47 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4450611.0	Easting (UTM x):	706785.0	<i>GPS</i>		
Latitude/Longitude (decimal degrees):	40.180419		-102.571205				
Surface Elevation (ft):	3975.73	Top Perforated Interval (ft):	120	Base of grout (ft):	Water Level Change		
Well depth (ft):	370	Bottom Perforated Interval (ft):	370	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	172.20	3803.53	-6.40
1/2/2006	160.50	3815.23	11.70
3/9/2007	171.00	3804.73	-10.50
12/21/2007	162.50	3813.23	8.50
4/14/2009	164.50	3811.23	-2.00
12/17/2009	156.50	3819.23	8.00
12/20/2010	156.50	3819.23	0.00
12/27/2011	161.50	3814.23	-5.00
1/28/2013	153.50	3822.23	8.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: BUSHNER 4459-RFP

Owner: BUSHNER B TRENT & VICKIE J

Permit #: 4459 - RFP -

Location #: SB00304802AD

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE 2 3 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4459036.7 Easting (UTM x): 695603.8 Digitized
Latitude/Longitude (decimal degrees): 40.258949 -102.699867

Surface Elevation (ft): **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 325 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2015	214.00		

All Historic Measurements



Well Name: BOHM ROSS & BEVERLEY

Owner: ROSS & BEVERLEY BOHM

Permit #: 19864 - F -

Location #: SB00304809AB

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW 9 3 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4457426.1 Easting (UTM x): 692051.9 User supplied
Latitude/Longitude (decimal degrees): 40.245272 -102.742085

Surface Elevation (ft): 4103 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** **1 year:** 14.00
Aquifer(s): OGALLALA **5 year:** 31.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	206.00	3897.00	
1/20/2011	225.00	3878.00	-19.00
1/23/2012	180.00	3923.00	45.00
1/25/2012	199.00	3904.00	-19.00
2/8/2013	193.00	3910.00	6.00
2/18/2014	189.00	3914.00	4.00
2/6/2015	175.00	3928.00	14.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **RALPH CANNON**

Owner: RALPH CANNON

Permit #: 14701 - F -

Location #: SB00304810BB

USGS Site ID:

Division: 1

Water District: 65

County: YUMA

Location: Q160 Q40 Q10 Section Twnshp Range PM

Distance from section lines:

NW NW

10

3

N

48

W

S

From N/S line:

From E/W line:

UTM Coordinates (NAD83): Northing (UTM y)

4457552.1

Easting (UTM x):

692725.0 *Digitized*

Latitude/Longitude (decimal degrees):

40.246252

-102.734140

Surface Elevation (ft):

Top Perforated Interval (ft):

Base of grout (ft):

Water Level Change

Well depth (ft):

Bottom Perforated Interval (ft):

1 year:

Aquifer(s):

OGALLALA


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2015	236.00		

All Historic Measurements



Well Name: **BUSHNER, FREDRICK W**

Owner:

Permit #: 16736 - FP -

Location #: SB00304817B

USGS Site ID:

Division: 1

Water District: 65

County: YUMA

Location: Q160 Q40 Q10 Section Twnshp Range PM

Distance from section lines:

NW

17

3

N

48

W

S

From N/S line: 1320 N

From E/W line: 1320 W

UTM Coordinates (NAD83): Northing (UTM y)

4455732.5

Easting (UTM x):

689749.0 *Spotted from section lines*

Latitude/Longitude (decimal degrees):

40.230550

-102.769641

Surface Elevation (ft): 4132

Top Perforated Interval (ft):

Base of grout (ft):

Water Level Change

Well depth (ft): 288

Bottom Perforated Interval (ft):

1 year: 11.00

Aquifer(s):


5 year: 13.00

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	234.00	3898.00	
1/25/2011	231.00	3901.00	3.00
12/28/2011	225.00	3907.00	6.00
2/8/2013	235.00	3897.00	-10.00
2/18/2014	232.00	3900.00	3.00
2/6/2015	221.00	3911.00	11.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: ACKERMAN, E.		Owner: EAGLE CREEK COLORADO LLC	
Permit #: 15927 - F -	Location #: SB00304818C	USGS Site ID:	
Division: 1	Water District: 65	County: YUMA	
Location: Q160 Q40 Q10 Section 18 Twnshp 3 N Range 48 W S	Distance from section lines:		
	From N/S line: From E/W line:		
UTM Coordinates (NAD83): Northing (UTM y) 4454509.0		Easting (UTM x): 688247.0 <i>Digitized</i>	
Latitude/Longitude (decimal degrees): 40.219874		-102.787642	
Surface Elevation (ft): 4149	Top Perforated Interval (ft): 263	Base of grout (ft):	Water Level Change
Well depth (ft): 320	Bottom Perforated Interval (ft): 317		1 year: 1.00
Aquifer(s): OGALLALA			5 year: 9.00
			10 year: 11.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	249.00	3900.00	-11.00
1/24/2007	248.00	3901.00	1.00
1/12/2008	249.00	3900.00	-1.00
4/14/2009	254.00	3895.00	-5.00
12/17/2009	236.00	3913.00	18.00
1/20/2011	230.00	3919.00	6.00
1/5/2012	232.00	3917.00	-2.00
1/25/2013	233.00	3916.00	-1.00
2/16/2014	228.00	3921.00	5.00
2/4/2015	227.00	3922.00	1.00

All Historic Measurements




Well Name: WARREN, DON		Owner: WINDING BROOK CORP	
Permit #: 15163 - F -	Location #: SB00304822D	USGS Site ID:	
Division: 1	Water District: 65	County: YUMA	
Location: Q160 Q40 Q10 Section 22 Twnshp 3 N Range 48 W S	Distance from section lines:		
	From N/S line: From E/W line:		
UTM Coordinates (NAD83): Northing (UTM y) 4453448.0		Easting (UTM x): 694146.0 <i>Digitized</i>	
Latitude/Longitude (decimal degrees): 40.208977		-102.718686	
Surface Elevation (ft): 4093	Top Perforated Interval (ft): 254	Base of grout (ft):	Water Level Change
Well depth (ft): 290	Bottom Perforated Interval (ft): 290		1 year: 6.00
Aquifer(s): OGALLALA			5 year: 4.50
			10 year: 20.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2006	230.00	3863.00	-6.30
1/24/2007	220.00	3873.00	10.00
1/12/2008	208.00	3885.00	12.00
4/14/2009	209.00	3884.00	-1.00
12/17/2009	208.00	3885.00	1.00
12/20/2010	209.00	3884.00	-1.00
1/15/2012	209.00	3884.00	0.00
1/25/2013	211.50	3881.50	-2.50
2/16/2014	209.50	3883.50	2.00
2/4/2015	203.50	3889.50	6.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	TRAUTMAN, E.			Owner:	TRAUTMAN EDWARD		
Permit #:	11628 - F -	Location #:	SB00304824CBD	USGS Site ID:	401230102414000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NW SE 24	3 N	48 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4453489.4	Easting (UTM x):	696191.8	User supplied		
Latitude/Longitude (decimal degrees):		40.208874		-102.694653			
Surface Elevation (ft):	4066.78	Top Perforated Interval (ft):	170	Base of grout (ft):	Water Level Change		
Well depth (ft):	274	Bottom Perforated Interval (ft):	274		1 year: 1.00		
Aquifer(s):	OGALLALA				5 year: 4.00		
					10 year: -14.70		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2006	192.40	3874.38	-6.60
3/7/2007	189.40	3877.38	3.00
1/12/2008	204.40	3862.38	-15.00
4/14/2009	200.40	3866.38	4.00
12/17/2009	196.40	3870.38	4.00
12/20/2010	191.40	3875.38	5.00
1/4/2012	195.40	3871.38	-4.00
1/25/2013	197.40	3869.38	-2.00
2/16/2014	196.40	3870.38	1.00

All Historic Measurements




Well Name:	BROCKMEIER, E.			Owner:	SERL LESLIE L & SHIRLEY A		
Permit #:	3969 - F -	Location #:	SB00304828ADB	USGS Site ID:	401200102442000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE SE NW 28	3 N	48 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4452553.5	Easting (UTM x):	692193.7	User supplied		
Latitude/Longitude (decimal degrees):		40.201374		-102.741877			
Surface Elevation (ft):	4115.81	Top Perforated Interval (ft):	250	Base of grout (ft):	Water Level Change		
Well depth (ft):	330	Bottom Perforated Interval (ft):	330		1 year:		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2006	223.50	3892.31	6.00
3/7/2007	206.50	3909.31	17.00
1/25/2008	197.50	3918.31	9.00
4/8/2009	199.50	3916.31	-2.00
12/18/2009	183.50	3932.31	16.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: DRURY, RAYMOND

Owner: RAYMOND DRURY

Permit #: 14782 - FP -

Location #: SB00304832A

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE 32 3 N 48 W S From N/S line: 1320 N From E/W line: 1320 E
UTM Coordinates (NAD83): Northing (UTM y) 4450899.5 Easting (UTM x): 690630.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.186841 -102.760721


Surface Elevation (ft): 4150 **Top Perforated Interval (ft):** 264 **Base of grout (ft):**
Well depth (ft): 360 **Bottom Perforated Interval (ft):** 318
Aquifer(s): OGALLALA

Water Level Change
1 year: 8.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	214.00	3936.00	-36.00
1/16/2012	214.00	3936.00	0.00
2/8/2013	218.00	3932.00	-4.00
2/18/2014	216.00	3934.00	2.00
2/3/2015	208.00	3942.00	8.00

All Historic Measurements



Well Name: HILLMAN, ELMER

Owner: HILLMAN ELMER

Permit #: 11738 - F -

Location #: SB00304835ABD

USGS Site ID: 401120102422000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NW SE 35 3 N 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4451063.5 Easting (UTM x): 695450.1 *User supplied*
Latitude/Longitude (decimal degrees): 40.187208 -102.704098


Surface Elevation (ft): 4084.79 **Top Perforated Interval (ft):** 262 **Base of grout (ft):**
Well depth (ft): 322 **Bottom Perforated Interval (ft):** 322
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.00
5 year: -4.00
10 year: 6.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	204.40	3880.39	-11.70
1/2/2006	209.50	3875.29	-5.10
3/10/2007	202.50	3882.29	7.00
1/12/2008	194.50	3890.29	8.00
4/8/2009	199.50	3885.29	-5.00
12/17/2009	193.50	3891.29	6.00
12/20/2010	193.50	3891.29	0.00
1/16/2012	195.50	3889.29	-2.00
1/25/2013	196.50	3888.29	-1.00
5/16/2014	196.50	3888.29	0.00
2/6/2015	197.50	3887.29	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **WARREN, DONALD**

Owner: DONALD WARREN

Permit #: 20283 - FP - **Location #:** SB00304902CD

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SE 2 3 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4457917.5 Easting (UTM x): 685003.3 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.251283 -102.824755

Surface Elevation (ft): 4167 **Top Perforated Interval (ft):** 260 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 340 **Bottom Perforated Interval (ft):** 316 **1 year:** 14.00


Aquifer(s): OGALLALA **5 year:** 9.00

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	234.00	3933.00	
1/20/2011	185.00	3982.00	49.00
1/23/2012	251.00	3916.00	-66.00
2/9/2013	250.00	3917.00	1.00
2/18/2014	239.00	3928.00	11.00
2/6/2015	225.00	3942.00	14.00

All Historic Measurements



Well Name: **DEERING, WARD & ROLLIE**

Owner: WARD & ROLLIE DEERING

Permit #: - - **Location #:** SB00304913A

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE 13 3 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4455683.5 Easting (UTM x): 687330.6 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.230653 -102.798062

Surface Elevation (ft): 4150 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 240 **Bottom Perforated Interval (ft):** **1 year:**


Aquifer(s): **5 year:**

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2008	230.00	3920.00	
1/1/2009			
12/18/2009	194.00	3956.00	
1/24/2011	234.00	3916.00	-40.00
1/23/2012			
2/8/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: TAYLOR, ROBERT

Owner: MIDNIGHT SUN INC DBA MIDNIGHT SUN I I

Permit #: 14056 - F - **Location #:** SB00304915C

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW 15 3 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4454898.6 Easting (UTM x): 683248.6 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.224489 -102.846234

Surface Elevation (ft): 4196 **Top Perforated Interval (ft):** 275 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295 **1 year:** 5.00


Aquifer(s): OGALLALA **5 year:** 6.00

10 year: 26.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	255.00	3941.00	9.00
3/8/2007	251.00	3945.00	4.00
1/19/2008	249.00	3947.00	2.00
4/8/2009	253.00	3943.00	-4.00
12/17/2009	244.00	3952.00	9.00
12/21/2010	242.00	3954.00	2.00
1/16/2012	242.00	3954.00	0.00
1/25/2013	244.00	3952.00	-2.00
2/16/2014	243.00	3953.00	1.00
2/6/2015	238.00	3958.00	5.00

All Historic Measurements



Well Name: DIAMOND, ROBERT

Owner:

Permit #: - - **Location #:** SB00305007BAA

USGS Site ID: 401500103004000

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW NE NE 7 3 N 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4457514.6 Easting (UTM x): 668733.2 *User supplied*

Latitude/Longitude (decimal degrees): 40.251092 -103.016049

Surface Elevation (ft): 4406.38 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 145 **Bottom Perforated Interval (ft):** **1 year:** 0.00


Aquifer(s): **5 year:** 2.00

10 year: 5.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	110.50	4295.88	6.30
3/8/2007	110.00	4296.38	0.50
1/27/2008	113.00	4293.38	-3.00
4/8/2009	114.00	4292.38	-1.00
12/15/2009	113.00	4293.38	1.00
12/21/2010	111.00	4295.38	2.00
1/6/2012	115.00	4291.38	-4.00
1/24/2013	109.00	4297.38	6.00
2/16/2014	111.00	4295.38	-2.00
2/2/2015	111.00	4295.38	0.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	STANSFIELD, GLADE			Owner:	STANSFIELD TODD C & STEPHEN B		
Permit #:	3536 - F	-	Location #:	SB00305036BCC	USGS Site ID:	401110102553000	
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SW SW	36	3 N	50 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4450474.0	Easting (UTM x):		676533.4 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.186094			-102.926325	
Surface Elevation (ft):	4308.96	Top Perforated Interval (ft):	220	Base of grout (ft):	Water Level Change		
Well depth (ft):	325	Bottom Perforated Interval (ft):	325	1 year: -6.00			
Aquifer(s):	OGALLALA			5 year: 4.00			
				10 year: 10.40			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	256.90	4052.06	-18.60
1/28/2007	254.90	4054.06	2.00
1/25/2008	234.90	4074.06	20.00
4/8/2009	242.90	4066.06	-8.00
12/17/2009	231.90	4077.06	11.00
12/21/2010	247.90	4061.06	-16.00
1/12/2012	225.90	4083.06	22.00
1/24/2013	225.90	4083.06	0.00
12/30/2013	221.90	4087.06	4.00
2/2/2015	227.90	4081.06	-6.00

All Historic Measurements




Well Name:	KLINZMAN, FLORENCE			Owner:	FLORENCE KLINZMAN		
Permit #:	6607 - F	-	Location #:	SB00404611BD	USGS Site ID:		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SE	11	4 N	46 W S		From N/S line: 2515 N From E/W line: 1340 W	
UTM Coordinates (NAD83):	Northing (UTM y)		4467355.5	Easting (UTM x):		713646.1 <i>Spotted from section lines</i>	
Latitude/Longitude (decimal degrees):			40.329414			-102.485114	
Surface Elevation (ft):	3888	Top Perforated Interval (ft):	173	Base of grout (ft):	Water Level Change		
Well depth (ft):	333	Bottom Perforated Interval (ft):	333	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2007	189.50	3698.50	
1/27/2008	199.50	3688.50	-10.00
1/1/2009			
12/29/2009	205.50	3682.50	
1/24/2011	209.50	3678.50	-4.00
1/5/2012	219.50	3668.50	-10.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	KLINZMAN, FLORENCE	Owner:	KLINZMAN FLORENCE
Permit #:	213108 - A -	Location #:	SB00404611CAD
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NE SE 11	4 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4466982.0	Easting (UTM x): 713670.0 <i>GPS</i>
Latitude/Longitude (decimal degrees):		40.326046	-102.484958
Surface Elevation (ft):	3895	Top Perforated Interval (ft):	300
		Base of grout (ft):	
Well depth (ft):	340	Bottom Perforated Interval (ft):	340
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	207.80	3687.20	-13.50
1/3/2006	205.00	3690.00	2.80
3/8/2007			
1/26/2008			
4/16/2009	199.00	3696.00	
12/18/2009	187.00	3708.00	12.00
1/5/2012	211.00	3684.00	-24.00
2/11/2013	208.00	3687.00	3.00

All Historic Measurements




Well Name:	FOUR QUARTER CO.	Owner:	MIDNIGHT SUN INC DBA MIDNIGHT SUN II
Permit #:	11927 - F -	Location #:	SB00404616CCA
		USGS Site ID:	401840102312000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW NE 16	4 N	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4465250.0	Easting (UTM x): 710448.0 <i>Digitized</i>
Latitude/Longitude (decimal degrees):		40.311274	-102.523419
Surface Elevation (ft):	3895.72	Top Perforated Interval (ft):	232
		Base of grout (ft):	
Well depth (ft):	432	Bottom Perforated Interval (ft):	432
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.00
5 year: -6.00
10 year: -37.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	149.90	3745.82	17.40
1/3/2006	136.90	3758.82	13.00
1/25/2007	130.90	3764.82	6.00
1/27/2008	132.90	3762.82	-2.00
4/23/2009	110.90	3784.82	22.00
12/18/2009	180.90	3714.82	-70.00
12/21/2010	181.90	3713.82	-1.00
1/5/2012	181.90	3713.82	0.00
12/17/2012	186.90	3708.82	-5.00
2/16/2014	185.90	3709.82	1.00
1/26/2015	186.90	3708.82	-1.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	HARRY TUELL TRUST			Owner:	DAY BRYCE C & LYNETTA J		
Permit #:	13218 - FP -	Location #:	SB00404632BA	USGS Site ID:			
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NE	32	4 N	46 W	S	From N/S line: 1310 N From E/W line: 1340 W	
UTM Coordinates (NAD83):	Northing (UTM y)	4461202.0	Easting (UTM x):	708947.5 <i>Spotted from section lines</i>			
Latitude/Longitude (decimal degrees):	40.275215		-102.542383				
Surface Elevation (ft):	3949	Top Perforated Interval (ft):	180	Base of grout (ft):	Water Level Change		
Well depth (ft):	311	Bottom Perforated Interval (ft):	300	1 year: -4.00			
Aquifer(s):	OGALLALA			5 year: -4.00			
				10 year: -13.60			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	190.90	3758.10	-2.00
1/3/2006	212.50	3736.50	-21.60
1/25/2007	195.50	3753.50	17.00
1/27/2008	204.50	3744.50	-9.00
4/23/2009	213.50	3735.50	-9.00
12/18/2009	200.50	3748.50	13.00
12/21/2010	199.50	3749.50	1.00
1/5/2012	199.50	3749.50	0.00
1/27/2013	201.50	3747.50	-2.00
2/16/2014	200.50	3748.50	1.00
1/26/2015	204.50	3744.50	-4.00

All Historic Measurements




Well Name:	TUELL TRUST			Owner:	DAY BRYCE C & LYNETTA J		
Permit #:	13219 - FP -	Location #:	SB00404632CA	USGS Site ID:			
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW	32	4 N	46 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4460407.9	Easting (UTM x):	708948.2 <i>Spotted from quarters</i>			
Latitude/Longitude (decimal degrees):	40.268067		-102.542633				
Surface Elevation (ft):	3944	Top Perforated Interval (ft):	180	Base of grout (ft):	Water Level Change		
Well depth (ft):	320	Bottom Perforated Interval (ft):	300	1 year: -3.00			
Aquifer(s):	OGALLALA			5 year: -1.00			
				10 year: -13.00			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	184.30	3759.70	-5.50
1/3/2006	200.30	3743.70	-16.00
3/9/2007	197.30	3746.70	3.00
1/27/2008	208.30	3735.70	-11.00
4/23/2009	215.30	3728.70	-7.00
12/18/2009	196.30	3747.70	19.00
12/21/2010	193.30	3750.70	3.00
1/5/2012	193.30	3750.70	0.00
1/27/2013	195.30	3748.70	-2.00
2/16/2014	194.30	3749.70	1.00
1/26/2015	197.30	3746.70	-3.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	VILLINES, JACK			Owner:	VILLINES JACK S & PATRICIA A		
Permit #:	6575 - F -	Location #:	SB00404717BBC	USGS Site ID:	401900102393000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW SW 17	4 N	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4465533.9	Easting (UTM x):	698925.8	User supplied		
Latitude/Longitude (decimal degrees):		40.316653		-102.658815			
Surface Elevation (ft):	3989.77	Top Perforated Interval (ft):	257	Base of grout (ft):	Water Level Change		
Well depth (ft):	365	Bottom Perforated Interval (ft):	365		1 year: 6.00		
Aquifer(s):					5 year: -3.00		
					10 year: 19.00		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	224.40	3765.37	-7.40
1/3/2006	236.40	3753.37	-12.00
1/24/2007	228.40	3761.37	8.00
1/27/2008	223.40	3766.37	5.00
4/23/2009	209.40	3780.37	14.00
12/18/2009	202.40	3787.37	7.00
12/21/2010	218.40	3771.37	-16.00
1/4/2012	220.40	3769.37	-2.00
12/17/2012	231.40	3758.37	-11.00
2/16/2014	211.40	3778.37	20.00
1/26/2015	205.40	3784.37	6.00

All Historic Measurements




Well Name:	SCHROETLIN FARMS INC			Owner:			
Permit #:	18323 - F -	Location #:	SB00404723DA	USGS Site ID:			
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NE 23	4 N	47 W S		From N/S line: 2500 S From E/W line: 50 E		
UTM Coordinates (NAD83):	Northing (UTM y)	4463826.0	Easting (UTM x):	705219.8	Spotted from section lines		
Latitude/Longitude (decimal degrees):		40.299757		-102.585349			
Surface Elevation (ft):	3959	Top Perforated Interval (ft):	199	Base of grout (ft):	Water Level Change		
Well depth (ft):	288	Bottom Perforated Interval (ft):	287		1 year: 1.00		
Aquifer(s):	OGALLALA				5 year: -6.00		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2009	211.00	3748.00	
1/20/2011	214.00	3745.00	-3.00
1/21/2012	212.00	3747.00	2.00
1/27/2013	218.00	3741.00	-6.00
2/18/2014	218.00	3741.00	0.00
2/5/2015	217.00	3742.00	1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	KORF, R.	Owner:	KORF RUSSELL
Permit #:	6478 - R -	Location #:	SB00404801BCC
		USGS Site ID:	402040102415000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW SW 1	4 N	48 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4468424.0	Easting (UTM x): 695448.0 <i>Digitized</i>
Latitude/Longitude (decimal degrees):		40.343490	-102.698830
Surface Elevation (ft):	4015.77	Top Perforated Interval (ft):	184
		Base of grout (ft):	
Well depth (ft):	385	Bottom Perforated Interval (ft):	284
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.00
5 year: 18.00
10 year: 7.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	226.20	3789.57	-1.10
1/4/2006	235.70	3780.07	-9.50
1/24/2007	231.70	3784.07	4.00
1/27/2008	233.70	3782.07	-2.00
4/23/2009	236.70	3779.07	-3.00
12/18/2009	236.70	3779.07	0.00
12/21/2010	215.70	3800.07	21.00
1/5/2012	217.70	3798.07	-2.00
12/17/2012	220.70	3795.07	-3.00
2/16/2014	218.70	3797.07	2.00
1/26/2015	218.70	3797.07	0.00

All Historic Measurements




Well Name:	SITZMAN INVESTMENTS LP	Owner:	
Permit #:	13359 - F -	Location #:	SB00404810CD
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SE 10	4 N	48 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4466280.5	Easting (UTM x): 692738.8 <i>Spotted from section lines</i>
Latitude/Longitude (decimal degrees):		40.324824	-102.731351
Surface Elevation (ft):	4050	Top Perforated Interval (ft):	274
		Base of grout (ft):	
Well depth (ft):	354	Bottom Perforated Interval (ft):	354
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.00
5 year: 10.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	228.00	3822.00	
1/24/2011	228.00	3822.00	0.00
1/5/2012	229.00	3821.00	-1.00
2/9/2013	231.00	3819.00	-2.00
2/18/2014	218.00	3832.00	13.00
2/3/2015	218.00	3832.00	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	GORMAN, FRANK			Owner:	GORMAN FRANK & GOLDIE		
Permit #:	17881 - FPR -			Location #:	SB00404827B		
Division:	1			Water District:	65		
Location:	Q160 Q40 Q10 Section 27			County:	YUMA		
	NW 4 N 48 W S			Distance from section lines:			
				From N/S line:	From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y) 4462272.8			Easting (UTM x):	692753.8 <i>Spotted from quarters</i>		
Latitude/Longitude (decimal degrees):	40.288743			-102.732382			
Surface Elevation (ft):	4073	Top Perforated Interval (ft):	240	Base of grout (ft):			
Well depth (ft):	320	Bottom Perforated Interval (ft):	280				
Aquifer(s):	OGALLALA						

Water Level Change
1 year: 7.00
5 year: 4.00
10 year: 27.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	252.50	3820.50	-4.90
1/4/2006	269.00	3804.00	-16.50
1/29/2007	271.50	3801.50	-2.50
1/29/2008	281.00	3792.00	-9.50
4/23/2009	272.00	3801.00	9.00
12/18/2009	229.00	3844.00	43.00
12/21/2010	231.00	3842.00	-2.00
1/5/2012	234.00	3839.00	-3.00
2/11/2013	238.00	3835.00	-4.00
2/16/2014	232.00	3841.00	6.00
1/27/2015	225.00	3848.00	7.00

All Historic Measurements




Well Name:	GORMAN 6756-FP			Owner:	GORMAN WILLARD		
Permit #:	6756 - FP -			Location #:	SB00404828CC		
Division:	1			Water District:	65		
Location:	Q160 Q40 Q10 Section 28			County:	YUMA		
	SW SW 4 N 48 W S			Distance from section lines:			
				From N/S line:	From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y) 4461217.0			Easting (UTM x):	690987.6 <i>Digitized</i>		
Latitude/Longitude (decimal degrees):	40.279643			-102.753460			
Surface Elevation (ft):	4090	Top Perforated Interval (ft):		Base of grout (ft):			
Well depth (ft):		Bottom Perforated Interval (ft):					
Aquifer(s):	OGALLALA						

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/13/2015	230.00	3860.00	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	KUNTZ, JUSTIN	Owner:	KUNTZ JUSTIN
Permit #:	249906 - -	Location #:	SB00404902CDD1
		USGS Site ID:	402014102492101


Division:	1	Water District:	65	County:	WASHINGTON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW SE SE 2	4 N	49 W S		
					From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4467459.6	Easting (UTM x):	684919.2	User supplied
Latitude/Longitude (decimal degrees):		40.337207		-102.822986	

Surface Elevation (ft):	4190.83	Top Perforated Interval (ft):		Base of grout (ft):		Water Level Change
Well depth (ft):	178	Bottom Perforated Interval (ft):				1 year: 0.00
Aquifer(s):	OGALLALA					5 year: 7.00
						10 year: 2.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2006	167.00	4023.83	-7.90
3/8/2007	160.50	4030.33	6.50
1/28/2008	157.50	4033.33	3.00
4/8/2009	164.00	4026.83	-6.50
12/15/2009	155.00	4035.83	9.00
1/5/2012			
2/12/2013	157.00	4033.83	
2/16/2014	157.00	4033.83	0.00

All Historic Measurements



Well Name:	SOUSER, ROBERT	Owner:	
Permit #:	- -	Location #:	SB00404906CCD1
		USGS Site ID:	402022102542201


Division:	1	Water District:	65	County:	WASHINGTON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW SW SE 6	4 N	49 W S		
					From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4467534.8	Easting (UTM x):	677810.6	User supplied
Latitude/Longitude (decimal degrees):		40.339429		-102.906600	

Surface Elevation (ft):	4286.88	Top Perforated Interval (ft):		Base of grout (ft):		Water Level Change
Well depth (ft):	154	Bottom Perforated Interval (ft):				1 year:
Aquifer(s):						5 year:
						10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2006	152.00	4134.88	-0.60
3/23/2007	148.00	4138.88	4.00
1/19/2008	146.00	4140.88	2.00
4/2/2009	148.00	4138.88	-2.00
12/15/2009	137.00	4149.88	11.00
1/5/2012			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **HANSEN, ALFRED**

Owner:

Permit #: - -

Location #: SB00404929AAA1

USGS Site ID: 401738102521901


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NE 29 4 N 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4462546.9 Easting (UTM x): 680834.4 *User supplied*
Latitude/Longitude (decimal degrees): 40.293873 -102.872433

Surface Elevation (ft): 4266.88 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 245 **Bottom Perforated Interval (ft):** **1 year:** -4.00
Aquifer(s): **5 year:** -12.00
10 year: 1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	218.80	4048.08	3.40
1/2/2006	223.40	4043.48	-4.60
3/8/2007	223.40	4043.48	0.00
1/19/2008	220.40	4046.48	3.00
4/2/2009	225.40	4041.48	-5.00
12/15/2009	205.40	4061.48	20.00
12/27/2010	212.40	4054.48	-7.00
1/4/2012	213.40	4053.48	-1.00
12/17/2012	213.40	4053.48	0.00
12/30/2013	213.40	4053.48	0.00
1/26/2015	217.40	4049.48	-4.00

All Historic Measurements



Well Name: **GORMAN, WILLARD**

Owner: WILLARD GORMAN

Permit #: - -

Location #: SB00404931C

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 31 4 N 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4459803.5 Easting (UTM x): 678179.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.269743 -102.904415

Surface Elevation (ft): 4330 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2008	204.00	4126.00	
1/1/2009			
12/21/2009	198.00	4132.00	
1/25/2011	214.00	4116.00	-16.00
1/26/2012	240.00	4090.00	-26.00
12/17/2012	232.00	4098.00	8.00
12/30/2013	232.00	4098.00	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **COGBURN, CHARLES**

Owner: TUELLAND INC

Permit #: 13778 - F - **Location #:** SB00504622A

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE 22 5 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4474292.3 Easting (UTM x): 714043.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.391746 -102.478112

Surface Elevation (ft): 3859 **Top Perforated Interval (ft):** 230 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 370 **Bottom Perforated Interval (ft):** 370 **1 year:** 0.00
Aquifer(s): OGALLALA **5 year:** 0.00
10 year: -19.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	187.80	3671.20	9.90
1/3/2006	190.00	3669.00	-2.20
1/25/2007	202.50	3656.50	-12.50
1/26/2008	201.00	3658.00	1.50
4/16/2009	208.00	3651.00	-7.00
12/15/2009	207.00	3652.00	1.00
12/28/2010	212.00	3647.00	-5.00
12/28/2012	199.00	3660.00	13.00
1/27/2013	197.00	3662.00	2.00
12/27/2013	207.00	3652.00	-10.00
1/28/2015	207.00	3652.00	0.00

All Historic Measurements



Well Name: **COGBURN, CHARLES**

Owner: TUELLAND INC

Permit #: 13110 - F - **Location #:** SB00504622DBC

USGS Site ID: 402300102290000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SW 22 5 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4473563.1 Easting (UTM x): 713722.2 *User supplied*
Latitude/Longitude (decimal degrees): 40.385266 -102.482140

Surface Elevation (ft): 3869.68 **Top Perforated Interval (ft):** 287 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 387 **Bottom Perforated Interval (ft):** 387 **1 year:**
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	189.50	3680.18	-16.50
1/3/2006	191.20	3678.48	-1.70
1/25/2007	203.20	3666.48	-12.00
1/26/2008	201.20	3668.48	2.00
1/1/2009			
12/15/2009	201.20	3668.48	

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	SALVADOR, RODNEY.							Owner:	SALVADOR BRETT K & CHARLA D		
Permit #:	13301 - F -			Location #: SB00504627CB				USGS Site ID:			
Division:	1			Water District: 65			County: YUMA				
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:			
	SW	NW		27	5 N	46	W S	From N/S line:		From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)			4472012.0		Easting (UTM x):		713066.0		GPS	
Latitude/Longitude (decimal degrees):				40.371473		-102.490382					
Surface Elevation (ft):	3882		Top Perforated Interval (ft):			290		Base of grout (ft):		Water Level Change	
Well depth (ft):	370		Bottom Perforated Interval (ft):			370		1 year:		3.00	
Aquifer(s):	OGALLALA		5 year: 0.00								
			10 year: -1.20								

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	207.30	3674.70	-8.00
1/3/2006	209.50	3672.50	-2.20
1/25/2007	207.50	3674.50	2.00
1/26/2008	214.50	3667.50	-7.00
4/16/2009	206.50	3675.50	8.00
12/15/2009	208.50	3673.50	-2.00
12/28/2010	204.50	3677.50	4.00
1/5/2012	205.50	3676.50	-1.00
1/27/2013	207.50	3674.50	-2.00
12/27/2013	211.50	3670.50	-4.00
1/27/2015	208.50	3673.50	3.00

All Historic Measurements




Well Name:		LUCKING, O.					Owner:		LUEKING OTTO		
Permit #:		6804 - F		-		Location #:		SB00504630BDD		USGS Site ID: 402230102322000	
Division:		1		Water District:		65		County:		YUMA	
Location:		Q160	Q40	Q10	Section	Twnshp	Range	PM	Distance from section lines:		
		NW	SE	SE	30	5 N	46	W S	From N/S line:		From E/W line:
UTM Coordinates (NAD83):		Northing (UTM y)		4472097.6		Easting (UTM x):		708807.0		User supplied	
Latitude/Longitude (decimal degrees):				40.373321				-102.540475			
Surface Elevation (ft):		3926.71		Top Perforated Interval (ft):		274		Base of grout (ft):		Water Level Change	
Well depth (ft):		346		Bottom Perforated Interval (ft):		346				1 year: -1.00	
Aquifer(s):		OGALLALA								5 year: 1.00	
										10 year: 22.40	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	250.00	3676.71	-11.80
1/4/2006	227.60	3699.11	22.40
1/25/2007	229.60	3697.11	-2.00
1/26/2008	224.60	3702.11	5.00
4/16/2009	221.60	3705.11	3.00
12/15/2009	228.60	3698.11	-7.00
12/28/2010	214.60	3712.11	14.00
1/4/2012	204.60	3722.11	10.00
1/27/2013	231.60	3695.11	-27.00
12/27/2013	226.60	3700.11	5.00
1/27/2015	227.60	3699.11	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: KNOX 19092-FP

Owner: KNOX ERVIN L

Permit #: 19092 - FP -

Location #: SB00504720BC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SW 20 5 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4473829.2 Easting (UTM x): 700040.6 Digitized
Latitude/Longitude (decimal degrees): 40.391058 -102.643106


Surface Elevation (ft): 4010 **Top Perforated Interval (ft):** 255 **Base of grout (ft):**
Well depth (ft): 315 **Bottom Perforated Interval (ft):** 315
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2015	230.00	3780.00	

All Historic Measurements



Well Name: HANSEN, NANCY J

Owner:

Permit #: 11769 - F -

Location #: SB00504722AA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE 22 5 N 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4474151.5 Easting (UTM x): 704496.5 Spotted from quarters
Latitude/Longitude (decimal degrees): 40.392877 -102.590546


Surface Elevation (ft): 3970 **Top Perforated Interval (ft):** 239 **Base of grout (ft):**
Well depth (ft): 389 **Bottom Perforated Interval (ft):** 389
Aquifer(s): OGALLALA

Water Level Change
1 year: -10.00
5 year: -11.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	256.00	3714.00	
12/28/2010	255.00	3715.00	1.00
1/5/2012	256.00	3714.00	-1.00
1/27/2013	269.00	3701.00	-13.00
2/18/2014	257.00	3713.00	12.00
2/4/2015	267.00	3703.00	-10.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	FRANSON, FARMS			Owner:	SHAPE FARM		
Permit #:	9276 - F	-	Location #:	SB00504728AAC	USGS Site ID:	402230102363000	
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NE SW	28	5 N	47 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4472296.3	Easting (UTM x):		702546.8 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.376654			-102.614089	
Surface Elevation (ft):	3966.74	Top Perforated Interval (ft):	299	Base of grout (ft):	Water Level Change		
Well depth (ft):	387	Bottom Perforated Interval (ft):	387	1 year: 1.00			
Aquifer(s):	OGALLALA			5 year: -2.00			
				10 year: 10.90			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	253.40	3713.34	-12.30
1/4/2006	240.50	3726.24	12.90
1/25/2007	247.50	3719.24	-7.00
1/26/2008	238.50	3728.24	9.00
4/16/2009	241.50	3725.24	-3.00
12/15/2009	240.50	3726.24	1.00
12/28/2010	244.50	3722.24	-4.00
1/3/2012	229.50	3737.24	15.00
12/17/2012	232.50	3734.24	-3.00
12/27/2013	243.50	3723.24	-11.00
1/26/2015	242.50	3724.24	1.00

All Historic Measurements




Well Name:	MELENDY, ROY & MERTL			Owner:			
Permit #:	-	-	Location #:	SB00504917BAB	USGS Site ID:	402440102515000	
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NE NW	17	5 N	49 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4475292.2	Easting (UTM x):		680929.1 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			40.408598			-102.867707	
Surface Elevation (ft):	4308.15	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	170	Bottom Perforated Interval (ft):		1 year: 2.00			
Aquifer(s):				5 year: 2.00			
				10 year: 0.60			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	128.60	4179.55	3.20
1/3/2006	136.00	4172.15	-7.40
3/8/2007	130.00	4178.15	6.00
1/19/2008	129.00	4179.15	1.00
4/8/2009	139.00	4169.15	-10.00
12/15/2009	130.00	4178.15	9.00
12/27/2010	129.00	4179.15	1.00
1/7/2012	129.00	4179.15	0.00
12/17/2012	129.00	4179.15	0.00
12/27/2013	130.00	4178.15	-1.00
1/27/2015	128.00	4180.15	2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **RHOADES, LEWIS A.**

Owner:

Permit #: - -

Location #: SB00504922DDD1

USGS Site ID: 402253102490601


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SE 22 5 N 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4472371.4 Easting (UTM x): 685152.4 *User supplied*
Latitude/Longitude (decimal degrees): 40.381375 -102.818818

Surface Elevation (ft): 4170.82 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 140 **Bottom Perforated Interval (ft):** **1 year:** 6.00
Aquifer(s): **5 year:** -8.00
10 year: 3.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	118.50	4052.32	-2.00
1/3/2006	119.50	4051.32	-1.00
3/8/2007	122.00	4048.82	-2.50
1/19/2008	123.50	4047.32	-1.50
4/8/2009	126.50	4044.32	-3.00
12/15/2009	107.50	4063.32	19.00
12/27/2010	105.50	4065.32	2.00
1/3/2012	117.50	4053.32	-12.00
12/17/2012	122.50	4048.32	-5.00
12/27/2013	121.50	4049.32	1.00
1/27/2015	115.50	4055.32	6.00

All Historic Measurements



Well Name: **BOLTJES, KELVIN**

Owner: ECCLES HUGH & SUE

Permit #: 44137 - -

Location #: SB00505004DBA

USGS Site ID: 402546102572201


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW NE 4 5 N 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4477426.6 Easting (UTM x): 673332.5 *User supplied*
Latitude/Longitude (decimal degrees): 40.429431 -102.956599

Surface Elevation (ft): 4411.92 **Top Perforated Interval (ft):** 69 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 120 **Bottom Perforated Interval (ft):** 121 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	58.70	4353.22	0.20
1/3/2006	58.90	4353.02	-0.20
1/28/2007	49.90	4362.02	9.00
1/19/2008	38.90	4373.02	11.00
4/8/2009	53.90	4358.02	-15.00
12/15/2009	35.90	4376.02	18.00
1/3/2012			

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	ZWIRN, DONALD			Owner:	ZWIRN DONALD		
Permit #:	14727 - F -	Location #:	SB00505021BBA1	USGS Site ID:	402336102575301		
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NE 21	5 N	50 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4473400.9	Easting (UTM x):	672694.2	User supplied		
Latitude/Longitude (decimal degrees):		40.393319		-102.965211			
Surface Elevation (ft):	4341.91	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	66	Bottom Perforated Interval (ft):			1 year: -6.00		
Aquifer(s):	OGALLALA				5 year: -3.00		
					10 year: -4.80		

Measurements from last 10 years


Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	25.70	4316.21	-0.50
1/3/2006	29.50	4312.41	-3.80
3/8/2007	34.00	4307.91	-4.50
1/26/2008	31.50	4310.41	2.50
4/8/2009	30.50	4311.41	1.00
12/15/2009	27.50	4314.41	3.00
12/27/2010	28.50	4313.41	-1.00
1/4/2012	28.50	4313.41	0.00
1/6/2012	28.50	4313.41	0.00
12/17/2012	26.50	4315.41	2.00
12/27/2013	24.50	4317.41	2.00
1/27/2015	30.50	4311.41	-6.00

All Historic Measurements



Well Name:	BAUCKE BROTHERS			Owner:	WEATHERS BYRON		
Permit #:	11854 - FP - R	Location #:	SC00104809ACA	USGS Site ID:	395850102450000		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE SW NE 9	1 S	48 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4428478.9	Easting (UTM x):	691879.4	User supplied		
Latitude/Longitude (decimal degrees):		39.984710		-102.752711			
Surface Elevation (ft):	4221.87	Top Perforated Interval (ft):	180	Base of grout (ft):	Water Level Change		
Well depth (ft):	192	Bottom Perforated Interval (ft):	205		1 year:		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **WEATHERS, BYRON**

Owner: WEATHERS, BYRON J

Permit #: 11855 - FP -

Location #: SC00104809BB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 9 1 S 48 W S From N/S line: 990 N From E/W line: 1340 W
UTM Coordinates (NAD83): Northing (UTM y) 4428593.0 Easting (UTM x): 691042.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.985927 -102.762478


Surface Elevation (ft): 4222 **Top Perforated Interval (ft):** 180 **Base of grout (ft):**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** 200
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2006	187.00	4035.00	
3/9/2007	181.00	4041.00	6.00
1/27/2008	208.00	4014.00	-27.00
4/1/2009	216.00	4006.00	-8.00
12/18/2009	220.00	4002.00	-4.00
12/29/2010	190.00	4032.00	30.00
1/6/2012	195.00	4027.00	-5.00
1/28/2013	192.00	4030.00	3.00

All Historic Measurements



Well Name: **SMITH, RICHARD**

Owner: SMITH ROY & RICHARD

Permit #: 17584 - F -

Location #: SC00104810A

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE 10 1 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4428585.5 Easting (UTM x): 693554.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.985288 -102.733071


Surface Elevation (ft): 4208 **Top Perforated Interval (ft):** 182 **Base of grout (ft):**
Well depth (ft): 214 **Bottom Perforated Interval (ft):** 214
Aquifer(s): OGALLALA

Water Level Change
1 year: -6.00
5 year: 6.00
10 year: -8.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2005	182.00	4026.00	18.00
3/9/2007	186.50	4021.50	-4.50
1/27/2008	197.00	4011.00	-10.50
4/1/2009	218.00	3990.00	-21.00
12/18/2009	214.00	3994.00	4.00
12/29/2010	190.00	4018.00	24.00
1/7/2012	191.00	4017.00	-1.00
1/28/2013	192.00	4016.00	-1.00
2/17/2014	202.00	4006.00	-10.00
2/4/2015	208.00	4000.00	-6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: SMITH, ROY & RICHARD

Owner: RUTLEDGE DONALD S

Permit #: 21161 - F - **Location #:** SC00104818D

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE 18 1 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4426082.0 Easting (UTM x): 688852.1 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.963812 -102.788837

Surface Elevation (ft): 4278 **Top Perforated Interval (ft):** 225 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** 245 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -4.00
10 year: 2.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2005	201.00	4077.00	8.00
3/9/2007	202.00	4076.00	-1.00
1/27/2008	201.00	4077.00	1.00
4/1/2009	194.00	4084.00	7.00
12/18/2009	203.00	4075.00	-9.00
12/29/2010	204.00	4074.00	-1.00
1/7/2012	205.00	4073.00	-1.00
1/28/2013	207.00	4071.00	-2.00
2/17/2014	205.00	4073.00	2.00
2/4/2015	207.00	4071.00	-2.00

All Historic Measurements



Well Name: RUTLEDGE, DONALD & JUDITH

Owner: RUTLEDGE DONALD S & JUDITH ANN

Permit #: 16737 - F - **Location #:** SC00104912DAC

USGS Site ID: 395847102482701


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE NE SW 12 1 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4427806.2 Easting (UTM x): 687172.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.979709 -102.807990

Surface Elevation (ft): 4279.94 **Top Perforated Interval (ft):** 280 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 400 **Bottom Perforated Interval (ft):** 380 **1 year:** -6.00
Aquifer(s): OGALLALA **5 year:** -19.00
10 year: -12.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2005	216.00	4063.94	-1.30
3/9/2007	217.00	4062.94	-1.00
1/27/2008	210.00	4069.94	7.00
4/1/2009	216.00	4063.94	-6.00
12/18/2009	208.00	4071.94	8.00
12/29/2010	204.00	4075.94	4.00
1/7/2012	221.00	4058.94	-17.00
1/28/2013	222.00	4057.94	-1.00
2/17/2014	221.00	4058.94	1.00
2/4/2015	227.00	4052.94	-6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: COLBY, CLARENCE

Owner:

Permit #: 15171 - - **Location #:** SC00104933ABC **USGS Site ID:** 395541102520001

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SW 33 1 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4421948.4 Easting (UTM x): 682257.2 User supplied
Latitude/Longitude (decimal degrees): 39.928042 -102.867158


Surface Elevation (ft): 4357.01 **Top Perforated Interval (ft):** 166 **Base of grout (ft):**
Well depth (ft): 192 **Bottom Perforated Interval (ft):** 192
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	175.60	4181.41	0.80
1/4/2006	183.60	4173.41	-8.00
3/9/2007	185.60	4171.41	-2.00
1/28/2008	186.60	4170.41	-1.00
4/2/2009	187.60	4169.41	-1.00
12/19/2009	184.60	4172.41	3.00
12/29/2010	176.60	4180.41	8.00
12/16/2011	186.60	4170.41	-10.00
12/18/2012	178.60	4178.41	8.00

All Historic Measurements



Well Name: SCHAFFERT, ANTHONY

Owner: UHLER EDDIE E & OPAL R

Permit #: 17000 - F - **Location #:** SC00105002ACA **USGS Site ID:** 395958102562501

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NE 2 1 S 50 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4429724.9 Easting (UTM x): 675783.4 User supplied
Latitude/Longitude (decimal degrees): 39.999430 -102.940770


Surface Elevation (ft): 4389.06 **Top Perforated Interval (ft):** 205 **Base of grout (ft):**
Well depth (ft): 307 **Bottom Perforated Interval (ft):** 296
Aquifer(s): OGALLALA

Water Level Change
1 year: 15.00
5 year: 18.00
10 year: 42.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	256.20	4132.86	-12.60
12/29/2005	240.20	4148.86	16.00
3/8/2007	255.20	4133.86	-15.00
1/27/2008	248.20	4140.86	7.00
4/2/2009	256.20	4132.86	-8.00
12/19/2009	232.20	4156.86	24.00
12/29/2010	243.20	4145.86	-11.00
12/26/2011	253.20	4135.86	-10.00
1/28/2013	234.20	4154.86	19.00
2/17/2014	229.20	4159.86	5.00
2/5/2015	214.20	4174.86	15.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **VORCE, GERALD E**

Owner:

Permit #: 17217 - F -

Location #: SC00105011AC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW 11 1 S 50 W S From N/S line: 1900 N From E/W line: 1700 E

UTM Coordinates (NAD83): Northing (UTM y) 4428013.0 Easting (UTM x): 675773.9 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 39.984018 -102.941344

Surface Elevation (ft): 4400 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 300 **Bottom Perforated Interval (ft):** **1 year:** 1.00


Aquifer(s): **5 year:** 1.00

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/16/2009	240.00	4160.00	
12/29/2010	236.00	4164.00	4.00
1/7/2012	241.00	4159.00	-5.00
12/18/2012	246.00	4154.00	-5.00
12/27/2013	240.00	4160.00	6.00
2/6/2015	239.00	4161.00	1.00

All Historic Measurements



Well Name: **WINDY HILL LAND & CATTLE**

Owner:

Permit #: 21892 - FP -

Location #: SC00105016AB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW 16 1 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4426743.5 Easting (UTM x): 672462.3 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.973270 -102.980443

Surface Elevation (ft): 4140 **Top Perforated Interval (ft):** 382 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 442 **Bottom Perforated Interval (ft):** 442 **1 year:** -1.00


Aquifer(s): OGALLALA **5 year:** 0.00

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2009	272.00	3868.00	
12/29/2010	268.00	3872.00	4.00
1/21/2012	268.00	3872.00	0.00
12/28/2012	275.00	3865.00	-7.00
12/27/2013	271.00	3869.00	4.00
2/6/2015	272.00	3868.00	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **HARMON, WM. & HENRY**

Owner: UNREGISTERED

Permit #: - - **Location #:** SC00105021BA

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NE 21 1 S 50 W S From N/S line: 50 N From E/W line: 50 E
UTM Coordinates (NAD83): Northing (UTM y) 4425351.0 Easting (UTM x): 673087.6 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.960603 -102.973495

Surface Elevation (ft): 4450 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	246.00	4204.00	
1/21/2012	246.00	4204.00	0.00
2/11/2013	248.00	4202.00	-2.00

All Historic Measurements



Well Name: **HARMAN, HENRY**

Owner: RILEY LOREN

Permit #: 18167 - F - **Location #:** SC00105025BB

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW 25 1 S 50 W S From N/S line: 1300 N From E/W line: 50 W
UTM Coordinates (NAD83): Northing (UTM y) 4423402.0 Easting (UTM x): 676421.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.942366 -102.935015

Surface Elevation (ft): 4418 **Top Perforated Interval (ft):** 275 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 400 **Bottom Perforated Interval (ft):** 400 **1 year:**
Aquifer(s): OGALLALA **5 year:** 1.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2008	243.00	4175.00	
1/1/2009			
12/19/2009	236.00	4182.00	
12/29/2010	234.00	4184.00	2.00
1/21/2012	234.00	4184.00	0.00
12/18/2012	226.00	4192.00	8.00
2/4/2015	235.00	4183.00	-9.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **HARMAN HENRY & WILLIAM**

Owner: HARMAN HENRY & WILLIAM

Permit #: 18170 - F - **Location #:** SC00105025CB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW 25 1 S 50 W S From N/S line: 1340 S From E/W line: 1300 W
UTM Coordinates (NAD83): Northing (UTM y) 4422616.3 Easting (UTM x): 676824.4 [GPS](#)
Latitude/Longitude (decimal degrees): 39.935207 -102.930514


Surface Elevation (ft): 4400 **Top Perforated Interval (ft):** 278 **Base of grout (ft):**
Well depth (ft): 378 **Bottom Perforated Interval (ft):** 378
Aquifer(s): OGALLALA

Water Level Change
1 year: 3.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/27/2013	234.00	4166.00	
2/6/2015	231.00	4169.00	3.00

All Historic Measurements



Well Name: **HARMON, WM & HENRY**

Owner: GLENN BAKER

Permit #: 153279 - - A **Location #:** SC00105034CC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SW 34 1 S 50 W S From N/S line: 1063 S From E/W line: 75 W
UTM Coordinates (NAD83): Northing (UTM y) 4420928.0 Easting (UTM x): 673234.5 [Spotted from section lines](#)
Latitude/Longitude (decimal degrees): 39.920748 -102.972952


Surface Elevation (ft): 4450 **Top Perforated Interval (ft):** 160 **Base of grout (ft):**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** 200
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	160.00	4290.00	3.00
1/21/2012	171.00	4279.00	-11.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **HEMPHILL RICHARD R & BLACH**

Owner: FRENZEL BROTHERS

Permit #: 21096 - F - **Location #:** SC00204905A

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section 5 Twnshp 2 S Range 49 W S PM Distance from section lines:
NE From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4420272.3 Easting (UTM x): 680981.5 *GPS*

Latitude/Longitude (decimal degrees): 39.913224 -102.882542

Surface Elevation (ft): 4416 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**


Well depth (ft): 375 **Bottom Perforated Interval (ft):** **1 year:** -53.00

Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/17/2014	215.00	4201.00	
2/10/2015	268.00	4148.00	-53.00

All Historic Measurements



Well Name: **HEMPHILL 21097-FP**

Owner: HEMPHILL RICHARD R & BLACH BERNAR

Permit #: 21097 - F - **Location #:** SC00204905B

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section 5 Twnshp 2 S Range 49 W S PM Distance from section lines:
NW From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4420247.3 Easting (UTM x): 680184.0 *Digitized*

Latitude/Longitude (decimal degrees): 39.913169 -102.891874

Surface Elevation (ft): 4420 **Top Perforated Interval (ft):** 278 **Base of grout (ft):** **Water Level Change**


Well depth (ft): 383 **Bottom Perforated Interval (ft):** 378 **1 year:**

Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2015	272.00	4148.00	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: PRICE, JIM

Owner:

Permit #: - -

Location #: SC00204908ABA

USGS Site ID: 395406102525701


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NE 8 2 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4418987.0 Easting (UTM x): 680973.6 User supplied
Latitude/Longitude (decimal degrees): 39.901653 -102.882991

Surface Elevation (ft): 4383.02 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 175 **Bottom Perforated Interval (ft):** **1 year:** -10.00
Aquifer(s): OGALLALA **5 year:** -3.00
10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2005	176.20	4206.82	-7.20
12/29/2005	175.70	4207.32	0.50
3/9/2007	173.20	4209.82	2.50
1/28/2008	168.20	4214.82	5.00
4/2/2009	177.20	4205.82	-9.00
12/19/2009	177.20	4205.82	0.00
12/29/2010	177.20	4205.82	0.00
1/8/2012	170.20	4212.82	7.00
12/18/2012	171.20	4211.82	-1.00
12/27/2013	170.20	4212.82	1.00
2/5/2015	180.20	4202.82	-10.00

All Historic Measurements



Well Name: ALLEN WILBUR

Owner: ALLEN WILBUR

Permit #: 21948 - FP -

Location #: SC00204915AA

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE 15 2 S 49 W S From N/S line: 1076 N From E/W line: 1320 E
UTM Coordinates (NAD83): Northing (UTM y) 4417244.0 Easting (UTM x): 684344.1 Spotted from section lines
Latitude/Longitude (decimal degrees): 39.885234 -102.844081

Surface Elevation (ft): 4370 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** 240 **1 year:** 3.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	208.00	4162.00	-14.00
1/21/2012	208.00	4162.00	0.00
2/9/2013	210.00	4160.00	-2.00
2/19/2014	208.00	4162.00	2.00
2/5/2015	205.00	4165.00	3.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	AXSOM, DANIEL			Owner:	AXSON ESTATE FAY E		
Permit #:	20293 - F	-	Location #:	SC00204928ADB	USGS Site ID:	395119102514401	
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SE NW	28	2 S	49 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4413879.1	Easting (UTM x):		682830.4 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.855265			-102.862713	
Surface Elevation (ft):	4409.01	Top Perforated Interval (ft):	151	Base of grout (ft):	Water Level Change		
Well depth (ft):	241	Bottom Perforated Interval (ft):	241	1 year: 5.00			
Aquifer(s):	OGALLALA			5 year: 4.00			
				10 year: 5.00			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	187.20	4221.81	-0.10
12/29/2005	191.20	4217.81	-4.00
3/9/2007	197.20	4211.81	-6.00
1/28/2008	194.20	4214.81	3.00
4/2/2009	187.20	4221.81	7.00
12/19/2009	186.20	4222.81	1.00
12/29/2010	185.20	4223.81	1.00
1/8/2012	185.20	4223.81	0.00
12/18/2012	187.20	4221.81	-2.00
12/27/2013	187.20	4221.81	0.00
2/4/2015	182.20	4226.81	5.00

All Historic Measurements




Well Name:	MEIS R			Owner:	MEIS RAYMOND N.		
Permit #:	10899 - FP	-	Location #:	SC00304725B	USGS Site ID:		
Division:	1	Water District:	65	County:	YUMA		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW	25	3 N	47 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4453019.0	Easting (UTM x):		705924.8 <i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees):			40.202305			-102.580528	
Surface Elevation (ft):	3972	Top Perforated Interval (ft):	200	Base of grout (ft):	Water Level Change		
Well depth (ft):	420	Bottom Perforated Interval (ft):	420	1 year: -10.00			
Aquifer(s):	OGALLALA			5 year: -6.00			
				10 year: -18.60			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	175.40	3796.60	2.20
1/2/2006	164.00	3808.00	11.40
1/27/2007	162.00	3810.00	2.00
12/21/2007	168.00	3804.00	-6.00
4/14/2009	164.00	3808.00	4.00
12/18/2009	188.00	3784.00	-24.00
12/20/2010	178.00	3794.00	10.00
1/4/2012	180.00	3792.00	-2.00
1/25/2013	193.00	3779.00	-13.00
2/16/2014	184.00	3788.00	9.00
2/7/2015	194.00	3778.00	-10.00

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Arikaree Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: RUFF, RON

Owner: RON RUFF

Permit #: 11755 - FP - R

Location #: SC00104227BC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SW 27 1 S 42 W S From N/S line: 1465 N From E/W line: 476 W
UTM Coordinates (NAD83): Northing (UTM y) 4425740.5 Easting (UTM x): 750155.9 Spotted from section lines
Latitude/Longitude (decimal degrees): 39.944836 -102.071972


Surface Elevation (ft): 3372 **Top Perforated Interval (ft):** 40 **Base of grout (ft):**
Well depth (ft): 83 **Bottom Perforated Interval (ft):** 83
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.70
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2011	13.30	3358.70	
3/6/2012	11.00	3361.00	2.30
3/6/2013	12.00	3360.00	-1.00
1/20/2014	13.70	3358.30	-1.70
2/19/2015	13.00	3359.00	0.70

All Historic Measurements



Well Name: JONES, ROBERT

Owner:

Permit #: 11755 - FP -

Location #: SC00104228ADD

USGS Site ID: 395651102042500

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE SE SE 28 1 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4425740.0 Easting (UTM x): 750153.0 GPS
Latitude/Longitude (decimal degrees): 39.944832 -102.072006


Surface Elevation (ft): 3376.49 **Top Perforated Interval (ft):** 23 **Base of grout (ft):**
Well depth (ft): 83 **Bottom Perforated Interval (ft):** 83
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	16.60	3359.89	0.90
12/17/2006	17.30	3359.19	-0.70
1/12/2008	15.70	3360.79	1.60
12/8/2008	17.20	3359.29	-1.50
1/11/2010	11.80	3364.69	5.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **EKBERG, JOHN**

Owner:

Permit #: 10931 - -

Location #: SC00104327CBB

USGS Site ID: 395115102105901

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 27 1 S 43 W S

From N/S line: **From E/W line:**

UTM Coordinates (NAD83): Northing (UTM y) 4415384.0 Easting (UTM x): 740950.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.854308 -102.183422

Surface Elevation (ft): 3760.54 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 27 **Bottom Perforated Interval (ft):** **1 year:** 0.40


Aquifer(s): **5 year:** -0.30

10 year: 0.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	25.00	3735.54	0.40
12/18/2006	24.50	3736.04	0.50
1/12/2008	23.90	3736.64	0.60
12/8/2008	24.70	3735.84	-0.80
1/11/2010	25.00	3735.54	-0.30
1/24/2011	25.20	3735.34	-0.20
3/6/2012	24.30	3736.24	0.90
3/6/2013	24.70	3735.84	-0.40
1/20/2014	25.70	3734.84	-1.00
2/19/2015	25.30	3735.24	0.40

All Historic Measurements



Well Name: **WINGER/BRIGGS**

Owner:

Permit #: 280825 - -

Location #: SC00204208BBA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NE 8 2 S 42 W S

From N/S line: 6 N **From E/W line:** 1073 W

UTM Coordinates (NAD83): Northing (UTM y) 4421268.0 Easting (UTM x): 747352.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.905415 -102.106448

Surface Elevation (ft): 3425 **Top Perforated Interval (ft):** 20 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 80 **Bottom Perforated Interval (ft):** 80 **1 year:** 0.50


Aquifer(s): OGALLALA **5 year:** -1.20

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2010	12.80	3412.20	
1/24/2011	11.50	3413.50	1.30
3/6/2012	11.00	3414.00	0.50
3/6/2013	14.00	3411.00	-3.00
1/20/2014	14.50	3410.50	-0.50
2/19/2015	14.00	3411.00	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SIMMONS

Owner:

Permit #: 4594 - R - **Location #:** SC00204314AAC **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE SW 14 2 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4419230.0 Easting (UTM x): 743604.0 GPS
Latitude/Longitude (decimal degrees): 39.888160 -102.151001


Surface Elevation (ft): 3475 **Top Perforated Interval (ft):** 51 **Base of grout (ft):**
Well depth (ft): 84 **Bottom Perforated Interval (ft):** 84
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.60
5 year: -5.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2010	12.00	3463.00	
1/24/2011	10.60	3464.40	1.40
3/6/2012	9.80	3465.20	0.80
3/6/2013	17.00	3458.00	-7.20
1/20/2014	17.60	3457.40	-0.60
2/19/2015	17.00	3458.00	0.60

All Historic Measurements



Well Name: BUSBY, CARL

Owner:

Permit #: 12697 - R - **Location #:** SC00304231CCC **USGS Site ID:** 394452102073500

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SW SW 31 3 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4403724.0 Easting (UTM x): 746152.0 GPS
Latitude/Longitude (decimal degrees): 39.747891 -102.127058


Surface Elevation (ft): 3777.07 **Top Perforated Interval (ft):** 176 **Base of grout (ft):**
Well depth (ft): 236 **Bottom Perforated Interval (ft):** 236
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.40
5 year: -15.70
10 year: -17.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	180.90	3596.17	-0.30
12/17/2006	180.90	3596.17	0.00
1/12/2008	181.60	3595.47	-0.70
12/30/2008	181.80	3595.27	-0.20
1/11/2010	182.30	3594.77	-0.50
1/24/2011	181.90	3595.17	0.40
3/6/2012	183.00	3594.07	-1.10
3/7/2013	198.60	3578.47	-15.60
1/20/2014	197.60	3579.47	1.00
2/19/2015	198.00	3579.07	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **KLIE, WILMONT**

Owner:

Permit #: 20742 - R -

Location #: SC00304234CAB

USGS Site ID: 394510102034900

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE NW 34 3 S 42 W S

From N/S line: **From E/W line:**

UTM Coordinates (NAD83): Northing (UTM y) 4404417.0 Easting (UTM x): 751524.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.752559 -102.064170

Surface Elevation (ft): 3756.54 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 276 **Bottom Perforated Interval (ft):** **1 year:** -1.20


Aquifer(s): **5 year:** -17.20

10 year: -19.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	212.70	3543.84	0.00
12/17/2006	212.80	3543.74	-0.10
1/12/2008	213.50	3543.04	-0.70
12/30/2008	214.00	3542.54	-0.50
1/11/2010	214.50	3542.04	-0.50
1/24/2011	215.10	3541.44	-0.60
3/6/2012	215.30	3541.24	-0.20
3/6/2013	233.80	3522.74	-18.50
1/20/2014	230.50	3526.04	3.30
2/19/2015	231.70	3524.84	-1.20

All Historic Measurements



Well Name: **WHOMBLE, CHESTER**

Owner:

Permit #: 3057 - F -

Location #: SC00304305ADC

USGS Site ID: 394935102122800

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SE SW 5 3 S 43 W S

From N/S line: **From E/W line:**

UTM Coordinates (NAD83): Northing (UTM y) 4412227.0 Easting (UTM x): 739198.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.826393 -102.205031

Surface Elevation (ft): 3660.56 **Top Perforated Interval (ft):** 30 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 112 **Bottom Perforated Interval (ft):** 100 **1 year:** 1.20


Aquifer(s): **5 year:** -4.00

10 year: -1.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	14.00	3646.56	-0.20
12/18/2006	15.10	3645.46	-1.10
1/15/2008	15.30	3645.26	-0.20
12/8/2008	15.80	3644.76	-0.50
1/11/2010	10.80	3649.76	5.00
1/24/2011	9.80	3650.76	1.00
3/6/2012	9.80	3650.76	0.00
2/13/2013	10.30	3650.26	-0.50
1/20/2014	16.00	3644.56	-5.70
2/19/2015	14.80	3645.76	1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **MANSFIELD, BILL**

Owner:

Permit #: 19763 - F - **Location #:** SC00304314BAB **USGS Site ID:** 394814102093700


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 14 3 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4409884.0 Easting (UTM x): 744288.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.803861 -102.146498

Surface Elevation (ft): 3803.58 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** 220 **1 year:** 0.60
Aquifer(s): OGALLALA **5 year:** -15.70
10 year: -19.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	174.20	3629.38	0.90
1/23/2006	176.20	3627.38	-2.00
12/18/2006			
1/12/2008	177.20	3626.38	
12/30/2008	177.50	3626.08	-0.30
1/11/2010	177.50	3626.08	0.00
1/26/2011	177.20	3626.38	0.30
3/6/2012	178.70	3624.88	-1.50
2/13/2013	192.90	3610.68	-14.20
1/20/2014	193.80	3609.78	-0.90
2/19/2015	193.20	3610.38	0.60

All Historic Measurements



Well Name: **SOEHNER, DALE**

Owner:

Permit #: 7197 - R - **Location #:** SC00304328ADC **USGS Site ID:** 394607102111300


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SW 28 3 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4405848.0 Easting (UTM x): 740927.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.768498 -102.187193

Surface Elevation (ft): 3868.4 **Top Perforated Interval (ft):** 201 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 293 **Bottom Perforated Interval (ft):** 293 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -19.40
10 year: -18.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	215.10	3653.30	-0.20
1/23/2006	212.10	3656.30	3.00
12/17/2006	212.30	3656.10	-0.20
1/15/2008	212.10	3656.30	0.20
12/31/2008	212.30	3656.10	-0.20
1/11/2010	214.20	3654.20	-1.90
1/24/2011	215.50	3652.90	-1.30
3/6/2012	215.00	3653.40	0.50
3/6/2013	231.00	3637.40	-16.00
1/20/2014	233.20	3635.20	-2.20
2/19/2015	233.60	3634.80	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: ZION, CHARLES A.

Owner:

Permit #: - -

Location #: SC00304407AAB

USGS Site ID: 394855102202000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 7 3 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4410907.0 Easting (UTM x): 727831.0 GPS
Latitude/Longitude (decimal degrees): 39.817635 -102.338172

Surface Elevation (ft): 3740.75 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 26 **Bottom Perforated Interval (ft):** **1 year:** 0.60
Aquifer(s): OGALLALA **5 year:** 0.80
10 year: 1.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	12.70	3728.05	0.30
12/17/2006	13.10	3727.65	-0.40
1/15/2008	12.90	3727.85	0.20
12/8/2008	12.30	3728.45	0.60
1/11/2010	12.70	3728.05	-0.40
1/24/2011	11.60	3729.15	1.10
3/6/2012	9.90	3730.85	1.70
3/6/2013	12.10	3728.65	-2.20
1/20/2014	12.50	3728.25	-0.40
2/19/2015	11.90	3728.85	0.60

All Historic Measurements



Well Name: MCDONALD, HARVEY

Owner: HARVEY MCDONALD

Permit #: - -

Location #: SC00304507BBB1

USGS Site ID: 394902102274801


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 7 3 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4410533.0 Easting (UTM x): 717078.0 GPS
Latitude/Longitude (decimal degrees): 39.817082 -102.463808

Surface Elevation (ft): 4010.78 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 90 **Bottom Perforated Interval (ft):** **1 year:** 0.60
Aquifer(s): **5 year:** -4.00
10 year: -6.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	44.00	3966.78	-0.10
1/24/2006	45.30	3965.48	-1.30
12/17/2006	45.30	3965.48	0.00
1/12/2008	45.00	3965.78	0.30
1/12/2009	46.30	3964.48	-1.30
1/11/2010	46.60	3964.18	-0.30
1/24/2011	46.80	3963.98	-0.20
1/30/2012	45.50	3965.28	1.30
3/7/2013	50.40	3960.38	-4.90
1/20/2014	51.20	3959.58	-0.80
2/19/2015	50.60	3960.18	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SC00304630CCC1

USGS Site ID: 394532102343101


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW 31 3 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4402832.0 Easting (UTM x): 707888.0 GPS
Latitude/Longitude (decimal degrees): 39.750054 -102.573523

Surface Elevation (ft): 4111.84 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 66 **Bottom Perforated Interval (ft):** **1 year:** -0.60
Aquifer(s): **5 year:** -2.70
10 year: 0.53

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	50.00	4061.84	-0.23
1/24/2006	47.67	4064.17	2.33
12/17/2006	50.67	4061.17	-3.00
1/17/2008			
1/1/2009			
1/21/2010	46.77	4065.07	
1/25/2011	46.97	4064.87	-0.20
1/30/2012	46.67	4065.17	0.30
3/7/2013	48.27	4063.57	-1.60
1/20/2014	48.87	4062.97	-0.60
2/12/2015	49.47	4062.37	-0.60

All Historic Measurements



Well Name: U.S. GOVERNMENT

Owner: USGS

Permit #: - -

Location #: SC00304714CDC1

USGS Site ID: 394715102362901


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SE SW 14 3 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4406920.0 Easting (UTM x): 704746.0 GPS
Latitude/Longitude (decimal degrees): 39.787616 -102.608893

Surface Elevation (ft): 4168.86 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 80 **Bottom Perforated Interval (ft):** **1 year:** 0.60
Aquifer(s): **5 year:** -3.90
10 year: -4.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	35.00	4133.86	0.20
1/28/2006	36.10	4132.76	-1.10
12/17/2006	36.40	4132.46	-0.30
1/17/2008	36.30	4132.56	0.10
2/23/2009	37.00	4131.86	-0.70
1/21/2010	35.60	4133.26	1.40
1/25/2011	46.50	4122.36	-10.90
1/30/2012	36.90	4131.96	9.60
3/7/2013	39.30	4129.56	-2.40
1/20/2014	40.10	4128.76	-0.80
2/12/2015	39.50	4129.36	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: POE, LARRY

Owner:

Permit #: 11528 - R -

Location #: SC00404232DAC

USGS Site ID: 394052102051500

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE NE SW 32 4 S 42 W S

From N/S line: **From E/W line:**

UTM Coordinates (NAD83): Northing (UTM y) 4394600.0 Easting (UTM x): 749830.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.664718 -102.087639

Surface Elevation (ft): 3577.53 **Top Perforated Interval (ft):** 42 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 90 **Bottom Perforated Interval (ft):** 90 **1 year:** 0.60


Aquifer(s): **5 year:** -2.60

10 year: -0.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	37.80	3539.73	0.70
2/20/2007	37.90	3539.63	-0.10
1/18/2008	37.80	3539.73	0.10
12/31/2008	37.60	3539.93	0.20
1/12/2010	36.80	3540.73	0.80
1/25/2011	36.80	3540.73	0.00
1/30/2012	37.20	3540.33	-0.40
3/7/2013	39.80	3537.73	-2.60
1/20/2014	40.00	3537.53	-0.20
2/12/2015	39.40	3538.13	0.60

All Historic Measurements



Well Name: SOEHNER, JACK

Owner:

Permit #: 6371 - F -

Location #: SC00404305ADC

USGS Site ID: 394421102121000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE SE SW 5 4 S 43 W S

From N/S line: **From E/W line:**

UTM Coordinates (NAD83): Northing (UTM y) 4402520.0 Easting (UTM x): 739640.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.738911 -102.203414

Surface Elevation (ft): 3890.61 **Top Perforated Interval (ft):** 246 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 305 **Bottom Perforated Interval (ft):** 316 **1 year:** 0.00


Aquifer(s): OGALLALA **5 year:** -15.80

10 year: -12.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2005	247.10	3643.51	0.10
1/18/2006	241.30	3649.31	5.80
12/17/2006	242.20	3648.41	-0.90
1/18/2008	243.20	3647.41	-1.00
12/30/2008	244.20	3646.41	-1.00
1/11/2010	244.20	3646.41	0.00
1/26/2011	244.50	3646.11	-0.30
1/30/2012	245.00	3645.61	-0.50
3/7/2013	262.00	3628.61	-17.00
1/20/2014	260.00	3630.61	2.00
2/12/2015	260.00	3630.61	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: BOWMAN, RALPH

Owner:

Permit #: 10546 - F - **Location #:** SC00404307CCB **USGS Site ID:** 394317102115500

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 7 4 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4400412.0 Easting (UTM x): 736938.0 GPS
Latitude/Longitude (decimal degrees): 39.720695 -102.235670


Surface Elevation (ft): 3936.63 **Top Perforated Interval (ft):** 230 **Base of grout (ft):**
Well depth (ft): 330 **Bottom Perforated Interval (ft):** 330
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.50
5 year: -17.60
10 year: -24.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	251.00	3685.63	-0.90
1/18/2006	252.80	3683.83	-1.80
12/18/2006	253.80	3682.83	-1.00
1/18/2008	254.80	3681.83	-1.00
12/30/2008	255.80	3680.83	-1.00
1/11/2010	257.40	3679.23	-1.60
1/26/2011	257.50	3679.13	-0.10
1/30/2012	256.50	3680.13	1.00
3/6/2013	274.50	3662.13	-18.00
2/22/2014	275.50	3661.13	-1.00
2/12/2015	275.00	3661.63	0.50

All Historic Measurements



Well Name: ALLEN, L.

Owner:

Permit #: 6805 - F - **Location #:** SC00404310ADB **USGS Site ID:** 394340102100000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE NW 10 4 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4401397.0 Easting (UTM x): 742780.0 GPS
Latitude/Longitude (decimal degrees): 39.727917 -102.167226


Surface Elevation (ft): 3846.59 **Top Perforated Interval (ft):** 245 **Base of grout (ft):**
Well depth (ft): 285 **Bottom Perforated Interval (ft):** 285
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.40
5 year: -19.60
10 year: -24.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	220.50	3626.09	-1.60
1/18/2006	222.50	3624.09	-2.00
12/18/2006	222.00	3624.59	0.50
1/18/2008	222.50	3624.09	-0.50
12/31/2008	224.80	3621.79	-2.30
1/12/2010	225.50	3621.09	-0.70
1/26/2011	224.00	3622.59	1.50
1/30/2012	225.50	3621.09	-1.50
3/6/2013	243.70	3602.89	-18.20
2/22/2014	245.50	3601.09	-1.80
2/12/2015	245.10	3601.49	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: STATE OF COLORADO

Owner:

Permit #: 4227 - F - **Location #:** SC00404316BAB **USGS Site ID:** 394302102113000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 16 4 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4400119.0 Easting (UTM x): 740692.0 GPS
Latitude/Longitude (decimal degrees): 39.717007 -102.192028


Surface Elevation (ft): 3883.6 **Top Perforated Interval (ft):** 210 **Base of grout (ft):**
Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.20
5 year: -19.30
10 year: -27.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2005	236.00	3647.60	-0.50
1/18/2006	236.50	3647.10	-0.50
12/18/2006	239.50	3644.10	-3.00
1/18/2008	243.40	3640.20	-3.90
12/31/2008	244.50	3639.10	-1.10
1/11/2010	243.80	3639.80	0.70
1/26/2011	243.70	3639.90	0.10
1/30/2012	244.30	3639.30	-0.60
3/6/2013	262.70	3620.90	-18.40
2/22/2014	262.90	3620.70	-0.20
2/12/2015	263.10	3620.50	-0.20

All Historic Measurements



Well Name: WILEY, RAYMOND M.

Owner:

Permit #: 10529 - F - **Location #:** SC00404326CBB **USGS Site ID:** 394050102093202

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 26 4 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4396160.1 Easting (UTM x): 743621.3 User supplied
Latitude/Longitude (decimal degrees): 39.680549 -102.159356


Surface Elevation (ft): 3824.57 **Top Perforated Interval (ft):** 170 **Base of grout (ft):**
Well depth (ft): 250 **Bottom Perforated Interval (ft):** 252
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2005	212.70	3611.87	-3.80
1/24/2006	214.00	3610.57	-1.30
12/19/2006	215.50	3609.07	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: CURE LAND, LLC

Owner: CURE LAND LLC

Permit #: - -

Location #: SC00404327

USGS Site ID:


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section 27 Twtnshp 4 S Range 43 W S PM Distance from section lines:
 From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4396347.0 Easting (UTM x): 742003.0 GPS
Latitude/Longitude (decimal degrees): 39.682691 -102.178135

Surface Elevation (ft): 3825 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 263 **Bottom Perforated Interval (ft):** **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -17.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2008	204.00	3621.00	
12/31/2008	204.60	3620.40	-0.60
1/12/2010	205.70	3619.30	-1.10
1/26/2011	204.20	3620.80	1.50
3/7/2012	204.50	3620.50	-0.30
2/13/2013	221.00	3604.00	-16.50
2/22/2014	223.00	3602.00	-2.00
2/19/2015	223.20	3601.80	-0.20

All Historic Measurements



Well Name: EKBERG, DALE

Owner:

Permit #: 3165 - F -

Location #: SC00404336BBC

USGS Site ID: 394020102082300


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section 36 Twtnshp 4 S Range 43 W S PM Distance from section lines:
 From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4395287.3 Easting (UTM x): 745294.9 User supplied
Latitude/Longitude (decimal degrees): 39.672216 -102.140188

Surface Elevation (ft): 3779.56 **Top Perforated Interval (ft):** 173 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 273 **Bottom Perforated Interval (ft):** 273 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -17.60
10 year: -19.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	187.60	3591.96	-1.00
2/20/2007	188.00	3591.56	-0.40
1/18/2008	186.80	3592.76	1.20
1/1/2009			
1/12/2010	188.00	3591.56	
1/26/2011	188.30	3591.26	-0.30
3/7/2012	187.80	3591.76	0.50
2/13/2013	203.80	3575.76	-16.00
2/22/2014	205.20	3574.36	-1.40
2/19/2015	205.60	3573.96	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **EKBERG, DALE H.**

Owner:

Permit #: 6577 - F - **Location #:** SC00404336DDC **USGS Site ID:** 393957102073100


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SW 36 4 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4394059.0 Easting (UTM x): 746631.0 GPS
Latitude/Longitude (decimal degrees): 39.660778 -102.125088

Surface Elevation (ft): 3744.54 **Top Perforated Interval (ft):** 145 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 225 **Bottom Perforated Interval (ft):** 225 **1 year:** -0.30
Aquifer(s): OGALLALA **5 year:** -14.60
10 year: -2.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2005	180.00	3564.54	-3.50
1/24/2006	181.00	3563.54	-1.00
2/20/2007	178.30	3566.24	2.70
1/18/2008	179.10	3565.44	-0.80
12/31/2008	168.50	3576.04	10.60
1/12/2010	167.70	3576.84	0.80
1/26/2011	168.00	3576.54	-0.30
3/7/2012	168.50	3576.04	-0.50
2/13/2013	183.50	3561.04	-15.00
2/22/2014	182.00	3562.54	1.50
2/19/2015	182.30	3562.24	-0.30

All Historic Measurements



Well Name: **ELLIOTT, WILSON**

Owner:

Permit #: 9380 - F - **Location #:** SC00404404DCC **USGS Site ID:** 394354102180300


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SW 4 4 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4401431.0 Easting (UTM x): 731183.0 GPS
Latitude/Longitude (decimal degrees): 39.731445 -102.302384

Surface Elevation (ft): 3986.67 **Top Perforated Interval (ft):** 253 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 343 **Bottom Perforated Interval (ft):** 343 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -9.80
10 year: -12.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	248.20	3738.47	0.30
12/18/2006	248.80	3737.87	-0.60
1/15/2008	249.90	3736.77	-1.10
12/30/2008	250.80	3735.87	-0.90
1/11/2010	251.60	3735.07	-0.80
1/26/2011	252.00	3734.67	-0.40
3/7/2012	252.20	3734.47	-0.20
2/13/2013	267.00	3719.67	-14.80
2/22/2014	261.00	3725.67	6.00
2/19/2015	261.40	3725.27	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **WIDKE**

Owner:

Permit #: - -

Location #: SC00404506DA

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NE 6 4 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4401339.0 Easting (UTM x): 718997.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.733833 -102.444473

Surface Elevation (ft): 4065 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2011	178.90	3886.10	

All Historic Measurements



Well Name: **LIDKE, OTTO**

Owner:

Permit #: - -

Location #: SC00404508BDB

USGS Site ID: 394333102262100


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SE NW 8 4 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4401339.0 Easting (UTM x): 718997.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.733833 -102.444473

Surface Elevation (ft): 4064.75 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 193 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2005	176.20	3888.55	-0.20
1/18/2006	181.90	3882.85	-5.70
12/17/2006	183.20	3881.55	-1.30
1/12/2008	182.90	3881.85	0.30
12/8/2008	183.00	3881.75	-0.10
1/11/2010	178.50	3886.25	4.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **WIESER, GRANT**

Owner:

Permit #: 9529 - F - **Location #:** SC00404515CBD **USGS Site ID:** 394220102240300


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW SE 15 4 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4398305.5 Easting (UTM x): 722787.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.705547 -102.401309

Surface Elevation (ft): 4074.74 **Top Perforated Interval (ft):** 285 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 342 **Bottom Perforated Interval (ft):** 345 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -14.60
10 year: -20.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2005	240.50	3834.24	-1.10
1/18/2006	243.30	3831.44	-2.80
12/18/2006	245.50	3829.24	-2.20
1/18/2008	245.00	3829.74	0.50
12/30/2008	245.40	3829.34	-0.40
1/21/2010	246.50	3828.24	-1.10
1/26/2011	247.00	3827.74	-0.50
3/7/2012	246.50	3828.24	0.50
2/13/2013	259.50	3815.24	-13.00
2/22/2014	260.90	3813.84	-1.40
2/19/2015	261.10	3813.64	-0.20

All Historic Measurements



Well Name: **RICHARDS FAMILY TRUST**

Owner:

Permit #: 251061 - - **Location #:** SC00404517BA **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NE 17 4 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4398719.0 Easting (UTM x): 724821.1 *GPS*
Latitude/Longitude (decimal degrees): 39.708736 -102.377471

Surface Elevation (ft): 4060 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.40
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/6/2013	257.00	3803.00	
2/22/2014	258.00	3802.00	-1.00
2/19/2015	258.40	3801.60	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: J.J. DAVIS & CO

Owner:

Permit #: 16046 - FP -

Location #: SC00404521DC

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SW 21 4 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4396186.2 Easting (UTM x): 721795.1 GPS
Latitude/Longitude (decimal degrees): 39.686729 -102.413587

Surface Elevation (ft): 4040 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.20
Aquifer(s): ALL UNNAMED AQUIFERS **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/6/2013	251.00	3789.00	
2/22/2014	251.00	3789.00	0.00
2/19/2015	251.20	3788.80	-0.20

All Historic Measurements



Well Name: JERRY BRENNER

Owner: JERRY BRENNER

Permit #: 16097 - FP -

Location #: SC00404527BA

USGS Site ID:


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW NE 27 4 S 45 W S From N/S line: 1319 N From E/W line: 1321 W
UTM Coordinates (NAD83): Northing (UTM y) 4395825.0 Easting (UTM x): 723000.0 GPS
Latitude/Longitude (decimal degrees): 39.683164 -102.399672

Surface Elevation (ft): 4067 **Top Perforated Interval (ft):** 210 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 330 **Bottom Perforated Interval (ft):** 330 **1 year:** 0.50
Aquifer(s): OGALLALA **5 year:** -13.40
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2007	219.00	3848.00	
1/18/2008	220.00	3847.00	-1.00
12/30/2008	230.10	3836.90	-10.10
1/21/2010	231.10	3835.90	-1.00
1/27/2011	230.30	3836.70	0.80
3/7/2012	230.70	3836.30	-0.40
3/6/2013	245.50	3821.50	-14.80
2/22/2014	245.00	3822.00	0.50
2/19/2015	244.50	3822.50	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: RICHARDS, DONALD

Owner:

Permit #: 12970 - FP - **Location #:** SC00404531CBC **USGS Site ID:** 393940102272400


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SW 31 4 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4393276.0 Easting (UTM x): 718165.0 GPS
Latitude/Longitude (decimal degrees): 39.661468 -102.456840

Surface Elevation (ft): 4124.78 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:** -45.00
10 year: -44.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2005	206.10	3918.68	-2.10
1/18/2006	207.00	3917.78	-0.90
12/18/2006	209.60	3915.18	-2.60
1/18/2008	206.30	3918.48	3.30
12/31/2008			
1/21/2010	205.20	3919.58	
1/26/2011	206.00	3918.78	-0.80
3/7/2012	206.30	3918.48	-0.30
3/6/2013	251.00	3873.78	-44.70
2/19/2015	250.20	3874.58	0.80

All Historic Measurements



Well Name: DUTTON, MILDRED

Owner:

Permit #: 13028 - FP - **Location #:** SC00404532BCA **USGS Site ID:** 394001102261000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 32 4 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4394008.0 Easting (UTM x): 720022.0 GPS
Latitude/Longitude (decimal degrees): 39.667581 -102.434969

Surface Elevation (ft): 4105.77 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -14.10
10 year: -28.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2005	210.90	3894.87	-0.50
1/18/2006	211.50	3894.27	-0.60
12/18/2006	216.50	3889.27	-5.00
1/18/2008	217.80	3887.97	-1.30
12/30/2008	226.00	3879.77	-8.20
1/21/2010	225.50	3880.27	0.50
1/26/2011	224.00	3881.77	1.50
3/7/2012	225.20	3880.57	-1.20
3/6/2013	240.00	3865.77	-14.80
2/22/2014	239.20	3866.57	0.80
2/19/2015	239.60	3866.17	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **INGALLS, WALTER E.**

Owner:

Permit #: 5646 - FP - **Location #:** SC00404535BBB **USGS Site ID:** 394019102230300


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 35 4 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4394616.1 Easting (UTM x): 724325.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.671936 -102.384641

Surface Elevation (ft): 4048.72 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2005	211.50	3837.22	-1.10
1/26/2006	212.80	3835.92	-1.30
12/18/2006			
1/18/2008			
12/31/2008			

All Historic Measurements



Well Name: **PHILLIPS, IVA DELL**

Owner:

Permit #: 10741 - F - **Location #:** SC00404718AAB **USGS Site ID:** 394250102402500


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 18 4 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4398549.0 Easting (UTM x): 699388.0 *GPS*
Latitude/Longitude (decimal degrees): 39.713526 -102.673954

Surface Elevation (ft): 4162.91 **Top Perforated Interval (ft):** 20 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 85 **Bottom Perforated Interval (ft):** 85 **1 year:** 0.50
Aquifer(s): OGALLALA **5 year:** 0.90
10 year: 2.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2006	13.10	4149.81	0.50
2/28/2007	14.40	4148.51	-1.30
1/22/2008	14.00	4148.91	0.40
1/2/2009	13.40	4149.51	0.60
1/21/2010	12.10	4150.81	1.30
1/26/2011	9.70	4153.21	2.40
1/22/2012	10.40	4152.51	-0.70
3/7/2013	12.20	4150.71	-1.80
2/22/2014	11.70	4151.21	0.50
2/19/2015	11.20	4151.71	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	REHOR, EARL	Owner:	
Permit #:	12646 - F -	Location #:	SC00404719DDB
		USGS Site ID:	394119102402300
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SE SE NW 19	4 S 47 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4395782.6	Easting (UTM x): 699471.4 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.688601	-102.673818
Surface Elevation (ft):	4252.92	Top Perforated Interval (ft):	150
		Base of grout (ft):	
Well depth (ft):	240	Bottom Perforated Interval (ft):	240
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.40
5 year:
10 year: -25.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	128.00	4124.92	-0.50
1/28/2006	129.50	4123.42	-1.50
2/28/2007	129.50	4123.42	0.00
1/22/2008	129.50	4123.42	0.00
2/23/2009	131.80	4121.12	-2.30
1/1/2010			
2/5/2011	135.00	4117.92	
2/28/2012	134.70	4118.22	0.30
3/5/2013	150.70	4102.22	-16.00
2/23/2014	152.50	4100.42	-1.80
1/29/2015	153.90	4099.02	-1.40

All Historic Measurements




Well Name:	WISE, EMMETT	Owner:	
Permit #:	12512 - F -	Location #:	SC00404726BBD
		USGS Site ID:	394055102362800
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NW SE 26	4 S 47 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4395128.8	Easting (UTM x): 705115.1 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.681379	-102.608260
Surface Elevation (ft):	4166.87	Top Perforated Interval (ft):	175
		Base of grout (ft):	
Well depth (ft):	244	Bottom Perforated Interval (ft):	244
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.60
5 year: -7.30
10 year: -10.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2006	113.10	4053.77	-0.20
2/28/2007	113.40	4053.47	-0.30
1/22/2008	113.60	4053.27	-0.20
2/23/2009	115.80	4051.07	-2.20
1/21/2010	116.30	4050.57	-0.50
2/5/2011	117.00	4049.87	-0.70
2/28/2012	116.60	4050.27	0.40
3/5/2013	125.00	4041.87	-8.40
2/22/2014	123.00	4043.87	2.00
1/29/2015	123.60	4043.27	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: BENTON, LEE

Owner:

Permit #: 11989 - F -

Location #: SC00404731CAC

USGS Site ID: 393908102405400

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NE SW 31 4 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4392649.8 Easting (UTM x): 698837.3 User supplied
Latitude/Longitude (decimal degrees): 39.660545 -102.682151


Surface Elevation (ft): 4274.93 **Top Perforated Interval (ft):** 164 **Base of grout (ft):**
Well depth (ft): 264 **Bottom Perforated Interval (ft):** 264
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2006	134.80	4140.13	-6.60
2/28/2007	133.80	4141.13	1.00
1/29/2008			
2/23/2009			

All Historic Measurements



Well Name: SMITH, CLARE

Owner: CLARE SMITH

Permit #: 3678 - F -

Location #: SC00404815DC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SW 15 4 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4397061.0 Easting (UTM x): 694153.0 GPS
Latitude/Longitude (decimal degrees): 39.701336 -102.735418


Surface Elevation (ft): 4241 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 29 **Bottom Perforated Interval (ft):**
Aquifer(s): QUATERNARY ALLUVIUM

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2011	11.00	4230.00	
2/28/2012	10.50	4230.50	0.50
3/5/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	RLS RANCH	Owner:	CLARE SMITH
Permit #:	39762 - -	Location #:	SC00404822BC
USGS Site ID:			
Division:	1	Water District:	65
County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW 22	4 S	48 W S
Distance from section lines:			
	From N/S line: 1906 N From E/W line: 560 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4396236.5	Easting (UTM x): 693518.5
	Spotted from section lines		
Latitude/Longitude (decimal degrees):	39.694057	-102.743055	
Surface Elevation (ft):	4280	Top Perforated Interval (ft):	84
Base of grout (ft):			
Well depth (ft):	104	Bottom Perforated Interval (ft):	104
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.50
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2011	51.00	4229.00	
2/28/2012	50.80	4229.20	0.20
3/7/2012	51.20	4228.80	-0.40
2/22/2014	51.00	4229.00	0.20
1/29/2015	50.50	4229.50	0.50

All Historic Measurements




Well Name:	SMITH, CLARE E.	Owner:	
Permit #:	11940 - F -	Location #:	SC00404827ADD
USGS Site ID:	394044102433400		
Division:	1	Water District:	65
County:	YUMA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SE SE 27	4 S	48 W S
Distance from section lines:			
	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4394577.0	Easting (UTM x): 694993.0
	GPS		
Latitude/Longitude (decimal degrees):	39.678781	-102.726361	
Surface Elevation (ft):	4314.96	Top Perforated Interval (ft):	110
Base of grout (ft):			
Well depth (ft):	210	Bottom Perforated Interval (ft):	210
Aquifer(s):			

Water Level Change
1 year: 0.50
5 year: -17.00
10 year: -20.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2006	134.20	4180.76	-0.70
2/28/2007	133.90	4181.06	0.30
1/22/2008	134.60	4180.36	-0.70
1/2/2009	136.50	4178.46	-1.90
1/21/2010	137.00	4177.96	-0.50
2/5/2011	137.00	4177.96	0.00
2/28/2012	149.70	4165.26	-12.70
3/7/2012	153.50	4161.46	-3.80
2/22/2014	154.50	4160.46	-1.00
1/29/2015	154.00	4160.96	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: MASON, MERRILL

Owner:

Permit #: - -

Location #: SC00404829BC

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW 29 4 S 48 W S From N/S line: 2273 N From E/W line: 522 W
UTM Coordinates (NAD83): Northing (UTM y) 4394389.5 Easting (UTM x): 690341.8 Spotted from section lines
Latitude/Longitude (decimal degrees): 39.678142 -102.780610

Surface Elevation (ft): 4358 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2011	81.00	4277.00	
2/28/2012	82.00	4276.00	-1.00
1/26/2013	87.00	4271.00	-5.00
2/24/2014	86.00	4272.00	1.00
1/29/2015	86.40	4271.60	-0.40

All Historic Measurements



Well Name: REHOR, EARL

Owner:

Permit #: 6627 - RFP -

Location #: SC00404835DAB

USGS Site ID: 393943102424200


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE NW 35 4 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4392738.0 Easting (UTM x): 696259.4 User supplied
Latitude/Longitude (decimal degrees): 39.661934 -102.712152

Surface Elevation (ft): 4299.95 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** **1 year:** -2.60
Aquifer(s): **5 year:** -16.70
10 year: -25.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	139.10	4160.85	-1.60
1/28/2006	142.50	4157.45	-3.40
2/23/2007	145.10	4154.85	-2.60
1/22/2008	147.50	4152.45	-2.40
2/23/2009	147.20	4152.75	0.30
1/21/2010	147.60	4152.35	-0.40
2/5/2011	149.50	4150.45	-1.90
2/28/2012	149.70	4150.25	-0.20
3/6/2013	158.30	4141.65	-8.60
2/23/2014	161.70	4138.25	-3.40
1/29/2015	164.30	4135.65	-2.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: LOHR, GEORGE

Owner:

Permit #: - -

Location #: SC00404919CCC

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 19 4 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4394834.0 Easting (UTM x): 678784.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.684641 -102.915167

Surface Elevation (ft): 4495 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 64 **Bottom Perforated Interval (ft):** **1 year:** -1.40
Aquifer(s): **5 year:** -7.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	21.00	4474.00	
2/6/2011	21.50	4473.50	-0.50
2/26/2012	21.70	4473.30	-0.20
1/21/2013	22.20	4472.80	-0.50
2/23/2014	26.60	4468.40	-4.40
1/28/2015	28.00	4467.00	-1.40

All Historic Measurements



Well Name: ROMINE, LARRY E.

Owner:

Permit #: 13105 - R -

Location #: SC00404924CAA

USGS Site ID: 394132102490000


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE NE 24 4 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4395690.0 Easting (UTM x): 687671.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.690442 -102.811360

Surface Elevation (ft): 4353.01 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 49 **Bottom Perforated Interval (ft):** **1 year:** -0.60
Aquifer(s): OGALLALA **5 year:** -6.40
10 year: -0.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/8/2006	40.10	4312.91	1.60
2/27/2007	41.30	4311.71	-1.20
1/23/2008	38.80	4314.21	2.50
1/2/2009	38.00	4315.01	0.80
2/3/2010	35.80	4317.21	2.20
2/6/2011	36.00	4317.01	-0.20
2/28/2012	36.00	4317.01	0.00
1/21/2013	36.30	4316.71	-0.30
2/24/2014	41.60	4311.41	-5.30
1/28/2015	42.20	4310.81	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: LAYBOURN, GREGG

Owner:

Permit #: 19371 - R -

Location #: SC00404934DBA

USGS Site ID: 393928102503800

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE NW NE 34 4 S 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4392486.0 Easting (UTM x): 684773.0 GPS


Latitude/Longitude (decimal degrees): 39.662225 -102.846031

Surface Elevation (ft): 4403.03 **Top Perforated Interval (ft):** 20 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 52 **Bottom Perforated Interval (ft):** 53 **1 year:** 0.50
Aquifer(s): OGALLALA **5 year:** -0.10
10 year: 3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/9/2006	20.30	4382.73	1.10
2/27/2007	20.70	4382.33	-0.40
1/23/2008	20.50	4382.53	0.20
1/2/2009	20.80	4382.23	-0.30
2/3/2010	17.40	4385.63	3.40
2/6/2011	19.50	4383.53	-2.10
2/28/2012	17.30	4385.73	2.20
1/21/2013	17.30	4385.73	0.00
2/24/2014	18.00	4385.03	-0.70
1/28/2015	17.50	4385.53	0.50

All Historic Measurements



Well Name: BARBER, F.

Owner:

Permit #: - -

Location #: SC00405031CAD

USGS Site ID: 393936103011600

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW NE SE 31 4 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4391886.0 Easting (UTM x): 669701.0 GPS


Latitude/Longitude (decimal degrees): 39.659948 -103.021783

Surface Elevation (ft): 4632.2 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 67 **Bottom Perforated Interval (ft):** **1 year:** -0.50
Aquifer(s): **5 year:** -5.00
10 year: -5.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2006	53.90	4578.30	0.10
2/27/2007	53.10	4579.10	0.80
1/23/2008	53.90	4578.30	-0.80
1/2/2009	54.40	4577.80	-0.50
2/5/2010	54.00	4578.20	0.40
2/6/2011	54.00	4578.20	0.00
1/25/2012	55.00	4577.20	-1.00
1/21/2013	58.00	4574.20	-3.00
2/23/2014	58.50	4573.70	-0.50
1/28/2015	59.00	4573.20	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: STANSFIELD, STEPHEN.

Owner:

Permit #: 6857 - FP - **Location #:** SC00405036CCC **USGS Site ID:** 393920102504000


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 36 4 S 50 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4391550.0 Easting (UTM x): 677139.0 GPS
Latitude/Longitude (decimal degrees): 39.655413 -102.935219

Surface Elevation (ft): 4512.12 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 35 **Bottom Perforated Interval (ft):** **1 year:** 1.00
Aquifer(s): OGALLALA **5 year:** 0.30
10 year: 0.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2006	22.40	4489.72	-0.40
2/27/2007	22.40	4489.72	0.00
1/28/2008	21.80	4490.32	0.60
1/2/2009	21.80	4490.32	0.00
1/17/2010	22.00	4490.12	-0.20
2/6/2011	22.00	4490.12	0.00
1/25/2012	21.50	4490.62	0.50
1/21/2013	22.50	4489.62	-1.00
1/22/2013			
2/23/2014	22.70	4489.42	
1/28/2015	21.70	4490.42	1.00

All Historic Measurements



Well Name: DOANE, ELMER

Owner:

Permit #: - - **Location #:** SC00405235ACB **USGS Site ID:** 393950103100701


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NW 35 4 S 52 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4392260.0 Easting (UTM x): 656181.0 GPS
Latitude/Longitude (decimal degrees): 39.665893 -103.179220

Surface Elevation (ft): 4844.37 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 120 **Bottom Perforated Interval (ft):** **1 year:** 0.30
Aquifer(s): **5 year:** -0.20
10 year: -5.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2006	102.50	4741.87	-2.50
12/15/2006	102.60	4741.77	-0.10
1/23/2008	103.60	4740.77	-1.00
1/2/2009	104.10	4740.27	-0.50
2/5/2010	105.00	4739.37	-0.90
2/6/2011	104.80	4739.57	0.20
1/25/2012	104.50	4739.87	0.30
1/21/2013	105.80	4738.57	-1.30
2/23/2014	105.50	4738.87	0.30
1/28/2015	105.20	4739.17	0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	ORTH, HENRY	Owner:	
Permit #:	- -	Location #:	SC00405333CBA
		USGS Site ID:	393934103193000


Division:	1	Water District:	65	County:	WASHINGTON
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	SW NW NE	33	4 S	53 W S	
				Distance from section lines:	
				From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4391199.0	Easting (UTM x):	643547.0	GPS
Latitude/Longitude (decimal degrees):		39.658553		-103.326678	

Surface Elevation (ft):	5053.48	Top Perforated Interval (ft):		Base of grout (ft):		Water Level Change
Well depth (ft):	113	Bottom Perforated Interval (ft):				1 year:
Aquifer(s):						5 year:
						10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/3/2006	101.10	4952.38	-2.10
12/15/2006	101.00	4952.48	0.10
1/23/2008	101.30	4952.18	-0.30
1/2/2009			
2/5/2010			

All Historic Measurements



Well Name:	WILEY, ERNEST	Owner:	
Permit #:	11743 - R -	Location #:	SC00504204CBA
		USGS Site ID:	393911102044600


Division:	1	Water District:	49	County:	YUMA
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	SW NW NE	4	5 S	42 W S	
				Distance from section lines:	
				From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4393330.0	Easting (UTM x):	750527.0	GPS
Latitude/Longitude (decimal degrees):		39.653086		-102.080005	

Surface Elevation (ft):	3556.52	Top Perforated Interval (ft):	28	Base of grout (ft):		Water Level Change
Well depth (ft):	68	Bottom Perforated Interval (ft):	68			1 year:
Aquifer(s):	OGALLALA					5 year:
						10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	29.60	3526.92	0.30
2/20/2007	29.80	3526.72	-0.20
1/18/2008	30.60	3525.92	-0.80
12/31/2008	29.20	3527.32	1.40
1/12/2010	29.80	3526.72	-0.60
1/26/2011	30.20	3526.32	-0.40
1/22/2012	30.00	3526.52	0.20
1/21/2013	32.00	3524.52	-2.00
2/23/2014	31.00	3525.52	1.00
1/26/2015	31.80	3524.72	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: YENTER, THEODORE S.

Owner:

Permit #: 12524 - R -

Location #: SC00504208DCC

USGS Site ID: 393756102052800

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SW SW 8 5 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4390923.0 Easting (UTM x): 749715.0 GPS
Latitude/Longitude (decimal degrees): 39.631663 -102.090366

Surface Elevation (ft): 3581.53 **Top Perforated Interval (ft):** 22 **Base of grout (ft):**
Well depth (ft): 62 **Bottom Perforated Interval (ft):** 62
Aquifer(s):

Water Level Change

1 year: 0.50


5 year: 0.20

10 year: 1.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	24.90	3556.63	0.10
2/20/2007	24.20	3557.33	0.70
1/18/2008	25.10	3556.43	-0.90
12/31/2008	24.40	3557.13	0.70
1/12/2010	23.70	3557.83	0.70
1/26/2011	22.00	3559.53	1.70
1/23/2012	22.50	3559.03	-0.50
2/13/2013	24.50	3557.03	-2.00
2/24/2014	24.00	3557.53	0.50
1/26/2015	23.50	3558.03	0.50

All Historic Measurements



Well Name: GRAMM, LOYD

Owner:

Permit #: 9208 - F -

Location #: SC00504231AAD

USGS Site ID: 393504102061200

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE SE 31 5 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4385695.0 Easting (UTM x): 748695.0 GPS
Latitude/Longitude (decimal degrees): 39.584914 -102.104199

Surface Elevation (ft): 3643.56 **Top Perforated Interval (ft):** 20 **Base of grout (ft):**
Well depth (ft): 80 **Bottom Perforated Interval (ft):** 80
Aquifer(s): OGALLALA

Water Level Change

1 year: 0.20


5 year: -1.30

10 year: -7.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	15.10	3628.46	0.30
1/23/2006	15.20	3628.36	-0.10
2/20/2007	15.20	3628.36	0.00
1/19/2008	21.00	3622.56	-5.80
12/31/2008	20.40	3623.16	0.60
1/12/2010	21.50	3622.06	-1.10
1/26/2011	21.50	3622.06	0.00
1/23/2012	21.20	3622.36	0.30
2/13/2013	22.00	3621.56	-0.80
2/22/2014	23.00	3620.56	-1.00
1/26/2015	22.80	3620.76	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **CODY, WILLIAM**

Owner:

Permit #: 33755 - FP -

Location #: SC00504233BBC

USGS Site ID: 393511102041700

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW SW 33 5 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4385880.0 Easting (UTM x): 750799.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.585966 -102.079660


Surface Elevation (ft): 3763.56 **Top Perforated Interval (ft):** 155 **Base of grout (ft):**
Well depth (ft): 235 **Bottom Perforated Interval (ft):** 235
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	165.20	3598.36	0.40
1/23/2006	164.30	3599.26	0.90
2/20/2007	167.10	3596.46	-2.80
1/19/2008	165.80	3597.76	1.30
12/31/2008	167.10	3596.46	-1.30
1/12/2010	167.80	3595.76	-0.70
1/26/2011			

All Historic Measurements



Well Name: **BURAKER, HAROLD**

Owner:

Permit #: 6348 - FP -

Location #: SC00504314BDC

USGS Site ID: 393728102090600

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SE SW 14 5 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4389919.0 Easting (UTM x): 744575.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.624112 -102.150557


Surface Elevation (ft): 3646.57 **Top Perforated Interval (ft):** 60 **Base of grout (ft):**
Well depth (ft): 90 **Bottom Perforated Interval (ft):** 90
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.40
5 year: -1.80
10 year: 0.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	39.10	3607.47	0.80
2/20/2007	39.50	3607.07	-0.40
1/18/2008	39.50	3607.07	0.00
12/31/2008	38.30	3608.27	1.20
1/12/2010	38.00	3608.57	0.30
1/26/2011	38.50	3608.07	-0.50
1/23/2012	38.50	3608.07	0.00
2/13/2013	40.20	3606.37	-1.70
2/23/2014	40.20	3606.37	0.00
1/26/2015	39.80	3606.77	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SCHASE, ALFRED

Owner:

Permit #: - -

Location #: SC00504314CCB

USGS Site ID: 393725102093000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SW NW 14 5 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4389443.0 Easting (UTM x): 744069.0 GPS
Latitude/Longitude (decimal degrees): 39.619973 -102.156621

Surface Elevation (ft): 3652.57 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 63 **Bottom Perforated Interval (ft):** **1 year:** 0.80
Aquifer(s): OGALLALA **5 year:** -0.50
10 year: -1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	36.10	3616.47	0.40
2/20/2007	37.00	3615.57	-0.90
1/18/2008	37.20	3615.37	-0.20
12/31/2008	37.40	3615.17	-0.20
1/12/2010	37.40	3615.17	0.00
1/26/2011	37.10	3615.47	0.30
1/23/2012	37.30	3615.27	-0.20
2/13/2013	38.90	3613.67	-1.60
2/23/2014	38.70	3613.87	0.20
1/26/2015	37.90	3614.67	0.80

All Historic Measurements



Well Name: DEVLIN, EUGENE

Owner:

Permit #: 5200 - F -

Location #: SC00504329AAA

USGS Site ID: 393605102114000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE NE 29 5 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4387278.1 Easting (UTM x): 740917.7 User supplied
Latitude/Longitude (decimal degrees): 39.601382 -102.194079

Surface Elevation (ft): 3756.39 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 287 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	91.10	3665.29	-1.60
1/24/2006			
2/20/2007			
1/18/2008			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	HUTTON, LINDA			Owner:	HUTTON, LINDA		
Permit #:	78472 - -			Location #:	SC00504329DA		
USGS Site ID:							
Division:	1			Water District:	49		
County:	YUMA						
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	SE	NE		29	5	S	43 W S
Distance from section lines:							
From N/S line:	2561 S			From E/W line:	735 W		
UTM Coordinates (NAD83):	Northing (UTM y)			4386517.0			Easting (UTM x):
							740742.0 GPS
Latitude/Longitude (decimal degrees):	39.594582			-102.196399			
Surface Elevation (ft):	3762			Top Perforated Interval (ft):	175		
Well depth (ft):	195			Bottom Perforated Interval (ft):	195		
Aquifer(s):	OGALLALA						

Water Level Change
1 year: 0.00
5 year: -3.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2008	110.80	3651.20	
12/31/2008	110.90	3651.10	-0.10
1/12/2010	110.50	3651.50	0.40
1/26/2011	110.50	3651.50	0.00
1/23/2012	110.80	3651.20	-0.30
2/13/2013	115.50	3646.50	-4.70
2/23/2014	114.00	3648.00	1.50
1/26/2015	114.00	3648.00	0.00

All Historic Measurements




Well Name:	BUOL, JOHN			Owner:			
Permit #:	11490 - RFP -			Location #:	SC00504409BAB		
USGS Site ID:	393838102180100						
Division:	1			Water District:	49		
County:	YUMA						
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	NW	NE	NW	9	5	S	44 W S
Distance from section lines:							
From N/S line:				From E/W line:			
UTM Coordinates (NAD83):	Northing (UTM y)			4391628.0			Easting (UTM x):
							731628.0 GPS
Latitude/Longitude (decimal degrees):	39.643095			-102.300638			
Surface Elevation (ft):	3934.65			Top Perforated Interval (ft):	180		
Well depth (ft):	260			Bottom Perforated Interval (ft):	260		
Aquifer(s):	OGALLALA						

Water Level Change
1 year: -0.50
5 year: -11.50
10 year: -13.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	185.30	3749.35	-0.30
12/18/2006	185.90	3748.75	-0.60
1/19/2008	186.20	3748.45	-0.30
12/31/2008	186.80	3747.85	-0.60
1/12/2010	187.00	3747.65	-0.20
10/26/2011	187.00	3747.65	0.00
1/23/2012	187.50	3747.15	-0.50
2/13/2013	199.20	3735.45	-11.70
2/22/2014	198.00	3736.65	1.20
1/26/2015	198.50	3736.15	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SHANKS, CLIFFORD

Owner:

Permit #: 3131 - F - **Location #:** SC00504420ADB **USGS Site ID:** 393642102183800

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE SE NW 20 5 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4388073.0 Easting (UTM x): 730773.0 GPS
Latitude/Longitude (decimal degrees): 39.611329 -102.311831


Surface Elevation (ft): 3781.65 **Top Perforated Interval (ft):** 43 **Base of grout (ft):**
Well depth (ft): 79 **Bottom Perforated Interval (ft):** 79
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year: -2.40
10 year: -0.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	20.50	3761.15	0.60
12/18/2006	20.30	3761.35	0.20
1/19/2008	20.40	3761.25	-0.10
12/31/2008	19.50	3762.15	0.90
1/12/2010	19.50	3762.15	0.00
1/26/2011	20.30	3761.35	-0.80
1/23/2012	20.50	3761.15	-0.20
2/13/2013	22.50	3759.15	-2.00
1/26/2015	21.90	3759.75	0.60

All Historic Measurements



Well Name: KNAPP, DON

Owner:

Permit #: 9645 - F - **Location #:** SC00504425ACC **USGS Site ID:** 393520102142000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE SW SW 25 5 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4386399.0 Easting (UTM x): 736940.0 GPS
Latitude/Longitude (decimal degrees): 39.594579 -102.240670


Surface Elevation (ft): 3736.61 **Top Perforated Interval (ft):** 55 **Base of grout (ft):**
Well depth (ft): 95 **Bottom Perforated Interval (ft):** 95
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.50
5 year: -1.20
10 year: 1.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	41.40	3695.21	0.90
2/20/2007	40.80	3695.81	0.60
1/19/2008	41.00	3695.61	-0.20
12/31/2008	39.90	3696.71	1.10
1/12/2010	39.90	3696.71	0.00
1/26/2011	39.90	3696.71	0.00
1/26/2012	39.90	3696.71	0.00
2/13/2013	41.40	3695.21	-1.50
2/23/2014	41.60	3695.01	-0.20
1/26/2015	41.10	3695.51	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	KLEWENO, R.	Owner:	
Permit #:	19859 - R -	Location #:	SC00504430BCA
		USGS Site ID:	393543102202600
Division:	1	Water District:	49
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW SW NE 30	5 S 44 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4386247.3	Easting (UTM x): 728341.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.595548	-102.340751
Surface Elevation (ft):	3815.65	Top Perforated Interval (ft):	60
		Base of grout (ft):	
Well depth (ft):	85	Bottom Perforated Interval (ft):	85
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.30
5 year: -2.80
10 year: -8.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	25.00	3790.65	0.00
1/24/2006	30.00	3785.65	-5.00
12/18/2006	31.30	3784.35	-1.30
1/19/2008	31.90	3783.75	-0.60
1/3/2009	30.40	3785.25	1.50
1/12/2010	31.10	3784.55	-0.70
1/26/2011	30.40	3785.25	0.70
1/26/2012	31.40	3784.25	-1.00
2/13/2013	33.40	3782.25	-2.00
2/22/2014	34.20	3781.45	-0.80
1/26/2015	33.90	3781.75	0.30

All Historic Measurements




Well Name:	HOMM, RICHARD A.	Owner:	
Permit #:	2387 - F -	Location #:	SC00504534DDD
		USGS Site ID:	393420102225400
Division:	1	Water District:	49
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SE SE SE 34	5 S 45 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4383588.0	Easting (UTM x): 724864.0 <i>GPS</i>
Latitude/Longitude (decimal degrees):		39.572531	-102.382114
Surface Elevation (ft):	3846.69	Top Perforated Interval (ft):	24
		Base of grout (ft):	
Well depth (ft):	84	Bottom Perforated Interval (ft):	84
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.40
5 year: -9.90
10 year: -10.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2006	10.10	3836.59	-0.10
2/20/2007	10.30	3836.39	-0.20
1/19/2008	10.40	3836.29	-0.10
1/3/2009	10.90	3835.79	-0.50
1/12/2010	10.50	3836.19	0.40
1/26/2011	10.00	3836.69	0.50
1/26/2012	9.50	3837.19	0.50
2/13/2013	21.20	3825.49	-11.70
2/22/2014	20.00	3826.69	1.20
1/26/2015	20.40	3826.29	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: DODDRIDGE, EUGENE K.

Owner:

Permit #: 12549 - F - **Location #:** SC00504605AAC **USGS Site ID:** 393915102322500

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 5 5 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4392294.6 Easting (UTM x): 710986.7 User supplied
Latitude/Longitude (decimal degrees): 39.654435 -102.540757


Surface Elevation (ft): 4140.82 **Top Perforated Interval (ft):** 194 **Base of grout (ft):**
Well depth (ft): 274 **Bottom Perforated Interval (ft):** 274
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	137.20	4003.62	-1.90
1/26/2006	140.00	4000.82	-2.80
2/28/2006	137.50	4003.32	2.50
1/19/2008	136.50	4004.32	1.00
2/23/2009	138.80	4002.02	-2.30
1/21/2010	139.00	4001.82	-0.20

All Historic Measurements



Well Name: WARKENTINE, ALVIN & DOTTY

Owner:

Permit #: 12038 - FP - **Location #:** SC00504605BAC **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE SW 5 5 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4392253.0 Easting (UTM x): 710160.0 GPS
Latitude/Longitude (decimal degrees): 39.654264 -102.550398


Surface Elevation (ft): 4145 **Top Perforated Interval (ft):** 167 **Base of grout (ft):**
Well depth (ft): 277 **Bottom Perforated Interval (ft):** 277
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.50
5 year: -17.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2010	139.00	4006.00	
2/5/2011	140.00	4005.00	-1.00
1/26/2012	140.60	4004.40	-0.60
3/6/2013	157.00	3988.00	-16.40
2/24/2014	156.00	3989.00	1.00
1/28/2015	156.50	3988.50	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: NELSON, EUGENE

Owner:

Permit #: 11579 - F -

Location #: SC00504622ABD

USGS Site ID: 393630102312000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NW SE 22 5 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4387515.0 Easting (UTM x): 714459.2 User supplied
Latitude/Longitude (decimal degrees): 39.610547 -102.501867


Surface Elevation (ft): 4105.78 **Top Perforated Interval (ft):** 113 **Base of grout (ft):**
Well depth (ft): 213 **Bottom Perforated Interval (ft):** 213
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2005	146.10	3959.68	-1.60
1/26/2006	148.80	3956.98	-2.70
2/28/2007	146.80	3958.98	2.00
1/19/2008	146.40	3959.38	0.40
1/3/2009	146.10	3959.68	0.30
1/21/2010	143.10	3962.68	3.00

All Historic Measurements



Well Name: NELSON, EUGENE A

Owner:

Permit #: 11580 - FP -

Location #: SC00504622DBD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE NW SE 22 5 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4386733.0 Easting (UTM x): 714489.0 GPS
Latitude/Longitude (decimal degrees): 39.603500 -102.501773


Surface Elevation (ft): 4096 **Top Perforated Interval (ft):** 113 **Base of grout (ft):**
Well depth (ft): 173 **Bottom Perforated Interval (ft):** 173
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.40
5 year: -9.80
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2010	143.60	3952.40	
2/5/2011	144.20	3951.80	-0.60
1/26/2012	144.60	3951.40	-0.40
2/13/2013	155.00	3941.00	-10.40
2/24/2014	153.00	3943.00	2.00
1/28/2015	153.40	3942.60	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **MCDONALD BROTHERS**

Owner:

Permit #: 10822 - F - **Location #:** SC00504624AAC **USGS Site ID:** 393640102275000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 24 5 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4387606.0 Easting (UTM x): 717675.0 GPS
Latitude/Longitude (decimal degrees): 39.610555 -102.464412

Surface Elevation (ft): 4091.76 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 244 **Bottom Perforated Interval (ft):** **1 year:** -0.20
Aquifer(s): **5 year:** -14.20
10 year: -18.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2006	181.80	3909.96	-0.80
2/28/2007	181.00	3910.76	0.80
1/19/2008	181.70	3910.06	-0.70
1/3/2009	184.80	3906.96	-3.10
1/21/2010	185.00	3906.76	-0.20
2/5/2011	186.20	3905.56	-1.20
1/26/2012	186.50	3905.26	-0.30
2/13/2013	201.00	3890.76	-14.50
2/24/2014	199.00	3892.76	2.00
1/28/2015	199.20	3892.56	-0.20

All Historic Measurements



Well Name: **LIMING, RICHARD A.**

Owner:

Permit #: 9114 - F - **Location #:** SC00504632AAC **USGS Site ID:** 393450102321000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 32 5 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4384255.0 Easting (UTM x): 711578.0 GPS
Latitude/Longitude (decimal degrees): 39.581916 -102.536440

Surface Elevation (ft): 4129.8 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 170 **Bottom Perforated Interval (ft):** **1 year:** -0.60
Aquifer(s): **5 year:** -17.90
10 year: -23.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2006	119.40	4010.40	-2.40
2/21/2007	117.40	4012.40	2.00
1/19/2008	118.90	4010.90	-1.50
2/23/2009	122.90	4006.90	-4.00
1/18/2010	122.90	4006.90	0.00
2/5/2011	124.80	4005.00	-1.90
1/26/2012	125.00	4004.80	-0.20
2/13/2013	141.80	3988.00	-16.80
2/24/2014	140.20	3989.60	1.60
1/28/2015	140.80	3989.00	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **STRICT, JAMES**

Owner:

Permit #: 279276 - -

Location #: SC00504635CBB

USGS Site ID: 393440102294300

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW NW 35 5 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4383916.0 Easting (UTM x): 715066.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.577997 -102.495973


Surface Elevation (ft): 4088.77 **Top Perforated Interval (ft):** 166 **Base of grout (ft):**
Well depth (ft): 206 **Bottom Perforated Interval (ft):** 206
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2006	127.80	3960.97	-0.60
1/26/2007	129.50	3959.27	-1.70
1/19/2008	130.90	3957.87	-1.40
1/3/2009	131.50	3957.27	-0.60
1/12/2010			

All Historic Measurements



Well Name: **NELSON, EUGENE**

Owner:

Permit #: 12375 - F -

Location #: SC00504701CBD

USGS Site ID: 393847102351700

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW SE 1 5 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4391329.0 Easting (UTM x): 706980.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.646722 -102.587722


Surface Elevation (ft): 4176.85 **Top Perforated Interval (ft):** 163 **Base of grout (ft):**
Well depth (ft): 231 **Bottom Perforated Interval (ft):** 273
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.70
5 year: -19.70
10 year: -26.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	133.90	4042.95	-2.00
2/8/2006	136.50	4040.35	-2.60
2/23/2007	137.50	4039.35	-1.00
1/28/2008	138.50	4038.35	-1.00
2/23/2009	139.50	4037.35	-1.00
1/21/2010	140.20	4036.65	-0.70
2/5/2011	140.50	4036.35	-0.30
1/26/2012	140.90	4035.95	-0.40
3/6/2013	157.70	4019.15	-16.80
2/23/2014	159.20	4017.65	-1.50
1/28/2015	159.90	4016.95	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: COX, ALFRED

Owner:

Permit #: 6763 - RR -

Location #: SC00504704BCA

USGS Site ID: 393908102384101

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SW NE 4 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4391796.0 Easting (UTM x): 702047.0 GPS
Latitude/Longitude (decimal degrees): 39.652106 -102.645026

Surface Elevation (ft): 4239.9 **Top Perforated Interval (ft):** 150 **Base of grout (ft):**
Well depth (ft): 230 **Bottom Perforated Interval (ft):** 230
Aquifer(s): OGALLALA

Water Level Change

1 year: -0.60


5 year: -13.00

10 year: -13.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/6/2006	143.80	4096.10	0.20
2/27/2007	144.20	4095.70	-0.40
1/28/2008	145.30	4094.60	-1.10
2/23/2009	146.40	4093.50	-1.10
1/18/2010	144.60	4095.30	1.80
2/5/2011	146.20	4093.70	-1.60
1/26/2012	146.50	4093.40	-0.30
3/6/2013	157.20	4082.70	-10.70
2/23/2014	157.00	4082.90	0.20
1/28/2015	157.60	4082.30	-0.60

All Historic Measurements



Well Name: SEARS, JACK, K.

Owner:

Permit #: 11727 - F -

Location #: SC00504707CDB

USGS Site ID: 393749102405700

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SE NW 7 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4389292.0 Easting (UTM x): 698873.0 GPS
Latitude/Longitude (decimal degrees): 39.630306 -102.682745

Surface Elevation (ft): 4287.93 **Top Perforated Interval (ft):** 179 **Base of grout (ft):**
Well depth (ft): 279 **Bottom Perforated Interval (ft):** 279
Aquifer(s): OGALLALA

Water Level Change

1 year: 0.40


5 year: -7.50

10 year: -10.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2006	151.40	4136.53	0.80
2/28/2007	151.10	4136.83	0.30
1/28/2008	151.80	4136.13	-0.70
2/23/2009	154.10	4133.83	-2.30
1/18/2010	154.80	4133.13	-0.70
2/5/2011	155.50	4132.43	-0.70
1/26/2012	155.70	4132.23	-0.20
3/6/2013	172.50	4115.43	-16.80
2/23/2014	162.70	4125.23	9.80
1/28/2015	162.30	4125.63	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **BOONE, ELMER**

Owner:

Permit #: 20449 - RFP - **Location #:** SC00504714DCB **USGS Site ID:** 393650102360000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NW 14 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4387802.0 Easting (UTM x): 705887.0 GPS
Latitude/Longitude (decimal degrees): 39.615234 -102.601548


Surface Elevation (ft): 4211.36 **Top Perforated Interval (ft):** 136 **Base of grout (ft):**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.20
5 year: -20.00
10 year: -23.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2006	138.90	4072.46	0.10
2/23/2007	139.30	4072.06	-0.40
1/28/2008	141.20	4070.16	-1.90
2/23/2009	143.40	4067.96	-2.20
1/18/2010	142.20	4069.16	1.20
2/5/2011	143.80	4067.56	-1.60
1/26/2012	144.00	4067.36	-0.20
2/13/2013	161.00	4050.36	-17.00
2/23/2014	162.00	4049.36	-1.00
1/28/2015	162.20	4049.16	-0.20

All Historic Measurements



Well Name: **SEARS, JACK**

Owner:

Permit #: 12331 - FP - **Location #:** SC00504715BAC **USGS Site ID:** 393720102374000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE SW 15 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4388560.0 Easting (UTM x): 703831.0 GPS
Latitude/Longitude (decimal degrees): 39.622550 -102.625246


Surface Elevation (ft): 4229.88 **Top Perforated Interval (ft):** 180 **Base of grout (ft):**
Well depth (ft): 280 **Bottom Perforated Interval (ft):** 280
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.50
5 year: -7.00
10 year: -8.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2005	142.70	4087.18	-2.90
2/7/2006	141.10	4088.78	1.60
2/23/2007	144.00	4085.88	-2.90
1/28/2008	143.30	4086.58	0.70
2/23/2009	144.20	4085.68	-0.90
1/18/2010	144.50	4085.38	-0.30
2/5/2011	145.80	4084.08	-1.30
1/26/2012	145.60	4084.28	0.20
3/6/2013	153.00	4076.88	-7.40
2/23/2014	152.00	4077.88	1.00
1/28/2015	151.50	4078.38	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SEAMAN, RODNEY

Owner:

Permit #: 6492 - RFP - **Location #:** SC00504720BAB **USGS Site ID:** 393640102394000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 20 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4387305.0 Easting (UTM x): 700669.0 GPS
Latitude/Longitude (decimal degrees): 39.611998 -102.662436

Surface Elevation (ft): 4275.91 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 281 **Bottom Perforated Interval (ft):** **1 year:** 0.40
Aquifer(s): **5 year:** -16.80
10 year: -24.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2006	157.30	4118.61	1.10
2/23/2007	159.00	4116.91	-1.70
1/28/2008			
2/23/2009	164.40	4111.51	
1/18/2010	166.20	4109.71	-1.80
2/5/2011	167.00	4108.91	-0.80
1/26/2012	167.50	4108.41	-0.50
2/13/2013	184.50	4091.41	-17.00
2/23/2014	183.40	4092.51	1.10
1/28/2015	183.00	4092.91	0.40

All Historic Measurements



Well Name: SEARS, JACK K.

Owner:

Permit #: 6642 - F - **Location #:** SC00504732CCA **USGS Site ID:** 393420102395000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 32 5 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4382878.0 Easting (UTM x): 700688.0 GPS
Latitude/Longitude (decimal degrees): 39.572138 -102.663555

Surface Elevation (ft): 4279.9 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 220 **Bottom Perforated Interval (ft):** 220 **1 year:** 0.40
Aquifer(s): OGALLALA **5 year:** -14.60
10 year: -22.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	143.00	4136.90	-4.00
2/7/2006	147.90	4132.00	-4.90
2/23/2007	148.30	4131.60	-0.40
1/28/2008	149.00	4130.90	-0.70
2/23/2009	152.10	4127.80	-3.10
1/18/2010	150.80	4129.10	1.30
2/5/2011	150.60	4129.30	0.20
1/26/2012	151.00	4128.90	-0.40
2/13/2013	167.00	4112.90	-16.00
2/23/2014	165.80	4114.10	1.20
1/28/2015	165.40	4114.50	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	SEARS, JACK		Owner:	
Permit #:	12343 - F -	Location #:	SC00504736BBD	USGS Site ID: 393450102351000
Division:	1	Water District:	49	County: YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM
	NW NW SE 36	5 S	47 W S	
			Distance from section lines:	
			From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4384307.0	Easting (UTM x):	707407.0 GPS
Latitude/Longitude (decimal degrees):		39.583404		-102.584949
Surface Elevation (ft):	4196.84	Top Perforated Interval (ft):	61	Base of grout (ft):
Well depth (ft):	181	Bottom Perforated Interval (ft):	181	
Aquifer(s):				

Water Level Change
1 year: 0.30
5 year: -9.90
10 year: -10.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2006	128.10	4068.74	-1.10
2/21/2007	127.20	4069.64	0.90
1/28/2008	128.70	4068.14	-1.50
2/23/2009	129.00	4067.84	-0.30
1/18/2010	127.80	4069.04	1.20
2/5/2011	128.40	4068.44	-0.60
1/26/2012	128.80	4068.04	-0.40
2/13/2013	140.00	4056.84	-11.20
2/23/2014	138.00	4058.84	2.00
1/28/2015	137.70	4059.14	0.30

All Historic Measurements




Well Name:	SEARS IRRIGATED FARM		Owner:	
Permit #:	95628 - -	Location #:	SC00504801CBD	USGS Site ID:
Division:	1	Water District:	65	County: YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM
	SW NW SE 1	5 S	48 W S	
			Distance from section lines:	
			From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4391023.0	Easting (UTM x):	697099.0 GPS
Latitude/Longitude (decimal degrees):		39.646301		-102.702884
Surface Elevation (ft):	4298	Top Perforated Interval (ft):	215	Base of grout (ft):
Well depth (ft):	255	Bottom Perforated Interval (ft):	255	
Aquifer(s):	OGALLALA			

Water Level Change
1 year: 0.30
5 year: -13.90
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2010	128.80	4169.20	
2/5/2011	129.60	4168.40	-0.80
1/26/2012	129.80	4168.20	-0.20
3/6/2013	145.20	4152.80	-15.40
2/23/2014	143.00	4155.00	2.20
1/28/2015	142.70	4155.30	0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **WEAKS, RICHARD**

Owner:

Permit #: 12340 - F - **Location #:** SC00504801DCA **USGS Site ID:** 393842102413400

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NE 1 5 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4390898.7 Easting (UTM x): 697928.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.644990 -102.693262


Surface Elevation (ft): 4282.94 **Top Perforated Interval (ft):** 100 **Base of grout (ft):**
Well depth (ft): 266 **Bottom Perforated Interval (ft):** 266
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	128.60	4154.34	-1.50
2/7/2006	127.80	4155.14	0.80
2/28/2007	128.20	4154.74	-0.40
1/28/2008	128.80	4154.14	-0.60
2/23/2009			

All Historic Measurements



Well Name: **ROYAL PETROLEUM INC**

Owner:

Permit #: 11969 - F - **Location #:** SC00504804CDB **USGS Site ID:** 393840102450000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE NW 4 5 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4390633.9 Easting (UTM x): 692353.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.643878 -102.758264


Surface Elevation (ft): 4353.98 **Top Perforated Interval (ft):** 170 **Base of grout (ft):**
Well depth (ft): 234 **Bottom Perforated Interval (ft):** 234
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.40
5 year: -9.60
10 year: -14.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	152.30	4201.68	-0.20
2/7/2006	155.40	4198.58	-3.10
2/23/2007	156.60	4197.38	-1.20
1/22/2008	158.60	4195.38	-2.00
2/23/2009			
1/21/2010	157.40	4196.58	
2/5/2011	157.60	4196.38	-0.20
1/26/2012	158.00	4195.98	-0.40
3/7/2013	169.20	4184.78	-11.20
2/23/2014	167.40	4186.58	1.80
1/28/2015	167.00	4186.98	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	SEARS, JACK		Owner:	
Permit #:	12151 - F -	Location #:	SC00504808CCA	USGS Site ID: 393750102464000
Division:	1	Water District:	65	County: YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM
	SW SW NE 8	5 S	48 W S	
				Distance from section lines:
				From N/S line:
				From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4388987.8	Easting (UTM x):	690676.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.629433		-102.778265
Surface Elevation (ft):	4386.99	Top Perforated Interval (ft):	164	Base of grout (ft):
Well depth (ft):	234	Bottom Perforated Interval (ft):	234	
Aquifer(s):	OGALLALA			

Water Level Change
1 year: 0.40
5 year:
10 year: -6.35

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2006	163.45	4223.54	0.75
2/23/2007	167.95	4219.04	-4.50
1/22/2008	165.15	4221.84	2.80
2/23/2009	165.75	4221.24	-0.60
2/6/2011	166.95	4220.04	-1.20
1/26/2012	167.35	4219.64	-0.40
3/6/2013	171.95	4215.04	-4.60
2/23/2014	170.95	4216.04	1.00
1/28/2015	170.55	4216.44	0.40

All Historic Measurements




Well Name:	SEARS, JACK		Owner:	
Permit #:	12625 - F -	Location #:	SC00504815AAC	USGS Site ID: 393720102440000
Division:	1	Water District:	65	County: YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM
	NE NE SW 15	5 S	48 W S	
				Distance from section lines:
				From N/S line:
				From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4388349.3	Easting (UTM x):	694748.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.622767		-102.731041
Surface Elevation (ft):	4331.96	Top Perforated Interval (ft):	180	Base of grout (ft):
Well depth (ft):	284	Bottom Perforated Interval (ft):	284	
Aquifer(s):	OGALLALA			

Water Level Change
1 year: 0.50
5 year: -19.20
10 year: -16.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	165.80	4166.16	-3.30
2/7/2006	163.30	4168.66	2.50
2/23/2007	162.00	4169.96	1.30
1/22/2008	164.00	4167.96	-2.00
2/23/2009	163.30	4168.66	0.70
1/13/2010	162.80	4169.16	0.50
2/6/2011	164.00	4167.96	-1.20
1/26/2012	164.40	4167.56	-0.40
3/6/2013	182.00	4149.96	-17.60
2/23/2014	182.50	4149.46	-0.50
1/28/2015	182.00	4149.96	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **MASON, MERRILL**

Owner:

Permit #: 78711 - -

Location #: SC00504818DA

USGS Site ID:

Division: 0 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE 18 5 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4387731.0 Easting (UTM x): 690067.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.618253 -102.785726


Surface Elevation (ft): 4402 **Top Perforated Interval (ft):** 220 **Base of grout (ft):**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.40
5 year: -6.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	164.20	4237.80	
2/6/2011	164.80	4237.20	-0.60
2/5/2012	165.00	4237.00	-0.20
1/26/2013	169.20	4232.80	-4.20
2/23/2014	168.80	4233.20	0.40
1/29/2015	170.20	4231.80	-1.40

All Historic Measurements



Well Name: **SCHNEIDER, KENNETH**

Owner:

Permit #: 11997 - F -

Location #: SC00504821BBD

USGS Site ID: 393630102454000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 21 5 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4386652.0 Easting (UTM x): 692335.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.608031 -102.759636


Surface Elevation (ft): 4376.98 **Top Perforated Interval (ft):** 195 **Base of grout (ft):**
Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.40
5 year: -4.70
10 year: -6.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2006	168.90	4208.08	-0.10
2/23/2007	170.30	4206.68	-1.40
1/22/2008	170.80	4206.18	-0.50
2/23/2009	171.00	4205.98	-0.20
1/13/2010	171.00	4205.98	0.00
2/6/2011	172.80	4204.18	-1.80
2/5/2012	171.10	4205.88	1.70
1/26/2013	175.80	4201.18	-4.70
2/23/2014	175.30	4201.68	0.50
1/29/2015	175.70	4201.28	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	HILL, ELDEN		Owner:	
Permit #:	12349 - F -	Location #:	SC00504826CCA	USGS Site ID: 393510102431000
Division:	1	Water District:	49	County: YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM
	SW SW NE 26	5 S	48 W S	
			Distance from section lines:	
			From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4384326.0	Easting (UTM x):	695661.0 GPS
Latitude/Longitude (decimal degrees):		39.586336		-102.721609
Surface Elevation (ft):	4349.95	Top Perforated Interval (ft):	160	Base of grout (ft):
Well depth (ft):	300	Bottom Perforated Interval (ft):	300	
Aquifer(s):	OGALLALA			

Water Level Change
1 year: 0.40
5 year: -15.10
10 year: -19.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2005	160.10	4189.85	-2.00
2/7/2006	161.10	4188.85	-1.00
2/23/2007	161.30	4188.65	-0.20
1/22/2008	163.50	4186.45	-2.20
2/23/2009	164.30	4185.65	-0.80
1/13/2010	164.00	4185.95	0.30
2/6/2011	164.70	4185.25	-0.70
2/5/2012	164.90	4185.05	-0.20
3/6/2013	180.50	4169.45	-15.60
2/23/2014	179.50	4170.45	1.00
1/29/2015	179.10	4170.85	0.40

All Historic Measurements




Well Name:	MASON, MERRELL		Owner:	
Permit #:	12333 - FP -	Location #:	SC00504901DDB	USGS Site ID: 393830102482000
Division:	1	Water District:	65	County: WASHINGTON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM
	SE SE NW 1	5 S	49 W S	
			Distance from section lines:	
			From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4390455.0	Easting (UTM x):	688166.0 GPS
Latitude/Longitude (decimal degrees):		39.643199		-102.807083
Surface Elevation (ft):	4407.01	Top Perforated Interval (ft):	107	Base of grout (ft):
Well depth (ft):	174	Bottom Perforated Interval (ft):	174	
Aquifer(s):	OGALLALA			

Water Level Change
1 year: -0.20
5 year: -7.90
10 year: -10.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	152.50	4254.51	-1.00
2/9/2006	154.00	4253.01	-1.50
2/27/2007	153.60	4253.41	0.40
1/22/2008	154.40	4252.61	-0.80
2/24/2009	155.60	4251.41	-1.20
1/17/2010	155.00	4252.01	0.60
2/6/2011	155.70	4251.31	-0.70
1/26/2012	156.50	4250.51	-0.80
1/21/2013	159.50	4247.51	-3.00
2/24/2014	162.70	4244.31	-3.20
1/29/2015	162.90	4244.11	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SMITH, VIRGIL & BETTY

Owner:

Permit #: 19342 - SFP - **Location #:** SC00504904AAB **USGS Site ID:** 393936102514500

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 4 5 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4391609.0 Easting (UTM x): 683442.0 GPS
Latitude/Longitude (decimal degrees): 39.654616 -102.861780


Surface Elevation (ft): 4444.04 **Top Perforated Interval (ft):** 40 **Base of grout (ft):**
Well depth (ft): 56 **Bottom Perforated Interval (ft):** 80
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.10
5 year: -2.40
10 year: -9.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/9/2006	35.50	4408.54	-2.60
2/27/2007	39.30	4404.74	-3.80
1/28/2008	43.30	4400.74	-4.00
1/2/2009	43.10	4400.94	0.20
2/3/2010	40.00	4404.04	3.10
2/5/2011	39.80	4404.24	0.20
2/5/2012	41.00	4403.04	-1.20
1/21/2013	43.00	4401.04	-2.00
2/24/2014	42.50	4401.54	0.50
1/27/2015	42.40	4401.64	0.10

All Historic Measurements



Well Name: LAYBOURN, STAN

Owner:

Permit #: 16237 - R - **Location #:** SC00504905AA **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE 5 5 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4391291.0 Easting (UTM x): 682043.0 GPS
Latitude/Longitude (decimal degrees): 39.652051 -102.878164


Surface Elevation (ft): 4462 **Top Perforated Interval (ft):** 31 **Base of grout (ft):**
Well depth (ft): 56 **Bottom Perforated Interval (ft):** 56
Aquifer(s): OGALLALA

Water Level Change
1 year: 1.00
5 year: -1.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	33.00	4429.00	
2/6/2011	35.20	4426.80	-2.20
1/26/2012	35.40	4426.60	-0.20
1/21/2013	35.20	4426.80	0.20
2/24/2014	35.00	4427.00	0.20
1/27/2015	34.00	4428.00	1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: HILL, GEORGE

Owner:

Permit #: - -

Location #: SC00504910CBC

USGS Site ID: 393744102513300


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW SW 10 5 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4388862.0 Easting (UTM x): 683777.0 GPS
Latitude/Longitude (decimal degrees): 39.629809 -102.858642

Surface Elevation (ft): 4468.04 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 107 **Bottom Perforated Interval (ft):** **1 year:** -0.40
Aquifer(s): **5 year:** -1.40
10 year: -2.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2005	100.20	4367.84	-1.10
2/9/2006	99.80	4368.24	0.40
2/27/2007	99.50	4368.54	0.30
1/28/2008	100.80	4367.24	-1.30
1/2/2009	101.40	4366.64	-0.60
1/17/2010	101.60	4366.44	-0.20
2/6/2011	101.60	4366.44	0.00
1/26/2012	102.40	4365.64	-0.80
1/21/2013	102.90	4365.14	-0.50
2/24/2014	102.60	4365.44	0.30
1/27/2015	103.00	4365.04	-0.40

All Historic Measurements



Well Name: SCHULTE, CHARLES

Owner: CHARLES SCHULTE

Permit #: 12431 - F -

Location #: SC00504912BD

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SE 12 5 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4389723.0 Easting (UTM x): 687375.0 Digitized
Latitude/Longitude (decimal degrees): 39.636782 -102.816502

Surface Elevation (ft): 4414 **Top Perforated Interval (ft):** 124 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 204 **Bottom Perforated Interval (ft):** 204 **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:** -6.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	166.00	4248.00	
2/6/2011	167.40	4246.60	-1.40
1/26/2012	168.60	4245.40	-1.20
1/21/2013	170.20	4243.80	-1.60
2/24/2014	172.00	4242.00	-1.80
1/29/2015	172.50	4241.50	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **TRAUTWEIN & WOODS**

Owner:

Permit #: 12337 - F - **Location #:** SC00504913CBD **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW SE 13 5 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4387323.0 Easting (UTM x): 687391.0 *GPS*
Latitude/Longitude (decimal degrees): 39.615169 -102.816996


Surface Elevation (ft): 4433 **Top Perforated Interval (ft):** 175 **Base of grout (ft):**
Well depth (ft): 242 **Bottom Perforated Interval (ft):** 245
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.50
5 year: -1.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2010	159.00	4274.00	
2/6/2011	161.20	4271.80	-2.20
1/26/2012	161.50	4271.50	-0.30
1/21/2013	161.00	4272.00	0.50
2/24/2014	161.00	4272.00	0.00
1/29/2015	160.50	4272.50	0.50

All Historic Measurements



Well Name: **LICHTY, MICHAEL**

Owner: MICHAEL LITCHY

Permit #: 12336 - FP - **Location #:** SC00504914DD **USGS Site ID:**

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SE 14 5 S 49 W S **From N/S line:** 1259 S **From E/W line:** 1176 E
UTM Coordinates (NAD83): Northing (UTM y) 4387274.0 Easting (UTM x): 686652.2 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.614889 -102.825610


Surface Elevation (ft): 4436 **Top Perforated Interval (ft):** 176 **Base of grout (ft):**
Well depth (ft): 236 **Bottom Perforated Interval (ft):** 236
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.80
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/6/2011	170.00	4266.00	
1/26/2012	171.00	4265.00	-1.00
1/21/2013	175.00	4261.00	-4.00
2/24/2014	176.20	4259.80	-1.20
1/29/2015	175.40	4260.60	0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name: **WRIGHT, RAY** **Owner:**
Permit #: 12430 - F - **Location #:** SC00504924BBD **USGS Site ID:** 393630102490000
Division: 1 **Water District:** 49 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW SE 24 5 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4386501.7 Easting (UTM x): 687421.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.607767 -102.816877
Surface Elevation (ft): 4433.01 **Top Perforated Interval (ft):** 144 **Base of grout (ft):**
Well depth (ft): 244 **Bottom Perforated Interval (ft):** 244
Aquifer(s):

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/9/2006	163.40	4269.61	0.50
2/27/2007	162.70	4270.31	0.70
1/28/2008	163.40	4269.61	-0.70
2/24/2009	160.00	4273.01	3.40

All Historic Measurements




Well Name: **BURNS, PAUL & ANITA** **Owner:** PAUL BURNS
Permit #: 17282 - FP - **Location #:** SC00504929BB **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW 29 5 S 49 W S **From N/S line:** 890 N **From E/W line:** 1260 W
UTM Coordinates (NAD83): Northing (UTM y) 4384930.5 Easting (UTM x): 680928.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.595016 -102.892886
Surface Elevation (ft): 4545 **Top Perforated Interval (ft):** 222 **Base of grout (ft):**
Well depth (ft): 272 **Bottom Perforated Interval (ft):** 272
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.20
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2011	185.00	4360.00	
1/26/2012	184.20	4360.80	0.80
1/21/2013	186.40	4358.60	-2.20
2/24/2014	187.00	4358.00	-0.60
1/29/2015	187.20	4357.80	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: DUELL, ETHEL

Owner:

Permit #: - -

Location #: SC00504930CC

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SW 30 5 S 49 W S From N/S line: 1294 S From E/W line: 1388 W
UTM Coordinates (NAD83): Northing (UTM y) 4383945.0 Easting (UTM x): 679344.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.586475 -102.911584

Surface Elevation (ft): 4578 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.30
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2011	183.00	4395.00	
1/26/2012	182.40	4395.60	0.60
1/21/2013	185.50	4392.50	-3.10
2/24/2014	186.20	4391.80	-0.70
1/29/2015	186.50	4391.50	-0.30

All Historic Measurements



Well Name: MASON, GEORGIA

Owner:

Permit #: 242152 - - A

Location #: SC00505001AAB

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE NW 1 5 S 50 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4391502.0 Easting (UTM x): 678511.0 *GPS*
Latitude/Longitude (decimal degrees): 39.654696 -102.919250

Surface Elevation (ft): 4491 **Top Perforated Interval (ft):** 65 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 85 **Bottom Perforated Interval (ft):** 85 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -1.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	25.00	4466.00	
2/6/2011	25.60	4465.40	-0.60
3/2/2012	25.80	4465.20	-0.20
1/21/2013	26.00	4465.00	-0.20
2/23/2014	25.60	4465.40	0.40
1/27/2015	26.00	4465.00	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: MASON, RODNEY

Owner: RODNEY MASON

Permit #: 10760 - R -

Location #: SC00505001BBC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW SW 1 5 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4391242.0 Easting (UTM x): 677134.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.652641 -102.935360

Surface Elevation (ft): 4513 **Top Perforated Interval (ft):** 23 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 43 **Bottom Perforated Interval (ft):** 43 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -4.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/11/2010	19.00	4494.00	
2/6/2011	20.00	4493.00	-1.00
1/25/2012	19.50	4493.50	0.50
1/21/2013	21.00	4492.00	-1.50
2/23/2014	22.80	4490.20	-1.80
1/27/2015	23.00	4490.00	-0.20

All Historic Measurements



Well Name: MASON, RODNEY

Owner:

Permit #: 10759 - R -

Location #: SC00505002AAB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE NW 2 5 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4391424.0 Easting (UTM x): 676727.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.654364 -102.940052

Surface Elevation (ft): 4514 **Top Perforated Interval (ft):** 23 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 43 **Bottom Perforated Interval (ft):** 43 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -1.40
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2010	23.00	4491.00	
2/6/2011	23.40	4490.60	-0.40
1/25/2012	23.00	4491.00	0.40
1/21/2013	24.20	4489.80	-1.20
2/23/2014	24.00	4490.00	0.20
1/27/2015	24.40	4489.60	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **GLENN, HERSHEL A.**

Owner:

Permit #: 12047 - R - **Location #:** SC00505003DBC **USGS Site ID:** 393832102574500


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SW 3 5 S 50 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4390425.0 Easting (UTM x): 674720.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.645781 -102.963696

Surface Elevation (ft): 4555.95 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 50 **Bottom Perforated Interval (ft):** **1 year:** -2.10
Aquifer(s): **5 year:** -1.10
10 year: -0.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2006	29.00	4526.95	0.00
2/27/2007	28.90	4527.05	0.10
1/28/2008	28.90	4527.05	0.00
1/2/2009	24.20	4531.75	4.70
2/3/2010	28.00	4527.95	-3.80
2/6/2011	28.20	4527.75	-0.20
1/25/2012	28.50	4527.45	-0.30
1/27/2013	29.80	4526.15	-1.30
2/23/2014	27.00	4528.95	2.80
1/28/2015	29.10	4526.85	-2.10

All Historic Measurements



Well Name: **LYKKEHOY, MELBA**

Owner: LYKKEHOY, MELBA

Permit #: 285409 - - **Location #:** SC00505004BCD **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW SE 4 5 S 50 W S From N/S line: 2363 N From E/W line: 1013 W
UTM Coordinates (NAD83): Northing (UTM y) 4390728.0 Easting (UTM x): 672626.0 [GPS](#)
Latitude/Longitude (decimal degrees): 39.648934 -102.988008

Surface Elevation (ft): 4602 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 66 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2015	55.00	4547.00	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: DRULLINGER, REX H.

Owner:

Permit #: 13211 - R - **Location #:** SC00505009CCC **USGS Site ID:** 393734102592600


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 9 5 S 50 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4388338.0 Easting (UTM x): 672322.0 GPS
Latitude/Longitude (decimal degrees): 39.627474 -102.992171

Surface Elevation (ft): 4586.38 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 56 **Bottom Perforated Interval (ft):** **1 year:** -2.00
Aquifer(s): **5 year:** -2.00
10 year: -0.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2006	28.40	4557.98	1.40
2/27/2007	28.20	4558.18	0.20
1/28/2008	28.80	4557.58	-0.60
1/2/2009	28.50	4557.88	0.30
2/3/2010	28.00	4558.38	0.50
2/6/2011	27.80	4558.58	0.20
1/25/2012	28.80	4557.58	-1.00
1/27/2013	28.80	4557.58	0.00
2/24/2014	28.00	4558.38	0.80
1/27/2015	30.00	4556.38	-2.00

All Historic Measurements



Well Name: NORMAN, WAUNETTA & LOYD

Owner:

Permit #: - - **Location #:** SC00505013BB **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 13 5 S 50 W S From N/S line: 287 N From E/W line: 109 W
UTM Coordinates (NAD83): Northing (UTM y) 4388236.5 Easting (UTM x): 677234.2 Spotted from section lines
Latitude/Longitude (decimal degrees): 39.625557 -102.934998

Surface Elevation (ft): 4568 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2011	98.00	4470.00	
3/3/2012	98.50	4469.50	-0.50
1/27/2013	99.00	4469.00	-0.50
2/23/2014	99.00	4469.00	0.00
1/28/2015	99.40	4468.60	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: MARTIN, HERMAN

Owner:

Permit #: 15258 - F - **Location #:** SC00505023DCA **USGS Site ID:** 393600102563001


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NE 23 5 S 50 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4385404.0 Easting (UTM x): 676660.0 GPS
Latitude/Longitude (decimal degrees): 39.600170 -102.942440

Surface Elevation (ft): 4627.13 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** **1 year:** -0.40
Aquifer(s): **5 year:** -3.90
10 year: -6.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2006	183.30	4443.83	-1.30
2/27/2007	184.50	4442.63	-1.20
1/28/2008	185.00	4442.13	-0.50
1/2/2009	184.80	4442.33	0.20
2/3/2010	184.50	4442.63	0.30
2/6/2011	184.00	4443.13	0.50
3/3/2012	184.80	4442.33	-0.80
1/27/2013	186.80	4440.33	-2.00
2/23/2014	188.00	4439.13	-1.20
1/28/2015	188.40	4438.73	-0.40

All Historic Measurements



Well Name: DOUGLAS, STANLEY

Owner:

Permit #: - - **Location #:** SC00505111CCC **USGS Site ID:** 393734103035701


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 11 5 S 51 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4388038.0 Easting (UTM x): 665953.0 GPS
Latitude/Longitude (decimal degrees): 39.626031 -103.066415

Surface Elevation (ft): 4714.23 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 85 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/3/2006	70.30	4643.93	0.20
2/27/2007			
1/28/2008			
1/2/2009			
2/3/2010			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: DOLIFKA, CHARLIE

Owner:

Permit #: - -

Location #: SC00505221CCC

USGS Site ID: 393545103130001


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 21 5 S 52 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4384498.0 Easting (UTM x): 653067.0 GPS
Latitude/Longitude (decimal degrees): 39.596552 -103.217302

Surface Elevation (ft): 4949.38 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 125 **Bottom Perforated Interval (ft):** **1 year:** 0.20
Aquifer(s): **5 year:** -2.80
10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/8/2006	109.80	4839.58	0.00
12/15/2006	110.50	4838.88	-0.70
1/23/2008	110.20	4839.18	0.30
1/2/2009	111.00	4838.38	-0.80
2/5/2010	111.00	4838.38	0.00
2/7/2011	110.50	4838.88	0.50
3/3/2012	111.20	4838.18	-0.70
1/28/2013	112.00	4837.38	-0.80
2/24/2014	114.00	4835.38	-2.00
1/26/2015	113.80	4835.58	0.20

All Historic Measurements



Well Name: MEINZER, CHERYL

Owner:

Permit #: 13516 - F -

Location #: SC00505225CCD

USGS Site ID: 393453103092201


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 25 5 S 52 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4382918.6 Easting (UTM x): 658313.5 User supplied
Latitude/Longitude (decimal degrees): 39.581375 -103.156605

Surface Elevation (ft): 4794.32 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 70 **Bottom Perforated Interval (ft):** **1 year:** 0.20
Aquifer(s): **5 year:** -1.50
10 year: -3.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2006	39.20	4755.12	0.00
12/15/2006	42.00	4752.32	-2.80
1/23/2008	41.20	4753.12	0.80
1/2/2009	41.90	4752.42	-0.70
2/6/2010	40.70	4753.62	1.20
2/7/2011	42.70	4751.62	-2.00
3/3/2012	43.00	4751.32	-0.30
1/28/2013	42.00	4752.32	1.00
2/24/2014	42.40	4751.92	-0.40
1/26/2015	42.20	4752.12	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **HOFFMAN, MARY**

Owner:

Permit #: - -

Location #: SC00505314DAA

USGS Site ID: 393657103162701


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE NE NE 14 5 S 53 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4386539.0 Easting (UTM x): 648093.0 GPS
Latitude/Longitude (decimal degrees): 39.615808 -103.274751

Surface Elevation (ft): 5021.43 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 125 **Bottom Perforated Interval (ft):** **1 year:** 0.20
Aquifer(s): **5 year:** -1.80
10 year: -3.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/3/2006	122.00	4899.43	-1.00
12/15/2006	122.00	4899.43	0.00
1/23/2008	122.40	4899.03	-0.40
1/2/2009	122.60	4898.83	-0.20
2/5/2010	123.00	4898.43	-0.40
2/7/2011	122.20	4899.23	0.80
3/3/2012	122.50	4898.93	-0.30
1/28/2013	124.20	4897.23	-1.70
2/24/2014	125.00	4896.43	-0.80
1/26/2015	124.80	4896.63	0.20

All Historic Measurements



Well Name: **BROOKS**

Owner: EARVIL BROOKS

Permit #: 77784 - -

Location #: SC00505318BB

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW 18 5 S 53 W S From N/S line: 300 N From E/W line: 300 W
UTM Coordinates (NAD83): Northing (UTM y) 4387052.5 Easting (UTM x): 640125.0 Spotted from section lines
Latitude/Longitude (decimal degrees): 39.621774 -103.367431

Surface Elevation (ft): 5112 **Top Perforated Interval (ft):** 115 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 130 **Bottom Perforated Interval (ft):** 130 **1 year:** 0.10
Aquifer(s): OGALLALA **5 year:** -0.40
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2006	116.00	4996.00	
1/23/2008	115.90	4996.10	0.10
1/2/2009	116.90	4995.10	-1.00
2/6/2010	117.00	4995.00	-0.10
2/7/2011	117.20	4994.80	-0.20
3/3/2012	117.40	4994.60	-0.20
1/28/2013	117.60	4994.40	-0.20
2/24/2014	117.50	4994.50	0.10
1/26/2015	117.40	4994.60	0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **NUTTLEMAN, C.**

Owner:

Permit #: 77784 - -

Location #: SC00505412BBB

USGS Site ID: 393732103225800

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 12 5 S 54 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4386985.0 Easting (UTM x): 640099.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.621170 -103.367748

Surface Elevation (ft): 5148.52 **Top Perforated Interval (ft):** 115 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 127 **Bottom Perforated Interval (ft):** 130 **1 year:** 0.30


Aquifer(s): OGALLALA **5 year:**

10 year: 5.35

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/3/2006			
12/15/2006			
1/23/2008	115.85	5032.67	
1/2/2009	116.85	5031.67	-1.00
2/7/2011	116.05	5032.47	0.80
3/3/2012	116.15	5032.37	-0.10
1/28/2013	117.65	5030.87	-1.50
2/24/2014	117.15	5031.37	0.50
1/26/2015	116.85	5031.67	0.30

All Historic Measurements



Well Name: **MCARTHUR, ERNEST L.**

Owner:

Permit #: 6980 - F -

Location #: SC00604503CCC

USGS Site ID: 393253102253000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 3 6 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4380757.0 Easting (UTM x): 721217.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.547997 -102.425475

Surface Elevation (ft): 3904.7 **Top Perforated Interval (ft):** 10 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 110 **Bottom Perforated Interval (ft):** 110 **1 year:**


Aquifer(s): OGALLALA **5 year:**

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2006	16.80	3887.90	0.40
2/21/2007	16.90	3887.80	-0.10
1/19/2008	16.40	3888.30	0.50
1/3/2009	16.00	3888.70	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **MCARTHER, ERNEST**

Owner:

Permit #: 278051 - -

Location #: SC00604508

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section 8 Twtnshp 6 S Range 45 W S PM Distance from section lines: From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4380525.0 Easting (UTM x): 719575.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.546330 -102.444644

Surface Elevation (ft): 3918 **Top Perforated Interval (ft):** 56 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 106 **Bottom Perforated Interval (ft):** 106 **1 year:** 0.20
Aquifer(s): OGALLALA **5 year:** -9.40
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2010	12.80	3905.20	
2/4/2011	13.60	3904.40	-0.80
2/27/2012	14.50	3903.50	-0.90
2/13/2013	24.60	3893.40	-10.10
2/22/2014	22.40	3895.60	2.20
2/5/2015	22.20	3895.80	0.20

All Historic Measurements



Well Name: **CORLISS, MERVIN**

Owner: MERVIN CORLISS

Permit #: 6792 - F -

Location #: SC00604518AAC

USGS Site ID: 393151102275900

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section 18 Twtnshp 6 S Range 45 W S PM Distance from section lines: From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4378736.0 Easting (UTM x): 717727.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.530697 -102.466716

Surface Elevation (ft): 3951.74 **Top Perforated Interval (ft):** 25 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 85 **Bottom Perforated Interval (ft):** 85 **1 year:** 0.60
Aquifer(s): OGALLALA **5 year:** -7.10
10 year: -6.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2006	14.10	3937.64	1.00
2/21/2007	15.20	3936.54	-1.10
1/19/2008	15.80	3935.94	-0.60
1/3/2009	14.60	3937.14	1.20
1/12/2010	14.90	3936.84	-0.30
2/4/2011	15.60	3936.14	-0.70
2/27/2012	14.80	3936.94	0.80
2/13/2013	24.40	3927.34	-9.60
2/22/2014	22.60	3929.14	1.80
2/5/2015	22.00	3929.74	0.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	BURKART, H.A.			Owner:	H.A. BURKART		
Permit #:	6979 - F -	Location #:	SC00604603ABD	USGS Site ID:	393325102312500		
Division:	1	Water District:	65	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NW SE	3	6 S	46 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4381832.0	Easting (UTM x):	712683.0	GPS		
Latitude/Longitude (decimal degrees):	39.559831		-102.524361				
Surface Elevation (ft):	4161.78	Top Perforated Interval (ft):	140	Base of grout (ft):	Water Level Change		
Well depth (ft):	240	Bottom Perforated Interval (ft):	240	1 year: -0.60			
Aquifer(s):	OGALLALA			5 year: -6.70			
				10 year: -18.40			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2005	157.00	4004.78	0.20
1/26/2006	160.30	4001.48	-3.30
2/21/2007	163.80	3997.98	-3.50
1/19/2008	167.80	3993.98	-4.00
1/3/2009	168.40	3993.38	-0.60
1/12/2010	168.70	3993.08	-0.30
2/4/2011	168.80	3992.98	-0.10
2/27/2012	168.30	3993.48	0.50
2/13/2013	176.80	3984.98	-8.50
2/22/2014	174.80	3986.98	2.00
2/5/2015	175.40	3986.38	-0.60

All Historic Measurements




Well Name:	HENRY, LOIS			Owner:			
Permit #:	10559 - FP -	Location #:	SC00604703ACA	USGS Site ID:	393340102380000		
Division:	1	Water District:	65	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SW NE	3	6 S	47 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4381614.0	Easting (UTM x):	703202.0	GPS		
Latitude/Longitude (decimal degrees):	39.560166		-102.634697				
Surface Elevation (ft):	4264.88	Top Perforated Interval (ft):	190	Base of grout (ft):	Water Level Change		
Well depth (ft):	226	Bottom Perforated Interval (ft):	230	1 year: 1.70			
Aquifer(s):	OGALLALA			5 year: -8.00			
				10 year: -13.00			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	152.70	4112.18	-2.00
2/7/2006	152.50	4112.38	0.20
2/23/2007	152.70	4112.18	-0.20
1/20/2008	155.20	4109.68	-2.50
2/23/2009	156.50	4108.38	-1.30
2/1/2010	157.70	4107.18	-1.20
2/4/2011	157.40	4107.48	0.30
2/27/2012	157.70	4107.18	-0.30
3/6/2013	169.20	4095.68	-11.50
2/22/2014	167.40	4097.48	1.80
2/5/2015	165.70	4099.18	1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: BRACHTENBACH, LARRY

Owner: LARRY BRACHTENBACH

Permit #: 9365 - F - **Location #:** SC00604713ACC

USGS Site ID: 393130102355000

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE SW SW 13 6 S 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4377962.0 Easting (UTM x): 706751.0 GPS

Latitude/Longitude (decimal degrees): 39.526441 -102.594556

Surface Elevation (ft): 4200.83 **Top Perforated Interval (ft):** 90 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 190 **Bottom Perforated Interval (ft):** 190 **1 year:** 0.00


Aquifer(s): OGALLALA **5 year:** -13.10

10 year: -22.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2005	111.50	4089.33	-2.00
2/7/2006	112.10	4088.73	-0.60
2/23/2007	113.60	4087.23	-1.50
1/28/2008	117.20	4083.63	-3.60
2/23/2009	117.30	4083.53	-0.10
2/1/2010	121.00	4079.83	-3.70
2/4/2011	121.80	4079.03	-0.80
2/3/2012	121.80	4079.03	0.00
3/16/2013	136.40	4064.43	-14.60
2/22/2014	134.10	4066.73	2.30
2/5/2015	134.10	4066.73	0.00

All Historic Measurements



Well Name: KLEINS CO

Owner:

Permit #: 11958 - FP - **Location #:** SC00604809CBD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW NW SE 9 6 S 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4379031.0 Easting (UTM x): 691246.9 Spotted from quarters

Latitude/Longitude (decimal degrees): 39.539658 -102.774498

Surface Elevation (ft): 4408 **Top Perforated Interval (ft):** 185 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 210 **Bottom Perforated Interval (ft):** 210 **1 year:** 0.70


Aquifer(s): OGALLALA **5 year:** -16.50

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	173.00	4235.00	
2/4/2011	173.80	4234.20	-0.80
1/26/2012	173.40	4234.60	0.40
3/6/2013	190.00	4218.00	-16.60
2/22/2014	190.20	4217.80	-0.20
2/5/2015	189.50	4218.50	0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: PICKARD, KENNETH

Owner: TRAUTWEIN & WOODS

Permit #: 12439 - F -

Location #: SC00604809DAC

USGS Site ID: 393230102454000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NE SW 9 6 S 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4379031.2 Easting (UTM x): 692260.8 User supplied

Latitude/Longitude (decimal degrees): 39.539434 -102.762708

Surface Elevation (ft): 4401.97 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 211 **Bottom Perforated Interval (ft):** 210

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2005	159.90	4242.07	0.20
2/7/2006	160.90	4241.07	-1.00
2/23/2007	165.50	4236.47	-4.60
1/20/2008	168.50	4233.47	-3.00
1/1/2009	171.80	4230.17	-3.30

All Historic Measurements



Well Name: LOUTZENHISER, RANDY

Owner: LOUTZENHISER RANDY

Permit #: 5233 - FP -

Location #: SC00605001CAA

USGS Site ID: 393320102562000

Division: 1 **Water District:** 65 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE NE 1 6 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4380425.8 Easting (UTM x): 677037.0 User supplied

Latitude/Longitude (decimal degrees): 39.555266 -102.939380

Surface Elevation (ft): 4649.13 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 300 **Bottom Perforated Interval (ft):** 300

Aquifer(s): OGALLALA

1 year: -1.20


5 year: -11.10

10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2005	227.70	4421.43	0.00
2/5/2006	230.70	4418.43	-3.00
2/27/2007	230.70	4418.43	0.00
1/23/2008	230.70	4418.43	0.00
2/24/2009	231.80	4417.33	-1.10
2/6/2010	231.80	4417.33	0.00
2/7/2011	231.70	4417.43	0.10
1/26/2012	233.50	4415.63	-1.80
3/4/2013	243.50	4405.63	-10.00
1/10/2014	241.70	4407.43	1.80
2/8/2015	242.90	4406.23	-1.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	SAFFER, MERL		Owner:	STRATTON CARLIN S JR & ROBERTA	
Permit #:	11379 - F -	Location #:	SC00605008ACA	USGS Site ID:	393240103003000
Division:	1	Water District:	65	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE SW NE 8	6 S	50 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4378933.0	Easting (UTM x):	670837.0	GPS
Latitude/Longitude (decimal degrees):		39.543080		-103.011887	
Surface Elevation (ft):	4736.19	Top Perforated Interval (ft):	200	Base of grout (ft):	Water Level Change
Well depth (ft):	268	Bottom Perforated Interval (ft):	268		1 year: -0.70
Aquifer(s):	OGALLALA				5 year: -5.70
					10 year: 11.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	229.00	4507.19	-2.80
2/5/2006	229.70	4506.49	-0.70
2/27/2007	222.10	4514.09	7.60
1/23/2008	226.10	4510.09	-4.00
2/24/2009	217.30	4518.89	8.80
2/1/2010	212.10	4524.09	5.20
2/7/2011	214.30	4521.89	-2.20
1/26/2012	214.00	4522.19	0.30
3/4/2013	219.10	4517.09	-5.10
1/10/2014	217.10	4519.09	2.00
2/8/2015	217.80	4518.39	-0.70

All Historic Measurements




Well Name:	LOUTZENHISER, EVERET		Owner:	LOUTZENHIZER RANDY	
Permit #:	12618 - FP -	Location #:	SC00605009DBD	USGS Site ID:	393210102594000
Division:	1	Water District:	65	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE NW SE 9	6 S	50 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4378313.0	Easting (UTM x):	672640.0	GPS
Latitude/Longitude (decimal degrees):		39.537136		-102.991078	
Surface Elevation (ft):	4706.18	Top Perforated Interval (ft):	210	Base of grout (ft):	Water Level Change
Well depth (ft):	270	Bottom Perforated Interval (ft):	2707		1 year: 1.20
Aquifer(s):	OGALLALA				5 year: -5.10
					10 year: -5.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	206.70	4499.48	-0.20
2/5/2006	207.40	4498.78	-0.70
2/27/2007	206.70	4499.48	0.70
1/23/2008	205.70	4500.48	1.00
2/24/2009	207.40	4498.78	-1.70
2/1/2010	206.90	4499.28	0.50
2/7/2011	206.80	4499.38	0.10
1/26/2012	208.20	4497.98	-1.40
3/4/2013	214.40	4491.78	-6.20
1/10/2014	213.20	4492.98	1.20
2/8/2015	212.00	4494.18	1.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	MCCAFFERY, FRANCIS			Owner:	MCCAFFERY FRANCIS JR		
Permit #:	11749 - F	-	Location #:	SC00605011BBB	USGS Site ID:	393250102575000	
Division:	1	Water District:	65	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW NW	11	6 S	50 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4379515.0	Easting (UTM x):		674662.0 GPS	
Latitude/Longitude (decimal degrees):			39.547551			-102.967247	
Surface Elevation (ft):	4677.16	Top Perforated Interval (ft):	205	Base of grout (ft):	Water Level Change		
Well depth (ft):	295	Bottom Perforated Interval (ft):	295	1 year: 0.30			
Aquifer(s):	OGALLALA			5 year: -2.70			
				10 year: -5.90			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	221.80	4455.36	0.20
2/5/2006	223.00	4454.16	-1.20
2/27/2007	224.80	4452.36	-1.80
1/23/2008	223.10	4454.06	1.70
2/24/2009	224.80	4452.36	-1.70
2/1/2010	225.00	4452.16	-0.20
2/7/2011	223.90	4453.26	1.10
1/26/2012	224.10	4453.06	-0.20
3/4/2013	230.10	4447.06	-6.00
1/10/2014	228.00	4449.16	2.10
2/8/2015	227.70	4449.46	0.30

All Historic Measurements




Well Name:	GERING, PAUL			Owner:	GERING PAUL		
Permit #:	13269 - FP	-	Location #:	SC00605027BAC	USGS Site ID:	393010102581000	
Division:	1	Water District:	65	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NE SW	27	6 S	50 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4374451.0	Easting (UTM x):		673607.0 GPS	
Latitude/Longitude (decimal degrees):			39.502164			-102.980839	
Surface Elevation (ft):	4702.15	Top Perforated Interval (ft):	190	Base of grout (ft):	Water Level Change		
Well depth (ft):	240	Bottom Perforated Interval (ft):	240	1 year: -1.50			
Aquifer(s):	OGALLALA			5 year: -5.40			
				10 year: -5.60			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2005	193.00	4509.15	0.50
2/5/2006	192.90	4509.25	0.10
2/27/2007	192.30	4509.85	0.60
1/23/2008	192.90	4509.25	-0.60
2/24/2009	192.80	4509.35	0.10
2/1/2010	193.20	4508.95	-0.40
2/7/2011	193.40	4508.75	-0.20
1/26/2012	194.20	4507.95	-0.80
3/4/2013	200.40	4501.75	-6.20
1/10/2014	197.10	4505.05	3.30
2/8/2015	198.60	4503.55	-1.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	WITT, JAMES			Owner:	WITT JAMES H		
Permit #:	12860 - F	-	Location #:	SC00605031BAA	USGS Site ID:	392920103020000	
Division:	1	Water District:	65	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NE NE	31	6 S	50 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4372925.0	Easting (UTM x):		669026.0 GPS	
Latitude/Longitude (decimal degrees):			39.489335			-103.034477	
Surface Elevation (ft):	4765.19	Top Perforated Interval (ft):	140	Base of grout (ft):	Water Level Change		
Well depth (ft):	201	Bottom Perforated Interval (ft):	201	1 year: -1.20			
Aquifer(s):	OGALLALA			5 year: -5.90			
				10 year: -4.50			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	164.00	4601.19	0.30
2/5/2006	161.40	4603.79	2.60
2/27/2007	162.30	4602.89	-0.90
1/23/2008	163.50	4601.69	-1.20
2/24/2009	164.00	4601.19	-0.50
2/1/2010	162.60	4602.59	1.40
2/7/2011	163.50	4601.69	-0.90
1/26/2012	163.30	4601.89	0.20
3/4/2013	168.30	4596.89	-5.00
1/10/2014	167.30	4597.89	1.00
2/8/2015	168.50	4596.69	-1.20

All Historic Measurements




Well Name:	CHARLES, DUANE			Owner:	CHARLES CECIL E		
Permit #:	10589 - FP	-	Location #:	SC00605102BBD	USGS Site ID:	393350103042000	
Division:	1	Water District:	65	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW SE	2	6 S	51 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4380732.0	Easting (UTM x):		665329.0 GPS	
Latitude/Longitude (decimal degrees):			39.560359			-103.075504	
Surface Elevation (ft):	4787.24	Top Perforated Interval (ft):	120	Base of grout (ft):	Water Level Change		
Well depth (ft):	150	Bottom Perforated Interval (ft):	150	1 year: -1.60			
Aquifer(s):	OGALLALA			5 year: -6.80			
				10 year: -8.00			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	119.00	4668.24	0.10
2/3/2006	119.00	4668.24	0.00
2/27/2007	118.40	4668.84	0.60
1/23/2008	119.20	4668.04	-0.80
1/2/2009	119.40	4667.84	-0.20
2/1/2010	120.20	4667.04	-0.80
2/7/2011	120.20	4667.04	0.00
1/26/2012	120.60	4666.64	-0.40
3/4/2013	126.20	4661.04	-5.60
1/10/2014	125.40	4661.84	0.80
2/8/2015	127.00	4660.24	-1.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	CHARLES, DUANE	Owner:	CHARLES C E
Permit #:	10530 - FP -	Location #:	SC00605103CDD
		USGS Site ID:	393300103053000
Division:	1	Water District:	65
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SE SE 3	6 S	51 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4379480.0	Easting (UTM x): 664179.0 GPS
Latitude/Longitude (decimal degrees):		39.549305	-103.089193
Surface Elevation (ft):	4787.25	Top Perforated Interval (ft):	100
		Base of grout (ft):	
Well depth (ft):	135	Bottom Perforated Interval (ft):	135
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.50
5 year: -3.50
10 year: -5.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	109.10	4678.15	-0.10
2/3/2006	109.80	4677.45	-0.70
2/27/2007	109.40	4677.85	0.40
1/23/2008	110.30	4676.95	-0.90
1/2/2009	110.50	4676.75	-0.20
2/1/2010	111.00	4676.25	-0.50
2/7/2011	110.80	4676.45	0.20
1/26/2012	110.00	4677.25	0.80
3/4/2013	115.20	4672.05	-5.20
1/10/2014	114.00	4673.25	1.20
2/8/2015	114.50	4672.75	-0.50

All Historic Measurements




Well Name:	OSTROWSKI, VINCENT	Owner:	VINCENT OSTROWSKI
Permit #:	2252 - FP -	Location #:	SC00605119BBD
		USGS Site ID:	393110103090000
Division:	1	Water District:	65
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NW SE 19	6 S	51 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4375766.0	Easting (UTM x): 659014.0 GPS
Latitude/Longitude (decimal degrees):		39.516830	-103.150164
Surface Elevation (ft):	4844.3	Top Perforated Interval (ft):	78
		Base of grout (ft):	
Well depth (ft):	100	Bottom Perforated Interval (ft):	100
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.20
5 year: -5.70
10 year: -7.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	68.00	4776.30	0.20
2/3/2006	69.30	4775.00	-1.30
2/27/2007	68.10	4776.20	1.20
1/20/2008	68.70	4775.60	-0.60
1/2/2009	68.70	4775.60	0.00
2/1/2010	69.60	4774.70	-0.90
2/7/2011	67.10	4777.20	2.50
1/28/2012	70.30	4774.00	-3.20
3/4/2013	74.50	4769.80	-4.20
1/10/2014	74.10	4770.20	0.40
2/8/2015	75.30	4769.00	-1.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	OSTROWSKI, VINCENT			Owner:	VINCENT OSTROWSKI		
Permit #:	11729 - F -	Location #:	SC00605120DBB	USGS Site ID:	393050103073000		
Division:	1	Water District:	65	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NW NW 20	6 S	51 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4375361.0	Easting (UTM x):	661191.0	GPS		
Latitude/Longitude (decimal degrees):		39.512777		-103.124950			
Surface Elevation (ft):	4850.27	Top Perforated Interval (ft):	105	Base of grout (ft):	Water Level Change		
Well depth (ft):	155	Bottom Perforated Interval (ft):	155		1 year: -0.60		
Aquifer(s):	OGALLALA				5 year: -5.20		
					10 year: -6.40		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	119.70	4730.57	0.00
2/3/2006	120.50	4729.77	-0.80
2/27/2007	119.60	4730.67	0.90
1/20/2008	119.60	4730.67	0.00
1/2/2009	121.20	4729.07	-1.60
2/1/2010	120.90	4729.37	0.30
2/7/2011	120.70	4729.57	0.20
1/28/2012	120.70	4729.57	0.00
3/4/2013	125.70	4724.57	-5.00
1/10/2014	125.50	4724.77	0.20
2/8/2015	126.10	4724.17	-0.60

All Historic Measurements




Well Name:	COLLIE, LUELLA M.			Owner:			
Permit #:	- -	Location #:	SC00605330DBD	USGS Site ID:	392951103215601		
Division:	1	Water District:	65	County:	LINCOLN		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NW SE 30	6 S	53 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4373158.3	Easting (UTM x):	640546.0	GPS		
Latitude/Longitude (decimal degrees):		39.496563		-103.365469			
Surface Elevation (ft):	5182.48	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):		Bottom Perforated Interval (ft):			1 year: -1.20		
Aquifer(s):					5 year:		
					10 year: -8.75		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	151.10	5031.38	-0.05
2/3/2006	149.35	5033.13	1.75
12/15/2006	152.15	5030.33	-2.80
1/20/2008	151.55	5030.93	0.60
1/1/2009	152.35	5030.13	-0.80
1/1/2010			
2/7/2011	152.65	5029.83	
1/28/2012	153.25	5029.23	-0.60
3/4/2013	158.85	5023.63	-5.60
1/10/2014	158.65	5023.83	0.20
2/8/2015	159.85	5022.63	-1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: COLORADO BOARD OF LAND COMM

Owner:

Permit #: 282562 - - **Location #:** SC00605336DDC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** LINCOLN

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SE SW 36 6 S 53 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4371223.0 Easting (UTM x): 648750.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.477752 -103.270529

Surface Elevation (ft): 5082 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -5.80
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	154.20	4927.80	
2/7/2011	154.40	4927.60	-0.20
1/28/2012	154.40	4927.60	0.00
3/4/2013	160.20	4921.80	-5.80
1/10/2014	158.50	4923.50	1.70
2/8/2015	160.00	4922.00	-1.50

All Historic Measurements



Well Name: NORBYE, OLAF M.

Owner: NORBYE KAREN

Permit #: 23231 - - **Location #:** SC00605530ADC

USGS Site ID: 392953103351401

Division: 1 **Water District:** 65 **County:** LINCOLN

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE SE SW 30 6 S 55 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4373119.0 Easting (UTM x): 621492.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.499112 -103.587003

Surface Elevation (ft): 5505.72 **Top Perforated Interval (ft):** 129 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 135 **Bottom Perforated Interval (ft):** 135 **1 year:** -0.80
Aquifer(s): **5 year:** -7.40
10 year: -14.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	121.30	5384.42	0.20
2/3/2006	122.40	5383.32	-1.10
12/15/2006	126.60	5379.12	-4.20
1/20/2008	127.10	5378.62	-0.50
1/1/2009	125.80	5379.92	1.30
2/5/2010	128.00	5377.72	-2.20
2/6/2011	126.90	5378.82	1.10
1/28/2012	127.40	5378.32	-0.50
3/4/2013	135.40	5370.32	-8.00
1/10/2014	134.60	5371.12	0.80
2/8/2015	135.40	5370.32	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: NORBYE, P.J.

Owner:

Permit #: - -

Location #: SC00605624CCB

USGS Site ID: 393040103371000


Division: 1 **Water District:** 1 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 24 6 S 56 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4374004.1 Easting (UTM x): 618621.0 User supplied
Latitude/Longitude (decimal degrees): 39.507486 -103.620227

Surface Elevation (ft): 5517.93 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 98 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	92.20	5425.73	-0.10
2/7/2006			
12/15/2006			
1/20/2008			

All Historic Measurements



Well Name: DEMMITT, Q.

Owner:

Permit #: - -

Location #: SC00704822DAD

USGS Site ID: 392530102444000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE SE 22 7 S 48 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4366125.3 Easting (UTM x): 694328.2 User supplied
Latitude/Longitude (decimal degrees): 39.422769 -102.742429

Surface Elevation (ft): 4498.77 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 259 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	254.10	4244.67	-0.10
2/3/2006			
2/23/2007			
1/20/2008			

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	MCCAFFREY, FRANCIS			Owner:	MCCAFFREY FRANCIS		
Permit #:	48605 -		Location #:	SC00704827DD	USGS Site ID:		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SE	27	7 S	48 W S		From N/S line: 140 S From E/W line: 225 E	
UTM Coordinates (NAD83):	Northing (UTM y)		4364037.0	Easting (UTM x):		694305.0	GPS
Latitude/Longitude (decimal degrees):			39.403971			-102.743305	
Surface Elevation (ft):	4406	Top Perforated Interval (ft):	162	Base of grout (ft):	Water Level Change		
Well depth (ft):	182	Bottom Perforated Interval (ft):	182	1 year: -0.40			
Aquifer(s):	OGALLALA			5 year: -4.00			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/23/2007	158.30	4247.70	
1/20/2008	158.90	4247.10	-0.60
1/1/2009	158.90	4247.10	0.00
2/1/2010	159.60	4246.40	-0.70
2/6/2011	160.20	4245.80	-0.60
1/26/2012	159.80	4246.20	0.40
3/4/2013	163.00	4243.00	-3.20
2/24/2014	163.20	4242.80	-0.20
2/8/2015	163.60	4242.40	-0.40

All Historic Measurements




Well Name:	BENSON, EWELL & AUDREY			Owner:			
Permit #:	15971 - FP -	Location #:	SC00705115AAB	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NE NW	15	7 S	51 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4368099.0	Easting (UTM x):		664791.0	GPS
Latitude/Longitude (decimal degrees):			39.446696			-103.084889	
Surface Elevation (ft):	4872	Top Perforated Interval (ft):	159	Base of grout (ft):	Water Level Change		
Well depth (ft):	189	Bottom Perforated Interval (ft):	189	1 year: -1.20			
Aquifer(s):	OGALLALA			5 year: -4.10			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	146.50	4725.50	
2/7/2011	146.70	4725.30	-0.20
1/26/2012	146.20	4725.80	0.50
3/4/2013	150.20	4721.80	-4.00
1/10/2014	149.40	4722.60	0.80
2/8/2015	150.60	4721.40	-1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: BENSON, STEVE

Owner: BENSON EWELL & AUDREY

Permit #: 10049 - FP -

Location #: SC00705115BBD

USGS Site ID: 392640103054000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW SE 15 7 S 51 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4367921.5 Easting (UTM x): 663905.8 User supplied

Latitude/Longitude (decimal degrees): 39.445266 -103.095215

Surface Elevation (ft): 4887.23 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 184 **Bottom Perforated Interval (ft):** 184

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2005	144.90	4742.33	0.20
2/3/2006	146.90	4740.33	-2.00
12/15/2006	146.60	4740.63	0.30
1/20/2008	145.20	4742.03	1.40
1/1/2009	146.40	4740.83	-1.20

All Historic Measurements



Well Name: CORYELE, W.B.

Owner: MCCORMICK KENNETH J & DANIEL J

Permit #: 15427 - R -

Location #: SC00705227BAC

USGS Site ID: 392500103121701

Division: 1 **Water District:** 65 **County:** LINCOLN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE SW 27 7 S 52 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4364562.0 Easting (UTM x): 654497.0 GPS

Latitude/Longitude (decimal degrees): 39.416749 -103.205281

Surface Elevation (ft): 5052.3 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 260 **Bottom Perforated Interval (ft):**

Aquifer(s):

1 year: -0.40


5 year: -4.00

10 year: -6.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	166.40	4885.90	0.70
2/3/2006	169.10	4883.20	-2.70
12/15/2006	168.60	4883.70	0.50
1/20/2008	168.90	4883.40	-0.30
1/1/2009	169.30	4883.00	-0.40
2/5/2010	168.70	4883.60	0.60
2/7/2011	168.20	4884.10	0.50
1/28/2012	168.90	4883.40	-0.70
3/4/2013	172.10	4880.20	-3.20
1/10/2014	172.30	4880.00	-0.20
2/8/2015	172.70	4879.60	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **BEEDY, RAYMOND**

Owner:

Permit #: 37055 - FP - **Location #:** SC00705318DDD **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SE 18 7 S 53 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4366169.0 Easting (UTM x): 641065.0 *GPS*
Latitude/Longitude (decimal degrees): 39.433525 -103.360913

Surface Elevation (ft): 5190 **Top Perforated Interval (ft):** 113 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 146 **Bottom Perforated Interval (ft):** 145 **1 year:** 0.00
Aquifer(s): OGALLALA **5 year:** -2.90
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	135.10	5054.90	
2/7/2011	135.20	5054.80	-0.10
1/30/2012	135.00	5055.00	0.20
3/4/2013	139.00	5051.00	-4.00
1/10/2014	138.00	5052.00	1.00
2/8/2015	138.00	5052.00	0.00

All Historic Measurements



Well Name: **COLLIE, LUELLA M.**

Owner: COLLIE LUELLA M

Permit #: 76267 - - **Location #:** SC00705320CBD2 **USGS Site ID:** 392522103212201


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SE 20 7 S 53 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4364981.5 Easting (UTM x): 641457.2 *User supplied*
Latitude/Longitude (decimal degrees): 39.422765 -103.356609

Surface Elevation (ft): 5221.47 **Top Perforated Interval (ft):** 155 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 170 **Bottom Perforated Interval (ft):** 170 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2005	130.07	5091.40	0.90
2/3/2006	132.87	5088.60	-2.80
12/15/2006	133.17	5088.30	-0.30
1/20/2008	133.77	5087.70	-0.60
1/20/2009	133.77	5087.70	0.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	ANDERSEN, CARLOS			Owner:	ANDERSON CARLOS		
Permit #:	31967 -	-	Location #:	SC00705415BAA	USGS Site ID:	392652103253701	
Division:	1	Water District:	65	County:	LINCOLN		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NE NE	15	7 S	54 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4367643.0	Easting (UTM x):		635301.0 GPS	
Latitude/Longitude (decimal degrees):			39.447727			-103.427564	
Surface Elevation (ft):	5274.55	Top Perforated Interval (ft):	110	Base of grout (ft):	Water Level Change		
Well depth (ft):	130	Bottom Perforated Interval (ft):	130	1 year: 0.00			
Aquifer(s):	OGALLALA			5 year: 3.40			
				10 year: 2.20			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	102.60	5171.95	0.20
2/3/2006	103.80	5170.75	-1.20
12/15/2006	103.70	5170.85	0.10
1/20/2008	103.80	5170.75	-0.10
1/1/2009	102.00	5172.55	1.80
2/5/2010	103.80	5170.75	-1.80
2/7/2011	100.90	5173.65	2.90
1/28/2012	100.10	5174.45	0.80
3/4/2013	100.90	5173.65	-0.80
1/10/2014	100.40	5174.15	0.50
2/8/2015	100.40	5174.15	0.00

All Historic Measurements




Well Name:	ROHRBAUGH, EDWARD			Owner:	EDWARD ROHRBAUGH		
Permit #:	-	-	Location #:	SC00705514DCC	USGS Site ID:		
Division:	1	Water District:	65	County:	LINCOLN		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SW SW	14	7 S	55 W S		From N/S line: 400 S From E/W line: 2510 E	
UTM Coordinates (NAD83):	Northing (UTM y)		4365957.0	Easting (UTM x):		627554.0 GPS	
Latitude/Longitude (decimal degrees):			39.433722			-103.517891	
Surface Elevation (ft):	5428	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):		Bottom Perforated Interval (ft):		1 year: 0.20			
Aquifer(s):	OGALLALA			5 year: -1.50			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2006	105.40	5322.60	
1/20/2008	104.30	5323.70	1.10
1/1/2009	104.00	5324.00	0.30
2/5/2010	104.50	5323.50	-0.50
2/7/2011	104.20	5323.80	0.30
1/28/2012	104.40	5323.60	-0.20
3/4/2013	104.80	5323.20	-0.40
1/10/2014	106.20	5321.80	-1.40
2/8/2015	106.00	5322.00	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: ROHRBAUGH, EDWARD

Owner:

Permit #: - -

Location #: SC00705523ABB

USGS Site ID: 392540103310000

Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 23 7 S 55 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4356448.5 Easting (UTM x): 627748.4 User supplied
Latitude/Longitude (decimal degrees): 39.348043 -103.517447


Surface Elevation (ft): 5428.85 **Top Perforated Interval (ft):** 110 **Base of grout (ft):**
Well depth (ft): 111 **Bottom Perforated Interval (ft):** 130
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	94.50	5334.35	-0.10
2/3/2006	95.00	5333.85	-0.50
12/15/2006			
1/20/2008			
1/1/2009			

All Historic Measurements



Well Name: REID, DAVID

Owner: DAVID REID

Permit #: - -

Location #: SC00804917CCB

USGS Site ID: 392050102543000

Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 17 8 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4357370.0 Easting (UTM x): 680045.0 GPS
Latitude/Longitude (decimal degrees): 39.347031 -102.910607


Surface Elevation (ft): 4567.1 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 18 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: 0.50
5 year: -2.20
10 year: 3.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	13.80	4553.30	-2.10
2/5/2006	12.30	4554.80	1.50
12/15/2006	12.70	4554.40	-0.40
1/20/2008	12.50	4554.60	0.20
1/1/2009	10.60	4556.50	1.90
2/1/2010	8.00	4559.10	2.60
2/7/2011	8.50	4558.60	-0.50
1/28/2012	8.10	4559.00	0.40
3/4/2013	10.70	4556.40	-2.60
1/10/2014	10.70	4556.40	0.00
2/8/2015	10.20	4556.90	0.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	CONRAD, RALPH			Owner:	CONRAD RALPH A		
Permit #:	15380 - F -	Location #:	SC00805110ABB	USGS Site ID:	392230103052000		
Division:	1	Water District:	65	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW NW 10	8 S	51 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4360093.0	Easting (UTM x):	664568.0	GPS		
Latitude/Longitude (decimal degrees):		39.374639		-103.089449			
Surface Elevation (ft):	4875.23	Top Perforated Interval (ft):	32	Base of grout (ft):	Water Level Change		
Well depth (ft):	74	Bottom Perforated Interval (ft):	72		1 year: 0.60		
Aquifer(s):	OGALLALA				5 year: 0.60		
					10 year: 1.20		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2005	42.50	4832.73	-1.40
2/3/2006	41.20	4834.03	1.30
12/15/2006	41.80	4833.43	-0.60
1/20/2008	41.10	4834.13	0.70
1/1/2009	41.10	4834.13	0.00
2/1/2010	41.90	4833.33	-0.80
2/7/2011	40.10	4835.13	1.80
1/28/2012	40.50	4834.73	-0.40
3/4/2013	42.40	4832.83	-1.90
1/10/2014	41.90	4833.33	0.50
2/8/2015	41.30	4833.93	0.60

All Historic Measurements




Well Name:	HEGER, CAROLYN K.			Owner:	HEGER CAROLYN KAY		
Permit #:	12921 - F -	Location #:	SC00805224CCB	USGS Site ID:	392004103102301		
Division:	1	Water District:	65	County:	LINCOLN		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW NW 24	8 S	52 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4355457.0	Easting (UTM x):	657406.0	GPS		
Latitude/Longitude (decimal degrees):		39.334221		-103.173644			
Surface Elevation (ft):	5045	Top Perforated Interval (ft):	60	Base of grout (ft):	Water Level Change		
Well depth (ft):	110	Bottom Perforated Interval (ft):	110		1 year: 0.40		
Aquifer(s):	OGALLALA				5 year: 0.90		
					10 year: 3.30		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	67.40	4977.60	1.00
2/3/2006	66.30	4978.70	1.10
12/15/2006	66.70	4978.30	-0.40
1/20/2008	66.10	4978.90	0.60
1/1/2009	66.20	4978.80	-0.10
2/5/2010	65.00	4980.00	1.20
2/7/2011	65.50	4979.50	-0.50
1/30/2012	65.00	4980.00	0.50
3/4/2013	64.50	4980.50	0.50
1/10/2014	64.50	4980.50	0.00
2/8/2015	64.10	4980.90	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: LILES, THELMA

Owner:

Permit #: - -

Location #: SC00805230DCA

USGS Site ID: 391910103152000


Division: 1 **Water District:** 49 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE SW NE 30 8 S 52 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4353817.0 Easting (UTM x): 650552.0 GPS
Latitude/Longitude (decimal degrees): 39.320671 -103.253502

Surface Elevation (ft): 5160.68 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 75 **Bottom Perforated Interval (ft):** **1 year:** 0.40
Aquifer(s): **5 year:** -0.20
10 year: 6.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	67.00	5093.68	0.30
2/3/2006	63.10	5097.58	3.90
12/15/2006	53.30	5107.38	9.80
1/20/2008	62.50	5098.18	-9.20
1/1/2009	61.00	5099.68	1.50
2/5/2010	59.90	5100.78	1.10
2/7/2011	60.50	5100.18	-0.60
1/30/2012	60.50	5100.18	0.00
3/4/2013	59.90	5100.78	0.60
1/10/2014	60.50	5100.18	-0.60
2/8/2015	60.10	5100.58	0.40

All Historic Measurements



Well Name: BORDERS, RICHARD

Owner: RICHARD BORDERS

Permit #: - -

Location #: SC00805435AAD

USGS Site ID: 391850103240000


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE SE 35 8 S 54 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4352808.0 Easting (UTM x): 638052.0 GPS
Latitude/Longitude (decimal degrees): 39.313668 -103.398661

Surface Elevation (ft): 5392.95 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 77 **Bottom Perforated Interval (ft):** **1 year:** 0.30
Aquifer(s): **5 year:** -1.00
10 year: -0.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	71.60	5321.35	-0.30
2/3/2006	71.70	5321.25	-0.10
12/15/2006	72.10	5320.85	-0.40
1/20/2008	72.60	5320.35	-0.50
1/1/2009	70.80	5322.15	1.80
2/5/2010	70.80	5322.15	0.00
2/7/2011	70.30	5322.65	0.50
1/30/2012	70.50	5322.45	-0.20
3/4/2013	71.10	5321.85	-0.60
1/10/2014	72.10	5320.85	-1.00
2/8/2015	71.80	5321.15	0.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	ANDERSEN, LU GALE			Owner:	RATLIFF, GENE		
Permit #:	20730 -	-	Location #:	SC00805507DDA	USGS Site ID:	392148103350401	
Division:	1	Water District:	65	County:	LINCOLN		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SE NE	7	8 S	55 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4358064.0	Easting (UTM x):		621893.0 GPS	
Latitude/Longitude (decimal degrees):			39.363441			-103.585087	
Surface Elevation (ft):	5610.72	Top Perforated Interval (ft):	60	Base of grout (ft):	Water Level Change		
Well depth (ft):	102	Bottom Perforated Interval (ft):	80	1 year: 0.60			
Aquifer(s):	OGALLALA			5 year: -0.40			
				10 year: -1.50			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	71.60	5539.12	-0.90
2/3/2006	70.70	5540.02	0.90
12/15/2006	71.90	5538.82	-1.20
1/20/2008	72.30	5538.42	-0.40
1/1/2009	71.90	5538.82	0.40
2/5/2010	72.70	5538.02	-0.80
2/7/2011	72.90	5537.82	-0.20
1/30/2012	72.50	5538.22	0.40
3/4/2013	72.70	5538.02	-0.20
1/10/2014	73.70	5537.02	-1.00
2/8/2015	73.10	5537.62	0.60

All Historic Measurements




Well Name:	UNKNOWN			Owner:			
Permit #:	-	-	Location #:	SC00805529DD	USGS Site ID:		
Division:	1	Water District:	65	County:	LINCOLN		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SE	29	8 S	55 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4352892.0	Easting (UTM x):		623588.0 GPS	
Latitude/Longitude (decimal degrees):			39.316611			-103.566369	
Surface Elevation (ft):	5588	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):		Bottom Perforated Interval (ft):		1 year: 0.40			
Aquifer(s):				5 year: 1.90			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	10.50	5577.50	
2/7/2011	9.10	5578.90	1.40
1/30/2012	8.40	5579.60	0.70
3/4/2013	8.60	5579.40	-0.20
1/10/2014	9.00	5579.00	-0.40
2/8/2015	8.60	5579.40	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	GRIMES, J.S.	Owner:	GRIMES F S
Permit #:	14787 - -	Location #:	SC00905035BC
		USGS Site ID:	391317102575901
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW 35	9 S	50 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4343311.0	Easting (UTM x): 675508.0 GPS
Latitude/Longitude (decimal degrees):		39.221360	-102.966892
Surface Elevation (ft):	4789.18	Top Perforated Interval (ft):	61
		Base of grout (ft):	
Well depth (ft):	78	Bottom Perforated Interval (ft):	87
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.10
5 year: 0.50
10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	63.00	4726.18	0.10
2/5/2006	63.00	4726.18	0.00
12/15/2006	65.70	4723.48	-2.70
1/20/2008	65.70	4723.48	0.00
1/1/2009	66.30	4722.88	-0.60
2/1/2010	67.50	4721.68	-1.20
2/6/2011	66.70	4722.48	0.80
1/30/2012	67.10	4722.08	-0.40
3/4/2013	67.50	4721.68	-0.40
1/10/2014	67.10	4722.08	0.40
2/8/2015	67.00	4722.18	0.10

All Historic Measurements




Well Name:	EDER, GEORGE	Owner:	EDER GEO
Permit #:	11726 - -	Location #:	SC00905214CCC
		USGS Site ID:	391540103113000
Division:	1	Water District:	49
		County:	LINCOLN
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW SW 14	9 S	52 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4347202.0	Easting (UTM x): 656089.0 GPS
Latitude/Longitude (decimal degrees):		39.260112	-103.190833
Surface Elevation (ft):	5152.2	Top Perforated Interval (ft):	57
		Base of grout (ft):	
Well depth (ft):	75	Bottom Perforated Interval (ft):	75
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.60
5 year: -0.20
10 year: 0.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	68.50	5083.70	-0.50
2/3/2006	68.20	5084.00	0.30
12/15/2006	68.20	5084.00	0.00
1/20/2008	67.60	5084.60	0.60
1/1/2009	67.40	5084.80	0.20
2/5/2010	68.00	5084.20	-0.60
2/7/2011	68.20	5084.00	-0.20
1/30/2012	68.00	5084.20	0.20
3/4/2013	69.00	5083.20	-1.00
1/10/2014	68.80	5083.40	0.20
2/8/2015	68.20	5084.00	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SITTON, STACEY

Owner: STACEY SITTON

Permit #: - -

Location #: SC00905413DDD1

USGS Site ID: 391533103224401


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SE 13 9 S 54 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4346814.0 Easting (UTM x): 639838.0 GPS
Latitude/Longitude (decimal degrees): 39.259391 -103.379198

Surface Elevation (ft): 5422.53 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 89 **Bottom Perforated Interval (ft):** **1 year:** 0.60
Aquifer(s): **5 year:** -0.80
10 year: -2.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	71.00	5351.53	0.40
2/3/2006	71.50	5351.03	-0.50
12/15/2006	72.10	5350.43	-0.60
1/20/2008	72.30	5350.23	-0.20
1/1/2009	72.40	5350.13	-0.10
2/5/2010	72.50	5350.03	-0.10
2/7/2011	72.50	5350.03	0.00
1/30/2012	72.30	5350.23	0.20
3/4/2013	73.30	5349.23	-1.00
1/10/2014	73.90	5348.63	-0.60
2/8/2015	73.30	5349.23	0.60

All Historic Measurements



Well Name: TOWN OF GENOA

Owner:

Permit #: - -

Location #: SC00905501DDC

USGS Site ID: 391717103294001


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SW 1 9 S 55 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4349786.0 Easting (UTM x): 629799.0 GPS
Latitude/Longitude (decimal degrees): 39.287724 -103.494944

Surface Elevation (ft): 5572.62 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 80 **Bottom Perforated Interval (ft):** **1 year:** 0.00
Aquifer(s): **5 year:** -0.30
10 year: -0.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	59.00	5513.62	-0.10
2/3/2006	58.90	5513.72	0.10
12/15/2006	58.90	5513.72	0.00
1/20/2008	59.00	5513.62	-0.10
1/1/2009	57.00	5515.62	2.00
2/5/2010	59.20	5513.42	-2.20
2/7/2011	59.00	5513.62	0.20
1/30/2012	58.60	5514.02	0.40
3/4/2013	59.00	5513.62	-0.40
1/10/2014	59.50	5513.12	-0.50
2/8/2015	59.50	5513.12	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: LUFT, GEORGE

Owner:

Permit #: 37988 - -

Location #: SC01005302CCC1

USGS Site ID: 391203103181501

Division: 1 **Water District:** 49 **County:** LINCOLN

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW SW SW 2 10 S 53 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4340431.6 Easting (UTM x): 646390.7 User supplied

Latitude/Longitude (decimal degrees): 39.200823 -103.304663

Surface Elevation (ft): 5317.42 **Top Perforated Interval (ft):** 38 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 55 **Bottom Perforated Interval (ft):** 58

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	32.70	5284.72	0.00
2/3/2006	32.70	5284.72	0.00
12/15/2006	33.00	5284.42	-0.30
1/20/2008	33.00	5284.42	0.00
1/1/2009			

All Historic Measurements



Well Name: LANGENDOERFER, E.

Owner: BAR T RANCH A LTD PARTNERSHIP

Permit #: 7006 - R -

Location #: SC5.504536DCB

USGS Site ID: 393405102213600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SW NW 36 5 H S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4383429.0 Easting (UTM x): 726744.0 GPS

Latitude/Longitude (decimal degrees): 39.570605 -102.360303

Surface Elevation (ft): 3831.68 **Top Perforated Interval (ft):** 50 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 90 **Bottom Perforated Interval (ft):** 90

Aquifer(s): OGALLALA

1 year: -0.20


5 year: -2.50

10 year: 4.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2006	19.00	3812.68	2.00
1/26/2007	19.20	3812.48	-0.20
1/19/2008	19.20	3812.48	0.00
1/3/2009	19.40	3812.28	-0.20
1/12/2010	14.20	3817.48	5.20
2/7/2011	17.00	3814.68	-2.80
1/30/2012	16.50	3815.18	0.50
3/4/2013	16.70	3814.98	-0.20
1/10/2014	16.50	3815.18	0.20
2/8/2015	16.70	3814.98	-0.20

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Plains Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK


**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	MCDONALD JOINT VENTURE			Owner:	MCDONALD C VERLAN		
Permit #:	14178 - FP -	Location #:	SC00504418AD	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SE	18	5 S	44 W S		From N/S line: 2600 N From E/W line: 1200 E	
UTM Coordinates (NAD83):	Northing (UTM y)		Easting (UTM x):		Unable to spot		
Latitude/Longitude (decimal degrees):							
Surface Elevation (ft):	4051	Top Perforated Interval (ft):	195	Base of grout (ft):	Water Level Change		
Well depth (ft):	322	Bottom Perforated Interval (ft):	322	1 year: 0.40			
Aquifer(s):	OGALLALA			5 year: 8.50			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	228.40	3822.60	
4/10/2009	223.85	3827.15	4.55
2/1/2010	218.40	3832.60	5.45
1/5/2011	210.00	3841.00	8.40
2/24/2012	206.30	3844.70	3.70
2/12/2013	213.80	3837.20	-7.50
1/15/2014	210.30	3840.70	3.50
2/7/2015	209.90	3841.10	0.40

All Historic Measurements




Well Name:	JOHNSON, D.R. & K.M.			Owner:	CODY WILLIAM J & KANE		
Permit #:	20439 - RFP -	Location #:	SC00604216DCB	USGS Site ID:	393107102055000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SW NW	16	6 S	42 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4378229.7	Easting (UTM x):		749519.9 User supplied	
Latitude/Longitude (decimal degrees):	39.517495			-102.097408			
Surface Elevation (ft):	3899.58	Top Perforated Interval (ft):	188	Base of grout (ft):	Water Level Change		
Well depth (ft):	313	Bottom Perforated Interval (ft):	313	1 year: 4.90			
Aquifer(s):	OGALLALA			5 year: -6.25			
				10 year: -17.77			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	223.70	3675.88	0.13
4/2/2007	226.51	3673.07	-2.81
2/7/2008	229.74	3669.84	-3.23
4/10/2009	230.50	3669.08	-0.76
2/12/2010	235.35	3664.23	-4.85
2/4/2011	228.40	3671.18	6.95
2/25/2012	227.60	3671.98	0.80
2/8/2013	256.80	3642.78	-29.20
1/15/2014	246.50	3653.08	10.30
2/7/2015	241.60	3657.98	4.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: FORTMEYER, JOHN L. **Owner:** FORTMEYER JOHN L
Permit #: 12962 - FP - **Location #:** SC00604220ACD **USGS Site ID:** 393034102064800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW SE 20 6 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4377279.0 Easting (UTM x): 748067.0 GPS
Latitude/Longitude (decimal degrees): 39.509360 -102.114644

Surface Elevation (ft): 3912.58 **Top Perforated Interval (ft):** 206 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 306 **Bottom Perforated Interval (ft):** 306 **1 year:** 6.00
Aquifer(s): OGALLALA **5 year:** -8.19
10 year: -16.29

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	215.67	3696.91	-0.56
4/2/2007	216.07	3696.51	-0.40
2/28/2008	218.99	3693.59	-2.92
4/10/2009	220.27	3692.31	-1.28
2/12/2010	223.21	3689.37	-2.94
2/4/2011	219.10	3693.48	4.11
2/25/2012	217.40	3695.18	1.70
2/8/2013	236.90	3675.68	-19.50
1/15/2014	237.40	3675.18	-0.50
2/7/2015	231.40	3681.18	6.00

All Historic Measurements



Well Name: FORTMEYER, KEITH **Owner:** FORTMEYER JOHN L & FAYRENE
Permit #: 20438 - RFP - **Location #:** SC00604223BDD **USGS Site ID:** 393031102034800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SE SE 23 6 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4377336.7 Easting (UTM x): 752442.2 User supplied
Latitude/Longitude (decimal degrees): 39.508606 -102.063795

Surface Elevation (ft): 3846.58 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 280 **Bottom Perforated Interval (ft):** 285 **1 year:** 2.70
Aquifer(s): OGALLALA **5 year:** -10.50
10 year: -12.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	182.14	3664.44	-0.64
4/2/2007	184.52	3662.06	-2.38
2/27/2008	185.93	3660.65	-1.41
1/1/2009			
2/12/2010	183.10	3663.48	
2/4/2011	180.50	3666.08	2.60
2/25/2012	179.10	3667.48	1.40
2/8/2013	196.40	3650.18	-17.30
1/15/2014	196.30	3650.28	0.10
2/7/2015	193.60	3652.98	2.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	SALL, MELVIN A.			Owner:	FORTMEYER JOHN L & FAYRENE		
Permit #:	4878 - FP -	Location #:	SC00604227DCB	USGS Site ID:	392922102045000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE SW NW 27	6 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4375131.7	Easting (UTM x):	751078.9	User supplied		
Latitude/Longitude (decimal degrees):		39.489162		-102.080463			
Surface Elevation (ft):	3899.59	Top Perforated Interval (ft):	182	Base of grout (ft):	Water Level Change		
Well depth (ft):	312	Bottom Perforated Interval (ft):	312		1 year: 0.40		
Aquifer(s):	OGALLALA				5 year: -10.94		
					10 year: -17.77		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	214.88	3684.71	-0.65
4/2/2007	222.30	3677.29	-7.42
2/7/2008	225.41	3674.18	-3.11
1/1/2009			
2/12/2010	221.06	3678.53	
2/4/2011	222.20	3677.39	-1.14
2/25/2012	223.40	3676.19	-1.20
2/8/2013	242.80	3656.79	-19.40
1/15/2014	232.40	3667.19	10.40
2/7/2015	232.00	3667.59	0.40

All Historic Measurements




Well Name:	RHOADES, LOLA			Owner:			
Permit #:	4764 - FP -	Location #:	SC00604228BBC	USGS Site ID:	392957102063000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW SW 28	6 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4376163.0	Easting (UTM x):	748606.1	User supplied		
Latitude/Longitude (decimal degrees):		39.499161		-102.108797			
Surface Elevation (ft):	3910.59	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	310	Bottom Perforated Interval (ft):			1 year:		
Aquifer(s):					5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	218.32	3692.27	-4.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	PIZEL, ALLEN	Owner:	PIZEL ALLEN D
Permit #:	11295 - FP -	Location #:	SC00604233CCC
		USGS Site ID:	392821102063200
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW SW 33	6 S	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4373201.3	Easting (UTM x): 748653.4 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.472495		-102.109352
Surface Elevation (ft):	3934.59	Top Perforated Interval (ft):	200
		Base of grout (ft):	
Well depth (ft):	321	Bottom Perforated Interval (ft):	321
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 6.50
5 year: -20.66
10 year: -33.27

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	220.05	3714.54	-1.72
4/2/2007	224.41	3710.18	-4.36
2/7/2008	227.69	3706.90	-3.28
1/1/2009			
2/12/2010	230.94	3703.65	
2/4/2011	231.80	3702.79	-0.86
2/16/2012	233.10	3701.49	-1.30
2/8/2013	256.00	3678.59	-22.90
1/15/2014	258.10	3676.49	-2.10
2/7/2015	251.60	3682.99	6.50

All Historic Measurements




Well Name:	GERGEN. ROSE TRUST	Owner:	GERGEN ROSE MARY TRUST
Permit #:	6387 - FP -	Location #:	SC00604235CAB
		USGS Site ID:	392843102040200
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NE NW 35	6 S	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4373995.6	Easting (UTM x): 752216.2 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.478606		-102.067684
Surface Elevation (ft):	3896.59	Top Perforated Interval (ft):	245
		Base of grout (ft):	
Well depth (ft):	325	Bottom Perforated Interval (ft):	325
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -9.50
5 year: -18.90
10 year: -33.88

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	219.46	3677.13	-0.94
4/4/2007	225.27	3671.32	-5.81
2/7/2008	228.79	3667.80	-3.52
1/1/2009			
2/12/2010	233.50	3663.09	
2/4/2011	236.40	3660.19	-2.90
2/25/2012	237.60	3658.99	-1.20
3/12/2013	241.60	3654.99	-4.00
1/15/2014	242.90	3653.69	-1.30
2/7/2015	252.40	3644.19	-9.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: PAUL PARMER

Owner: STANDLEY JUDY ELLEN

Permit #: 20752 - FP -

Location #: SC00604310BB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 10 6 S 43 W S From N/S line: 900 N From E/W line: 50 W
UTM Coordinates (NAD83): Northing (UTM y) 4380767.0 Easting (UTM x): 740489.7 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.542904 -102.201417


Surface Elevation (ft): 3897 **Top Perforated Interval (ft):** 175 **Base of grout (ft):**
Well depth (ft): 265 **Bottom Perforated Interval (ft):** 265
Aquifer(s): OGALLALA

Water Level Change
1 year: 11.75
5 year: -8.45
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	210.92	3686.08	
1/1/2009			
2/12/2010	200.75	3696.25	
2/4/2011	197.25	3699.75	3.50
2/16/2012	197.55	3699.45	-0.30
2/6/2013	221.45	3675.55	-23.90
2/28/2014	220.95	3676.05	0.50
2/7/2015	209.20	3687.80	11.75

All Historic Measurements



Well Name: OCHSNER, HARVEY

Owner: OCHSNER HARVEY

Permit #: 14175 - FP -

Location #: SC00604319AC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW 19 6 S 43 W S From N/S line: 2620 N From E/W line: 2625 E
UTM Coordinates (NAD83): Northing (UTM y) 4376958.5 Easting (UTM x): 736529.0 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.509728 -102.248811


Surface Elevation (ft): 4002 **Top Perforated Interval (ft):** 270 **Base of grout (ft):**
Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310
Aquifer(s): OGALLALA

Water Level Change
1 year: -3.60
5 year: -15.90
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	206.98	3795.02	
1/1/2009			
2/12/2010	209.60	3792.40	
2/4/2011	214.30	3787.70	-4.70
2/16/2012	215.80	3786.20	-1.50
2/12/2013	221.20	3780.80	-5.40
2/28/2014	221.90	3780.10	-0.70
2/7/2015	225.50	3776.50	-3.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: HARVEY OCHSNER

Owner: HARVEY OCHSNER

Permit #: 3158 - FP - **Location #:** SC00604319BB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW 19 6 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4377501.0 Easting (UTM x): 735839.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.514800 -102.256636

Surface Elevation (ft): 4014 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**


Well depth (ft): 320 **Bottom Perforated Interval (ft):** **1 year:** 1.30

Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/28/2012	177.20	3836.80	
2/12/2013	184.30	3829.70	-7.10
2/28/2014	186.20	3827.80	-1.90
2/7/2015	184.90	3829.10	1.30

All Historic Measurements



Well Name: KREOGER, WILLIAM

Owner: KREOGER WILLIAM C

Permit #: 3127 - FP - **Location #:** SC00604320CBB

USGS Site ID: 393028102141600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 20 6 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4376766.3 Easting (UTM x): 737348.5 [User supplied](#)

Latitude/Longitude (decimal degrees): 39.507772 -102.239358

Surface Elevation (ft): 3997.62 **Top Perforated Interval (ft):** 223 **Base of grout (ft):** **Water Level Change**


Well depth (ft): 305 **Bottom Perforated Interval (ft):** 303 **1 year:** -3.40

Aquifer(s): OGALLALA **5 year:** -9.20
10 year: -10.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	213.46	3784.16	0.24
4/1/2007	217.55	3780.07	-4.09
2/7/2008	220.99	3776.63	-3.44
1/1/2009			
2/12/2010	215.10	3782.52	
2/4/2011	213.70	3783.92	1.40
2/16/2012	217.70	3779.92	-4.00
2/12/2013	220.10	3777.52	-2.40
2/28/2014	220.90	3776.72	-0.80
2/7/2015	224.30	3773.32	-3.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BEN F PARMER			Owner:	JAMES M TERRY		
Permit #:	10310 - FP -	Location #:	SC00604334CB	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW NW	34	6 S	43 W S		From N/S line: 2070 S From E/W line: 42 W	
UTM Coordinates (NAD83):	Northing (UTM y)	4373646.0	Easting (UTM x):	740601.0	<i>Spotted from section lines</i>		
Latitude/Longitude (decimal degrees):	39.478786		-102.202697				
Surface Elevation (ft):	3993	Top Perforated Interval (ft):	215	Base of grout (ft):	Water Level Change		
Well depth (ft):	305	Bottom Perforated Interval (ft):	305	1 year: -0.60			
Aquifer(s):	OGALLALA			5 year: -22.70			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	205.45	3787.55	
1/1/2009			
2/12/2010	199.70	3793.30	
2/4/2011	214.30	3778.70	-14.60
2/16/2012	219.40	3773.60	-5.10
2/6/2013	237.40	3755.60	-18.00
1/13/2014	221.80	3771.20	15.60
2/7/2015	222.40	3770.60	-0.60

All Historic Measurements




Well Name:	DALE MANGUS			Owner:	MANGUS DALE & SHIRLEY		
Permit #:	3617 - FP -	Location #:	SC00604429AB	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NW	29	6 S	44 W S		From N/S line: 1100 N From E/W line: 2500 E	
UTM Coordinates (NAD83):	Northing (UTM y)	4375751.0	Easting (UTM x):	728559.4	<i>Spotted from section lines</i>		
Latitude/Longitude (decimal degrees):	39.501015		-102.341829				
Surface Elevation (ft):	4021	Top Perforated Interval (ft):	181	Base of grout (ft):	Water Level Change		
Well depth (ft):	261	Bottom Perforated Interval (ft):	261	1 year: 1.30			
Aquifer(s):	OGALLALA			5 year: 10.60			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	194.75	3826.25	
1/1/2009			
2/1/2010	189.20	3831.80	
1/5/2011	175.70	3845.30	13.50
2/22/2012	174.30	3846.70	1.40
2/12/2013	179.70	3841.30	-5.40
2/28/2014	179.90	3841.10	-0.20
1/21/2015	178.60	3842.40	1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **STAHLECKER, JERRY**

Owner: JERRY STAHLECKER

Permit #: 10084 - FP - **Location #:** SC00604432AB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE NW 32 6 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4374260.5 Easting (UTM x): 728725.8 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.487555 -102.340407

Surface Elevation (ft): 4010 **Top Perforated Interval (ft):** 151 **Base of grout (ft):** **Water Level Change**


Well depth (ft): 251 **Bottom Perforated Interval (ft):** 251 **1 year:** 1.70

Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2011	140.20	3869.80	
2/22/2012	141.20	3868.80	-1.00
2/12/2013	141.80	3868.20	-0.60
2/28/2014	141.90	3868.10	-0.10
1/21/2015	140.20	3869.80	1.70

All Historic Measurements



Well Name: **JOHNSON, ALVIN C.**

Owner: JOHNSON ALVIN C. & REBA G.

Permit #: 8836 - FP - **Location #:** SC00604435BCA

USGS Site ID: 392904102173400

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW SW NE 35 6 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4374035.4 Easting (UTM x): 732792.5 *User supplied*

Latitude/Longitude (decimal degrees): 39.484438 -102.293248

Surface Elevation (ft): 4052.64 **Top Perforated Interval (ft):** 222 **Base of grout (ft):** **Water Level Change**


Well depth (ft): 312 **Bottom Perforated Interval (ft):** 312 **1 year:** -1.50

Aquifer(s): OGALLALA **5 year:** -0.30
10 year: 2.25

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	220.98	3831.66	-0.33
4/1/2007	224.71	3827.93	-3.73
2/10/2008	225.25	3827.39	-0.54
4/30/2009	222.07	3830.57	3.18
2/1/2010	218.10	3834.54	3.97
1/5/2011	220.80	3831.84	-2.70
2/22/2012			
2/12/2013	220.20	3832.44	
2/28/2014	216.90	3835.74	3.30
1/21/2015	218.40	3834.24	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	RICHARDS, RUTH.	Owner:	RICHARDS HARRY L
Permit #:	19996 - RFP -	Location #:	SC00604512CDC
		USGS Site ID:	393159102225900
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SE SW 12	6 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4379201.7	Easting (UTM x): 724870.0 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.533048	-102.383529
Surface Elevation (ft):	4037.69	Top Perforated Interval (ft):	Base of grout (ft):
Well depth (ft):	268	Bottom Perforated Interval (ft):	
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.40
5 year: 1.19
10 year: -10.35

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	171.23	3866.46	-0.48
4/16/2007	175.31	3862.38	-4.08
2/21/2008	177.39	3860.30	-2.08
1/1/2009			
2/1/2010	182.29	3855.40	
1/6/2011	174.90	3862.79	7.39
2/22/2012	173.60	3864.09	1.30
2/13/2013	178.20	3859.49	-4.60
1/15/2014	179.70	3857.99	-1.50
1/26/2015	181.10	3856.59	-1.40

All Historic Measurements




Well Name:	MCDONALD TRUST	Owner:	
Permit #:	10823 - FP -	Location #:	SC00604515CAC
		USGS Site ID:	393122102251400
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NE SW 15	6 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4378029.4	Easting (UTM x): 721677.5 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.523326	-102.421030
Surface Elevation (ft):	4032.72	Top Perforated Interval (ft):	Base of grout (ft):
Well depth (ft):	205	Bottom Perforated Interval (ft):	
Aquifer(s):			

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/16/2007			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: GRAMM, LOYD TRUST

Owner: GRAMM EDMUND & LOYD

Permit #: 19904 - FP -

Location #: SC00604523ABD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SE 23 6 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4377270.0 Easting (UTM x): 723985.9 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.515892 -102.394457

Surface Elevation (ft): 4092 **Top Perforated Interval (ft):** 214 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 304 **Bottom Perforated Interval (ft):** 304 **1 year:** -0.70
Aquifer(s): OGALLALA **5 year:**
10 year: -8.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	208.56	3883.44	-1.68
4/16/2007	208.25	3883.75	0.31
2/21/2008	212.79	3879.21	-4.54
1/1/2009			
2/1/2010	208.40	3883.60	
1/6/2011	208.00	3884.00	0.40
2/22/2012	207.30	3884.70	0.70
2/13/2013	213.90	3878.10	-6.60
1/15/2014	214.60	3877.40	-0.70

All Historic Measurements



Well Name: KOEHLER, WAYNE E.

Owner: KOEHLER WAYNE E.

Permit #: 4206 - FP -

Location #: SC00704222CBB

USGS Site ID: 392546102052500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 22 7 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4368011.0 Easting (UTM x): 750424.0 *User supplied*


Latitude/Longitude (decimal degrees): 39.425274 -102.090740

Surface Elevation (ft): 3931.61 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 290 **Bottom Perforated Interval (ft):** 290 **1 year:** 0.80
Aquifer(s): OGALLALA **5 year:** -35.40
10 year: -35.14

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	194.58	3737.03	-1.12
4/2/2007	199.24	3732.37	-4.66
2/7/2008	202.93	3728.68	-3.69
4/10/2009	204.62	3726.99	-1.69
2/8/2010	193.20	3738.41	11.42
2/4/2011	194.30	3737.31	-1.10
2/16/2012	197.10	3734.51	-2.80
2/5/2013	226.20	3705.41	-29.10
1/15/2014	229.40	3702.21	-3.20
1/31/2015	228.60	3703.01	0.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	WRIGHT FARMS INC.				Owner:	WRIGHT FARMS INC OF KANSAS			
Permit #:	6006 - FP -	Location #: SC00704223DDD				USGS Site ID: 392450102031500			
Division:	1	Water District: 49				County: KIT CARSON			
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:			
	SE SE SE	23	7 S	42 W S		From N/S line: From E/W line:			
UTM Coordinates (NAD83):	Northing (UTM y)		4367320.8	Easting (UTM x):		752936.3	User supplied		
Latitude/Longitude (decimal degrees):			39.418330			-102.061850			
Surface Elevation (ft):	3923.6	Top Perforated Interval (ft):		189	Base of grout (ft):		Water Level Change		
Well depth (ft):	309	Bottom Perforated Interval (ft):		309			1 year:	2.20	
Aquifer(s):	OGALLALA						5 year:	-6.10	
							10 year:	-9.55	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	203.89	3719.71	-0.44
4/2/2007	205.19	3718.41	-1.30
2/1/2008	207.07	3716.53	-1.88
1/1/2009			
2/8/2010	206.90	3716.70	
2/4/2011	207.00	3716.60	-0.10
2/16/2012	210.00	3713.60	-3.00
2/12/2013	213.80	3709.80	-3.80
1/15/2014	215.20	3708.40	-1.40
1/31/2015	213.00	3710.60	2.20

All Historic Measurements




Well Name:	PLAUTZ, GERALD				Owner:	LANGE ARTHUR J F			
Permit #:	11554 - FP -	Location #: SC00704231DBB				USGS Site ID: 392339102081300			
Division:	1	Water District: 49				County: KIT CARSON			
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:			
	SE NW NW	31	7 S	42 W S		From N/S line: From E/W line:			
UTM Coordinates (NAD83):	Northing (UTM y)		4364428.9	Easting (UTM x):		746515.8	User supplied		
Latitude/Longitude (decimal degrees):			39.394163			-102.137408			
Surface Elevation (ft):	3993.63	Top Perforated Interval (ft):		210	Base of grout (ft):		Water Level Change		
Well depth (ft):	310	Bottom Perforated Interval (ft):		310			1 year:	2.20	
Aquifer(s):	OGALLALA						5 year:	-13.60	
							10 year:	-12.73	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	213.37	3780.26	0.30
4/2/2007	218.53	3775.10	-5.16
2/2/2008	221.04	3772.59	-2.51
1/1/2009			
2/8/2010	212.80	3780.83	
2/4/2011	214.40	3779.23	-1.60
2/16/2012	215.30	3778.33	-0.90
2/5/2013	238.50	3755.13	-23.20
1/13/2014	228.60	3765.03	9.90
1/31/2015	226.40	3767.23	2.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	HINKHOUSE, B. TRUST			Owner:	HINKHOUSE BROS		
Permit #:	5044 - FP -	Location #:	SC00704234BCB	USGS Site ID:	392355102052500		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW NW 34	7 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4365050.9	Easting (UTM x):	750519.5	User supplied		
Latitude/Longitude (decimal degrees):	39.398608		-102.090740				
Surface Elevation (ft):	3966.62	Top Perforated Interval (ft):	222	Base of grout (ft):	Water Level Change		
Well depth (ft):	322	Bottom Perforated Interval (ft):	322		1 year: 4.90		
Aquifer(s):	OGALLALA				5 year: -15.30		
					10 year: -19.18		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	215.20	3751.42	-0.58
4/2/2007	217.40	3749.22	-2.20
2/1/2008	220.55	3746.07	-3.15
4/10/2009	222.24	3744.38	-1.69
2/8/2010	218.50	3748.12	3.74
2/4/2011	217.80	3748.82	0.70
2/16/2012	219.30	3747.32	-1.50
2/12/2013	242.80	3723.82	-23.50
1/15/2014	238.70	3727.92	4.10
1/31/2015	233.80	3732.82	4.90

All Historic Measurements




Well Name:	KARSPECK, HAROLD			Owner:	KARSPECK HAROLD		
Permit #:	10250 - FP -	Location #:	SC00704235ABC	USGS Site ID:	392400102034200		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW SW 35	7 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4365253.3	Easting (UTM x):	752955.8	User supplied		
Latitude/Longitude (decimal degrees):	39.399719		-102.062406				
Surface Elevation (ft):	3934.61	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	300	Bottom Perforated Interval (ft):			1 year: -2.60		
Aquifer(s):					5 year: -16.90		
					10 year: -5.40		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	204.27	3730.34	1.73
4/2/2007	206.15	3728.46	-1.88
2/1/2008	208.30	3726.31	-2.15
4/30/2009	207.33	3727.28	0.97
2/8/2010	194.50	3740.11	12.83
2/4/2011	191.80	3742.81	2.70
2/16/2012	190.50	3744.11	1.30
2/5/2013	215.20	3719.41	-24.70
1/15/2014	208.80	3725.81	6.40
1/31/2015	211.40	3723.21	-2.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	PARMER, BEN F.			Owner:	STANDLEY JUDY ELLEN		
Permit #:	10190 - F -	Location #:	SC00704304ABB	USGS Site ID:	392823102123700		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW NW 4	7 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4372987.8	Easting (UTM x):	739928.4	User supplied		
Latitude/Longitude (decimal degrees):	39.473050		-102.210745				
Surface Elevation (ft):	4006.61	Top Perforated Interval (ft):	220	Base of grout (ft):	Water Level Change		
Well depth (ft):	310	Bottom Perforated Interval (ft):	310		1 year: -3.40		
Aquifer(s):	OGALLALA				5 year: -3.60		
					10 year: -8.47		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	216.56	3790.05	0.97
4/4/2007	220.69	3785.92	-4.13
2/1/2008	223.12	3783.49	-2.43
4/10/2009	223.50	3783.11	-0.38
2/12/2010	222.40	3784.21	1.10
2/7/2011	221.00	3785.61	1.40
2/25/2012	220.60	3786.01	0.40
2/6/2013	227.60	3779.01	-7.00
1/13/2014	222.60	3784.01	5.00
2/7/2015	226.00	3780.61	-3.40

All Historic Measurements




Well Name:	SILKMAN, MELVIN L.			Owner:	M L SILKMAN & CO		
Permit #:	12424 - F -	Location #:	SC00704309CBB	USGS Site ID:	392704102131500		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NW NW 9	7 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4370523.8	Easting (UTM x):	739095.3	User supplied		
Latitude/Longitude (decimal degrees):	39.451106		-102.221301				
Surface Elevation (ft):	4017.62	Top Perforated Interval (ft):	215	Base of grout (ft):	Water Level Change		
Well depth (ft):	295	Bottom Perforated Interval (ft):	295		1 year: 1.00		
Aquifer(s):	OGALLALA				5 year: -3.50		
					10 year: -9.42		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	210.35	3807.27	0.43
4/4/2007	214.21	3803.41	-3.86
2/1/2008	217.29	3800.33	-3.08
4/19/2009	220.13	3797.49	-2.84
2/12/2010	216.70	3800.92	3.43
2/7/2011	209.50	3808.12	7.20
2/16/2012	218.30	3799.32	-8.80
3/12/2013	223.10	3794.52	-4.80
1/13/2014	221.20	3796.42	1.90
1/21/2015	220.20	3797.42	1.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	SILKMAN, MELVIN L.			Owner:	SILKMAN MELVIN L		
Permit #:	12885 - FP -	Location #:	SC00704310BAA	USGS Site ID:	392730102114500		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NE NE 10	7 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4371392.2	Easting (UTM x):	741222.0	User supplied		
Latitude/Longitude (decimal degrees):		39.458328		-102.196300			
Surface Elevation (ft):	3970.61	Top Perforated Interval (ft):	195	Base of grout (ft):	Water Level Change		
Well depth (ft):	275	Bottom Perforated Interval (ft):	275		1 year: 1.80		
Aquifer(s):	OGALLALA				5 year: -2.90		
					10 year: -7.88		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	175.42	3795.19	-0.20
4/4/2007	180.59	3790.02	-5.17
2/1/2008	183.18	3787.43	-2.59
4/10/2009	186.88	3783.73	-3.70
2/12/2010	180.20	3790.41	6.68
2/7/2011	176.30	3794.31	3.90
2/16/2012	175.90	3794.71	0.40
2/6/2013	186.10	3784.51	-10.20
1/13/2014	184.90	3785.71	1.20
1/21/2015	183.10	3787.51	1.80

All Historic Measurements




Well Name:	BOLLWINKLE, GILBERT			Owner:	BOLLWINKEL G F		
Permit #:	16119 - R - R	Location #:	SC00704314ABC2	USGS Site ID:	392633102102801		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW SW 14	7 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4369692.1	Easting (UTM x):	743117.7	User supplied		
Latitude/Longitude (decimal degrees):		39.442495		-102.174910			
Surface Elevation (ft):	4001.61	Top Perforated Interval (ft):	227	Base of grout (ft):	Water Level Change		
Well depth (ft):	321	Bottom Perforated Interval (ft):	317		1 year: -3.20		
Aquifer(s):	OGALLALA				5 year: -9.80		
					10 year: -13.02		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	207.43	3794.18	-1.25
4/16/2007	207.59	3794.02	-0.16
2/8/2008	210.14	3791.47	-2.55
4/10/2009	210.20	3791.41	-0.06
2/12/2010	209.40	3792.21	0.80
2/7/2011	208.00	3793.61	1.40
2/25/2012	207.40	3794.21	0.60
2/6/2013	215.50	3786.11	-8.10
3/12/2013	214.00	3787.61	1.50
1/13/2014	216.00	3785.61	-2.00
2/6/2015	219.20	3782.41	-3.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **SCHAAL, CLIFFORD**

Owner: SCHAAL CLIFFORD G

Permit #: 5272 - FP -

Location #: SC00704319AB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE NW 19 7 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4367889.0 Easting (UTM x): 736927.0 [GPS](#)

Latitude/Longitude (decimal degrees): 39.427991 -102.247408

Surface Elevation (ft): 4048 **Top Perforated Interval (ft):** 204 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 284 **Bottom Perforated Interval (ft):** 284 **1 year:** -0.80


Aquifer(s): OGALLALA **5 year:** 20.05

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	236.01	3811.99	
4/30/2009	229.85	3818.15	6.16
2/12/2010	230.75	3817.25	-0.90
2/7/2011	230.30	3817.70	0.45
2/25/2012	230.90	3817.10	-0.60
2/12/2013	216.90	3831.10	14.00
1/13/2014	209.90	3838.10	7.00
1/21/2015	210.70	3837.30	-0.80

All Historic Measurements



Well Name: **HOMESTEAD FARMS**

Owner: JAMES CHESTER

Permit #: 2284 - FP -

Location #: SC00704323ACA

USGS Site ID: 392536102102000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE SW NE 23 7 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4367940.6 Easting (UTM x): 743364.1 [User supplied](#)

Latitude/Longitude (decimal degrees): 39.426662 -102.172688

Surface Elevation (ft): 3999.62 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 307 **Bottom Perforated Interval (ft):** 307 **1 year:** 23.80


Aquifer(s): OGALLALA **5 year:** -3.80

10 year: -5.48

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	194.80	3804.82	-1.08
4/4/2007	198.81	3800.81	-4.01
2/8/2008	202.94	3796.68	-4.13
1/1/2009			
2/12/2010	195.40	3804.22	
2/7/2011	201.60	3798.02	-6.20
2/25/2012	202.10	3797.52	-0.50
2/6/2013	223.30	3776.32	-21.20
1/13/2014	223.00	3776.62	0.30
2/7/2015	199.20	3800.42	23.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BOECKMAN, JAMES			Owner:	BOECKMAN JAMES		
Permit #:	10257 - FP -	Location #:	SC00704334BCB	USGS Site ID:	392357102120900		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW NW 34	7 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4364807.5	Easting (UTM x):	740876.1	User supplied		
Latitude/Longitude (decimal degrees):	39.399163		-102.202688				
Surface Elevation (ft):	4042.65	Top Perforated Interval (ft):	200	Base of grout (ft):	Water Level Change		
Well depth (ft):	320	Bottom Perforated Interval (ft):	315		1 year: 1.40		
Aquifer(s):	OGALLALA				5 year: -7.30		
					10 year: -9.07		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	203.20	3839.45	-0.47
4/16/2007	205.59	3837.06	-2.39
2/8/2008	209.19	3833.46	-3.60
1/1/2009			
2/2/2010	204.50	3838.15	
2/7/2011	203.00	3839.65	1.50
2/25/2012	205.20	3837.45	-2.20
2/5/2013	209.90	3832.75	-4.70
1/13/2014	213.20	3829.45	-3.30
2/7/2015	211.80	3830.85	1.40

All Historic Measurements




Well Name:	BERENS FARMS INC.			Owner:	BERENS ELMER F		
Permit #:	6838 - FP -	Location #:	SC00704407BBB	USGS Site ID:	392736102221200		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NW 7	7 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4371125.9	Easting (UTM x):	726253.0	User supplied		
Latitude/Longitude (decimal degrees):	39.459994		-102.370195				
Surface Elevation (ft):	4108.69	Top Perforated Interval (ft):	200	Base of grout (ft):	Water Level Change		
Well depth (ft):	305	Bottom Perforated Interval (ft):	305		1 year: 4.90		
Aquifer(s):	OGALLALA				5 year: -2.10		
					10 year: -3.08		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	205.42	3903.27	0.20
3/30/2007	207.82	3900.87	-2.40
2/18/2008	208.39	3900.30	-0.57
4/29/2009	207.45	3901.24	0.94
2/1/2010	206.60	3902.09	0.85
1/5/2011	206.00	3902.69	0.60
2/22/2012	206.80	3901.89	-0.80
2/13/2013	214.00	3894.69	-7.20
2/27/2014	213.60	3895.09	0.40
1/21/2015	208.70	3899.99	4.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	RIDDER, DALE K.	Owner:	RIDDER DALE K
Permit #:	6518 - FP -	Location #:	SC00704412BDB
		USGS Site ID:	392724102161600
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SE NW 12	7 S	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4371008.2	Easting (UTM x): 734749.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.456661	-102.271580
Surface Elevation (ft):	4052.64	Top Perforated Interval (ft):	213
		Base of grout (ft):	
Well depth (ft):	293	Bottom Perforated Interval (ft):	293
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.40
5 year: 4.04
10 year: -5.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	215.10	3837.54	-1.60
4/1/2007	217.34	3835.30	-2.24
2/21/2008	218.02	3834.62	-0.68
4/29/2009	220.98	3831.66	-2.96
2/1/2010	223.34	3829.30	-2.36
1/6/2011	214.60	3838.04	8.74
2/22/2012	214.80	3837.84	-0.20
2/13/2013	223.50	3829.14	-8.70
2/27/2014	219.70	3832.94	3.80
1/21/2015	219.30	3833.34	0.40

All Historic Measurements




Well Name:	BRILLHART, DARLENE	Owner:	RIDDER HERMAN
Permit #:	20510 - FP -	Location #:	SC00704423CBB
		USGS Site ID:	392521102174800
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NW NW 23	7 S	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4367149.4	Easting (UTM x): 732664.3 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.422495	-102.297136
Surface Elevation (ft):	4075.27	Top Perforated Interval (ft):	193
		Base of grout (ft):	
Well depth (ft):	253	Bottom Perforated Interval (ft):	253
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.90
5 year: -3.44
10 year: -8.86

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	179.57	3895.70	-1.03
4/1/2007	181.41	3893.86	-1.84
2/21/2008	184.05	3891.22	-2.64
4/29/2009	182.31	3892.96	1.74
2/1/2010	183.96	3891.31	-1.65
1/6/2011	189.96	3885.31	-6.00
2/22/2012	186.70	3888.57	3.26
2/13/2013	186.20	3889.07	0.50
2/27/2014	188.30	3886.97	-2.10
1/21/2015	187.40	3887.87	0.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	SCHAAL, TED			Owner:	SCHAAL TED		
Permit #:	33947 - -			Location #:	SC00704425BCD		
				USGS Site ID:	392435102162600		
Division:	1			Water District:	49		
				County:	KIT CARSON		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	NW	SW	SE	25	7	S	44 W S
				Distance from section lines:			
				From N/S line:	From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)			4365755.7	Easting (UTM x):	734549.6	User supplied
Latitude/Longitude (decimal degrees):				39.409440	-102.275747		
Surface Elevation (ft):	4024.67	Top Perforated Interval (ft):	195	Base of grout (ft):			
Well depth (ft):	210	Bottom Perforated Interval (ft):	210				
Aquifer(s):	OGALLALA						

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	150.35	3874.32	-5.32
4/1/2007	150.82	3873.85	-0.47
2/22/2008	153.91	3870.76	-3.09
1/1/2009			
2/1/2010	150.21	3874.46	

All Historic Measurements




Well Name:	WIEDMAN, GARVIN			Owner:	WORDEN VANESSA		
Permit #:	11988 - FP -			Location #:	SC00704429ABB		
				USGS Site ID:	392459102203500		
Division:	1			Water District:	49		
				County:	KIT CARSON		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	NE	NW	NW	29	7	S	44 W S
				Distance from section lines:			
				From N/S line:	From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)			4366353.0	Easting (UTM x):	728714.3	User supplied
Latitude/Longitude (decimal degrees):				39.416383	-102.343249		
Surface Elevation (ft):	4109.69	Top Perforated Interval (ft):	166	Base of grout (ft):			
Well depth (ft):	246	Bottom Perforated Interval (ft):	246				
Aquifer(s):	OGALLALA						

Water Level Change
1 year: -1.50
5 year: 1.75
10 year: -1.65

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	180.23	3929.46	0.52
3/30/2007	182.51	3927.18	-2.28
2/19/2008	185.43	3924.26	-2.92
4/29/2009	182.39	3927.30	3.04
2/1/2010	184.15	3925.54	-1.76
1/5/2011	186.17	3923.52	-2.02
2/22/2012	190.00	3919.69	-3.83
2/13/2013	185.30	3924.39	4.70
2/27/2014	180.90	3928.79	4.40
1/21/2015	182.40	3927.29	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **SCHAAL, T.E. & CO.**

Owner: SCHAAL CLYDE J & TERESA J

Permit #: 6374 - FP -

Location #: SC00704434DBC

USGS Site ID: 392331102181200

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW SW 34 7 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4363740.5 Easting (UTM x): 732191.8 *User supplied*

Latitude/Longitude (decimal degrees): 39.391940 -102.303803

Surface Elevation (ft): 4095.7 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 245 **Bottom Perforated Interval (ft):** 245

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	175.68	3920.02	-1.08
4/1/2007	177.81	3917.89	-2.13
2/21/2008	181.94	3913.76	-4.13
1/1/2009			
2/1/2010	183.92	3911.78	

All Historic Measurements



Well Name: **WEINGARDT, J.J.**

Owner: WEINGARDT JJ

Permit #: 6365 - FP -

Location #: SC00704501BDB

USGS Site ID: 392817102225900

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SE NW 1 7 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4372355.9 Easting (UTM x): 725045.2 *User supplied*

Latitude/Longitude (decimal degrees): 39.471382 -102.383806

Surface Elevation (ft): 4096.71 **Top Perforated Interval (ft):** 185 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 285 **Bottom Perforated Interval (ft):** 285

Aquifer(s): OGALLALA

1 year: 3.10


5 year: -7.80

10 year: -9.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	183.45	3913.26	0.25
3/30/2007	180.67	3916.04	2.78
2/18/2008	183.90	3912.81	-3.23
4/29/2009	184.50	3912.21	-0.60
2/1/2010	185.20	3911.51	-0.70
1/6/2011	183.70	3913.01	1.50
2/22/2012	183.20	3913.51	0.50
2/13/2013	195.00	3901.71	-11.80
2/27/2014	196.10	3900.61	-1.10
1/26/2015	193.00	3903.71	3.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BUSBY PROPERTIES, LP			Owner:	BUSBY PROPERTIES		
Permit #:	12763 - F	-	Location #:	SC00704505ABB	USGS Site ID:	392832102240900	
Division:	1			Water District:	49		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	County: KIT CARSON	
	NE NW NW	5	7 S	45 W S		Distance from section lines:	
						From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)			4372615.6	Easting (UTM x):	719034.4 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):				39.475271	-102.453531		
Surface Elevation (ft):	4176.76	Top Perforated Interval (ft):	205	Base of grout (ft):	Water Level Change		
Well depth (ft):	305	Bottom Perforated Interval (ft):	305	1 year: 0.40			
Aquifer(s):	OGALLALA			5 year: -3.80			
				10 year: 0.58			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	219.62	3957.14	-0.84
3/30/2007	219.31	3957.45	0.31
1/27/2008	223.41	3953.35	-4.10
4/19/2009	219.38	3957.38	4.03
2/1/2010	214.40	3962.36	4.98
1/6/2011	209.20	3967.56	5.20
2/22/2012	193.10	3983.66	16.10
2/18/2013	230.00	3946.76	-36.90
2/27/2014	218.60	3958.16	11.40
1/26/2015	218.20	3958.56	0.40

All Historic Measurements




Well Name:	STROBEL, LELAND			Owner:	STROBEL EMIL		
Permit #:	10797 - FP	-	Location #:	SC00704507DBD	USGS Site ID:	392700102281200	
Division:	1			Water District:	49		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	County: KIT CARSON	
	SE NW SE	7	7 S	45 W S		Distance from section lines:	
						From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)			4369769.3	Easting (UTM x):	717679.4 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):				39.449993	-102.470198		
Surface Elevation (ft):	4221.78	Top Perforated Interval (ft):	220	Base of grout (ft):	Water Level Change		
Well depth (ft):	322	Bottom Perforated Interval (ft):	322	1 year: -0.80			
Aquifer(s):	OGALLALA			5 year: -5.00			
				10 year: -7.93			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	241.48	3980.30	-0.31
3/23/2007	244.06	3977.72	-2.58
2/19/2008	245.39	3976.39	-1.33
1/1/2009			
2/1/2010	244.10	3977.68	
1/6/2011	241.30	3980.48	2.80
2/22/2012	241.30	3980.48	0.00
3/8/2013	247.50	3974.28	-6.20
2/27/2014	248.30	3973.48	-0.80
1/26/2015	249.10	3972.68	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: ZIEGLER, DELMER E

Owner: DELMER E ZIEGLER

Permit #: 46497 - -

Location #: SC00704511CBB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 11 7 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4370194.0 Easting (UTM x): 723111.9 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.452426 -102.406982

Surface Elevation (ft): 4109 **Top Perforated Interval (ft):** 238 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 268 **Bottom Perforated Interval (ft):** 268 **1 year:** -1.60


Aquifer(s): OGALLALA **5 year:** -4.50

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	166.00	3943.00	
1/5/2011	165.40	3943.60	0.60
2/22/2012	166.20	3942.80	-0.80
2/13/2013	167.30	3941.70	-1.10
2/27/2014	168.90	3940.10	-1.60
1/26/2015	170.50	3938.50	-1.60

All Historic Measurements



Well Name: WEISS, EUGENE

Owner: WEISS D C

Permit #: 4067 - FP -

Location #: SC00704515BAC

USGS Site ID: 392634102251600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE SW 15 7 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4369087.0 Easting (UTM x): 721909.8 *User supplied*

Latitude/Longitude (decimal degrees): 39.442771 -102.421307

Surface Elevation (ft): 4196.75 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 348 **Bottom Perforated Interval (ft):** 348 **1 year:** -6.90


Aquifer(s): OGALLALA **5 year:** -10.80

10 year: -14.26

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	240.63	3956.12	-1.19
3/23/2007	242.09	3954.66	-1.46
2/19/2008	245.17	3951.58	-3.08
1/1/2009			
2/1/2010	242.90	3953.85	
1/6/2011	240.40	3956.35	2.50
2/22/2012	239.30	3957.45	1.10
2/13/2013	244.90	3951.85	-5.60
2/27/2014	246.80	3949.95	-1.90
1/26/2015	253.70	3943.05	-6.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: STOLZ, PHILLIP J.

Owner: STOLZ PHILIP

Permit #: 6314 - FP - **Location #:** SC00704518BCD **USGS Site ID:** 392624102284500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW SE 18 7 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4368666.8 Easting (UTM x): 716873.0 User supplied
Latitude/Longitude (decimal degrees): 39.440271 -102.479920

Surface Elevation (ft): 4250.78 **Top Perforated Interval (ft):** 205 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 335 **Bottom Perforated Interval (ft):** 335 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	259.16	3991.62	-0.49
3/23/2007	261.60	3989.18	-2.44
2/19/2008	264.71	3986.07	-3.11

All Historic Measurements



Well Name: STROBEL, A.

Owner: STROBEL ARTHUR P.

Permit #: 3665 - FP - **Location #:** SC00704520DBC **USGS Site ID:** 392515102271700


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SW 20 7 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4366568.2 Easting (UTM x): 719061.8 User supplied
Latitude/Longitude (decimal degrees): 39.420827 -102.455197

Surface Elevation (ft): 4223.78 **Top Perforated Interval (ft):** 230 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 330 **Bottom Perforated Interval (ft):** 330 **1 year:** 4.20
Aquifer(s): OGALLALA **5 year:** 6.00
10 year: 1.54

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	241.97	3981.81	-0.83
3/23/2007	242.83	3980.95	-0.86
2/19/2008	245.91	3977.87	-3.08
4/29/2009	244.43	3979.35	1.48
2/1/2010	245.60	3978.18	-1.17
1/6/2011	240.00	3983.78	5.60
2/22/2012	238.80	3984.98	1.20
3/8/2013	248.40	3975.38	-9.60
2/27/2014	243.80	3979.98	4.60
1/26/2015	239.60	3984.18	4.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BERINGER, MILBERT	Owner:	BERINGER MILBERT E
Permit #:	21090 - RFP -	Location #:	SC00704523CBB
		USGS Site ID:	392527102242700


Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW NW NW 23	7 S	45 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4367054.8	Easting (UTM x):	723140.7	User supplied
Latitude/Longitude (decimal degrees):		39.424161		-102.407696	

Surface Elevation (ft):	4151.74	Top Perforated Interval (ft):	154	Base of grout (ft):		Water Level Change
Well depth (ft):	274	Bottom Perforated Interval (ft):	274			1 year: 2.60
Aquifer(s):	OGALLALA					5 year: -24.80
						10 year: -32.15

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	193.44	3958.30	-0.09
3/23/2007	194.60	3957.14	-1.16
2/21/2008	197.90	3953.84	-3.30
4/29/2009	195.31	3956.43	2.59
2/1/2010	200.70	3951.04	-5.39
1/6/2011	209.70	3942.04	-9.00
2/22/2012	210.60	3941.14	-0.90
2/13/2013	223.30	3928.44	-12.70
2/27/2014	228.10	3923.64	-4.80
1/26/2015	225.50	3926.24	2.60

All Historic Measurements



Well Name:	SCHULTE, R. & H.	Owner:	SCHULTE RAYMOND R
Permit #:	5135 - FP -	Location #:	SC00704528CCC
		USGS Site ID:	392411102264200


Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW SW SW 28	7 S	45 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4364619.3	Easting (UTM x):	719978.6	User supplied
Latitude/Longitude (decimal degrees):		39.403050		-102.445197	

Surface Elevation (ft):	4219.78	Top Perforated Interval (ft):	220	Base of grout (ft):		Water Level Change
Well depth (ft):	300	Bottom Perforated Interval (ft):	300			1 year: 12.40
Aquifer(s):	OGALLALA					5 year: 6.20
						10 year: 5.25

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2006	232.11	3987.67	-2.36
3/23/2007	233.92	3985.86	-1.81
2/21/2008	237.77	3982.01	-3.85
4/29/2009	236.93	3982.85	0.84
2/1/2010	230.70	3989.08	6.23
1/6/2011	232.30	3987.48	-1.60
2/22/2012	233.40	3986.38	-1.10
3/8/2013	241.50	3978.28	-8.10
2/27/2014	236.90	3982.88	4.60
1/26/2015	224.50	3995.28	12.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	CURE LAND LLC	Owner:	CURE LAND LLC
Permit #:	20513 - RFP -	Location #:	SC00704529ACB
		USGS Site ID:	392447102271700
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SW NW 29	7 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4365705.6	Easting (UTM x): 719110.1 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.413049	-102.454919	
Surface Elevation (ft):	4233.58	Top Perforated Interval (ft):	237
		Base of grout (ft):	
Well depth (ft):	308	Bottom Perforated Interval (ft):	327
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.70
5 year: -5.20
10 year: -6.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2006	244.80	3988.78	0.00
3/23/2007	245.85	3987.73	-1.05
2/19/2008	248.13	3985.45	-2.28
4/29/2009	246.70	3986.88	1.43
2/1/2010	246.40	3987.18	0.30
1/6/2011	245.40	3988.18	1.00
2/22/2012	244.80	3988.78	0.60
3/8/2013	252.10	3981.48	-7.30
2/27/2014	250.90	3982.68	1.20
1/26/2015	251.60	3981.98	-0.70

All Historic Measurements




Well Name:	CURE LAND LLC	Owner:	BEEF ACRES INC
Permit #:	20732 - RFP -	Location #:	SC00704531CCB
		USGS Site ID:	392329102285000
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW NW 31	7 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4363237.5	Easting (UTM x): 716928.9 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.391383	-102.481031	
Surface Elevation (ft):	4234.8	Top Perforated Interval (ft):	230
		Base of grout (ft):	
Well depth (ft):	292	Bottom Perforated Interval (ft):	290
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 3.20
5 year: -0.30
10 year: 2.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2006	222.72	4012.08	1.78
3/23/2007	223.76	4011.04	-1.04
2/21/2008	226.19	4008.61	-2.43
4/29/2009	222.01	4012.79	4.18
2/1/2010	221.90	4012.90	0.11
1/6/2011	219.18	4015.62	2.72
2/22/2012	222.90	4011.90	-3.72
2/18/2013	238.80	3996.00	-15.90
2/27/2014	225.40	4009.40	13.40
1/26/2015	222.20	4012.60	3.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: CURE LAND LLC

Owner:

Permit #: 4150 - FP -

Location #: SC00704533CCC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 33 7 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4363051.5 Easting (UTM x): 720023.4 Spotted from quarters


Latitude/Longitude (decimal degrees): 39.388925 -102.445192

Surface Elevation (ft): 4227 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295 **1 year:** 1.60
Aquifer(s): OGALLALA **5 year:** 2.20
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	200.40	4026.60	
1/6/2011	204.50	4022.50	-4.10
2/22/2012	206.30	4020.70	-1.80
2/18/2013	207.00	4020.00	-0.70
2/27/2014	199.80	4027.20	7.20
1/26/2015	198.20	4028.80	1.60

All Historic Measurements



Well Name: LEMPP, GERALD

Owner: LIMING ROBIN L & KRISTY

Permit #: 17734 - FP -

Location #: SC00704604CBA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SW 4 7 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4372112.4 Easting (UTM x): 711013.8 Spotted from quarters


Latitude/Longitude (decimal degrees): 39.472745 -102.546856

Surface Elevation (ft): 4153 **Top Perforated Interval (ft):** 115 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 185 **Bottom Perforated Interval (ft):** 185 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -1.70
10 year: -3.83

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	123.29	4029.71	-1.02
3/29/2007	125.00	4028.00	-1.71
2/21/2008	127.29	4025.71	-2.29
4/6/2009	130.57	4022.43	-3.28
2/10/2010	124.40	4028.60	6.17
1/7/2011	122.40	4030.60	2.00
2/25/2012	121.80	4031.20	0.60
3/8/2013	122.30	4030.70	-0.50
2/27/2014	125.30	4027.70	-3.00
1/31/2015	126.10	4026.90	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: HASART, JEROLD & LESTER

Owner: HASART JEROLD & LESTER

Permit #: 2994 - FP - **Location #:** SC00704635BBB

USGS Site ID: 392409102311000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 35 7 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4364374.0 Easting (UTM x): 713401.9 User supplied

Latitude/Longitude (decimal degrees): 39.402493 -102.521588

Surface Elevation (ft): 4270.81 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 300 **Bottom Perforated Interval (ft):** 300 **1 year:** 2.30


Aquifer(s): OGALLALA **5 year:** 20.61

10 year: 16.18

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2006	242.42	4028.39	0.16
3/23/2007	244.89	4025.92	-2.47
2/21/2008	247.55	4023.26	-2.66
4/29/2009	245.30	4025.51	2.25
2/10/2010	247.01	4023.80	-1.71
1/6/2011	238.20	4032.61	8.81
2/25/2012	236.20	4034.61	2.00
3/8/2013	231.30	4039.51	4.90
2/26/2014	228.70	4042.11	2.60
1/31/2015	226.40	4044.41	2.30

All Historic Measurements



Well Name: HORNUNG, PATRICK R

Owner: HORNUNG DAVID L & BARBARA J

Permit #: 17677 - FP - **Location #:** SC00704714DD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE 14 7 S 47 W S From N/S line: 549 S From E/W line: 50 E

UTM Coordinates (NAD83): Northing (UTM y) 4367558.0 Easting (UTM x): 705483.4 Spotted from section lines

Latitude/Longitude (decimal degrees): 39.433081 -102.612498

Surface Elevation (ft): 4258 **Top Perforated Interval (ft):** 147 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 207 **Bottom Perforated Interval (ft):** 197 **1 year:** -1.10


Aquifer(s): OGALLALA **5 year:** 9.88

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	172.98	4085.02	
1/1/2009			
2/10/2010	181.18	4076.82	
1/7/2011	173.12	4084.88	8.06
2/25/2012	169.40	4088.60	3.72
3/8/2013	173.40	4084.60	-4.00
2/26/2014	170.20	4087.80	3.20
1/31/2015	171.30	4086.70	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	LEWIS, J. & K.	Owner:	LEWIS JAMES L.
Permit #:	11287 - FP -	Location #:	SC00704722AAC
		USGS Site ID:	392540102382000
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NE SW 22	7 S	47 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4366946.6	Easting (UTM x): 703495.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.428048		-102.635759
Surface Elevation (ft):	4256.86	Top Perforated Interval (ft):	115
		Base of grout (ft):	
Well depth (ft):	155	Bottom Perforated Interval (ft):	155
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.70
5 year: -4.61
10 year: -5.19

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	127.72	4129.14	-0.61
3/26/2007	129.67	4127.19	-1.95
2/21/2008	133.67	4123.19	-4.00
1/1/2009			
2/10/2010	127.69	4129.17	
1/7/2011	127.70	4129.16	-0.01
2/25/2012	128.60	4128.26	-0.90
3/8/2013	132.40	4124.46	-3.80
2/26/2014	133.00	4123.86	-0.60
1/31/2015	132.30	4124.56	0.70

All Historic Measurements




Well Name:	HORNING, DAVID	Owner:	HORNUNG DAVID L & BARBARA J TRUST
Permit #:	13251 - FP -	Location #:	SC00704726CAA
		USGS Site ID:	392432102370600
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NE NE 26	7 S	47 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4364817.9	Easting (UTM x): 704676.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.408604		-102.622702
Surface Elevation (ft):	4312.85	Top Perforated Interval (ft):	164
		Base of grout (ft):	
Well depth (ft):	234	Bottom Perforated Interval (ft):	234
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.60
5 year: 39.63
10 year: 31.64

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	200.47	4112.38	-0.23
3/26/2007	201.79	4111.06	-1.32
2/21/2008	205.11	4107.74	-3.32
1/1/2009			
2/10/2010	208.23	4104.62	
1/7/2011	196.30	4116.55	11.93
2/25/2012	206.20	4106.65	-9.90
3/8/2013	173.20	4139.65	33.00
2/26/2014	168.00	4144.85	5.20
1/31/2015	168.60	4144.25	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	BUOL, MARTIN	Owner:	BUOL MARTIN, TRUSTEE MARTIN A BUOL
Permit #:	3075 - FP -	Location #:	SC00804204ACB
		USGS Site ID:	392300102055900
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SW NW 4	8 S	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4363328.7	Easting (UTM x): 749760.5 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.383330	-102.100185
Surface Elevation (ft):	3980.62	Top Perforated Interval (ft):	220
		Base of grout (ft):	
Well depth (ft):	340	Bottom Perforated Interval (ft):	340
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 9.10
5 year: -17.80
10 year: -9.82

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	224.57	3756.05	-1.69
4/2/2007	227.05	3753.57	-2.48
2/1/2008	229.37	3751.25	-2.32
4/10/2009	226.93	3753.69	2.44
2/8/2010	214.90	3765.72	12.03
2/4/2011	226.90	3753.72	-12.00
2/25/2012	226.80	3753.82	0.10
2/4/2013	234.70	3745.92	-7.90
2/28/2014	241.80	3738.82	-7.10
1/31/2015	232.70	3747.92	9.10

All Historic Measurements




Well Name:	HANSEN, DALE	Owner:	HANSEN DALE E & SHELLEY HANSEN
Permit #:	4007 - FP -	Location #:	SC00804204CDA
		USGS Site ID:	392239102060000
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SE NE 4	8 S	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4362710.5	Easting (UTM x): 749732.5 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.377775	-102.100740
Surface Elevation (ft):	3984.62	Top Perforated Interval (ft):	264
		Base of grout (ft):	
Well depth (ft):	335	Bottom Perforated Interval (ft):	344
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 1.10
5 year: -9.90
10 year: -12.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	228.21	3756.41	-0.71
4/2/2007	227.50	3757.12	0.71
2/1/2008	231.98	3752.64	-4.48
4/10/2009	228.40	3756.22	3.58
2/8/2010	229.80	3754.82	-1.40
2/4/2011	231.70	3752.92	-1.90
2/25/2012	233.40	3751.22	-1.70
2/4/2013	240.80	3743.82	-7.40
2/28/2014	240.80	3743.82	0.00
1/31/2015	239.70	3744.92	1.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	DAVIS, EUGENE ET AL			Owner:	DAVIS JACK P. & WILLIAM S. & EUGEN		
Permit #:	9426 - FP -	Location #:	SC00804206ABB	USGS Site ID:	392316102081300		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW NW 6	8 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4363719.6	Easting (UTM x):	746538.4	User supplied		
Latitude/Longitude (decimal degrees):	39.387774		-102.137408				
Surface Elevation (ft):	4000.63	Top Perforated Interval (ft):	160	Base of grout (ft):	Water Level Change		
Well depth (ft):	313	Bottom Perforated Interval (ft):	300		1 year: 2.90		
Aquifer(s):	OGALLALA				5 year: -13.70		
					10 year: -5.83		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	215.58	3785.05	0.09
4/2/2007	218.73	3781.90	-3.15
2/1/2008	221.28	3779.35	-2.55
1/1/2009			
2/8/2010	207.80	3792.83	
2/4/2011	202.90	3797.73	4.90
2/25/2012	204.20	3796.43	-1.30
2/4/2013	222.80	3777.83	-18.60
1/13/2014	224.40	3776.23	-1.60
1/31/2015	221.50	3779.13	2.90

All Historic Measurements




Well Name:	DAVIS FAMILY			Owner:			
Permit #:	12026 - FP -	Location #:	SC00804206CA	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NE 6	8 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4362802.0	Easting (UTM x):	746332.3	Spotted from quarters		
Latitude/Longitude (decimal degrees):	39.379574		-102.140137				
Surface Elevation (ft):	4000	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	310	Bottom Perforated Interval (ft):			1 year: -0.90		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	206.80	3793.20	
2/28/2014	214.50	3785.50	-7.70
1/31/2015	215.40	3784.60	-0.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: SCHUTTE FARMS INC.

Owner: FORKE BROTHERS & AVERY E

Permit #: 11650 - FP - **Location #:** SC00804211DCB

USGS Site ID: 392147102034500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW NW 11 8 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4361182.3 Easting (UTM x): 753064.4 *User supplied*


Latitude/Longitude (decimal degrees): 39.363053 -102.062683

Surface Elevation (ft): 3953.62 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 330 **Bottom Perforated Interval (ft):** 328 **1 year:** 4.70
Aquifer(s): OGALLALA **5 year:** -9.70
10 year: -10.25

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	214.84	3738.78	0.31
4/2/2007	216.11	3737.51	-1.27
2/1/2008	218.79	3734.83	-2.68
4/10/2009	215.50	3738.12	3.29
2/8/2010	215.70	3737.92	-0.20
2/4/2011	216.00	3737.62	-0.30
2/25/2012	214.90	3738.72	1.10
2/4/2013	243.80	3709.82	-28.90
1/15/2014	230.10	3723.52	13.70
1/31/2015	225.40	3728.22	4.70

All Historic Measurements



Well Name: AMACK, HELEN

Owner:

Permit #: 12443 - FP - **Location #:** SC00804214DDA

USGS Site ID: 392053102031300

Division: 1 **Water District:** 49 **County:** KIT CARSON


Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE NE 14 8 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4359541.5 Easting (UTM x): 753860.8 *User supplied*

Latitude/Longitude (decimal degrees): 39.348054 -102.054071

Surface Elevation (ft): 3926.62 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	FASSE, EUGENE		Owner:	FASSE EUGENE & ADRIENNE	
Permit #:	20290 - RFP -		Location #:	SC00804220CAB	
			USGS Site ID:	392017102072400	
Division:	1		Water District:	49	
			County:	KIT CARSON	
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	SW NE NW	20	8 S	42 W S	
			Distance from section lines:		
			From N/S line:	From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4358268.5	Easting (UTM x):	747885.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):			39.338331	-102.123796	
Surface Elevation (ft):	3993.54	Top Perforated Interval (ft):	194	Base of grout (ft):	
Well depth (ft):	250	Bottom Perforated Interval (ft):	244		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: -0.60
5 year: -6.20
10 year: -10.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	175.35	3818.19	-1.05
4/4/2007	176.50	3817.04	-1.15
2/8/2008	178.51	3815.03	-2.01
4/10/2009	179.24	3814.30	-0.73
2/8/2010	178.90	3814.64	0.34
2/4/2011	178.40	3815.14	0.50
2/25/2012	181.00	3812.54	-2.60
2/12/2013	183.40	3810.14	-2.40
1/15/2014	184.50	3809.04	-1.10
1/31/2015	185.10	3808.44	-0.60

All Historic Measurements




Well Name:	DAVIS, KENTON L. & T		Owner:	SMITH JOHN	
Permit #:	10135 - FP -		Location #:	SC00804222BBB	
			USGS Site ID:	392043102052600	
Division:	1		Water District:	49	
			County:	KIT CARSON	
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	NW NW NW	22	8 S	42 W S	
			Distance from section lines:		
			From N/S line:	From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4359129.9	Easting (UTM x):	750686.5 <i>User supplied</i>
Latitude/Longitude (decimal degrees):			39.345276	-102.091017	
Surface Elevation (ft):	3969.63	Top Perforated Interval (ft):	212	Base of grout (ft):	
Well depth (ft):	302	Bottom Perforated Interval (ft):	302		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: -2.10
5 year: 1.40
10 year: 0.58

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	188.28	3781.35	0.70
4/4/2007	193.53	3776.10	-5.25
2/8/2008	196.15	3773.48	-2.62
4/30/2009	197.71	3771.92	-1.56
2/8/2010	189.80	3779.83	7.91
2/4/2011	187.20	3782.43	2.60
2/25/2012	186.10	3783.53	1.10
2/24/2013	214.20	3755.43	-28.10
1/15/2014	186.30	3783.33	27.90
1/31/2015	188.40	3781.23	-2.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	SMITH, D.		Owner:	SMITH DUANE & BAER GEORGIA L	
Permit #:	9626 - FP -	Location #:	SC00804223DAB2	USGS Site ID:	392018102032000
Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE NE NW 23	8 S	42 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4358423.7	Easting (UTM x):	753657.6	User supplied
Latitude/Longitude (decimal degrees):		39.338054		-102.056849	
Surface Elevation (ft):	3931.62	Top Perforated Interval (ft):	240	Base of grout (ft):	Water Level Change
Well depth (ft):	250	Bottom Perforated Interval (ft):	256		1 year:
Aquifer(s):	OGALLALA				5 year:
					10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	165.64	3765.98	0.28
4/2/2007	166.17	3765.45	-0.53
2/20/2008	169.51	3762.11	-3.34
4/10/2009	170.27	3761.35	-0.76
2/8/2010	167.60	3764.02	2.67
2/4/2011	167.80	3763.82	-0.20
2/25/2012	168.80	3762.82	-1.00
2/4/2013	195.40	3736.22	-26.60
1/15/2014			
1/31/2015			

All Historic Measurements




Well Name:	SCOTT, TIMOTHY LEE		Owner:	SCOTT TIM	
Permit #:	1533 - RFP -	Location #:	SC00804232ABB	USGS Site ID:	391859102070900
Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE NW NW 32	8 S	42 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4355844.0	Easting (UTM x):	748322.6	User supplied
Latitude/Longitude (decimal degrees):		39.316387		-102.119629	
Surface Elevation (ft):	3952.65	Top Perforated Interval (ft):	75	Base of grout (ft):	Water Level Change
Well depth (ft):	211	Bottom Perforated Interval (ft):	211		1 year:
Aquifer(s):	OGALLALA				5 year:
					10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2005	117.32	3835.33	-0.19
4/4/2007	117.28	3835.37	0.04
2/27/2008	120.12	3832.53	-2.84

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: JAMES, WINIFRED J. TRUST **Owner:** JAMES CHESTER E & WINIFRED
Permit #: 20496 - RFP - **Location #:** SC00804301ACD **USGS Site ID:** 392752102091400


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW SE 1 8 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4362964.4 Easting (UTM x): 745101.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.381386 -102.154353

Surface Elevation (ft): 4027.64 **Top Perforated Interval (ft):** 270 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 335 **Bottom Perforated Interval (ft):** 337 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	221.23	3806.41	0.82
4/2/2007			
2/8/2008	223.97	3803.67	

All Historic Measurements



Well Name: BOLLWINKLE, WILLIAM & CLAUDIA **Owner:** WILLIAM & CLAUDIA BOLLWINKLE
Permit #: 2968 - FP - **Location #:** SC00804304CCB **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 4 8 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4362203.0 Easting (UTM x): 739373.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.376140 -102.221051

Surface Elevation (ft): 4061 **Top Perforated Interval (ft):** 206 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 306 **Bottom Perforated Interval (ft):** 306 **1 year:** 0.10
Aquifer(s): **5 year:** -4.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	202.90	3858.10	
2/7/2011	208.40	3852.60	-5.50
2/25/2012	210.20	3850.80	-1.80
2/6/2013	236.30	3824.70	-26.10
1/15/2014	207.50	3853.50	28.80
1/31/2015	207.40	3853.60	0.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	DAVIS BROTHERS FARM			Owner:	DAVIS EUGENE G		
Permit #:	13007 - FP -	Location #:	SC00804305BDC	USGS Site ID:	392253102140900		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SE SW 5	8 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4362894.0	Easting (UTM x):	738245.0	Digitized		
Latitude/Longitude (decimal degrees):	39.382672		-102.233890				
Surface Elevation (ft):	4086.68	Top Perforated Interval (ft):	190	Base of grout (ft):	Water Level Change		
Well depth (ft):	320	Bottom Perforated Interval (ft):	320		1 year: 5.50		
Aquifer(s):	OGALLALA				5 year: -9.70		
					10 year: -20.10		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	225.14	3861.54	-0.44
4/4/2007	227.05	3859.63	-1.91
2/22/2008	232.93	3853.75	-5.88
1/1/2009			
2/2/2010	235.10	3851.58	
2/7/2011	236.40	3850.28	-1.30
2/25/2012	237.60	3849.08	-1.20
2/6/2013	254.00	3832.68	-16.40
1/15/2014	250.30	3836.38	3.70
1/31/2015	244.80	3841.88	5.50

All Historic Measurements




Well Name:	CALDWELL, DON A.			Owner:			
Permit #:	4348 - FP -	Location #:	SC00804315CCC	USGS Site ID:	392043102121100		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW SW 15	8 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4358823.5	Easting (UTM x):	740989.7	User supplied		
Latitude/Longitude (decimal degrees):	39.345275		-102.203521				
Surface Elevation (ft):	4069.69	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	305	Bottom Perforated Interval (ft):			1 year:		
Aquifer(s):					5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	204.68	3865.01	-0.38
4/4/2007	209.31	3860.38	-4.63

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: TRI-STATE TRANS.

Owner: GROSS MELVIN

Permit #: 3529 - FP - **Location #:** SC00804318ACC **USGS Site ID:** 392112102145900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW SW 18 8 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4359594.1 Easting (UTM x): 736940.1 User supplied
Latitude/Longitude (decimal degrees): 39.353330 -102.250190

Surface Elevation (ft): 4100.71 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** 300 **1 year:**
Aquifer(s): OGALLALA **5 year:** -1.30
10 year: -11.82

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	209.51	3891.20	-0.63
4/4/2007	215.12	3885.59	-5.61
2/22/2008	218.44	3882.27	-3.32
1/1/2009			
2/2/2010	219.40	3881.31	
1/29/2011	223.40	3877.31	-4.00
1/30/2012	226.10	3874.61	-2.70
2/12/2013	254.70	3846.01	-28.60
1/14/2014			
1/31/2015	220.70	3880.01	

All Historic Measurements



Well Name: BUOL, JOHN

Owner: BUOL JOHN A

Permit #: 9312 - FP - **Location #:** SC00804320BAA **USGS Site ID:** 392039102135300


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NE 20 8 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4358624.8 Easting (UTM x): 738551.4 User supplied
Latitude/Longitude (decimal degrees): 39.344163 -102.231855

Surface Elevation (ft): 4076.71 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 308 **Bottom Perforated Interval (ft):** 308 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** -9.70
10 year: -17.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	196.50	3880.21	-1.70
4/15/2007	198.75	3877.96	-2.25
2/8/2008	202.91	3873.80	-4.16
4/30/2009	205.60	3871.11	-2.69
2/2/2010	202.50	3874.21	3.10
1/29/2011	204.60	3872.11	-2.10
2/25/2012	205.10	3871.61	-0.50
2/12/2013	210.40	3866.31	-5.30
1/15/2014	210.60	3866.11	-0.20
1/31/2015	212.20	3864.51	-1.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: PRIOLA, RUBY M.

Owner: CORYELL ZACHARY & JESSICA

Permit #: 5351 - FP -

Location #: SC00804322BCB

USGS Site ID: 392024102121100

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW SW NW 22 8 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4358236.8 Easting (UTM x): 740983.9 User supplied

Latitude/Longitude (decimal degrees): 39.339997 -102.203799

Surface Elevation (ft): 4090.69 **Top Perforated Interval (ft):** 254 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 334 **Bottom Perforated Interval (ft):** 334 **1 year:** 1.80


Aquifer(s): OGALLALA **5 year:** -1.35

10 year: -6.28

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	227.29	3863.40	-1.37
4/4/2007	228.21	3862.48	-0.92
2/8/2008	231.05	3859.64	-2.84
4/30/2009	232.28	3858.41	-1.23
2/2/2010	230.85	3859.84	1.43
2/4/2011	234.90	3855.79	-4.05
1/30/2012	234.55	3856.14	0.35
2/12/2013	231.40	3859.29	3.15
1/15/2014	234.00	3856.69	-2.60
1/31/2015	232.20	3858.49	1.80

All Historic Measurements



Well Name: CORYELL, CHARLES

Owner: BILLINGTON FARMS INC

Permit #: 2581 - FP -

Location #: SC00804327ABD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE NW SE 27 8 S 43 W S From N/S line: 1100 N From E/W line: 2620 E

UTM Coordinates (NAD83): Northing (UTM y) 4356883.5 Easting (UTM x): 741838.4 Spotted from section lines

Latitude/Longitude (decimal degrees): 39.327580 -102.194380

Surface Elevation (ft): 4118 **Top Perforated Interval (ft):** 157 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 337 **Bottom Perforated Interval (ft):** 337 **1 year:** 16.50


Aquifer(s): OGALLALA **5 year:** -5.72

10 year: -12.98

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/23/2006	221.42	3896.58	-0.10
4/4/2007	225.48	3892.52	-4.06
2/8/2008	228.12	3889.88	-2.64
1/1/2009			
2/2/2010	228.58	3889.42	
2/4/2011	225.40	3892.60	3.18
2/25/2012	224.80	3893.20	0.60
2/12/2013	254.90	3863.10	-30.10
1/15/2014	250.80	3867.20	4.10
1/31/2015	234.30	3883.70	16.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: DVORAK, C.J. & CO.

Owner: GROSS MELVIN

Permit #: 10089 - FP -

Location #: SC00804330ABC

USGS Site ID: 391936102150100

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SW 30 8 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4356632.6 Easting (UTM x): 736982.4 *User supplied*

Latitude/Longitude (decimal degrees): 39.326664 -102.250745

Surface Elevation (ft): 4144.73 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 346 **Bottom Perforated Interval (ft):** 346 **1 year:** -2.90


Aquifer(s): OGALLALA **5 year:** -9.19

10 year: -15.94

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	244.01	3900.72	1.05
4/4/2007	249.50	3895.23	-5.49
2/8/2008	252.90	3891.83	-3.40
1/1/2009			
2/2/2010	251.81	3892.92	
1/29/2011	254.23	3890.50	-2.42
1/30/2012	253.30	3891.43	0.93
2/6/2013	255.70	3889.03	-2.40
1/15/2014	258.10	3886.63	-2.40
1/31/2015	261.00	3883.73	-2.90

All Historic Measurements



Well Name: HINKHOUSE, SYBILLA

Owner: HINKHOUSE SYBILLA A TRUST

Permit #: 20256 - RFP -

Location #: SC00804332CCC

USGS Site ID: 391806102141801

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 32 8 S 43 W S From N/S line: 700 S From E/W line: 2200 W

UTM Coordinates (NAD83): Northing (UTM y) 4354037.3 Easting (UTM x): 737900.6 *User supplied*

Latitude/Longitude (decimal degrees): 39.303053 -102.241022

Surface Elevation (ft): 4129.73 **Top Perforated Interval (ft):** 213 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 321 **Bottom Perforated Interval (ft):** 313 **1 year:** 2.20


Aquifer(s): OGALLALA **5 year:** -0.80

10 year: -1.54

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2005	221.53	3908.20	-0.25
4/20/2007	219.93	3909.80	1.60
1/30/2008	224.22	3905.51	-4.29
4/10/2009	223.71	3906.02	0.51
1/11/2010	222.02	3907.71	1.69
1/28/2011	224.38	3905.35	-2.36
12/28/2011	221.22	3908.51	3.16
3/7/2013	221.02	3908.71	0.20
12/30/2013	225.02	3904.71	-4.00
1/31/2015	222.82	3906.91	2.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	DAVIS, RUSSELL E.		Owner:	UDYE FARMS US INC	
Permit #:	4614 - FP -	Location #:	SC00804334DBB	USGS Site ID:	391832102113900
Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE NW NW 34	8 S	43 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4354776.4	Easting (UTM x):	741858.3	User supplied
Latitude/Longitude (decimal degrees):		39.308609		-102.194909	
Surface Elevation (ft):	4057.7	Top Perforated Interval (ft):	170	Base of grout (ft):	Water Level Change
Well depth (ft):	290	Bottom Perforated Interval (ft):	290		1 year: 13.40
Aquifer(s):	OGALLALA				5 year: -15.62
					10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/18/2007	184.45	3873.25	-4.75
2/18/2008	187.05	3870.65	-2.60
4/10/2009	188.21	3869.49	-1.16
1/15/2010	191.98	3865.72	-3.77
1/28/2011	188.20	3869.50	3.78
1/30/2012	189.30	3868.40	-1.10
1/16/2013	219.10	3838.60	-29.80
2/28/2014	221.00	3836.70	-1.90
1/31/2015	207.60	3850.10	13.40

All Historic Measurements




Well Name:	VAVRA, LARRY & JOHN		Owner:	VAVRA BROS	
Permit #:	38429 - FP -	Location #:	SC00804402ABD1	USGS Site ID:	392308102170000
Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE NW SE 2	8 S	44 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4362990.5	Easting (UTM x):	733938.6	User supplied
Latitude/Longitude (decimal degrees):		39.384718		-102.283802	
Surface Elevation (ft):	4086.69	Top Perforated Interval (ft):	174	Base of grout (ft):	Water Level Change
Well depth (ft):	244	Bottom Perforated Interval (ft):	224		1 year: 3.90
Aquifer(s):	OGALLALA				5 year: -12.61
					10 year: -22.22

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	185.48	3901.21	-0.30
4/1/2007	190.71	3895.98	-5.23
2/21/2008	193.21	3893.48	-2.50
1/1/2009			
1/18/2010	194.79	3891.90	
1/6/2011	198.07	3888.62	-3.28
2/25/2012	201.30	3885.39	-3.23
2/13/2013	208.80	3877.89	-7.50
1/13/2014	211.30	3875.39	-2.50
1/26/2015	207.40	3879.29	3.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HANSEN, DALE**

Owner: HANSEN DALE E & SHELLEY A

Permit #: 3958 - FP -

Location #: SC00804402DBD

USGS Site ID: 392238102165800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE NW SE 2 8 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4362159.5 Easting (UTM x): 734011.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.377218 -102.283247

Surface Elevation (ft): 4095.7 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** 260 **1 year:** 2.20
Aquifer(s): OGALLALA **5 year:** 3.12
10 year: -0.42

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	193.08	3902.62	1.10
4/1/2007	200.77	3894.93	-7.69
2/21/2008	198.95	3896.75	1.82
4/29/2009	195.36	3900.34	3.59
1/17/2010	197.72	3897.98	-2.36
1/6/2011	197.80	3897.90	-0.08
2/16/2012	199.30	3896.40	-1.50
2/13/2013	205.40	3890.30	-6.10
1/13/2014	196.80	3898.90	8.60
1/26/2015	194.60	3901.10	2.20

All Historic Measurements



Well Name: **BAUDER, GERTRUDE**

Owner:

Permit #: 6215 - FP -

Location #: SC00804406AAC

USGS Site ID: 392304102212400


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE SW 6 8 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4362772.0 Easting (UTM x): 727622.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.384439 -102.357138

Surface Elevation (ft): 4141.73 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 275 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	182.05	3959.68	0.68
3/30/2007	183.30	3958.43	-1.25

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **PEARCH, PATRICIA**

Owner: PATRICIA PEARCH

Permit #: 12587 - FP -

Location #: SC00804406BBA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NE 6 8 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4363043.0 Easting (UTM x): 726654.6 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.387133 -102.368272

Surface Elevation (ft): 4152 **Top Perforated Interval (ft):** 210 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 261 **Bottom Perforated Interval (ft):** 261 **1 year:** 2.80


Aquifer(s): OGALLALA **5 year:** -25.00

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	170.40	3981.60	
1/5/2011	169.80	3982.20	0.60
2/25/2012	170.60	3981.40	-0.80
2/13/2013	196.40	3955.60	-25.80
1/13/2014	198.20	3953.80	-1.80
1/26/2015	195.40	3956.60	2.80

All Historic Measurements



Well Name: **MCARTHUR, JERRY**

Owner: MCARTHUR FARMS

Permit #: 20494 - RFP -

Location #: SC00804414ADC

USGS Site ID: 392122102165000

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SE SW 14 8 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4359606.1 Easting (UTM x): 734280.1 *User supplied*

Latitude/Longitude (decimal degrees): 39.354163 -102.281024

Surface Elevation (ft): 4098.72 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 257 **Bottom Perforated Interval (ft):** **1 year:**


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	179.15	3919.57	0.37
3/31/2007	181.40	3917.32	-2.25
2/19/2008	183.91	3914.81	-2.51
4/29/2009	183.80	3914.92	0.11

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	HINKHOUSE, BARRY			Owner:	HINKHOUSE BARRY		
Permit #:	5450 - FP -	Location #:	SC00804416BCA	USGS Site ID:	392120102194700		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW NE 16	8 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4359665.2	Easting (UTM x):	730061.3	User supplied		
Latitude/Longitude (decimal degrees):		39.355829		-102.329915			
Surface Elevation (ft):	4168.75	Top Perforated Interval (ft):	200	Base of grout (ft):	Water Level Change		
Well depth (ft):	290	Bottom Perforated Interval (ft):	290		1 year:		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	205.45	3963.30	-0.37
3/26/2007	206.95	3961.80	-1.50
2/19/2008	208.60	3960.15	-1.65
4/29/2009	209.40	3959.35	-0.80
1/18/2010	207.00	3961.75	2.40

All Historic Measurements




Well Name:	REED, MARIE M.			Owner:	MARIE M. REED		
Permit #:	5941 - FP -	Location #:	SC00804417CB	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NW 17	8 S	44 W S		From N/S line: 2555 S From E/W line: 2615 E		
UTM Coordinates (NAD83):	Northing (UTM y)	4359210.5	Easting (UTM x):	728874.5	Spotted from section lines		
Latitude/Longitude (decimal degrees):		39.352051		-102.343830			
Surface Elevation (ft):	4182	Top Perforated Interval (ft):	207	Base of grout (ft):	Water Level Change		
Well depth (ft):	347	Bottom Perforated Interval (ft):	347		1 year:		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2011	136.45	4045.55	
2/25/2012	142.60	4039.40	-6.15
2/13/2013	138.05	4043.95	4.55
1/13/2014	139.40	4042.60	-1.35
1/21/2015	140.70	4041.30	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: ADOLF, HERMAN TRUST **Owner:** HERMAN & IRENE ADOLF TRUST
Permit #: 4966 - FP - **Location #:** SC00804419DAD **USGS Site ID:** 392003102211500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NE SE 19 8 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4357197.6 Easting (UTM x): 728001.3 User supplied
Latitude/Longitude (decimal degrees): 39.334163 -102.354637

Surface Elevation (ft): 4209.77 **Top Perforated Interval (ft):** 203 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 283 **Bottom Perforated Interval (ft):** 283 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** 8.60
10 year: 10.41

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	219.11	3990.66	-0.30
3/26/2007	221.58	3988.19	-2.47
2/19/2008	224.91	3984.86	-3.33
4/29/2009	222.11	3987.66	2.80
1/18/2010	217.00	3992.77	5.11
1/5/2011	206.50	4003.27	10.50
2/25/2012	204.20	4005.57	2.30
1/16/2013	224.90	3984.87	-20.70
1/13/2014	206.80	4002.97	18.10
1/21/2015	208.40	4001.37	-1.60

All Historic Measurements



Well Name: FARNSWORTH, WILLIAM **Owner:**
Permit #: 6567 - FP - **Location #:** SC00804422BBD **USGS Site ID:** 392032102184500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW SE 22 8 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4358228.6 Easting (UTM x): 731565.7 User supplied
Latitude/Longitude (decimal degrees): 39.342496 -102.312969

Surface Elevation (ft): 4186.75 **Top Perforated Interval (ft):** 249 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 329 **Bottom Perforated Interval (ft):** 329 **1 year:**
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	231.72	3955.03	-1.54
3/26/2007	233.71	3953.04	-1.99

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: HANSEN, DALE		Owner: HANSEN DALE	
Permit #: 3450 - FP -	Location #: SC00804424BCC	USGS Site ID: 392019102164000	
Division: 1	Water District: 49	County: KIT CARSON	
Location: Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:	
NW SW SW 24	8 S 44 W S	From N/S line: From E/W line:	
UTM Coordinates (NAD83): Northing (UTM y) 4357979.8 Easting (UTM x): 734592.7 <i>User supplied</i>			
Latitude/Longitude (decimal degrees): 39.339441 -102.277968			
Surface Elevation (ft): 4150.73	Top Perforated Interval (ft): 228	Base of grout (ft):	Water Level Change
Well depth (ft): 327	Bottom Perforated Interval (ft): 328		1 year: 2.60
Aquifer(s): OGALLALA			5 year: -6.10
			10 year: -10.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	226.08	3924.65	-1.38
3/26/2007	228.01	3922.72	-1.93
2/19/2008	230.68	3920.05	-2.67
4/29/2009	229.45	3921.28	1.23
2/8/2010	228.80	3921.93	0.65
1/5/2011	225.30	3925.43	3.50
2/25/2012	224.80	3925.93	0.50
2/13/2013	241.60	3909.13	-16.80
1/13/2014	237.50	3913.23	4.10
1/21/2015	234.90	3915.83	2.60

All Historic Measurements




Well Name: HINKHOUSE SYBILLA		Owner: HINKHOUSE BROS	
Permit #: 5750 - FP -	Location #: SC00804426CCB	USGS Site ID: 391906102174600	
Division: 1	Water District: 49	County: KIT CARSON	
Location: Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:	
SW SW NW 26	8 S 44 W S	From N/S line: From E/W line:	
UTM Coordinates (NAD83): Northing (UTM y) 4355588.3 Easting (UTM x): 733058.5 <i>User supplied</i>			
Latitude/Longitude (decimal degrees): 39.318330 -102.296580			
Surface Elevation (ft): 4173.75	Top Perforated Interval (ft): 266	Base of grout (ft):	Water Level Change
Well depth (ft): 326	Bottom Perforated Interval (ft): 326		1 year:
Aquifer(s): OGALLALA			5 year:
			10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2006	221.53	3952.22	-1.31
4/15/2007	224.83	3948.92	-3.30
2/19/2008	226.23	3947.52	-1.40
4/9/2009	228.07	3945.68	-1.84

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: KC-SE-MW #7		Owner: KIT CARSON COUNTY LANDFILL	
Permit #: 249015 - -	Location #: SC00804428AAD	USGS Site ID:	
Division: 1	Water District: 49	County: KIT CARSON	
Location: Q160 Q40 Q10 Section Twnshp Range PM	Distance from section lines:		
NE NE SE 28 8 S 44 W S	From N/S line: From E/W line:		
UTM Coordinates (NAD83): Northing (UTM y) 4356539.0		Easting (UTM x): 731275.8 <i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees): 39.327366		-102.316911	
Surface Elevation (ft): 4128	Top Perforated Interval (ft): 140	Base of grout (ft):	Water Level Change 1 year: 5 year: 10 year:
Well depth (ft): 190	Bottom Perforated Interval (ft): 180		
Aquifer(s): OGALLALA			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/11/2008	168.03	3959.97	
5/9/2009	166.30	3961.70	1.73
1/11/2010	163.20	3964.80	3.10
1/5/2011	163.71	3964.29	-0.51
2/25/2012	164.30	3963.70	-0.59
1/16/2013	205.90	3922.10	-41.60
3/7/2013	202.90	3925.10	3.00
12/30/2013	216.70	3911.30	-13.80

All Historic Measurements




Well Name: HINKHOUSE, MAUDE		Owner: MAUDE HINKHOUSE	
Permit #: 16006 - RFP -	Location #: SC00804435CBC	USGS Site ID:	
Division: 1	Water District: 49	County: KIT CARSON	
Location: Q160 Q40 Q10 Section Twnshp Range PM	Distance from section lines:		
SW NW SW 35 8 S 44 W S	From N/S line: From E/W line:		
UTM Coordinates (NAD83): Northing (UTM y) 4354148.0		Easting (UTM x): 733141.6 <i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees): 39.305344		-102.296117	
Surface Elevation (ft): 4191	Top Perforated Interval (ft): 266	Base of grout (ft):	Water Level Change 1 year: 2.50 5 year: -10.20 10 year:
Well depth (ft): 346	Bottom Perforated Interval (ft): 346		
Aquifer(s): OGALLALA			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	182.80	4008.20	
1/7/2011	189.40	4001.60	-6.60
2/25/2012	191.50	3999.50	-2.10
2/13/2013	194.20	3996.80	-2.70
12/30/2013	195.50	3995.50	-1.30
1/21/2015	193.00	3998.00	2.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	CITY OF BURLINGTON	Owner:	BURLINGTON CITY OF
Permit #:	10598 - RFP -	Location #:	SC00804436CDD
		USGS Site ID:	
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SE SE 36	8 S	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4353778.0	Easting (UTM x): 735415.0 GPS
Latitude/Longitude (decimal degrees):		39.301399	-102.269908
Surface Elevation (ft):	4162	Top Perforated Interval (ft):	292
		Base of grout (ft):	
Well depth (ft):	348	Bottom Perforated Interval (ft):	341
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 3.10
5 year: 2.70
10 year: -6.86

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	231.87	3930.13	-13.83
4/20/2007	237.53	3924.47	-5.66
1/30/2008	239.34	3922.66	-1.81
5/9/2009	231.15	3930.85	8.19
1/11/2010	227.60	3934.40	3.55
1/5/2011	226.80	3935.20	0.80
12/28/2011	216.80	3945.20	10.00
2/11/2013	227.60	3934.40	-10.80
12/30/2013	228.00	3934.00	-0.40
1/19/2015	224.90	3937.10	3.10

All Historic Measurements




Well Name:	CURE LAND LLC	Owner:	CURE LAND LLC
Permit #:	16298 - FP -	Location #:	SC00804503BDC
		USGS Site ID:	392257102252100
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SE SW 3	8 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4362423.6	Easting (UTM x): 721980.6 User supplied
Latitude/Longitude (decimal degrees):		39.382772	-102.422696
Surface Elevation (ft):	4189.77	Top Perforated Interval (ft):	156
		Base of grout (ft):	
Well depth (ft):	256	Bottom Perforated Interval (ft):	256
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.60
5 year: -7.29
10 year: -11.57

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2006	196.28	3993.49	-0.43
3/23/2007	197.47	3992.30	-1.19
2/22/2008	200.51	3989.26	-3.04
4/29/2009	198.51	3991.26	2.00
2/10/2010	199.20	3990.57	-0.69
1/6/2011	203.50	3986.27	-4.30
2/22/2012	199.50	3990.27	4.00
2/18/2013	203.20	3986.57	-3.70
2/26/2014	205.80	3983.97	-2.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BOHEN, JOE & MARY			Owner:	JARNAGIN BYRON		
Permit #:	12057 - FP -	Location #:	SC00804514DAD	USGS Site ID:	392052102232500		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NE SE 14	8 S	45 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4358617.8	Easting (UTM x):	724844.7	User supplied		
Latitude/Longitude (decimal degrees):	39.347773		-102.390750				
Surface Elevation (ft):	4210.78	Top Perforated Interval (ft):	152	Base of grout (ft):	Water Level Change		
Well depth (ft):	252	Bottom Perforated Interval (ft):	252	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2006	198.58	4012.20	-0.33
3/26/2007	202.27	4008.51	-3.69
2/21/2008	205.50	4005.28	-3.23
4/29/2009	203.80	4006.98	1.70

All Historic Measurements




Well Name:	DREITZ, A.			Owner:	DREITZ ALVIN J & MILDRED		
Permit #:	14014 - FP -	Location #:	SC00804519ABC	USGS Site ID:	392026102282200		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW SW 19	8 S	45 W S		From N/S line: 3970 S From E/W line: 2450 E		
UTM Coordinates (NAD83):	Northing (UTM y)	4357613.8	Easting (UTM x):	717756.8	User supplied		
Latitude/Longitude (decimal degrees):	39.340550		-102.473253				
Surface Elevation (ft):	4251.81	Top Perforated Interval (ft):	155	Base of grout (ft):	Water Level Change		
Well depth (ft):	245	Bottom Perforated Interval (ft):	245	1 year: 2.00			
Aquifer(s):				5 year: 5.90			
				10 year: 11.06			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2006	185.26	4066.55	-1.10
3/26/2007	188.16	4063.65	-2.90
2/21/2008	190.55	4061.26	-2.39
4/19/2009	189.75	4062.06	0.80
2/10/2010	179.00	4072.81	10.75
1/6/2011	169.10	4082.71	9.90
2/22/2012	167.30	4084.51	1.80
2/18/2013	173.10	4078.71	-5.80
2/22/2014	175.10	4076.71	-2.00
1/26/2015	173.10	4078.71	2.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	MILTENBERGER, BEN			Owner:	MILTENBERGER BROTHERS		
Permit #:	13234 - F	-	Location #:	SC00804532BCC	USGS Site ID:	391833102275000	
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SW SW	32	8 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4354151.3	Easting (UTM x):		718620.8 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.309162			-102.464363	
Surface Elevation (ft):	4247.83	Top Perforated Interval (ft):	135	Base of grout (ft):	Water Level Change		
Well depth (ft):	215	Bottom Perforated Interval (ft):	215	1 year: 9.20			
Aquifer(s):	OGALLALA			5 year: -4.00			
				10 year: -11.36			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2006	152.82	4095.01	-1.78
3/26/2007	152.78	4095.05	0.04
2/21/2008	153.56	4094.27	-0.78
1/1/2009			
2/10/2010	158.40	4089.43	
1/6/2011	155.20	4092.63	3.20
2/22/2012	152.20	4095.63	3.00
2/18/2013	170.20	4077.63	-18.00
2/26/2014	171.60	4076.23	-1.40
1/26/2015	162.40	4085.43	9.20

All Historic Measurements




Well Name:	HINKHOUSE, TRUST			Owner:	HINKHOUSE BARRY & BILL		
Permit #:	4068 - FP	-	Location #:	SC00804534DBB	USGS Site ID:	391827102250200	
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NW NW	34	8 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4354079.6	Easting (UTM x):		722626.3 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			39.307496			-102.417973	
Surface Elevation (ft):	4248.81	Top Perforated Interval (ft):	160	Base of grout (ft):	Water Level Change		
Well depth (ft):	235	Bottom Perforated Interval (ft):	248	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2006	195.88	4052.93	3.37
3/26/2007	202.16	4046.65	-6.28
2/22/2008	201.21	4047.60	0.95

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	CURE INC.	Owner:	CURE INC
Permit #:	5614 - FP -	Location #:	SC00804601BCC
		USGS Site ID:	392252102300000
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW SW 1	8 S	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4362050.1	Easting (UTM x): 715285.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.381105	-102.500476
Surface Elevation (ft):	4280.81	Top Perforated Interval (ft):	227
		Base of grout (ft):	
Well depth (ft):	305	Bottom Perforated Interval (ft):	307
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 2.00
5 year: -7.77
10 year: -14.14

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2006	251.13	4029.68	1.63
3/23/2007	254.11	4026.70	-2.98
2/21/2008	258.53	4022.28	-4.42
1/1/2009			
2/11/2010	259.13	4021.68	
1/6/2011	265.32	4015.49	-6.19
2/25/2012	267.20	4013.61	-1.88
2/26/2014	268.90	4011.91	-1.70
1/18/2015	266.90	4013.91	2.00

All Historic Measurements




Well Name:	HORNUNG, EDITH	Owner:	HORNUNG EDITH A ETAL
Permit #:	3449 - FP -	Location #:	SC00804616AB
		USGS Site ID:	
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NW 16	8 S	46 W S
		Distance from section lines:	
		From N/S line:	1020 N
		From E/W line:	2600 E
UTM Coordinates (NAD83):	Northing (UTM y)	4359230.5	Easting (UTM x): 711318.1 <i>Spotted from section lines</i>
Latitude/Longitude (decimal degrees):		39.356702	-102.547390
Surface Elevation (ft):	4314	Top Perforated Interval (ft):	205
		Base of grout (ft):	
Well depth (ft):	265	Bottom Perforated Interval (ft):	265
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.20
5 year: 8.70
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	241.56	4072.44	
1/1/2009			
2/10/2010	238.25	4075.75	
1/7/2011	233.13	4080.87	5.12
2/25/2012	231.25	4082.75	1.88
3/8/2013	234.45	4079.55	-3.20
2/26/2014	228.35	4085.65	6.10
1/18/2015	229.55	4084.45	-1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **KLIESEN, J.C.**

Owner: KLIESEN, J.C.

Permit #: 3861 - FP -

Location #: SC00804620CBB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW NW NW 20 8 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4356943.0 Easting (UTM x): 709036.8 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.336663 -102.574558

Surface Elevation (ft): 4363 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240 **1 year:** -1.00


Aquifer(s): OGALLALA **5 year:** -0.60

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/11/2010	199.80	4163.20	
1/7/2011	196.60	4166.40	3.20
2/25/2012	194.90	4168.10	1.70
3/8/2013	199.10	4163.90	-4.20
2/26/2014	199.40	4163.60	-0.30
1/18/2015	200.40	4162.60	-1.00

All Historic Measurements



Well Name: **DROSTE, RAYMOND**

Owner:

Permit #: 2772 - FP -

Location #: SC00804628CCC

USGS Site ID: 391858102332400

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW SW SW 28 8 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4354701.7 Easting (UTM x): 710599.5 *User supplied*

Latitude/Longitude (decimal degrees): 39.316106 -102.557144

Surface Elevation (ft): 4359.86 **Top Perforated Interval (ft):** 188 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 248 **Bottom Perforated Interval (ft):** 248 **1 year:**


Aquifer(s): **5 year:**

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	215.68	4144.18	0.02
3/26/2007	215.00	4144.86	0.68

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	SIMON FAMILY INC.			Owner:	SIMON ROSE M.		
Permit #:	6976 - FP -	Location #:	SC00804629DCD	USGS Site ID:	391858102334500		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SW SE	29	8 S	46 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4354688.1	Easting (UTM x):	710096.4	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):		39.316106		-102.562978			
Surface Elevation (ft):	4373.86	Top Perforated Interval (ft):	213	Base of grout (ft):	Water Level Change		
Well depth (ft):	263	Bottom Perforated Interval (ft):	263		1 year: -1.10		
Aquifer(s):	OGALLALA				5 year: 9.96		
					10 year: 2.08		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	218.51	4155.35	-0.13
3/26/2007	220.43	4153.43	-1.92
2/21/2008	222.13	4151.73	-1.70
4/7/2009	225.41	4148.45	-3.28
2/11/2010	226.26	4147.60	-0.85
1/7/2011	218.00	4155.86	8.26
2/25/2012	216.20	4157.66	1.80
3/8/2013	220.40	4153.46	-4.20
2/26/2014	215.20	4158.66	5.20
1/18/2015	216.30	4157.56	-1.10

All Historic Measurements




Well Name:	PICKARD, LOUIS			Owner:			
Permit #:	- -	Location #:	SC00804706DDD	USGS Site ID:	392230102412000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SE SE	6	8 S	47 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4362668.9	Easting (UTM x):	699154.9	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):		39.390548		-102.687427			
Surface Elevation (ft):	4427.92	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	212	Bottom Perforated Interval (ft):			1 year: 1.70		
Aquifer(s):					5 year: 20.10		
					10 year: 3.65		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	204.02	4223.90	-0.27
4/19/2007	209.79	4218.13	-5.77
2/22/2008	208.77	4219.15	1.02
4/6/2009	209.86	4218.06	-1.09
2/6/2010	220.20	4207.72	-10.34
1/7/2011	211.80	4216.12	8.40
2/25/2012	207.90	4220.02	3.90
3/8/2013	201.60	4226.32	6.30
2/26/2014	201.80	4226.12	-0.20
1/18/2015	200.10	4227.82	1.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	CONRARDY, DALE & V.			Owner:	CONRARDY BERNARD		
Permit #:	14337 - FP -	Location #:	SC00804726CCC	USGS Site ID:	391900102375000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW SW 26	8 S	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4354652.8	Easting (UTM x):	704129.5	User supplied		
Latitude/Longitude (decimal degrees):		39.317216		-102.632146			
Surface Elevation (ft):	4323.87	Top Perforated Interval (ft):	79	Base of grout (ft):	Water Level Change		
Well depth (ft):	115	Bottom Perforated Interval (ft):	115		1 year: -0.10		
Aquifer(s):	OGALLALA				5 year: 12.43		
					10 year: -2.05		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	74.25	4249.62	-0.20
4/19/2007	78.04	4245.83	-3.79
2/22/2008	82.13	4241.74	-4.09
4/6/2009	86.17	4237.70	-4.04
1/30/2010	88.53	4235.34	-2.36
1/7/2011	82.83	4241.04	5.70
2/25/2012	80.75	4243.12	2.08
3/8/2013	81.20	4242.67	-0.45
2/26/2014	76.00	4247.87	5.20
1/18/2015	76.10	4247.77	-0.10

All Historic Measurements




Well Name:	EBERHART, MARLIN			Owner:	HINKHOUSE BARRY		
Permit #:	11371 - FP -	Location #:	SC00904203CDB	USGS Site ID:	391759102051100		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SE NW 3	9 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4353160.4	Easting (UTM x):	751262.5	User supplied		
Latitude/Longitude (decimal degrees):		39.291388		-102.086572			
Surface Elevation (ft):	3957.63	Top Perforated Interval (ft):	135	Base of grout (ft):	Water Level Change		
Well depth (ft):	228	Bottom Perforated Interval (ft):	228		1 year:		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	133.19	3824.44	-0.66
12/20/2005	133.72	3823.91	-0.53
3/19/2007	133.50	3824.13	0.22
2/8/2008	135.15	3822.48	-1.65

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	PRALLE, DALE & ALLEN			Owner:	PRALLE DALE & ALLAN D		
Permit #:	5271 - FP -	Location #:	SC00904214BBB	USGS Site ID:	391620102042100		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NW 14	9 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4351072.3	Easting (UTM x):	752553.4	User supplied		
Latitude/Longitude (decimal degrees):	39.272222		-102.072405				
Surface Elevation (ft):	3987.63	Top Perforated Interval (ft):	157	Base of grout (ft):	Water Level Change		
Well depth (ft):	277	Bottom Perforated Interval (ft):	277		1 year: 0.70		
Aquifer(s):	OGALLALA				5 year: -4.10		
					10 year: -7.74		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	169.86	3817.77	-3.83
12/20/2005	171.16	3816.47	-1.30
3/19/2007	169.80	3817.83	1.36
2/8/2008	173.09	3814.54	-3.29
4/5/2009	174.93	3812.70	-1.84
1/15/2010	173.50	3814.13	1.43
2/7/2011	171.70	3815.93	1.80
2/2/2012	173.50	3814.13	-1.80
3/13/2013	176.50	3811.13	-3.00
2/13/2014	178.30	3809.33	-1.80
1/13/2015	177.60	3810.03	0.70

All Historic Measurements




Well Name:	PENNY, KEVIN, GARY & GREG			Owner:	KEVIN, GARY & GREG PENNY		
Permit #:	14588 - FP -	Location #:	SC00904218BC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW 18	9 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4350363.5	Easting (UTM x):	746277.6	Spotted from quarters		
Latitude/Longitude (decimal degrees):	39.267648		-102.145327				
Surface Elevation (ft):	4055	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	272	Bottom Perforated Interval (ft):			1 year: 3.00		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2011	176.40	3878.60	
2/2/2012	179.70	3875.30	-3.30
3/12/2013	181.60	3873.40	-1.90
2/26/2014	181.80	3873.20	-0.20
1/13/2015	178.80	3876.20	3.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	HARTMAN, JODEY & SUSAN			Owner:	HARTMAN YVONNE TRUST ETAL		
Permit #:	3852 - FP -	Location #:	SC00904219DBC	USGS Site ID:	391452102081600		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NW SW 19	9 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)		4348208.7	Easting (UTM x):		746981.9	User supplied
Latitude/Longitude (decimal degrees):			39.248055			-102.137962	
Surface Elevation (ft):	4084.66	Top Perforated Interval (ft):	240	Base of grout (ft):	Water Level Change		
Well depth (ft):	320	Bottom Perforated Interval (ft):	320			1 year:	-2.20
Aquifer(s):	OGALLALA					5 year:	-19.30
						10 year:	-23.12

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	220.48	3864.18	-1.82
12/21/2005	222.06	3862.60	-1.58
3/19/2007	225.17	3859.49	-3.11
2/18/2008	228.01	3856.65	-2.84
4/5/2009	228.38	3856.28	-0.37
1/15/2010	224.30	3860.36	4.08
2/7/2011	230.50	3854.16	-6.20
2/2/2012	233.80	3850.86	-3.30
1/18/2013	248.30	3836.36	-14.50
2/13/2014	241.40	3843.26	6.90
1/29/2015	243.60	3841.06	-2.20

All Historic Measurements




Well Name:	MARTENS, ARTHUR F.			Owner:	MARTENS ARTHUR F		
Permit #:	3476 - FP -	Location #:	SC00904222ACD	USGS Site ID:	391507102043800		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE SW SE 22	9 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)		4348806.7	Easting (UTM x):		752170.7	User supplied
Latitude/Longitude (decimal degrees):			39.251944			-102.077683	
Surface Elevation (ft):	4012.63	Top Perforated Interval (ft):	232	Base of grout (ft):	Water Level Change		
Well depth (ft):	312	Bottom Perforated Interval (ft):	312			1 year:	-3.00
Aquifer(s):	OGALLALA					5 year:	-11.78
						10 year:	-22.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	182.30	3830.33	-3.27
12/20/2005	183.64	3828.99	-1.34
3/19/2007	189.00	3823.63	-5.36
2/8/2008	190.11	3822.52	-1.11
4/5/2009	192.89	3819.74	-2.78
1/15/2010	193.02	3819.61	-0.13
2/7/2011	192.40	3820.23	0.62
2/2/2012	192.20	3820.43	0.20
1/18/2013	196.90	3815.73	-4.70
2/13/2014	201.80	3810.83	-4.90
1/29/2015	204.80	3807.83	-3.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	GILBERT, DANIEL & DONALD			Owner:	GILBERT MARVIN		
Permit #:	11594 - FP -	Location #:	SC00904226AAC	USGS Site ID:	391425102032900		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NE SW 26	9 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4347565.3	Easting (UTM x):	753867.1	User supplied		
Latitude/Longitude (decimal degrees):		39.240278		-102.058515			
Surface Elevation (ft):	3994.62	Top Perforated Interval (ft):	223	Base of grout (ft):	Water Level Change		
Well depth (ft):	303	Bottom Perforated Interval (ft):	303		1 year: 0.10		
Aquifer(s):	OGALLALA				5 year: -9.70		
					10 year: -18.00		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	175.80	3818.82	-5.80
12/21/2005			
3/18/2007	178.33	3816.29	
2/8/2008	182.13	3812.49	-3.80
4/5/2009	183.27	3811.35	-1.14
1/15/2010	184.10	3810.52	-0.83
2/7/2011	184.30	3810.32	-0.20
2/2/2012	185.70	3808.92	-1.40
1/18/2013	206.20	3788.42	-20.50
2/13/2014	193.90	3800.72	12.30
1/29/2015	193.80	3800.82	0.10

All Historic Measurements




Well Name:	DEPCO FARMS INC.			Owner:	DEPCO FARMS C/O NORMAN SIMPSON		
Permit #:	4952 - FP -	Location #:	SC00904229CC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW 29	9 S	42 W S		From N/S line: 300 S From E/W line: 50 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4346105.5	Easting (UTM x):	747840.3	Spotted from section lines		
Latitude/Longitude (decimal degrees):		39.228883		-102.128799			
Surface Elevation (ft):	4080	Top Perforated Interval (ft):	196	Base of grout (ft):	Water Level Change		
Well depth (ft):	336	Bottom Perforated Interval (ft):	336		1 year: 2.00		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2011	217.20	3862.80	
2/2/2012	222.20	3857.80	-5.00
1/18/2013	221.90	3858.10	0.30
2/11/2013	226.80	3853.20	-4.90
2/13/2014	227.80	3852.20	-1.00
1/13/2015	225.80	3854.20	2.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	GEORGE D WILLS			Owner:	GEORGE D WILLS		
Permit #:	6490 - F -	Location #:	SC00904231AC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SW	31	9 S	42 W S		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4345494.5	Easting (UTM x):	747263.9	<i>Spotted from quarters</i>		
Latitude/Longitude (decimal degrees):	39.223549		-102.135689				
Surface Elevation (ft):	4095	Top Perforated Interval (ft):		Base of grout (ft):			
Well depth (ft):	335	Bottom Perforated Interval (ft):					
Aquifer(s):						Water Level Change 1 year: 5 year: 10 year:	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/28/2012	234.80	3860.20	
2/11/2013	242.40	3852.60	-7.60
1/13/2015	242.10	3852.90	0.30

All Historic Measurements




Well Name:	UNRUH, B.E. & M.K.			Owner:	WOODRICK OTTO H		
Permit #:	1479 - RFP -	Location #:	SC00904231CCC	USGS Site ID:	391258102084800		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW SW SW	31	9 S	42 W S		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4344637.8	Easting (UTM x):	746302.5	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.216111		-102.147129				
Surface Elevation (ft):	4106.66	Top Perforated Interval (ft):	215	Base of grout (ft):			
Well depth (ft):	337	Bottom Perforated Interval (ft):	335				
Aquifer(s):	OGALLALA					Water Level Change 1 year: -3.10 5 year: -9.25 10 year: -14.10	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	230.80	3875.86	-2.60
12/21/2005	231.88	3874.78	-1.08
3/19/2007	235.11	3871.55	-3.23
2/8/2008	236.89	3869.77	-1.78
4/5/2009	238.70	3867.96	-1.81
1/15/2010	235.65	3871.01	3.05
2/7/2011	230.60	3876.06	5.05
2/2/2012	229.60	3877.06	1.00
1/18/2013	239.90	3866.76	-10.30
2/13/2014	241.80	3864.86	-1.90
1/29/2015	244.90	3861.76	-3.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: MARTENS, ART

Owner: MARTENS ARTHUR F

Permit #: 11369 - FP -

Location #: SC00904301CDB

USGS Site ID: 391757102093800

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW SE NW 1 9 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4352863.5 Easting (UTM x): 744843.8 User supplied

Latitude/Longitude (decimal degrees): 39.290554 -102.161019

Surface Elevation (ft): 4001.68 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 220 **Bottom Perforated Interval (ft):** 221 **1 year:** -1.00


Aquifer(s): OGALLALA **5 year:** -6.90

10 year: -11.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	117.70	3883.98	-0.16
12/20/2005	118.55	3883.13	-0.85
3/19/2007	119.47	3882.21	-0.92
2/8/2008	119.90	3881.78	-0.43
4/10/2009	120.91	3880.77	-1.01
1/15/2010	122.10	3879.58	-1.19
1/28/2011	122.70	3878.98	-0.60
2/2/2012	124.90	3876.78	-2.20
1/18/2013	126.40	3875.28	-1.50
1/17/2014	128.00	3873.68	-1.60
1/13/2015	129.00	3872.68	-1.00

All Historic Measurements



Well Name: REED, KENNETH & PENNY

Owner: REED RANCHES

Permit #: 20527 - SFP -

Location #: SC00904305CB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SW NW 5 9 S 43 W S From N/S line: 3443 N From E/W line: 35 W

UTM Coordinates (NAD83): Northing (UTM y) 4352783.0 Easting (UTM x): 737925.8 Spotted from section lines

Latitude/Longitude (decimal degrees): 39.291757 -102.241174

Surface Elevation (ft): 4110 **Top Perforated Interval (ft):** 210 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 301 **Bottom Perforated Interval (ft):** 301 **1 year:** -1.40


Aquifer(s): OGALLALA **5 year:** 1.39

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	214.75	3895.25	
4/10/2009	212.30	3897.70	2.45
1/15/2010	212.64	3897.36	-0.34
1/28/2011	198.85	3911.15	13.79
1/10/2012	205.55	3904.45	-6.70
1/21/2013	207.45	3902.55	-1.90
2/11/2013	206.45	3903.55	1.00
12/30/2013	209.85	3900.15	-3.40
1/13/2015	211.25	3898.75	-1.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	PENNY JOHN C.			Owner:	PENNY JOHN C		
Permit #:	4057 - FP -	Location #:	SC00904314CCC	USGS Site ID:	391531102110300		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW SW 14	9 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4349253.9	Easting (UTM x):	742917.5	User supplied		
Latitude/Longitude (decimal degrees):	39.258610		-102.184631				
Surface Elevation (ft):	4120.69	Top Perforated Interval (ft):	295	Base of grout (ft):	Water Level Change		
Well depth (ft):	335	Bottom Perforated Interval (ft):	335	1 year: -3.80			
Aquifer(s):	OGALLALA			5 year: -9.81			
				10 year: -15.31			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2005			
3/19/2007	221.68	3899.01	
2/18/2008	224.91	3895.78	-3.23
4/30/2009	225.11	3895.58	-0.20
1/15/2010	224.49	3896.20	0.62
1/28/2011	231.50	3889.19	-7.01
1/10/2012	232.20	3888.49	-0.70
2/11/2013	237.40	3883.29	-5.20
1/3/2014	230.50	3890.19	6.90
1/29/2015	234.30	3886.39	-3.80

All Historic Measurements




Well Name:	PENNY, DOROTHY L.			Owner:	PENNY GENE W		
Permit #:	5527 - FP -	Location #:	SC00904322BCB	USGS Site ID:	391511102121000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW NW 22	9 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4348561.7	Easting (UTM x):	741499.2	User supplied		
Latitude/Longitude (decimal degrees):	39.252776		-102.201298				
Surface Elevation (ft):	4144.7	Top Perforated Interval (ft):	250	Base of grout (ft):	Water Level Change		
Well depth (ft):	340	Bottom Perforated Interval (ft):	340	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2005	244.79	3899.91	-1.33
3/19/2007	244.51	3900.19	0.28
2/18/2008	246.90	3897.80	-2.39
4/30/2009	247.05	3897.65	-0.15
1/15/2010	249.00	3895.70	-1.95

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	PENNY JOHN C.			Owner:	PENNY JOHN C		
Permit #:	11984 - FP -	Location #:	SC00904327BAA	USGS Site ID:	391434102114400		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NE NE 27	9 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4347465.9	Easting (UTM x):	741989.1	User supplied		
Latitude/Longitude (decimal degrees):	39.242777		-102.196020				
Surface Elevation (ft):	4117.7	Top Perforated Interval (ft):	20	Base of grout (ft):	Water Level Change		
Well depth (ft):	290	Bottom Perforated Interval (ft):	290	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2005			
3/25/2007	210.34	3907.36	
2/18/2008	212.89	3904.81	-2.55
4/30/2009	211.52	3906.18	1.37
1/15/2010	214.40	3903.30	-2.88
1/28/2011	197.40	3920.30	17.00
2/2/2012			

All Historic Measurements




Well Name:	PENNY, KEVIN & GREG.			Owner:			
Permit #:	2180 - FP -	Location #:	SC00904328ABB	USGS Site ID:	391437102124400		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW NW 28	9 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4347513.9	Easting (UTM x):	740547.6	User supplied		
Latitude/Longitude (decimal degrees):	39.243610		-102.212687				
Surface Elevation (ft):	4161.71	Top Perforated Interval (ft):	177	Base of grout (ft):	Water Level Change		
Well depth (ft):	337	Bottom Perforated Interval (ft):	337	1 year: 1.60			
Aquifer(s):				5 year: -6.20			
				10 year: -13.37			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2005	249.31	3912.40	-1.48
3/25/2007	252.37	3909.34	-3.06
2/18/2008	255.51	3906.20	-3.14
4/30/2009	254.59	3907.12	0.92
1/15/2010	255.00	3906.71	-0.41
1/28/2011	257.76	3903.95	-2.76
2/26/2012	259.20	3902.51	-1.44
2/11/2013	263.20	3898.51	-4.00
1/3/2014	262.80	3898.91	0.40
1/29/2015	261.20	3900.51	1.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	PENNY RANCHES INC.			Owner:	SHAMBRUG ROBERT F		
Permit #:	11553 - FP -	Location #:	SC00904332BBB2	USGS Site ID:	391345102142201		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NW 32	9 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4345838.5	Easting (UTM x):	738246.8	User supplied		
Latitude/Longitude (decimal degrees):	39.229165		-102.239910				
Surface Elevation (ft):	4186.73	Top Perforated Interval (ft):	224	Base of grout (ft):	Water Level Change		
Well depth (ft):	331	Bottom Perforated Interval (ft):	334		1 year: -0.10		
Aquifer(s):	OGALLALA				5 year: 2.70		
					10 year: -2.00		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2005	236.69	3950.04	-1.19
3/19/2007	238.07	3948.66	-1.38
2/18/2008	242.03	3944.70	-3.96
4/30/2009	239.70	3947.03	2.33
1/15/2010	240.20	3946.53	-0.50
1/28/2011	240.00	3946.73	0.20
1/5/2012	239.00	3947.73	1.00
2/11/2013	240.40	3946.33	-1.40
1/3/2014	237.40	3949.33	3.00
1/29/2015	237.50	3949.23	-0.10

All Historic Measurements




Well Name:	PENNY RANCHES INC.			Owner:	PENNY GENE		
Permit #:	5972 - FP -	Location #:	SC00904332CCB	USGS Site ID:	391305102142300		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW NW 32	9 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4344603.8	Easting (UTM x):	738236.4	User supplied		
Latitude/Longitude (decimal degrees):	39.218055		-102.240466				
Surface Elevation (ft):	4191.73	Top Perforated Interval (ft):	207	Base of grout (ft):	Water Level Change		
Well depth (ft):	327	Bottom Perforated Interval (ft):	327		1 year: -0.20		
Aquifer(s):	OGALLALA				5 year: -6.00		
					10 year: -7.85		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2005	233.66	3958.07	-1.01
3/19/2007	235.68	3956.05	-2.02
2/18/2008	236.71	3955.02	-1.03
4/30/2009	236.70	3955.03	0.01
1/15/2010	234.50	3957.23	2.20
1/28/2011	228.50	3963.23	6.00
1/5/2012	226.25	3965.48	2.25
2/11/2013	240.70	3951.03	-14.45
1/17/2014	240.30	3951.43	0.40
1/29/2015	240.50	3951.23	-0.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BEN F. PARMER TRUST			Owner:	PARMER TONY HELEN & STANDLEY JUDY		
Permit #:	3938 - FP -	Location #:	SC00904401BBC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW SW 1	9 S	44 W S		From N/S line: 1010 N From E/W line: 195 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4353396.5	Easting (UTM x):	734724.9	Spotted from section lines		
Latitude/Longitude (decimal degrees):		39.298152		-102.278036			
Surface Elevation (ft):	4169	Top Perforated Interval (ft):	252	Base of grout (ft):	Water Level Change		
Well depth (ft):	350	Bottom Perforated Interval (ft):	342		1 year: 0.30		
Aquifer(s):	OGALLALA				5 year: 2.00		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/12/2008	235.04	3933.96	
1/1/2009			
1/15/2010	233.75	3935.25	
1/8/2011	236.25	3932.75	-2.50
2/23/2012	238.40	3930.60	-2.15
2/11/2013	239.55	3929.45	-1.15
2/28/2014	232.05	3936.95	7.50
1/17/2015	231.75	3937.25	0.30

All Historic Measurements




Well Name:	PARMER, TONY, HELEN, ET AL			Owner:	PARMER TONY HELEN & STANDLEY JUDY		
Permit #:	11142 - FP -	Location #:	SC00904401CBB	USGS Site ID:	391734102163700		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NW NW 1	9 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4352771.1	Easting (UTM x):	734821.6	User supplied		
Latitude/Longitude (decimal degrees):		39.292497		-102.277134			
Surface Elevation (ft):	4159.75	Top Perforated Interval (ft):	235	Base of grout (ft):	Water Level Change		
Well depth (ft):	315	Bottom Perforated Interval (ft):	315		1 year: 4.40		
Aquifer(s):	OGALLALA				5 year: -6.00		
					10 year: -8.16		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2005	214.99	3944.76	-1.15
3/20/2007	214.12	3945.63	0.87
1/31/2008	220.03	3939.72	-5.91
1/1/2009			
1/13/2010	216.00	3943.75	
1/5/2011	218.90	3940.85	-2.90
2/23/2012	219.60	3940.15	-0.70
1/22/2013	221.00	3938.75	-1.40
1/21/2014	226.40	3933.35	-5.40
1/13/2015	222.00	3937.75	4.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HINKHOUSE, TRUST**

Owner: HINKHOUSE BILL & R E

Permit #: 3176 - FP -

Location #: SC00904411ACC

USGS Site ID: 391649102171400

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW SW 11 9 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4351387.1 Easting (UTM x): 733951.8 *User supplied*

Latitude/Longitude (decimal degrees): 39.280275 -102.287690

Surface Elevation (ft): 4154.75 **Top Perforated Interval (ft):** 208 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 287 **Bottom Perforated Interval (ft):** 288 **1 year:** 1.00


Aquifer(s): OGALLALA **5 year:** -0.82

10 year: -4.05

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2005	192.09	3962.66	-0.54
3/25/2007	191.21	3963.54	0.88
1/31/2008	193.00	3961.75	-1.79
4/19/2009	193.67	3961.08	-0.67
1/13/2010	194.78	3959.97	-1.11
1/5/2011	194.90	3959.85	-0.12
2/23/2012	195.30	3959.45	-0.40
1/22/2013	196.90	3957.85	-1.60
1/21/2014	196.60	3958.15	0.30
1/27/2015	195.60	3959.15	1.00

All Historic Measurements



Well Name: **WHITMORE, FLOYD & VIC**

Owner: WHITMORE VIC & FLOYD C

Permit #: 4756 - FP -

Location #: SC00904412CA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE 12 9 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4351323.0 Easting (UTM x): 735526.0 *GPS*

Latitude/Longitude (decimal degrees): 39.279272 -102.269481

Surface Elevation (ft): 4142 **Top Perforated Interval (ft):** 243 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 298 **Bottom Perforated Interval (ft):** 298 **1 year:** 4.90


Aquifer(s): OGALLALA **5 year:** 1.20

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	210.83	3931.17	
4/10/2009	210.73	3931.27	0.10
1/13/2010	202.60	3939.40	8.13
1/5/2011	198.70	3943.30	3.90
2/23/2012	201.10	3940.90	-2.40
3/7/2013	207.20	3934.80	-6.10
1/21/2014	206.30	3935.70	0.90
1/19/2015	201.40	3940.60	4.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: MCARTHUR, JERRY

Owner: JERRY MCARTHUR FARMS

Permit #: 2893 - FP - R

Location #: SC00904414BAA2

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NE 14 9 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4350368.5 Easting (UTM x): 733876.1 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.271127 -102.288920

Surface Elevation (ft): 4161 **Top Perforated Interval (ft):** 230 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 298 **Bottom Perforated Interval (ft):** 290 **1 year:** 0.30


Aquifer(s): OGALLALA **5 year:** -2.60

10 year: -8.88

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2005	189.88	3971.12	-0.16
3/20/2007	191.76	3969.24	-1.88
2/1/2008	194.91	3966.09	-3.15
4/29/2009	195.67	3965.33	-0.76
1/13/2010	196.00	3965.00	-0.33
1/5/2011	198.14	3962.86	-2.14
2/23/2012	200.70	3960.30	-2.56
1/22/2013	195.90	3965.10	4.80
1/21/2014	198.90	3962.10	-3.00
1/27/2015	198.60	3962.40	0.30

All Historic Measurements



Well Name: MCARTHUR, LARRY D. TRUST

Owner: CHARLENE M.MCARTHUR TRUST

Permit #: 5840 - FP -

Location #: SC00904416BB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW 16 9 S 44 W S From N/S line: 20 N From E/W line: 1315 W

UTM Coordinates (NAD83): Northing (UTM y) 4350376.0 Easting (UTM x): 730347.4 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 39.272140 -102.329780

Surface Elevation (ft): 4233 **Top Perforated Interval (ft):** 193 **Base of grout (ft):** **Water Level Change**


Well depth (ft): 333 **Bottom Perforated Interval (ft):** 333 **1 year:** 2.40

Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2011	220.80	4012.20	
2/23/2012	225.70	4007.30	-4.90
3/12/2013	227.20	4005.80	-1.50
1/21/2014	227.80	4005.20	-0.60
1/27/2015	225.40	4007.60	2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **KLIESEN, ROGER**

Owner: PETERS WILLIAM

Permit #: 2917 - FP -

Location #: SC00904429BCC

USGS Site ID: 391414102120600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW SW 29 9 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4346832.8 Easting (UTM x): 741480.7 *User supplied*

Latitude/Longitude (decimal degrees): 39.237221 -102.202131

Surface Elevation (ft): 4211.7 **Top Perforated Interval (ft):** 166 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 266 **Bottom Perforated Interval (ft):** 266 **1 year:** -3.30


Aquifer(s): OGALLALA **5 year:** -8.50

10 year: -17.88

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2005	168.13	4043.57	-0.01
3/20/2007	173.22	4038.48	-5.09
2/1/2008	178.65	4033.05	-5.43
4/29/2009	176.29	4035.41	2.36
1/18/2010	177.50	4034.20	-1.21
1/5/2011	173.70	4038.00	3.80
2/23/2012	177.20	4034.50	-3.50
3/12/2013	178.50	4033.20	-1.30
1/21/2014	182.70	4029.00	-4.20
1/27/2015	186.00	4025.70	-3.30

All Historic Measurements



Well Name: **KUHN WEST MONITORING WELL**

Owner:

Permit #: - -

Location #: SC00904431CCC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 31 9 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4343957.5 Easting (UTM x): 727093.9 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.215222 -102.369618

Surface Elevation (ft): 4220 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 139 **Bottom Perforated Interval (ft):** **1 year:** 2.50


Aquifer(s): **5 year:** -2.90

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/10/2008	138.04	4081.96	
4/19/2009	135.25	4084.75	2.79
1/18/2010	129.85	4090.15	5.40
1/5/2011	125.85	4094.15	4.00
2/23/2012	132.85	4087.15	-7.00
3/13/2013	135.45	4084.55	-2.60
1/21/2014	135.25	4084.75	0.20
1/27/2015	132.75	4087.25	2.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	TRAVIS, SAM E.			Owner:	TRAVIS SAM E		
Permit #:	4156 - FP -	Location #:	SC00904432BCB	USGS Site ID:	391330102210500		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW NW 32	9 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4345087.3	Easting (UTM x):	728595.7	User supplied		
Latitude/Longitude (decimal degrees):		39.224998		-102.351858			
Surface Elevation (ft):	4214.78	Top Perforated Interval (ft):	200	Base of grout (ft):	Water Level Change		
Well depth (ft):	265	Bottom Perforated Interval (ft):	265		1 year: -2.40		
Aquifer(s):	OGALLALA				5 year: 1.45		
					10 year: -7.04		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2005	164.12	4050.66	-0.16
3/20/2007	169.75	4045.03	-5.63
2/1/2008	173.91	4040.87	-4.16
4/29/2009	169.45	4045.33	4.46
1/18/2010	172.45	4042.33	-3.00
1/5/2011	166.00	4048.78	6.45
2/23/2012	167.40	4047.38	-1.40
1/22/2013	187.50	4027.28	-20.10
1/21/2014	168.60	4046.18	18.90
1/27/2015	171.00	4043.78	-2.40

All Historic Measurements




Well Name:	OBSERVATION WELL			Owner:	MILTENBERGER, BENEDICT AND PAULINE		
Permit #:	- -	Location #:	SC00904505BA	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NE 5	9 S	45 W S		From N/S line: 173 N From E/W line: 2482 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4353233.0	Easting (UTM x):	719326.8	Spotted from section lines		
Latitude/Longitude (decimal degrees):		39.300717		-102.456481			
Surface Elevation (ft):	4200	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	130	Bottom Perforated Interval (ft):			1 year: 1.20		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2011	97.71	4102.29	
2/25/2012	97.40	4102.60	0.31
2/18/2013	98.80	4101.20	-1.40
2/18/2014	99.20	4100.80	-0.40
1/26/2015	98.00	4102.00	1.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	VAVRA BROTHERS			Owner:	MCCORMICK TOM		
Permit #:	9336 - FP -	Location #:	SC00904514BDA	USGS Site ID:	391607102235800		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SE NE 14	9 S	45 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4349808.4	Easting (UTM x):	724331.5	User supplied		
Latitude/Longitude (decimal degrees):	39.268608		-102.399638				
Surface Elevation (ft):	4286.82	Top Perforated Interval (ft):	222	Base of grout (ft):	Water Level Change		
Well depth (ft):	288	Bottom Perforated Interval (ft):	292		1 year: 0.50		
Aquifer(s):	OGALLALA				5 year: 1.01		
					10 year: -8.02		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	227.36	4059.46	-3.28
3/25/2007	228.56	4058.26	-1.20
1/28/2008	231.67	4055.15	-3.11
1/1/2009			
1/30/2010	233.11	4053.71	
1/8/2011	233.61	4053.21	-0.50
2/24/2012	233.70	4053.12	-0.09
1/25/2013	245.60	4041.22	-11.90
1/22/2014	232.60	4054.22	13.00
12/22/2014	232.10	4054.72	0.50

All Historic Measurements




Well Name:	HILDEBRANDT, KEN M.			Owner:	HILDEBRANDT KEN M		
Permit #:	12832 - FP -	Location #:	SC00904518BCB	USGS Site ID:	391602102285400		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW NW 18	9 S	45 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4349451.4	Easting (UTM x):	717169.4	User supplied		
Latitude/Longitude (decimal degrees):	39.267218		-102.482697				
Surface Elevation (ft):	4281.85	Top Perforated Interval (ft):	138	Base of grout (ft):	Water Level Change		
Well depth (ft):	228	Bottom Perforated Interval (ft):	232		1 year: 0.30		
Aquifer(s):	OGALLALA				5 year: 1.40		
					10 year: 0.87		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	141.37	4140.48	-0.40
3/25/2007	141.76	4140.09	-0.39
1/28/2008	144.88	4136.97	-3.12
1/1/2009			
1/30/2010	141.50	4140.35	
1/8/2011	138.20	4143.65	3.30
2/25/2012	137.60	4144.25	0.60
2/25/2013	140.90	4140.95	-3.30
2/18/2014	140.40	4141.45	0.50
1/27/2015	140.10	4141.75	0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	CROUSE, MAE B. TRUST	Owner:	JERRY & SHELLEY MCARTHUR
Permit #:	15944 - RFP -	Location #:	SC00904521CDC
		USGS Site ID:	391435102262600


Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW SE SW 21	9 S	45 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4346870.5	Easting (UTM x):	720864.5	User supplied
Latitude/Longitude (decimal degrees):		39.243052		-102.440751	

Surface Elevation (ft):	4331.84	Top Perforated Interval (ft):	200	Base of grout (ft):		Water Level Change
Well depth (ft):	300	Bottom Perforated Interval (ft):	300			1 year: -4.40
Aquifer(s):	OGALLALA					5 year: -12.10
						10 year: -12.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	219.90	4111.94	-0.80
3/25/2007			
1/28/2008	222.99	4108.85	
1/1/2009			
1/30/2010	219.40	4112.44	
1/8/2011	207.00	4124.84	12.40
2/24/2012	206.40	4125.44	0.60
1/25/2013	224.60	4107.24	-18.20
1/22/2014	227.10	4104.74	-2.50
12/22/2014	231.50	4100.34	-4.40

All Historic Measurements



Well Name:	CROUSE, BARNEY	Owner:	TRIPLE H FARMS INC
Permit #:	10929 - F -	Location #:	SC00904522DDC
		USGS Site ID:	391436102244300


Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE SE SW 22	9 S	45 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4346970.9	Easting (UTM x):	723309.3	User supplied
Latitude/Longitude (decimal degrees):		39.243330		-102.412416	

Surface Elevation (ft):	4313.83	Top Perforated Interval (ft):	220	Base of grout (ft):		Water Level Change
Well depth (ft):	320	Bottom Perforated Interval (ft):	320			1 year: -1.30
Aquifer(s):	OGALLALA					5 year: -1.80
						10 year: -8.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	224.89	4088.94	-1.59
3/25/2007	229.28	4084.55	-4.39
1/28/2008	233.81	4080.02	-4.53
1/1/2009			
1/30/2010	229.80	4084.03	
1/8/2011	224.60	4089.23	5.20
2/24/2012	228.10	4085.73	-3.50
1/25/2013	230.70	4083.13	-2.60
3/13/2013	230.10	4083.73	0.60
1/22/2014	230.30	4083.53	-0.20
12/22/2014	231.60	4082.23	-1.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	POTTOFF, KENNETH E.			Owner:	POTTORFF KENNETH		
Permit #:	3907 - FP -	Location #:	SC00904529DBC	USGS Site ID:	391402102271600		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NW SW	29	9 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4345819.2	Easting (UTM x):	719694.3	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.233885		-102.454640				
Surface Elevation (ft):	4347.85	Top Perforated Interval (ft):	150	Base of grout (ft):	Water Level Change		
Well depth (ft):	278	Bottom Perforated Interval (ft):	278	1 year: -2.70			
Aquifer(s):	OGALLALA			5 year:			
				10 year: -10.72			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	214.10	4133.75	-0.01
3/22/2007	215.85	4132.00	-1.75
1/28/2008	216.23	4131.62	-0.38
1/1/2009			
1/30/2010	221.00	4126.85	
1/7/2011	224.21	4123.64	-3.21
2/24/2012	217.00	4130.85	7.21
2/25/2013	219.60	4128.25	-2.60
1/22/2014	222.30	4125.55	-2.70

All Historic Measurements




Well Name:	CROUSE, MAE B.			Owner:	CROUSE MAE B.		
Permit #:	4706 - FP -	Location #:	SC00904533ACD	USGS Site ID:	391322102255300		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SW SE	33	9 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4344642.2	Easting (UTM x):	721719.7	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.222775		-102.431583				
Surface Elevation (ft):	4326.84	Top Perforated Interval (ft):	210	Base of grout (ft):	Water Level Change		
Well depth (ft):	290	Bottom Perforated Interval (ft):	290	1 year: 0.90			
Aquifer(s):	OGALLALA			5 year: -0.50			
				10 year: -10.84			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	204.16	4122.68	-0.70
3/22/2007	205.27	4121.57	-1.11
2/2/2008	210.33	4116.51	-5.06
1/1/2009			
1/30/2010	213.80	4113.04	
1/8/2011	212.70	4114.14	1.10
2/23/2012	214.60	4112.24	-1.90
2/25/2013	218.70	4108.14	-4.10
1/22/2014	215.20	4111.64	3.50
12/22/2014	214.30	4112.54	0.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HERTNEKY, DAVID & KATHERINE**

Owner:

Permit #: 11141 - FP - **Location #:** SC00904533CCC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 33 9 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4343743.0 Easting (UTM x): 720645.9 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.214954 -102.444304

Surface Elevation (ft): 4346 **Top Perforated Interval (ft):** 203 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 293 **Bottom Perforated Interval (ft):** 293 **1 year:** 4.00


Aquifer(s): OGALLALA **5 year:** -11.00

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	125.70	4220.30	
2/4/2011	125.70	4220.30	0.00
2/23/2012	126.70	4219.30	-1.00
2/25/2013	141.40	4204.60	-14.70
1/22/2014	140.70	4205.30	0.70
1/22/2015	136.70	4209.30	4.00

All Historic Measurements



Well Name: **HILLMAN, D.L. & B.J.**

Owner: POTTORFF ERNEST

Permit #: 6505 - FP - **Location #:** SC00904610DCD

USGS Site ID: 391629102313600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SE 10 9 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4350180.7 Easting (UTM x): 713407.7 *User supplied*

Latitude/Longitude (decimal degrees): 39.274718 -102.526032

Surface Elevation (ft): 4346.87 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 255 **Bottom Perforated Interval (ft):** 255 **1 year:** 1.90


Aquifer(s): OGALLALA **5 year:** -4.40

10 year: -1.49

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	172.12	4174.75	0.59
4/15/2007	176.81	4170.06	-4.69
2/21/2008	180.92	4165.95	-4.11
4/7/2009	175.93	4170.94	4.99
1/30/2010	169.80	4177.07	6.13
1/7/2011	170.70	4176.17	-0.90
2/24/2012	168.90	4177.97	1.80
2/25/2013	179.60	4167.27	-10.70
2/18/2014	176.10	4170.77	3.50
1/28/2015	174.20	4172.67	1.90

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	POTTORFF, W.T.			Owner:	POTTORFF W T		
Permit #:	6076 - FP -	Location #:	SC00904618DAA1	USGS Site ID:	391550102344000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NE NE	18	9 S	46 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4348856.2	Easting (UTM x):		708934.5 User supplied	
Latitude/Longitude (decimal degrees):			39.263884			-102.578255	
Surface Elevation (ft):	4405.9	Top Perforated Interval (ft):	175	Base of grout (ft):	Water Level Change		
Well depth (ft):	245	Bottom Perforated Interval (ft):	245	1 year: 2.20			
Aquifer(s):	OGALLALA			5 year: -8.62			
				10 year: -7.52			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	175.78	4230.12	0.10
4/16/2007	176.00	4229.90	-0.22
2/20/2008	175.95	4229.95	0.05
4/7/2009	175.06	4230.84	0.89
1/30/2010	174.78	4231.12	0.28
1/7/2011	176.11	4229.79	-1.33
2/24/2012	177.80	4228.10	-1.69
2/25/2013	183.70	4222.20	-5.90
2/18/2014	185.60	4220.30	-1.90
1/28/2015	183.40	4222.50	2.20

All Historic Measurements




Well Name:	MILTENBERGER, GEORGE			Owner:	MILTENBERGER BROS		
Permit #:	15979 - FP -	Location #:	SC00904626BBB1	USGS Site ID:	391437102311101		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW NW	26	9 S	46 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4346741.3	Easting (UTM x):		714005.6 User supplied	
Latitude/Longitude (decimal degrees):			39.243607			-102.520198	
Surface Elevation (ft):	4347.88	Top Perforated Interval (ft):	177	Base of grout (ft):	Water Level Change		
Well depth (ft):	237	Bottom Perforated Interval (ft):	227	1 year: -1.20			
Aquifer(s):	OGALLALA			5 year: -4.40			
				10 year: -4.52			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	152.80	4195.08	-0.22
4/15/2007	154.53	4193.35	-1.73
2/21/2008	158.04	4189.84	-3.51
1/1/2009			
1/30/2010	152.70	4195.18	
1/7/2011	150.70	4197.18	2.00
2/24/2012	149.30	4198.58	1.40
2/25/2013	147.50	4200.38	1.80
2/18/2014	155.90	4191.98	-8.40
1/28/2015	157.10	4190.78	-1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: CURE, DENIS & VICT.

Owner:

Permit #: 3970 - FP - **Location #:** SC00904626CBA1 **USGS Site ID:** 391411102310001


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NE 26 9 S 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4345946.9 Easting (UTM x): 714291.4 User supplied
Latitude/Longitude (decimal degrees): 39.236385 -102.517142

Surface Elevation (ft): 4346.88 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 223 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	153.55	4193.33	-0.45
3/22/2007			

All Historic Measurements



Well Name: PICKARD, L.

Owner: STRATTON TOWN OF

Permit #: 3786 - FP - **Location #:** SC00904701DBC **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SW 1 9 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4351826.0 Easting (UTM x): 706655.1 Spotted from quarters
Latitude/Longitude (decimal degrees): 39.291168 -102.603745

Surface Elevation (ft): 4418 **Top Perforated Interval (ft):** 178 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 238 **Bottom Perforated Interval (ft):** 238 **1 year:** 5.80
Aquifer(s): OGALLALA **5 year:** 0.80
10 year: 1.28

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	190.47	4227.53	0.41
3/22/2007	192.21	4225.79	-1.74
2/21/2008	195.67	4222.33	-3.46
1/1/2009			
1/30/2010	190.40	4227.60	
1/7/2011	184.00	4234.00	6.40
2/24/2012	183.60	4234.40	0.40
2/25/2013	193.50	4224.50	-9.90
1/22/2014	195.40	4222.60	-1.90
1/28/2015	189.60	4228.40	5.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	SCHULTE, RAYMOND R			Owner:	POTTORFF ERNEST		
Permit #:	12066 - F -	Location #:	SC00904705CCC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW SW 5	9 S	47 W S		From N/S line: 20 S From E/W line: 20 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4351139.0	Easting (UTM x):	699462.4	Spotted from section lines		
Latitude/Longitude (decimal degrees):	39.286668		-102.687284				
Surface Elevation (ft):	4447	Top Perforated Interval (ft):	129	Base of grout (ft):	Water Level Change		
Well depth (ft):	159	Bottom Perforated Interval (ft):	159	1 year: -0.40			
Aquifer(s):	OGALLALA			5 year: 3.40			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	153.15	4293.85	
4/7/2009	155.06	4291.94	-1.91
1/30/2010	150.00	4297.00	5.06
1/7/2011	140.40	4306.60	9.60
2/24/2012	136.20	4310.80	4.20
2/19/2013	144.50	4302.50	-8.30
1/22/2014	146.20	4300.80	-1.70
1/28/2015	146.60	4300.40	-0.40

All Historic Measurements




Well Name:	SCHULTE, RAY			Owner:			
Permit #:	6236 - FP -	Location #:	SC00904706BC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW 6	9 S	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4352104.3	Easting (UTM x):	698020.4	Spotted from quarters		
Latitude/Longitude (decimal degrees):	39.295690		-102.703706				
Surface Elevation (ft):		Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	160	Bottom Perforated Interval (ft):		1 year:			
Aquifer(s):				5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006			
4/16/2007			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: THEISSEN, RUBY

Owner: THIESSEN WINIFRED RUBY

Permit #: 167454 - -

Location #: SC00904810BCD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW NW 10 9 S 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4350299.0 Easting (UTM x): 693333.0 GPS

Latitude/Longitude (decimal degrees): 39.280494 -102.758542

Surface Elevation (ft): 4498 **Top Perforated Interval (ft):** 55 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 85 **Bottom Perforated Interval (ft):** 80 **1 year:** -0.40


Aquifer(s): OGALLALA **5 year:** -2.73

10 year: -4.31

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2006	50.73	4447.27	0.39
4/16/2007	50.86	4447.14	-0.13
2/21/2008	51.63	4446.37	-0.77
4/7/2009	51.47	4446.53	0.16
1/30/2010	51.70	4446.30	-0.23
1/4/2011	50.00	4448.00	1.70
2/24/2012	51.10	4446.90	-1.10
2/26/2013	53.80	4444.20	-2.70
2/13/2014	54.20	4443.80	-0.40

All Historic Measurements



Well Name: DAVIS, TEDDY WAYNE

Owner: HEINTGES FARMS INC

Permit #: 10531 - FP -

Location #: SC01004203CBD

USGS Site ID: 391228102051700

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW SE 3 10 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4343873.9 Easting (UTM x): 751393.4 User supplied

Latitude/Longitude (decimal degrees): 39.207778 -102.088516

Surface Elevation (ft): 4029.64 **Top Perforated Interval (ft):** 168 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 288 **Bottom Perforated Interval (ft):** 288 **1 year:** -2.20


Aquifer(s): OGALLALA **5 year:** -8.10

10 year: -15.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	176.00	3853.64	-1.97
12/20/2005	178.24	3851.40	-2.24
3/18/2007	180.55	3849.09	-2.31
2/18/2008	183.41	3846.23	-2.86
1/1/2009			
2/12/2010	183.70	3845.94	
2/7/2011	182.00	3847.64	1.70
2/2/2012	185.40	3844.24	-3.40
2/11/2013	188.40	3841.24	-3.00
2/13/2014	189.60	3840.04	-1.20
1/29/2015	191.80	3837.84	-2.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **CRAMER, GEO & RAMONA**

Owner:

Permit #: - - **Location #:** SC01004212DCD

USGS Site ID: 391110102030100

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SE 12 10 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4341551.0 Easting (UTM x): 754456.0 *GPS*

Latitude/Longitude (decimal degrees): 39.185983 -102.053965

Surface Elevation (ft): 4002.62 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 273 **Bottom Perforated Interval (ft):**

Aquifer(s):

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	161.54	3841.08	-3.38
12/20/2005	163.02	3839.60	-1.48
3/18/2007	163.47	3839.15	-0.45
2/22/2008	163.11	3839.51	0.36
4/5/2009	163.63	3838.99	-0.52
2/12/2010	167.10	3835.52	-3.47
2/7/2011	166.20	3836.42	0.90
2/2/2012	166.45	3836.17	-0.25
2/11/2013			
2/13/2014			

All Historic Measurements



Well Name: **WHITMORE, JIM**

Owner: WHITMORE JAMES

Permit #: 20498 - RFP - R **Location #:** SC01004216CBB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 16 10 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4340507.6 Easting (UTM x): 749710.2 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.177968 -102.109230

Surface Elevation (ft): 4055 **Top Perforated Interval (ft):** 181 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 291 **Bottom Perforated Interval (ft):** 281

Aquifer(s): OGALLALA

1 year: -2.20


5 year: -6.20

10 year: -9.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	183.00	3872.00	-3.75
12/21/2005	185.29	3869.71	-2.29
3/18/2007	184.85	3870.15	0.44
2/18/2008	187.02	3867.98	-2.17
1/1/2009			
2/12/2010	186.20	3868.80	
2/7/2011	184.10	3870.90	2.10
2/2/2012	187.30	3867.70	-3.20
2/11/2013	189.30	3865.70	-2.00
2/13/2014	190.20	3864.80	-0.90
1/29/2015	192.40	3862.60	-2.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	TOMES, ERNEST D.			Owner:	TOMES ERNEST D.		
Permit #:	4226 - FP -	Location #:	SC01004221BCA	USGS Site ID:	391005102062800		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SW NE	21	10 S	42 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4339417.8	Easting (UTM x):	750071.0	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.168057		-102.105460				
Surface Elevation (ft):	4030.64	Top Perforated Interval (ft):	120	Base of grout (ft):	Water Level Change		
Well depth (ft):	238	Bottom Perforated Interval (ft):	238	1 year:		-4.00	
Aquifer(s):	OGALLALA			5 year:		-4.58	
				10 year:		-7.53	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	151.17	3879.47	-3.83
12/21/2005	151.94	3878.70	-0.77
3/18/2007	150.75	3879.89	1.19
2/18/2008	153.29	3877.35	-2.54
1/1/2009			
2/12/2010	154.12	3876.52	
2/7/2011	159.30	3871.34	-5.18
2/2/2012	160.40	3870.24	-1.10
2/11/2013	159.30	3871.34	1.10
2/13/2014	154.70	3875.94	4.60
1/29/2015	158.70	3871.94	-4.00

All Historic Measurements




Well Name:	TOMES, ERNEST D.			Owner:	TOMES ERNEST D & JOAN R		
Permit #:	10698 - FP -	Location #:	SC01004223BBB	USGS Site ID:	391016102042200		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW NW	23	10 S	42 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4339847.2	Easting (UTM x):	752868.5	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.171113		-102.072959				
Surface Elevation (ft):	3996.62	Top Perforated Interval (ft):	150	Base of grout (ft):	Water Level Change		
Well depth (ft):	270	Bottom Perforated Interval (ft):	270	1 year:		-1.70	
Aquifer(s):	OGALLALA			5 year:		-8.50	
				10 year:		-17.14	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	137.16	3859.46	-3.79
12/20/2005	138.06	3858.56	-0.90
3/18/2007	138.17	3858.45	-0.11
2/4/2008	142.29	3854.33	-4.12
1/1/2009			
2/12/2010	145.80	3850.82	
2/7/2011	144.60	3852.02	1.20
2/2/2012	145.80	3850.82	-1.20
2/11/2013	150.50	3846.12	-4.70
2/13/2014	152.60	3844.02	-2.10
1/29/2015	154.30	3842.32	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: ADAMS JOINT TRUST

Owner:

Permit #: - - **Location #:** SC01004235AAA

USGS Site ID: 390830102031500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NE 35 10 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4336596.2 Easting (UTM x): 754463.8 User supplied
Latitude/Longitude (decimal degrees): 39.141391 -102.055736

Surface Elevation (ft): 3961.62 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 142 **Bottom Perforated Interval (ft):** **1 year:** 42.70
Aquifer(s): **5 year:** -6.80
10 year: -12.34

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2005	83.62	3878.00	-1.56
3/18/2007	83.10	3878.52	0.52
2/22/2008	85.91	3875.71	-2.81
4/5/2009	87.27	3874.35	-1.36
2/12/2010	87.60	3874.02	-0.33
2/7/2011	90.00	3871.62	-2.40
2/2/2012	91.40	3870.22	-1.40
2/11/2013	134.30	3827.32	-42.90
2/13/2014	137.10	3824.52	-2.80
1/29/2015	94.40	3867.22	42.70

All Historic Measurements



Well Name: GARY E. & JUDY A. ANDREWS

Owner:

Permit #: 10423 - FP - **Location #:** SC01004303BC

USGS Site ID:


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW 3 10 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4343751.5 Easting (UTM x): 741686.3 Spotted from quarters
Latitude/Longitude (decimal degrees): 39.209431 -102.200851

Surface Elevation (ft): 4160 **Top Perforated Interval (ft):** 207 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 327 **Bottom Perforated Interval (ft):** 327 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	248.20	3911.80	
1/29/2015	250.70	3909.30	-2.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **GARY E. & JUDY A. ANDREWS**

Owner:

Permit #: 10526 - FP - **Location #:** SC01004303DB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW 3 10 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4343380.5 Easting (UTM x): 742506.9 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.205864 -102.191490

Surface Elevation (ft): 4155 **Top Perforated Interval (ft):** 214 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 334 **Bottom Perforated Interval (ft):** 334 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	239.80	3915.20	
1/29/2015	243.50	3911.50	-3.70

All Historic Measurements



Well Name: **THOMPSON, TIM&KAREN**

Owner: THOMPSON KAREN

Permit #: 10422 - F - **Location #:** SC01004309BAC

USGS Site ID: 391153102125600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE SW 9 10 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4342448.4 Easting (UTM x): 740415.4 *User supplied*


Latitude/Longitude (decimal degrees): 39.198055 -102.216020

Surface Elevation (ft): 4177.71 **Top Perforated Interval (ft):** 215 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 335 **Bottom Perforated Interval (ft):** 335 **1 year:** -1.40
Aquifer(s): OGALLALA **5 year:** -7.30
10 year: -13.12

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2005	234.24	3943.47	-1.56
3/19/2007	236.01	3941.70	-1.77
2/23/2008	237.77	3939.94	-1.76
1/1/2009			
1/15/2010	238.50	3939.21	
1/28/2011	238.60	3939.11	-0.10
2/1/2012	239.80	3937.91	-1.20
1/21/2013	243.60	3934.11	-3.80
1/17/2014	244.40	3933.31	-0.80
1/29/2015	245.80	3931.91	-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: GREGORY E. ANDREWS

Owner:

Permit #: 3738 - FP - **Location #:** SC01004310BA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE 10 10 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4342558.0 Easting (UTM x): 742135.1 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.198566 -102.196091

Surface Elevation (ft): 4150 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 342 **Bottom Perforated Interval (ft):**

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	239.80		
1/29/2015	237.90	3912.10	1.90

All Historic Measurements



Well Name: HITCHCOCK FARMS

Owner: HITCHCOCK FARMS INC

Permit #: 10660 - F - **Location #:** SC01004311ABB

USGS Site ID: 391202102102100

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW NW 11 10 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4342841.2 Easting (UTM x): 744125.6 *User supplied*

Latitude/Longitude (decimal degrees): 39.200556 -102.172963

Surface Elevation (ft): 4123.68 **Top Perforated Interval (ft):** 187 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 322 **Bottom Perforated Interval (ft):** 322

Aquifer(s): OGALLALA

1 year: -4.20


5 year: -14.40

10 year: -18.84

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2005	217.35	3906.33	-0.99
3/19/2007	220.72	3902.96	-3.37
2/18/2008	222.89	3900.79	-2.17
4/10/2009	221.83	3901.85	1.06
1/15/2010	220.80	3902.88	1.03
1/28/2011	222.70	3900.98	-1.90
2/1/2012	225.20	3898.48	-2.50
1/21/2013	243.40	3880.28	-18.20
1/17/2014	231.00	3892.68	12.40
1/29/2015	235.20	3888.48	-4.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: SCOTT, R.E. TRUST

Owner: MCARTHUR KEITH & THERESA

Permit #: 5628 - FP -

Location #: SC01004313DDD

USGS Site ID: 391024102085200

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE SE SE 13 10 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4339886.4 Easting (UTM x): 746356.0 [User supplied](#)


Latitude/Longitude (decimal degrees): 39.173334 -102.148240

Surface Elevation (ft): 4111.66 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -0.90
Aquifer(s): OGALLALA **5 year:** -24.30
10 year: -12.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	206.70	3904.96	-1.95
12/21/2005	207.55	3904.11	-0.85
3/18/2007	209.29	3902.37	-1.74
2/18/2008	212.59	3899.07	-3.30
4/10/2009	214.03	3897.63	-1.44
2/10/2010	195.00	3916.66	19.03
1/29/2011	196.20	3915.46	-1.20
2/2/2012	197.10	3914.56	-0.90
2/11/2013	226.40	3885.26	-29.30
1/17/2014	218.40	3893.26	8.00
1/29/2015	219.30	3892.36	-0.90

All Historic Measurements



Well Name: BURLINGTON FARMS INC

Owner: JONES HARDY S

Permit #: 10702 - FP -

Location #: SC01004317CBB

USGS Site ID: 391044102142200

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW NW NW 17 10 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4340257.8 Easting (UTM x): 738416.9 [User supplied](#)


Latitude/Longitude (decimal degrees): 39.178889 -102.239910

Surface Elevation (ft): 4187.73 **Top Perforated Interval (ft):** 207 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 327 **Bottom Perforated Interval (ft):** 327 **1 year:** 5.80
Aquifer(s): OGALLALA **5 year:** -17.70
10 year: -21.05

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2005	214.10	3973.63	-0.35
3/18/2007	214.58	3973.15	-0.48
2/18/2008	217.87	3969.86	-3.29
4/10/2009	218.61	3969.12	-0.74
2/10/2010	217.10	3970.63	1.51
2/7/2011	218.90	3968.83	-1.80
2/2/2012	220.90	3966.83	-2.00
2/11/2013	244.30	3943.43	-23.40
2/13/2014	240.60	3947.13	3.70
1/29/2015	234.80	3952.93	5.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BELL INVESTMENTS, LLP			Owner:	JONES BESS FARMS		
Permit #:	10424 - FP -	Location #:	SC01004324DCC	USGS Site ID:	390926102092000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE SW SW 24	10 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4338077.7	Easting (UTM x):	745764.1	User supplied		
Latitude/Longitude (decimal degrees):		39.157223		-102.155740			
Surface Elevation (ft):	4073.66	Top Perforated Interval (ft):	144	Base of grout (ft):	Water Level Change		
Well depth (ft):	224	Bottom Perforated Interval (ft):	224		1 year:		
Aquifer(s):	OGALLALA				5 year: 6.93		
					10 year: -2.05		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	156.79	3916.87	-2.34
12/21/2005	156.48	3917.18	0.31
3/18/2007	156.90	3916.76	-0.42
2/4/2008	160.66	3913.00	-3.76
4/10/2009	163.43	3910.23	-2.77
2/10/2010	152.80	3920.86	10.63
1/28/2011	161.68	3911.98	-8.88
2/2/2012	162.80	3910.86	-1.12
2/11/2013			
2/13/2014	156.50	3917.16	

All Historic Measurements




Well Name:	BELLINVESTMENT, LLLP			Owner:	JONES BESSIE		
Permit #:	276 - RFP - R	Location #:	SC01004325BBB	USGS Site ID:	390924102095200		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NW 25	10 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4337991.3	Easting (UTM x):	744973.8	User supplied		
Latitude/Longitude (decimal degrees):		39.156668		-102.164907			
Surface Elevation (ft):	4183.07	Top Perforated Interval (ft):	155	Base of grout (ft):	Water Level Change		
Well depth (ft):	248	Bottom Perforated Interval (ft):	235		1 year:		
Aquifer(s):	OGALLALA				5 year: 2.07		
					10 year: -7.70		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	155.18	4027.89	-0.88
12/21/2005	156.27	4026.80	-1.09
3/18/2007	160.57	4022.50	-4.30
2/18/2008	162.11	4020.96	-1.54
4/10/2009	164.07	4019.00	-1.96
2/10/2010	154.10	4028.97	9.97
1/28/2011	155.10	4027.97	-1.00
2/2/2012	156.80	4026.27	-1.70
2/11/2013			
1/17/2014	162.00	4021.07	

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	PENNY, GENE ETAL			Owner:	BELL BRITT		
Permit #:	10224 - F	-	Location #:	SC01004332ABB	USGS Site ID:	390832102134500	
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NW NW	32	10 S	43 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4336214.9	Easting (UTM x):		739429.3 User supplied	
Latitude/Longitude (decimal degrees):			39.142223			-102.229631	
Surface Elevation (ft):	4179.71	Top Perforated Interval (ft):	200	Base of grout (ft):	Water Level Change		
Well depth (ft):	280	Bottom Perforated Interval (ft):	280	1 year: 4.40			
Aquifer(s):	OGALLALA			5 year: -17.67			
				10 year: -17.50			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	181.48	3998.23	-0.78
3/18/2007	184.50	3995.21	-3.02
2/18/2008	184.72	3994.99	-0.22
4/30/2009	183.10	3996.61	1.62
1/18/2010	180.53	3999.18	2.57
2/7/2011	181.50	3998.21	-0.97
2/2/2012	183.10	3996.61	-1.60
2/11/2013	201.90	3977.81	-18.80
2/13/2014	202.60	3977.11	-0.70
1/29/2015	198.20	3981.51	4.40

All Historic Measurements




Well Name:	MIDWEST FARMS			Owner:	MIDWEST FARMS LLC		
Permit #:	5080 - FP	-	Location #:	SC01004408DCC	USGS Site ID:		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SW SW	8	10 S	44 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4341019.5	Easting (UTM x):		729617.6 Spotted from quarters	
Latitude/Longitude (decimal degrees):			39.188110			-102.341415	
Surface Elevation (ft):	4294	Top Perforated Interval (ft):	195	Base of grout (ft):	Water Level Change		
Well depth (ft):	315	Bottom Perforated Interval (ft):	315	1 year: -1.00			
Aquifer(s):	OGALLALA			5 year: -15.30			
				10 year: -23.77			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2005	244.38	4049.62	-0.35
3/20/2007	248.71	4045.29	-4.33
2/1/2008	249.52	4044.48	-0.81
4/7/2009	250.77	4043.23	-1.25
1/18/2010	252.50	4041.50	-1.73
1/5/2011	254.71	4039.29	-2.21
2/23/2012	256.80	4037.20	-2.09
2/25/2013	263.60	4030.40	-6.80
1/21/2014	266.80	4027.20	-3.20
1/29/2015	267.80	4026.20	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: WALKINSHAW, SAM

Owner: WALKINSHAW STEPHEN A

Permit #: 5673 - FP -

Location #: SC01004410ACB

USGS Site ID: 391157102181900

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE SW NW 10 10 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4342337.3 Easting (UTM x): 732662.2 *User supplied*

Latitude/Longitude (decimal degrees): 39.199165 -102.305745

Surface Elevation (ft): 4220.76 **Top Perforated Interval (ft):** 177 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 275 **Bottom Perforated Interval (ft):** 197 **1 year:** -0.20


Aquifer(s): OGALLALA **5 year:** -8.90

10 year: -8.33

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	196.98	4023.78	-0.71
3/20/2007	197.74	4023.02	-0.76
2/1/2008	200.57	4020.19	-2.83
1/1/2009			
2/15/2010	195.70	4025.06	
1/5/2011	196.50	4024.26	-0.80
2/23/2012	201.10	4019.66	-4.60
1/23/2013	204.50	4016.26	-3.40
1/21/2014	204.40	4016.36	0.10
1/27/2015	204.60	4016.16	-0.20

All Historic Measurements



Well Name: PEKAREK N & M

Owner: BELL CLAUDE M

Permit #: 3979 - FP -

Location #: SC01004411BDA2

USGS Site ID: 391152102171001

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW SE NE 11 10 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4342231.0 Easting (UTM x): 734345.0 *GPS*

Latitude/Longitude (decimal degrees): 39.197756 -102.286316

Surface Elevation (ft): 4236.75 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 288 **Bottom Perforated Interval (ft):** 310 **1 year:** 9.10


Aquifer(s): OGALLALA **5 year:** 1.50

10 year: 3.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	222.08	4014.67	-0.68
3/20/2007	225.15	4011.60	-3.07
2/1/2008	226.91	4009.84	-1.76
1/1/2009			
2/15/2010	219.50	4017.25	
1/5/2011	215.30	4021.45	4.20
2/23/2012	216.60	4020.15	-1.30
1/23/2013	228.60	4008.15	-12.00
1/21/2014	227.10	4009.65	1.50
1/27/2015	218.00	4018.75	9.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	NIDER TRUST	Owner:	NIDER LOUIS
Permit #:	3823 - FP -	Location #:	SC01004414CBC
		USGS Site ID:	391038102174600
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NW SW 14	10 S	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4339925.9	Easting (UTM x): 733550.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.177222	-102.296300
Surface Elevation (ft):	4250.75	Top Perforated Interval (ft):	267
		Base of grout (ft):	
Well depth (ft):	307	Bottom Perforated Interval (ft):	307
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.60
5 year: 1.40
10 year: -9.02

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	223.50	4027.25	-1.62
3/20/2007	225.81	4024.94	-2.31
2/1/2008	228.62	4022.13	-2.81
4/7/2009	231.79	4018.96	-3.17
2/15/2010	232.30	4018.45	-0.51
2/7/2011	239.30	4011.45	-7.00
2/23/2012	240.30	4010.45	-1.00
1/23/2013	239.30	4011.45	1.00
1/21/2014	231.50	4019.25	7.80
1/27/2015	230.90	4019.85	0.60

All Historic Measurements




Well Name:	GRUSING, GEORGEANNA & MARVIN H.	Owner:	MARVIN AND GEORGEANNA GRUSING
Permit #:	10418 - FP -	Location #:	SC01004417CCD
		USGS Site ID:	
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW SE 17	10 S	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4339424.5	Easting (UTM x): 729071.4 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		39.173900	-102.348271
Surface Elevation (ft):	4305	Top Perforated Interval (ft):	246
		Base of grout (ft):	
Well depth (ft):	326	Bottom Perforated Interval (ft):	326
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.80
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2011	248.90	4056.10	
2/23/2012	250.50	4054.50	-1.60
1/23/2013	266.70	4038.30	-16.20
1/21/2014	253.50	4051.50	13.20
1/27/2015	257.30	4047.70	-3.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	ERKER, A.	Owner:	ERKER ALFRED
Permit #:	20477 - SFP -	Location #:	SC01004423CBC
		USGS Site ID:	390945102174600
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SW NW SW 23	10 S 44 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4338291.0	Easting (UTM x): 733575.4 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.162500	-102.296578	
Surface Elevation (ft):	4228.75	Top Perforated Interval (ft):	Base of grout (ft):
Well depth (ft):	296	Bottom Perforated Interval (ft):	
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.80
5 year: -3.07
10 year: -10.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	194.43	4034.32	-0.83
3/20/2007	197.77	4030.98	-3.34
2/1/2008	200.33	4028.42	-2.56
4/7/2009	201.92	4026.83	-1.59
2/15/2010	200.53	4028.22	1.39
2/7/2011	193.80	4034.95	6.73
2/23/2012	195.80	4032.95	-2.00
1/22/2013	201.30	4027.45	-5.50
1/21/2014	202.80	4025.95	-1.50
1/27/2015	203.60	4025.15	-0.80

All Historic Measurements




Well Name:	ERKER, A.A. & CO.	Owner:	ERKER ALFRED A
Permit #:	20477 - FP -	Location #:	SC01004426CDD
		USGS Site ID:	390838102171200
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SW SE SE 26	10 S 44 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4336187.9	Easting (UTM x): 734455.2 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.143333	-102.287133	
Surface Elevation (ft):	4230.74	Top Perforated Interval (ft):	160
Well depth (ft):	296	Bottom Perforated Interval (ft):	280
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.00
5 year: 6.65
10 year: -7.42

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2005	193.61	4037.13	-0.63
3/20/2007	197.29	4033.45	-3.68
2/1/2008	201.59	4029.15	-4.30
4/7/2009	204.53	4026.21	-2.94
2/15/2010	207.05	4023.69	-2.52
2/7/2011	197.60	4033.14	9.45
2/23/2012	201.30	4029.44	-3.70
1/22/2013	209.90	4020.84	-8.60
1/21/2014	199.40	4031.34	10.50
1/27/2015	200.40	4030.34	-1.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BMR FARMS INC.			Owner:	BMR FARMS INC		
Permit #:	6910 - FP -	Location #:	SC01004429BBB	USGS Site ID:	390923102211400		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NW 29	10 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4337472.3	Easting (UTM x):	728842.3	User supplied		
Latitude/Longitude (decimal degrees):	39.156388		-102.351580				
Surface Elevation (ft):	4319.79	Top Perforated Interval (ft):	280	Base of grout (ft):	Water Level Change		
Well depth (ft):	330	Bottom Perforated Interval (ft):	330		1 year: -2.50		
Aquifer(s):	OGALLALA				5 year: -3.59		
					10 year: -8.83		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2005	248.20	4071.59	0.27
3/20/2007	250.62	4069.17	-2.42
2/1/2008	254.99	4064.80	-4.37
4/7/2009	255.29	4064.50	-0.30
1/18/2010	253.71	4066.08	1.58
2/7/2011	253.70	4066.09	0.01
2/23/2012	253.40	4066.39	0.30
1/22/2013	253.50	4066.29	-0.10
1/21/2014	254.80	4064.99	-1.30
1/27/2015	257.30	4062.49	-2.50

All Historic Measurements




Well Name:	MIDWEST FARMS LLC			Owner:	MIDWEST FARMS LLC		
Permit #:	4456 - FP -	Location #:	SC01004433CDC	USGS Site ID:	390744102193800		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SE SW 33	10 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4334480.6	Easting (UTM x):	730996.8	User supplied		
Latitude/Longitude (decimal degrees):	39.128889		-102.327690				
Surface Elevation (ft):	4294.76	Top Perforated Interval (ft):	215	Base of grout (ft):	Water Level Change		
Well depth (ft):	315	Bottom Perforated Interval (ft):	315		1 year: 0.80		
Aquifer(s):	OGALLALA				5 year: -17.40		
					10 year: -29.30		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2005	224.20	4070.56	-0.70
3/21/2007	226.87	4067.89	-2.67
2/1/2008	230.12	4064.64	-3.25
4/7/2009	233.91	4060.85	-3.79
1/18/2010	235.40	4059.36	-1.49
2/7/2011	236.10	4058.66	-0.70
2/23/2012	237.70	4057.06	-1.60
1/22/2013	258.40	4036.36	-20.70
1/22/2014	253.60	4041.16	4.80
1/27/2015	252.80	4041.96	0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	KANARCO CO.	Owner:	GRUSING MARVIN H
Permit #:	12058 - FP -	Location #:	SC01004505DBB
		USGS Site ID:	391234102271600
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE NW NW 5	10 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4343105.4	Easting (UTM x): 719746.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.209442		-102.454917
Surface Elevation (ft):	4360.86	Top Perforated Interval (ft):	214
		Base of grout (ft):	
Well depth (ft):	294	Bottom Perforated Interval (ft):	294
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.10
5 year: 0.88
10 year: -4.56

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	210.78	4150.08	-0.64
3/22/2007	211.28	4149.58	-0.50
2/2/2008	214.90	4145.96	-3.62
4/19/2009	214.34	4146.52	0.56
2/10/2010	215.58	4145.28	-1.24
2/7/2011	220.20	4140.66	-4.62
2/23/2012	222.60	4138.26	-2.40
1/25/2013	216.00	4144.86	6.60
1/22/2014	214.80	4146.06	1.20
1/27/2015	214.70	4146.16	0.10

All Historic Measurements




Well Name:	CROUSE, SCOTT R.	Owner:	CROUSE MAE B
Permit #:	6657 - FP -	Location #:	SC01004508ABC
		USGS Site ID:	391154102271800
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE NW SW 8	10 S	45 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4341870.8	Easting (UTM x): 719733.3 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.198331		-102.455473
Surface Elevation (ft):	4364.86	Top Perforated Interval (ft):	204
		Base of grout (ft):	
Well depth (ft):	294	Bottom Perforated Interval (ft):	294
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 2.90
5 year: 10.50
10 year: 7.58

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	206.97	4157.89	-1.19
3/22/2007	207.56	4157.30	-0.59
2/2/2008	211.98	4152.88	-4.42
1/1/2009			
2/11/2010	208.70	4156.16	
2/7/2011	204.90	4159.96	3.80
2/23/2012	240.30	4124.56	-35.40
2/25/2013	239.30	4125.56	1.00
1/22/2014	201.10	4163.76	38.20
1/27/2015	198.20	4166.66	2.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	CROUSE, MAE	Owner:	
Permit #:	6656 - FP -	Location #:	SC01004510BBD
		USGS Site ID:	
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NW SE 10	10 S 45 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4341874.5	Easting (UTM x): 722532.7 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	39.197652	-102.423085	
Surface Elevation (ft):	4312	Top Perforated Interval (ft):	235
		Base of grout (ft):	
Well depth (ft):	285	Bottom Perforated Interval (ft):	285
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 4.20
5 year: 0.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	191.40	4120.60	
2/7/2011	185.00	4127.00	6.40
2/23/2012	194.50	4117.50	-9.50
2/25/2013	196.60	4115.40	-2.10
1/22/2014	195.60	4116.40	1.00
12/22/2014	191.40	4120.60	4.20

All Historic Measurements




Well Name:	BEESON, LEONARD E.	Owner:	BEESON AGNES M & LEONARD E
Permit #:	5627 - FP -	Location #:	SC01004521BBB
		USGS Site ID:	391021102264200
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NW NW 21	10 S 45 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4339027.7	Easting (UTM x): 720677.9 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.172498	-102.445472	
Surface Elevation (ft):	4319.86	Top Perforated Interval (ft):	160
		Base of grout (ft):	
Well depth (ft):	250	Bottom Perforated Interval (ft):	250
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 4.20
5 year: 0.60
10 year: -13.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	148.72	4171.14	-0.72
4/16/2007	149.15	4170.71	-0.43
1/27/2008	152.81	4167.05	-3.66
4/19/2009	151.45	4168.41	1.36
2/11/2010	162.40	4157.46	-10.95
2/7/2011	158.00	4161.86	4.40
2/23/2012	164.10	4155.76	-6.10
2/25/2013	153.80	4166.06	10.30
1/22/2014	166.00	4153.86	-12.20
1/27/2015	161.80	4158.06	4.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **DRAKE, CLAYTON & PHYLLIS**

Owner: CLAYTON & PHYLLIS DRAKE

Permit #: 17406 - FP - **Location #:** SC01004526CBC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW SW 26 10 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4336398.0 Easting (UTM x): 724075.7 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.147957 -102.407047

Surface Elevation (ft): 4342 **Top Perforated Interval (ft):** 212 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 287 **Bottom Perforated Interval (ft):** 282 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -3.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	198.00	4144.00	
2/7/2011	196.00	4146.00	2.00
2/23/2012	199.10	4142.90	-3.10
2/25/2013	200.70	4141.30	-1.60
1/22/2014	201.40	4140.60	-0.70
12/22/2014	201.60	4140.40	-0.20

All Historic Measurements



Well Name: **HERNDON, EDWIN LEROY**

Owner: HERTNEKY DAVID D & KATHERINE ANNE

Permit #: 5761 - FP - **Location #:** SC01004613BCD

USGS Site ID: 391046102295100

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW SE 13 10 S 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4339671.9 Easting (UTM x): 716120.5 *User supplied*


Latitude/Longitude (decimal degrees): 39.179442 -102.497974

Surface Elevation (ft): 4420.91 **Top Perforated Interval (ft):** 204 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 294 **Bottom Perforated Interval (ft):** 294 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -7.20
10 year: -6.22

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	214.78	4206.13	-2.20
4/16/2007			
2/2/2008	220.22	4200.69	
1/1/2009			
2/10/2010	211.60	4209.31	
1/7/2011	213.40	4207.51	-1.80
2/24/2012	214.60	4206.31	-1.20
1/25/2013	216.30	4204.61	-1.70
1/22/2014	218.60	4202.31	-2.30
1/28/2015	218.80	4202.11	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **FUNDINGSLAND, RONALD M**

Owner:

Permit #: 9109 - FP - **Location #:** SC01004623ABA **USGS Site ID:**

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NW NE 23 10 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4338724.5 Easting (UTM x): 715259.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.171126 -102.508237


Surface Elevation (ft): 4472 **Top Perforated Interval (ft):** 224 **Base of grout (ft):**
Well depth (ft): 324 **Bottom Perforated Interval (ft):** 324
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.90
5 year: -0.90
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	191.20	4280.80	
1/7/2011	187.80	4284.20	3.40
2/24/2012	185.40	4286.60	2.40
1/25/2013	206.90	4265.10	-21.50
1/22/2014	191.20	4280.80	15.70
1/28/2015	192.10	4279.90	-0.90

All Historic Measurements



Well Name: **SCHULTE, R.**

Owner: SCHULTE RAYMOND

Permit #: 13921 - FP - **Location #:** SC01004709DAC **USGS Site ID:** 391120102381000

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE NE SW 9 10 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4340398.7 Easting (UTM x): 704118.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.188885 -102.636590


Surface Elevation (ft): 4526.99 **Top Perforated Interval (ft):** 109 **Base of grout (ft):**
Well depth (ft): 216 **Bottom Perforated Interval (ft):** 207
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	156.85	4370.14	0.04
3/22/2007	156.31	4370.68	0.54
2/2/2008	157.59	4369.40	-1.28
4/7/2009	156.42	4370.57	1.17
2/6/2010	147.80	4379.19	8.62

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	MAY BROTHERS INC.			Owner:	MAY JAMES M		
Permit #:	13824 - FP -	Location #:	SC01004713CCD	USGS Site ID:	391015102363800		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW SE 13	10 S	47 W S		From N/S line: 252 S From E/W line: 1048 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4338452.5	Easting (UTM x):	706378.7	User supplied		
Latitude/Longitude (decimal degrees):	39.170830		-102.611033				
Surface Elevation (ft):	4522.99	Top Perforated Interval (ft):	167	Base of grout (ft):	Water Level Change		
Well depth (ft):	252	Bottom Perforated Interval (ft):	252	1 year: -0.80			
Aquifer(s):	OGALLALA			5 year: -2.60			
				10 year: -2.02			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	191.96	4331.03	-0.78
3/22/2007	192.98	4330.01	-1.02
2/2/2008	193.81	4329.18	-0.83
1/1/2009			
2/6/2010	190.60	4332.39	
1/7/2011	188.40	4334.59	2.20
2/24/2012	191.30	4331.69	-2.90
2/19/2013	192.00	4330.99	-0.70
1/22/2014	192.40	4330.59	-0.40
1/28/2015	193.20	4329.79	-0.80

All Historic Measurements




Well Name:	DOWNEY, RONALD EDWARD			Owner:	DOWNEY RAYMOND T TRUSTEE RAYMON		
Permit #:	20272 - FP -	Location #:	SC01004717BDA	USGS Site ID:	391051102404701		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SE NE 17	10 S	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4339407.2	Easting (UTM x):	700374.2	User supplied		
Latitude/Longitude (decimal degrees):	39.180829		-102.680202				
Surface Elevation (ft):	4564.02	Top Perforated Interval (ft):	115	Base of grout (ft):	Water Level Change		
Well depth (ft):	205	Bottom Perforated Interval (ft):	205	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	159.12	4404.90	0.64
3/22/2007	158.57	4405.45	0.55
2/2/2008	160.62	4403.40	-2.05

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **DOWNEY, R.**

Owner:

Permit #: - -

Location #: SC01004717CCC

USGS Site ID: 391020102402000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SW SW 17 10 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4338463.3 Easting (UTM x): 699653.9 *User supplied*
Latitude/Longitude (decimal degrees): 39.172496 -102.688814

Surface Elevation (ft): 4605.03 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 227 **Bottom Perforated Interval (ft):** **1 year:** 2.60
Aquifer(s): **5 year:** -1.40
10 year: 4.52

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	183.46	4421.57	-2.04
3/22/2007	184.40	4420.63	-0.94
2/1/2008	187.98	4417.05	-3.58
4/7/2009	186.19	4418.84	1.79
2/6/2010	175.50	4429.53	10.69
1/7/2011	174.60	4430.43	0.90
2/24/2012	174.10	4430.93	0.50
3/13/2013	179.40	4425.63	-5.30
1/22/2014	179.50	4425.53	-0.10
1/28/2015	176.90	4428.13	2.60

All Historic Measurements



Well Name: **DOWNEY FARMS INC.**

Owner: DOWNEY RAYMOND T.

Permit #: 19022 - F -

Location #: SC01004718CAA

USGS Site ID: 391041102415601


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NE NE 18 10 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4339056.6 Easting (UTM x): 698726.2 *User supplied*
Latitude/Longitude (decimal degrees): 39.178051 -102.699370

Surface Elevation (ft): 4625.03 **Top Perforated Interval (ft):** 182 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 242 **Bottom Perforated Interval (ft):** 242 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	193.00	4432.03	-1.20
3/22/2007	195.34	4429.69	-2.34
2/1/2008	199.24	4425.79	-3.90

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	DOWNEY, R.			Owner:	DOWNEY RAYMOND T TRUSTEE RAYMON		
Permit #:	12383 - FP -	Location #:	SC01004718DAA	USGS Site ID:	391030102420000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE NE NE 18	10 S	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4338715.1	Easting (UTM x):	698638.9	User supplied		
Latitude/Longitude (decimal degrees):	39.174996		-102.700481				
Surface Elevation (ft):	4612.04	Top Perforated Interval (ft):	188	Base of grout (ft):	Water Level Change		
Well depth (ft):	241	Bottom Perforated Interval (ft):	241	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	192.02	4420.02	0.73
3/22/2007	192.57	4419.47	-0.55
2/1/2008	195.93	4416.11	-3.36

All Historic Measurements




Well Name:	DOWNEY FARMS INC.			Owner:			
Permit #:	12382 - FP -	Location #:	SC01004720CBA	USGS Site ID:	390930102403000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NW NE 20	10 S	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4336920.4	Easting (UTM x):	700846.2	User supplied		
Latitude/Longitude (decimal degrees):	39.158330		-102.675480				
Surface Elevation (ft):	4607.03	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	236	Bottom Perforated Interval (ft):		1 year:			
Aquifer(s):				5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006			
3/22/2007	193.36	4413.67	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: DOWNEY FARMS INC.

Owner:

Permit #: 12384 - FP - **Location #:** SC01004720DBA **USGS Site ID:** 390930102410000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW NE 20 10 S 47 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4336902.0 Easting (UTM x): 700126.1 User supplied
Latitude/Longitude (decimal degrees): 39.158330 -102.683813

Surface Elevation (ft): 4582.03 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 227 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006			
3/22/2007	175.71	4406.32	

All Historic Measurements



Well Name: GEIKEN, S & M

Owner:

Permit #: - - **Location #:** SC01004923DCC **USGS Site ID:** 390930102504000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SW 23 10 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4336371.3 Easting (UTM x): 686112.2 User supplied
Latitude/Longitude (decimal degrees): 39.156662 -102.846040

Surface Elevation (ft): 4789.13 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** **1 year:** 0.20
Aquifer(s): **5 year:** -0.90
10 year: 9.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	170.97	4618.16	0.53
4/16/2007	176.84	4612.29	-5.87
2/25/2008	174.91	4614.22	1.93
4/21/2009	174.00	4615.13	0.91
2/6/2010	161.50	4627.63	12.50
1/4/2011	160.40	4628.73	1.10
12/24/2011	163.00	4626.13	-2.60
2/19/2013	163.60	4625.53	-0.60
1/22/2014	162.60	4626.53	1.00
1/28/2015	162.40	4626.73	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	HALDE, K & G	Owner:	RAINBOLT EDWIN F & LINDSEY MURIEL
Permit #:	16059 - RFP -	Location #:	SC01104204CBA
		USGS Site ID:	390731102073100

Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	SW NW NE	4	11 S	42 W S	
				Distance from section lines:	
				From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4334336.2	Easting (UTM x):	748478.1	User supplied
Latitude/Longitude (decimal degrees):		39.122780		-102.125738	


Surface Elevation (ft):	4051.65	Top Perforated Interval (ft):	120	Base of grout (ft):	
Well depth (ft):	174	Bottom Perforated Interval (ft):	174		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: -2.60
5 year: -17.32
10 year: -25.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	129.30	3922.35	-2.82
12/20/2005	127.95	3923.70	1.35
3/17/2007	131.20	3920.45	-3.25
2/4/2008	132.24	3919.41	-1.04
1/1/2009			
2/12/2010	137.28	3914.37	
1/28/2011	141.98	3909.67	-4.70
2/1/2012	143.50	3908.15	-1.52
2/11/2013	150.00	3901.65	-6.50
2/13/2014	152.00	3899.65	-2.00
1/29/2015	154.60	3897.05	-2.60

All Historic Measurements



Well Name:	LEIBL, LINDA L.	Owner:	ZORN FARM CO.
Permit #:	2196 - FP -	Location #:	SC01104208BBC
		USGS Site ID:	390704102084800

Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM
	NW NW SW	8	11 S	42 W S	
				Distance from section lines:	
				From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4333723.6	Easting (UTM x):	746670.1	User supplied
Latitude/Longitude (decimal degrees):		39.117780		-102.146850	


Surface Elevation (ft):	4064.66	Top Perforated Interval (ft):	77	Base of grout (ft):	
Well depth (ft):	177	Bottom Perforated Interval (ft):	177		
Aquifer(s):	OGALLALA				

Water Level Change
1 year: 4.80
5 year: 18.00
10 year: 14.84

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	122.44	3942.22	-1.81
12/20/2005	123.42	3941.24	-0.98
3/17/2007	128.70	3935.96	-5.28
2/4/2008	133.33	3931.33	-4.63
1/1/2009			
2/20/2010	125.60	3939.06	
1/28/2011	118.80	3945.86	6.80
2/1/2012	115.90	3948.76	2.90
2/11/2013	115.90	3948.76	0.00
1/16/2014	112.40	3952.26	3.50
1/29/2015	107.60	3957.06	4.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	TOMES LLLP			Owner:	TOMES ERNEST D & JOAN R		
Permit #:	4663 - FP -	Location #:	SC01104213BCB	USGS Site ID:	390602102042000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW NW 13	11 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4332016.9	Easting (UTM x):	753169.3	User supplied		
Latitude/Longitude (decimal degrees):	39.100558		-102.072403				
Surface Elevation (ft):	3993.63	Top Perforated Interval (ft):	138	Base of grout (ft):	Water Level Change		
Well depth (ft):	178	Bottom Perforated Interval (ft):	178	1 year: 12.30			
Aquifer(s):	OGALLALA			5 year: -0.20			
				10 year: -0.43			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	98.27	3895.36	0.93
12/20/2005	99.01	3894.62	-0.74
3/18/2007	100.59	3893.04	-1.58
2/4/2008	103.77	3889.86	-3.18
1/1/2009			
2/12/2010	98.50	3895.13	
1/28/2011	92.40	3901.23	6.10
2/1/2012	92.75	3900.88	-0.35
2/11/2013	111.00	3882.63	-18.25
1/16/2014	111.00	3882.63	0.00
1/29/2015	98.70	3894.93	12.30

All Historic Measurements




Well Name:	HITCHCOCK FARMS INC			Owner:	HITCHCOCK FARMS INC		
Permit #:	10053 - FP -	Location #:	SC01104217CCC	USGS Site ID:	390533102084900		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW SW SW 17	11 S	42 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4330916.2	Easting (UTM x):	746710.3	User supplied		
Latitude/Longitude (decimal degrees):	39.092502		-102.147406				
Surface Elevation (ft):	4066.66	Top Perforated Interval (ft):	92	Base of grout (ft):	Water Level Change		
Well depth (ft):	142	Bottom Perforated Interval (ft):	142	1 year:			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2005	107.90	3958.76	-3.88
3/19/2007	108.27	3958.39	-0.37
2/4/2008	110.01	3956.65	-1.74

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **WARREN, DARLENE**

Owner: WARREN FRANCIS

Permit #: 10060 - FP -

Location #: SC01104227BAB

USGS Site ID: 390432102061200

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NW 27 11 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4329154.9 Easting (UTM x): 750542.8 [User supplied](#)

Latitude/Longitude (decimal degrees): 39.075559 -102.103793

Surface Elevation (ft): 4078.65 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 200 **Bottom Perforated Interval (ft):** 200

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2005	163.62	3915.03	-0.15
12/20/2005			
3/17/2007	161.01	3917.64	
2/4/2008	165.87	3912.78	-4.86

All Historic Measurements



Well Name: **KORBELIK, H & C**

Owner: KORBELIK HARVEY

Permit #: 9388 - FP -

Location #: SC01104304BCB

USGS Site ID: 390737102142600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW NW 4 11 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4334489.1 Easting (UTM x): 738496.4 [User supplied](#)

Latitude/Longitude (decimal degrees): 39.126945 -102.241020

Surface Elevation (ft): 4146.72 **Top Perforated Interval (ft):** 115 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 225 **Bottom Perforated Interval (ft):** 225

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	134.92	4011.80	-0.47
3/18/2007	137.27	4009.45	-2.35
2/4/2008	137.39	4009.33	-0.12
1/1/2009			
1/18/2010	138.79	4007.93	

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	COLORADO AGRA LTD			Owner:	VEASE AURELIA ERESCH		
Permit #:	10317 - FP -	Location #:	SC01104305ABC	USGS Site ID:	390741102145700		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW SW 5	11 S	43 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4334589.8	Easting (UTM x):	737748.1	User supplied		
Latitude/Longitude (decimal degrees):	39.128056		-102.249632				
Surface Elevation (ft):	4161.72	Top Perforated Interval (ft):	142	Base of grout (ft):	Water Level Change		
Well depth (ft):	242	Bottom Perforated Interval (ft):	242		1 year: 1.60		
Aquifer(s):	OGALLALA				5 year: -5.40		
					10 year: -8.64		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	144.45	4017.27	-0.69
3/17/2007	144.98	4016.74	-0.53
2/4/2008	145.21	4016.51	-0.23
1/1/2009			
1/18/2010	147.00	4014.72	
2/7/2011	139.80	4021.92	7.20
2/2/2012	151.00	4010.72	-11.20
2/11/2013	153.70	4008.02	-2.70
2/13/2014	154.00	4007.72	-0.30
1/29/2015	152.40	4009.32	1.60

All Historic Measurements




Well Name:	HILLS, ANN J.			Owner:	ZORN MARIE		
Permit #:	9075 - FP -	Location #:	SC01104308CAC	USGS Site ID:	390622102151800		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SW NE SW 8	11 S	43 W	S	From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4332138.7	Easting (UTM x):	737317.5	User supplied		
Latitude/Longitude (decimal degrees):	39.106112		-102.255465				
Surface Elevation (ft):	4147.72	Top Perforated Interval (ft):	78	Base of grout (ft):	Water Level Change		
Well depth (ft):	198	Bottom Perforated Interval (ft):	198		1 year: -1.30		
Aquifer(s):	OGALLALA				5 year: -5.25		
					10 year: -8.90		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	117.88	4029.84	-0.48
3/17/2007	118.85	4028.87	-0.97
2/4/2008	119.15	4028.57	-0.30
1/1/2009			
1/18/2010	121.05	4026.67	
2/7/2011	125.40	4022.32	-4.35
2/2/2012	126.80	4020.92	-1.40
2/11/2013	124.80	4022.92	2.00
2/13/2014	125.00	4022.72	-0.20
1/25/2015	126.30	4021.42	-1.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: ZORN FARMS		Owner: ZORN MARIE	
Permit #: 31521 - -	Location #: SC01104311ABB	USGS Site ID:	
Division: 1	Water District: 49	County: KIT CARSON	
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:			
NE NW NW 11 11 S 43 W S			
UTM Coordinates (NAD83): Northing (UTM y) 4333342.5	Easting (UTM x): 742635.3	<i>Spotted from quarters</i>	
Latitude/Longitude (decimal degrees): 39.115483	-102.193603		
Surface Elevation (ft): 4070	Top Perforated Interval (ft): 173	Base of grout (ft):	Water Level Change
Well depth (ft): 188	Bottom Perforated Interval (ft): 188		1 year:
Aquifer(s): OGALLALA			5 year:
			10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	112.99	3957.01	

All Historic Measurements




Well Name: KORBELIK, H & C		Owner: BANEY DOROTHY F & LELAND L	
Permit #: 4999 - FP -	Location #: SC01104312BCB	USGS Site ID: 390650102110500	
Division: 1	Water District: 49	County: KIT CARSON	
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:			
NW SW NW 12 11 S 43 W S			
UTM Coordinates (NAD83): Northing (UTM y) 4332974.0	Easting (UTM x): 743423.5	<i>User supplied</i>	
Latitude/Longitude (decimal degrees): 39.111946	-102.184629		
Surface Elevation (ft): 4079.68	Top Perforated Interval (ft): 99	Base of grout (ft):	Water Level Change
Well depth (ft): 199	Bottom Perforated Interval (ft): 199		1 year: -1.30
Aquifer(s): OGALLALA			5 year: -2.40
			10 year: -4.49

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	109.47	3970.21	-1.26
3/17/2007	112.52	3967.16	-3.05
2/4/2008	113.03	3966.65	-0.51
1/1/2009			
2/12/2010	110.30	3969.38	
2/7/2011	101.70	3977.98	8.60
2/2/2012	105.60	3974.08	-3.90
2/11/2013	111.90	3967.78	-6.30
1/16/2014	111.40	3968.28	0.50
1/29/2015	112.70	3966.98	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: RUSSELL SCOTT TRUST

Owner:

Permit #: 5595 - FP - **Location #:** SC01104313CBB **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW NW NW 13 11 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4331033.5 Easting (UTM x): 743515.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.094456 -102.184263

Surface Elevation (ft): 4108 **Top Perforated Interval (ft):** 144 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 252 **Bottom Perforated Interval (ft):** 252 **1 year:** 1.00
Aquifer(s): OGALLALA **5 year:** -10.40
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	138.00	3970.00	
2/7/2011	135.70	3972.30	2.30
2/2/2012	133.80	3974.20	1.90
2/11/2013	146.80	3961.20	-13.00
1/16/2014	149.40	3958.60	-2.60
1/29/2015	148.40	3959.60	1.00

All Historic Measurements



Well Name: BANEY, L&D

Owner: BANEY DOROTHY F & LELAND L

Permit #: 4980 - FP - **Location #:** SC01104316BBC **USGS Site ID:** 390559102142700


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NW SW 16 11 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4331344.2 Easting (UTM x): 738592.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.098613 -102.241020

Surface Elevation (ft): 4141.71 **Top Perforated Interval (ft):** 105 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 215 **Bottom Perforated Interval (ft):** 215 **1 year:** 2.50
Aquifer(s): OGALLALA **5 year:** -3.90
10 year: 0.32

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	121.87	4019.84	-0.15
3/17/2007	121.52	4020.19	0.35
2/4/2008	123.91	4017.80	-2.39
1/1/2009			
1/18/2010	117.50	4024.21	
2/7/2011	126.30	4015.41	-8.80
2/2/2012	128.40	4013.31	-2.10
2/11/2013	126.30	4015.41	2.10
2/13/2014	123.90	4017.81	2.40
1/29/2015	121.40	4020.31	2.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: FED LAND BANK

Owner:

Permit #: - -

Location #: SC01104319CBB

USGS Site ID: 390455102164100


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 19 11 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4329396.3 Easting (UTM x): 735403.9 User supplied
Latitude/Longitude (decimal degrees): 39.081946 -102.278521

Surface Elevation (ft): 4154.73 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 97 **Bottom Perforated Interval (ft):** **1 year:** 0.50
Aquifer(s): **5 year:** 0.60
10 year: -0.87

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	89.05	4065.68	-0.32
3/17/2007	89.48	4065.25	-0.43
2/23/2008	91.57	4063.16	-2.09
4/7/2009	90.70	4064.03	0.87
1/18/2010	90.20	4064.53	0.50
1/3/2011	87.90	4066.83	2.30
2/2/2012	84.80	4069.93	3.10
1/8/2013	89.70	4065.03	-4.90
1/16/2014	90.10	4064.63	-0.40
1/29/2015	89.60	4065.13	0.50

All Historic Measurements



Well Name: LOOSEN, SUSAN E.

Owner: LOOSEN SUSAN

Permit #: 11591 - FP -

Location #: SC01104322BCA

USGS Site ID: 390505102130600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 22 11 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4329861.2 Easting (UTM x): 740561.3 User supplied
Latitude/Longitude (decimal degrees): 39.084724 -102.218797

Surface Elevation (ft): 4143.7 **Top Perforated Interval (ft):** 105 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 205 **Bottom Perforated Interval (ft):** 205 **1 year:** 0.30
Aquifer(s): OGALLALA **5 year:** -0.10
10 year: 7.63

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	153.89	3989.81	-0.46
3/17/2007	154.38	3989.32	-0.49
2/4/2008	157.12	3986.58	-2.74
1/1/2009			
2/12/2010	145.70	3998.00	
2/7/2011	143.80	3999.90	1.90
2/2/2012	145.10	3998.60	-1.30
2/11/2013	145.90	3997.80	-0.80
1/16/2014	146.10	3997.60	-0.20
1/29/2015	145.80	3997.90	0.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	BANEY PARTNERSHIP			Owner:	ZORN EDWARD ESTATE		
Permit #:	9074 - FP -	Location #:	SC01104324BBB	USGS Site ID:	390518102110500		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NW 24	11 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4330351.7	Easting (UTM x):	743456.7	User supplied		
Latitude/Longitude (decimal degrees):		39.088336		-102.185185			
Surface Elevation (ft):	4117.68	Top Perforated Interval (ft):	195	Base of grout (ft):	Water Level Change		
Well depth (ft):	275	Bottom Perforated Interval (ft):	275		1 year: -2.50		
Aquifer(s):	OGALLALA				5 year: -6.00		
					10 year: -16.34		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	147.82	3969.86	-1.76
3/17/2007	151.25	3966.43	-3.43
2/4/2008	154.71	3962.97	-3.46
1/1/2009			
2/12/2010	156.40	3961.28	
2/7/2011	162.40	3955.28	-6.00
2/2/2012	164.90	3952.78	-2.50
2/11/2013	180.50	3937.18	-15.60
1/16/2014	159.90	3957.78	20.60
1/29/2015	162.40	3955.28	-2.50

All Historic Measurements




Well Name:	MIDWEST FARMS			Owner:			
Permit #:	16652 - FP -	Location #:	SC01104325BBB	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW NW 25	11 S	43 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4328701.5	Easting (UTM x):	743581.9	Spotted from quarters		
Latitude/Longitude (decimal degrees):		39.073448		-102.184330			
Surface Elevation (ft):	4090	Top Perforated Interval (ft):	125	Base of grout (ft):	Water Level Change		
Well depth (ft):	205	Bottom Perforated Interval (ft):	195		1 year: 3.40		
Aquifer(s):	OGALLALA				5 year: 5.60		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	142.40	3947.60	
2/7/2011	140.00	3950.00	2.40
2/2/2012	142.10	3947.90	-2.10
2/11/2013	144.50	3945.50	-2.40
1/16/2014	140.20	3949.80	4.30
1/29/2015	136.80	3953.20	3.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: HILT, FRED & BONNIE

Owner: US FHA

Permit #: 9176 - FP -

Location #: SC01104332CCC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SW SW 32 11 S 43 W S From N/S line: 400 S From E/W line: 80 W
UTM Coordinates (NAD83): Northing (UTM y) 4325597.5 Easting (UTM x): 737114.6 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.047290 -102.260088


Surface Elevation (ft): 4229 **Top Perforated Interval (ft):** 129 **Base of grout (ft):**
Well depth (ft): 189 **Bottom Perforated Interval (ft):** 189
Aquifer(s): OGALLALA

Water Level Change
1 year: -0.70
5 year: 21.56
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	197.30	4031.70	
4/8/2009	200.59	4028.41	-3.29
1/18/2010	196.66	4032.34	3.93
2/7/2011	187.80	4041.20	8.86
2/2/2012	187.30	4041.70	0.50
2/11/2013	175.80	4053.20	11.50
1/16/2014	174.40	4054.60	1.40
1/29/2015	175.10	4053.90	-0.70

All Historic Measurements



Well Name: BUOL TRUSTS

Owner: BUOL MARTIN A & ROGENE A TRUSTS

Permit #: 6262 - FP -

Location #: SC01104402DCD

USGS Site ID: 390701102180600

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE SW SE 2 11 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4333220.2 Easting (UTM x): 733245.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.116945 -102.302133


Surface Elevation (ft): 4214.74 **Top Perforated Interval (ft):** 204 **Base of grout (ft):**
Well depth (ft): 254 **Bottom Perforated Interval (ft):** 254
Aquifer(s): OGALLALA

Water Level Change
1 year: 1.40
5 year: -5.00
10 year: -7.82

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2005	158.14	4056.60	-0.56
3/21/2007	158.26	4056.48	-0.12
2/1/2008	160.47	4054.27	-2.21
4/4/2009	159.60	4055.14	0.87
2/15/2010	160.40	4054.34	-0.80
1/28/2011	164.70	4050.04	-4.30
2/25/2012	162.40	4052.34	2.30
2/26/2013	165.80	4048.94	-3.40
1/21/2014	166.80	4047.94	-1.00
1/27/2015	165.40	4049.34	1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: MCCARTNEY, DOROTHY M & C.E.

Owner:

Permit #: 6503 - FP - **Location #:** SC01104409AD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SE 9 11 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4332666.0 Easting (UTM x): 731120.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.112523 -102.326884

Surface Elevation (ft): 4253 **Top Perforated Interval (ft):** 155 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 225 **Bottom Perforated Interval (ft):** 225 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -11.40
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	149.60	4103.40	
1/28/2011	148.50	4104.50	1.10
2/25/2012	145.80	4107.20	2.70
3/13/2013	160.20	4092.80	-14.40
1/21/2014	159.50	4093.50	0.70
1/27/2015	161.00	4092.00	-1.50

All Historic Measurements



Well Name: STAATZ, ROBERT & CAROLYN

Owner: ROBERT & CAROLYN STAATZ

Permit #: 2340 - FP - **Location #:** SC01104415BAB

USGS Site ID: 390607102194500

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NW 15 11 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4331494.0 Easting (UTM x): 730842.0 [GPS](#)


Latitude/Longitude (decimal degrees): 39.102047 -102.330495

Surface Elevation (ft): 4220.75 **Top Perforated Interval (ft):** 95 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 215 **Bottom Perforated Interval (ft):** 215 **1 year:** 1.10
Aquifer(s): OGALLALA **5 year:** 5.80
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	110.40	4110.35	
1/28/2011	104.80	4115.95	5.60
2/25/2012	103.10	4117.65	1.70
2/26/2013	106.20	4114.55	-3.10
1/21/2014	105.70	4115.05	0.50
1/27/2015	104.60	4116.15	1.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	ARNOLD, WILLIAM G. JR, ET AL			Owner:	RECTOR TEFFANIE SUE		
Permit #:	4956 - FP -	Location #:	SC01104416BBD	USGS Site ID:	390555102205700		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NW SE 16	11 S	44 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)		4331064.1	Easting (UTM x):		729197.7	User supplied
Latitude/Longitude (decimal degrees):			39.098611			-102.349635	
Surface Elevation (ft):	4229.76	Top Perforated Interval (ft):	126	Base of grout (ft):	Water Level Change		
Well depth (ft):	206	Bottom Perforated Interval (ft):	206	1 year: -0.40			
Aquifer(s):	OGALLALA			5 year: -4.40			
				10 year: -5.17			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	121.52	4108.24	0.01
3/21/2007	124.45	4105.31	-2.93
2/1/2008	127.45	4102.31	-3.00
4/7/2009	128.81	4100.95	-1.36
2/15/2010	122.30	4107.46	6.51
1/28/2011	123.10	4106.66	-0.80
2/25/2012	122.90	4106.86	0.20
2/26/2013	125.50	4104.26	-2.60
1/21/2014	126.30	4103.46	-0.80
1/27/2015	126.70	4103.06	-0.40

All Historic Measurements




Well Name:	CURE, DAVID & DEBBIE			Owner:	DAVID & DEBBIE CURE		
Permit #:	4956 - FP -	Location #:	SC01104416BC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW 16	11 S	44 W S		From N/S line: 1430 N From E/W line: 1320 W		
UTM Coordinates (NAD83):	Northing (UTM y)		4331001.5	Easting (UTM x):		729239.9	Spotted from section lines
Latitude/Longitude (decimal degrees):			39.098036			-102.349169	
Surface Elevation (ft):	4228	Top Perforated Interval (ft):	126	Base of grout (ft):	Water Level Change		
Well depth (ft):	206	Bottom Perforated Interval (ft):	206	1 year: -0.10			
Aquifer(s):	OGALLALA			5 year: 15.60			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	138.25	4089.75	
4/7/2009	138.22	4089.78	0.03
2/15/2010	127.40	4100.60	10.82
1/30/2011	117.40	4110.60	10.00
2/25/2012	113.80	4114.20	3.60
2/26/2013	111.20	4116.80	2.60
1/21/2014	111.70	4116.30	-0.50
1/27/2015	111.80	4116.20	-0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **FELDHUSEN, LARRY A & JUDY R**

Owner:

Permit #: 10160 - FP - **Location #:** SC01104417ABB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW NW 17 11 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4331289.0 Easting (UTM x): 728116.6 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.100919 -102.362049

Surface Elevation (ft): 4252 **Top Perforated Interval (ft):** 135 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 195 **Bottom Perforated Interval (ft):** 195 **1 year:** 0.20
Aquifer(s): OGALLALA **5 year:** 2.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	127.30	4124.70	
1/28/2011	110.20	4141.80	17.10
2/25/2012	109.80	4142.20	0.40
1/24/2013	140.30	4111.70	-30.50
1/21/2014	125.00	4127.00	15.30
1/27/2015	124.80	4127.20	0.20

All Historic Measurements



Well Name: **MATTHIES, LEONARD J.**

Owner: MATTHIES LEONARD

Permit #: 4731 - FP - **Location #:** SC01104418DCA

USGS Site ID: 390528102223700

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW NE 18 11 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4330161.9 Easting (UTM x): 726819.2 *User supplied*


Latitude/Longitude (decimal degrees): 39.091111 -102.377414

Surface Elevation (ft): 4280.79 **Top Perforated Interval (ft):** 600 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 222 **Bottom Perforated Interval (ft):** 126 **1 year:** 0.60
Aquifer(s): OGALLALA **5 year:** -12.30
10 year: -3.67

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	133.87	4146.92	-0.94
3/21/2007	135.62	4145.17	-1.75
2/1/2008	137.72	4143.07	-2.10
4/7/2009	138.25	4142.54	-0.53
2/15/2010	124.30	4156.49	13.95
1/28/2011	136.40	4144.39	-12.10
2/25/2012	134.80	4145.99	1.60
3/13/2013	136.50	4144.29	-1.70
1/21/2014	137.20	4143.59	-0.70
1/27/2015	136.60	4144.19	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **PIERSON, WALTER**

Owner:

Permit #: - -

Location #: SC01104420CCC

USGS Site ID:


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 20 11 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4328331.5 Easting (UTM x): 727372.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.074490 -102.371630

Surface Elevation (ft): 4245 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 170 **Bottom Perforated Interval (ft):** **1 year:** 0.40
Aquifer(s): OGALLALA **5 year:** 9.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	123.19	4121.81	
4/7/2009	125.47	4119.53	-2.28
2/15/2010	112.20	4132.80	13.27
1/28/2011	102.60	4142.40	9.60
2/25/2012	102.60	4142.40	0.00
2/26/2013	103.40	4141.60	-0.80
1/21/2014	103.00	4142.00	0.40
1/27/2015	102.60	4142.40	0.40

All Historic Measurements



Well Name: **WITZEL, K.P. & D.L.**

Owner: WITZEL KENNETH P

Permit #: 12524 - F -

Location #: SC01104508BAB

USGS Site ID: 390650102284800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 8 11 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4332226.4 Easting (UTM x): 718008.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.111943 -102.478528

Surface Elevation (ft): 4436.88 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** 260 **1 year:** -1.70
Aquifer(s): OGALLALA **5 year:**
10 year: -7.35

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	188.95	4247.93	-0.56
3/21/2007	188.85	4248.03	0.10
1/27/2008	188.95	4247.93	-0.10
1/1/2009			
2/15/2010	186.50	4250.38	
1/28/2011	189.90	4246.98	-3.40
2/25/2012	188.00	4248.88	1.90
2/13/2013	193.60	4243.28	-5.60
1/22/2014	195.30	4241.58	-1.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	ARANCI, D & L		Owner:	ARANCI DAVID D & LINDA M	
Permit #:	3923 - FP -	Location #:	SC01104522BBB	USGS Site ID:	390505102264600
Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NW NW NW 22	11 S	45 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4329282.2	Easting (UTM x):	720856.1	User supplied
Latitude/Longitude (decimal degrees):		39.084722		-102.446583	
Surface Elevation (ft):	4353.85	Top Perforated Interval (ft):	140	Base of grout (ft):	Water Level Change
Well depth (ft):	221	Bottom Perforated Interval (ft):	218		1 year: 1.60
Aquifer(s):	OGALLALA				5 year: -11.80
					10 year: -13.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	135.68	4218.17	-0.48
3/21/2007	135.51	4218.34	0.17
1/27/2008	138.99	4214.86	-3.48
4/4/2009	140.13	4213.72	-1.14
2/15/2010	136.80	4217.05	3.33
1/28/2011	136.50	4217.35	0.30
2/25/2012	135.60	4218.25	0.90
2/26/2013	144.60	4209.25	-9.00
1/22/2014	150.20	4203.65	-5.60
12/22/2014	148.60	4205.25	1.60

All Historic Measurements




Well Name:	DICKEY, CLARK & SONS		Owner:	COCKREHAM ED	
Permit #:	12645 - FP -	Location #:	SC01104527ABB	USGS Site ID:	390419102260600
Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE NW NW 27	11 S	45 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4327891.0	Easting (UTM x):	721857.4	User supplied
Latitude/Longitude (decimal degrees):		39.071944		-102.435471	
Surface Elevation (ft):	4321.83	Top Perforated Interval (ft):	130	Base of grout (ft):	Water Level Change
Well depth (ft):	200	Bottom Perforated Interval (ft):	200		1 year: 4.50
Aquifer(s):	OGALLALA				5 year: -7.80
					10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	113.08	4208.75	-1.44
3/21/2007	115.36	4206.47	-2.28
1/27/2008	118.88	4202.95	-3.52
4/4/2009	108.00	4213.83	10.88
2/15/2010	112.80	4209.03	-4.80
1/28/2011	113.40	4208.43	-0.60
2/25/2012	114.40	4207.43	-1.00
2/26/2013	120.40	4201.43	-6.00
1/22/2014	125.10	4196.73	-4.70
1/27/2015	120.60	4201.23	4.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	CARROLL, MIKE			Owner:	HUDYE FARMS US INC		
Permit #:	18086 - FP -	Location #:	SC01104534DC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SW	34	11 S	45 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4325181.0	Easting (UTM x):	722113.0	GPS		
Latitude/Longitude (decimal degrees):	39.047483		-102.433403				
Surface Elevation (ft):	4360	Top Perforated Interval (ft):	160	Base of grout (ft):	Water Level Change		
Well depth (ft):	220	Bottom Perforated Interval (ft):	220	1 year: 3.50			
Aquifer(s):	OGALLALA			5 year: 26.10			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	189.01	4170.99	
4/4/2009	183.00	4177.00	6.01
2/15/2010	172.30	4187.70	10.70
1/4/2011	164.20	4195.80	8.10
2/25/2012	161.20	4198.80	3.00
2/26/2013	149.60	4210.40	11.60
1/22/2014	149.70	4210.30	-0.10
1/28/2015	146.20	4213.80	3.50

All Historic Measurements




Well Name:	MAY BROTHERS INC.			Owner:	MAY JAMES		
Permit #:	10483 - FP -	Location #:	SC01104613BAB	USGS Site ID:	390552102305300		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NE NW	13	11 S	46 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4330566.5	Easting (UTM x):	714881.0	User supplied		
Latitude/Longitude (decimal degrees):	39.097776		-102.515196				
Surface Elevation (ft):	4449.91	Top Perforated Interval (ft):	189	Base of grout (ft):	Water Level Change		
Well depth (ft):	286	Bottom Perforated Interval (ft):	279	1 year: 2.50			
Aquifer(s):	OGALLALA			5 year: -9.30			
				10 year: -7.00			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	170.12	4279.79	-0.02
3/21/2007	168.91	4281.00	1.21
2/1/2008	174.14	4275.77	-5.23
1/1/2009			
2/6/2010	167.80	4282.11	
1/28/2011	169.80	4280.11	-2.00
2/24/2012	170.70	4279.21	-0.90
2/19/2013	180.20	4269.71	-9.50
1/22/2014	179.60	4270.31	0.60
1/28/2015	177.10	4272.81	2.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	LOWE, PAUL	Owner:	LOWE PAUL ARTHUR
Permit #:	4070 - FP -	Location #:	SC01104623BAA
		USGS Site ID:	
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NE NE 23	11 S	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4328958.5	Easting (UTM x): 713511.5 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		39.083633	-102.531525
Surface Elevation (ft):	4440	Top Perforated Interval (ft):	193
		Base of grout (ft):	
Well depth (ft):	257	Bottom Perforated Interval (ft):	257
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -3.20
5 year: -7.50
10 year: -7.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	142.90	4297.10	-1.00
3/21/2007	143.63	4296.37	-0.73
2/1/2008	147.13	4292.87	-3.50
4/7/2009	144.97	4295.03	2.16
2/6/2010	142.10	4297.90	2.87
1/28/2011	143.60	4296.40	-1.50
2/24/2012	144.50	4295.50	-0.90
2/19/2013	146.20	4293.80	-1.70
1/22/2014	146.40	4293.60	-0.20
1/28/2015	149.60	4290.40	-3.20

All Historic Measurements




Well Name:	MCCORMICK, D & J	Owner:	HAPPY CREEK INC
Permit #:	11314 - FP - R	Location #:	SC01104627BBB
		USGS Site ID:	390411102332800
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NW NW 27	11 S	46 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4327351.5	Easting (UTM x): 711240.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.069721	-102.558253
Surface Elevation (ft):	4458.94	Top Perforated Interval (ft):	192
		Base of grout (ft):	
Well depth (ft):	234	Bottom Perforated Interval (ft):	232
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.60
5 year: -1.60
10 year: -7.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	140.70	4318.24	-0.80
3/21/2007	142.52	4316.42	-1.82
2/1/2008	145.98	4312.96	-3.46
1/1/2009			
2/6/2010	146.00	4312.94	
1/28/2011	148.20	4310.74	-2.20
2/24/2012	149.00	4309.94	-0.80
2/19/2013	151.00	4307.94	-2.00
1/22/2014	148.20	4310.74	2.80
1/28/2015	147.60	4311.34	0.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	PETERS, ELMER		Owner:	SMELKER THEODORE R	
Permit #:	6869 - FP -	Location #:	SC01104630CDD	USGS Site ID:	390318102361800
Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW SE SE 30	11 S	46 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4325608.8	Easting (UTM x):	707198.0	User supplied
Latitude/Longitude (decimal degrees):		39.054999		-102.605476	
Surface Elevation (ft):	4507.98	Top Perforated Interval (ft):	175	Base of grout (ft):	Water Level Change
Well depth (ft):	235	Bottom Perforated Interval (ft):	235		1 year: -0.20
Aquifer(s):	OGALLALA				5 year: -5.20
					10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	141.05	4366.93	-6.70
3/21/2007	143.14	4364.84	-2.09
2/1/2008	145.87	4362.11	-2.73
4/7/2009	145.55	4362.43	0.32
2/6/2010	135.40	4372.58	10.15
1/7/2011	134.60	4373.38	0.80
2/24/2012	141.80	4366.18	-7.20
2/19/2013	139.80	4368.18	2.00
1/22/2014	140.40	4367.58	-0.60
1/28/2015	140.60	4367.38	-0.20

All Historic Measurements




Well Name:	GREENWOOD, W. TRUST		Owner:	GREENWOOD WAYNE E TRUSTEE O	
Permit #:	10085 - FP -	Location #:	SC01104701CCB	USGS Site ID:	390700102375000
Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW SW NW 1	11 S	47 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4332364.9	Easting (UTM x):	704832.5	User supplied
Latitude/Longitude (decimal degrees):		39.116386		-102.630756	
Surface Elevation (ft):	4589.01	Top Perforated Interval (ft):	185	Base of grout (ft):	Water Level Change
Well depth (ft):	265	Bottom Perforated Interval (ft):	265		1 year: -1.00
Aquifer(s):	OGALLALA				5 year: -7.10
					10 year: -28.96

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	198.48	4390.53	-0.54
3/21/2007	199.05	4389.96	-0.57
2/2/2008	203.75	4385.26	-4.70
4/6/2009	212.63	4376.38	-8.88
2/6/2010	219.80	4369.21	-7.17
1/7/2011	218.29	4370.72	1.51
2/24/2012	217.60	4371.41	0.69
2/25/2013	221.10	4367.91	-3.50
1/22/2014	225.90	4363.11	-4.80
1/28/2015	226.90	4362.11	-1.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	DOWNEY FARMS INC.			Owner:	DOWNEY RAYMOND T		
Permit #:	12381 - FP -	Location #:	SC01104708BAD	USGS Site ID:	390630102420000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW NE SE 8	11 S	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4331440.8	Easting (UTM x):	698895.4	User supplied		
Latitude/Longitude (decimal degrees):		39.109441		-102.699647			
Surface Elevation (ft):	4627.05	Top Perforated Interval (ft):	175	Base of grout (ft):	Water Level Change		
Well depth (ft):	233	Bottom Perforated Interval (ft):	233		1 year:		
Aquifer(s):	OGALLALA				5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	155.96	4471.09	-2.40
3/21/2007	158.11	4468.94	-2.15
2/2/2008	161.24	4465.81	-3.13

All Historic Measurements




Well Name:	DOWNEY FARMS INC			Owner:			
Permit #:	3175 - FP -	Location #:	SC01104708DCC	USGS Site ID:	390600102420001		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	SE SW SW 8	11 S	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4330390.8	Easting (UTM x):	698849.9	User supplied		
Latitude/Longitude (decimal degrees):		39.099997		-102.700480			
Surface Elevation (ft):	4645.06	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	254	Bottom Perforated Interval (ft):			1 year:		
Aquifer(s):					5 year:		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	174.87	4470.19	-0.09
3/21/2007	176.61	4468.45	-1.74

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	SMEKLER FARMS, FP			Owner:	SMEKLER DOYLE & CHRISTINA		
Permit #:	9015 - FP -	Location #:	SC01104717ABD	USGS Site ID:	390540102414000		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NE NW SE 17	11 S	47 W S		From N/S line: From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y)	4329878.3	Easting (UTM x):	699319.7	User supplied		
Latitude/Longitude (decimal degrees):	39.095275		-102.695202				
Surface Elevation (ft):	4647.05	Top Perforated Interval (ft):	167	Base of grout (ft):	Water Level Change		
Well depth (ft):	244	Bottom Perforated Interval (ft):	244		1 year: 5.40		
Aquifer(s):	OGALLALA				5 year: -1.70		
					10 year: 1.78		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2006	172.55	4474.50	-0.57
3/21/2007	174.15	4472.90	-1.60
2/2/2008	175.08	4471.97	-0.93
4/7/2009	175.40	4471.65	-0.32
2/6/2010	168.50	4478.55	6.90
1/7/2011	168.10	4478.95	0.40
2/24/2012	167.80	4479.25	0.30
2/25/2013	170.80	4476.25	-3.00
1/22/2014	175.60	4471.45	-4.80
1/28/2015	170.20	4476.85	5.40

All Historic Measurements




Well Name:	CURE, JOE			Owner:	JOE CURE		
Permit #:	13793 - FP -	Location #:	SC01104735BC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:		
	NW SW 35	11 S	47 W S		From N/S line: 2560 N From E/W line: 63 W		
UTM Coordinates (NAD83):	Northing (UTM y)	4324625.0	Easting (UTM x):	703330.4	Spotted from section lines		
Latitude/Longitude (decimal degrees):	39.047050		-102.650431				
Surface Elevation (ft):	4575	Top Perforated Interval (ft):	172	Base of grout (ft):	Water Level Change		
Well depth (ft):	232	Bottom Perforated Interval (ft):	232		1 year: 0.40		
Aquifer(s):	OGALLALA				5 year: 22.50		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/10/2008	191.47	4383.53	
4/6/2009	189.71	4385.29	1.76
2/6/2010	177.50	4397.50	12.21
1/7/2011	167.50	4407.50	10.00
2/24/2012	161.80	4413.20	5.70
2/25/2013			
1/22/2014	155.40	4419.60	
1/28/2015	155.00	4420.00	0.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	SIMON FARMS			Owner:	SIMON FARMS		
Permit #:	9667 - FP -	Location #:	SC01104834DAB	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NE NW	34	11 S	48 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4324361.0	Easting (UTM x):		693346.0 GPS	
Latitude/Longitude (decimal degrees):			39.046940			-102.765796	
Surface Elevation (ft):	4750	Top Perforated Interval (ft):		Base of grout (ft):			
Well depth (ft):		Bottom Perforated Interval (ft):					
Aquifer(s):				Water Level Change			
				1 year: 2.00			
				5 year: -1.09			
				10 year: -1.48			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	197.26	4552.74	-0.03
4/16/2007	198.87	4551.13	-1.61
2/23/2008	197.90	4552.10	0.97
4/21/2009	198.21	4551.79	-0.31
2/6/2010	198.06	4551.94	0.15
1/4/2011	197.00	4553.00	1.06
2/24/2012	196.40	4553.60	0.60
3/13/2013	201.30	4548.70	-4.90
2/18/2014	199.30	4550.70	2.00

All Historic Measurements




Well Name:	NORDQUIS, SELMA			Owner:	NORDQUIST CLIFFORD		
Permit #:	11629 - FP -	Location #:	SC01104922ABB	USGS Site ID:	390458102522601		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NW NW	22	11 S	49 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4328112.8	Easting (UTM x):		683855.8 User supplied	
Latitude/Longitude (decimal degrees):			39.082774			-102.874374	
Surface Elevation (ft):	4827.19	Top Perforated Interval (ft):	90	Base of grout (ft):			
Well depth (ft):	164	Bottom Perforated Interval (ft):	172				
Aquifer(s):	OGALLALA			Water Level Change			
				1 year: 0.10			
				5 year: -0.27			
				10 year: -0.85			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	105.95	4721.24	-0.10
4/16/2007	110.20	4716.99	-4.25
2/23/2008	109.18	4718.01	1.02
4/21/2009	108.74	4718.45	0.44
2/6/2010	106.43	4720.76	2.31
1/4/2011	103.12	4724.07	3.31
2/24/2012	101.20	4725.99	1.92
2/19/2013	106.50	4720.69	-5.30
2/18/2014	106.80	4720.39	-0.30
1/28/2015	106.70	4720.49	0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: VASSIOS, G & V

Owner:

Permit #: - -

Location #: SC01105103BAA1

USGS Site ID: 390740103055801


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NE 3 11 S 51 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4332674.5 Easting (UTM x): 664239.7 User supplied
Latitude/Longitude (decimal degrees): 39.127771 -103.099936

Surface Elevation (ft): 5087.29 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 63 **Bottom Perforated Interval (ft):** **1 year:** 1.20
Aquifer(s): **5 year:** 0.10
10 year: 2.55

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	47.93	5039.36	-0.48
4/16/2007	48.90	5038.39	-0.97
2/23/2008	48.86	5038.43	0.04
4/21/2009	48.52	5038.77	0.34
2/6/2010	45.00	5042.29	3.52
1/4/2011	44.20	5043.09	0.80
2/24/2012	43.80	5043.49	0.40
2/19/2013	44.90	5042.39	-1.10
2/22/2014	46.10	5041.19	-1.20
1/28/2015	44.90	5042.39	1.20

All Historic Measurements



Well Name: CODY, W. JR.

Owner: CODY WILLIAM J JR

Permit #: 12598 - RFP -

Location #: SC5.504233DAC

USGS Site ID: 393356102043500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE SW 33 5 H S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4383541.0 Easting (UTM x): 751122.0 GPS
Latitude/Longitude (decimal degrees): 39.564823 -102.076788

Surface Elevation (ft): 3779.56 **Top Perforated Interval (ft):** 80 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 223 **Bottom Perforated Interval (ft):** 143 **1 year:** 0.30
Aquifer(s): OGALLALA **5 year:** 9.28
10 year: 4.24

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	147.80	3631.76	1.00
4/18/2007	150.15	3629.41	-2.35
2/27/2008	149.72	3629.84	0.43
4/30/2009	152.18	3627.38	-2.46
2/12/2010	147.60	3631.96	4.58
2/4/2011	150.50	3629.06	-2.90
2/16/2012	152.30	3627.26	-1.80
2/17/2012	152.30	3627.26	0.00
3/12/2013	143.20	3636.36	9.10
1/15/2014	142.90	3636.66	0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	LIGHTLE, H.J.	Owner:	LIGHTLE JAMES & JOYCE
Permit #:	247 - RFP -	Location #:	SC5.504433DDB
		USGS Site ID:	393357102180400
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE SE NW 33	5 H S	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4383068.0	Easting (UTM x): 731825.0 GPS
Latitude/Longitude (decimal degrees):	39.565998	-102.301339	
Surface Elevation (ft):	3897.65	Top Perforated Interval (ft):	120
		Base of grout (ft):	
Well depth (ft):	183	Bottom Perforated Interval (ft):	180
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.40
5 year: -5.10
10 year: -0.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	124.64	3773.01	0.46
4/18/2007	127.38	3770.27	-2.74
2/13/2008	130.96	3766.69	-3.58
4/10/2009	123.95	3773.70	7.01
2/1/2010	120.40	3777.25	3.55
1/6/2011	118.50	3779.15	1.90
2/22/2012	117.20	3780.45	1.30
2/13/2013	125.70	3771.95	-8.50
2/22/2014	125.90	3771.75	-0.20
1/28/2015	125.50	3772.15	0.40

All Historic Measurements




Well Name:	HOMM, CLIFFORD	Owner:	HOMM CLIFFORD
Permit #:	20632 - RFP -	Location #:	SC5.504436DAB
		USGS Site ID:	393400102143601
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE NE NW 36	5 H S	44 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4383691.0	Easting (UTM x): 736631.0 GPS
Latitude/Longitude (decimal degrees):	39.570293	-102.245230	
Surface Elevation (ft):	3761.64	Top Perforated Interval (ft):	90
		Base of grout (ft):	
Well depth (ft):	125	Bottom Perforated Interval (ft):	125
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 1.10
5 year: -6.90
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	40.52	3721.12	-2.40
4/18/2007	40.59	3721.05	-0.07
2/13/2008	42.03	3719.61	-1.44
4/10/2009	40.60	3721.04	1.43
2/1/2010	40.30	3721.34	0.30
1/6/2011	39.30	3722.34	1.00
2/24/2012	38.10	3723.54	1.20
2/13/2013	46.20	3715.44	-8.10
2/22/2014	48.30	3713.34	-2.10
1/28/2015	47.20	3714.44	1.10

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

East Cheyenne Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: WAUGH, MAX

Owner:

Permit #: - -

Location #: SC01204214BBD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE NW NW 14 12 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4321764.0 Easting (UTM x): 752868.3 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.008373 -102.079689

Surface Elevation (ft): 3960 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** 0.40


Aquifer(s): **5 year:** 6.70

10 year: 5.48

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	125.74	3834.26	-0.36
4/18/2007	125.71	3834.29	0.03
1/26/2008	124.88	3835.12	0.83
4/4/2009	125.70	3834.30	-0.82
2/12/2010	126.60	3833.40	-0.90
1/3/2011	125.80	3834.20	0.80
2/6/2012	124.30	3835.70	1.50
2/26/2013	121.90	3838.10	2.40
2/25/2014	120.30	3839.70	1.60
12/18/2014	119.90	3840.10	0.40

All Historic Measurements



Well Name: FRED HILT JR. TRUST

Owner: FRED HILT JR.

Permit #: 10012 - FP -

Location #: SC01204304BBB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW NW NW 4 12 S 43 W S From N/S line: 220 N From E/W line: 800 W

UTM Coordinates (NAD83): Northing (UTM y) 4325472.0 Easting (UTM x): 738951.9 *Spotted from section lines*

Latitude/Longitude (decimal degrees): 39.045660 -102.238925

Surface Elevation (ft): 4222 **Top Perforated Interval (ft):** 250 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 352 **Bottom Perforated Interval (ft):** 352 **1 year:** -1.80


Aquifer(s): OGALLALA **5 year:** -4.74

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/10/2008	197.79	4024.21	
4/7/2009	200.59	4021.41	-2.80
2/12/2010	195.66	4026.34	4.93
1/3/2011	198.02	4023.98	-2.36
2/6/2012	202.30	4019.70	-4.28
2/26/2013	196.20	4025.80	6.10
2/25/2014	198.60	4023.40	-2.40
12/18/2014	200.40	4021.60	-1.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name:	HUDYE FARMS US, INC			Owner:	HUDYE FARMS US, INC		
Permit #:	5139 - F	-	Location #:	SC01204310ADA	USGS Site ID:	390147102121600	
Division:	1			Water District:	49		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	NE	SE	NE	10	12	S	43 W S
						Distance from section lines:	
						From N/S line:	400 N
						From E/W line:	2300 W
UTM Coordinates (NAD83):	Northing (UTM y)			4323454.9	Easting (UTM x): 741985.3 <i>User supplied</i>		
Latitude/Longitude (decimal degrees):				39.026670	-102.204629		
Surface Elevation (ft):	4176.67	Top Perforated Interval (ft):	112	Base of grout (ft):	Water Level Change		
Well depth (ft):	178	Bottom Perforated Interval (ft):	178		1 year: 0.40		
Aquifer(s):	OGALLALA				5 year: -1.55		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	134.11	4042.56	-11.51
4/10/2009	136.05	4040.62	-1.94
2/12/2010	119.05	4057.62	17.00
1/3/2011	118.44	4058.23	0.61
2/6/2012	117.90	4058.77	0.54
2/26/2013	120.50	4056.17	-2.60
2/25/2014	121.00	4055.67	-0.50
12/18/2014	120.60	4056.07	0.40

All Historic Measurements




Well Name:	MICHAEL DORMAN TRUST #1			Owner:	MICHAEL DORMAN		
Permit #:	19028 - FP	-	Location #:	SC01204334ACA	USGS Site ID:		
Division:	1			Water District:	49		
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	NE	SW	NE	34	12	S	43 W S
						Distance from section lines:	
						From N/S line:	
						From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)			4316146.0	Easting (UTM x): 741464.0 <i>GPS</i>		
Latitude/Longitude (decimal degrees):				38.961029	-102.213227		
Surface Elevation (ft):	4098	Top Perforated Interval (ft):	153	Base of grout (ft):	Water Level Change		
Well depth (ft):	207	Bottom Perforated Interval (ft):	203		1 year: -0.70		
Aquifer(s):	OGALLALA				5 year: -3.10		
					10 year:		

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	121.89	3976.11	
4/7/2009	124.90	3973.10	-3.01
2/12/2010	123.20	3974.80	1.70
1/3/2011	123.20	3974.80	0.00
2/6/2012	125.60	3972.40	-2.40
2/26/2013	125.00	3973.00	0.60
2/25/2014	125.60	3972.40	-0.60
12/18/2014	126.30	3971.70	-0.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name:	TALBERT, GREG			Owner:	DORMAN MICHAEL B TRUST NO 1		
Permit #:	19029 - F	-	Location #:	SC01204334BBC	USGS Site ID:		
Division:	1	Water District:	49	County:	CHEYENNE		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW NW SW	34	12 S	43 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4317077.5	Easting (UTM x):		740663.9	Spotted from quarters
Latitude/Longitude (decimal degrees):			38.969635			-102.222122	
Surface Elevation (ft):	4120	Top Perforated Interval (ft):	153	Base of grout (ft):	Water Level Change		
Well depth (ft):	207	Bottom Perforated Interval (ft):	203	1 year: -0.70			
Aquifer(s):	OGALLALA			5 year: -3.00			
				10 year: -4.53			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2006	123.75	3996.25	0.42
4/17/2007	122.95	3997.05	0.80
1/8/2008	125.17	3994.83	-2.22
4/7/2009	128.15	3991.85	-2.98
2/12/2010	125.70	3994.30	2.45
1/3/2011	125.60	3994.40	0.10
2/6/2012	127.50	3992.50	-1.90
2/26/2013	127.30	3992.70	0.20
2/25/2014	128.00	3992.00	-0.70
12/18/2014	128.70	3991.30	-0.70

All Historic Measurements




Well Name:	STATE OF COLORADO			Owner:			
Permit #:	152379 - A	-	Location #:	SC01204416DCC1	USGS Site ID:	390008102203301	
Division:	1	Water District:	49	County:	CHEYENNE		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SW SW SE	16	12 S	44 W	S	From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4320382.4	Easting (UTM x):		730087.3	User supplied
Latitude/Longitude (decimal degrees):			39.002225			-102.342967	
Surface Elevation (ft):	4316.74	Top Perforated Interval (ft):		Base of grout (ft):	Water Level Change		
Well depth (ft):	76	Bottom Perforated Interval (ft):		1 year:			
Aquifer(s):				5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2006			
4/18/2007			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: KIMMEL, E.G.

Owner:

Permit #: - -

Location #: SC01204435ADD

USGS Site ID: 385730102171000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE SE SE 35 12 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4316426.0 Easting (UTM x): 734057.5 User supplied

Latitude/Longitude (decimal degrees): 38.965559 -102.298521

Surface Elevation (ft): 4211.2 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 153 **Bottom Perforated Interval (ft):**

Aquifer(s):

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2006	140.23	4070.97	-0.24
4/18/2007	141.34	4069.86	-1.11
1/26/2008	144.80	4066.40	-3.46
4/12/2009	144.20	4067.00	0.60
2/15/2010	141.20	4070.00	3.00
1/4/2011	140.50	4070.70	0.70
2/6/2012	138.40	4072.80	2.10
2/26/2013	141.20	4070.00	-2.80
2/25/2014	142.40	4068.80	-1.20
12/18/2014			

All Historic Measurements



Well Name: HEINTGES, G.J. & TINA

Owner: HUDYE FARMS US INC

Permit #: 16411 - F -

Location #: SC01204503CDD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW SE SE 3 12 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4323208.5 Easting (UTM x): 721698.6 Spotted from quarters

Latitude/Longitude (decimal degrees): 39.029831 -102.438828

Surface Elevation (ft): 4382 **Top Perforated Interval (ft):** 141 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 208 **Bottom Perforated Interval (ft):** 208

Aquifer(s): OGALLALA

1 year: 2.80


5 year: -11.40

10 year: 1.98

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2006	156.78	4225.22	-1.00
4/17/2007	160.90	4221.10	-4.12
1/27/2008	159.89	4222.11	1.01
1/1/2009			
2/15/2010	142.40	4239.60	
1/4/2011	157.72	4224.28	-15.32
2/6/2012	159.30	4222.70	-1.58
2/26/2013	158.70	4223.30	0.60
2/25/2014	156.60	4225.40	2.10
12/18/2014	153.80	4228.20	2.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: HEINTGES, GERHARD & TINA

Owner: HUDYE FARMS US INC

Permit #: 19477 - FP - **Location #:** SC01204503DD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE SE 3 12 S 45 W S From N/S line: 40 S From E/W line: 250 E
UTM Coordinates (NAD83): Northing (UTM y) 4323175.5 Easting (UTM x): 722533.1 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.029322 -102.429208


Surface Elevation (ft): 4332 **Top Perforated Interval (ft):** 91 **Base of grout (ft):**
Well depth (ft): 161 **Bottom Perforated Interval (ft):** 161
Aquifer(s): OGALLALA

Water Level Change
1 year: -6.90
5 year: -18.20
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	123.77	4208.23	
1/1/2009			
2/15/2010	131.40	4200.60	
1/4/2011	137.55	4194.45	-6.15
2/6/2012	140.30	4191.70	-2.75
2/26/2013	140.20	4191.80	0.10
2/25/2014	142.70	4189.30	-2.50
12/18/2014	149.60	4182.40	-6.90

All Historic Measurements



Well Name: U S GOVERNMENT

Owner:

Permit #: - - **Location #:** SC01204505DDD

USGS Site ID: 390150102281000

Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE SE SE 5 12 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4323438.7 Easting (UTM x): 719335.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.032500 -102.466027


Surface Elevation (ft): 4440.86 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 209 **Bottom Perforated Interval (ft):**
Aquifer(s):

Water Level Change
1 year: -0.50
5 year: -3.70
10 year: -2.05

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2006	184.62	4256.24	-0.17
4/17/2007	185.95	4254.91	-1.33
1/27/2008	185.22	4255.64	0.73
4/4/2009	187.67	4253.19	-2.45
2/15/2010	182.80	4258.06	4.87
1/4/2011	182.50	4258.36	0.30
2/6/2012	181.80	4259.06	0.70
2/26/2013	186.50	4254.36	-4.70
1/22/2014	186.00	4254.86	0.50
12/18/2014	186.50	4254.36	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: MCCLURE FARMS

Owner:

Permit #: - -

Location #: SC01204509

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section 9 Twtnshp 12 S Range 45 W S PM Distance from section lines:
From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4322209.5 Easting (UTM x): 720221.8 Spotted from quarters

Latitude/Longitude (decimal degrees): 39.021211 -102.456196

Surface Elevation (ft): **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): **Bottom Perforated Interval (ft):**

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	177.02		
4/4/2009	180.00		-2.98
2/15/2010	170.15		9.85
1/4/2011	169.85		0.30
2/6/2012	169.50		0.35
2/26/2013	171.85		-2.35
2/25/2014	171.85		0.00
12/18/2014			

All Historic Measurements



Well Name: SMELKER FARMS CO

Owner: SMELKER FARMS CO

Permit #: 15548 - F -

Location #: SC01204710DBC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section 10 Twtnshp 12 S Range 47 W S PM Distance from section lines:
From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4321087.8 Easting (UTM x): 702741.1 Spotted from quarters

Latitude/Longitude (decimal degrees): 39.015339 -102.658286

Surface Elevation (ft): 4565 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 300 **Bottom Perforated Interval (ft):** 295

Aquifer(s): OGALLALA

1 year: -35.20


5 year: -38.10

10 year: -32.35

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	114.02	4450.98	-1.27
4/17/2007	111.90	4453.10	2.12
1/7/2008	112.50	4452.50	-0.60
4/6/2009	115.22	4449.78	-2.72
2/6/2010	107.00	4458.00	8.22
1/4/2011	106.80	4458.20	0.20
2/6/2012	106.20	4458.80	0.60
2/26/2013	108.70	4456.30	-2.50
2/25/2014	109.90	4455.10	-1.20
12/18/2014	145.10	4419.90	-35.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: SHARP, A.

Owner:

Permit #: - -

Location #: SC01204810ABD

USGS Site ID: 390120102460000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE NW SE 10 12 S 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4321581.2 Easting (UTM x): 693200.9 *User supplied*

Latitude/Longitude (decimal degrees): 39.021942 -102.768259

Surface Elevation (ft): 4720.31 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 214 **Bottom Perforated Interval (ft):** **1 year:** -0.70


Aquifer(s): **5 year:** -1.90

10 year: -3.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2006	149.35	4570.96	-0.25
4/17/2007	150.75	4569.56	-1.40
1/7/2008	150.85	4569.46	-0.10
4/12/2009	151.29	4569.02	-0.44
2/6/2010	150.30	4570.01	0.99
1/4/2011	150.00	4570.31	0.30
2/6/2012	148.40	4571.91	1.60
2/26/2013	150.90	4569.41	-2.50
2/25/2014	151.50	4568.81	-0.60
12/18/2014	152.20	4568.11	-0.70

All Historic Measurements



Well Name: DURR, D.

Owner:

Permit #: - -

Location #: SC01304209AAB

USGS Site ID: 385639102064300

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE NE NW 9 13 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4314514.0 Easting (UTM x): 750189.6 *User supplied*

Latitude/Longitude (decimal degrees): 38.943894 -102.113237

Surface Elevation (ft): 3911.88 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**

Well depth (ft): 169 **Bottom Perforated Interval (ft):** **1 year:** -1.70


Aquifer(s): OGALLALA **5 year:** -8.10

10 year: -14.46

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	132.64	3779.24	-0.90
4/18/2007	138.55	3773.33	-5.91
1/26/2008	134.85	3777.03	3.70
4/4/2009	135.50	3776.38	-0.65
2/12/2010	138.10	3773.78	-2.60
1/3/2011	138.40	3773.48	-0.30
2/6/2012	139.10	3772.78	-0.70
2/26/2013	143.60	3768.28	-4.50
2/25/2014	144.50	3767.38	-0.90
12/18/2014	146.20	3765.68	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: U.S. GOVERNMENT

Owner:

Permit #:

Location #: SC01304217CCC

USGS Site ID: 385500102084000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 17 13 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4311279.6 Easting (UTM x): 747446.7 User supplied
Latitude/Longitude (decimal degrees): 38.915562 -102.146016

Surface Elevation (ft): 4003.58 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 247 **Bottom Perforated Interval (ft):** **1 year:** 0.40
Aquifer(s): **5 year:** 0.70
10 year: 1.83

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	245.01	3758.57	-0.88
4/18/2007			
1/26/2008	246.50	3757.08	
4/4/2009	245.50	3758.08	1.00
2/12/2010	243.00	3760.58	2.50
1/3/2011	240.30	3763.28	2.70
2/6/2012	240.60	3762.98	-0.30
2/26/2013	242.30	3761.28	-1.70
2/25/2014	242.70	3760.88	-0.40
12/18/2014	242.30	3761.28	0.40

All Historic Measurements



Well Name: MYERS, STEVE

Owner: CURE LAND LLC

Permit #: 9530 - FP -

Location #: SC01304224DDA

USGS Site ID: 385414102031800


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NE 24 13 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4310207.6 Easting (UTM x): 755427.9 GPS
Latitude/Longitude (decimal degrees): 38.903629 -102.054474

Surface Elevation (ft): 3885.53 **Top Perforated Interval (ft):** 155 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 275 **Bottom Perforated Interval (ft):** 275 **1 year:** 0.00
Aquifer(s): OGALLALA **5 year:** -14.00
10 year: -24.22

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	180.31	3705.22	-0.33
4/9/2007	185.85	3699.68	-5.54
1/9/2008	186.84	3698.69	-0.99
4/4/2009	188.77	3696.76	-1.93
2/12/2010	190.20	3695.33	-1.43
1/3/2011	188.60	3696.93	1.60
2/6/2012	187.40	3698.13	1.20
2/26/2013	192.40	3693.13	-5.00
2/25/2014	204.20	3681.33	-11.80
12/18/2014	204.20	3681.33	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: HADACHEK, JIM

Owner: HADACHEK JAMES R & MARLA K

Permit #: 15670 - FP -

Location #: SC01304310BAA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE NW NW 10 13 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4314147.6 Easting (UTM x): 741665.9 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 38.942986 -102.211605

Surface Elevation (ft): 4160 **Top Perforated Interval (ft):** 218 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 322 **Bottom Perforated Interval (ft):** 318 **1 year:** -0.45


Aquifer(s): OGALLALA **5 year:** 4.75

10 year: -4.48

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2006	228.52	3931.48	-0.25
4/17/2007	230.78	3929.22	-2.26
1/8/2008	236.99	3923.01	-6.21
4/7/2009	232.40	3927.60	4.59
2/12/2010	237.50	3922.50	-5.10
1/3/2011	231.10	3928.90	6.40
2/6/2012	230.10	3929.90	1.00
2/26/2013	232.70	3927.30	-2.60
2/25/2014	232.30	3927.70	0.40
12/18/2014	232.75	3927.25	-0.45

All Historic Measurements



Well Name: HANAVAN, C.L. & P.

Owner: HANAVAN CHARLES L.

Permit #: 7381 - FP -

Location #: SC01304421BCA

USGS Site ID: 385430102205000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW SW NE 21 13 S 44 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4310011.1 Easting (UTM x): 729980.0 *User supplied*

Latitude/Longitude (decimal degrees): 38.908893 -102.347689

Surface Elevation (ft): 4228.73 **Top Perforated Interval (ft):** 30 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 131 **Bottom Perforated Interval (ft):** 135 **1 year:** -0.50


Aquifer(s): OGALLALA **5 year:** -17.00

10 year: -16.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2006	37.38	4191.35	0.32
3/16/2007	33.90	4194.83	3.48
1/26/2008	38.87	4189.86	-4.97
1/1/2009			
2/6/2010	37.60	4191.13	
1/4/2011	39.10	4189.63	-1.50
2/6/2012	40.60	4188.13	-1.50
2/26/2013	41.80	4186.93	-1.20
2/28/2014	54.10	4174.63	-12.30
12/18/2014	54.60	4174.13	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: GERWECK, GEORGE

Owner: GERWECK GEORGE

Permit #: 12352 - F - **Location #:** SC01304502DDA **USGS Site ID:** 385640102242000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE SE NE 2 13 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4313800.8 Easting (UTM x): 724423.5 User supplied
Latitude/Longitude (decimal degrees): 38.944447 -102.410469

Surface Elevation (ft): 4383.8 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 230 **Bottom Perforated Interval (ft):** 230 **1 year:** -6.70
Aquifer(s): OGALLALA **5 year:** -6.50
10 year: -3.46

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2006	193.85	4189.95	-1.41
4/17/2007	198.41	4185.39	-4.56
1/28/2008	202.79	4181.01	-4.38
4/4/2009	204.23	4179.57	-1.44
2/15/2010	189.40	4194.40	14.83
1/4/2011	184.20	4199.60	5.20
2/6/2012	182.10	4201.70	2.10
2/26/2013	187.50	4196.30	-5.40
2/28/2014	189.20	4194.60	-1.70
12/18/2014	195.90	4187.90	-6.70

All Historic Measurements



Well Name: LOWE, MARVIN

Owner: LOWE MARVIN

Permit #: 5665 - FP - **Location #:** SC01304525CCC **USGS Site ID:** 385300102240000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SW SW 25 13 S 45 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4307246.9 Easting (UTM x): 725068.0 User supplied
Latitude/Longitude (decimal degrees): 38.885282 -102.405190

Surface Elevation (ft): 4361.78 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 300 **1 year:** -0.60
Aquifer(s): OGALLALA **5 year:** -14.50
10 year: -3.98

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2006	222.89	4138.89	0.53
3/16/2007	225.00	4136.78	-2.11
1/8/2008	226.42	4135.36	-1.42
4/4/2009	224.83	4136.95	1.59
2/6/2010	212.90	4148.88	11.93
1/3/2011	221.80	4139.98	-8.90
2/6/2012	226.10	4135.68	
2/26/2013	226.80	4134.98	-0.70
2/28/2014	226.80	4134.98	-0.70
12/18/2014	227.40	4134.38	-0.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name:	SIMON, E.			Owner:	SIMON FAMILY INC		
Permit #:	13365 - F	-	Location #:	SC01304614DCC	USGS Site ID:	385440102313000	
Division:	1	Water District:	49	County:	CHEYENNE		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE SW SW	14	13 S	46 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4310094.9	Easting (UTM x):		714307.4 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			38.913613			-102.528250	
Surface Elevation (ft):	4528.9	Top Perforated Interval (ft):	162	Base of grout (ft):	Water Level Change		
Well depth (ft):	222	Bottom Perforated Interval (ft):	222	1 year: -1.90			
Aquifer(s):	OGALLALA			5 year: 0.64			
				10 year: -1.37			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2006	164.53	4364.37	2.40
4/17/2007	169.11	4359.79	-4.58
1/8/2008	170.99	4357.91	-1.88
1/1/2009			
2/6/2010	168.94	4359.96	
1/4/2011	163.60	4365.30	5.34
2/6/2012	161.10	4367.80	2.50
2/26/2013	164.40	4364.50	-3.30
2/25/2014	166.40	4362.50	-2.00
12/18/2014	168.30	4360.60	-1.90

All Historic Measurements




Well Name:	ALDRIDGE, RAYMOND			Owner:	ALDRIDGE RAYMOND		
Permit #:	20718 - FP	-	Location #:	SC01404106DBA	USGS Site ID:	385140102025000	
Division:	1	Water District:	49	County:	CHEYENNE		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NW NE	6	14 S	41 W S		From N/S line: From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)		4305834.7	Easting (UTM x):		755773.3 <i>User supplied</i>	
Latitude/Longitude (decimal degrees):			38.864174			-102.052124	
Surface Elevation (ft):	3898.83	Top Perforated Interval (ft):	193	Base of grout (ft):	Water Level Change		
Well depth (ft):	393	Bottom Perforated Interval (ft):	393	1 year: -0.70			
Aquifer(s):	OGALLALA			5 year: -12.20			
				10 year: -16.23			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	227.05	3671.78	-2.28
3/16/2007	232.55	3666.28	-5.50
1/9/2008	231.30	3667.53	1.25
4/27/2009	232.17	3666.66	-0.87
2/12/2010	228.80	3670.03	3.37
1/3/2011	228.90	3669.93	-0.10
2/6/2012	232.10	3666.73	-3.20
2/26/2013	246.70	3652.13	-14.60
2/25/2014	240.30	3658.53	6.40
12/18/2014	241.00	3657.83	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: **SIMPSON, V.G.** **Owner:** SIMPSON GOODER G
Permit #: 13776 - F - **Location #:** SC01404118ABD **USGS Site ID:** 385020102025000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NW SE 18 14 S 41 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4303032.8 Easting (UTM x): 755984.5 *User supplied*
Latitude/Longitude (decimal degrees): 38.838897 -102.050735

Surface Elevation (ft): 3897.53 **Top Perforated Interval (ft):** 266 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 356 **Bottom Perforated Interval (ft):** 356 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	248.29	3649.24	-1.52
4/17/2007	250.35	3647.18	-2.06
1/11/2008	255.43	3642.10	-5.08
4/4/2009	254.60	3642.93	0.83
2/15/2010	255.70	3641.83	-1.10
12/28/2010	211.50	3686.03	44.20
1/3/2011	262.10	3635.43	-50.60
2/6/2012	268.10	3629.43	-6.00
2/26/2013			
2/25/2014			
12/18/2014			

All Historic Measurements



Well Name: **PURVIS FARMS INC.** **Owner:** PURVIS LAWRENCE
Permit #: 20969 - FP - **Location #:** SC01404130ABB **USGS Site ID:** 384840102025000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NW NW 30 14 S 41 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4299975.0 Easting (UTM x): 755914.3 *User supplied*
Latitude/Longitude (decimal degrees): 38.811398 -102.052679

Surface Elevation (ft): 3887.53 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 272 **Bottom Perforated Interval (ft):** **1 year:** 2.20
Aquifer(s): OGALLALA **5 year:** -11.50
10 year: -30.28

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	234.28	3653.25	-0.86
4/9/2007	237.11	3650.42	-2.83
1/11/2008	243.98	3643.55	-6.87
4/4/2009	244.69	3642.84	-0.71
2/15/2010	252.20	3635.33	-7.51
1/3/2011	256.10	3631.43	-3.90
2/6/2012	259.90	3627.63	-3.80
2/26/2013	264.20	3623.33	-4.30
2/25/2014	265.90	3621.63	-1.70
12/18/2014	263.70	3623.83	2.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: PURVIS FARMS INC.

Owner: ALLEN BROS

Permit #: 4932 - FP -

Location #: SC01404131ACC

USGS Site ID: 384720102024000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW SW 31 14 S 41 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4297693.3 Easting (UTM x): 755987.9 User supplied

Latitude/Longitude (decimal degrees): 38.790842 -102.052679

Surface Elevation (ft): 3888.54 **Top Perforated Interval (ft):** 237 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 397 **Bottom Perforated Interval (ft):** 397

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	227.98	3660.56	-1.18
4/9/2007	230.50	3658.04	-2.52
1/11/2008	236.72	3651.82	-6.22
4/4/2009	237.55	3650.99	-0.83
2/15/2010	238.50	3650.04	-0.95

All Historic Measurements



Well Name: NICKELSON FARMS INC.

Owner: ALLEN BEN

Permit #: 9192 - FP -

Location #: SC01404228DAD

USGS Site ID: 384810102062000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NE SE 28 14 S 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4298954.4 Easting (UTM x): 751020.1 User supplied

Latitude/Longitude (decimal degrees): 38.803620 -102.109348

Surface Elevation (ft): 3962.55 **Top Perforated Interval (ft):** 158 **Base of grout (ft):** **Water Level Change**

Well depth (ft): 398 **Bottom Perforated Interval (ft):** 398

Aquifer(s): OGALLALA

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	279.12	3683.43	-1.20
4/9/2007	283.29	3679.26	-4.17
1/26/2008	287.29	3675.26	-4.00
4/12/2009	289.42	3673.13	-2.13
2/15/2010	284.40	3678.15	5.02

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: ROTHER, HAROLD

Owner: ROTHER, HAROLD

Permit #: 15490 - FP - **Location #:** SC01404233CC

USGS Site ID:


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SW 33 14 S 42 W S From N/S line: 674 S From E/W line: 666 W
UTM Coordinates (NAD83): Northing (UTM y) 4296924.0 Easting (UTM x): 749677.4 Spotted from section lines
Latitude/Longitude (decimal degrees): 38.785727 -102.125527

Surface Elevation (ft): 3960 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 392 **Bottom Perforated Interval (ft):** **1 year:** 1.90
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2011	261.20	3698.80	
2/6/2012	263.10	3696.90	-1.90
2/26/2013	265.40	3694.60	-2.30
2/25/2014	273.40	3686.60	-8.00
12/18/2014	271.50	3688.50	1.90

All Historic Measurements



Well Name: MCKINNEY ROBERT

Owner:

Permit #: - - **Location #:** SC01404301CDD

USGS Site ID:


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SE SE 1 14 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4304795.5 Easting (UTM x): 745077.1 Spotted from quarters
Latitude/Longitude (decimal degrees): 38.857868 -102.175629

Surface Elevation (ft): **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/17/2007			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: KERN, AUGUST S

Owner:

Permit #: 18663 - FP -

Location #: SC01404305DCC

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SW SW 5 14 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4304238.0 Easting (UTM x): 739711.0 GPS


Latitude/Longitude (decimal degrees): 38.854327 -102.237597

Surface Elevation (ft): 4122 **Top Perforated Interval (ft):** 276 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 356 **Bottom Perforated Interval (ft):** 356 **1 year:** -4.60
Aquifer(s): OGALLALA **5 year:** -2.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2010	219.40	3902.60	
1/3/2011	214.30	3907.70	5.10
2/6/2012	212.60	3909.40	1.70
2/26/2013	215.20	3906.80	-2.60
2/25/2014	217.40	3904.60	-2.20
12/18/2014	222.00	3900.00	-4.60

All Historic Measurements



Well Name: BET-MAR FARMS LTD

Owner: BET MAR FARMS LTD

Permit #: 279690 - -

Location #: SC01404307AA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NE NE 7 14 S 43 W S From N/S line: 70 N From E/W line: 70 E

UTM Coordinates (NAD83): Northing (UTM y) 4304427.0 Easting (UTM x): 737849.1 Spotted from section lines


Latitude/Longitude (decimal degrees): 38.856533 -102.258965

Surface Elevation (ft): 4725 **Top Perforated Interval (ft):** 230 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 322 **Bottom Perforated Interval (ft):** 322 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2011	233.60	4491.40	
2/6/2012	231.30	4493.70	2.30
2/26/2013	234.10	4490.90	-2.80
2/25/2014	234.40	4490.60	-0.30
12/18/2014			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**


Well Name:	ANDERSON, GERALD ET AL			Owner:	S.S. COBB		
Permit #:	20514 - RFP -			Location #:	SC01404418AD		
USGS Site ID:							
Division:	1			Water District:	49		
County:	CHEYENNE						
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	NE	SE		18	14	S	44 W S
Distance from section lines:							
From N/S line:	2496 N			From E/W line:	856 E		
UTM Coordinates (NAD83):	Northing (UTM y)			4301703.5			
Easting (UTM x):	728063.6			<i>Spotted from section lines</i>			
Latitude/Longitude (decimal degrees):	38.834608			-102.372525			
Surface Elevation (ft):	4260			Top Perforated Interval (ft):			
Well depth (ft):	308			Bottom Perforated Interval (ft):			
Aquifer(s):	OGALLALA						

Water Level Change
1 year: -1.40
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2011	186.80	4073.20	
2/6/2012	186.20	4073.80	0.60
2/26/2013	191.30	4068.70	-5.10
2/28/2014	193.20	4066.80	-1.90
12/18/2014	194.60	4065.40	-1.40

All Historic Measurements




Well Name:	ANDERSON, GERALD ET AL			Owner:			
Permit #:	- -			Location #:	SC01404418DDB		
USGS Site ID:	384940102221000						
Division:	1			Water District:	49		
County:	CHEYENNE						
Location:	Q160	Q40	Q10	Section	Twnshp	Range	PM
	SE	SE	NW	18	14	S	44 W S
Distance from section lines:							
From N/S line:				From E/W line:			
UTM Coordinates (NAD83):	Northing (UTM y)			4301224.6			
Easting (UTM x):	728111.5			<i>User supplied</i>			
Latitude/Longitude (decimal degrees):	38.830284			-102.372133			
Surface Elevation (ft):	4258.74			Top Perforated Interval (ft):			
Well depth (ft):	310			Bottom Perforated Interval (ft):			
Aquifer(s):							

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/18/2007			
1/8/2008	215.05	4043.69	
4/12/2009	215.01	4043.73	0.04
2/6/2010	205.20	4053.54	9.81

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: MITCHEK, SAM & GAILA

Owner:

Permit #: 6931 - FP - **Location #:** SC01404419CBC **USGS Site ID:**

Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SW 19 14 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4299810.0 Easting (UTM x): 727293.0 GPS
Latitude/Longitude (decimal degrees): 38.817761 -102.382020


Surface Elevation (ft): 4322 **Top Perforated Interval (ft):** 323 **Base of grout (ft):**
Well depth (ft): 403 **Bottom Perforated Interval (ft):** 393
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.50
5 year: 6.10
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2010	142.80	4179.20	
1/3/2011	137.00	4185.00	5.80
2/6/2012	136.10	4185.90	0.90
2/26/2013	148.60	4173.40	-12.50
2/28/2014	137.20	4184.80	11.40
12/18/2014	136.70	4185.30	0.50

All Historic Measurements



Well Name: FEYH, MELVIN P.

Owner:

Permit #: 5199 - FP - **Location #:** SC01404429DAB **USGS Site ID:**

Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE NW 29 14 S 44 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4298411.0 Easting (UTM x): 729754.5 Spotted from quarters
Latitude/Longitude (decimal degrees): 38.804529 -102.354162


Surface Elevation (ft): 4250 **Top Perforated Interval (ft):** 308 **Base of grout (ft):**
Well depth (ft): 418 **Bottom Perforated Interval (ft):** 408
Aquifer(s): OGALLALA

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/18/2007			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: MITCHEK, D. **Owner:** MITCHEK DALE
Permit #: 11751 - F - **Location #:** SC01404505ADD **USGS Site ID:** 385150102274000

Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SE 5 14 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4304665.5 Easting (UTM x): 719954.6 *User supplied*
Latitude/Longitude (decimal degrees): 38.863337 -102.464914


Surface Elevation (ft): 4353.84 **Top Perforated Interval (ft):** 100 **Base of grout (ft):**
Well depth (ft): 170 **Bottom Perforated Interval (ft):** 170
Aquifer(s):

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2007	112.18	4241.66	0.12
1/8/2008	112.24	4241.60	-0.06
1/1/2009			
2/6/2010	106.20	4247.64	
1/3/2011	106.20	4247.64	0.00
2/6/2012	107.30	4246.54	-1.10
2/26/2013	106.70	4247.14	0.60
2/25/2014	106.90	4246.94	-0.20
12/18/2014			

All Historic Measurements



Well Name: BUELL, LEON **Owner:** BUELL LEONA
Permit #: 13825 - F - **Location #:** SC01504203BBD **USGS Site ID:** 384640102061000

Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 3 15 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4296375.9 Easting (UTM x): 751464.1 *User supplied*
Latitude/Longitude (decimal degrees): 38.780287 -102.105181


Surface Elevation (ft): 3945.56 **Top Perforated Interval (ft):** 320 **Base of grout (ft):**
Well depth (ft): 420 **Bottom Perforated Interval (ft):** 420
Aquifer(s): OGALLALA

Water Level Change
1 year: 2.40
5 year: -8.40
10 year: -22.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/18/2007			
1/11/2008	245.10	3700.46	
4/11/2009	246.10	3699.46	-1.00
2/15/2010	254.10	3691.46	-8.00
1/3/2011	257.40	3688.16	-3.30
2/6/2012	259.80	3685.76	-2.40
2/26/2013	263.10	3682.46	-3.30
2/25/2014	264.90	3680.66	-1.80
12/18/2014	262.50	3683.06	2.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name:	ADAMS, L.B.		Owner:	ADAMS, L.B.	
Permit #:	- -		Location #:	SC01504223BCC	
			USGS Site ID:	384350102052000	
Division:	1		Water District:	49	
			County:	CHEYENNE	
Location:	Q160	Q40 Q10	Section	Twnshp	Range PM
	NW	SW SW	23	15 S	42 W S
					Distance from section lines:
					From N/S line:
					From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)		4291300.8	Easting (UTM x): 752978.6 User supplied	
Latitude/Longitude (decimal degrees):			38.734177	-102.089625	
Surface Elevation (ft):	3978.77	Top Perforated Interval (ft):		Base of grout (ft):	
Well depth (ft):	220	Bottom Perforated Interval (ft):			
Aquifer(s):					Water Level Change 1 year: 0.60 5 year: -2.60 10 year: -0.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	208.39	3770.38	-0.53
4/17/2007	209.89	3768.88	-1.50
1/26/2008	210.81	3767.96	-0.92
1/1/2009			
2/15/2010	205.56	3773.21	
1/3/2011	205.56	3773.21	0.00
2/6/2012	206.30	3772.47	-0.74
2/26/2013	208.76	3770.01	-2.46
2/25/2014	208.76	3770.01	0.00
12/18/2014	208.16	3770.61	0.60

All Historic Measurements




Well Name:	U.S. GOVERNMENT		Owner:	U.S. GOVERNMENT	
Permit #:	- -		Location #:	SC01504301AAA	
			USGS Site ID:	384650102100000	
Division:	1		Water District:	49	
			County:	CHEYENNE	
Location:	Q160	Q40 Q10	Section	Twnshp	Range PM
	NE	NE NE	1	15 S	43 W S
					Distance from section lines:
					From N/S line:
					From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)		4296612.6	Easting (UTM x): 746214.5 User supplied	
Latitude/Longitude (decimal degrees):			38.783898	-102.165460	
Surface Elevation (ft):	4022.57	Top Perforated Interval (ft):		Base of grout (ft):	
Well depth (ft):	275	Bottom Perforated Interval (ft):			
Aquifer(s):					Water Level Change 1 year: -0.60 5 year: -9.80 10 year: -9.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	210.02	3812.55	-0.82
4/17/2007	210.78	3811.79	-0.76
1/26/2008	211.20	3811.37	-0.42
4/4/2009	210.40	3812.17	0.80
2/15/2010	209.30	3813.27	1.10
1/3/2011	210.10	3812.47	-0.80
2/6/2012	211.50	3811.07	-1.40
2/26/2013	217.50	3805.07	-6.00
2/25/2014	218.50	3804.07	-1.00
12/18/2014	219.10	3803.47	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: **WHEELER, GARY L.**

Owner: WHEELER RALPH & RUBY

Permit #: 5725 - FP -

Location #: SC01504302BBD

USGS Site ID: 384640102115000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW SE 2 15 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4296187.1 Easting (UTM x): 743425.4 *User supplied*


Latitude/Longitude (decimal degrees): 38.780842 -102.197684

Surface Elevation (ft): 4072.58 **Top Perforated Interval (ft):** 225 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 315 **Bottom Perforated Interval (ft):** 315 **1 year:** 4.70
Aquifer(s): OGALLALA **5 year:** 13.70
10 year: 4.57

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	252.91	3819.67	-0.54
4/9/2007	256.91	3815.67	-4.00
1/26/2008	259.05	3813.53	-2.14
4/12/2009	259.63	3812.95	-0.58
2/15/2010	261.50	3811.08	-1.87
1/3/2011	257.20	3815.38	4.30
2/6/2012	255.90	3816.68	1.30
2/26/2013	258.20	3814.38	-2.30
2/25/2014	252.50	3820.08	5.70
12/18/2014	247.80	3824.78	4.70

All Historic Measurements



Well Name: **HARMS, MELVIN B.**

Owner: MARMEL INC

Permit #: 17469 - F -

Location #: SC01504504BAB

USGS Site ID: 384657102272101

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NW 4 15 S 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4295714.7 Easting (UTM x): 720951.9 *User supplied*


Latitude/Longitude (decimal degrees): 38.782506 -102.456301

Surface Elevation (ft): 4392.82 **Top Perforated Interval (ft):** 295 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 365 **Bottom Perforated Interval (ft):** 365 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -1.70
10 year: 4.07

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2006	266.75	4126.07	2.32
3/16/2007	272.57	4120.25	-5.82
1/8/2008	274.65	4118.17	-2.08
1/1/2009			
2/6/2010	263.30	4129.52	
1/3/2011	262.10	4130.72	1.20
2/6/2012	261.30	4131.52	0.80
2/26/2013	262.60	4130.22	-1.30
2/25/2014	263.50	4129.32	-0.90
12/18/2014	265.00	4127.82	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: REHFELD, E.A. **Owner:** REHFELD RONALD
Permit #: 4245 - FP - **Location #:** SC01604208BBB **USGS Site ID:** 384100102093000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 8 16 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4285865.2 Easting (UTM x): 746958.7 *User supplied*
Latitude/Longitude (decimal degrees): 38.686956 -102.160738

Surface Elevation (ft): 4066.61 **Top Perforated Interval (ft):** 226 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 266 **Bottom Perforated Interval (ft):** 266 **1 year:** 3.90
Aquifer(s): OGALLALA **5 year:** -0.20
10 year: 18.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2006	245.13	3821.48	-1.63
4/17/2007	243.00	3823.61	2.13
1/26/2008	247.70	3818.91	-4.70
1/1/2009			
2/15/2010	225.00	3841.61	
1/3/2011	224.60	3842.01	0.40
2/6/2012	224.10	3842.51	0.50
2/26/2013	228.00	3838.61	-3.90
2/26/2014	229.10	3837.51	-1.10
12/18/2014	225.20	3841.41	3.90

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Kiowa County Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: KP-01

Owner:

Permit #: - - **Location #:** SC01704131CCC **USGS Site ID:** 383150102040000


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 31 17 S 41 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4268626.2 Easting (UTM x): 755478.5 GPS
Latitude/Longitude (decimal degrees): 38.529385 -102.069227

Surface Elevation (ft): 3936.61 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 56 **Bottom Perforated Interval (ft):** **1 year:** -0.08
Aquifer(s): **5 year:** 0.27
10 year: -0.21

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	48.99	3887.62	0.91
1/23/2006	48.96	3887.65	0.03
3/26/2007	49.46	3887.15	-0.50
1/28/2008	48.99	3887.62	0.47
1/1/2009			
1/25/2010	49.47	3887.14	
1/26/2011	48.98	3887.63	0.49
1/30/2012	48.80	3887.81	0.18
2/5/2013	48.71	3887.90	0.09
3/27/2014	49.12	3887.49	-0.41
2/12/2015	49.20	3887.41	-0.08

All Historic Measurements



Well Name: KP-02

Owner: ANDREWS, BILL

Permit #: - - **Location #:** SC01904208BAB1 **USGS Site ID:** 382534102091701


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 8 19 S 42 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y) 4256918.0 Easting (UTM x): 748369.4 GPS
Latitude/Longitude (decimal degrees): 38.426011 -102.154835

Surface Elevation (ft): 3956.65 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 78 **Bottom Perforated Interval (ft):** **1 year:** -0.17
Aquifer(s): **5 year:** 1.42
10 year: 0.11

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	24.06	3932.59	-0.11
1/23/2006	23.49	3933.16	0.57
3/26/2007	25.01	3931.64	-1.52
1/28/2008	24.61	3932.04	0.40
1/1/2009			
1/25/2010	25.37	3931.28	
1/26/2011	22.72	3933.93	2.65
1/30/2012	23.27	3933.38	-0.55
2/5/2013	23.49	3933.16	-0.22
3/27/2014	23.78	3932.87	-0.29
2/12/2015	23.95	3932.70	-0.17

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name:	KP-20	Owner:	KOELLER, HARLEY
Permit #:	88015 - -	Location #:	SC01904414DDA
Division:	2	Water District:	67
Location:	Q160 Q40 Q10 Section	County:	KIOWA
	SE SE NE 14	Distance from section lines:	
		From N/S line:	
UTM Coordinates (NAD83):	Northing (UTM y)	Easting (UTM x):	735075.4 GPS
Latitude/Longitude (decimal degrees):	38.400889	-102.308029	
Surface Elevation (ft):	4116	Top Perforated Interval (ft):	
Well depth (ft):	85	Base of grout (ft):	
Aquifer(s):	OGALLALA	Water Level Change	
		1 year:	-0.97
		5 year:	-1.40
		10 year:	-2.16

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	43.45	4072.55	0.56
1/24/2006	43.34	4072.66	0.11
2/27/2007	42.31	4073.69	1.03
1/29/2008	43.02	4072.98	-0.71
1/1/2009			
1/26/2010	44.21	4071.79	
1/27/2011	44.18	4071.82	0.03
1/31/2012	44.44	4071.56	-0.26
2/6/2013	44.69	4071.31	-0.25
3/27/2014	44.64	4071.36	0.05
2/13/2015	45.61	4070.39	-0.97

All Historic Measurements




Well Name:	KP-03	Owner:	WELSCH, P.
Permit #:	- -	Location #:	SC02004106CBB
Division:	2	Water District:	67
Location:	Q160 Q40 Q10 Section	County:	KIOWA
	SW NW NW 6	Distance from section lines:	
		From N/S line:	
UTM Coordinates (NAD83):	Northing (UTM y)	Easting (UTM x):	756261.3 GPS
Latitude/Longitude (decimal degrees):	38.348384	-102.067587	
Surface Elevation (ft):	3842.79	Top Perforated Interval (ft):	
Well depth (ft):	54	Base of grout (ft):	
Aquifer(s):		Water Level Change	
		1 year:	1.61
		5 year:	-0.96
		10 year:	-1.72

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	47.31	3795.48	0.87
1/23/2006	47.61	3795.18	-0.30
3/26/2007	47.74	3795.05	-0.13
1/28/2008	47.25	3795.54	0.49
1/1/2009			
1/25/2010	48.07	3794.72	
1/26/2011	47.39	3795.40	0.68
1/30/2012	48.07	3794.72	-0.68
2/5/2013	50.93	3791.86	-2.86
3/27/2014	50.64	3792.15	0.29
2/12/2015	49.03	3793.76	1.61

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: **KP-04** **Owner:** CRUM, S.
Permit #: 9301 - F - **Location #:** SC02004229AAD **USGS Site ID:** 381730102082000


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NE NE SE 29 20 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4242371.0 Easting (UTM x): 750035.0 [GPS](#)
Latitude/Longitude (decimal degrees): 38.294608 -102.140935

Surface Elevation (ft): 3855 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	141.64	3713.36	0.48
1/23/2006	162.55	3692.45	-20.91
3/26/2007	141.62	3713.38	20.93
1/28/2008	150.86	3704.14	-9.24
1/1/2009			
1/25/2010	142.99	3712.01	
1/26/2011	142.44	3712.56	0.55
1/30/2012	149.28	3705.72	-6.84
2/5/2013	145.65	3709.35	3.63
3/27/2014			

All Historic Measurements



Well Name: **KP-04R** **Owner:**
Permit #: 74565 - - **Location #:** SC02004229CD **USGS Site ID:**


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SW SE 29 20 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4241041.0 Easting (UTM x): 749388.0 [GPS](#)
Latitude/Longitude (decimal degrees): 38.282817 -102.148794

Surface Elevation (ft): 3863 **Top Perforated Interval (ft):** 150 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 186 **Bottom Perforated Interval (ft):** 186 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2015	142.49	3720.51	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**


Well Name:	KP-06R	Owner:	
Permit #:	87950 - -	Location #:	SC02004235BD
USGS Site ID:			
Division:	2	Water District:	67
County:	KIOWA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SE 35	20 S	42 W S
Distance from section lines:			
From N/S line:		From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4240426.0	Easting (UTM x): 753934.0 GPS
Latitude/Longitude (decimal degrees):		38.276007	-102.097102
Surface Elevation (ft):		Top Perforated Interval (ft):	Base of grout (ft):
Well depth (ft):	223	Bottom Perforated Interval (ft):	
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2015	166.78		

All Historic Measurements




Well Name:	KP-06	Owner:	HUDDLESTON DENNIS M
Permit #:	13096 - FP -	Location #:	SC02004235CAA
USGS Site ID:			381630102053000
Division:	2	Water District:	67
County:	KIOWA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NE NE 35	20 S	42 W S
Distance from section lines:			
From N/S line:		From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y)	4240273.5	Easting (UTM x): 754202.2 GPS
Latitude/Longitude (decimal degrees):		38.274558	-102.094095
Surface Elevation (ft):	3786.56	Top Perforated Interval (ft):	Base of grout (ft):
Well depth (ft):	223	Bottom Perforated Interval (ft):	
Aquifer(s):			

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	164.56	3622.00	0.29
1/23/2006	163.99	3622.57	0.57
3/26/2007	164.70	3621.86	-0.71
1/28/2008			
1/1/2009			
1/25/2010	164.62	3621.94	
1/26/2011	167.32	3619.24	-2.70
1/30/2012			
2/6/2013			
3/27/2014			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**


Well Name:	KP-19	Owner:	LOUIS HINES TRUST NO. 1
Permit #:	14954 - FP -	Location #:	SC02004311BD
		USGS Site ID:	
Division:	0	Water District:	67
		County:	KIOWA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SE 11	20 S	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4246729.0	Easting (UTM x): 744118.0 GPS
Latitude/Longitude (decimal degrees):	38.335466	-102.207013	
Surface Elevation (ft):	3975	Top Perforated Interval (ft):	196
		Base of grout (ft):	
Well depth (ft):	300	Bottom Perforated Interval (ft):	296
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 3.01
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2011	199.18	3775.82	
1/31/2012	193.87	3781.13	5.31
2/6/2013	189.04	3785.96	4.83
3/27/2014	184.79	3790.21	4.25
2/13/2015	181.78	3793.22	3.01

All Historic Measurements




Well Name:	BURROWS, JACK	Owner:	BURROWS RUBY M
Permit #:	76677 - -	Location #:	SC02004311CAA
		USGS Site ID:	
Division:	2	Water District:	67
		County:	KIOWA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW NE NE 11	20 S	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4246733.0	Easting (UTM x): 744133.0 GPS
Latitude/Longitude (decimal degrees):	38.335500	-102.206840	
Surface Elevation (ft):	3975	Top Perforated Interval (ft):	247
		Base of grout (ft):	
Well depth (ft):	307	Bottom Perforated Interval (ft):	307
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	224.28	3750.72	-0.84
1/24/2006	215.92	3759.08	8.36
3/27/2007	211.52	3763.48	4.40
1/29/2008	211.36	3763.64	0.16
1/1/2009			
1/26/2010	204.34	3770.66	
1/27/2011			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**


Well Name:	KP-22	Owner:	YOUNG COLORADO FARMS
Permit #:	14475 - F -	Location #:	SC02004314DD
USGS Site ID:			
Division:	2	Water District:	67
County:	KIOWA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE SE 14	20 S	43 W S
			Distance from section lines:
			From N/S line:
			From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4244212.0	Easting (UTM x): 745132.0 GPS
Latitude/Longitude (decimal degrees):		38.312533	-102.196299
Surface Elevation (ft):	3960	Top Perforated Interval (ft):	226
Well depth (ft):	306	Bottom Perforated Interval (ft):	306
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 12.05
5 year: -1.66
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/27/2007	251.37	3708.63	
1/29/2008	258.49	3701.51	-7.12
1/1/2009			
1/26/2010	260.31	3699.69	
1/27/2011	258.48	3701.52	1.83
1/31/2012	271.84	3688.16	-13.36
2/6/2013	271.79	3688.21	0.05
3/27/2014	274.02	3685.98	-2.23
2/13/2015	261.97	3698.03	12.05

All Historic Measurements




Well Name:	KP-21	Owner:	J-S FARMS INC
Permit #:	13563 - F -	Location #:	SC02004324BCC1
USGS Site ID:			
Division:	2	Water District:	67
County:	KIOWA		
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW SW SW 24	20 S	43 W S
			Distance from section lines:
			From N/S line:
			From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4243395.4	Easting (UTM x): 745245.1 GPS
Latitude/Longitude (decimal degrees):		38.305151	-102.195289
Surface Elevation (ft):	3952	Top Perforated Interval (ft):	
Well depth (ft):	305	Bottom Perforated Interval (ft):	
Aquifer(s):	OGALLALA		

Water Level Change
1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	232.31	3719.69	2.67
1/24/2006	242.25	3709.75	-9.94
3/27/2007	230.49	3721.51	11.76
1/29/2008	238.85	3713.15	-8.36
1/1/2009			
1/26/2010	237.85	3714.15	
1/27/2011	242.99	3709.01	-5.14
1/31/2012	241.68	3710.32	1.31
2/6/2013	244.53	3707.47	-2.85
3/27/2014			
2/13/2015			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**


Well Name:	KP-14	Owner:	DREILING ANTON F & NELSOLINE
Permit #:	12801 - F -	Location #:	SC02004334DDD
		USGS Site ID:	381610102124000
Division:	2	Water District:	67
		County:	KIOWA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SE SE SE 34	20 S 43 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4239278.2	Easting (UTM x): 743723.1 GPS
Latitude/Longitude (decimal degrees):	38.268504	-102.214095	
Surface Elevation (ft):	3884.59	Top Perforated Interval (ft):	128
		Base of grout (ft):	
Well depth (ft):	238	Bottom Perforated Interval (ft):	238
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.83
5 year: -5.83
10 year: -2.05

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	205.92	3678.67	-2.80
1/24/2006			
3/26/2007	202.98	3681.61	
1/28/2008	202.04	3682.55	0.94
1/1/2009			
1/26/2010	202.14	3682.45	
1/27/2011	203.95	3680.64	-1.81
1/31/2012	204.39	3680.20	-0.44
2/6/2013	205.00	3679.59	-0.61
3/27/2014	208.80	3675.79	-3.80
2/13/2015	207.97	3676.62	0.83

All Historic Measurements




Well Name:	KP-18	Owner:	WILSON, DEWEY
Permit #:	13079 - F -	Location #:	SC02004414BAA
		USGS Site ID:	381930102190000
Division:	2	Water District:	67
		County:	KIOWA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NE NE 14	20 S 44 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4245369.4	Easting (UTM x): 734648.3 GPS
Latitude/Longitude (decimal degrees):	38.325756	-102.315698	
Surface Elevation (ft):	4006.67	Top Perforated Interval (ft):	150
		Base of grout (ft):	
Well depth (ft):	192	Bottom Perforated Interval (ft):	192
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.31
5 year: 0.83
10 year: 18.25

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	114.24	3892.43	-1.91
1/24/2006	112.96	3893.71	1.28
3/27/2007	105.47	3901.20	7.49
1/29/2008	100.89	3905.78	4.58
1/1/2009			
1/26/2010	96.82	3909.85	
1/27/2011	95.01	3911.66	1.81
1/31/2012	98.48	3908.19	-3.47
2/6/2013	91.78	3914.89	6.70
3/27/2014	95.68	3910.99	-3.90
2/13/2015	95.99	3910.68	-0.31

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: **KP-17** **Owner:** CO BOARD OF LAND COMMISSIONERS
Permit #: 10381 - FP - **Location #:** SC02004436BBD **USGS Site ID:** 381650102180000


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 36 20 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y) 4240290.2 Easting (UTM x): 736061.1 [GPS](#)
Latitude/Longitude (decimal degrees): 38.279660 -102.301247

Surface Elevation (ft): 3886.62 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** 200 **1 year:** 3.95
Aquifer(s): OGALLALA **5 year:** 3.55
10 year: 8.64

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	147.34	3739.28	2.07
1/24/2006	143.62	3743.00	3.72
2/27/2007	144.23	3742.39	-0.61
1/28/2008	145.82	3740.80	-1.59
1/1/2009			
1/26/2010	142.25	3744.37	
1/27/2011	139.61	3747.01	2.64
1/31/2012	139.38	3747.24	0.23
2/6/2013	138.86	3747.76	0.52
3/27/2014	142.65	3743.97	-3.79
2/12/2015	138.70	3747.92	3.95

All Historic Measurements



Prowers County Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**


Well Name:	KP-07	Owner:	SCHAEFER HOMA LEE
Permit #:	11891 - FP -	Location #:	SC02104106ADC
		USGS Site ID:	381530102035000
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SE SW 6	21 S	41 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4238046.0	Easting (UTM x): 756651.0 GPS
Latitude/Longitude (decimal degrees):		38.253813	-102.066942
Surface Elevation (ft):	3756.55	Top Perforated Interval (ft):	55
		Base of grout (ft):	
Well depth (ft):	155	Bottom Perforated Interval (ft):	155
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 1.64
5 year: -17.03
10 year: -13.73

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	123.12	3633.43	-8.67
1/23/2006	126.68	3629.87	-3.56
3/26/2007	127.69	3628.86	-1.01
1/28/2008	118.81	3637.74	8.88
1/1/2009			
1/25/2010	119.82	3636.73	
1/26/2011	120.93	3635.62	-1.11
1/31/2012	123.68	3632.87	-2.75
2/6/2013	137.49	3619.06	-13.81
3/27/2014	138.49	3618.06	-1.00
2/12/2015	136.85	3619.70	1.64

All Historic Measurements




Well Name:	KP-05	Owner:	BUTLER BROTHERS
Permit #:	20928 - S -	Location #:	SC02104202BBA
		USGS Site ID:	381600102064000
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NW NE 2	21 S	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4239008.4	Easting (UTM x): 752391.1 GPS
Latitude/Longitude (decimal degrees):		38.263682	-102.115224
Surface Elevation (ft):	3777.56	Top Perforated Interval (ft):	151
		Base of grout (ft):	
Well depth (ft):	201	Bottom Perforated Interval (ft):	191
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.25
5 year: -4.00
10 year: -6.03

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	144.56	3633.00	0.24
1/23/2006	144.84	3632.72	-0.28
3/26/2007	144.73	3632.83	0.11
1/28/2008	144.90	3632.66	-0.17
1/1/2009			
1/25/2010	146.59	3630.97	
1/26/2011	147.25	3630.31	-0.66
1/30/2012	147.63	3629.93	-0.38
2/5/2013	149.08	3628.48	-1.45
3/27/2014	149.34	3628.22	-0.26
2/12/2015	150.59	3626.97	-1.25

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**


Well Name:	KP-13	Owner:	BURNETT D W
Permit #:	6816 - F -	Location #:	SC02104206CCB
		USGS Site ID:	381520102112000
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SW SW NW 6	21 S	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4237087.2	Easting (UTM x): 745705.0 GPS
Latitude/Longitude (decimal degrees):	38.248241	-102.192225	
Surface Elevation (ft):	3826.57	Top Perforated Interval (ft):	112
		Base of grout (ft):	
Well depth (ft):	172	Bottom Perforated Interval (ft):	172
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 2.29
5 year: -4.51
10 year: -3.61

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	113.12	3713.45	-0.64
1/24/2006	114.49	3712.08	-1.37
3/26/2007	108.69	3717.88	5.80
1/28/2008	110.43	3716.14	-1.74
1/1/2009			
1/25/2010	112.22	3714.35	
1/27/2011	106.46	3720.11	5.76
1/31/2012	106.44	3720.13	0.02
2/6/2013	107.53	3719.04	-1.09
3/27/2014	119.02	3707.55	-11.49
2/12/2015	116.73	3709.84	2.29

All Historic Measurements




Well Name:	KP-08	Owner:	CAMPBELL, ROY
Permit #:	12698 - R -	Location #:	SC02104224DDA
		USGS Site ID:	381220102045801
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE SE NE 24	21 S	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4232653.3	Easting (UTM x): 755407.1 GPS
Latitude/Longitude (decimal degrees):	38.205629	-102.083081	
Surface Elevation (ft):	3741.52	Top Perforated Interval (ft):	97
		Base of grout (ft):	
Well depth (ft):	132	Bottom Perforated Interval (ft):	147
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 3.20
5 year: -2.63
10 year: -3.24

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	117.07	3624.45	-0.20
1/23/2006	117.14	3624.38	-0.07
3/26/2007	117.11	3624.41	0.03
1/28/2008	111.19	3630.33	5.92
1/1/2009			
1/25/2010	117.68	3623.84	
1/26/2011	117.90	3623.62	-0.22
1/31/2012	118.23	3623.29	-0.33
2/6/2013	118.70	3622.82	-0.47
3/27/2014	123.51	3618.01	-4.81
2/12/2015	120.31	3621.21	3.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**


Well Name:	KP-11	Owner:	SUN VUE NURSERY
Permit #:	9664 - F -	Location #:	SC02104232ADC
		USGS Site ID:	381053102090300
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE SE SW 32	21 S	42 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4229686.1	Easting (UTM x): 748726.1 GPS
Latitude/Longitude (decimal degrees):	38.180789	-102.160334	
Surface Elevation (ft):	3666.49	Top Perforated Interval (ft):	84
		Base of grout (ft):	
Well depth (ft):	148	Bottom Perforated Interval (ft):	148
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 4.22
5 year: -2.89
10 year: -2.18

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	78.26	3588.23	-0.32
1/24/2006	78.15	3588.34	0.11
3/26/2007	77.90	3588.59	0.25
1/28/2008	77.33	3589.16	0.57
1/1/2009			
1/25/2010	77.55	3588.94	
1/26/2011	77.64	3588.85	-0.09
1/31/2012	77.85	3588.64	-0.21
2/6/2013	82.80	3583.69	-4.95
3/27/2014	84.66	3581.83	-1.86
2/12/2015	80.44	3586.05	4.22

All Historic Measurements




Well Name:	KP-15	Owner:	HALLOCK LELA
Permit #:	13121 - F -	Location #:	SC02104304DCD
		USGS Site ID:	381500102150000
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	SE SW SE 4	21 S	43 W S
		Distance from section lines:	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4236684.0	Easting (UTM x): 740297.0 GPS
Latitude/Longitude (decimal degrees):	38.246074	-102.254095	
Surface Elevation (ft):	3831.57	Top Perforated Interval (ft):	70
		Base of grout (ft):	
Well depth (ft):	150	Bottom Perforated Interval (ft):	150
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 1.03
5 year: 0.46
10 year: -9.51

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	100.76	3730.81	-0.49
1/24/2006	103.26	3728.31	-2.50
3/26/2007	104.99	3726.58	-1.73
1/28/2008	107.19	3724.38	-2.20
1/1/2009			
1/25/2010	110.73	3720.84	
1/27/2011	111.53	3720.04	-0.80
1/31/2012	113.95	3717.62	-2.42
2/6/2013	112.41	3719.16	1.54
3/27/2014	111.30	3720.27	1.11
2/12/2015	110.27	3721.30	1.03

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**

Well Name: **KP-16**

Owner: SCHLATTER WILLIAM

Permit #: 4710 - F - **Location #:** SC02104305DDC

USGS Site ID:

Division: 2 **Water District:** 67 **County:** PROWERS

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
SE SE SW 5 21 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4236632.0 Easting (UTM x): 738893.0 [GPS](#)


Latitude/Longitude (decimal degrees): 38.245980 -102.270140

Surface Elevation (ft): 3834 **Top Perforated Interval (ft):** 70 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 156 **Bottom Perforated Interval (ft):** 156 **1 year:** 2.36
Aquifer(s): OGALLALA **5 year:** -2.73
10 year: -8.62

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	97.32	3736.68	
1/24/2006	96.49	3737.51	0.83
3/26/2007	99.42	3734.58	-2.93
1/28/2008	99.47	3734.53	-0.05
1/1/2009			
1/25/2010	103.21	3730.79	
1/27/2011	104.31	3729.69	-1.10
1/31/2012	105.86	3728.14	-1.55
2/6/2013	105.64	3728.36	0.22
3/27/2014	108.30	3725.70	-2.66
2/12/2015	105.94	3728.06	2.36

All Historic Measurements



Well Name: **KP-12**

Owner: REYNOLDS LEROY

Permit #: 4541 - R - **Location #:** SC02104324BBB

USGS Site ID: 381300102123000

Division: 2 **Water District:** 67 **County:** PROWERS

Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
NW NW NW 24 21 S 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y) 4233523.0 Easting (UTM x): 744199.0 [GPS](#)


Latitude/Longitude (decimal degrees): 38.216568 -102.210643

Surface Elevation (ft): 3752.53 **Top Perforated Interval (ft):** 54 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 134 **Bottom Perforated Interval (ft):** 134 **1 year:** 2.49
Aquifer(s): OGALLALA **5 year:** -8.67
10 year: -5.63

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	109.91	3642.62	-2.58
1/24/2006	107.25	3645.28	2.66
3/26/2007	108.19	3644.34	-0.94
1/28/2008	106.85	3645.68	1.34
1/1/2009			
1/25/2010	106.87	3645.66	
1/26/2011	106.80	3645.73	0.07
1/31/2012	106.68	3645.85	0.12
2/6/2013	106.49	3646.04	0.19
3/27/2014	118.03	3634.50	-11.54
2/12/2015	115.54	3636.99	2.49

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**


Well Name:	KP-09	Owner:	FREY WILFORD R
Permit #:	11456 - F -	Location #:	SC02204202BCA
		USGS Site ID:	381020102063000
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW SW NE 2	22 S 42 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4228457.1	Easting (UTM x): 752672.1 GPS
Latitude/Longitude (decimal degrees):	38.168630	-102.115771	
Surface Elevation (ft):	3629.48	Top Perforated Interval (ft):	94
		Base of grout (ft):	
Well depth (ft):	134	Bottom Perforated Interval (ft):	134
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 2.41
5 year: -0.51
10 year: -0.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	72.44	3557.04	0.43
1/23/2006	72.20	3557.28	0.24
2/27/2007	71.65	3557.83	0.55
1/28/2008	71.03	3558.45	0.62
1/1/2009			
1/25/2010	72.03	3557.45	
1/26/2011	72.01	3557.47	0.02
1/31/2012	72.31	3557.17	-0.30
2/6/2013	72.81	3556.67	-0.50
3/27/2014	74.95	3554.53	-2.14
2/12/2015	72.54	3556.94	2.41

All Historic Measurements



Well Name:	KP-10	Owner:	SEYBERT GERALD A
Permit #:	5622 - F -	Location #:	SC02204202CCC
		USGS Site ID:	
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SW SW SW 2	22 S 42 W S	
		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y)	4227619.1	Easting (UTM x): 752413.1 GPS
Latitude/Longitude (decimal degrees):	38.161159	-102.119021	
Surface Elevation (ft):	3524	Top Perforated Interval (ft):	111
		Base of grout (ft):	
Well depth (ft):	156	Bottom Perforated Interval (ft):	156
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 1.07
5 year: -0.31
10 year: 0.12

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2005	69.08	3454.92	1.21
1/23/2006	68.89	3455.11	0.19
2/27/2007	68.31	3455.69	0.58
1/28/2008	67.77	3456.23	0.54
1/1/2009			
1/25/2010	68.65	3455.35	
1/26/2011	69.44	3454.56	-0.79
1/31/2012	69.93	3454.07	-0.49
2/6/2013	71.20	3452.80	-1.27
3/27/2014	70.03	3453.97	1.17
2/12/2015	68.96	3455.04	1.07

All Historic Measurements

