Surface Water Storage and Potential Projects

Hal D. Simpson State Engineer

AWRA Annual Symposium

Water Storage Volumes Acre-Feet

Water	Active	Conditional	Restricted
Division	Storage	Storage	Storage
	1,770,000	3,460,000	28,488
2	1,450,000	890,000	71,309
3	370,000	140,000	10,739
4	1,450,000	2,210,000	4,016
5	1,420,000	2,860,000	1,860
6	180,000	4,870,000	667
7	670,000	1,540,000	937
Total	7,310,000	15,970,000	118,016

Gravel Pit Reservoir Sites Along South Platte River



Proposed Revisions to the Rules and Regulations for Dam Safety and Dam Construction

Key Changes

- Hazard Classification Terminology
- Elimination of Intermediate Dam Size
- Inflow Design Flood
- **IDF Reduction for Elevation**
- General update and clean-up

INFLOW DESIGN FLOOD REQUIREMENTS

Hazar	d Classification	High	Significant	Low	NPH	
Dam S	Size		1 Despires		n pros	
Large Small Minor		.9 PMP .9 PMP .50 (.9 PMP)	.75 (.9 PMP) .50 (.9 PMP) 100 YR	100 YR 100 YR 50 YR	50 YR 25 YR 25 YR	
	<u>General Storm</u>	1 Barris		C. M. C. Start		
	East of the Continental Divide - Elevation (ft.)		% Reduction	n pros		
7	6,000 to 12,0	000	7	20	78	
Sec.	Above 12,00	0		30		
and the second	West of the Cont	inental Divide -	Elevation (ft.)	and the los		
	5,000 to 8,00	0		20		
	Above 8,000			30		45
	Local Storm				1 ton	
the a	Statewide - Elev	ation (ft.)	a Martin	% Reduction	t and	
	11,501 to 13	,000	a mand	30		

Above 13,000

40

Proposed Reduction for Elevation

General Storm East of the Continental Divide Elevation (ft) 6,000 to 12,000 Above 12,000

West of the Continental Divide Elevation (ft) 5,000 to 8,000 Above 8,000 % Reduction 20 30

% Reduction 20 30

Micro-Climates

Colorado







Colorado

Legend (in inches)

35 to 40

50 to 55

Above 55

40 to 45

45 to 50

Under 10

15 to 20

10 to 15

20 to 25

25 to 30

30 to 35

For information on the PRISM modeling system, visit the SCAS web site at http://www.ocs.orst.edu/prism The latest PRISM digital data sets created by the SCAS can be obtained from the Climate

http://www.climatesource.com

Source at



Copyright 2000 by Spatial Climate Analysis Service, Oregon State University



