


**GROUNDWATER LEVELS
in the
DENVER BASIN BEDROCK AQUIFERS
2018**



by
Andrew D. Flor



COLORADO
Division of Water Resources
Department of Natural Resources

John W. Hickenlooper
Governor

Kevin G. Rein
State Engineer

Robert W. Randall
Executive Director, DNR

Matthew A. Sares
Chief, Hydrogeology Section

GROUNDWATER LEVELS IN THE DENVER BASIN BEDROCK AQUIFERS 2018

This report updates basic data concerning the depth to and elevation of groundwater in the four main Denver Basin bedrock aquifers collected during the spring and summer of 2018. The report is organized first by aquifer, then by well name. Well completion information is provided, where available. Wells that may be completed in more than one aquifer are listed according to the uppermost aquifer.

Approximately 94 water-level measurements in this year's report were obtained by Division of Water Resources (Division) personnel. Of these, a total of six wells have been instrumented with data loggers to collect daily water-level data. These include the following:

- four wells in the Castle Rock area that monitor all four Denver Basin aquifers; CO3_LTDW (DB-204), CO3_TKD (DB-205), CO6_KA (DB-206) and CO3_KLF (DB-203); and
- two wells near Golden in the Pleasant View Metropolitan District are completed in the Arapahoe (DB-201) and Laramie-Fox Hills (DB-200) aquifers.

Water-level data from 132 cooperator wells are also included in this report. Personnel from cooperating water districts and municipalities graciously provided these data upon request. The Division appreciates the cooperation of the many entities that provide water-level information.

Tabular data are presented for each well for the previous ten years. Graphical data show the entire period of record for each well. Wells lacking measurements in the past 10 years have been removed from the monitoring program and are no longer included in this publication, although the data are retained in the Division's HydroBase database.

Analyses of water-level changes in the aquifers are based on single point comparisons and may be complicated by unknown pumping schedules or other site-specific hydrologic factors. Table 1 summarizes some of these water-level changes for each aquifer based on only those wells measured in 2018.

Maps were created to show the spatial distribution of wells by production aquifer and include all wells measured within the past 10 years. Color-coded maps were created to show the change in water levels (by aquifer) for a one (2017-2018), five (2013-2018) and ten (2008-2018) year period and include only those wells measured in 2018. The changes, both positive and negative, are displayed by color in accordance with the map key.

Included in this report is a summary of the Denver Basin hydrogeology with generalized aquifer maps and geologic cross-sections.

Recent Legislation has directed the Division of Water Resources, in consultation with the Colorado Water Conservation Board, to encourage qualified parties to submit water level data for inclusion in the statewide water-level database. Through these efforts DWR created an online Cooperator Groundwater Level Measurement Network where well owners/operators can enroll their well(s) and self-report groundwater levels, both individually and in bulk reporting. DWR is currently working with existing cooperating entities to move to this online reporting portal and encouraging new entities to use this option as well. For more information or to join the program please visit <http://water.state.co.us/groundwater/Levels/Pages/CooperatorProgram.aspx>.

An electronic copy of this report, in Adobe PDF format, is available on the Division of Water Resources website:

<http://water.state.co.us/groundwater/Levels/Pages/HydroGeo.aspx>

Additionally, all groundwater level data may be accessed and exported using the tools available on the Colorado Decision Support System:

<https://dnrweb.state.co.us/cdss/GroundWater/WaterLevels/Search?submitButton=Submit&SelectedPublicationAreaName=DENVER%20BASIN&SelectedAquiferName>All>

and the Colorado Information Marketplace HydroBase Bulk Data Exporter:


<https://data.colorado.gov/Water/DWR-Well-Water-Level/hfwh-wsgi/data>

or the Colorado Decision Support System MapViewer

<http://water.state.co.us/DataMaps/GISandMaps/MapViewer/Pages/FAQ.aspx>

If you have any questions regarding groundwater in the Denver Basin and the information in this report, please contact the Groundwater Information Desk at (303) 866-3587 or through AskDWR,

http://www.dwr.state.co.us/OnlineTools/AskDWR.aspx?topic_num=31&office_num=8



COLORADO
Division of Water Resources
Department of Natural Resources

State of Colorado -- Division of Water Resources

Denver Basin Bedrock Aquifers

Table 1
Denver Basin Bedrock Aquifers
Water Level Statistics

| AQUIFER | # of Wells in Statistics | 2018 Range of Water Levels (ft) | Δ 1 year 2017-2018 | Δ 5 year 2013-2018 | Δ 10 year 2008-2018 |
|-------------------|-----------------------------|------------------------------------|-----------------------|-----------------------|------------------------|
| UPPER DAWSON | 7 | 85 - 202 | -0.49 | 0.46 | -2.10 |
| LOWER DAWSON | 4 | 283 - 533 | -12.02 | -27.78 | -52.39 |
| DAWSON | 13 | 28 - 857 | -5.63 | 9.93 | -2.76 |
| DENVER | 27 | 13 - 1,392 | 4.79 | -2.66 | -3.25 |
| UPPER ARAPAHOE | 3 | 63 - 137 | -0.35 | -4.99 | -6.34 |
| LOWER ARAPAHOE | 4 | 102 - 195 | 9.00 | 30.52 | 5.06 |
| ARAPAHOE | 41 | 37 - 1,720 | 20.23 | 17.93 | 15.82 |
| LARAMIE-FOX HILLS | 29 | 27 - 1,347 | 2.63 | -25.32 | -37.64 |

GEOLOGY OF THE DENVER BASIN AQUIFERS

The Denver Basin is the southern portion of a much larger Denver-Julesburg Basin that extends northward into southern Wyoming and eastward into adjoining states (Fig.1). For groundwater resources administration, the Denver Basin is defined as the outcrop or subcrop of the base of the Laramie-Fox Hills aquifer, which encompasses an area of approximately 6,700 square miles. The administrative Denver Basin extends northward into Weld County near Greeley, into the eastern portions of Adams, Arapahoe, and Elbert counties near Limon, southward into El Paso County near Colorado Springs, and is bounded on the west by the Front Range mountains of Jefferson and Douglas counties. Figure 1 displays the geometry and extent of the four main aquifers that comprise the Denver Basin aquifer system.

The Denver Basin aquifers are composed of sedimentary rock layers, up to 3,000 feet thick in the deepest part of the basin. Generalized cross-sections showing the overlapping geologic formations are shown in Figure 2. In descending order, the hydrogeologic units are identified as the Dawson, Denver, Arapahoe, and Laramie-Fox Hills aquifers.

Extensive studies of these aquifers have been conducted for over 100 years. Water from the aquifers has been used in the Denver area for commercial and domestic supplies since the 1880's. The administration of the Denver Basin aquifers is based on a detailed study completed by the Colorado Division of Water Resources in 1985 as part of a legislatively mandated study commonly known as Senate Bill 5. During the study, the staff of the Division collected extensive information on the nature of the aquifers, the occurrence of groundwater in the aquifers, and the effects of groundwater pumping on surface streams throughout the basin. The estimated amount of water contained in the aquifers is presented in Table 1. Implementation of the South Platte Decision Support System (SPDSS) by the Colorado Water Conservation Board also focused on updating the aquifer geometry, aquifer property, and water level datasets of the Denver Basin. In 2011 the Colorado Geological Survey in conjunction with the Denver Museum of Nature & Science produced two publications refining our understanding of the geology of the water producing formations in the Denver Basin. Also in 2011, the US Geological Survey published the results of a new numerical groundwater model of the aquifer system.

A brief discussion of each hydrogeologic unit within the Denver Basin aquifer system is presented below. For the purposes of groundwater administration, the Division's Senate Bill 5 study is recognized as the authoritative study of the Denver Basin aquifers.

DAWSON AQUIFER

The Dawson aquifer is the uppermost aquifer in the Denver Basin and covers an area of approximately 1,400 square miles. The aquifer varies in thickness, depending on location, and attains a maximum thickness of almost 1,200 feet in the vicinity of Monument. The Dawson aquifer is at or near the land surface throughout its entire areal extent. The aquifer is composed of predominately conglomeratic, coarse-grained arkosic sandstones with minor amounts of interbedded clay and clay shale.

Typical well yields in the Dawson are up to 300 gallons per minute. The northern portion of the aquifer has been subdivided into two hydrogeologic units for administrative purposes. These units are known as the Upper and Lower Dawson aquifers. This separation is based on the presence of an approximately 50-foot thick shale layer that hydraulically isolates the Upper and Lower Dawson aquifer units. The Dawson aquifer is separated from the underlying Denver aquifer by a clay shale sequence ranging from 25 to 50 feet thick.

DENVER AQUIFER

The Denver aquifer covers an area of approximately 3,500 square miles and varies in thickness from a thin eroded edge at its outcrop/subcrop up to 1,000 feet. The Denver aquifer consists of a series of interbedded clay shale, clay, claystone, siltstone and sandstone lenses. The sandstone and pebble compositions are typically volcanic. Carbonaceous material and coal beds are also common.

Due to its finer grained composition, wells commonly have yields of 50-150 gallons per minute. The aquifer is typically developed for domestic uses, though a number of municipal wells have been drilled on the western side of the basin where yields are higher. The Denver aquifer is separated from the underlying Arapahoe aquifer by an extensive clay/shale unit approximately 50 feet thick. The clay/shale interval serves as a hydraulic barrier between the aquifers.

ARAPAHOE AQUIFER

The Arapahoe aquifer is composed of interbedded conglomerates, sandstones, siltstones, and clay shales. The aquifer underlies an area of almost 4,700 square miles and is generally about 400 feet thick. For administrative purposes, the northern portion of the hydrogeologic unit is subdivided into an upper and lower aquifer that is separated by a shale sequence ranging from 50 to 100 feet thick.

The Arapahoe is the most prolific of the four Denver Basin aquifers with wells yielding up to 800 gallons per minute. Consequently, the aquifer is used extensively to supply municipal water systems. Water quality is generally good in the aquifer as evidenced by its use by Deep Rock Water to obtain water for bottling.

LARAMIE FORMATION

The thick shale sequences of the Laramie Formation forms the aquitard or hydraulic barrier that separates the Arapahoe aquifer from the underlying Laramie-Fox Hills aquifer. The formation consists of approximately 400 feet of clay shales with minor interbeds of sandstone and siltstone. Coal beds are common within the formation and have been mined commercially along the eastern margin of the basin. Minor amounts of water are present within the upper sandstones, but are rarely developed for water supplies. Water in the sandstone units is of generally poor quality due to the presence of sulfides and biogenic gas.

The basal portion of the Laramie Formation contains two relatively thick sandstone units (the A and B sandstones) which are hydraulically isolated from the upper part of the formation. These sandstone units, combined with the underlying Fox Hills Sandstone, compose the hydrogeologic unit of the Laramie-Fox Hills aquifer.

LARAMIE-FOX HILLS AQUIFER

The lowermost of the four Denver Basin aquifers is the Laramie-Fox Hills aquifer which underlies approximately 6,700 square miles and marks the areal extent of the basin for economic groundwater development. The aquifer is made up of both the marine sandstones of the Fox Hills and the overlying fluvial sandstones in the lower Laramie Formation. The Laramie-Fox Hills aquifer is generally between 250 and 300 feet thick, and includes about 150 to 200 feet of fine-grained and medium-grained sandstone.

Wells yields of 350 gallons per minute are common. The aquifer is extensively utilized throughout the basin for commercial development and less so for domestic due to the deeper well depths over most of the basin. Both the Laramie-Fox Hills and Arapahoe aquifers are generally under artesian pressure at the present time.

PIERRE SHALE

The Pierre Shale underlies the Fox Hills Formation and is composed of up to 4,500 feet of marine shale with minor sandstone/siltstone lenses. In general, the intermittent sandstone/siltstone intervals in the upper portion of the formation contain sufficient groundwater for domestic uses or for the watering of livestock. This formation defines the lower boundary for development of groundwater for commercial purposes in the Denver Basin.




Figure 1. Extent of Denver Basin Aquifers, from Colorado Geological Survey Special Publication 53.





Figure 2. General cross-section of Denver Basin Aquifers, from Colorado Geological Survey Special Publication 53.

Table 1: Estimated volume of water in storage in the Denver Basin aquifers

| AQUIFER | SPECIFIC YIELD (percent) | VOLUME IN STORAGE (millions of acre-feet) |
|-------------------|-----------------------------|--|
| Upper Dawson | 20 | 22 |
| Lower Dawson | 20 | 10 |
| Denver | 17 | 71 |
| Upper Arapahoe | 17 | 12 |
| Lower Arapahoe | 17 | 78 |
| Laramie-Fox Hills | 15 | 102 |
| | | TOTAL 295 million acre-feet |


Note: Based on analysis of drill core from a location near Kiowa, the stated specific yield values may be as much as 25 to 30 percent above an “average” specific yield value for the Denver Basin aquifers. Therefore, the actual volume of water contained in the aquifers may be less than the volumes estimated.

DAWSON AQUIFER



COLORADO
Division of Water Resources
Department of Natural Resources


State of Colorado -- Division of Water Resources
Dawson Aquifer
Monitoring Well Locations



COLORADO
Division of Water Resources
Department of Natural Resources

State of Colorado -- Division of Water Resources


Dawson Aquifer
2017-2018 Change in Water Level



COLORADO
Division of Water Resources
Department of Natural Resources

State of Colorado -- Division of Water Resources

Dawson Aquifer
2013-2018 Change in Water Level



COLORADO
Division of Water Resources
Department of Natural Resources

State of Colorado -- Division of Water Resources


Dawson Aquifer
2008-2018 Change in Water Level

DENVER BASIN

Measurements from last 10 years

All Historic Measurements


| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/23/2008 | 680.90 | 5787.10 | -7.20 |
| 9/18/2008 | 683.10 | 5784.90 | -2.20 |
| 6/9/2009 | 681.00 | 5787.00 | 2.10 |
| 4/21/2010 | 735.66 | 5732.34 | -54.66 |
| 4/11/2011 | 681.20 | 5786.80 | 54.46 |



Measurements from last 10 years

All Historic Measurements

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 5/27/2016 | 237.38 | 7442.62 | |
| 5/12/2017 | 238.17 | 7441.83 | -0.79 |
| 4/25/2018 | 237.85 | 7442.15 | 0.32 |




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------------------|--|--|--|--------------------------------------|-----------------------|---------------------------|
| Well Name: | DB-041 CO PARKS AND REC | | | | Owner: | | |
| Permit #: | 28192 - | | | | Location #: | SC00506724BAA | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NW NE NE 24 | | | | Twnshp Range PM | County: ARAPAHOE | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4384356.0 | | | | Easting (UTM x): 513774.0 | GPS | |
| Latitude/Longitude (decimal degrees): | 39.608840 | | | | -104.839548 | | |
| Surface Elevation (ft): | 5627.96 | | | | Top Perforated Interval (ft): 68 | Base of grout (ft): 0 | Water Level Change |
| Well depth (ft): | 148 | | | | Bottom Perforated Interval (ft): 148 | 1 year: -0.67 | |
| Aquifer(s): | DAWSON | | | | | 5 year: -0.15 | |
| | | | | | | 10 year: 1.19 | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/21/2008 | 29.00 | 5598.96 | -1.10 |
| 9/23/2008 | 29.63 | 5598.33 | -0.63 |
| 6/1/2009 | 26.65 | 5601.31 | 2.98 |
| 4/22/2010 | 25.75 | 5602.21 | 0.90 |
| 4/11/2011 | 29.19 | 5598.77 | -3.44 |
| 4/30/2012 | 27.85 | 5600.11 | 1.34 |
| 4/18/2013 | 28.29 | 5599.67 | -0.44 |
| 5/22/2014 | 27.65 | 5600.31 | 0.64 |
| 7/16/2015 | 26.63 | 5601.33 | 1.02 |
| 5/2/2016 | 25.71 | 5602.25 | 0.92 |
| 4/25/2017 | 27.77 | 5600.19 | -2.06 |
| 7/12/2018 | 28.44 | 5599.52 | -0.67 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | 197.11 | 6082.89 | -1.08 |
| 9/23/2008 | 203.24 | 6076.76 | -6.13 |
| 6/1/2009 | 207.69 | 6072.31 | -4.45 |
| 4/28/2010 | 196.02 | 6083.98 | 11.67 |
| 4/12/2011 | 196.92 | 6083.08 | -0.90 |
| 5/1/2012 | 202.48 | 6077.52 | -5.56 |
| 4/11/2013 | 198.57 | 6081.43 | 3.91 |
| 5/28/2014 | 207.67 | 6072.33 | -9.10 |
| 5/15/2015 | 198.18 | 6081.82 | 9.49 |
| 5/2/2016 | 207.94 | 6072.06 | -9.76 |
| 4/25/2017 | 200.42 | 6079.58 | 7.52 |
| 4/19/2018 | 198.72 | 6081.28 | 1.70 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | | | |
|---------------------------------------|-----------------------------------|----------------------------------|--------------------------|---------------------|---------------------------|-------------------------------|--|--|
| Well Name: | DB-045 WALLDEN,G. WELL "B" | | | | Owner: | | | |
| Permit #: | - | - | Location #: SC00606534BC | | USGS Site ID: | | | |
| Division: | 1 | Water District: 2 | | | | County: ELBERT | | |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range | PM | Distance from section lines: | | |
| | NW SW | 34 | 6 S | 65 W | S | From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4371075.0 | Easting (UTM x): | | 529136.0 GPS | | |
| Latitude/Longitude (decimal degrees): | 39.488788 | | | -104.661181 | | | | |
| Surface Elevation (ft): | 6350 | Top Perforated Interval (ft): | | Base of grout (ft): | Water Level Change | | | |
| Well depth (ft): | | Bottom Perforated Interval (ft): | | | 1 year: | -3.38 | | |
| Aquifer(s): | UPPER DAWSON | | | | 5 year: | 1.09 | | |
| | | | | | 10 year: | -4.23 | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | 80.75 | 6269.25 | 0.31 |
| 9/23/2008 | 81.61 | 6268.39 | -0.86 |
| 6/1/2009 | 81.69 | 6268.31 | -0.08 |
| 4/28/2010 | 81.16 | 6268.84 | 0.53 |
| 4/12/2011 | 81.46 | 6268.54 | -0.30 |
| 5/1/2012 | 81.79 | 6268.21 | -0.33 |
| 4/11/2013 | 86.07 | 6263.93 | -4.28 |
| 5/28/2014 | 87.32 | 6262.68 | -1.25 |
| 5/15/2015 | 82.52 | 6267.48 | 4.80 |
| 5/2/2016 | 82.70 | 6267.30 | -0.18 |
| 4/25/2017 | 81.60 | 6268.40 | 1.10 |
| 4/19/2018 | 84.98 | 6265.02 | -3.38 |

All Historic Measurements




Well Name: **DB-046 VANDYKE, SUSAN**

| | | | | | | | | |
|---------------------------------------|-------------------|----------------------------------|-------------|------------------|---------------------------|-------------------------------|--|--|
| Permit #: | 49406- | - | Location #: | SC00606613CC | Owner: | SUSAN VANDYKE | | |
| Division: | 1 | Water District: 8 | | | | County: DOUGLAS | | |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range | PM | Distance from section lines: | | |
| | SW SW | 13 | 6 S | 66 W | S | From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4375324.0 | Easting (UTM x): | | 522677.0 GPS | | |
| Latitude/Longitude (decimal degrees): | 39.527268 | | | -104.736147 | | | | |
| Surface Elevation (ft): | 6190 | Top Perforated Interval (ft): | | 437 | Base of grout (ft): | 40 | | |
| Well depth (ft): | 560 | Bottom Perforated Interval (ft): | | 560 | Water Level Change | | | |
| Aquifer(s): | LOWER DAWSON | | | | 1 year: | -3.66 | | |
| | | | | | 5 year: | -41.07 | | |
| | | | | | 10 year: | -54.13 | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | 280.45 | 5909.55 | -9.41 |
| 9/23/2008 | 284.70 | 5905.30 | -4.25 |
| 6/1/2009 | 295.81 | 5894.19 | -11.11 |
| 4/28/2010 | 293.29 | 5896.71 | 2.52 |
| 4/12/2011 | | | |
| 5/1/2012 | 289.62 | 5900.38 | |
| 4/11/2013 | 293.51 | 5896.49 | -3.89 |
| 5/28/2014 | 293.53 | 5896.47 | -0.02 |
| 7/14/2015 | 299.26 | 5890.74 | -5.73 |
| 5/2/2016 | 316.83 | 5873.17 | -17.57 |
| 5/24/2017 | 330.92 | 5859.08 | -14.09 |
| 5/31/2018 | 334.58 | 5855.42 | -3.66 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----|---------------------|---|--|--------|
| Well Name: | DB-047 KULBACK, DIANE | | | | Owner: | DIANE KULBACK | |
| Permit #: | 14435 - | | | | Location #: | SC00606626CAD | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SW NE SE 26 | | | | Twnshp Range PM | County: DOUGLAS Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4371557.0 | | | | Easting (UTM x): 522404.0 GPS | | |
| Latitude/Longitude (decimal degrees): | 39.493333 | | | | -104.739450 | | |
| Surface Elevation (ft): | 6030 | Top Perforated Interval (ft): | 322 | Base of grout (ft): | 70 | Water Level Change | |
| Well depth (ft): | 384 | Bottom Perforated Interval (ft): | 384 | | | 1 year: | -2.53 |
| Aquifer(s): | LOWER DAWSON | | | | | 5 year: | -18.91 |
| | | | | | | 10 year: | -43.25 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | 239.54 | 5790.46 | -5.36 |
| 9/23/2008 | 270.16 | 5759.84 | -30.62 |
| 6/1/2009 | 261.34 | 5768.66 | 8.82 |
| 4/28/2010 | 247.94 | 5782.06 | 13.40 |
| 4/12/2011 | 255.02 | 5774.98 | -7.08 |
| 5/1/2012 | 265.32 | 5764.68 | -10.30 |
| 4/19/2013 | 263.88 | 5766.12 | 1.44 |
| 5/28/2014 | 283.68 | 5746.32 | -19.80 |
| 7/14/2015 | 271.86 | 5758.14 | 11.82 |
| 5/2/2016 | 267.65 | 5762.35 | 4.21 |
| 5/24/2017 | 280.26 | 5749.74 | -12.61 |
| 5/31/2018 | 282.79 | 5747.21 | -2.53 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/30/2008 | 226.05 | 6153.95 | 0.59 |
| 9/23/2008 | 232.50 | 6147.50 | -6.45 |
| 6/1/2009 | 229.87 | 6150.13 | 2.63 |
| 4/28/2010 | 234.71 | 6145.29 | -4.84 |
| 4/12/2011 | 202.55 | 6177.45 | 32.16 |
| 4/19/2013 | 229.97 | 6150.03 | -27.42 |
| 5/28/2014 | | | |
| 7/14/2015 | | | |
| 5/2/2016 | 220.31 | 6159.69 | |
| 5/24/2017 | 221.53 | 6158.47 | -1.22 |
| 7/12/2018 | | | |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|---|--|---------------------------|---------------|
| Well Name: | DB-056 THAI QUOC TRAN | | | | Owner: |
| Permit #: | 48339 - | | Location #: SC00706512AAA | | USGS Site ID: |
| Division: | 1 | Water District: | 1 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section NE NE NE 12 | Twnshp 7 S Range 65 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4368156.4 | Easting (UTM x): 533755.0 GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.462320 | | -104.607620 | | |
| Surface Elevation (ft): | 6430 | Top Perforated Interval (ft): | 204 | Base of grout (ft): | 47 |
| Well depth (ft): | 295 | Bottom Perforated Interval (ft): | 285 | Water Level Change | |
| Aquifer(s): | UPPER DAWSON | | | | |
| | | | | 1 year: | 0.23 |
| | | | | 5 year: | -3.93 |
| | | | | 10 year: | -6.99 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | 181.15 | 6248.85 | -1.56 |
| 9/23/2008 | 183.76 | 6246.24 | -2.61 |
| 6/1/2009 | 187.17 | 6242.83 | -3.41 |
| 4/28/2010 | 181.89 | 6248.11 | 5.28 |
| 4/12/2011 | 183.12 | 6246.88 | -1.23 |
| 5/1/2012 | 183.92 | 6246.08 | -0.80 |
| 4/11/2013 | 184.21 | 6245.79 | -0.29 |
| 5/1/2014 | | | |
| 5/15/2015 | 186.86 | 6243.14 | |
| 5/2/2016 | 187.32 | 6242.68 | -0.46 |
| 4/25/2017 | 188.37 | 6241.63 | -1.05 |
| 4/19/2018 | 188.14 | 6241.86 | 0.23 |

All Historic Measurements




Well Name: **DB-057 CASTLE OAKS TDW #4**

| | | | | |
|---------------------------------------|-------------------------------------|---|--|---------------------------|
| Permit #: | 26263 - F | Location #: | SC00706629AAC | Owner: |
| Division: | 1 | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 Q40 Q10 Section NE NE SW 29 | Twnshp 7 S Range 66 W PM S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4363134.0 | Easting (UTM x): 517392.0 GPS | | |
| Latitude/Longitude (decimal degrees): | 39.417550 | | -104.797960 | |
| Surface Elevation (ft): | 6184 | Top Perforated Interval (ft): | 545 | Base of grout (ft): 540 |
| Well depth (ft): | 780 | Bottom Perforated Interval (ft): | 805 | Water Level Change |
| Aquifer(s): | DAWSON | | | |
| | | | 1 year: | 82.69 |
| | | | 5 year: | 87.05 |
| | | | 10 year: | 88.47 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/23/2008 | 454.82 | 5729.18 | -69.30 |
| 9/18/2008 | 423.20 | 5760.80 | 31.62 |
| 6/9/2009 | 453.90 | 5730.10 | -30.70 |
| 4/22/2010 | 441.19 | 5742.81 | 12.71 |
| 4/11/2011 | 437.50 | 5746.50 | 3.69 |
| 5/16/2012 | 451.60 | 5732.40 | -14.10 |
| 5/14/2013 | 453.40 | 5730.60 | -1.80 |
| 6/20/2014 | 441.88 | 5742.12 | 11.52 |
| 6/2/2015 | 422.94 | 5761.06 | 18.94 |
| 5/24/2016 | 445.81 | 5738.19 | -22.87 |
| 4/25/2017 | 449.04 | 5734.96 | -3.23 |
| 6/28/2018 | 366.35 | 5817.65 | 82.69 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|---------------|---------------------------|---|
| Well Name: | DB-058 CASTLE OAKS #5 | | | | Owner: |
| Permit #: | 26264 - F - | | | | Location #: SC00706629CB DWR2 |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SW NW 29 | Twnshp 7 S | Range 66 W | PM S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4362469.6 | Easting (UTM x): 516533.7 | User supplied | | |
| Latitude/Longitude (decimal degrees): | 39.411580 | -104.807940 | | | |
| Surface Elevation (ft): | 6257 | Top Perforated Interval (ft): | 491 | Base of grout (ft): | 470 |
| Well depth (ft): | 826 | Bottom Perforated Interval (ft): | 851 | Water Level Change | |
| Aquifer(s): | LOWER DAWSON | | | 1 year: | -11.78 |
| | DENVER | | | 5 year: | -15.31 |
| | | | | 10 year: | -44.36 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/23/2008 | 488.25 | 5768.75 | -38.11 |
| 9/18/2008 | 492.64 | 5764.36 | -4.39 |
| 6/9/2009 | 495.18 | 5761.82 | -2.54 |
| 4/22/2010 | 509.04 | 5747.96 | -13.86 |
| 4/11/2011 | 497.73 | 5759.27 | 11.31 |
| 5/16/2012 | 522.50 | 5734.50 | -24.77 |
| 5/14/2013 | 517.30 | 5739.70 | 5.20 |
| 6/24/2014 | 513.90 | 5743.10 | 3.40 |
| 6/2/2015 | 506.04 | 5750.96 | 7.86 |
| 5/24/2016 | 518.98 | 5738.02 | -12.94 |
| 4/25/2017 | 520.83 | 5736.17 | -1.85 |
| 6/28/2018 | 532.61 | 5724.39 | -11.78 |

All Historic Measurements




Well Name: **DB-059 CASTLE OAKS #6 TDW**

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|---------------|---------------------------|---|
| Permit #: | 26265 - F | - | Location #: | SC00706632BBB | Owner: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section NW NW NW 32 | Twnshp 7 S | Range 66 W | PM S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4361768.6 | Easting (UTM x): 516301.7 | User supplied | | |
| Latitude/Longitude (decimal degrees): | 39.405270 | -104.810660 | | | |
| Surface Elevation (ft): | 6294 | Top Perforated Interval (ft): | 505 | Base of grout (ft): | 494 |
| Well depth (ft): | 884 | Bottom Perforated Interval (ft): | 884 | Water Level Change | |
| Aquifer(s): | DAWSON | | | 1 year: | -142.53 |
| | | | | 5 year: | 20.23 |
| | | | | 10 year: | -45.31 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/23/2008 | 582.06 | 5711.94 | -23.76 |
| 9/18/2008 | 607.50 | 5686.50 | -25.44 |
| 6/9/2009 | | | |
| 4/22/2010 | 640.77 | 5653.23 | |
| 4/11/2011 | 633.14 | 5660.86 | 7.63 |
| 5/16/2012 | 661.70 | 5632.30 | -28.56 |
| 5/14/2013 | 647.60 | 5646.40 | 14.10 |
| 6/24/2014 | 672.88 | 5621.12 | -25.28 |
| 6/2/2015 | 607.97 | 5686.03 | 64.91 |
| 5/20/2016 | 631.07 | 5662.93 | -23.10 |
| 4/25/2017 | 484.84 | 5809.16 | 146.23 |
| 6/28/2018 | 627.37 | 5666.63 | -142.53 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | |
|---------------------------------------|----------------------|----------------------------------|-----------------|---------------------------|------------------------------|
| Well Name: | DB-064 SMITH | | Owner: | ERIC & DIANE CARLSON | |
| Permit #: | 254276 - | | Location #: | SC00806427BC | |
| Division: | 1 | | Water District: | 1 | |
| Location: | Q160 Q40 Q10 Section | | Twnshp | Range | PM |
| | NW SW | 27 | 8 S | 64 W | S |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4353094.0 | Easting (UTM x): | 538802.0 GPS |
| Latitude/Longitude (decimal degrees): | 39.326390 | | -104.549823 | | |
| Surface Elevation (ft): | 6678 | Top Perforated Interval (ft): | 220 | Base of grout (ft): | 20 |
| Well depth (ft): | 378 | Bottom Perforated Interval (ft): | 360 | Water Level Change | |
| Aquifer(s): | UPPER DAWSON | | | 1 year: | -0.24 |
| | | | | 5 year: | -0.27 |
| | | | | 10 year: | -1.62 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 131.20 | 6546.80 | -63.98 |
| 9/17/2008 | 67.87 | 6610.13 | 63.33 |
| 6/8/2009 | 132.34 | 6545.66 | -64.47 |
| 4/21/2010 | 131.59 | 6546.41 | 0.75 |
| 4/9/2011 | 131.91 | 6546.09 | -0.32 |
| 5/11/2012 | 133.18 | 6544.82 | -1.27 |
| 5/14/2013 | 132.55 | 6545.45 | 0.63 |
| 5/28/2014 | 132.74 | 6545.26 | -0.19 |
| 7/8/2015 | 132.83 | 6545.17 | -0.09 |
| 5/24/2016 | 131.93 | 6546.07 | 0.90 |
| 5/24/2017 | 132.58 | 6545.42 | -0.65 |
| 4/19/2018 | 132.82 | 6545.18 | -0.24 |

All Historic Measurements



Well Name: **DB-065 PINERY "M"**


Owner:

| | | | | |
|---------------------------------------|----------------------|----------------------------------|------------------------------|------------------------------|
| Permit #: | 17929 - F | Location #: | SC00706617BAB | USGS Site ID: |
| Division: | 1 | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section | | County: | DOUGLAS |
| | NW NE NW | 17 | Twnshp | Range PM |
| | 7 S | 66 W S | Distance from section lines: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | From N/S line: | From E/W line: |
| Latitude/Longitude (decimal degrees): | 4366642.0 | | 4366642.0 | 516574.0 GPS |
| Surface Elevation (ft): | 6220 | Top Perforated Interval (ft): | 530 | Base of grout (ft): 52 |
| Well depth (ft): | 1024 | Bottom Perforated Interval (ft): | 984 | Water Level Change |
| Aquifer(s): | DAWSON | | | 1 year: -4.03 |
| | | | | 5 year: -14.94 |
| | | | | 10 year: -44.76 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 6/4/2008 | 391.64 | 5828.36 | -14.79 |
| 10/28/2008 | 403.30 | 5816.70 | -11.66 |
| 6/15/2009 | 397.22 | 5822.78 | 6.08 |
| 6/16/2010 | 401.80 | 5818.20 | -4.58 |
| 9/28/2011 | 420.00 | 5800.00 | -18.20 |
| 6/5/2012 | 419.74 | 5800.26 | 0.26 |
| 5/16/2013 | 421.46 | 5798.54 | -1.72 |
| 6/20/2014 | 430.41 | 5789.59 | -8.95 |
| 6/2/2015 | 421.30 | 5798.70 | 9.11 |
| 5/24/2016 | 418.33 | 5801.67 | 2.97 |
| 4/25/2017 | 432.37 | 5787.63 | -14.04 |
| 5/31/2018 | 436.40 | 5783.60 | -4.03 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----|---------------------|-------------------------------|--|
| Well Name: | DB-066 PINERY "G" | | | | Owner: | |
| Permit #: | 17931 - F | | | | Location #: | SC00706624BDA |
| Division: | 1 | | | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section NW SE NE 24 | | | | Twnshp Range PM 7 S 66 W S | County: DOUGLAS Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4364671.0 | | | | Easting (UTM x): 523393.0 | GPS |
| Latitude/Longitude (decimal degrees): | 39.431260 | | | | -104.728190 | |
| Surface Elevation (ft): | 6245 | Top Perforated Interval (ft): | 560 | Base of grout (ft): | 96 | Water Level Change |
| Well depth (ft): | 936 | Bottom Perforated Interval (ft): | 896 | | | 1 year: |
| Aquifer(s): | DAWSON | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 6/4/2008 | 391.30 | 5853.70 | -6.56 |
| 10/28/2008 | 405.64 | 5839.36 | -14.34 |
| 6/29/2009 | 412.00 | 5833.00 | -6.36 |
| 6/16/2010 | 404.26 | 5840.74 | 7.74 |
| 9/28/2011 | 410.95 | 5834.05 | -6.69 |
| 6/5/2012 | 414.89 | 5830.11 | -3.94 |
| 5/16/2013 | 420.97 | 5824.03 | -6.08 |
| 6/20/2014 | 424.25 | 5820.75 | -3.28 |
| 7/14/2015 | | | |
| 5/19/2016 | | | |
| 4/25/2017 | | | |

All Historic Measurements



Well Name:

DB-067 PARK FUNDING TDW


Owner:

| | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|-------------|---------------------------|---|
| Permit #: | 26270 - F | - | Location #: | SC00806608DD DWR2 | USGS Site ID: |
| Division: | 1 | | | | Water District: 8 County: DOUGLAS |
| Location: | Q160 Q40 Q10 Section SE SE 8 | | | | Twnshp Range PM 8 8 S 66 W S Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4357156.0 | | | | Easting (UTM x): 517476.0 GPS |
| Latitude/Longitude (decimal degrees): | 39.363690 | | | | -104.797140 |
| Surface Elevation (ft): | 6608 | Top Perforated Interval (ft): | 878 | Base of grout (ft): | 850 |
| Well depth (ft): | 1316 | Bottom Perforated Interval (ft): | 1296 | Water Level Change | |
| Aquifer(s): | DAWSON | | | | 1 year: -9.70 |
| | | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/23/2008 | | | |
| 9/18/2008 | 843.84 | 5764.16 | |
| 6/9/2009 | 855.85 | 5752.15 | -12.01 |
| 4/22/2010 | 860.24 | 5747.76 | -4.39 |
| 4/11/2011 | 841.76 | 5766.24 | 18.48 |
| 5/15/2012 | 845.00 | 5763.00 | -3.24 |
| 6/24/2014 | 842.00 | 5766.00 | 3.00 |
| 7/14/2015 | 842.92 | 5765.08 | -0.92 |
| 5/24/2016 | 845.69 | 5762.31 | -2.77 |
| 4/20/2017 | 847.77 | 5760.23 | -2.08 |
| 5/31/2018 | 857.47 | 5750.53 | -9.70 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | |
|---------------------------------------|------------------------------------|---|--|---------------------------|---------------|
| Well Name: | DB-071 PARK FUNDING TDW M-3 | | | | Owner: |
| Permit #: | 26271 - F | | Location #: SC00806609CAA3 | | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SW NE NE 9 | Twnshp Range PM 8 S 66 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4357548.0 | Easting (UTM x): 518308.0 GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.367200 | | -104.787470 | | |
| Surface Elevation (ft): | 6558 | Top Perforated Interval (ft): | 774 | Base of grout (ft): | 742 |
| Well depth (ft): | 1162 | Bottom Perforated Interval (ft): | 1142 | Water Level Change | |
| Aquifer(s): | DAWSON | | | 1 year: | -9.01 |
| | | | | 5 year: | -25.39 |
| | | | | 10 year: | -20.10 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/23/2008 | 775.59 | 5782.41 | -27.72 |
| 9/18/2008 | 791.99 | 5766.01 | -16.40 |
| 6/9/2009 | 788.53 | 5769.47 | 3.46 |
| 4/22/2010 | 781.36 | 5776.64 | 7.17 |
| 4/11/2011 | 781.60 | 5776.40 | -0.24 |
| 5/15/2012 | 812.10 | 5745.90 | -30.50 |
| 5/14/2013 | 770.30 | 5787.70 | 41.80 |
| 6/24/2014 | 798.23 | 5759.77 | -27.93 |
| 7/14/2015 | 779.52 | 5778.48 | 18.71 |
| 5/24/2016 | 779.98 | 5778.02 | -0.46 |
| 4/20/2017 | 786.68 | 5771.32 | -6.70 |
| 5/31/2018 | 795.69 | 5762.31 | -9.01 |

All Historic Measurements




Well Name: **DB-076 MILLER, RICK**

| | | | | | |
|---------------------------------------|--------------------------------------|---|--|---------------------|---------------|
| Permit #: | 67886 - | - | Location #: | SC00906308BBD | Owner: |
| Division: | 1 | Water District: | 1 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section NW NW SE 8 | Twnshp Range PM 9 S 63 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4348326.0 | Easting (UTM x): 545701.0 GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.283090 | | -104.470110 | | |
| Surface Elevation (ft): | 6683 | Top Perforated Interval (ft): | 110 | Base of grout (ft): | 10 |
| Well depth (ft): | Bottom Perforated Interval (ft): 210 | | Water Level Change | | |
| Aquifer(s): | UPPER DAWSON | | 1 year: | -0.96 | |
| | | | 5 year: | 4.13 | |
| | | | 10 year: | 0.43 | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 98.05 | 6584.95 | 0.04 |
| 9/17/2008 | 98.71 | 6584.29 | -0.66 |
| 6/8/2009 | 98.18 | 6584.82 | 0.53 |
| 4/21/2010 | 97.96 | 6585.04 | 0.22 |
| 4/9/2011 | 98.35 | 6584.65 | -0.39 |
| 5/11/2012 | 98.64 | 6584.36 | -0.29 |
| 5/14/2013 | 101.75 | 6581.25 | -3.11 |
| 5/28/2014 | | | |
| 7/8/2015 | 96.95 | 6586.05 | |
| 5/24/2016 | 96.50 | 6586.50 | 0.45 |
| 5/24/2017 | 96.66 | 6586.34 | -0.16 |
| 4/19/2018 | 97.62 | 6585.38 | -0.96 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|--|---------------------|---------------------------|
| Well Name: | DB-077 BISSET,D. | | | | Owner: |
| Permit #: | 42439 - - | | | | Location #: SC00906434DBA |
| Division: | 1 | Water District: | 1 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section SE NW NE 34 | Twnshp 9 S Range 64 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4341295.0 | Easting (UTM x): 539770.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.220030 | -104.539290 | | | |
| Surface Elevation (ft): | 6810 | Top Perforated Interval (ft): | 120 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 287 | Bottom Perforated Interval (ft): | 287 | 1 year: | -0.28 |
| Aquifer(s): | UPPER DAWSON | | | 5 year: | 1.91 |
| | | | | 10 year: | -0.61 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 121.65 | 6688.35 | 0.02 |
| 9/17/2008 | 121.67 | 6688.33 | -0.02 |
| 6/8/2009 | 121.70 | 6688.30 | -0.03 |
| 4/21/2010 | 121.67 | 6688.33 | 0.03 |
| 4/9/2011 | 121.89 | 6688.11 | -0.22 |
| 5/11/2012 | 122.14 | 6687.86 | -0.25 |
| 5/8/2013 | 124.17 | 6685.83 | -2.03 |
| 6/4/2014 | 122.14 | 6687.86 | 2.03 |
| 7/8/2015 | 122.10 | 6687.90 | 0.04 |
| 5/24/2016 | 122.10 | 6687.90 | 0.00 |
| 5/24/2017 | 121.98 | 6688.02 | 0.12 |
| 4/19/2018 | 122.26 | 6687.74 | -0.28 |

All Historic Measurements



Well Name: **DB-078 OBRECT, WALTER**


Owner: WALTER OBRECT

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|--|---------------------|---------------------------|
| Permit #: | 25802 - - | Location #: | SC00906525DBB | USGS Site ID: | |
| Division: | 1 | Water District: | 1 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section SE NW NW 25 | Twnshp 9 S Range 65 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4342927.0 | Easting (UTM x): 533887.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.234980 | -104.607360 | | | |
| Surface Elevation (ft): | 7020 | Top Perforated Interval (ft): | 150 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 333 | Bottom Perforated Interval (ft): | 320 | 1 year: | |
| Aquifer(s): | UPPER DAWSON | | | 5 year: | |
| | | | | 10 year: | -0.05 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 201.87 | 6818.13 | 0.05 |
| 9/17/2008 | 202.18 | 6817.82 | -0.31 |
| 6/8/2009 | 201.93 | 6818.07 | 0.25 |
| 4/21/2010 | 201.82 | 6818.18 | 0.11 |
| 4/9/2011 | 201.84 | 6818.16 | -0.02 |
| 5/11/2012 | 202.13 | 6817.87 | -0.29 |
| 6/4/2014 | 202.54 | 6817.46 | -0.41 |
| 7/8/2015 | | | |
| 5/24/2016 | | | |
| 5/27/2016 | 201.97 | 6818.03 | |
| 5/24/2017 | | | |
| 7/12/2018 | 202.23 | 6817.77 | |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-------------------------------|------------------------------|---|
| Well Name: | DB-080 EICELBURGER,M. | | | | Owner: |
| Permit #: | 55018- | - | Location #: SC00906634BCC | | USGS Site ID: |
| Division: | 1 | | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 Q40 Q10 Section NW SW SW 34 | | Twnshp Range PM 9 S 66 W S | | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4341844.0 | Easting (UTM x): | 519502.0 GPS | |
| Latitude/Longitude (decimal degrees): | | 39.225670 | | -104.774060 | |
| Surface Elevation (ft): | 7040 | Top Perforated Interval (ft): | 160 | Base of grout (ft): | 21 |
| Well depth (ft): | 320 | Bottom Perforated Interval (ft): | 320 | | Water Level Change |
| Aquifer(s): | DAWSON | | | | 1 year: 8.44 |
| | | | | | 5 year: 16.13 |
| | | | | | 10 year: 19.46 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 197.00 | 6843.00 | 2.12 |
| 9/22/2008 | 201.82 | 6838.18 | -4.82 |
| 6/8/2009 | 199.67 | 6840.33 | 2.15 |
| 4/21/2010 | 201.25 | 6838.75 | -1.58 |
| 4/9/2011 | 198.09 | 6841.91 | 3.16 |
| 5/11/2012 | 205.92 | 6834.08 | -7.83 |
| 4/25/2013 | 198.49 | 6841.51 | 7.43 |
| 6/4/2014 | 196.09 | 6843.91 | 2.40 |
| 7/14/2015 | 199.49 | 6840.51 | -3.40 |
| 5/25/2016 | 196.89 | 6843.11 | 2.60 |
| 5/24/2017 | 190.80 | 6849.20 | 6.09 |
| 7/12/2018 | 182.36 | 6857.64 | 8.44 |

All Historic Measurements




Well Name: **DB-084 ELBERT CHRISTIAN CHURCH**

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|--------------------------------|------------------------------|---|
| Permit #: | 32074- | - | Location #: | SC01006403AAB | Owner: |
| Division: | 1 | | Water District: | 1 | County: ELBERT |
| Location: | Q160 Q40 Q10 Section NE NE NW 3 | | Twnshp Range PM 10 S 64 W S | | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4340702.0 | Easting (UTM x): | 539913.0 GPS | |
| Latitude/Longitude (decimal degrees): | | 39.214680 | | -104.537670 | |
| Surface Elevation (ft): | 6743 | Top Perforated Interval (ft): | 90 | Base of grout (ft): | 78 |
| Well depth (ft): | 130 | Bottom Perforated Interval (ft): | 130 | | Water Level Change |
| Aquifer(s): | DAWSON | | | | 1 year: -0.64 |
| | | | | | 5 year: 0.36 |
| | | | | | 10 year: -0.28 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 22.49 | 6720.51 | -0.46 |
| 9/17/2008 | 22.99 | 6720.01 | -0.50 |
| 6/8/2009 | 22.19 | 6720.81 | 0.80 |
| 4/21/2010 | 22.47 | 6720.53 | -0.28 |
| 4/9/2011 | 22.58 | 6720.42 | -0.11 |
| 5/11/2012 | 22.67 | 6720.33 | -0.09 |
| 5/8/2013 | 22.93 | 6720.07 | -0.26 |
| 6/4/2014 | 22.66 | 6720.34 | 0.27 |
| 7/8/2015 | 21.69 | 6721.31 | 0.97 |
| 5/24/2016 | 21.67 | 6721.33 | 0.02 |
| 5/24/2017 | 22.31 | 6720.69 | -0.64 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|---------------|---------------------------|--|
| Well Name: | DB-085 PON.STHR.N.BAPT.ASSY. | | | | Owner: |
| Permit #: | 29756 - | - | Location #: | SC01006736ADB | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section NE SE NW 36 | Twnshp 10 S | Range 67 W | PM S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4332210.0 | Easting (UTM x): 514395.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.138955 | -104.833434 | | | |
| Surface Elevation (ft): | 7470 | Top Perforated Interval (ft): | 578 | Base of grout (ft): | 100 |
| Well depth (ft): | 908 | Bottom Perforated Interval (ft): | 908 | Water Level Change | |
| Aquifer(s): | DAWSON | | | 1 year: | -0.99 |
| | | | | 5 year: | 2.57 |
| | | | | 10 year: | -28.13 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/30/2008 | 441.67 | 7028.33 | -5.28 |
| 9/25/2008 | 435.09 | 7034.91 | 6.58 |
| 4/28/2010 | 441.04 | 7028.96 | -5.95 |
| 4/15/2011 | 467.88 | 7002.12 | -26.84 |
| 5/11/2012 | 467.91 | 7002.09 | -0.03 |
| 4/25/2013 | 472.37 | 6997.63 | -4.46 |
| 7/14/2015 | 461.20 | 7008.80 | 11.17 |
| 5/25/2016 | 462.89 | 7007.11 | -1.69 |
| 5/12/2017 | 468.81 | 7001.19 | -5.92 |
| 4/25/2018 | 469.80 | 7000.20 | -0.99 |

All Historic Measurements




Well Name: **DB-087 SOMERVOLD, GREG**

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|---------------|---------------------------|--|
| Permit #: | 41016 - | - | Location #: | SC01106509ABD | Owner: |
| Division: | 1 | Water District: | 8 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NE NW SE 9 | Twnshp 11 S | Range 65 W | PM S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4329215.0 | Easting (UTM x): 528630.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.111620 | -104.668850 | | | |
| Surface Elevation (ft): | 7370 | Top Perforated Interval (ft): | 210 | Base of grout (ft): | 30 |
| Well depth (ft): | 280 | Bottom Perforated Interval (ft): | 280 | Water Level Change | |
| Aquifer(s): | DAWSON | | | 1 year: | -1.91 |
| | | | | 5 year: | 1.36 |
| | | | | 10 year: | 7.11 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 112.56 | 7257.44 | 4.93 |
| 9/22/2008 | 113.65 | 7256.35 | -1.09 |
| 6/9/2009 | 112.91 | 7257.09 | 0.74 |
| 4/27/2010 | 107.88 | 7262.12 | 5.03 |
| 4/13/2011 | 109.59 | 7260.41 | -1.71 |
| 5/10/2012 | 111.74 | 7258.26 | -2.15 |
| 4/25/2013 | 113.95 | 7256.05 | -2.21 |
| 6/4/2014 | 116.71 | 7253.29 | -2.76 |
| 7/9/2015 | 112.54 | 7257.46 | 4.17 |
| 5/25/2016 | 108.47 | 7261.53 | 4.07 |
| 5/12/2017 | 110.38 | 7259.62 | -1.91 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-------------|---------------------|--------------------------------|--|
| Well Name: | DB-088 VAN WINGERDEN, ARIE | | | | Owner: | VAN WINGERDEN, ARIE |
| Permit #: | 43379 - | | | | Location #: | SC01106531DCA |
| Division: | 1 | | | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section SE SW NE 31 | | | | Twnshp Range PM 11 S 65 W S | County: EL PASO Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4321703.0 | Easting (UTM x): | 525273.0 | GPS |
| Latitude/Longitude (decimal degrees): | 39.044028 | | -104.707955 | | | |
| Surface Elevation (ft): | 7620 | Top Perforated Interval (ft): | 260 | Base of grout (ft): | 20 | Water Level Change |
| Well depth (ft): | 310 | Bottom Perforated Interval (ft): | 295 | | | 1 year: |
| Aquifer(s): | DAWSON | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 248.52 | 7371.48 | -10.40 |
| 9/22/2008 | 251.07 | 7368.93 | -2.55 |
| 6/9/2009 | 234.92 | 7385.08 | 16.15 |
| 4/27/2010 | 236.62 | 7383.38 | -1.70 |
| 4/13/2011 | 273.67 | 7346.33 | -37.05 |
| 5/10/2012 | 235.20 | 7384.80 | 38.47 |
| 4/25/2013 | 263.10 | 7356.90 | -27.90 |
| 6/2/2014 | 242.48 | 7377.52 | 20.62 |
| 7/9/2015 | 236.94 | 7383.06 | 5.54 |
| 5/25/2016 | 234.32 | 7385.68 | 2.62 |
| 5/12/2017 | 233.25 | 7386.75 | 1.07 |
| 4/25/2018 | | | |

All Historic Measurements




Well Name: **DB-089 PERSHBACHER, ED**

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------------------|---|---------------------------|
| Permit #: | 43596 - | Location #: | SC01106721DC | Owner: | ED PERSHBACHER |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section SE SW 21 | Twnshp Range PM 11 S 67 W S | | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4325132.0 | Easting (UTM x): | 508973.0 | GPS |
| Latitude/Longitude (decimal degrees): | 39.075250 | | -104.896270 | | |
| Surface Elevation (ft): | 7040 | Top Perforated Interval (ft): | 73 | Base of grout (ft): | 25 |
| Well depth (ft): | 250 | Bottom Perforated Interval (ft): | 250 | | Water Level Change |
| Aquifer(s): | DAWSON | | | | 1 year: -0.96 |
| | | | | | 5 year: -0.16 |
| | | | | | 10 year: -5.47 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/30/2008 | 27.25 | 7012.75 | 3.31 |
| 9/25/2008 | 51.61 | 6988.39 | -24.36 |
| 6/9/2009 | 41.87 | 6998.13 | 9.74 |
| 4/21/2010 | 56.39 | 6983.61 | -14.52 |
| 4/15/2011 | 28.59 | 7011.41 | 27.80 |
| 5/10/2012 | 31.06 | 7008.94 | -2.47 |
| 4/26/2013 | 32.56 | 7007.44 | -1.50 |
| 6/4/2014 | 32.33 | 7007.67 | 0.23 |
| 7/9/2015 | 30.69 | 7009.31 | 1.64 |
| 5/25/2016 | 46.35 | 6993.65 | -15.66 |
| 5/12/2017 | 31.76 | 7008.24 | 14.59 |
| 4/25/2018 | 32.72 | 7007.28 | -0.96 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | | |
|---------------------------------------|--------------------------|----------------------------------|------------------|---------------------------|-----------------|----------------------------|---|
| Well Name: | DB-095 GEDDI, SAM | | | | Owner: | AMERICAN CHRISTIAN COLLEGE | |
| Permit #: | 36034 - - | | | | Location #: | SC01206614BAA | |
| Division: | 2 | | | | Water District: | 10 | County: EL PASO |
| Location: | Q160 | Q40 | Q10 | Section NW NE NE 14 | Twnshp 12 S | Range 66 W S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4318025.0 | Easting (UTM x): | 521693.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | | 39.010980 | | | -104.749440 | | |
| Surface Elevation (ft): | 7095 | Top Perforated Interval (ft): | 180 | Base of grout (ft): | 58 | Water Level Change | |
| Well depth (ft): | 245 | Bottom Perforated Interval (ft): | 245 | | | 1 year: | 0.30 |
| Aquifer(s): | DAWSON | | | | | 5 year: | 4.02 |
| | | | | | | 10 year: | 9.81 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/30/2008 | 172.00 | 6923.00 | -0.58 |
| 9/25/2008 | 182.85 | 6912.15 | -10.85 |
| 6/9/2009 | 176.14 | 6918.86 | 6.71 |
| 4/27/2010 | 162.68 | 6932.32 | 13.46 |
| 4/13/2011 | 172.14 | 6922.86 | -9.46 |
| 5/10/2012 | 172.93 | 6922.07 | -0.79 |
| 4/25/2013 | 166.21 | 6928.79 | 6.72 |
| 6/2/2014 | 168.33 | 6926.67 | -2.12 |
| 7/9/2015 | 170.06 | 6924.94 | -1.73 |
| 5/25/2016 | 163.27 | 6931.73 | 6.79 |
| 5/12/2017 | 162.49 | 6932.51 | 0.78 |
| 4/25/2018 | 162.19 | 6932.81 | 0.30 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | |
|---------------------------------------|-----------------------------------|----------------------------------|------------------|---------------------------|------------------------------------|
| Well Name: | DB-101 PARKER RIDGE DAWSON | | | Owner: | PARKER WATER AND SANITATION DISTRI |
| Permit #: | 54381 - F - | | | Location #: | SC00606530AC |
| Division: | 1 | | | Water District: | 8 |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp Range PM |
| | NE | SW | | 30 | 6 S 65 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4372398.0 | Easting (UTM x): | 525372.8 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | | 39.500828 | | -104.704892 | |
| Surface Elevation (ft): | 6155 | Top Perforated Interval (ft): | 390 | Base of grout (ft): | 350 |
| Well depth (ft): | 685 | Bottom Perforated Interval (ft): | 665 | Water Level Change | |
| Aquifer(s): | LOWER DAWSON | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/31/2008 | 298.59 | 5856.41 | 1.41 |
| 10/31/2008 | 305.52 | 5849.48 | -6.93 |
| 3/4/2009 | 307.00 | 5848.00 | -1.48 |
| 10/13/2009 | 325.00 | 5830.00 | -18.00 |
| 3/1/2010 | 320.00 | 5835.00 | 5.00 |
| 10/16/2010 | 335.00 | 5820.00 | -15.00 |
| 3/5/2011 | 321.00 | 5834.00 | 14.00 |
| 10/11/2011 | 350.00 | 5805.00 | -29.00 |
| 5/3/2012 | 310.00 | 5845.00 | 40.00 |
| 9/25/2012 | 343.00 | 5812.00 | -33.00 |
| 3/29/2013 | 317.00 | 5838.00 | 26.00 |
| 10/31/2013 | 343.00 | 5812.00 | -26.00 |
| 4/30/2014 | 331.00 | 5824.00 | 12.00 |
| 10/11/2014 | 343.00 | 5812.00 | -12.00 |
| 4/10/2015 | 322.00 | 5833.00 | 21.00 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------------------|---------------------|----------------------------|---------------------------|-----------------|
| Well Name: | DB-101 RUETER-HESS DAWSON | | | | Owner: | PARKER WATER & SANITATION | |
| Permit #: | 54377 - F - | | | | Location #: | SC00606631DD | |
| Division: | 1 | | | | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 | Q40 | Q10 | Section SE | Twnshp SE | Range 31 | PM S |
| | | | | | 6 | 66 | W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4370015.0 | Easting (UTM x): | 515811.5 | Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | 39.479585 | | | -104.816154 | | | |
| Surface Elevation (ft): | 6260 | Top Perforated Interval (ft): | 425 | Base of grout (ft): | 365 | Water Level Change | |
| Well depth (ft): | 726 | Bottom Perforated Interval (ft): | 706 | | | 1 year: | |
| Aquifer(s): | LOWER DAWSON | | | | | | |
| | | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/28/2008 | 298.01 | 5961.99 | 99.99 |
| 10/16/2008 | 428.21 | 5831.79 | -130.20 |
| 4/13/2009 | 403.00 | 5857.00 | 25.21 |
| 10/3/2009 | 431.00 | 5829.00 | -28.00 |
| 3/4/2010 | 406.00 | 5854.00 | 25.00 |
| 10/5/2010 | 432.00 | 5828.00 | -26.00 |
| 3/10/2011 | 409.00 | 5851.00 | 23.00 |
| 10/31/2011 | 429.00 | 5831.00 | -20.00 |
| 3/8/2012 | 413.00 | 5847.00 | 16.00 |
| 10/17/2012 | 434.00 | 5826.00 | -21.00 |
| 3/27/2013 | 413.00 | 5847.00 | 21.00 |
| 10/31/2013 | 426.00 | 5834.00 | -13.00 |
| 3/20/2014 | 394.00 | 5866.00 | 32.00 |
| 10/11/2014 | 445.00 | 5815.00 | -51.00 |
| 4/10/2015 | 392.00 | 5868.00 | 53.00 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|----------------------------|--|-----------------|
| Well Name: | DB-101 STROH RANCH DW1DA | | | | Owner: |
| Permit #: | 30812 - F | | Location #: SC00606634CAA2 | | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SW NE NE 34 | Twnshp | Range PM 6 S 66 W S | Distance from section lines: From N/S line: | From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4370638.0 | Easting (UTM x): 520116.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.485110 | | -104.766090 | | |
| Surface Elevation (ft): | 5895 | Top Perforated Interval (ft): | 362 | Base of grout (ft): | 290 |
| Well depth (ft): | 561 | Bottom Perforated Interval (ft): | 541 | Water Level Change | |
| Aquifer(s): | DAWSON | | | | 1 year: |
| | | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/23/2008 | 85.78 | 5809.22 | 27.32 |
| 9/18/2008 | 155.10 | 5739.90 | -69.32 |
| 6/1/2009 | 314.47 | 5580.53 | -159.37 |
| 4/22/2010 | 314.47 | 5580.53 | 0.00 |
| 4/11/2011 | 419.09 | 5475.91 | -104.62 |
| 4/18/2013 | 239.00 | 5656.00 | 180.09 |
| 10/31/2013 | 175.00 | 5720.00 | 64.00 |
| 5/15/2014 | 149.00 | 5746.00 | 26.00 |
| 10/11/2014 | 211.00 | 5684.00 | -62.00 |
| 4/10/2015 | 149.00 | 5746.00 | 62.00 |

All Historic Measurements




Well Name: **DB-102 MONUMENT WELL 1**

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|---------------------------|--|---------------------------|------------------|
| Permit #: | 11349 - R | - R | Location #: | SC01106715AD | Owner: | TOWN OF MONUMENT |
| Division: | 2 | Water District: | 10 | County: | EL PASO | |
| Location: | Q160 Q40 Q10 Section NE SE 15 | Twnshp | Range PM 11 S 67 W S | Distance from section lines: From N/S line: | From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4327319.5 | | Easting (UTM x): 511201.4 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 39.094936 | | -104.870468 | | | |
| Surface Elevation (ft): | 6970 | Top Perforated Interval (ft): | 385 | Base of grout (ft): | Water Level Change | |
| Well depth (ft): | 565 | Bottom Perforated Interval (ft): | 535 | 1 year: | 1.00 | |
| Aquifer(s): | DAWSON | | | | 5 year: | |
| | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/26/2012 | 125.00 | 6845.00 | |
| 5/9/2014 | 181.22 | 6788.78 | -56.22 |
| 4/4/2015 | 179.70 | 6790.30 | 1.52 |
| 10/3/2015 | 188.00 | 6782.00 | -8.30 |
| 4/15/2016 | 149.00 | 6821.00 | 39.00 |
| 11/26/2016 | 177.00 | 6793.00 | -28.00 |
| 4/14/2017 | 165.00 | 6805.00 | 12.00 |
| 9/29/2017 | 163.00 | 6807.00 | 2.00 |
| 3/14/2018 | 164.00 | 6806.00 | -1.00 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-----|---------------------|-------------------------------|--|
| Well Name: | DB-105 CPMD LDA-10R | | | | Owner: | CASTLE PINES METRO DISTRICT |
| Permit #: | 65988 - F - | | | | Location #: | SC00706721BC |
| Division: | 1 | | | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section NW SW 21 | | | | Twnshp Range PM 7 S 67 W S | County: DOUGLAS Distance from section lines: From N/S line: 2166 N From E/W line: 1124 W |
| UTM Coordinates (NAD83): | Northing (UTM y): 4364413.0 | | | | Easting (UTM x): 508494.8 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | 39.429211 | | | | -104.901299 | |
| Surface Elevation (ft): | 6055 | Top Perforated Interval (ft): | 136 | Base of grout (ft): | 106 | Water Level Change |
| Well depth (ft): | 390 | Bottom Perforated Interval (ft): | 338 | | | 1 year: |
| Aquifer(s): | LOWER DAWSON | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/31/2009 | 129.26 | 5925.74 | 10.71 |
| 3/31/2010 | 126.67 | 5928.33 | 2.59 |
| 9/30/2012 | 122.00 | 5933.00 | 4.67 |
| 4/27/2013 | 120.00 | 5935.00 | 2.00 |
| 10/31/2013 | 124.00 | 5931.00 | -4.00 |
| 4/21/2014 | 122.00 | 5933.00 | 2.00 |
| 10/31/2014 | 116.00 | 5939.00 | 6.00 |
| 3/31/2015 | 122.00 | 5933.00 | -6.00 |
| 10/31/2015 | 133.00 | 5922.00 | -11.00 |
| 3/31/2016 | 133.00 | 5922.00 | 0.00 |

All Historic Measurements



Well Name: **DB-105 CPMD LDA-12**


Owner: CASTLE PINES METROPOLITAN DISTRICT

| | | | | |
|---------------------------------------|----------------------------------|----------------------------------|---|------------------------------|
| Permit #: | 67803 - F - | Location #: | SC00706716AA | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 Q40 Q10 Section NE NE 16 | Twnshp Range PM 7 S 67 W S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4366488.0 | | Easting (UTM x): 509583.8 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | 39.447899 | | -104.888618 | |
| Surface Elevation (ft): | 6455 | Top Perforated Interval (ft): | 666 | Base of grout (ft): 490 |
| Well depth (ft): | 860 | Bottom Perforated Interval (ft): | 805 | Water Level Change |
| Aquifer(s): | LOWER DAWSON | | | |
| | | | | |
| | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/24/2009 | 572.00 | 5883.00 | |
| 10/1/2009 | 502.00 | 5953.00 | 70.00 |
| 4/21/2011 | 576.00 | 5879.00 | -74.00 |
| 9/4/2012 | 980.00 | 5475.00 | -404.00 |
| 9/25/2013 | 583.00 | 5872.00 | 397.00 |
| 4/1/2014 | 578.00 | 5877.00 | 5.00 |
| 10/31/2014 | 582.00 | 5873.00 | -4.00 |
| 3/31/2015 | 582.00 | 5873.00 | 0.00 |
| 10/20/2015 | 590.00 | 5865.00 | -8.00 |
| 4/19/2016 | 593.00 | 5862.00 | -3.00 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | | |
|--|----------------------------------|--|--|--|----------------------------------|--|--|
| Well Name: | DB-117 STONEGATE TDW-5 | | | | Owner: | STONEGATE VILLAGE METROPOLITAN DI | |
| Permit #: | 238516 - - | | | | Location #: | SC00606617BC | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NW SW 17 | | | | Twnshp Range PM 6 S 66 W S | County: DOUGLAS Distance from section lines: From N/S line: 2684 S From E/W line: 1196 W | |
| UTM Coordinates (NAD83): Northing (UTM y): | 4375561.0 | | | | Easting (UTM x): | 516496.0 Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.529545 | | | | | -104.808058 | |
| Surface Elevation (ft): | 5883.96 | | | | Top Perforated Interval (ft): | 141 | |
| Well depth (ft): | 433 | | | | Bottom Perforated Interval (ft): | 433 | |
| Aquifer(s): | DAWSON | | | | | Water Level Change | |
| | | | | | | 1 year: 2.00 | |
| | | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/30/2008 | 125.00 | 5758.96 | -68.23 |
| 3/31/2009 | 91.00 | 5792.96 | 34.00 |
| 10/9/2009 | 103.00 | 5780.96 | -12.00 |
| 4/10/2010 | 111.00 | 5772.96 | -8.00 |
| 10/11/2010 | 122.00 | 5761.96 | -11.00 |
| 1/27/2011 | 107.00 | 5776.96 | 15.00 |
| 10/20/2011 | 121.00 | 5762.96 | -14.00 |
| 10/31/2012 | 132.00 | 5751.96 | -11.00 |
| 10/31/2013 | 115.00 | 5768.96 | 17.00 |
| 11/18/2014 | 109.00 | 5774.96 | 6.00 |
| 3/31/2015 | | | |
| 11/1/2015 | 116.00 | 5767.96 | |
| 8/3/2016 | 123.00 | 5760.96 | -7.00 |
| 5/8/2017 | 105.00 | 5778.96 | 18.00 |
| 4/18/2018 | 103.00 | 5780.96 | 2.00 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | |
|---------------------------------------|-----------------------------------|----------------------------------|--|---------------------------|---------------|
| Well Name: | DB-118 CASTLE ROCK WELL 16 | | | | Owner: |
| Permit #: | 26505 - F | | Location #: SC00806714DB3 | | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SE NW 14 | Twnshp Range PM 8 S 67 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4355952.0 | Easting (UTM x): 512369.8 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 39.352925 | | -104.856432 | | |
| Surface Elevation (ft): | 6345 | Top Perforated Interval (ft): | 356 | Base of grout (ft): | 225 |
| Well depth (ft): | | Bottom Perforated Interval (ft): | 652 | | |
| Aquifer(s): | DAWSON | | | | |
| | | | | Water Level Change | |
| | | | | 1 year: | |
| | | | | 5 year: | 0.80 |
| | | | | 10 year: | -10.20 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/14/2008 | 281.00 | 6064.00 | -2.20 |
| 10/31/2008 | 289.00 | 6056.00 | -8.00 |
| 5/15/2009 | 283.00 | 6062.00 | 6.00 |
| 4/13/2010 | 281.00 | 6064.00 | 2.00 |
| 5/24/2011 | 286.60 | 6058.40 | -5.60 |
| 3/23/2012 | 289.80 | 6055.20 | -3.20 |
| 3/20/2017 | 289.00 | 6056.00 | 0.80 |

All Historic Measurements



Well Name: **DB-120 WOODMOOR 6**


Owner:

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|---|---------------------------|---------|
| Permit #: | 3826 - F | Location #: | SC01106713AC | USGS Site ID: | |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NE SW 13 | Twnshp Range PM 11 S 67 W S | Distance from section lines: From N/S line: 1980 N From E/W line: 2000 E | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4327311.5 | Easting (UTM x): 514022.0 | Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | 39.094820 | | -104.837851 | | |
| Surface Elevation (ft): | 7509 | Top Perforated Interval (ft): | 230 | Base of grout (ft): | 96 |
| Well depth (ft): | | Bottom Perforated Interval (ft): | 800 | | |
| Aquifer(s): | DAWSON | | | | |
| | | | | Water Level Change | |
| | | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/14/2009 | 127.10 | 7381.90 | 80.70 |
| 1/13/2012 | 197.00 | 7312.00 | -69.90 |
| 4/1/2013 | 140.90 | 7368.10 | 56.10 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | | |
|---------------------------------------|--------------------------------|----------------------------------|------------------|---------------------|----------------------------|---------------------------|-----------------|
| Well Name: | DB-127 A-3 LOWER DAWSON | | | | Owner: | BLACKSTONE COUNTRY CLUB | |
| Permit #: | 64897 - F - | | | | Location #: | SC00606530CC | |
| Division: | 1 | | | | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 | Q40 | Q10 | Section SW SW | Twnshp 30 | Range 6 S | PM W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4371620.0 | Easting (UTM x): | 524573.1 | Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | 39.493841 | | | | -104.714222 | | |
| Surface Elevation (ft): | 6289 | Top Perforated Interval (ft): | 629 | Base of grout (ft): | 530 | Water Level Change | |
| Well depth (ft): | 799 | Bottom Perforated Interval (ft): | 789 | | | 1 year: | |
| Aquifer(s): | LOWER DAWSON | | | | | | |
| | | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/17/2008 | 433.15 | 5855.85 | -89.15 |
| 10/10/2008 | 453.94 | 5835.06 | -20.79 |
| 4/2/2009 | 444.00 | 5845.00 | 9.94 |
| 10/4/2009 | 453.00 | 5836.00 | -9.00 |
| 3/1/2010 | 444.00 | 5845.00 | 9.00 |
| 10/31/2010 | 465.00 | 5824.00 | -21.00 |
| 4/30/2011 | 451.00 | 5838.00 | 14.00 |
| 6/6/2012 | 471.70 | 5817.30 | -20.70 |
| 4/25/2013 | 458.00 | 5831.00 | 13.70 |
| 10/19/2014 | 496.00 | 5793.00 | -38.00 |
| 3/28/2015 | 466.00 | 5823.00 | 30.00 |
| 10/24/2015 | 493.00 | 5796.00 | -27.00 |
| 3/30/2016 | 480.00 | 5809.00 | 13.00 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | | |
|---------------------------------------|------------------------|----------------------------------|------------------|---------------------|----------------------------------|---------------------------|--------|
| Well Name: | DB-204 CO3_LTDW | | | Owner: | RICHMOND AMERICAN HOMES OF COLOR | | |
| Permit #: | 26262 - F - | | | Location #: | SC00706621CC1 | | |
| Division: | 1 | | | Water District: | 8 | | |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range | PM |
| | SW | SW | | 21 | 7 | S | 66 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4363725.0 | Easting (UTM x): | 517947.1 | GPS | | |
| Latitude/Longitude (decimal degrees): | | 39.422867 | | -104.791492 | | | |
| Surface Elevation (ft): | 6136.3 | Top Perforated Interval (ft): | 470 | Base of grout (ft): | 437 | Water Level Change | |
| Well depth (ft): | 755 | Bottom Perforated Interval (ft): | 725 | | | 1 year: | -30.09 |
| Aquifer(s): | LOWER DAWSON | | | | | 5 year: | -35.82 |
| | | | | | | 10 year: | -67.82 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/15/2008 | 317.24 | 5819.06 | -25.94 |
| 10/15/2008 | 329.95 | 5806.35 | -12.71 |
| 3/15/2009 | 329.10 | 5807.20 | 0.85 |
| 10/15/2009 | 338.18 | 5798.12 | -9.08 |
| 3/15/2010 | 336.68 | 5799.62 | 1.50 |
| 10/15/2010 | 339.50 | 5796.80 | -2.82 |
| 3/15/2011 | 335.29 | 5801.01 | 4.21 |
| 10/15/2011 | 339.26 | 5797.04 | -3.97 |
| 3/15/2012 | 337.03 | 5799.27 | 2.23 |
| 6/13/2013 | 361.95 | 5774.35 | -24.92 |
| 10/15/2013 | 369.13 | 5767.17 | -7.18 |
| 3/15/2014 | 356.60 | 5779.70 | 12.53 |
| 6/20/2014 | 365.16 | 5771.14 | -8.56 |
| 10/15/2014 | 365.39 | 5770.91 | -0.23 |
| 3/15/2015 | 357.97 | 5778.33 | 7.42 |
| 6/2/2015 | 352.02 | 5784.28 | 5.95 |
| 5/24/2016 | 356.23 | 5780.07 | -4.21 |
| 4/11/2017 | 367.68 | 5768.62 | -11.45 |
| 6/28/2018 | 397.77 | 5738.53 | -30.09 |


All Historic Measurements



DENVER BASIN
Dawson Aquifer(s)

| | | | | | |
|---------------------------------------|------------------------------------|-----------------------------------|--|---------------------------|---------------|
| Well Name: | JETENSKY,JAMES | | | | Owner: |
| Permit #: | 24796 - | - | Location #: | SC01306506ACD | USGS Site ID: |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NE SW SE 6 | Twnshp 13 S Range 65 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4311102.0 | Easting (UTM x): 525325.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 38.948498 | -104.707748 | | | |
| Surface Elevation (ft): | 6970 | Top Perforated Interval (ft): | 100 | Base of grout (ft): | 11 |
| Well depth (ft): | 170 | Bottom Perforated Interval (ft): | 170 | Water Level Change | |
| Aquifer(s): | DAWSON | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

All Historic Measurements




| | | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|---|---------------------|---------------|-----------------------------------|
| Well Name: | LDA-1 | | | | Owner: | CASTLE PINES NORTH METRO DISTRICT |
| Permit #: | 51246 - F | - | Location #: | SC00706708AA | USGS Site ID: | |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS | |
| Location: | Q160 Q40 Q10 Section NE NE 8 | Twnshp 7 S Range 67 W PM S | Distance from section lines: From N/S line: 170 N From E/W line: 220 E | | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4368237.0 | Easting (UTM x): 508093.3 | Spotted from section lines | | | |
| Latitude/Longitude (decimal degrees): | 39.463672 | -104.905918 | | | | |
| Surface Elevation (ft): | 6340 | Top Perforated Interval (ft): | 465 | Base of grout (ft): | 430 | Water Level Change |
| Well depth (ft): | 700 | Bottom Perforated Interval (ft): | 660 | 1 year: | | |
| Aquifer(s): | LOWER DAWSON | 5 year: | | 5 year: | | |
| | | 10 year: | | 10 year: | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 3/31/2008 | 552.31 | 5787.69 | -92.61 |
| 5/1/2013 | 477.12 | 5862.88 | 75.19 |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----|---------------------|-------------------------------|---|
| Well Name: | LITWAK,A. | | | | Owner: | |
| Permit #: | 66264 - | | | | Location #: | SC00906418ACD |
| Division: | 1 | | | | Water District: | 1 |
| Location: | Q160 Q40 Q10 Section NE SW SE 18 | | | | Twnshp Range PM 9 S 64 W S | County: ELBERT Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4346250.0 | | | | Easting (UTM x): 534944.0 | GPS |
| Latitude/Longitude (decimal degrees): | 39.264880 | | | | -104.594940 | |
| Surface Elevation (ft): | 6835 | Top Perforated Interval (ft): | 230 | Base of grout (ft): | 230 | Water Level Change |
| Well depth (ft): | 270 | Bottom Perforated Interval (ft): | 270 | | | 1 year: |
| Aquifer(s): | UPPER DAWSON | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 142.16 | 6692.84 | -0.20 |
| 9/17/2008 | 141.80 | 6693.20 | 0.36 |
| 6/8/2009 | 145.97 | 6689.03 | -4.17 |
| 4/21/2010 | | | |


All Historic Measurements



Well Name: MERIDIAN W&S UDA-4

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-------------------------------|---|---------------|---------------------------|
| Permit #: | 35171 - F | - | Location #: | SC00606711CC DWR2 | Owner: | |
| Division: | 1 | | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SW SW 11 | | Twnshp Range PM 6 S 67 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4376494.8 | | Easting (UTM x): 511600.3 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 39.538039 | | -104.865006 | | | |
| Surface Elevation (ft): | 5956 | Top Perforated Interval (ft): | 100 | Base of grout (ft): | 100 | Water Level Change |
| Well depth (ft): | 179 | Bottom Perforated Interval (ft): | 165 | | | 1 year: |
| Aquifer(s): | UPPER DAWSON | | | | | 5 year: |
| | | | | | | 10 year: |

All Historic Measurements




DENVER BASIN
Dawson Aquifer(s)

| | | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-----|---------------------|--------------------------------|--|
| Well Name: | STONE, DIANA | | | | Owner: | |
| Permit #: | 59534 - P - | | | | Location #: | SC01306506CDB |
| Division: | 2 | | | | Water District: | 10 |
| Location: | Q160 Q40 Q10 Section SW SE NW 6 | | | | Twnshp Range PM 13 S 65 W S | County: EL PASO Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4310779.0 | | | | Easting (UTM x): 525009.0 | GPS |
| Latitude/Longitude (decimal degrees): | 38.945597 | | | | -104.711406 | |
| Surface Elevation (ft): | 6962 | Top Perforated Interval (ft): | 210 | Base of grout (ft): | 10 | Water Level Change |
| Well depth (ft): | 330 | Bottom Perforated Interval (ft): | 320 | | | 1 year: |
| Aquifer(s): | DAWSON | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | | | |

All Historic Measurements




Well Name: **WALLDEN, GLEN**

| | | | | | | |
|---------------------------------------|-----------------------------|----------------------------------|-------------------------------|--|---------------|---------------------------|
| Permit #: | 113475 - | - | Location #: | SC00606534 | Owner: | GLEN WALLDEN |
| Division: | 1 | | Water District: | 2 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section 34 | | Twnshp Range PM 6 S 65 W S | Distance from section lines: From N/S line: 1500 N From E/W line: 400 W | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4371088.0 | | Easting (UTM x): 529183.0 | GPS -104.660634 | | |
| Latitude/Longitude (decimal degrees): | 39.488904 | | | | | |
| Surface Elevation (ft): | 6350 | Top Perforated Interval (ft): | 280 | Base of grout (ft): | 25 | Water Level Change |
| Well depth (ft): | 400 | Bottom Perforated Interval (ft): | 400 | | | 1 year: |
| Aquifer(s): | UPPER DAWSON | | | | | 5 year: |
| | | | | | | 10 year: |


Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | | | |

All Historic Measurements




DENVER AQUIFER



COLORADO
Division of Water Resources
Department of Natural Resources


State of Colorado -- Division of Water Resources
Denver Aquifer
Monitoring Well Locations



COLORADO
Division of Water Resources
Department of Natural Resources

State of Colorado -- Division of Water Resources

Denver Aquifer
2017-2018 Change in Water Level




COLORADO

Division of Water Resources
Department of Natural Resources

State of Colorado -- Division of Water Resources

Denver Aquifer

2013-2018 Change in Water Level



COLORADO
Division of Water Resources
Department of Natural Resources

State of Colorado -- Division of Water Resources

Denver Aquifer
2008-2018 Change in Water Level


DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|------------------------------|---------------------------|--|
| Well Name: | CARSON WELL | | | | Owner: | EAST VALLY METRO DISTRICT | |
| Permit #: | 2098 - F - R | | | | Location #: | SC00506619CD2 | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SW SE 19 | | | | Twnshp Range PM | ARAPAHOE | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4383019.3 | | | | Easting (UTM x): 515250.4 | Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.596771 | | | | Distance from section lines: | | |
| Surface Elevation (ft): | 5675 | Top Perforated Interval (ft): | 795 | Base of grout (ft): | 725 | Water Level Change | |
| Well depth (ft): | 1510 | Bottom Perforated Interval (ft): | 1485 | | | 1 year: | |
| Aquifer(s): | DENVER ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/31/2008 | 913.53 | 4761.47 | 131.47 |
| 9/30/2008 | 967.00 | 4708.00 | -53.47 |
| 3/31/2009 | 975.90 | 4699.10 | -8.90 |
| 10/30/2009 | 937.00 | 4738.00 | 38.90 |
| 3/31/2010 | 872.00 | 4803.00 | 65.00 |
| 12/30/2012 | 1112.00 | 4563.00 | -240.00 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/23/2008 | 692.43 | 5649.57 | -58.21 |
| 9/18/2008 | 744.41 | 5597.59 | -51.98 |
| 6/9/2009 | 743.25 | 5598.75 | 1.16 |
| 4/22/2010 | 694.74 | 5647.26 | 48.51 |
| 4/11/2011 | 675.57 | 5666.43 | 19.17 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|--|---------------------------|---------------|
| Well Name: | CASTLE OAKS TKD 9 | | | | Owner: |
| Permit #: | 24640 - F | | Location #: SC00806606ACC1 | | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section NE SW SW 6 | Twnshp Range PM 8 S 66 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4359549.0 | Easting (UTM x): 515466.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.385290 | | -104.820410 | | |
| Surface Elevation (ft): | 6466 | Top Perforated Interval (ft): | 1031 | Base of grout (ft): | 1000 |
| Well depth (ft): | 1628 | Bottom Perforated Interval (ft): | 1628 | Water Level Change | |
| Aquifer(s): | DENVER | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/23/2008 | 902.50 | 5563.50 | -63.50 |
| 10/3/2008 | 1010.00 | 5456.00 | -107.50 |
| 6/9/2009 | 958.80 | 5507.20 | 51.20 |
| 4/22/2010 | 885.04 | 5580.96 | 73.76 |
| 4/11/2011 | 851.59 | 5614.41 | 33.45 |


All Historic Measurements



Well Name: CASTLE PINES DE-10

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|--|---------------------|---------------------------|
| Permit #: | 16393 - F | - R | Location #: | SC00706721BC | Owner: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section NW SW 21 | Twnshp Range PM 7 S 67 W S | Distance from section lines: From N/S line: | 2000 N | From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4364463.0 | Easting (UTM x): 508243.8 | Spotted from section lines | | 300 W |
| Latitude/Longitude (decimal degrees): | 39.429664 | | -104.904215 | | |
| Surface Elevation (ft): | 6057 | Top Perforated Interval (ft): | 455 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 1205 | Bottom Perforated Interval (ft): | 1195 | 1 year: | |
| Aquifer(s): | DENVER | | | 5 year: | |
| | | | | 10 year: | |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----|---------------------|-------------------------------|---|
| Well Name: | CITY OF DENVER | | | | Owner: | |
| Permit #: | 43957 - - | | | | Location #: | SC00206633CDD |
| Division: | 1 | | | | Water District: | 2 |
| Location: | Q160 Q40 Q10 Section SW SE SE 33 | | | | Twnshp Range PM 2 S 66 W S | County: DENVER Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4408643.0 | | | | Easting (UTM x): 518703.3 | GPS |
| Latitude/Longitude (decimal degrees): | 39.827576 | | | | -104.781437 | |
| Surface Elevation (ft): | 5320 | Top Perforated Interval (ft): | 340 | Base of grout (ft): | 266 | Water Level Change |
| Well depth (ft): | 380 | Bottom Perforated Interval (ft): | 380 | | | 1 year: |
| Aquifer(s): | DENVER | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | | | |
| 9/15/2008 | 139.36 | 5180.64 | |
| 5/28/2009 | 126.40 | 5193.60 | 12.96 |
| 4/19/2010 | | | |

All Historic Measurements




Well Name: **DB-016 SMITH, ALBERT**

| | | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|---------------|---------------------|-------------------------------|--|
| Permit #: | 25579 - - | Location #: | SC00206603BBB | Owner: | | USGS Site ID: |
| Division: | 1 | | | | Water District: | 2 |
| Location: | Q160 Q40 Q10 Section NW NW NW 3 | | | | Twnshp Range PM 2 S 66 W S | County: ADAMS Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4418087.1 | | | | Easting (UTM x): 519651.5 | User supplied |
| Latitude/Longitude (decimal degrees): | 39.912650 | | | | -104.770070 | |
| Surface Elevation (ft): | 5130 | Top Perforated Interval (ft): | 50 | Base of grout (ft): | 45 | Water Level Change |
| Well depth (ft): | 160 | Bottom Perforated Interval (ft): | 160 | | | 1 year: -4.11 |
| Aquifer(s): | DENVER | | | | | 5 year: -1.78 |
| | | | | | | 10 year: 0.07 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 103.72 | 5026.28 | -2.96 |
| 9/15/2008 | 112.14 | 5017.86 | -8.42 |
| 5/28/2009 | 101.25 | 5028.75 | 10.89 |
| 4/19/2010 | 100.80 | 5029.20 | 0.45 |
| 4/6/2011 | 80.57 | 5049.43 | 20.23 |
| 4/26/2012 | 98.98 | 5031.02 | -18.41 |
| 4/8/2013 | 101.87 | 5028.13 | -2.89 |
| 5/20/2014 | 96.36 | 5033.64 | 5.51 |
| 5/14/2015 | 97.33 | 5032.67 | -0.97 |
| 6/1/2016 | 97.26 | 5032.74 | 0.07 |
| 5/3/2017 | 99.54 | 5030.46 | -2.28 |
| 6/7/2018 | 103.65 | 5026.35 | -4.11 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----|---------------------|-------------------------------|--|
| Well Name: | DB-021 HEEDE,J. | | | | Owner: | |
| Permit #: | 24057 - - | | | | Location #: | SC00306328ADA |
| Division: | 1 | | | | Water District: | 1 |
| Location: | Q160 Q40 Q10 Section NE SE NE 28 | | | | Twnshp Range PM 3 S 63 W S | County: ADAMS Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4401489.0 | | | | Easting (UTM x): 548500.0 | GPS |
| Latitude/Longitude (decimal degrees): | 39.761940 | | | | -104.433780 | |
| Surface Elevation (ft): | 5473 | Top Perforated Interval (ft): | 190 | Base of grout (ft): | 146 | Water Level Change |
| Well depth (ft): | 266 | Bottom Perforated Interval (ft): | 250 | | | 1 year: 0.75 |
| Aquifer(s): | DENVER | | | | | 5 year: -6.36 |
| | | | | | | 10 year: -41.67 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 121.54 | 5351.46 | 0.88 |
| 9/16/2008 | 122.49 | 5350.51 | -0.95 |
| 4/20/2010 | 121.91 | 5351.09 | 0.58 |
| 4/8/2011 | 120.41 | 5352.59 | 1.50 |
| 5/4/2012 | 153.03 | 5319.97 | -32.62 |
| 5/7/2013 | 156.85 | 5316.15 | -3.82 |
| 6/6/2014 | 165.09 | 5307.91 | -8.24 |
| 6/24/2015 | 173.29 | 5299.71 | -8.20 |
| 4/28/2016 | 163.54 | 5309.46 | 9.75 |
| 2/23/2017 | 163.96 | 5309.04 | -0.42 |
| 3/6/2018 | 163.21 | 5309.79 | 0.75 |

All Historic Measurements



Well Name:

DB-023 MOFFITT, R.


Owner:

| | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-------------------------------|---|
| Permit #: | 57117 - - | Location #: | SC00306615BAA | USGS Site ID: |
| Division: | 1 | | Water District: | 2 |
| Location: | Q160 Q40 Q10 Section NW NE NE 15 | | Twnshp Range PM 3 S 66 W S | County: DENVER Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4405309.0 | | Easting (UTM x): 520241.3 | User supplied |
| Latitude/Longitude (decimal degrees): | 39.797500 | | -104.763570 | |
| Surface Elevation (ft): | 5360 | Top Perforated Interval (ft): | 690 | Base of grout (ft): 460 |
| Well depth (ft): | 736 | Bottom Perforated Interval (ft): | 760 | Water Level Change |
| Aquifer(s): | DENVER UPPER ARAPAHOE | | | |
| 1 year: | | | | |
| 5 year: | | | | |
| 10 year: | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/21/2008 | 219.82 | 5140.18 | 9.59 |
| 9/15/2008 | 216.30 | 5143.70 | 3.52 |
| 5/28/2009 | 235.68 | 5124.32 | -19.38 |
| 4/19/2010 | 223.60 | 5136.40 | 12.08 |
| 4/6/2011 | 213.90 | 5146.10 | 9.70 |
| 4/27/2012 | 212.78 | 5147.22 | 1.12 |
| 4/8/2013 | 237.89 | 5122.11 | -25.11 |
| 5/23/2014 | 226.58 | 5133.42 | 11.31 |
| 3/31/2015 | 205.66 | 5154.34 | 20.92 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----------|---------------------|-------------------------------|--|-------|
| Well Name: | DB-030 MESSINA,A | | | | Owner: | | |
| Permit #: | 8639 - | | | | Location #: | SC00306928DAD | |
| Division: | 1 | | | | Water District: | 7 | |
| Location: | Q160 Q40 Q10 Section SE NE SE 28 | | | | Twnshp Range PM 3 S 69 W S | County: JEFFERSON Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4401074.0 | | Easting (UTM x): | 490536.0 GPS | |
| Latitude/Longitude (decimal degrees): | 39.759530 | | | | -105.110490 | | |
| Surface Elevation (ft): | 5578 | Top Perforated Interval (ft): | 17 | Base of grout (ft): | 10 | Water Level Change | |
| Well depth (ft): | 200 | Bottom Perforated Interval (ft): | 200 | | | 1 year: | -0.14 |
| Aquifer(s): | DENVER | | | | | 5 year: | -0.04 |
| | | | | | | 10 year: | 1.20 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/21/2008 | 14.31 | 5563.69 | -1.19 |
| 5/29/2009 | 13.20 | 5564.80 | 1.11 |
| 4/26/2010 | 12.55 | 5565.45 | 0.65 |
| 4/14/2011 | 13.40 | 5564.60 | -0.85 |
| 4/30/2012 | 12.97 | 5565.03 | 0.43 |
| 5/17/2013 | 13.07 | 5564.93 | -0.10 |
| 5/23/2014 | 12.20 | 5565.80 | 0.87 |
| 7/16/2015 | | | |
| 5/26/2016 | 12.09 | 5565.91 | |
| 5/15/2017 | 12.97 | 5565.03 | -0.88 |
| 6/27/2018 | 13.11 | 5564.89 | -0.14 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 304.42 | 5387.58 | 6.97 |
| 9/16/2008 | 315.80 | 5376.20 | -11.38 |
| 6/1/2009 | 308.58 | 5383.42 | 7.22 |
| 4/20/2010 | 305.02 | 5386.98 | 3.56 |
| 4/8/2011 | 305.90 | 5386.10 | -0.88 |
| 5/4/2012 | 309.63 | 5382.37 | -3.73 |
| 4/30/2013 | 309.10 | 5382.90 | 0.53 |
| 6/6/2014 | 310.08 | 5381.92 | -0.98 |
| 6/24/2015 | 309.04 | 5382.96 | 1.04 |
| 4/28/2016 | 311.96 | 5380.04 | -2.92 |
| 5/4/2017 | 310.37 | 5381.63 | 1.59 |
| 5/24/2018 | 311.65 | 5380.35 | -1.28 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | |
|---------------------------------------|---|----------------------------------|-----|---------------------|---------------------------|---------------------------|
| Well Name: | DB-035 WESTENDORF, M. | | | | Owner: | MARIAN GRAHLMAN |
| Permit #: | 53312 - | | | | Location #: | SC00406416CD DWR2 |
| Division: | 1 | | | | Water District: | 1 |
| Location: | Q160 Q40 Q10 Section SW SE 16 4 S 64 W S | | | | Twnshp Range PM | County: ARAPAHOE |
| UTM Coordinates (NAD83): | Northing (UTM y): 4394170.0 | | | | Easting (UTM x): 538058.0 | From N/S line: GPS |
| Latitude/Longitude (decimal degrees): | 39.696530 | | | | -104.556110 | |
| Surface Elevation (ft): | 5735 | Top Perforated Interval (ft): | 468 | Base of grout (ft): | 355 | Water Level Change |
| Well depth (ft): | 731 | Bottom Perforated Interval (ft): | 710 | | | 1 year: -8.22 |
| Aquifer(s): | DENVER | | | | | 5 year: -40.38 |
| | | | | | | 10 year: 18.57 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 418.00 | 5317.00 | -54.10 |
| 9/16/2008 | 406.21 | 5328.79 | 11.79 |
| 6/1/2009 | 388.24 | 5346.76 | 17.97 |
| 4/20/2010 | 327.38 | 5407.62 | 60.86 |
| 4/8/2011 | 336.00 | 5399.00 | -8.62 |
| 5/4/2012 | 351.39 | 5383.61 | -15.39 |
| 4/30/2013 | 359.05 | 5375.95 | -7.66 |
| 6/6/2014 | | | |
| 6/24/2015 | 377.65 | 5357.35 | |
| 4/28/2016 | 383.73 | 5351.27 | -6.08 |
| 5/4/2017 | 391.21 | 5343.79 | -7.48 |
| 5/24/2018 | 399.43 | 5335.57 | -8.22 |

All Historic Measurements




Well Name: **DB-036 SLINGERLAND, TABATHA**

| | | | | | |
|---------------------------------------|---|----------------------------------|---------------|---------------------|---|
| Permit #: | 69973 - | Location #: | SC00406502ABB | Owner: | USGS Site ID: |
| Division: | 1 | | | | Water District: 1 County: ARAPAHOE |
| Location: | Q160 Q40 Q10 Section NE NW NW 2 4 S 65 W S | | | | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4398817.0 | | | | Easting (UTM x): 531656.0 GPS |
| Latitude/Longitude (decimal degrees): | 39.738661 | | | | -104.630551 |
| Surface Elevation (ft): | 5587 | Top Perforated Interval (ft): | 470 | Base of grout (ft): | 365 |
| Well depth (ft): | | Bottom Perforated Interval (ft): | 530 | | Water Level Change |
| Aquifer(s): | DENVER | | | | 1 year: -3.53 |
| | | | | | 5 year: -13.87 |
| | | | | | 10 year: -29.63 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 238.59 | 5348.41 | -1.77 |
| 9/16/2008 | 240.30 | 5346.70 | -1.71 |
| 6/1/2009 | 239.62 | 5347.38 | 0.68 |
| 4/20/2010 | 242.26 | 5344.74 | -2.64 |
| 4/8/2011 | 235.31 | 5351.69 | 6.95 |
| 5/4/2012 | 249.28 | 5337.72 | -13.97 |
| 4/30/2013 | 254.35 | 5332.65 | -5.07 |
| 6/6/2014 | 258.42 | 5328.58 | -4.07 |
| 6/24/2015 | 258.51 | 5328.49 | -0.09 |
| 5/19/2016 | 260.85 | 5326.15 | -2.34 |
| 5/4/2017 | 264.69 | 5322.31 | -3.84 |
| 5/24/2018 | 268.22 | 5318.78 | -3.53 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|--|---------------------------|---------------|
| Well Name: | DB-048 REUTER,HOLLY | | | | Owner: |
| Permit #: | 29373 - | | Location #: SC01306434CCD | | USGS Site ID: |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section SW SW SE 34 | Twnshp Range PM 13 S 64 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4302322.9 | Easting (UTM x): 539417.5 | User supplied | | |
| Latitude/Longitude (decimal degrees): | 38.868870 | | -104.545630 | | |
| Surface Elevation (ft): | 6500 | Top Perforated Interval (ft): | 200 | Base of grout (ft): | 20 |
| Well depth (ft): | 265 | Bottom Perforated Interval (ft): | 265 | Water Level Change | |
| Aquifer(s): | DENVER | | | 1 year: | -3.11 |
| | | | | 5 year: | 4.72 |
| | | | | 10 year: | 1.62 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 40.70 | 6459.30 | |
| 9/22/2008 | | | |
| 6/9/2009 | | | |
| 4/27/2010 | 42.24 | 6457.76 | |
| 4/13/2011 | | | |
| 5/9/2012 | 43.15 | 6456.85 | |
| 4/26/2013 | 43.80 | 6456.20 | -0.65 |
| 6/2/2014 | | | |
| 7/9/2015 | 42.30 | 6457.70 | |
| 5/27/2016 | 40.77 | 6459.23 | 1.53 |
| 5/12/2017 | 35.97 | 6464.03 | 4.80 |
| 4/25/2018 | 39.08 | 6460.92 | -3.11 |

All Historic Measurements




Well Name: **DB-054 WHITEHEAD,C.B.**

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|--|---------------------|---------------------------|
| Permit #: | 10687 - | Location #: | SC00706208AAB | Owner: | |
| Division: | 1 | Water District: | 1 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section NE NE NW 8 | Twnshp Range PM 7 S 62 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4368237.0 | Easting (UTM x): 555639.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.461911 | | -104.353233 | | |
| Surface Elevation (ft): | 5972 | Top Perforated Interval (ft): | 531 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 685 | Bottom Perforated Interval (ft): | 616 | 1 year: | -1.24 |
| Aquifer(s): | DENVER | | | 5 year: | -5.97 |
| | ARAPAHOE | | | 10 year: | -8.06 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | 350.50 | 5621.50 | -2.61 |
| 9/23/2008 | 348.98 | 5623.02 | 1.52 |
| 4/28/2010 | 349.04 | 5622.96 | -0.06 |
| 4/12/2011 | 349.68 | 5622.32 | -0.64 |
| 5/8/2012 | 349.69 | 5622.31 | -0.01 |
| 5/7/2013 | 352.59 | 5619.41 | -2.90 |
| 5/28/2014 | 338.40 | 5633.60 | 14.19 |
| 7/8/2015 | 352.33 | 5619.67 | -13.93 |
| 5/19/2016 | | | |
| 5/24/2017 | 357.32 | 5614.68 | |
| 4/19/2018 | 358.56 | 5613.44 | -1.24 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | | |
|---------------------------------------|-------------------------------------|--|--|--|--------------------------------------|---|-------|--|
| Well Name: | DB-062 KLUTH, RALPH | | | | Owner: | | | |
| Permit #: | 14310 - | | | | Location #: | SC00806214CDC | | |
| Division: | 1 | | | | Water District: | 1 | | |
| Location: | Q160 Q40 Q10 Section SW SE SW 14 | | | | Twnshp Range PM | ELBERT Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4355653.0 | | | | Easting (UTM x): 559959.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.348239 | | | | -104.304146 | | | |
| Surface Elevation (ft): | 5973.04 | | | | Top Perforated Interval (ft): 320 | Base of grout (ft): | | |
| Well depth (ft): | 400 | | | | Bottom Perforated Interval (ft): 375 | | | |
| Aquifer(s): | DENVER | | | | | Water Level Change | | |
| | | | | | | 1 year: | -1.63 | |
| | | | | | | 5 year: | -1.38 | |
| | | | | | | 10 year: | -6.29 | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 169.90 | 5803.14 | -0.47 |
| 9/17/2008 | 167.80 | 5805.24 | 2.10 |
| 4/21/2010 | 169.89 | 5803.15 | -2.09 |
| 4/9/2011 | 177.72 | 5795.32 | -7.83 |
| 5/8/2012 | 171.47 | 5801.57 | 6.25 |
| 5/7/2013 | 174.81 | 5798.23 | -3.34 |
| 5/30/2014 | 172.65 | 5800.39 | 2.16 |
| 7/8/2015 | | | |
| 5/19/2016 | 171.78 | 5801.26 | |
| 5/4/2017 | 174.56 | 5798.48 | -2.78 |
| 5/24/2018 | 176.19 | 5796.85 | -1.63 |

All Historic Measurements




Well Name: **DB-063 DENVER BASIN COREHOLE**

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|--------------|---|---------------------------|-------|--|
| Permit #: | 216708 - | Location #: | SC00806317DB | Owner: | USGS Site ID: | | |
| Division: | 1 | Water District: | 1 | County: | ELBERT | | |
| Location: | Q160 Q40 Q10 Section SE NW 17 | Twnshp Range PM | 8 S 63 W S | Distance from section lines: From N/S line: 1800 S | From E/W line: 1800 E | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4356023.0 | Easting (UTM x): 545929.0 | GPS | | | | |
| Latitude/Longitude (decimal degrees): | 39.352432 | | | -104.466938 | | | |
| Surface Elevation (ft): | 6350 | Top Perforated Interval (ft): | 517 | Base of grout (ft): 419 | Water Level Change | | |
| Well depth (ft): | 2256 | Bottom Perforated Interval (ft): | 712 | | 1 year: | -0.19 | |
| Aquifer(s): | DENVER | | | | 5 year: | 3.52 | |
| | | | | | 10 year: | 7.42 | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 2/12/2008 | 331.55 | 6018.45 | -3.15 |
| 9/17/2008 | 329.70 | 6020.30 | 1.85 |
| 6/8/2009 | 329.95 | 6020.05 | -0.25 |
| 4/21/2010 | 328.70 | 6021.30 | 1.25 |
| 4/12/2011 | 326.66 | 6023.34 | 2.04 |
| 5/8/2012 | 326.54 | 6023.46 | 0.12 |
| 5/14/2013 | 327.65 | 6022.35 | -1.11 |
| 5/28/2014 | 326.64 | 6023.36 | 1.01 |
| 7/8/2015 | 324.13 | 6025.87 | 2.51 |
| 5/19/2016 | 323.02 | 6026.98 | 1.11 |
| 5/24/2017 | 323.94 | 6026.06 | -0.92 |
| 4/19/2018 | 324.13 | 6025.87 | -0.19 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|---------------|--|---------------|
| Well Name: | DB-068 PARK FUNDING TKD | | | | Owner: |
| Permit #: | 25596 - F | | Location #: | SC00806608DDC | |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SE SE SW 8 | Twnshp 8 S 66 W S | Range PM S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4357162.0 | Easting (UTM x): 517485.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.363739 | | -104.797032 | | |
| Surface Elevation (ft): | 6610 | Top Perforated Interval (ft): | 1516 | Base of grout (ft): | 1492 |
| Well depth (ft): | 1817 | Bottom Perforated Interval (ft): | 1817 | Water Level Change | |
| Aquifer(s): | DENVER | | | 1 year: | 10.63 |
| | | | | 5 year: | -40.17 |
| | | | | 10 year: | -57.27 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 9/18/2008 | 1334.30 | 5275.70 | -70.24 |
| 6/9/2009 | 1328.74 | 5281.26 | 5.56 |
| 4/22/2010 | 1328.28 | 5281.72 | 0.46 |
| 4/11/2011 | 1354.38 | 5255.62 | -26.10 |
| 5/15/2012 | 1390.80 | 5219.20 | -36.42 |
| 5/14/2013 | 1351.40 | 5258.60 | 39.40 |
| 6/24/2014 | 1357.15 | 5252.85 | -5.75 |
| 7/14/2015 | 1378.87 | 5231.13 | -21.72 |
| 4/20/2017 | 1402.20 | 5207.80 | -23.33 |
| 5/31/2018 | 1391.57 | 5218.43 | 10.63 |

All Historic Measurements




Well Name: **DB-072 CASTLEMAN**

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|---------------|--|--------------------------------------|
| Permit #: | 31571 - A | - | Location #: | SC00806812AAD | Owner: NOEL & SHERI CASTLEMAN |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section NE NE SE 12 | Twnshp 8 S 68 W S | Range PM S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4358234.0 | Easting (UTM x): 504945.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.373561 | | -104.942590 | | |
| Surface Elevation (ft): | 6140 | Top Perforated Interval (ft): | 218 | Base of grout (ft): | 120 |
| Well depth (ft): | 478 | Bottom Perforated Interval (ft): | 478 | Water Level Change | |
| Aquifer(s): | DENVER | | | 1 year: | -0.18 |
| | | | | 5 year: | -1.74 |
| | | | | 10 year: | -13.98 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/30/2008 | 198.65 | 5941.35 | -0.67 |
| 9/26/2008 | 208.82 | 5931.18 | -10.17 |
| 6/8/2009 | 203.30 | 5936.70 | 5.52 |
| 4/22/2010 | 201.43 | 5938.57 | 1.87 |
| 4/11/2011 | 202.86 | 5937.14 | -1.43 |
| 5/15/2012 | 210.69 | 5929.31 | -7.83 |
| 4/25/2013 | 210.89 | 5929.11 | -0.20 |
| 5/22/2014 | 210.64 | 5929.36 | 0.25 |
| 7/14/2015 | 212.58 | 5927.42 | -1.94 |
| 5/24/2016 | 209.20 | 5930.80 | 3.38 |
| 4/20/2017 | 212.45 | 5927.55 | -3.25 |
| 5/31/2018 | 212.63 | 5927.37 | -0.18 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | | |
|---------------------------------------|-----------------------------|----------------------------------|-----------------|---------------------------|---------------|---------------------------|---------|--|
| Well Name: | DB-074 HARPER, RICK | | | | Owner: | | | |
| Permit #: | 65657- | - | Location #: | SC00906132DCD | | USGS Site ID: | | |
| Division: | 1 | | Water District: | 1 | County: | ELBERT | | |
| Location: | Q160 | Q40 | Q10 | Section SE SW SE 32 | Twnshp 9 S | Range 61 W | PM S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4341107.0 | | | Easting (UTM x): 565467.0 | | | GPS | |
| Latitude/Longitude (decimal degrees): | 39.216777 | | | -104.241643 | | | | |
| Surface Elevation (ft): | 6090 | Top Perforated Interval (ft): | 467 | Base of grout (ft): | 303 | Water Level Change | | |
| Well depth (ft): | 567 | Bottom Perforated Interval (ft): | 567 | 1 year: | 5.11 | | | |
| Aquifer(s): | DENVER | | | | 5 year: | 4.03 | | |
| | | | | | 10 year: | 0.05 | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 128.29 | 5961.71 | -5.04 |
| 9/17/2008 | 126.48 | 5963.52 | 1.81 |
| 4/21/2010 | 124.00 | 5966.00 | 2.48 |
| 4/9/2011 | 135.97 | 5954.03 | -11.97 |
| 5/9/2012 | 124.22 | 5965.78 | 11.75 |
| 5/8/2013 | 132.27 | 5957.73 | -8.05 |
| 5/30/2014 | 130.65 | 5959.35 | 1.62 |
| 6/26/2015 | | | |
| 5/2/2016 | 122.95 | 5967.05 | |
| 5/4/2017 | 133.35 | 5956.65 | -10.40 |
| 5/24/2018 | 128.24 | 5961.76 | 5.11 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 5925 | 5925.00 | - |
| 9/17/2008 | 302 | 5926.02 | 1.02 |
| 4/21/2010 | 302 | 5925.00 | -1.02 |
| 4/9/2011 | 302 | 5926.02 | 1.02 |
| 5/8/2012 | 302 | 5925.00 | -1.02 |
| 5/30/2014 | 302 | 5926.02 | 1.02 |
| 6/26/2015 | | | |
| 5/2/2016 | 302 | 5925.00 | -1.02 |
| 5/4/2017 | 302 | 5926.02 | 1.02 |
| 5/24/2018 | 302 | 5925.00 | -1.02 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | | | |
|---------------------------------------|--------------------------|----------------------------------|-----------------|---------------------|-----------------|---------------------------|----------|-----|---|
| Well Name: | DB-079 MUELLER,P. | | | | Owner: | PHILLIP MUELLER | | | |
| Permit #: | 31769 - F | | - | Location #: | SC0090661ACA | | | | |
| Division: | 1 | | Water District: | 8 | | County: | DOUGLAS | | |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range | PM | | |
| | NE | SW | NE | 12 | 9 | S | 66 | W | S |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | | 4348536.0 | Easting (UTM x): | 523486.0 | GPS | |
| Latitude/Longitude (decimal degrees): | | | | | 39.285870 | -104.727670 | | | |
| Surface Elevation (ft): | 6690 | Top Perforated Interval (ft): | 1016 | Base of grout (ft): | 820 | Water Level Change | | | |
| Well depth (ft): | 1226 | Bottom Perforated Interval (ft): | 1226 | | | 1 year: | -2.08 | | |
| Aquifer(s): | DENVER | | | | | 5 year: | | | |
| | | | | | 10 year: | -2.09 | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 662.88 | 6027.12 | -19.87 |
| 9/22/2008 | 539.51 | 6150.49 | 123.37 |
| 6/8/2009 | 667.50 | 6022.50 | -127.99 |
| 4/21/2010 | 542.29 | 6147.71 | 125.21 |
| 4/9/2011 | 540.68 | 6149.32 | 1.61 |
| 6/24/2014 | 543.45 | 6146.55 | -2.77 |
| 7/14/2015 | 551.07 | 6138.93 | -7.62 |
| 5/27/2016 | 541.60 | 6148.40 | 9.47 |
| 5/24/2017 | 539.52 | 6150.48 | 2.08 |
| 7/12/2018 | 541.60 | 6148.40 | -2.08 |

All Historic Measurements



Well Name: **DB-092 LEE, FREDERICK**


Owner:

| | | | | | | | | | |
|---------------------------------------|-------------------|----------------------------------|-----------------|---------------------|-----------------|---------------------------|----------|------------------------------|---|
| Permit #: | 50038 - | | - | Location #: | SC01206207BDC | | | USGS Site ID: | |
| Division: | 2 | | Water District: | 10 | | County: | EL PASO | | |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range | PM | Distance from section lines: | |
| | NW | SE | SW | 7 | 12 | S | 62 | W | S |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | | 4319220.0 | Easting (UTM x): | 553697.5 | GPS | |
| Latitude/Longitude (decimal degrees): | | | | | 39.020369 | -104.379702 | | | |
| Surface Elevation (ft): | 6630 | Top Perforated Interval (ft): | 175 | Base of grout (ft): | 20 | Water Level Change | | | |
| Well depth (ft): | 315 | Bottom Perforated Interval (ft): | 315 | | | 1 year: | 0.79 | | |
| Aquifer(s): | DENVER | | | | | 5 year: | 4.30 | | |
| | | | | | 10 year: | 4.54 | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 117.12 | 6512.88 | -8.36 |
| 9/22/2008 | 129.69 | 6500.31 | -12.57 |
| 4/27/2010 | 111.88 | 6518.12 | 17.81 |
| 4/13/2011 | 118.13 | 6511.87 | -6.25 |
| 5/9/2012 | 117.97 | 6512.03 | 0.16 |
| 4/26/2013 | 116.88 | 6513.12 | 1.09 |
| 6/2/2014 | 123.66 | 6506.34 | -6.78 |
| 4/1/2015 | 118.23 | 6511.77 | 5.43 |
| 2/25/2016 | 120.17 | 6509.83 | -1.94 |
| 3/8/2017 | 113.37 | 6516.63 | 6.80 |
| 4/2/2018 | 112.58 | 6517.42 | 0.79 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----|---------------------|---------------------------|---------------------------|
| Well Name: | DB-093 KRUEGER, DAVE | | | | Owner: | |
| Permit #: | 62585 - - | | | | Location #: | SC01206325CBB1 |
| Division: | 2 | | | | Water District: | 10 |
| Location: | Q160 Q40 Q10 Section SW NW NW 25 | | | | Twnshp Range PM | County: EL PASO |
| UTM Coordinates (NAD83): | Northing (UTM y): 4314387.0 | | | | Easting (UTM x): 551641.0 | From N/S line: GPS |
| Latitude/Longitude (decimal degrees): | 38.976944 | | | | -104.403823 | |
| Surface Elevation (ft): | 6489.48 | Top Perforated Interval (ft): | 210 | Base of grout (ft): | 25 | Water Level Change |
| Well depth (ft): | 290 | Bottom Perforated Interval (ft): | 290 | | | 1 year: 4.84 |
| Aquifer(s): | DENVER | | | | | 5 year: -3.08 |
| | | | | | | 10 year: -8.07 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 60.48 | 6429.00 | 0.11 |
| 9/22/2008 | 60.97 | 6428.51 | -0.49 |
| 4/27/2010 | 61.44 | 6428.04 | -0.47 |
| 4/13/2011 | 63.34 | 6426.14 | -1.90 |
| 5/9/2012 | 63.13 | 6426.35 | 0.21 |
| 4/26/2013 | 65.47 | 6424.01 | -2.34 |
| 6/2/2014 | 65.76 | 6423.72 | -0.29 |
| 4/1/2015 | 63.96 | 6425.52 | 1.80 |
| 2/25/2016 | 67.39 | 6422.09 | -3.43 |
| 3/8/2017 | 73.39 | 6416.09 | -6.00 |
| 4/2/2018 | 68.55 | 6420.93 | 4.84 |

All Historic Measurements




Well Name: **DB-094 WESTERN MUSEUM OF MINING**

| | | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-------------|---------------------|---------------------------|---------------------------|
| Permit #: | 17473 - F | - | Location #: | SC01206608BCC | Owner: | |
| Division: | 2 | | | | Water District: | 10 |
| Location: | Q160 Q40 Q10 Section NW SW SW 8 | | | | Twnshp Range PM | County: EL PASO |
| UTM Coordinates (NAD83): | Northing (UTM y): 4319156.0 | | | | Easting (UTM x): 516422.0 | From N/S line: GPS |
| Latitude/Longitude (decimal degrees): | 39.021287 | | | | -104.810295 | |
| Surface Elevation (ft): | 6763 | Top Perforated Interval (ft): | 395 | Base of grout (ft): | 400 | Water Level Change |
| Well depth (ft): | 751 | Bottom Perforated Interval (ft): | 740 | | | 1 year: 4.00 |
| Aquifer(s): | DENVER | | | | | 5 year: 15.74 |
| | | | | | | 10 year: -1.97 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/30/2008 | 241.54 | 6521.46 | -10.85 |
| 9/25/2008 | 258.33 | 6504.67 | -16.79 |
| 6/9/2009 | 255.57 | 6507.43 | 2.76 |
| 4/28/2010 | 233.03 | 6529.97 | 22.54 |
| 4/15/2011 | 238.33 | 6524.67 | -5.30 |
| 5/10/2012 | 238.45 | 6524.55 | -0.12 |
| 4/25/2013 | 259.25 | 6503.75 | -20.80 |
| 6/2/2014 | 250.78 | 6512.22 | 8.47 |
| 7/9/2015 | 247.56 | 6515.44 | 3.22 |
| 5/25/2016 | 240.85 | 6522.15 | 6.71 |
| 5/12/2017 | 247.51 | 6515.49 | -6.66 |
| 4/25/2018 | 243.51 | 6519.49 | 4.00 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----------------|--|---------------|
| Well Name: | DB-099 VEITH,E. | | | Owner: | |
| Permit #: | 36743- | - | Location #: | SC01306418CBC | USGS Site ID: |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section SW NW SW 18 | Twnshp 13 S | Range 64 W S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4307633.9 | Easting (UTM x): 534029.5 | User supplied | | |
| Latitude/Longitude (decimal degrees): | 38.916950 | -104.607470 | | | |
| Surface Elevation (ft): | 6800 | Top Perforated Interval (ft): | 290 | Base of grout (ft): | 25 |
| Well depth (ft): | 350 | Bottom Perforated Interval (ft): | 350 | Water Level Change | |
| Aquifer(s): | DENVER | | | 1 year: | -1.36 |
| | | | | 5 year: | 5.29 |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 9/22/2008 | 36.38 | 6763.62 | -1.88 |
| 6/9/2009 | 36.73 | 6763.27 | -0.35 |
| 4/27/2010 | 35.89 | 6764.11 | 0.84 |
| 4/13/2011 | 38.59 | 6761.41 | -2.70 |
| 5/10/2012 | 36.06 | 6763.94 | 2.53 |
| 4/26/2013 | 40.45 | 6759.55 | -4.39 |
| 6/2/2014 | 54.49 | 6745.51 | -14.04 |
| 7/9/2015 | | | |
| 5/27/2016 | 39.82 | 6760.18 | |
| 5/12/2017 | 33.80 | 6766.20 | 6.02 |
| 4/25/2018 | 35.16 | 6764.84 | -1.36 |

All Historic Measurements



Well Name: **DB-100 BENNETT WELL #5**


Owner:

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-----------------|--|--------|
| Permit #: | 16556 - F - R | Location #: | SC00306327AD | USGS Site ID: | |
| Division: | 1 | Water District: | 1 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section NE SE 27 | Twnshp 3 S | Range 63 W S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4401857.6 | Easting (UTM x): 548568.5 | User supplied | | |
| Latitude/Longitude (decimal degrees): | 39.765260 | -104.432950 | | | |
| Surface Elevation (ft): | 5485 | Top Perforated Interval (ft): | 359 | Base of grout (ft): | 265 |
| Well depth (ft): | 649 | Bottom Perforated Interval (ft): | 609 | Water Level Change | |
| Aquifer(s): | DENVER | | | 1 year: | -7.00 |
| | ARAPAHOE | | | 5 year: | 48.30 |
| | | | | 10 year: | -33.52 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 9/16/2008 | 441.30 | 5043.70 | -157.82 |
| 4/20/2010 | 297.72 | 5187.28 | 143.58 |
| 4/8/2011 | 326.00 | 5159.00 | -28.28 |
| 5/3/2012 | 365.30 | 5119.70 | -39.30 |
| 5/7/2013 | 260.50 | 5224.50 | 104.80 |
| 6/6/2014 | 289.20 | 5195.80 | -28.70 |
| 9/23/2014 | 322.00 | 5163.00 | -32.80 |
| 4/14/2015 | 256.00 | 5229.00 | 66.00 |
| 9/30/2015 | 356.00 | 5129.00 | -100.00 |
| 4/11/2016 | 310.00 | 5175.00 | 46.00 |
| 9/6/2016 | 317.00 | 5168.00 | -7.00 |
| 4/26/2017 | 317.00 | 5168.00 | 0.00 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|---|
| Well Name: | DB-101 RUETER-HESS DENVER | | | | Owner: | PARKER WATER & SANITATION |
| Permit #: | 54376 - F - | | | | Location #: | SC00606631DD |
| Division: | 1 | | | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section SE SE 31 | | | | Twnshp Range PM 6 S 66 W S | County: DOUGLAS Distance from section lines: From N/S line: 600 S From E/W line: 1100 E |
| UTM Coordinates (NAD83): | Northing (UTM y): 4370045.5 | | | | Easting (UTM x): 515811.6 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | 39.479860 | | | | -104.816152 | |
| Surface Elevation (ft): | 6260 | Top Perforated Interval (ft): | 826 | Base of grout (ft): | 730 | Water Level Change |
| Well depth (ft): | 1613 | Bottom Perforated Interval (ft): | 1598 | | | 1 year: |
| Aquifer(s): | DENVER | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

All Historic Measurements

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/23/2008 | 776.18 | 5483.82 | 106.82 |
| 10/18/2008 | 875.51 | 5384.49 | -99.33 |
| 5/15/2009 | 749.00 | 5511.00 | 126.51 |
| 10/31/2009 | 785.00 | 5475.00 | -36.00 |
| 3/15/2010 | 738.00 | 5522.00 | 47.00 |
| 10/31/2010 | 806.00 | 5454.00 | -68.00 |
| 3/22/2011 | 742.00 | 5518.00 | 64.00 |
| 10/31/2011 | 804.00 | 5456.00 | -62.00 |
| 3/31/2012 | 776.00 | 5484.00 | 28.00 |
| 10/31/2012 | 786.00 | 5474.00 | -10.00 |
| 3/25/2013 | 746.00 | 5514.00 | 40.00 |
| 10/31/2013 | 818.00 | 5442.00 | -72.00 |
| 3/26/2014 | 750.00 | 5510.00 | 68.00 |
| 10/11/2014 | 725.00 | 5535.00 | 25.00 |
| 4/10/2015 | 721.00 | 5539.00 | 4.00 |




DENVER BASIN
Denver Aquifer

| | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|------|---------------------|-------------------------------|--|
| Well Name: | DB-101 STROH RANCH DW1DE | | | | Owner: | PARKER WATER AND SANITATION DISTRI |
| Permit #: | 30813 - F | | | | Location #: | SC00606634CAA3 |
| Division: | 1 | | | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section SW NE NE 34 | | | | Twnshp Range PM 6 S 66 W S | County: DOUGLAS Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4370630.0 | | | | Easting (UTM x): 520107.0 | GPS |
| Latitude/Longitude (decimal degrees): | 39.485040 | | | | -104.766190 | |
| Surface Elevation (ft): | 5895 | Top Perforated Interval (ft): | 688 | Base of grout (ft): | 590 | Water Level Change |
| Well depth (ft): | 1235 | Bottom Perforated Interval (ft): | 1220 | | | 1 year: |
| Aquifer(s): | DENVER | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 9/18/2008 | 816.60 | 5078.40 | -64.30 |
| 6/1/2009 | 800.81 | 5094.19 | 15.79 |
| 4/22/2010 | 999.47 | 4895.53 | -198.66 |
| 4/11/2011 | 1100.02 | 4794.98 | -100.55 |
| 4/18/2013 | 903.67 | 4991.33 | 196.35 |
| 10/31/2013 | 801.00 | 5094.00 | 102.67 |
| 3/26/2014 | 779.00 | 5116.00 | 22.00 |
| 10/11/2014 | 874.00 | 5021.00 | -95.00 |
| 4/10/2015 | 770.00 | 5125.00 | 104.00 |

All Historic Measurements




Well Name: **DB-102 MONUMENT WELL 2**

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|--------------------------------|---|---------------|---------------------------|
| Permit #: | 11350 - R | - R | Location #: | SC01106714BB | Owner: | |
| Division: | 2 | | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NW NW 14 | | Twnshp Range PM 11 S 67 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4327727.0 | | Easting (UTM x): 511607.3 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 39.098598 | | -104.865768 | | | |
| Surface Elevation (ft): | 7040 | Top Perforated Interval (ft): | | Base of grout (ft): | | Water Level Change |
| Well depth (ft): | 985 | Bottom Perforated Interval (ft): | | | | 1 year: -59.30 |
| Aquifer(s): | DENVER | | | | | 5 year: -12.50 |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 9/15/2010 | 265.00 | 6775.00 | 5.00 |
| 3/15/2011 | 290.00 | 6750.00 | -25.00 |
| 3/26/2013 | 349.00 | 6691.00 | -59.00 |
| 5/9/2014 | 343.08 | 6696.92 | 5.92 |
| 4/5/2015 | 399.50 | 6640.50 | -56.42 |
| 10/1/2015 | 347.50 | 6692.50 | 52.00 |
| 4/9/2016 | 353.70 | 6686.30 | -6.20 |
| 11/14/2016 | 532.50 | 6507.50 | -178.80 |
| 4/10/2017 | 302.20 | 6737.80 | 230.30 |
| 10/25/2017 | 338.20 | 6701.80 | -36.00 |
| 4/10/2018 | 361.50 | 6678.50 | -23.30 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|---|--|
| Well Name: | DB-105 CPMD ASLAN DE-1 | | | | Owner: | CASTLE PINES METRO DISTRICT | |
| Permit #: | 62492 - F - | | | | Location #: | SC00706716BA | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NW NE 16 | | | | Twnshp Range PM 7 S 67 W S | County: DOUGLAS Distance from section lines: From N/S line: 904 N From E/W line: 2901 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4366409.5 | | | | Easting (UTM x): 508902.9 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.447197 | | | | -104.896531 | | |
| Surface Elevation (ft): | 6610 | Top Perforated Interval (ft): | 1140 | Base of grout (ft): | 1030 | Water Level Change | |
| Well depth (ft): | 1910 | Bottom Perforated Interval (ft): | 1864 | | | 1 year: | |
| Aquifer(s): | DENVER | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/1/2008 | 1205.00 | 5405.00 | 14.00 |
| 10/31/2009 | 1177.54 | 5432.46 | 27.46 |
| 3/31/2010 | 1198.00 | 5412.00 | -20.46 |
| 9/22/2012 | 1342.00 | 5268.00 | -144.00 |
| 5/1/2013 | 1340.00 | 5270.00 | 2.00 |
| 10/31/2013 | 1340.00 | 5270.00 | 0.00 |
| 3/31/2014 | | | |
| 5/1/2014 | 1340.00 | 5270.00 | |
| 10/31/2014 | | | |
| 3/31/2015 | | | |
| 10/31/2015 | | | |
| 3/31/2016 | | | |

All Historic Measurements



Well Name: **DB-105 CPMD ASLAN DE-2**


Owner: CASTLE PINES METRO DISTRICT

| | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------------------------------|----------------------------|
| Permit #: | 62491 - F - | Location #: | SC00706716AA | USGS Site ID: |
| Division: | 1 | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section NE NE 16 | | County: | DOUGLAS |
| | | | Distance from section lines: | |
| | | | From N/S line: | 691 N From E/W line: 488 E |
| UTM Coordinates (NAD83): | Northing (UTM y): 4366479.5 | | Easting (UTM x): 509638.8 | Spotted from section lines |
| Latitude/Longitude (decimal degrees): | 39.447820 | | -104.887977 | |
| Surface Elevation (ft): | 6494 | Top Perforated Interval (ft): | 1151 | Base of grout (ft): 900 |
| Well depth (ft): | 1745 | Bottom Perforated Interval (ft): | 1694 | Water Level Change |
| Aquifer(s): | DENVER | | | |
| | | | | |
| 1 year: | | | | |
| 5 year: | | | | |
| 10 year: | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/21/2008 | 1175.00 | 5319.00 | -16.00 |
| 10/31/2009 | 1141.55 | 5352.45 | 33.45 |
| 3/1/2010 | 1153.30 | 5340.70 | -11.75 |
| 3/25/2012 | 1244.00 | 5250.00 | -90.70 |
| 9/22/2012 | 1229.00 | 5265.00 | 15.00 |
| 10/31/2013 | 1294.00 | 5200.00 | -65.00 |
| 5/1/2014 | | | |
| 10/29/2014 | 1214.00 | 5280.00 | |
| 3/1/2015 | 1205.00 | 5289.00 | 9.00 |
| 10/31/2015 | 1524.00 | 4970.00 | -319.00 |
| 3/31/2016 | 1516.00 | 4978.00 | 8.00 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | |
|---------------------------------------|--------------------------|----------------------------------|-------------------------------|---------------------|-------------------------------|
| Well Name: | DB-105 CPMD DE-10 | | | | Owner: |
| Permit #: | 45320 - F | | Location #: SC00706721BC DWR1 | | USGS Site ID: |
| Division: | 1 | | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range PM | Distance from section lines: |
| | NW SW | 21 | 7 S | 67 W S | From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4364480.2 | Easting (UTM x): | 508355.1 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | | 39.429817 | | -104.902922 | |
| Surface Elevation (ft): | 6057 | Top Perforated Interval (ft): | 455 | Base of grout (ft): | 420 |
| Well depth (ft): | 1205 | Bottom Perforated Interval (ft): | 1195 | | Water Level Change |
| Aquifer(s): | DENVER | | | | 1 year: |
| | | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/31/2009 | 892.94 | 5164.06 | -352.94 |
| 3/28/2010 | 798.27 | 5258.73 | 94.67 |
| 9/6/2012 | 856.00 | 5201.00 | -57.73 |
| 4/3/2013 | 846.00 | 5211.00 | 10.00 |
| 10/31/2013 | 850.00 | 5207.00 | -4.00 |
| 4/21/2014 | 830.00 | 5227.00 | 20.00 |
| 10/31/2014 | 825.00 | 5232.00 | 5.00 |
| 3/31/2015 | 813.00 | 5244.00 | 12.00 |
| 10/31/2015 | 825.00 | 5232.00 | -12.00 |
| 4/25/2016 | 820.00 | 5237.00 | 5.00 |

All Historic Measurements



Well Name:

DB-105 CPMD DE-8


Owner: CASTLE PINES METROPOLITAN DISTRICT

| | | | | | |
|---------------------------------------|-------------------|----------------------------------|------------------|---------------------|--|
| Permit #: | 52914 - F | - | Location #: | SC00706721AD | USGS Site ID: |
| Division: | 1 | | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range PM | Distance from section lines: |
| | NE SE | 21 | 7 S | 67 W S | From N/S line: 2430 N From E/W line: 220 E |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4364336.5 | Easting (UTM x): | 509709.2 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | | 39.428509 | | -104.887190 | |
| Surface Elevation (ft): | 6130 | Top Perforated Interval (ft): | 457 | Base of grout (ft): | 434 |
| Well depth (ft): | 1410 | Bottom Perforated Interval (ft): | 1380 | | Water Level Change |
| Aquifer(s): | DENVER | | | | 1 year: |
| | | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/31/2009 | 869.80 | 5260.20 | -164.80 |
| 3/31/2010 | 836.10 | 5293.90 | 33.70 |
| 10/1/2012 | 944.00 | 5186.00 | -107.90 |
| 4/17/2013 | 889.00 | 5241.00 | 55.00 |
| 10/31/2013 | 529.00 | 5601.00 | 360.00 |
| 5/1/2014 | 503.00 | 5627.00 | 26.00 |
| 10/31/2014 | 497.00 | 5633.00 | 6.00 |
| 3/31/2015 | 468.00 | 5662.00 | 29.00 |
| 10/31/2015 | 560.00 | 5570.00 | -92.00 |
| 3/31/2016 | 488.00 | 5642.00 | 72.00 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|--|--------|
| Well Name: | DB-106 CPNMD DE-6 | | | | Owner: | CASTLE PINES NORTH METRO DISTRICT | |
| Permit #: | 56812 - F - | | | | Location #: | SC00606732AC | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NE SW 32 | | | | Twnshp Range PM 6 S 67 W S | County: DOUGLAS Distance from section lines: From N/S line: 1713 N From E/W line: 2126 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4370945.0 | | | | Easting (UTM x): 507557.3 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.488077 | | | | -104.912118 | | |
| Surface Elevation (ft): | 6440 | Top Perforated Interval (ft): | 976 | Base of grout (ft): | 800 | Water Level Change | |
| Well depth (ft): | 1590 | Bottom Perforated Interval (ft): | 1560 | | | 1 year: | -28.71 |
| Aquifer(s): | DENVER | | | | | 5 year: | |
| | | | | | | 10 year: | 192.15 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/26/2008 | 1100.46 | 5339.54 | -11.78 |
| 5/1/2013 | 1182.74 | 5257.26 | -82.28 |
| 10/1/2013 | 1147.00 | 5293.00 | 35.74 |
| 3/1/2014 | 1126.00 | 5314.00 | 21.00 |
| 10/1/2014 | 1106.84 | 5333.16 | 19.16 |
| 3/1/2015 | 1106.84 | 5333.16 | 0.00 |
| 9/16/2015 | 1120.03 | 5319.97 | -13.19 |
| 5/15/2016 | 1111.23 | 5328.77 | 8.80 |
| 9/30/2016 | 1111.24 | 5328.76 | -0.01 |
| 5/31/2017 | 1139.94 | 5300.06 | -28.70 |

All Historic Measurements




| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-------------|---------------------|-------------------------------|--|--|
| Well Name: | DB-106 CPNMD DE-7 | | | | Owner: | CASTLE PINES NORTH METRO DISTRICT | |
| Permit #: | 55837 - F - | | Location #: | SC00606733DC DWR2 | | USGS Site ID: | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SE SW 33 | | | | Twnshp Range PM 6 S 67 W S | County: DOUGLAS Distance from section lines: From N/S line: 40 S From E/W line: 2050 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4369862.0 | | | | Easting (UTM x): 509143.1 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.478302 | | | | -104.893692 | | |
| Surface Elevation (ft): | 6309 | Top Perforated Interval (ft): | | Base of grout (ft): | | Water Level Change | |
| Well depth (ft): | 1490 | Bottom Perforated Interval (ft): | | | | 1 year: | |
| Aquifer(s): | DENVER | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/20/2008 | 848.78 | 5460.22 | -4.93 |
| 10/30/2008 | 847.14 | 5461.86 | 1.64 |
| 4/30/2009 | 1111.67 | 5197.33 | -264.53 |
| 10/30/2009 | 832.82 | 5476.18 | 278.85 |
| 4/30/2010 | 840.70 | 5468.30 | -7.88 |
| 10/30/2010 | 833.93 | 5475.07 | 6.77 |
| 10/1/2013 | 1003.00 | 5306.00 | -169.07 |
| 3/1/2014 | 985.00 | 5324.00 | 18.00 |
| 10/1/2014 | 968.00 | 5341.00 | 17.00 |
| 3/1/2015 | 968.00 | 5341.00 | 0.00 |
| 9/16/2015 | 822.61 | 5486.39 | 145.39 |
| 5/15/2016 | 768.95 | 5540.05 | 53.66 |
| 9/30/2016 | 768.50 | 5540.50 | 0.45 |
| 5/31/2017 | | | |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-------------------------|------------------------------|------------------------------|
| Well Name: | DB-107 2-B USAF ACDMY | | | | Owner: |
| Permit #: | 14937 - F | | Location #: | SC01206701CCB | |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section SW SW NW 1 | Twnshp | Range PM 12 S 67 W S | Distance from section lines: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4320135.6 | Easting (UTM x): | 513113.0 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | | 39.030171 | | -104.848501 | |
| Surface Elevation (ft): | 6640 | Top Perforated Interval (ft): | 124 | Base of grout (ft): | 120 |
| Well depth (ft): | 677 | Bottom Perforated Interval (ft): | 677 | Water Level Change | |
| Aquifer(s): | DENVER | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/22/2008 | 124.00 | 6516.00 | -5.00 |
| 3/2/2009 | 137.30 | 6502.70 | -13.30 |
| 10/2/2009 | 166.00 | 6474.00 | -28.70 |
| 3/6/2010 | 149.00 | 6491.00 | 17.00 |
| 12/3/2010 | 145.00 | 6495.00 | 4.00 |
| 3/6/2011 | 119.90 | 6520.10 | 25.10 |
| 3/12/2012 | 159.00 | 6481.00 | -39.10 |
| 3/5/2013 | 191.20 | 6448.80 | -32.20 |
| 11/8/2013 | 203.90 | 6436.10 | -12.70 |
| 3/17/2014 | 176.70 | 6463.30 | 27.20 |
| 1/7/2015 | 192.40 | 6447.60 | -15.70 |


All Historic Measurements



Measurements from last 10 years

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-------------------------|------------------------------|------------------------------|
| Well Name: | DB-107 3-A USAF ACDMY | | | | Owner: |
| Permit #: | 13683 - F | | Location #: | SC01206713AD | |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NE SE 13 | Twnshp | Range PM 12 S 67 W S | Distance from section lines: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4317618.5 | Easting (UTM x): | 514426.8 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | | 39.007465 | | -104.833374 | |
| Surface Elevation (ft): | 6530 | Top Perforated Interval (ft): | 106 | Base of grout (ft): | 90 |
| Well depth (ft): | 610 | Bottom Perforated Interval (ft): | 610 | Water Level Change | |
| Aquifer(s): | DENVER | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | | |
|---------------------------------------|------------------------------|----------------------------------|-----------------|---------------------------|------------------------------|---------------------------|----|---|
| Well Name: | DB-107 4-A USAF ACDMY | | | | Owner: | | | |
| Permit #: | 13682 - F | | - | Location #: | SC01206712CAD | | | |
| Division: | 2 | | Water District: | 10 | County: | EL PASO | | |
| Location: | Q160 | Q40 | Q10 | Section SW NE SE 12 | Twnshp 12 | Range 67 W S | PM | Distance from section lines: <i>From N/S line:</i> <i>From E/W line:</i> |
| UTM Coordinates (NAD83): | Northing (UTM y): 4318726.5 | | | Easting (UTM x): 513722.2 | <i>Spotted from quarters</i> | | | |
| Latitude/Longitude (decimal degrees): | 39.017460 | | | -104.841492 | | | | |
| Surface Elevation (ft): | 6585 | Top Perforated Interval (ft): | 224 | Base of grout (ft): | 117 | Water Level Change | | |
| Well depth (ft): | 672 | Bottom Perforated Interval (ft): | 672 | | | 1 year: | | |
| Aquifer(s): | DENVER | | | | | 5 year: | | |
| | | | | | | 10 year: | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/22/2008 | 78.60 | 6506.40 | -10.60 |
| 3/2/2009 | 109.60 | 6475.40 | -31.00 |
| 10/2/2009 | 128.00 | 6457.00 | -18.40 |
| 3/6/2010 | 84.00 | 6501.00 | 44.00 |
| 12/3/2010 | 145.80 | 6439.20 | -61.80 |
| 3/6/2011 | 128.50 | 6456.50 | 17.30 |
| 3/12/2012 | 140.00 | 6445.00 | -11.50 |
| 3/5/2013 | 200.80 | 6384.20 | -60.80 |
| 11/8/2013 | 220.60 | 6364.40 | -19.80 |
| 3/17/2014 | 172.40 | 6412.60 | 48.20 |
| 1/7/2015 | 194.50 | 6390.50 | -22.10 |
| 12/9/2015 | 205.00 | 6380.00 | -10.50 |
| 4/30/2016 | 162.90 | 6422.10 | 42.10 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|--------------------------|----------------------------------|-----------|------------------|------------------------------------|----------------------------|---------------------------|
| Well Name: | DB-109 DONALA 11D | | | Owner: | DONALA WATER & SANITATION DISTRICT | | |
| Permit #: | 49715 - F - | | | Location #: | SC01106632BC | | |
| Division: | 2 | | | Water District: | 10 | | |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range | PM |
| | NW | SW | | 32 | 11 | S | 66 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4322326.0 | Easting (UTM x): | 516350.4 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.049854 | | | -104.811043 | | | |
| Surface Elevation (ft): | 7220 | Top Perforated Interval (ft): | | 605 | Base of grout (ft): | 520 | Water Level Change |
| Well depth (ft): | 1310 | Bottom Perforated Interval (ft): | | 1290 | | | 1 year: |
| Aquifer(s): | DENVER | | | | | | |
| | | | | | | | 5 year: |
| | | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/18/2008 | 536.00 | 6684.00 | -69.30 |
| 10/14/2008 | 559.10 | 6660.90 | -23.10 |
| 3/18/2009 | 489.80 | 6730.20 | 69.30 |
| 11/5/2009 | 536.00 | 6684.00 | -46.20 |
| 3/4/2010 | 466.70 | 6753.30 | 69.30 |
| 10/20/2010 | 489.80 | 6730.20 | -23.10 |
| 3/24/2011 | 489.80 | 6730.20 | 0.00 |
| 10/24/2011 | 443.60 | 6776.40 | 46.20 |
| 3/15/2012 | 489.80 | 6730.20 | -46.20 |
| 10/11/2012 | 512.90 | 6707.10 | -23.10 |
| 2/7/2013 | 501.35 | 6718.65 | 11.55 |
| 10/15/2013 | 488.00 | 6732.00 | 13.35 |
| 4/10/2014 | 489.00 | 6731.00 | -1.00 |
| 10/15/2014 | 494.00 | 6726.00 | -5.00 |
| 4/13/2015 | 490.00 | 6730.00 | 4.00 |
| 10/16/2015 | 491.00 | 6729.00 | -1.00 |
| 4/13/2016 | 462.08 | 6757.92 | 28.92 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|--------------------------|----------------------------------|------------------|---------------------|----------------------------|------------------------------------|-----------------|
| Well Name: | DB-109 DONALA 13D | | | | Owner: | DONALA WATER & SANITATION DISTRICT | |
| Permit #: | 52386 - F - | | | | Location #: | SC01106631DB | |
| Division: | 2 | | | | Water District: | 10 | County: EL PASO |
| Location: | Q160 | Q40 | Q10 | Section SE NW | Twnshp 31 | Range 11 S | PM 66 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4321907.0 | Easting (UTM x): | 515788.1 | Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | | 39.046089 | | | -104.817554 | | |
| Surface Elevation (ft): | 7005 | Top Perforated Interval (ft): | 389 | Base of grout (ft): | 360 | Water Level Change | |
| Well depth (ft): | 1085 | Bottom Perforated Interval (ft): | 1050 | | | 1 year: | |
| Aquifer(s): | DENVER | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/18/2008 | 335.20 | 6669.80 | -72.65 |
| 11/12/2008 | 358.30 | 6646.70 | -23.10 |
| 3/18/2009 | 251.00 | 6754.00 | 107.30 |
| 10/1/2009 | 274.10 | 6730.90 | -23.10 |
| 3/2/2010 | 251.00 | 6754.00 | 23.10 |
| 10/20/2010 | 274.10 | 6730.90 | -23.10 |
| 3/24/2011 | 274.10 | 6730.90 | 0.00 |
| 10/24/2011 | 204.80 | 6800.20 | 69.30 |
| 3/15/2012 | 251.00 | 6754.00 | -46.20 |
| 10/11/2012 | 274.10 | 6730.90 | -23.10 |
| 4/10/2013 | 274.10 | 6730.90 | 0.00 |
| 10/15/2013 | 258.00 | 6747.00 | 16.10 |
| 4/10/2014 | 254.00 | 6751.00 | 4.00 |
| 10/15/2014 | 256.00 | 6749.00 | -2.00 |
| 4/13/2015 | 252.00 | 6753.00 | 4.00 |
| 10/16/2015 | 247.00 | 6758.00 | 5.00 |
| 4/13/2016 | 232.52 | 6772.48 | 14.48 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | | | |
|---------------------------------------|-------------------------|----------------------------------|-----------|------------------|------------------------------------|----------------------------|---------------------------|--|--|
| Well Name: | DB-109 DONALA 1A | | | Owner: | DONALA WATER & SANITATION DISTRICT | | | | |
| Permit #: | 16140 - F - R | | | Location #: | SC01206606CB DWR2 | | | | |
| Division: | 2 | | | Water District: | 10 | | | | |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range | PM | | |
| | SW | NW | | 6 | 12 | S | 66 W S | | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4320911.0 | Easting (UTM x): | 514636.0 | Spotted from section lines | | | |
| Latitude/Longitude (decimal degrees): | 39.037134 | | | -104.830889 | | | | | |
| Surface Elevation (ft): | 6780 | Top Perforated Interval (ft): | | 747 | Base of grout (ft): | 655 | Water Level Change | | |
| Well depth (ft): | 1169 | Bottom Perforated Interval (ft): | | 1149 | | | 1 year: | | |
| Aquifer(s): | DENVER | | | | | | | | |
| | ARAPAHOE | | | | | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/18/2008 | 500.50 | 6279.50 | 57.75 |
| 11/12/2008 | 569.80 | 6210.20 | -69.30 |
| 4/6/2009 | 523.60 | 6256.40 | 46.20 |
| 10/1/2009 | 569.80 | 6210.20 | -46.20 |
| 4/2/2010 | 431.20 | 6348.80 | 138.60 |
| 12/14/2010 | 546.70 | 6233.30 | -115.50 |
| 3/24/2011 | 454.30 | 6325.70 | 92.40 |
| 10/24/2011 | 500.50 | 6279.50 | -46.20 |
| 3/15/2012 | 477.40 | 6302.60 | 23.10 |
| 10/11/2012 | 569.80 | 6210.20 | -92.40 |
| 3/8/2013 | 512.05 | 6267.95 | 57.75 |
| 9/24/2013 | 565.00 | 6215.00 | -52.95 |
| 4/10/2014 | 492.00 | 6288.00 | 73.00 |
| 10/15/2014 | 573.00 | 6207.00 | -81.00 |
| 4/13/2015 | 542.00 | 6238.00 | 31.00 |
| 10/16/2015 | 567.00 | 6213.00 | -25.00 |
| 4/13/2016 | 465.85 | 6314.15 | 101.15 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-----|---------------------|---------------------------|--|--|
| Well Name: | DB-109 DONALA 2D | | | | Owner: | DONALA WATER & SANITATION | |
| Permit #: | 27228 - F - R | | | | Location #: | SC01106631CC | |
| Division: | 2 | | | | Water District: | 10 | |
| Location: | Q160 Q40 Q10 Section SW SW 31 | | | | Twnshp Range PM | County: EL PASO Distance from section lines: From N/S line: 75 S From E/W line: 50 W | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4321470.5 | | | | Easting (UTM x): 514641.0 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.042176 | | | | -104.830819 | | |
| Surface Elevation (ft): | 6850 | Top Perforated Interval (ft): | 667 | Base of grout (ft): | 600 | Water Level Change | |
| Well depth (ft): | 910 | Bottom Perforated Interval (ft): | 890 | | | 1 year: | |
| Aquifer(s): | DENVER | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 2/20/2008 | 587.80 | 6262.20 | 0.00 |
| 11/12/2008 | 634.00 | 6216.00 | -46.20 |
| 3/18/2009 | 576.25 | 6273.75 | 57.75 |
| 4/6/2010 | 564.70 | 6285.30 | 11.55 |
| 10/20/2010 | 587.80 | 6262.20 | -23.10 |
| 3/24/2011 | 564.70 | 6285.30 | 23.10 |
| 10/24/2011 | 657.10 | 6192.90 | -92.40 |
| 4/17/2012 | 564.70 | 6285.30 | 92.40 |
| 10/11/2012 | 657.10 | 6192.90 | -92.40 |
| 4/10/2013 | 587.80 | 6262.20 | 69.30 |
| 10/1/2013 | 647.00 | 6203.00 | -59.20 |
| 4/10/2014 | 574.00 | 6276.00 | 73.00 |
| 10/15/2014 | 639.00 | 6211.00 | -65.00 |
| 4/13/2015 | 579.00 | 6271.00 | 60.00 |
| 10/16/2015 | 646.00 | 6204.00 | -67.00 |
| 4/13/2016 | 557.00 | 6293.00 | 89.00 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|-------------------------|----------------------------------|-----|---------------------|--|---------------------------|------------------------------|
| Well Name: | DB-109 DONALA 3D | | | Owner: | DONALA WATER & SANITATION DISTRICT | | |
| Permit #: | 34670 - F - | | | Location #: | SC01106631BC3 | | USGS Site ID: |
| Division: | 2 | | | Water District: | 10 | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: EL PASO |
| | NW SW 31 | | | 11 S | 66 W | S | Distance from section lines: |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | Easting (UTM x): | 4322453.1 514820.7 Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 39.051027 | | | | -104.828721 | | |
| Surface Elevation (ft): | 6855 | Top Perforated Interval (ft): | 310 | Base of grout (ft): | 280 | Water Level Change | |
| Well depth (ft): | 860 | Bottom Perforated Interval (ft): | 835 | | | 1 year: | |
| Aquifer(s): | DENVER | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/18/2008 | 334.90 | 6520.10 | -34.65 |
| 11/12/2008 | 358.00 | 6497.00 | -23.10 |
| 3/18/2009 | 288.70 | 6566.30 | 69.30 |
| 10/2/2009 | 311.80 | 6543.20 | -23.10 |
| 3/2/2010 | 265.60 | 6589.40 | 46.20 |
| 12/14/2010 | 288.70 | 6566.30 | -23.10 |
| 3/24/2011 | 288.70 | 6566.30 | 0.00 |
| 10/24/2011 | 288.70 | 6566.30 | 0.00 |
| 3/15/2012 | 219.40 | 6635.60 | 69.30 |
| 10/10/2012 | 311.80 | 6543.20 | -92.40 |
| 3/8/2013 | 288.70 | 6566.30 | 23.10 |
| 10/1/2013 | 254.00 | 6601.00 | 34.70 |
| 4/1/2014 | 254.00 | 6601.00 | 0.00 |
| 10/15/2014 | 269.00 | 6586.00 | -15.00 |
| 4/13/2015 | 250.00 | 6605.00 | 19.00 |
| 10/16/2015 | 259.00 | 6596.00 | -9.00 |
| 4/13/2016 | 263.29 | 6591.71 | -4.29 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|-------------------------|----------------------------------|-----------|---------------------|------------------------------------|------------------------------|---|
| Well Name: | DB-109 DONALA 7D | | | Owner: | DONALA WATER & SANITATION DISTRICT | | |
| Permit #: | 36286 - F - | | | Location #: | SC01106631AA DWR1 | | USGS Site ID: |
| Division: | 2 | | | Water District: | 10 | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: EL PASO |
| | NE NE | 31 | | 11 S | 66 W | S | Distance from section lines: <i>From N/S line:</i> <i>From E/W line:</i> |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4322856.5 | Easting (UTM x): | 515999.5 | <i>Spotted from quarters</i> | |
| Latitude/Longitude (decimal degrees): | 39.054642 | | | -104.815086 | | | |
| Surface Elevation (ft): | 7145 | Top Perforated Interval (ft): | 525 | Base of grout (ft): | 525 | Water Level Change | |
| Well depth (ft): | 1250 | Bottom Perforated Interval (ft): | 1240 | | | 1 year: | |
| Aquifer(s): | DENVER | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/25/2008 | 455.60 | 6689.40 | -46.20 |
| 11/12/2008 | 455.60 | 6689.40 | 0.00 |
| 3/18/2009 | 501.80 | 6643.20 | -46.20 |
| 4/6/2009 | 478.70 | 6666.30 | 23.10 |
| 11/3/2009 | 478.70 | 6666.30 | 0.00 |
| 5/7/2010 | 409.40 | 6735.60 | 69.30 |
| 10/19/2010 | 432.50 | 6712.50 | -23.10 |
| 5/26/2011 | 455.60 | 6689.40 | -23.10 |
| 10/24/2011 | 415.80 | 6729.20 | 39.80 |
| 3/15/2012 | 409.40 | 6735.60 | 6.40 |
| 10/11/2012 | 432.50 | 6712.50 | -23.10 |
| 2/7/2013 | 397.85 | 6747.15 | 34.65 |
| 9/24/2013 | 386.30 | 6758.70 | 11.55 |
| 4/10/2014 | 420.95 | 6724.05 | -34.65 |
| 10/15/2014 | 425.57 | 6719.43 | -4.62 |
| 4/13/2015 | 409.40 | 6735.60 | 16.17 |
| 10/16/2015 | 404.78 | 6740.22 | 4.62 |
| 4/13/2016 | 390.92 | 6754.08 | 13.86 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | |
|---------------------------------------|------------------------------|----------------------------------|------------------|---------------------|--------------------------------|---------------------------|
| Well Name: | DB-112 MERIDIAN DE-13 | | | Owner: | MERIDIAN METROPOLITAN DISTRICT | |
| Permit #: | 61027 - F | | | Location #: | SC00606619AC | |
| Division: | 1 | | | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range PM |
| | NE | SW | | 19 | 6 S | 66 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4373995.5 | Easting (UTM x): | 515529.4 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.515457 | -104.819342 | | | | |
| Surface Elevation (ft): | 6010 | Top Perforated Interval (ft): | 623 | Base of grout (ft): | | Water Level Change |
| Well depth (ft): | 1465 | Bottom Perforated Interval (ft): | 1404 | | | 1 year: |
| Aquifer(s): | DENVER | | | | | 5 year: 27.00 |
| | | | | | | 10 year: 69.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/31/2008 | 953.00 | 5057.00 | -39.00 |
| 10/31/2008 | 801.00 | 5209.00 | 152.00 |
| 5/31/2009 | 803.00 | 5207.00 | -2.00 |
| 10/31/2009 | 778.00 | 5232.00 | 25.00 |
| 4/30/2010 | 768.00 | 5242.00 | 10.00 |
| 10/31/2010 | 792.00 | 5218.00 | -24.00 |
| 3/31/2011 | 785.00 | 5225.00 | 7.00 |
| 10/31/2011 | 916.00 | 5094.00 | -131.00 |
| 3/31/2012 | 842.00 | 5168.00 | 74.00 |
| 10/31/2012 | 819.00 | 5191.00 | 23.00 |
| 2/28/2013 | 842.00 | 5168.00 | -23.00 |
| 10/31/2013 | | | |
| 4/30/2014 | 792.00 | 5218.00 | |
| 3/31/2015 | | | |
| 10/31/2015 | | | |
| 4/30/2016 | | | |
| 10/31/2016 | | | |
| 4/30/2017 | 815.00 | 5195.00 | |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | |
|---------------------------------------|------------------------------|----------------------------------|------------------|---------------------------|-----------------------|
| Well Name: | DB-112 MERIDIAN DE-1R | | | Owner: | |
| Permit #: | 55005 - F - | | | Location #: | SC00606701CC DWR2 |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range | PM |
| | SW SW | 1 | 6 S | 67 W | S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4378133.3 | Easting (UTM x): | 513197.1 | Spotted from quarters |
| Latitude/Longitude (decimal degrees): | 39.552779 | | -104.846392 | | |
| Surface Elevation (ft): | 5890 | Top Perforated Interval (ft): | 385 | Base of grout (ft): | 375 |
| Well depth (ft): | 1254 | Bottom Perforated Interval (ft): | 1214 | Water Level Change | |
| Aquifer(s): | DENVER | | | 1 year: | 0.00 |
| | | | | 5 year: | 244.00 |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/31/2008 | 885.00 | 5005.00 | 16.00 |
| 10/31/2008 | 892.00 | 4998.00 | -7.00 |
| 5/31/2009 | 806.00 | 5084.00 | 86.00 |
| 10/31/2009 | 338.00 | 5552.00 | 468.00 |
| 4/30/2010 | 294.00 | 5596.00 | 44.00 |
| 10/31/2010 | 338.00 | 5552.00 | -44.00 |
| 3/31/2011 | 264.00 | 5626.00 | 74.00 |
| 2/29/2012 | 649.00 | 5241.00 | -385.00 |
| 10/31/2012 | 613.00 | 5277.00 | 36.00 |
| 4/30/2013 | 405.00 | 5485.00 | 208.00 |
| 10/31/2013 | 405.00 | 5485.00 | 0.00 |
| 4/30/2014 | 405.00 | 5485.00 | 0.00 |
| 10/31/2014 | 405.00 | 5485.00 | 0.00 |
| 4/30/2015 | 405.00 | 5485.00 | 0.00 |
| 10/31/2015 | 405.00 | 5485.00 | 0.00 |
| 4/30/2016 | 405.00 | 5485.00 | 0.00 |
| 10/31/2016 | 405.00 | 5485.00 | 0.00 |
| 3/31/2017 | 405.00 | 5485.00 | 0.00 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|-----------------------------|----------------------------------|------|---------------------|---|--------|------------------------------|
| Well Name: | DB-112 MERIDIAN DE-2 | | | Owner: | MERIDIAN METROPOLITAN DISTRICT | | |
| Permit #: | 25858 - F - | | | Location #: | SC00606712BB | | |
| Division: | 1 | | | Water District: | 8 | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: DOUGLAS |
| | NW NW 12 | | | 6 S | 67 W | S | Distance from section lines: |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | Easting (UTM x): | 4377722.5 513201.9 <i>Spotted from quarters</i> | | |
| Latitude/Longitude (decimal degrees): | 39.549080 | | | | -104.846344 | | |
| Surface Elevation (ft): | 5900 | Top Perforated Interval (ft): | 410 | Base of grout (ft): | Water Level Change | | |
| Well depth (ft): | 1270 | Bottom Perforated Interval (ft): | 1210 | | 1 year: | -9.00 | |
| Aquifer(s): | DENVER | | | | 5 year: | -62.00 | |
| | | | | | 10 year: | -58.00 | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/31/2008 | 443.00 | 5457.00 | 37.00 |
| 10/31/2008 | 475.00 | 5425.00 | -32.00 |
| 5/31/2009 | 450.00 | 5450.00 | 25.00 |
| 10/31/2009 | 436.00 | 5464.00 | 14.00 |
| 4/30/2010 | 282.00 | 5618.00 | 154.00 |
| 10/31/2010 | 374.00 | 5526.00 | -92.00 |
| 4/30/2011 | 286.00 | 5614.00 | 88.00 |
| 2/29/2012 | 282.00 | 5618.00 | 4.00 |
| 10/31/2012 | 381.00 | 5519.00 | -99.00 |
| 3/31/2013 | 358.00 | 5542.00 | 23.00 |
| 10/31/2013 | 381.00 | 5519.00 | -23.00 |
| 4/30/2014 | 344.00 | 5556.00 | 37.00 |
| 10/31/2014 | 395.00 | 5505.00 | -51.00 |
| 3/31/2015 | 347.00 | 5553.00 | 48.00 |
| 10/31/2015 | 358.00 | 5542.00 | -11.00 |
| 4/30/2016 | 335.00 | 5565.00 | 23.00 |
| 10/31/2016 | 386.00 | 5514.00 | -51.00 |
| 3/31/2017 | 344.00 | 5556.00 | 42.00 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | | |
|---------------------------------------|-----------------------------|----------------------------------|-----------------|---------------------------|-----------------------|---------------------------|---------|--|
| Well Name: | DB-114 SANCTUARY D-1 | | | | Owner: | | | |
| Permit #: | 46898 - F | | - | Location #: | SC00706705CA2 | USGS Site ID: | | |
| Division: | 1 | | Water District: | 8 | County: | DOUGLAS | | |
| Location: | Q160 | Q40 | Q10 | Section SW NE 5 | Twnshp 7 S | Range 67 W | PM S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4368866.2 | | | Easting (UTM x): 507164.3 | Spotted from quarters | | | |
| Latitude/Longitude (decimal degrees): | 39.469349 | | | -104.916710 | | | | |
| Surface Elevation (ft): | 6500 | Top Perforated Interval (ft): | 1050 | Base of grout (ft): | 838 | Water Level Change | | |
| Well depth (ft): | 1720 | Bottom Perforated Interval (ft): | 1695 | 1 year: | 50.00 | | | |
| Aquifer(s): | DENVER | | | | 5 year: | -14.00 | | |
| | | | | | 10 year: | 79.00 | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/2/2008 | 1086.00 | 5414.00 | 44.00 |
| 10/31/2008 | 1077.00 | 5423.00 | 9.00 |
| 4/1/2009 | 1103.00 | 5397.00 | -26.00 |
| 11/2/2009 | 1082.00 | 5418.00 | 21.00 |
| 4/14/2010 | 1134.00 | 5366.00 | -52.00 |
| 11/15/2010 | 1065.00 | 5435.00 | 69.00 |
| 4/5/2011 | 1063.00 | 5437.00 | 2.00 |
| 11/15/2011 | 1042.00 | 5458.00 | 21.00 |
| 4/18/2012 | 1085.00 | 5415.00 | -43.00 |
| 11/14/2012 | 1019.00 | 5481.00 | 66.00 |
| 4/16/2013 | 993.00 | 5507.00 | 26.00 |
| 10/31/2013 | 1049.00 | 5451.00 | -56.00 |
| 4/15/2014 | 1030.00 | 5470.00 | 19.00 |
| 10/31/2014 | 1040.00 | 5460.00 | -10.00 |
| 4/24/2015 | 1007.00 | 5493.00 | 33.00 |
| 10/31/2015 | 1042.00 | 5458.00 | -35.00 |
| 3/3/2016 | 996.00 | 5504.00 | 46.00 |
| 12/1/2016 | 1018.00 | 5482.00 | -22.00 |
| 5/24/2017 | 1057.00 | 5443.00 | -39.00 |
| 10/15/2017 | 1045.00 | 5455.00 | 12.00 |
| 3/12/2018 | 1007.00 | 5493.00 | 38.00 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|------------------|-------------------------------|--|---------------------------|
| Well Name: | DB-115 SILVER HEIGHTS A1 | | | | Owner: | |
| Permit #: | 17752 - F | | - | Location #: | SC00706727AA A1 | |
| Division: | 1 | | Water District: | 8 | County: DOUGLAS | |
| Location: | Q160 Q40 | Q10 | Section NE NE | Twnshp 27 Range 7 S W 67 S | PM From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4363254.6 | Easting (UTM x): | 511165.8 Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | | | 39.418743 | -104.870285 | | |
| Surface Elevation (ft): | 6180 | Top Perforated Interval (ft): | 1251 | Base of grout (ft): | 1211 | Water Level Change |
| Well depth (ft): | 1867 | Bottom Perforated Interval (ft): | 1867 | | | 1 year: -20.00 |
| Aquifer(s): | DENVER | | | | | 5 year: -214.00 |
| | ARAPAHOE | | | | | 10 year: -246.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/15/2008 | 988.00 | 5192.00 | 8.00 |
| 10/15/2008 | 1006.00 | 5174.00 | -18.00 |
| 3/15/2009 | 983.00 | 5197.00 | 23.00 |
| 9/15/2009 | 1007.00 | 5173.00 | -24.00 |
| 4/15/2010 | 1011.00 | 5169.00 | -4.00 |
| 9/30/2010 | 1054.00 | 5126.00 | -43.00 |
| 3/31/2011 | 898.00 | 5282.00 | 156.00 |
| 4/30/2012 | 1066.00 | 5114.00 | -168.00 |
| 5/1/2014 | 1256.00 | 4924.00 | -190.00 |
| 10/1/2014 | 1305.00 | 4875.00 | -49.00 |
| 5/1/2015 | 1280.00 | 4900.00 | 25.00 |
| 10/1/2015 | 1280.00 | 4900.00 | 0.00 |
| 5/1/2016 | 1260.00 | 4920.00 | 20.00 |
| 10/1/2016 | 1260.00 | 4920.00 | 0.00 |
| 5/1/2017 | 1280.00 | 4900.00 | -20.00 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|--------------------------------|----------------------------------|------------------|---------------------|-----------------------------------|-----------------------------------|-----------------|
| Well Name: | DB-117 STONEGATE TKD-13 | | | | Owner: | STONEGATE VILLAGE METROPOLITAN DI | |
| Permit #: | 238515 - - | | | | Location #: | SC00606617CB | |
| Division: | 1 | | | | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 | Q40 | Q10 | Section SW NW | Twnshp 17 | Range 6 S | PM W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4375532.5 | Easting (UTM x): | 516497.3 | <i>Spotted from section lines</i> | | |
| Latitude/Longitude (decimal degrees): | | 39.529288 | | | -104.808044 | | |
| Surface Elevation (ft): | 5885.41 | Top Perforated Interval (ft): | 505 | Base of grout (ft): | 448 | Water Level Change | |
| Well depth (ft): | 1301 | Bottom Perforated Interval (ft): | 1301 | | | 1 year: | 86.00 |
| Aquifer(s): | DENVER | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/30/2008 | 376.00 | 5509.41 | -138.60 |
| 3/31/2009 | 317.00 | 5568.41 | 59.00 |
| 10/14/2009 | 335.00 | 5550.41 | -18.00 |
| 4/10/2010 | 363.00 | 5522.41 | -28.00 |
| 10/11/2010 | 421.00 | 5464.41 | -58.00 |
| 1/27/2011 | 427.00 | 5458.41 | -6.00 |
| 9/14/2011 | 439.00 | 5446.41 | -12.00 |
| 3/31/2012 | 434.00 | 5451.41 | 5.00 |
| 10/31/2012 | 570.00 | 5315.41 | -136.00 |
| 9/4/2013 | 540.00 | 5345.41 | 30.00 |
| 3/31/2015 | | | |
| 9/30/2015 | | | |
| 11/1/2015 | 559.00 | 5326.41 | |
| 8/3/2016 | 627.00 | 5258.41 | -68.00 |
| 5/18/2017 | 621.00 | 5264.41 | 6.00 |
| 4/18/2018 | 535.00 | 5350.41 | 86.00 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | |
|---------------------------------------|-----------------------------------|----------------------------------|--|---------------------|---------------------------|
| Well Name: | DB-118 CASTLE ROCK WELL 15 | | | | Owner: |
| Permit #: | 25764 - F | | Location #: SC00806714DB2 | | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SE NW 14 | Twnshp 8 S Range 67 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4355952.0 | Easting (UTM x): 512369.8 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 39.352925 | | -104.856432 | | |
| Surface Elevation (ft): | 6340 | Top Perforated Interval (ft): | 1000 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | | Bottom Perforated Interval (ft): | 1600 | | 1 year: 56.29 |
| Aquifer(s): | DENVER | | | | 5 year: 80.29 |
| | | | | | 10 year: 56.29 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/8/2008 | 562.00 | 5778.00 | 12.50 |
| 10/31/2008 | 614.00 | 5726.00 | -52.00 |
| 5/15/2009 | 570.00 | 5770.00 | 44.00 |
| 4/13/2010 | 556.00 | 5784.00 | 14.00 |
| 4/8/2011 | 568.00 | 5772.00 | -12.00 |
| 3/23/2012 | 575.00 | 5765.00 | -7.00 |
| 4/30/2013 | 586.00 | 5754.00 | -11.00 |
| 5/16/2014 | 588.00 | 5752.00 | -2.00 |
| 4/13/2015 | 577.00 | 5763.00 | 11.00 |
| 5/3/2016 | 579.20 | 5760.80 | -2.20 |
| 3/20/2017 | 562.00 | 5778.00 | 17.20 |
| 5/9/2018 | 505.71 | 5834.29 | 56.29 |

All Historic Measurements




Well Name: **DB-118 CASTLE ROCK WELL 7C**

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|--|---------------------------|---------------------|
| Permit #: | 31330 - F | Location #: | SC00806713BB | Owner: | TOWN OF CASTLE ROCK |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section NW NW 13 | Twnshp 8 S Range 67 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4356758.0 | Easting (UTM x): 513159.9 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 39.360176 | | -104.847246 | | |
| Surface Elevation (ft): | 6280 | Top Perforated Interval (ft): | 680 | Base of grout (ft): | 550 |
| Well depth (ft): | 1324 | Bottom Perforated Interval (ft): | 1290 | Water Level Change | 1 year: 0.00 |
| Aquifer(s): | DENVER | | | 5 year: | -0.75 |
| | | | | 10 year: | -37.75 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/8/2008 | 569.00 | 5711.00 | -5.00 |
| 10/31/2008 | 619.00 | 5661.00 | -50.00 |
| 4/7/2009 | 592.00 | 5688.00 | 27.00 |
| 4/13/2010 | 576.00 | 5704.00 | 16.00 |
| 3/31/2011 | 584.50 | 5695.50 | -8.50 |
| 3/23/2012 | 588.50 | 5691.50 | -4.00 |
| 4/29/2013 | 606.00 | 5674.00 | -17.50 |
| 5/16/2014 | 593.00 | 5687.00 | 13.00 |
| 4/13/2015 | 599.00 | 5681.00 | -6.00 |
| 5/4/2016 | 602.00 | 5678.00 | -3.00 |
| 5/16/2017 | 606.75 | 5673.25 | -4.75 |
| 5/9/2018 | 606.75 | 5673.25 | 0.00 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | |
|---------------------------------------|-------------------------------|----------------------------------|------------------|---------------------|----------------------------|---------------------------|
| Well Name: | DB-119 PALMER LAKE D-2 | | | Owner: | TOWN OF PALMER LAKE | |
| Permit #: | 31264 - F - | | | Location #: | SC01106704BC | |
| Division: | 2 | | | Water District: | 10 | County: EL PASO |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range PM |
| | NW | SW | | 4 | 11 S | 67 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4330709.5 | Easting (UTM x): | 508444.1 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.125512 | | -104.902311 | | | |
| Surface Elevation (ft): | 7280 | Top Perforated Interval (ft): | 1050 | Base of grout (ft): | 790 | Water Level Change |
| Well depth (ft): | 1793 | Bottom Perforated Interval (ft): | 1640 | | | 1 year: |
| Aquifer(s): | DENVER | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

All Historic Measurements

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/2/2008 | 359.00 | 6921.00 | 26.00 |
| 10/31/2008 | 432.00 | 6848.00 | -73.00 |
| 3/24/2009 | 412.00 | 6868.00 | 20.00 |
| 10/7/2009 | 457.00 | 6823.00 | -45.00 |
| 3/25/2010 | 397.00 | 6883.00 | 60.00 |
| 10/1/2010 | 439.00 | 6841.00 | -42.00 |
| 3/25/2011 | 401.00 | 6879.00 | 38.00 |
| 10/15/2011 | 401.00 | 6879.00 | 0.00 |
| 4/15/2012 | 405.00 | 6875.00 | -4.00 |
| 10/15/2012 | 651.00 | 6629.00 | -246.00 |
| 3/15/2013 | 455.00 | 6825.00 | 196.00 |
| 5/14/2014 | 466.00 | 6814.00 | -11.00 |
| 10/1/2014 | 503.00 | 6777.00 | -37.00 |
| 5/4/2015 | 436.00 | 6844.00 | 67.00 |
| 5/9/2016 | 421.00 | 6859.00 | 15.00 |




DENVER BASIN
Denver Aquifer

| | | | | | |
|---------------------------------------|----------------------------------|-----------------------------------|--|---------------------------|-------------------------------|
| Well Name: | DB-120 WOODMOOR 9R | | | | Owner: |
| Permit #: | 21126 - F - R | | | | Location #: SC01106723AA DWR5 |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NE NE 23 | Twnshp 11 S Range 67 W PM S | Distance from section lines: From N/S line: 1100 N From E/W line: 600 E | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4325968.5 | Easting (UTM x): 512839.9 | <i>Spotted from section lines</i> | | |
| Latitude/Longitude (decimal degrees): | 39.082737 | -104.851547 | | | |
| Surface Elevation (ft): | 7005 | Top Perforated Interval (ft): | 987 | Base of grout (ft): | 635 |
| Well depth (ft): | 1319 | Bottom Perforated Interval (ft): | 1319 | Water Level Change | |
| Aquifer(s): | DENVER | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/9/2008 | 821.50 | 6183.50 | 43.90 |
| 4/9/2009 | 1057.10 | 5947.90 | -235.60 |
| 10/15/2009 | 897.90 | 6107.10 | 159.20 |
| 3/29/2010 | 876.90 | 6128.10 | 21.00 |
| 9/22/2011 | 950.00 | 6055.00 | -73.10 |
| 3/17/2012 | 907.00 | 6098.00 | 43.00 |
| 10/1/2012 | 1060.30 | 5944.70 | -153.30 |
| 4/1/2013 | 948.30 | 6056.70 | 112.00 |

All Historic Measurements




Well Name: **DB-124 FOXRIDGE TKD WEST**

| | | | | |
|---------------------------------------|---------------------------------|----------------------------------|---|---------------------------|
| Permit #: | 37492 - F - | Location #: | SC00406504BB DWR3 | Owner: |
| Division: | 1 | Water District: | 2 | County: ARAPAHOE |
| Location: | Q160 Q40 Q10 Section NW NW 4 | Twnshp 4 S Range 65 W PM S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4398763.9 | Easting (UTM x): 527766.1 | <i>Spotted from quarters</i> | |
| Latitude/Longitude (decimal degrees): | 39.738318 | -104.675950 | | |
| Surface Elevation (ft): | 5595 | Top Perforated Interval (ft): | 285 | Base of grout (ft): |
| Well depth (ft): | 818 | Bottom Perforated Interval (ft): | 818 | Water Level Change |
| Aquifer(s): | DENVER | | | 1 year: |
| | | | | 5 year: |
| | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/28/2008 | 427.00 | 5168.00 | 37.00 |
| 3/9/2016 | 437.00 | 5158.00 | -10.00 |
| 10/12/2016 | 423.00 | 5172.00 | 14.00 |

All Historic Measurements



DENVER BASIN
Denver Aquifer

| | | | | | | |
|--|-----------------------------|----------------------------------|------------------|----------------------------------|-----------------------------------|--|
| Well Name: | DB-126 THUNDERBIRD 1 | | | | <i>Owner:</i> | |
| Permit #: | 255005- | - | Location #: | SC00706827BC | | |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS | |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range | PM | Distance from section lines: |
| | | 27 | 7 S | 68 W | S | From N/S line: 1691 N From E/W line: 366 W |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4362901.0 | Easting (UTM x): | 500239.1 | <i>Spotted from section lines</i> | |
| Latitude/Longitude (decimal degrees): | 39.417507 | | | -104.997223 | | |
| Surface Elevation (ft): | 6180 | Top Perforated Interval (ft): | 600 | Base of grout (ft): | Water Level Change | |
| Well depth (ft): | 1257 | Bottom Perforated Interval (ft): | 1257 | | 1 year: | |
| Aquifer(s): | DENVER ARAPAHOE | | | | | |
| Measurements from last 10 years | | | | All Historic Measurements | | |
| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) | | | |
| 10/11/2017 | | | | | | |
| 4/11/2018 | | | | | | |


DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|-----------------------|----------------------------------|------------------|---------------------|----------------------------------|---------------------------|--------|
| Well Name: | DB-205 CO3_TKD | | | Owner: | RICHMOND AMERICAN HOMES OF COLOR | | |
| Permit #: | 24634 - F - | | | Location #: | SC00706621CC2 | | |
| Division: | 1 | | | Water District: | 8 | | |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range | PM |
| | SW | SW | | 21 | 7 | S | 66 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4363701.8 | Easting (UTM x): | 517942.8 | GPS | | |
| Latitude/Longitude (decimal degrees): | | 39.422658 | | -104.791543 | | | |
| Surface Elevation (ft): | 6138 | Top Perforated Interval (ft): | 757 | Base of grout (ft): | 726 | Water Level Change | |
| Well depth (ft): | 1297 | Bottom Perforated Interval (ft): | 1267 | | | 1 year: | -21.66 |
| Aquifer(s): | DENVER | | | | | 5 year: | -28.83 |
| | | | | | | 10 year: | -25.76 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/15/2008 | 555.87 | 5582.13 | 9.09 |
| 6/25/2008 | 554.88 | 5583.12 | 0.99 |
| 10/15/2008 | 578.31 | 5559.69 | -23.43 |
| 3/15/2009 | 531.77 | 5606.23 | 46.54 |
| 6/23/2009 | 531.44 | 5606.56 | 0.33 |
| 6/15/2010 | 544.50 | 5593.50 | -13.06 |
| 9/29/2011 | 537.43 | 5600.57 | 7.07 |
| 10/15/2011 | 539.46 | 5598.54 | -2.03 |
| 3/15/2012 | 527.94 | 5610.06 | 11.52 |
| 7/17/2012 | 567.25 | 5570.75 | -39.31 |
| 10/15/2012 | 585.29 | 5552.71 | -18.04 |
| 3/15/2013 | 572.84 | 5565.16 | 12.45 |
| 5/30/2013 | 566.05 | 5571.95 | 6.79 |
| 6/13/2013 | 551.81 | 5586.19 | 14.24 |
| 10/15/2013 | 566.10 | 5571.90 | -14.29 |
| 3/15/2014 | 544.07 | 5593.93 | 22.03 |
| 6/20/2014 | 545.21 | 5592.79 | -1.14 |
| 10/15/2014 | 559.49 | 5578.51 | -14.28 |
| 3/15/2015 | 545.54 | 5592.46 | 13.95 |
| 6/2/2015 | 544.82 | 5593.18 | 0.72 |
| 5/20/2016 | 543.47 | 5594.53 | 1.35 |
| 4/11/2017 | 558.98 | 5579.02 | -15.51 |
| 6/28/2018 | 580.64 | 5557.36 | -21.66 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-----|---------------------|--------------------------------|--|
| Well Name: | FUCHS, FRANK | | | | Owner: | |
| Permit #: | 11635 - - | | | | Location #: | SC01206101BAA |
| Division: | 2 | | | | Water District: | 17 |
| Location: | Q160 Q40 Q10 Section NW NE NE 1 | | | | Twnshp Range PM 12 S 61 W S | County: EL PASO Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4321680.0 | | | | Easting (UTM x): 571418.0 | GPS |
| Latitude/Longitude (decimal degrees): | 39.041267 | | | | -104.174760 | |
| Surface Elevation (ft): | 6541 | Top Perforated Interval (ft): | 138 | Base of grout (ft): | Water Level Change | |
| Well depth (ft): | 190 | Bottom Perforated Interval (ft): | 190 | | 1 year: | |
| Aquifer(s): | DENVER | | | | 5 year: | |
| | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 123.91 | 6417.09 | -4.34 |
| 9/22/2008 | 152.84 | 6388.16 | -28.93 |
| 4/27/2010 | | | |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | 108.44 | 5786.56 | -16.14 |
| 9/23/2008 | | | |
| 6/1/2009 | | | |
| 4/28/2010 | | | |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | | | |
|---------------------------------------|----------------------|----------------------------------|------|---------------------|-----------------------------------|----------|------------------------------|--|--|
| Well Name: | JORDAN WELL | | | Owner: | EAST VALLEY METROPOLITAN DISTRICT | | | | |
| Permit #: | 53579 - F - | | | Location #: | SC00506619CD1 | | USGS Site ID: | | |
| Division: | 1 | | | Water District: | 8 | | County: | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | ARAPAHOE | | |
| | SW SE | 19 | | 5 S | 66 W | S | Distance from section lines: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | 4383019.3 | Easting (UTM x): | 515250.4 | <i>Spotted from quarters</i> | | |
| Latitude/Longitude (decimal degrees): | 39.596771 | | | | -104.822380 | | | | |
| Surface Elevation (ft): | 5675 | Top Perforated Interval (ft): | 779 | Base of grout (ft): | Water Level Change | | | | |
| Well depth (ft): | 1510 | Bottom Perforated Interval (ft): | 1447 | | 1 year: | | | | |
| Aquifer(s): | DENVER | | | | 5 year: | | | | |
| | ARAPAHOE | | | | 10 year: | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/31/2008 | 1088.00 | 4587.00 | 90.00 |
| 9/29/2008 | 1188.00 | 4487.00 | -100.00 |
| 3/31/2009 | 1107.00 | 4568.00 | 81.00 |
| 10/30/2009 | 1150.00 | 4525.00 | -43.00 |
| 3/31/2010 | 1077.00 | 4598.00 | 73.00 |
| 12/1/2011 | 1400.00 | 4275.00 | -323.00 |

All Historic Measurements




Well Name: PINERY #F

| | | | | | | | |
|---------------------------------------|----------------------|----------------------------------|------------------|---------------------|-------------------------------|---------------------------|--|
| Permit #: | 19037 - F - | Location #: | SC00706518CAD | Owner: | USGS Site ID: 392624104423201 | | |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS | | |
| Location: | Q160 Q40 Q10 Section | Twnshp | Range | PM | Distance from section lines: | | |
| | SW NE SE 18 | 7 S | 65 W | S | From N/S line: | From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4365687.0 | Easting (UTM x): | 525001.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | | 39.440370 | | | -104.709470 | | |
| Surface Elevation (ft): | 6428.23 | Top Perforated Interval (ft): | 1740 | Base of grout (ft): | 1000 | Water Level Change | |
| Well depth (ft): | 2218 | Bottom Perforated Interval (ft): | 2180 | | | 1 year: | |
| Aquifer(s): | DENVER | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 6/4/2008 | 576.17 | 5852.06 | -4.44 |
| 10/28/2008 | 595.50 | 5832.73 | -19.33 |
| 6/15/2009 | 580.40 | 5847.83 | 15.10 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-----|---------------------|-------------------------------|--|--|
| Well Name: | PRAIRIE VIEW DENVER # 2 | | | | Owner: | PRAIRIE VIEW HOA | |
| Permit #: | 69710 - F | | | | Location #: | SC00306430DD | |
| Division: | 1 | | | | Water District: | 1 | |
| Location: | Q160 Q40 Q10 Section SE SE 30 | | | | Twnshp Range PM 3 S 64 W S | County: ADAMS Distance from section lines: From N/S line: 10 S From E/W line: 1025 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4400545.5 | | | | Easting (UTM x): 535376.5 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.754088 | | | | -104.587038 | | |
| Surface Elevation (ft): | 5575 | Top Perforated Interval (ft): | 357 | Base of grout (ft): | 314 | Water Level Change | |
| Well depth (ft): | 598 | Bottom Perforated Interval (ft): | 588 | | | 1 year: | |
| Aquifer(s): | DENVER | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 10/7/2010 | 334.00 | 5241.00 | |
| 6/13/2011 | 301.50 | 5273.50 | 32.50 |
| 5/25/2012 | 255.00 | 5320.00 | 46.50 |
| 10/1/2012 | 258.00 | 5317.00 | -3.00 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 3/14/2008 | 72.53 | 6380.95 | -0.03 |
| 9/4/2008 | 72.61 | 6380.87 | -0.08 |
| 3/6/2009 | 72.78 | 6380.70 | -0.17 |
| 9/4/2009 | 72.75 | 6380.73 | 0.03 |
| 3/5/2010 | 72.79 | 6380.69 | -0.04 |
| 9/15/2010 | 72.80 | 6380.68 | -0.01 |
| 3/31/2011 | 72.49 | 6380.99 | 0.31 |
| 3/9/2012 | 73.06 | 6380.42 | -0.57 |
| 9/6/2012 | 73.11 | 6380.37 | -0.05 |
| 3/5/2013 | 73.20 | 6380.28 | -0.09 |
| 11/8/2013 | 73.42 | 6380.06 | -0.22 |
| 5/15/2014 | 73.55 | 6379.93 | -0.13 |
| 1/8/2018 | 73.28 | 6380.20 | 0.27 |
| 3/9/2018 | 73.32 | 6380.16 | -0.04 |

All Historic Measurements




DENVER BASIN
Denver Aquifer

| | | | | | | | |
|---------------------------------------|-----------------------|----|----|-------------------------------|--|-------|------------------------------|
| Well Name: | USGS OBS. WELL | | | Owner: | | | |
| Permit #: | 31383 - M - | | | Location #: | SC01306207BCB | | |
| Division: | 2 | | | Water District: | 10 | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: EL PASO |
| | NW | SW | NW | 7 | 13 | S | Distance from section lines: |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | Easting (UTM x): | 4309678.8 553341.8 GPS | | |
| Latitude/Longitude (decimal degrees): | 38.934417 | | | | -104.384556 | | |
| Surface Elevation (ft): | 6285.89 | | | Top Perforated Interval (ft): | 135 | | |
| Well depth (ft): | 246 | | | Base of grout (ft): | 130 | | |
| Aquifer(s): | DENVER | | | | Water Level Change | | |
| | | | | | 1 year: | -8.80 | |
| | | | | | 5 year: | -8.80 | |
| | | | | | 10 year: | -7.52 | |


Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 3/14/2008 | 66.05 | 6219.84 | 5.32 |
| 9/4/2008 | 68.04 | 6217.85 | -1.99 |
| 3/6/2009 | 61.05 | 6224.84 | 6.99 |
| 9/4/2009 | 63.13 | 6222.76 | -2.08 |
| 3/5/2010 | 57.80 | 6228.09 | 5.33 |
| 9/15/2010 | 67.05 | 6218.84 | -9.25 |
| 3/31/2011 | 61.13 | 6224.76 | 5.92 |
| 9/9/2011 | 66.81 | 6219.08 | -5.68 |
| 3/9/2012 | 64.81 | 6221.08 | 2.00 |
| 9/6/2012 | 72.89 | 6213.00 | -8.08 |
| 3/5/2013 | 64.77 | 6221.12 | 8.12 |
| 11/6/2013 | 69.52 | 6216.37 | -4.75 |
| 3/6/2014 | 69.28 | 6216.61 | 0.24 |
| 1/8/2018 | 73.06 | 6212.83 | -3.78 |
| 3/9/2018 | 73.57 | 6212.32 | -0.51 |

All Historic Measurements




ARAPAHOE AQUIFER



COLORADO
Division of Water Resources
Department of Natural Resources


State of Colorado -- Division of Water Resources
**Arapahoe Aquifer
Monitoring Well Locations**



COLORADO
Division of Water Resources
Department of Natural Resources


State of Colorado -- Division of Water Resources

Arapahoe Aquifer
2017-2018 Change in Water Level



COLORADO
Division of Water Resources
Department of Natural Resources

State of Colorado -- Division of Water Resources
Arapahoe Aquifer
2013-2018 Change in Water Level



COLORADO
Division of Water Resources
Department of Natural Resources

State of Colorado -- Division of Water Resources

Arapahoe Aquifer
2008-2018 Change in Water Level


DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|--|---------------------------------|--|--|--|----------------------------------|--|--|
| Well Name: | CASTLE PINES A-1 | | | | Owner: | CASTLE PINES NORTH METRO DISTRICT | |
| Permit #: | 27993 - F - | | | | Location #: | SC00706708AA1 | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NE NE 8 | | | | Twnshp Range PM 7 S 67 W S | County: DOUGLAS Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): Northing (UTM y): | 4368086.2 | | | | Easting (UTM x): | 507959.3 Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.462314 | | | | | -104.907477 | |
| Surface Elevation (ft): | 6361.18 | | | | Top Perforated Interval (ft): | 1663 Base of grout (ft): 1624 Water Level Change | |
| Well depth (ft): | | | | | Bottom Perforated Interval (ft): | 2104 1 year: Aquifer(s): ARAPAHOE 5 year: 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/30/2010 | 1800.31 | 4560.87 | -84.96 |
| 5/1/2013 | 1675.16 | 4686.02 | 125.15 |

All Historic Measurements




Well Name: **DB-001 MCINTOSH, KIRK**

| | | | | | | | |
|--|-------------------------------------|---|-------------|---------------|----------------------------------|---|--|
| Permit #: | 32925 - | - | Location #: | SB00106529CDC | Owner: | USGS Site ID: | |
| Division: | 1 | | | | Water District: | 2 County: WELD | |
| Location: | Q160 Q40 Q10 Section SW SE SW 29 | | | | Twnshp Range PM 1 N 65 W S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): Northing (UTM y): | 4429554.0 | | | | Easting (UTM x): | 526412.0 GPS | |
| Latitude/Longitude (decimal degrees): | 40.015780 | | | | | -104.690510 | |
| Surface Elevation (ft): | 5041 | | | | Top Perforated Interval (ft): | 102 Base of grout (ft): 83 Water Level Change | |
| Well depth (ft): | 148 | | | | Bottom Perforated Interval (ft): | 145 1 year: Aquifer(s): UPPER ARAPAHOE 5 year: 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 51.44 | 4989.56 | -1.85 |
| 9/15/2008 | 52.72 | 4988.28 | -1.28 |
| 5/28/2009 | 60.70 | 4980.30 | -7.98 |
| 4/19/2010 | 55.15 | 4985.85 | 5.55 |
| 4/7/2011 | 46.26 | 4994.74 | 8.89 |
| 4/25/2011 | 46.61 | 4994.39 | -0.35 |
| 4/4/2013 | 47.29 | 4993.71 | -0.68 |
| 5/20/2014 | | | |
| 7/1/2015 | 58.95 | 4982.05 | |
| 3/22/2016 | 43.39 | 4997.61 | 15.56 |
| 6/7/2018 | 62.51 | 4978.49 | -19.12 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|--|---------------------------|---|
| Well Name: | DB-007 GRAYSON, D.E. | | | | Owner: |
| Permit #: | 59664 - - | | | | Location #: SC00106618CCC |
| Division: | 1 | Water District: | 2 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section SW SW SW 18 | Twnshp 1 S Range 66 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4423201.1 | Easting (UTM x): 516091.5 | User supplied | | |
| Latitude/Longitude (decimal degrees): | 39.958800 | | | | -104.811600 |
| Surface Elevation (ft): | 5035 | Top Perforated Interval (ft): | 232 | Base of grout (ft): | 167 |
| Well depth (ft): | 333 | Bottom Perforated Interval (ft): | 333 | Water Level Change | |
| Aquifer(s): | LOWER ARAPAHOE | | | | 1 year: 5 year: 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 172.55 | 4862.45 | -1.78 |
| 9/15/2008 | 175.50 | 4859.50 | -2.95 |
| 5/28/2009 | 176.92 | 4858.08 | -1.42 |
| 4/19/2010 | 141.48 | 4893.52 | 35.44 |
| 4/7/2011 | 169.49 | 4865.51 | -28.01 |
| 4/26/2012 | 133.90 | 4901.10 | 35.59 |
| 4/4/2013 | 134.97 | 4900.03 | -1.07 |
| 5/20/2014 | 133.79 | 4901.21 | 1.18 |
| 5/14/2015 | 161.79 | 4873.21 | -28.00 |
| 3/29/2016 | 125.50 | 4909.50 | 36.29 |
| 3/9/2017 | 133.79 | 4901.21 | -8.29 |
| 6/7/2018 | | | |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 158.15 | 4979.85 | -9.05 |
| 9/15/2008 | 196.60 | 4941.40 | -38.45 |
| 5/28/2009 | 159.35 | 4978.65 | 37.25 |
| 4/19/2010 | 158.48 | 4979.52 | 0.87 |
| 4/7/2011 | 158.98 | 4979.02 | -0.50 |
| 4/26/2012 | 159.06 | 4978.94 | -0.08 |
| 4/8/2013 | 160.85 | 4977.15 | -1.79 |
| 5/20/2014 | 159.32 | 4978.68 | 1.53 |
| 5/14/2015 | 177.37 | 4960.63 | -18.05 |
| 6/1/2016 | 159.23 | 4978.77 | 18.14 |
| 5/3/2017 | 163.06 | 4974.94 | -3.83 |
| 6/7/2018 | 160.31 | 4977.69 | 2.75 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|---------------------------|------------------------------|---------------------------|
| Well Name: | DB-009 ADAMS CO WELL #8 | | | | Owner: |
| Permit #: | 28625 - F | | Location #: SC00106727DBC | | USGS Site ID: |
| Division: | 1 | Water District: | 2 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section SE NW SW 27 | Twnshp | Range PM 1 S 67 W S | Distance from section lines: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4420369.2 | Easting (UTM x): 510845.4 | User supplied | From N/S line: | From E/W line: |
| Latitude/Longitude (decimal degrees): | 39.933370 | -104.873070 | | | |
| Surface Elevation (ft): | 5009 | Top Perforated Interval (ft): | 200 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 550 | Bottom Perforated Interval (ft): | 550 | 1 year: | 20.33 |
| Aquifer(s): | LOWER ARAPAHOE | 5 year: | -12.51 | | |
| | | 10 year: | -27.27 | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 122.64 | 4886.36 | 12.21 |
| 9/15/2008 | 164.21 | 4844.79 | -41.57 |
| 5/28/2009 | 178.07 | 4830.93 | -13.86 |
| 4/19/2010 | 145.88 | 4863.12 | 32.19 |
| 4/7/2011 | 142.89 | 4866.11 | 2.99 |
| 5/7/2012 | 139.30 | 4869.70 | 3.59 |
| 4/18/2013 | 137.40 | 4871.60 | 1.90 |
| 5/20/2014 | | | |
| 6/24/2015 | 154.07 | 4854.93 | |
| 6/2/2016 | 163.55 | 4845.45 | -9.48 |
| 5/3/2017 | 170.24 | 4838.76 | -6.69 |
| 6/7/2018 | 149.91 | 4859.09 | 20.33 |

All Historic Measurements




Well Name: **DB-010 HAMPSON, R**

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|------------------------|------------------------------|---------------------------|
| Permit #: | 52008 - | - | Location #: | SC00106732DDA | Owner: |
| Division: | 1 | Water District: | 2 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section SE SE NE 32 | Twnshp | Range PM 1 S 67 W S | Distance from section lines: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4418544.2 | Easting (UTM x): 508168.3 | User supplied | From N/S line: | From E/W line: |
| Latitude/Longitude (decimal degrees): | 39.916950 | -104.904420 | | | |
| Surface Elevation (ft): | 5138 | Top Perforated Interval (ft): | 250 | Base of grout (ft): | 252 |
| Well depth (ft): | 430 | Bottom Perforated Interval (ft): | 430 | 1 year: | Water Level Change |
| Aquifer(s): | LOWER ARAPAHOE | 5 year: | | | |
| | | 10 year: | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 224.02 | 4913.98 | 4.61 |
| 9/15/2008 | 241.87 | 4896.13 | -17.85 |
| 5/28/2009 | 239.96 | 4898.04 | 1.91 |
| 4/19/2010 | 229.38 | 4908.62 | 10.58 |
| 4/7/2011 | 223.64 | 4914.36 | 5.74 |
| 4/26/2012 | 226.76 | 4911.24 | -3.12 |
| 4/8/2013 | 225.68 | 4912.32 | 1.08 |
| 5/20/2014 | 227.82 | 4910.18 | -2.14 |
| 6/24/2015 | 232.40 | 4905.60 | -4.58 |
| 6/2/2016 | | | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|--|-------------------------------------|----------------------------------|-----------------|--|---------------|
| Well Name: | DB-011 ADAMS CO. | | | Owner: | |
| Permit #: | 5191 - F | - | Location #: | SC00106734BAC1 | USGS Site ID: |
| Division: | 1 | Water District: | 2 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section NW NE SW 34 | Twnshp 1 S | Range 67 W S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): Northing (UTM y): | 4419483.2 | Easting (UTM x): | 510411.3 | User supplied | |
| Latitude/Longitude (decimal degrees): | 39.925390 | | -104.878160 | | |
| Surface Elevation (ft): | 5105 | Top Perforated Interval (ft): | 190 | Base of grout (ft): | 36 |
| Well depth (ft): | 296 | Bottom Perforated Interval (ft): | 280 | Water Level Change | |
| Aquifer(s): | LOWER ARAPAHOE | | | 1 year: | 4.15 |
| | | | | 5 year: | 103.52 |
| | | | | 10 year: | 49.38 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 151.66 | 4953.34 | -4.96 |
| 9/15/2008 | 172.61 | 4932.39 | -20.95 |
| 5/28/2009 | 212.50 | 4892.50 | -39.89 |
| 4/19/2010 | 215.84 | 4889.16 | -3.34 |
| 4/26/2012 | 151.20 | 4953.80 | 64.64 |
| 4/15/2013 | 205.80 | 4899.20 | -54.60 |
| 5/20/2014 | 191.21 | 4913.79 | 14.59 |
| 6/24/2015 | 111.98 | 4993.02 | 79.23 |
| 6/2/2016 | 156.42 | 4948.58 | -44.44 |
| 5/3/2017 | 106.43 | 4998.57 | 49.99 |
| 6/7/2018 | 102.28 | 5002.72 | 4.15 |

All Historic Measurements




Well Name: **DB-014 KB-38**

| | | | | | |
|--|-------------------------------------|----------------------------------|-----------------|--|---------------------------|
| Permit #: | 14090 - | - | Location #: | SC00306313BDD | Owner: LARRY TOFT |
| Division: | 1 | Water District: | 1 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section NW SE SE 13 | Twnshp 3 S | Range 63 W S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): Northing (UTM y): | 4404633.5 | Easting (UTM x): | 552534.5 | GPS | |
| Latitude/Longitude (decimal degrees): | 39.790034 | | -104.386428 | | |
| Surface Elevation (ft): | 5374.9 | Top Perforated Interval (ft): | | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 351 | Bottom Perforated Interval (ft): | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 2/4/2008 | 46.34 | 5328.56 | 10.76 |
| 3/20/2013 | 49.25 | 5325.65 | -2.91 |
| 4/3/2014 | 49.00 | 5325.90 | 0.25 |
| 3/10/2015 | 61.70 | 5313.20 | -12.70 |
| 2/17/2016 | | | |
| 2/23/2017 | | | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|------------------------------|---------------------------|---------------|
| Well Name: | DB-017 NICKERSON,DENNISE | | | | Owner: |
| Permit #: | 39965 - | - | Location #: | SC00206702DCC | USGS Site ID: |
| Division: | 1 | Water District: | 2 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section SE SW SW 2 | Twnshp Range PM 2 S 67 W S | Distance from section lines: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4416668.0 | Easting (UTM x): 512374.0 | From N/S line: | GPS | |
| Latitude/Longitude (decimal degrees): | 39.899997 | -104.855248 | | | |
| Surface Elevation (ft): | 5082 | Top Perforated Interval (ft): | 388 | Base of grout (ft): | 210 |
| Well depth (ft): | 475 | Bottom Perforated Interval (ft): | 475 | Water Level Change | |
| Aquifer(s): | LOWER ARAPAHOE | | | 1 year: | 8.78 |
| | | | | 5 year: | |
| | | | | 10 year: | 0.28 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 195.00 | 4887.00 | -23.14 |
| 9/15/2008 | 275.60 | 4806.40 | -80.60 |
| 4/19/2010 | 202.48 | 4879.52 | 73.12 |
| 4/7/2011 | 212.65 | 4869.35 | -10.17 |
| 4/26/2012 | 212.28 | 4869.72 | 0.37 |
| 5/14/2015 | 202.78 | 4879.22 | 9.50 |
| 2/16/2017 | 203.50 | 4878.50 | -0.72 |
| 6/7/2018 | 194.72 | 4887.28 | 8.78 |

All Historic Measurements




Well Name: **DB-019 NORTHLGLEN KA 7**

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|------------------------------|---------------------------|----------------------------------|
| Permit #: | 22500 - F | - | Location #: | SC00206810DDA1 | Owner: CITY OF NORTHLGLEN |
| Division: | 1 | Water District: | 2 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section SE SE NE 10 | Twnshp Range PM 2 S 68 W S | Distance from section lines: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4415519.0 | Easting (UTM x): 501698.0 | From N/S line: | GPS | |
| Latitude/Longitude (decimal degrees): | 39.889730 | -104.980140 | | | |
| Surface Elevation (ft): | 5310 | Top Perforated Interval (ft): | 325 | Base of grout (ft): | 281 |
| Well depth (ft): | 27 | Bottom Perforated Interval (ft): | 526 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | 1 year: | 0.23 |
| | | | | 5 year: | 0.57 |
| | | | | 10 year: | -1.85 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/22/2008 | 302.48 | 5007.52 | 0.46 |
| 9/24/2008 | 305.25 | 5004.75 | -2.77 |
| 5/29/2009 | 302.02 | 5007.98 | 3.23 |
| 4/26/2010 | 303.40 | 5006.60 | -1.38 |
| 4/14/2011 | 301.78 | 5008.22 | 1.62 |
| 5/17/2012 | 303.30 | 5006.70 | -1.52 |
| 4/18/2013 | 304.90 | 5005.10 | -1.60 |
| 4/25/2014 | 303.86 | 5006.14 | 1.04 |
| 5/22/2015 | 301.09 | 5008.91 | 2.77 |
| 6/1/2016 | 304.09 | 5005.91 | -3.00 |
| 5/3/2017 | 304.56 | 5005.44 | -0.47 |
| 6/13/2018 | 304.33 | 5005.67 | 0.23 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-----|---------------------|---------------------------|---|
| Well Name: | DB-020 DSSBR01 | | | | Owner: | CWCB |
| Permit #: | 255299 - | | | | Location #: | SC00206310CD DWR2 |
| Division: | 1 | | | | Water District: | 1 |
| Location: | Q160 Q40 Q10 Section SW SE 10 | | | | Twnshp Range PM | County: ADAMS Distance from section lines: From N/S line: 714 S From E/W line: 1720 W |
| UTM Coordinates (NAD83): | Northing (UTM y): 4414951.4 | | | | Easting (UTM x): 549076.7 | Surveyed |
| Latitude/Longitude (decimal degrees): | 39.883201 | | | | -104.426039 | |
| Surface Elevation (ft): | 5194.52 | Top Perforated Interval (ft): | 235 | Base of grout (ft): | 210 | Water Level Change |
| Well depth (ft): | 275 | Bottom Perforated Interval (ft): | 275 | | | 1 year: |
| Aquifer(s): | UPPER ARAPAHOE | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/15/2008 | 111.00 | 5083.52 | 1.50 |
| 10/15/2008 | 111.99 | 5082.53 | -0.99 |
| 3/15/2009 | 111.39 | 5083.13 | 0.60 |
| 3/23/2012 | 111.45 | 5083.07 | -0.06 |
| 7/19/2012 | 114.05 | 5080.47 | -2.60 |
| 10/15/2012 | 114.57 | 5079.95 | -0.52 |
| 3/15/2013 | 113.97 | 5080.55 | 0.60 |
| 10/17/2013 | 110.98 | 5083.54 | 2.99 |
| 4/18/2014 | 112.16 | 5082.36 | -1.18 |
| 10/18/2014 | 112.04 | 5082.48 | 0.12 |
| 3/20/2015 | 111.45 | 5083.07 | 0.59 |
| 11/3/2015 | 112.29 | 5082.23 | -0.84 |

All Historic Measurements



Well Name: **DB-024 HILLCREST VIL #1 LKA**


Owner:

| | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-------------|---------------------|---------------------------|--|
| Permit #: | 5348 - F | - | Location #: | SC00306631DCD | Owner: | |
| Division: | 1 | | | | Water District: | 2 |
| Location: | Q160 Q40 Q10 Section SE SW SE 31 | | | | Twnshp Range PM | County: ADAMS Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4399066.0 | | | | Easting (UTM x): 515838.0 | GPS |
| Latitude/Longitude (decimal degrees): | 39.741345 | | | | -104.815151 | |
| Surface Elevation (ft): | 5385 | Top Perforated Interval (ft): | 770 | Base of grout (ft): | 580 | Water Level Change |
| Well depth (ft): | 1130 | Bottom Perforated Interval (ft): | 1130 | | | 1 year: |
| Aquifer(s): | LOWER ARAPAHOE | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/21/2008 | 652.09 | 4732.91 | 37.95 |
| 9/24/2008 | 690.50 | 4694.50 | -38.41 |
| 6/1/2009 | 671.79 | 4713.21 | 18.71 |
| 4/26/2010 | 675.25 | 4709.75 | -3.46 |
| 4/8/2011 | 684.96 | 4700.04 | -9.71 |
| 5/7/2012 | 674.20 | 4710.80 | 10.76 |
| 4/18/2013 | 680.30 | 4704.70 | -6.10 |
| 5/1/2014 | | | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|--|---------------------|---------------------------|
| Well Name: | DB-025 HILLCREST VIL #2 LKA | | | | Owner: |
| Permit #: | 5349 - F | | Location #: SC00306631DBB | | USGS Site ID: |
| Division: | 1 | Water District: | 2 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section SE NW NW 31 | Twnshp Range PM 3 S 66 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4399720.0 | Easting (UTM x): 515657.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.747241 | -104.817248 | | | |
| Surface Elevation (ft): | 5390 | Top Perforated Interval (ft): | | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 1108 | Bottom Perforated Interval (ft): | | | 1 year: |
| Aquifer(s): | LOWER ARAPAHOE | | | | 5 year: 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/21/2008 | 751.60 | 4638.40 | -51.28 |
| 9/24/2008 | 764.77 | 4625.23 | -13.17 |
| 6/1/2009 | 749.52 | 4640.48 | 15.25 |
| 4/26/2010 | 761.77 | 4628.23 | -12.25 |
| 4/8/2011 | 781.63 | 4608.37 | -19.86 |
| 5/7/2012 | 741.70 | 4648.30 | 39.93 |
| 4/18/2013 | 726.60 | 4663.40 | 15.10 |
| 5/1/2014 | | | |

All Historic Measurements




Well Name: **DB-026 HILLCREST VIL #3 LKA**

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|--|---------------------|---------------------------|
| Permit #: | 13904 - F | Location #: | SC00306631DAA | Owner: | |
| Division: | 1 | Water District: | 2 | County: ADAMS | |
| Location: | Q160 Q40 Q10 Section SE NE NE 31 | Twnshp Range PM 3 S 66 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4399704.0 | Easting (UTM x): 515328.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.747103 | -104.821089 | | | |
| Surface Elevation (ft): | 5360 | Top Perforated Interval (ft): | 746 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 1106 | Bottom Perforated Interval (ft): | 1106 | | 1 year: |
| Aquifer(s): | LOWER ARAPAHOE | | | | 5 year: 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/21/2008 | 702.86 | 4657.14 | -6.47 |
| 6/24/2008 | 743.06 | 4616.94 | -40.20 |
| 6/1/2009 | 713.26 | 4646.74 | 29.80 |
| 4/26/2010 | 738.97 | 4621.03 | -25.71 |
| 4/8/2011 | 731.97 | 4628.03 | 7.00 |
| 5/7/2012 | 686.50 | 4673.50 | 45.47 |
| 4/18/2013 | 668.90 | 4691.10 | 17.60 |
| 5/1/2014 | | | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|--|----------------------------------|--|---------------------|---------------------------|
| Well Name: | DB-028 SO ADAMS CO. W&S #13 | | | | Owner: |
| Permit #: | 34457 - F | | Location #: SC00306717ABA | | USGS Site ID: |
| Division: | 1 | Water District: | 2 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section NE NW NE 17 | Twnshp Range PM 3 S 67 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4405359.0 | Easting (UTM x): 507629.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.798159 | | -104.910887 | | |
| Surface Elevation (ft): | 5210 | Top Perforated Interval (ft): | 430 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 730 | Bottom Perforated Interval (ft): | 730 | 1 year: | 50.88 |
| Aquifer(s): | ARAPAHOE | | | | 5 year: 63.16 |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/21/2008 | | | |
| 9/24/2008 | | | |
| 5/29/2009 | | | |
| 4/26/2010 | 426.63 | 4783.37 | |
| 4/14/2011 | 396.28 | 4813.72 | 30.35 |
| 4/30/2013 | 466.92 | 4743.08 | -70.64 |
| 5/23/2014 | 470.57 | 4739.43 | -3.65 |
| 5/14/2015 | 425.74 | 4784.26 | 44.83 |
| 6/2/2016 | 471.63 | 4738.37 | -45.89 |
| 5/3/2017 | 454.64 | 4755.36 | 16.99 |
| 6/7/2018 | 403.76 | 4806.24 | 50.88 |

All Historic Measurements




Well Name: **DB-029 WASTE MANAGEMENT**

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|--|---------------------|---------------------------|
| Permit #: | 13974 - | - | Location #: | SC00306810BC | Owner: |
| Division: | 1 | Water District: | 7 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section NW SW 10 | Twnshp Range PM 3 S 68 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4406538.0 | Easting (UTM x): 500712.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.808816 | | -104.991682 | | |
| Surface Elevation (ft): | 5180 | Top Perforated Interval (ft): | 450 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 700 | Bottom Perforated Interval (ft): | 700 | 1 year: | -3.11 |
| Aquifer(s): | ARAPAHOE | | | | 5 year: -8.15 |
| | | | | | 10 year: 1.51 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/21/2008 | 75.81 | 5104.19 | 3.55 |
| 9/24/2008 | 75.42 | 5104.58 | 0.39 |
| 5/29/2009 | 84.34 | 5095.66 | -8.92 |
| 4/26/2010 | 70.62 | 5109.38 | 13.72 |
| 4/14/2011 | 76.18 | 5103.82 | -5.56 |
| 4/30/2012 | 71.19 | 5108.81 | 4.99 |
| 4/11/2013 | 66.15 | 5113.85 | 5.04 |
| 5/23/2014 | 70.97 | 5109.03 | -4.82 |
| 5/14/2015 | 70.74 | 5109.26 | 0.23 |
| 6/1/2016 | 74.69 | 5105.31 | -3.95 |
| 5/3/2017 | 71.19 | 5108.81 | 3.50 |
| 6/7/2018 | 74.30 | 5105.70 | -3.11 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-----|---------------------|---|---|-------|
| Well Name: | DB-033 NEWBY,M | | | | Owner: | | |
| Permit #: | 13129 - | | | | Location #: | SC00406206BAB | |
| Division: | 1 | | | | Water District: | 1 | |
| Location: | Q160 Q40 Q10 Section NW NE NW 6 | | | | Twnshp Range PM 4 S 62 W S | County: ARAPAHOE Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4398827.0 | | | | Easting (UTM x): 553715.0 GPS | | |
| Latitude/Longitude (decimal degrees): | 39.737646 | | | | -104.373117 | | |
| Surface Elevation (ft): | 5410 | Top Perforated Interval (ft): | 280 | Base of grout (ft): | | Water Level Change | |
| Well depth (ft): | 479 | Bottom Perforated Interval (ft): | 460 | | | 1 year: | -0.59 |
| Aquifer(s): | UPPER ARAPAHOE | | | | | 5 year: | 4.76 |
| | | | | | | 10 year: | -1.61 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 120.82 | 5289.18 | -6.46 |
| 9/16/2008 | 141.52 | 5268.48 | -20.70 |
| 4/20/2010 | 116.24 | 5293.76 | 25.28 |
| 4/8/2011 | 120.36 | 5289.64 | -4.12 |
| 5/4/2012 | 127.93 | 5282.07 | -7.57 |
| 4/30/2013 | 127.19 | 5282.81 | 0.74 |
| 6/6/2014 | 127.20 | 5282.80 | -0.01 |
| 3/10/2015 | 118.35 | 5291.65 | 8.85 |
| 2/17/2016 | 119.72 | 5290.28 | -1.37 |
| 2/23/2017 | 121.84 | 5288.16 | -2.12 |
| 3/6/2018 | 122.43 | 5287.57 | -0.59 |

All Historic Measurements



Well Name:

DB-038 LAKEWOOD,CITY OF


Owner:

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-------------|---------------------|--|---------------------------|-------|
| Permit #: | 27141 - F | - | Location #: | SC00406914CBB2 | USGS Site ID: | | |
| Division: | 1 | | | | Water District: 8 | | |
| Location: | Q160 Q40 Q10 Section SW NW NW 14 | | | | County: JEFFERSON Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4394845.0 | | | | Easting (UTM x): 492308.9 GPS | | |
| Latitude/Longitude (decimal degrees): | 39.703430 | | | | -105.089720 | | |
| Surface Elevation (ft): | 5525 | Top Perforated Interval (ft): | 440 | Base of grout (ft): | 345 | Water Level Change | |
| Well depth (ft): | 789 | Bottom Perforated Interval (ft): | 789 | | | 1 year: | -0.93 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | -1.81 |
| | | | | | | 10 year: | -1.32 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/22/2008 | 404.73 | 5120.27 | 0.37 |
| 9/24/2008 | 406.90 | 5118.10 | -2.17 |
| 5/29/2009 | 405.80 | 5119.20 | 1.10 |
| 4/26/2010 | 413.97 | 5111.03 | -8.17 |
| 4/14/2011 | 404.86 | 5120.14 | 9.11 |
| 5/17/2012 | 414.89 | 5110.11 | -10.03 |
| 5/17/2013 | 404.24 | 5120.76 | 10.65 |
| 5/22/2014 | 406.04 | 5118.96 | -1.80 |
| 7/16/2015 | 403.76 | 5121.24 | 2.28 |
| 5/26/2016 | 403.71 | 5121.29 | 0.05 |
| 5/15/2017 | 405.12 | 5119.88 | -1.41 |
| 6/27/2018 | 406.05 | 5118.95 | -0.93 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----|---------------------|-------------------------------|--|--------|
| Well Name: | DB-043 STEELE, JACK | | | | Owner: | BRANDON ROPP | |
| Permit #: | 34167 - - | | | | Location #: | SC00506911DBB | |
| Division: | 1 | | | | Water District: | 9 | |
| Location: | Q160 Q40 Q10 Section SE NW NW 11 | | | | Twnshp Range PM 5 S 69 W S | County: JEFFERSON Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4386746.0 | | | | Easting (UTM x): 493016.0 | GPS | |
| Latitude/Longitude (decimal degrees): | 39.630460 | | | | -105.081380 | | |
| Surface Elevation (ft): | 5540 | Top Perforated Interval (ft): | 379 | Base of grout (ft): | 22 | Water Level Change | |
| Well depth (ft): | 505 | Bottom Perforated Interval (ft): | 505 | | | 1 year: | -17.01 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | -15.78 |
| | | | | | | 10 year: | -16.65 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/22/2008 | 159.00 | 5381.00 | -2.11 |
| 9/24/2008 | 167.92 | 5372.08 | -8.92 |
| 5/29/2009 | 158.60 | 5381.40 | 9.32 |
| 4/26/2010 | 158.07 | 5381.93 | 0.53 |
| 4/14/2011 | 157.67 | 5382.33 | 0.40 |
| 5/16/2012 | 161.83 | 5378.17 | -4.16 |
| 4/11/2013 | 159.87 | 5380.13 | 1.96 |
| 5/22/2014 | 160.34 | 5379.66 | -0.47 |
| 7/16/2015 | 159.93 | 5380.07 | 0.41 |
| 5/25/2016 | 156.61 | 5383.39 | 3.32 |
| 5/15/2017 | 158.64 | 5381.36 | -2.03 |
| 6/27/2018 | 175.65 | 5364.35 | -17.01 |

All Historic Measurements




Well Name: **DB-049 TOMIM, DEBRA R**

| | | | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|-------------|---------------------|--------------------------------|--|-------|
| Permit #: | 49192 - A | - | Location #: | SC01406308CC | Owner: | DEBRA TOMIM | |
| Division: | 2 | | | | Water District: | 10 | |
| Location: | Q160 Q40 Q10 Section SW SW 8 | | | | Twnshp Range PM 14 S 63 W S | County: EL PASO Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4299319.8 | | | | Easting (UTM x): 545318.5 | User supplied | |
| Latitude/Longitude (decimal degrees): | 38.841520 | | | | -104.477810 | | |
| Surface Elevation (ft): | 6225 | Top Perforated Interval (ft): | 381 | Base of grout (ft): | 190 | Water Level Change | |
| Well depth (ft): | 501 | Bottom Perforated Interval (ft): | 481 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 10.92 |
| | | | | | | 10 year: | 9.44 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 214.92 | 6010.08 | 16.97 |
| 9/22/2008 | 215.35 | 6009.65 | -0.43 |
| 4/27/2010 | 206.35 | 6018.65 | 9.00 |
| 4/13/2011 | 232.49 | 5992.51 | -26.14 |
| 5/9/2012 | 221.73 | 6003.27 | 10.76 |
| 4/26/2013 | 216.40 | 6008.60 | 5.33 |
| 6/2/2014 | 219.99 | 6005.01 | -3.59 |
| 7/9/2015 | | | |
| 5/27/2016 | | | |
| 5/12/2017 | | | |
| 4/25/2018 | 205.48 | 6019.52 | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|---------------------------|---|---------------------------|
| Well Name: | DB-051 NAGEL, DAVID | | | | Owner: |
| Permit #: | 6501- | - | Location #: SC00706009DBC | | USGS Site ID: |
| Division: | 1 | | Water District: | 1 | County: ELBERT |
| Location: | Q160 Q40 Q10 Section SE NW SW 9 | Twspn Range PM 7 S 60 W S | | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4367318.0 | Easting (UTM x): 576351.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.452043 | | -104.112597 | | |
| Surface Elevation (ft): | 5700 | Top Perforated Interval (ft): | 130 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 160 | Bottom Perforated Interval (ft): | 160 | 1 year: | -0.20 |
| Aquifer(s): | ARAPAHOE | | | 5 year: | -0.25 |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | | | |
| 9/23/2008 | 100.42 | 5599.58 | |
| 4/28/2010 | 99.76 | 5600.24 | 0.66 |
| 4/11/2011 | 99.80 | 5600.20 | -0.04 |
| 5/7/2013 | 100.15 | 5599.85 | -0.35 |
| 5/30/2014 | | | |
| 6/26/2015 | | | |
| 5/19/2016 | | | |
| 5/4/2017 | 100.20 | 5599.80 | |
| 5/24/2018 | 100.40 | 5599.60 | -0.20 |

All Historic Measurements




Well Name: **DB-053 DEWINDT, JOHN**

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----------------|---|---------------------------|
| Permit #: | 4840- | - | Location #: | SC00706029ABC | Owner: |
| Division: | 1 | | Water District: | 1 | County: ELBERT |
| Location: | Q160 Q40 Q10 Section NE NW SW 29 | Twspn Range PM 7 S 60 W S | | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4363228.0 | Easting (UTM x): 574854.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.415325 | | -104.130453 | | |
| Surface Elevation (ft): | 5880 | Top Perforated Interval (ft): | 460 | Base of grout (ft): 400 | Water Level Change |
| Well depth (ft): | 486 | Bottom Perforated Interval (ft): | 486 | 1 year: | 0.31 |
| Aquifer(s): | ARAPAHOE | | | 5 year: | -1.35 |
| | | | | 10 year: | 17.95 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | 219.39 | 5660.61 | -14.24 |
| 9/23/2008 | 216.45 | 5663.55 | 2.94 |
| 4/28/2010 | 200.63 | 5679.37 | 15.82 |
| 4/12/2011 | 200.90 | 5679.10 | -0.27 |
| 5/8/2012 | 201.25 | 5678.75 | -0.35 |
| 5/7/2013 | 200.09 | 5679.91 | 1.16 |
| 5/30/2014 | 205.70 | 5674.30 | -5.61 |
| 6/26/2015 | 200.67 | 5679.33 | 5.03 |
| 5/19/2016 | 210.71 | 5669.29 | -10.04 |
| 5/4/2017 | 201.75 | 5678.25 | 8.96 |
| 5/24/2018 | 201.44 | 5678.56 | 0.31 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|--|---------------------------|-----------------------|
| Well Name: | DB-061 BURNS, LEONARD | | | | Owner: |
| Permit #: | 61822 - | | Location #: SC00806103ADB | | USGS Site ID: |
| Division: | 1 | Water District: | 1 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section NE SE NW 3 | Twnshp 8 S Range 61 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4359884.0 | Easting (UTM x): 568743.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.385705 | | -104.201779 | | |
| Surface Elevation (ft): | 6078 | Top Perforated Interval (ft): | 601 | Base of grout (ft): | 464 |
| Well depth (ft): | 715 | Bottom Perforated Interval (ft): | 715 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | 1 year: -3.51 |
| | | | | | 5 year: 13.78 |
| | | | | | 10 year: 12.39 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | 346.20 | 5731.80 | -18.36 |
| 9/23/2008 | 333.62 | 5744.38 | 12.58 |
| 4/28/2010 | 328.43 | 5749.57 | 5.19 |
| 4/12/2011 | 351.64 | 5726.36 | -23.21 |
| 5/8/2012 | 351.43 | 5726.57 | 0.21 |
| 5/7/2013 | 347.59 | 5730.41 | 3.84 |
| 5/30/2014 | 347.60 | 5730.40 | -0.01 |
| 6/26/2015 | 332.77 | 5745.23 | 14.83 |
| 5/19/2016 | 348.93 | 5729.07 | -16.16 |
| 5/4/2017 | 330.30 | 5747.70 | 18.63 |
| 5/24/2018 | 333.81 | 5744.19 | -3.51 |

All Historic Measurements




Well Name: **DB-069 PARK FUNDING KA**

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|--|---------------------------|-------------------------|
| Permit #: | 25602 - F | - | Location #: | SC00806609CAA1 | Owner: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SW NE NE 9 | Twnshp 8 S Range 66 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4357537.0 | Easting (UTM x): 518377.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.367100 | | -104.786670 | | |
| Surface Elevation (ft): | 6658 | Top Perforated Interval (ft): | 1812 | Base of grout (ft): | 1782 |
| Well depth (ft): | 2323 | Bottom Perforated Interval (ft): | 2318 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | 1 year: -7.16 |
| | | | | | 5 year: -93.35 |
| | | | | | 10 year: -156.38 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/23/2008 | 1563.47 | 5094.53 | -17.79 |
| 9/18/2008 | 1625.47 | 5032.53 | -62.00 |
| 6/9/2009 | 1640.39 | 5017.61 | -14.92 |
| 4/22/2010 | 1621.45 | 5036.55 | 18.94 |
| 4/11/2011 | 1614.75 | 5043.25 | 6.70 |
| 5/15/2012 | 1749.50 | 4908.50 | -134.75 |
| 5/14/2013 | 1626.50 | 5031.50 | 123.00 |
| 6/24/2014 | 1653.33 | 5004.67 | -26.83 |
| 7/14/2015 | 1671.11 | 4986.89 | -17.78 |
| 5/24/2016 | 1667.19 | 4990.81 | 3.92 |
| 4/20/2017 | 1712.69 | 4945.31 | -45.50 |
| 5/31/2018 | 1719.85 | 4938.15 | -7.16 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|---|--|---------------------------|---------------|
| Well Name: | DB-073 HASENBOLG, LEROY | | | | Owner: |
| Permit #: | 85063- | | Location #: SC00906016BBB | | USGS Site ID: |
| Division: | 1 | Water District: | 1 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section NW NW NW 16 | Twnshp Range PM 9 S 60 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4347495.0 | Easting (UTM x): 575697.0 GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.273500 | | -104.122440 | | |
| Surface Elevation (ft): | 5950 | Top Perforated Interval (ft): | 146 | Base of grout (ft): | 10 |
| Well depth (ft): | 186 | Bottom Perforated Interval (ft): | 186 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | |
| 1 year: | -0.13 | | 5 year: | 1.26 | |
| 10 year: | 0.24 | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 103.59 | 5846.41 | 0.24 |
| 9/17/2008 | 110.66 | 5839.34 | -7.07 |
| 4/21/2010 | 104.09 | 5845.91 | 6.57 |
| 4/9/2011 | 104.17 | 5845.83 | -0.08 |
| 5/8/2012 | 104.44 | 5845.56 | -0.27 |
| 5/7/2013 | 104.61 | 5845.39 | -0.17 |
| 5/30/2014 | 104.60 | 5845.40 | 0.01 |
| 6/26/2015 | 103.67 | 5846.33 | 0.93 |
| 5/19/2016 | 103.22 | 5846.78 | 0.45 |
| 5/4/2017 | 103.22 | 5846.78 | 0.00 |
| 4/19/2018 | 103.35 | 5846.65 | -0.13 |

All Historic Measurements



Well Name: **DB-081 LEMLEY, DONALD**


Owner:

| | | | | | |
|---------------------------------------|------------------------------------|---|--|---------------------|---------------------------|
| Permit #: | 4712- | Location #: | SC01006004BDD | USGS Site ID: | |
| Division: | 1 | Water District: | 1 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section NW SE SE 4 | Twnshp Range PM 10 S 60 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4340432.0 | Easting (UTM x): 576185.0 GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.209820 | | -104.117580 | | |
| Surface Elevation (ft): | 6080 | Top Perforated Interval (ft): | 180 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 240 | Bottom Perforated Interval (ft): | 240 | 1 year: | -1.05 |
| Aquifer(s): | ARAPAHOE | | | | |
| 5 year: | 5.78 | | 10 year: | 1.60 | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 90.50 | 5989.50 | 4.29 |
| 9/17/2008 | 93.85 | 5986.15 | -3.35 |
| 4/21/2010 | 86.69 | 5993.31 | 7.16 |
| 4/9/2011 | 87.60 | 5992.40 | -0.91 |
| 5/8/2012 | 91.68 | 5988.32 | -4.08 |
| 5/8/2013 | 94.68 | 5985.32 | -3.00 |
| 5/30/2014 | 91.41 | 5988.59 | 3.27 |
| 6/26/2015 | 91.60 | 5988.40 | -0.19 |
| 5/2/2016 | 87.64 | 5992.36 | 3.96 |
| 5/4/2017 | 87.85 | 5992.15 | -0.21 |
| 5/24/2018 | 88.90 | 5991.10 | -1.05 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|---------------------------|---------------------|---|
| Well Name: | DB-082 BEN LOMOND GUN CLUB | | | | Owner: |
| Permit #: | 44490 - | - | Location #: SC01006111BCB | | USGS Site ID: |
| Division: | 1 | Water District: | 1 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section NW SW NW 11 | Twnshp 10 S | Range 61 W | PM S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4338894.0 | Easting (UTM x): 569337.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.196540 | -104.197040 | | | |
| Surface Elevation (ft): | 6205 | Top Perforated Interval (ft): | 383 | Base of grout (ft): | 238 |
| Well depth (ft): | 484 | Bottom Perforated Interval (ft): | 484 | | Water Level Change |
| Aquifer(s): | ARAPAHOE | | | | 1 year: |
| | | | | | 5 year: |
| | | | | | 10 year: |
| | | | | | 7.36 |
| | | | | | 1.89 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 219.78 | 5985.22 | -3.03 |
| 9/17/2008 | 217.30 | 5987.70 | 2.48 |
| 4/21/2010 | 217.92 | 5987.08 | -0.62 |
| 4/9/2011 | 248.40 | 5956.60 | -30.48 |
| 5/9/2012 | 224.72 | 5980.28 | 23.68 |
| 5/8/2013 | 225.25 | 5979.75 | -0.53 |
| 5/30/2014 | 221.70 | 5983.30 | 3.55 |
| 6/26/2015 | 224.56 | 5980.44 | -2.86 |
| 5/2/2016 | 214.93 | 5990.07 | 9.63 |
| 5/4/2017 | | | |
| 5/24/2018 | 217.89 | 5987.11 | |

All Historic Measurements




Well Name: **DB-083 HERTNEKY,GEO.& KEN.**

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|---------------|---------------------|---|
| Permit #: | 48587 - | - | Location #: | SC01006121BBB | Owner: |
| Division: | 1 | Water District: | 1 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section NW NW NW 21 | Twnshp 10 S | Range 61 W | PM S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4336099.0 | Easting (UTM x): 566124.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.171604 | -104.234523 | | | |
| Surface Elevation (ft): | 6322 | Top Perforated Interval (ft): | 390 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 510 | Bottom Perforated Interval (ft): | 510 | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | 5 year: |
| | | | | | 10 year: |
| | | | | | 4.14 |
| | | | | | 8.24 |
| | | | | | 4.01 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/25/2008 | 296.65 | 6025.35 | 5.66 |
| 9/17/2008 | 296.40 | 6025.60 | 0.25 |
| 4/21/2010 | 296.20 | 6025.80 | 0.20 |
| 4/9/2011 | 295.72 | 6026.28 | 0.48 |
| 5/9/2012 | 295.02 | 6026.98 | 0.70 |
| 5/8/2013 | 300.88 | 6021.12 | -5.86 |
| 5/30/2014 | 297.18 | 6024.82 | 3.70 |
| 6/26/2015 | 291.08 | 6030.92 | 6.10 |
| 5/2/2016 | 291.91 | 6030.09 | -0.83 |
| 5/4/2017 | 296.78 | 6025.22 | -4.87 |
| 5/24/2018 | 292.64 | 6029.36 | 4.14 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|-----------------------------------|--|---------------------------|---|
| Well Name: | DB-090 ARIES LAND CO TH-2 | | | | Owner: |
| Permit #: | 29896 - M - | | | | Location #: SC01406428AAC2 |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NE NE SW 28 | Twnshp 14 S Range 64 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4295424.9 | Easting (UTM x): 538455.5 | User supplied | | |
| Latitude/Longitude (decimal degrees): | 38.806750 | | | | -104.557100 |
| Surface Elevation (ft): | 6325 | Top Perforated Interval (ft): | 110 | Base of grout (ft): | 110 |
| Well depth (ft): | 254 | Bottom Perforated Interval (ft): | 220 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | 1 year: -0.96 5 year: 2.03 10 year: 6.69 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 115.40 | 6209.60 | -3.46 |
| 9/22/2008 | 111.71 | 6213.29 | 3.69 |
| 6/9/2009 | 111.41 | 6213.59 | 0.30 |
| 4/27/2010 | 111.85 | 6213.15 | -0.44 |
| 4/13/2011 | 112.33 | 6212.67 | -0.48 |
| 5/9/2012 | 111.84 | 6213.16 | 0.49 |
| 4/26/2013 | 110.74 | 6214.26 | 1.10 |
| 6/2/2014 | 109.61 | 6215.39 | 1.13 |
| 7/9/2015 | 108.40 | 6216.60 | 1.21 |
| 5/27/2016 | 106.13 | 6218.87 | 2.27 |
| 5/12/2017 | 107.75 | 6217.25 | -1.62 |
| 4/25/2018 | 108.71 | 6216.29 | -0.96 |

All Historic Measurements




Well Name: **DB-096 CLASSICAL ACADEMY**

| | | | | | |
|---------------------------------------|-------------------------------------|-----------------------------------|--|---------------------|-----------------------------------|
| Permit #: | 22967 - | - | Location #: | SC01206632AAA | Owner: |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NE NE NE 32 | Twnshp 12 S Range 66 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4313314.0 | Easting (UTM x): 517759.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 38.968620 | | | | -104.795000 |
| Surface Elevation (ft): | 6618 | Top Perforated Interval (ft): | 80 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 330 | Bottom Perforated Interval (ft): | 330 | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | 5 year: 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/30/2008 | 49.62 | 6568.38 | -14.20 |
| 9/25/2008 | 59.70 | 6558.30 | -10.08 |
| 6/9/2009 | 53.76 | 6564.24 | 5.94 |
| 4/29/2010 | 37.35 | 6580.65 | 16.41 |
| 4/15/2011 | 52.25 | 6565.75 | -14.90 |
| 5/10/2012 | 36.08 | 6581.92 | 16.17 |
| 4/26/2013 | 37.25 | 6580.75 | -1.17 |
| 6/2/2014 | 38.41 | 6579.59 | -1.16 |
| 7/9/2015 | | | |
| 5/25/2016 | 33.21 | 6584.79 | |
| 5/11/2017 | | | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----------------|--|---------------|
| Well Name: | DB-097 MID CO INVEST. | | | | Owner: |
| Permit #: | 27745 - F | | Location #: | SC01306317BBA1 | |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NW NW NE 17 | Twnshp 13 | Range 63 W S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4308566.8 | Easting (UTM x): 545263.5 | User supplied | | |
| Latitude/Longitude (decimal degrees): | 38.924850 | | -104.477830 | | |
| Surface Elevation (ft): | 6465 | Top Perforated Interval (ft): | 580 | Base of grout (ft): | 500 |
| Well depth (ft): | 1050 | Bottom Perforated Interval (ft): | 1026 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | |
| | | | | 1 year: | 18.48 |
| | | | | 5 year: | -155.88 |
| | | | | 10 year: | 56.06 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 736.34 | 5728.66 | -46.20 |
| 9/22/2008 | 572.33 | 5892.67 | 164.01 |
| 4/27/2010 | 597.74 | 5867.26 | -25.41 |
| 4/13/2011 | 507.65 | 5957.35 | 90.09 |
| 5/9/2012 | 571.70 | 5893.30 | -64.05 |
| 4/26/2013 | 524.40 | 5940.60 | 47.30 |
| 6/4/2014 | 569.40 | 5895.60 | -45.00 |
| 7/9/2015 | 550.92 | 5914.08 | 18.48 |
| 5/27/2016 | 691.83 | 5773.17 | -140.91 |
| 5/12/2017 | 698.76 | 5766.24 | -6.93 |
| 4/25/2018 | 680.28 | 5784.72 | 18.48 |

All Historic Measurements




Well Name: **DB-101 HESS ARAPAHOE**

| | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|----------------------------|--|---------------------------|
| Permit #: | 58563 - F | Location #: | SC00706606DB | Owner: | PARKER WATER & SANITATION |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SE NW 6 | Twnshp 7 | Range 66 W S | Distance from section lines: From N/S line: From E/W line: | 2230 S 2540 W |
| UTM Coordinates (NAD83): | Northing (UTM y): 4368938.0 | Easting (UTM x): 515376.9 | Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | 39.469889 | | -104.821232 | | |
| Surface Elevation (ft): | 6365 | Top Perforated Interval (ft): | 1786 | Base of grout (ft): | 1736 |
| Well depth (ft): | 2200 | Bottom Perforated Interval (ft): | 2160 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | |
| | | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/1/2008 | 1435.75 | 4929.25 | 52.25 |
| 10/12/2008 | 1542.01 | 4822.99 | -106.26 |
| 3/14/2009 | 1363.60 | 5001.40 | 178.41 |
| 3/23/2010 | 1414.00 | 4951.00 | -50.40 |
| 10/28/2010 | 1493.00 | 4872.00 | -79.00 |
| 4/3/2011 | 1414.00 | 4951.00 | 79.00 |
| 10/31/2011 | 1511.00 | 4854.00 | -97.00 |
| 3/31/2012 | 1435.00 | 4930.00 | 76.00 |
| 10/31/2012 | 1507.00 | 4858.00 | -72.00 |
| 4/28/2013 | 1450.00 | 4915.00 | 57.00 |
| 10/31/2013 | 1506.00 | 4859.00 | -56.00 |
| 3/20/2014 | 1461.00 | 4904.00 | 45.00 |
| 10/11/2014 | | | |
| 4/10/2015 | 1451.00 | 4914.00 | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|---|--|
| Well Name: | DB-101 NEWLIN ARAPAHOE | | | | Owner: | PARKER WATER & SANITATION | |
| Permit #: | 54831 - F | | | | Location #: | SC00606631AD | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NE SE 31 | | | | Twnshp Range PM 6 S 66 W S | County: DOUGLAS Distance from section lines: From N/S line: 2000 N From E/W line: 300 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4370879.0 | | | | Easting (UTM x): 516059.8 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.487366 | | | | -104.813246 | | |
| Surface Elevation (ft): | 6200 | Top Perforated Interval (ft): | 1623 | Base of grout (ft): | 1540 | Water Level Change | |
| Well depth (ft): | 2078 | Bottom Perforated Interval (ft): | 2038 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/24/2008 | 1633.40 | 4566.60 | -344.40 |
| 3/13/2009 | 1614.00 | 4586.00 | 19.40 |
| 10/31/2009 | 1619.00 | 4581.00 | -5.00 |
| 3/22/2010 | 1543.00 | 4657.00 | 76.00 |
| 4/2/2011 | 1580.00 | 4620.00 | -37.00 |
| 10/31/2011 | 1649.00 | 4551.00 | -69.00 |
| 3/31/2012 | 1566.00 | 4634.00 | 83.00 |
| 10/31/2012 | 1647.00 | 4553.00 | -81.00 |
| 4/27/2013 | 1583.00 | 4617.00 | 64.00 |
| 10/31/2013 | 1641.00 | 4559.00 | -58.00 |
| 3/20/2014 | 1596.00 | 4604.00 | 45.00 |
| 10/11/2014 | 1690.00 | 4510.00 | -94.00 |
| 4/10/2015 | 1583.00 | 4617.00 | 107.00 |

All Historic Measurements



Well Name: **DB-101 REUTER-HESS ARAPAHOE**


Owner: PARKER WATER & SANITATION

| | | | | |
|---------------------------------------|----------------------------------|----------------------------------|--|----------------------------|
| Permit #: | 54375 - F | Location #: | SC00606631DD | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 Q40 Q10 Section SE SE 31 | Twnshp Range PM 6 S 66 W S | Distance from section lines: From N/S line: 400 S From E/W line: 1100 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4369984.5 | | Easting (UTM x): 515811.3 | Spotted from section lines |
| Latitude/Longitude (decimal degrees): | 39.479310 | | -104.816157 | |
| Surface Elevation (ft): | 6260 | Top Perforated Interval (ft): | 1695 | Base of grout (ft): |
| Well depth (ft): | 2133 | Bottom Perforated Interval (ft): | 2090 | Water Level Change |
| Aquifer(s): | ARAPAHOE | | | |
| | | | | |
| | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/26/2008 | 1592.78 | 4667.22 | -229.78 |
| 9/13/2008 | 1736.00 | 4524.00 | -143.22 |
| 4/1/2009 | 1605.00 | 4655.00 | 131.00 |
| 9/25/2009 | 1661.00 | 4599.00 | -56.00 |
| 10/28/2010 | 1657.00 | 4603.00 | 4.00 |
| 3/16/2011 | 1584.00 | 4676.00 | 73.00 |
| 10/31/2011 | 1653.00 | 4607.00 | -69.00 |
| 3/31/2012 | 1573.00 | 4687.00 | 80.00 |
| 10/31/2012 | 1648.00 | 4612.00 | -75.00 |
| 4/29/2013 | 1546.00 | 4714.00 | 102.00 |
| 10/31/2013 | 1644.00 | 4616.00 | -98.00 |
| 3/26/2014 | 1599.00 | 4661.00 | 45.00 |
| 10/11/2014 | 1688.00 | 4572.00 | -89.00 |
| 4/10/2015 | 1586.00 | 4674.00 | 102.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|------|---------------------|---------------------------|--|--|
| Well Name: | DB-101 STROH RANCH KA | | | | Owner: | PARKER WATER & SANITATION | |
| Permit #: | 58468 - F - | | | | Location #: | SC00706604BA | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NW NE 4 | | | | Twnshp Range PM | County: DOUGLAS Distance from section lines: From N/S line: 1310 N From E/W line: 1550 W | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4369479.5 | | | | Easting (UTM x): 518224.3 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.474712 | | | | -104.788115 | | |
| Surface Elevation (ft): | 6110 | Top Perforated Interval (ft): | 1492 | Base of grout (ft): | 1430 | Water Level Change | |
| Well depth (ft): | 1953 | Bottom Perforated Interval (ft): | 1912 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 1/12/2008 | 1273.95 | 4836.05 | 192.05 |
| 10/31/2009 | 1314.00 | 4796.00 | -40.05 |
| 3/15/2010 | 1263.00 | 4847.00 | 51.00 |
| 10/30/2010 | 1354.00 | 4756.00 | -91.00 |
| 4/12/2011 | 1285.00 | 4825.00 | 69.00 |
| 4/6/2012 | 1277.00 | 4833.00 | 8.00 |
| 10/31/2012 | 1350.00 | 4760.00 | -73.00 |
| 4/12/2013 | 1299.00 | 4811.00 | 51.00 |
| 9/4/2013 | 1401.00 | 4709.00 | -102.00 |
| 10/11/2014 | | | |
| 4/10/2015 | 1331.00 | 4779.00 | |

All Historic Measurements




Well Name: **DB-102 MONUMENT WELL 7**

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|--------------|---------------------|---------------------------|---------------------------|
| Permit #: | 37502 - F - R | Location #: | SC01106715AA | Owner: | TOWN OF MONUMENT | |
| Division: | 2 | | | | Water District: | 10 |
| Location: | Q160 Q40 Q10 Section NE NE 15 | | | | County: | EL PASO |
| Distance from section lines: | Twshp Range PM 11 S 67 W S | | | | From N/S line: | From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4327723.5 | | | | Easting (UTM x): 511203.4 | Spotted from quarters |
| Latitude/Longitude (decimal degrees): | 39.098576 | | | | -104.870438 | |
| Surface Elevation (ft): | 7000 | Top Perforated Interval (ft): | 1256 | Base of grout (ft): | 1235 | Water Level Change |
| Well depth (ft): | 1785 | Bottom Perforated Interval (ft): | 1716 | | | 1 year: -28.70 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 9/15/2009 | 1122.00 | 5878.00 | |
| 9/15/2010 | 1175.00 | 5825.00 | -53.00 |
| 3/15/2011 | 1112.00 | 5888.00 | 63.00 |
| 3/26/2013 | 1162.00 | 5838.00 | -50.00 |
| 5/9/2014 | 1234.70 | 5765.30 | -72.70 |
| 4/5/2015 | 1209.40 | 5790.60 | 25.30 |
| 9/30/2015 | 1207.20 | 5792.80 | 2.20 |
| 4/18/2016 | 1201.50 | 5798.50 | 5.70 |
| 11/23/2016 | 1226.00 | 5774.00 | -24.50 |
| 4/6/2017 | 1260.60 | 5739.40 | -34.60 |
| 10/16/2017 | 1254.70 | 5745.30 | 5.90 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-----------|---------------------|------------------|--|---------|
| Well Name: | DB-102 MONUMENT WELL 8 | | | | Owner: | TOWN OF MONUMENT | |
| Permit #: | 47303 - F | | | | Location #: | SC01106715DA | |
| Division: | 2 | | | | Water District: | 10 | |
| Location: | Q160 Q40 Q10 Section SE NE 15 | | | | Twnshp Range PM | County: EL PASO Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4326916.0 | | Easting (UTM x): | 511199.5 Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.091297 | | | | | -104.870499 | |
| Surface Elevation (ft): | 6995 | Top Perforated Interval (ft): | 1282 | Base of grout (ft): | | Water Level Change | |
| Well depth (ft): | 1688 | Bottom Perforated Interval (ft): | 1668 | | | 1 year: | -4.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 13.00 |
| | | | | | | 10 year: | -202.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/15/2008 | 1027.00 | 5968.00 | 293.40 |
| 10/15/2008 | 1102.50 | 5892.50 | -75.50 |
| 9/15/2010 | 1140.00 | 5855.00 | -37.50 |
| 10/15/2010 | 1139.00 | 5856.00 | 1.00 |
| 3/15/2011 | 1095.00 | 5900.00 | 44.00 |
| 3/26/2013 | 1242.00 | 5753.00 | -147.00 |
| 5/9/2014 | 1196.00 | 5799.00 | 46.00 |
| 4/5/2015 | 1181.20 | 5813.80 | 14.80 |
| 10/6/2015 | 1202.00 | 5793.00 | -20.80 |
| 4/11/2016 | 1185.00 | 5810.00 | 17.00 |
| 11/24/2016 | 1220.80 | 5774.20 | -35.80 |
| 4/10/2017 | 1225.00 | 5770.00 | -4.20 |
| 10/18/2017 | 1225.00 | 5770.00 | 0.00 |
| 4/23/2018 | 1229.00 | 5766.00 | -4.00 |

All Historic Measurements



Well Name:

DB-102 MONUMENT WELL 9


Owner:

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-------------|---------------------|--|
| Permit #: | 60943 - F | - | Location #: | SC01106723CD | USGS Site ID: |
| Division: | 2 | | | | Water District: 10 County: EL PASO |
| Location: | Q160 Q40 Q10 Section SW SE 23 | | | | Distance from section lines: From N/S line: 300 S From E/W line: 1400 W |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4324561.0 | | Easting (UTM x): 511862.8 User supplied |
| Latitude/Longitude (decimal degrees): | 39.070067 | | | | -104.862868 |
| Surface Elevation (ft): | 6872 | Top Perforated Interval (ft): | 1040 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 1520 | Bottom Perforated Interval (ft): | 1454 | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 10/4/2017 | 461.00 | 6411.00 | |
| 5/4/2018 | 489.70 | 6382.30 | -28.70 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|--|
| Well Name: | DB-103 PRAIRIE VIEW KA | | | | Owner: | PRAIRIE VIEW HOA |
| Permit #: | 26666 - F - | | | | Location #: | SC00306430DD |
| Division: | 1 | | | | Water District: | 1 |
| Location: | Q160 Q40 Q10 Section SE SE 30 | | | | Twnshp Range PM 3 S 64 W S | County: ADAMS Distance from section lines: From N/S line: 56 S From E/W line: 1132 E |
| UTM Coordinates (NAD83): | Northing (UTM y): 4400560.0 | | | | Easting (UTM x): 535343.8 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | 39.754220 | | | | -104.587419 | |
| Surface Elevation (ft): | 5575 | Top Perforated Interval (ft): | 625 | Base of grout (ft): | 600 | Water Level Change |
| Well depth (ft): | 1255 | Bottom Perforated Interval (ft): | 1200 | | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

All Historic Measurements

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/10/2011 | 400.00 | 5175.00 | -55.00 |
| 10/10/2011 | 415.00 | 5160.00 | -15.00 |
| 5/20/2012 | 436.00 | 5139.00 | -21.00 |
| 10/13/2012 | 464.00 | 5111.00 | -28.00 |
| 5/16/2013 | 450.00 | 5125.00 | 14.00 |
| 10/8/2013 | 482.00 | 5093.00 | -32.00 |
| 5/1/2014 | 348.00 | 5227.00 | 134.00 |
| 5/15/2015 | 434.00 | 5141.00 | -86.00 |




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------|----------------------------------|------------------|---------------------|------------------------------|
| Well Name: | DB-104 ACWWA AIRPORT 3 | | | Owner: | |
| Permit #: | 27776 - F - | | | Location #: | SC00506726A DWR2 |
| Division: | 1 | Water District: | 8 | County: | ARAPAHOE |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range | PM |
| | NE | 26 | 5 S | 67 W | S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4382415.8 | Easting (UTM x): | 512643.8 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | 39.591375 | | -104.852750 | | |
| Surface Elevation (ft): | 5726 | Top Perforated Interval (ft): | | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 1685 | Bottom Perforated Interval (ft): | | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 1/23/2008 | 1171.90 | 4554.10 | 154.70 |
| 11/10/2008 | 1213.00 | 4513.00 | -41.10 |
| 3/30/2009 | 1151.00 | 4575.00 | 62.00 |
| 11/24/2009 | 1215.00 | 4511.00 | -64.00 |
| 2/2/2010 | 1296.00 | 4430.00 | -81.00 |
| 10/14/2010 | 1223.00 | 4503.00 | 73.00 |
| 4/8/2011 | 1114.00 | 4612.00 | 109.00 |
| 10/1/2011 | 1228.00 | 4498.00 | -114.00 |
| 4/15/2012 | 1118.00 | 4608.00 | 110.00 |
| 10/15/2012 | 1223.00 | 4503.00 | -105.00 |
| 3/15/2013 | 1144.00 | 4582.00 | 79.00 |
| 5/8/2014 | 1141.00 | 4585.00 | 3.00 |
| 10/1/2014 | 1218.00 | 4508.00 | -77.00 |
| 4/1/2015 | 1109.00 | 4617.00 | 109.00 |
| 9/1/2015 | 1179.00 | 4547.00 | -70.00 |
| 3/1/2016 | 1121.00 | 4605.00 | 58.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|---|--|
| Well Name: | DB-104 ACWWA WELL A1 | | | | Owner: | ARAPAHOE COUNTY WATER AND SANITA | |
| Permit #: | 48779 - F - | | | | Location #: | SC00506723DB | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SE NW 23 | | | | Twnshp Range PM 5 S 67 W S | County: ARAPAHOE Distance from section lines: From N/S line: 1805 S From E/W line: 1980 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4383371.0 | | | | Easting (UTM x): 512444.0 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.599983 | | | | -104.855057 | | |
| Surface Elevation (ft): | 5640 | Top Perforated Interval (ft): | 1100 | Base of grout (ft): | 1100 | Water Level Change | |
| Well depth (ft): | 1510 | Bottom Perforated Interval (ft): | 1504 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 1/23/2008 | 1101.22 | | 115.48 |
| 10/20/2008 | 1147.00 | 4493.00 | -45.78 |
| 3/30/2009 | 1085.00 | 4555.00 | 62.00 |
| 10/9/2009 | 1234.00 | 4406.00 | -149.00 |
| 3/3/2010 | 1153.00 | 4487.00 | 81.00 |
| 10/14/2010 | 1160.00 | 4480.00 | -7.00 |
| 4/21/2011 | 1041.00 | 4599.00 | 119.00 |
| 10/1/2011 | 1150.00 | 4490.00 | -109.00 |
| 4/15/2012 | 1069.00 | 4571.00 | 81.00 |
| 10/15/2012 | 1155.00 | 4485.00 | -86.00 |
| 3/15/2013 | 1084.00 | 4556.00 | 71.00 |
| 5/8/2014 | 1078.00 | 4562.00 | 6.00 |
| 10/1/2014 | 1148.00 | 4492.00 | -70.00 |
| 4/1/2015 | 1055.00 | 4585.00 | 93.00 |
| 9/1/2015 | 1121.00 | 4519.00 | -66.00 |
| 3/1/2016 | 1073.00 | 4567.00 | 48.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-----------------------------|----------------------------------|--------------------------|---------------------|-------------------------------|
| Well Name: | DB-104 ACWWA WELL A2 | | | | Owner: |
| Permit #: | 35772 - F | | Location #: SC00506724AD | | USGS Site ID: |
| Division: | 1 | | Water District: | 8 | County: ARAPAHOE |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range PM | Distance from section lines: |
| | NE SE | 24 | 5 S | 67 W S | From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4383828.4 | Easting (UTM x): | 514463.5 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | | 39.604074 | | -104.831528 | |
| Surface Elevation (ft): | 5632 | Top Perforated Interval (ft): | 1150 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 1495 | Bottom Perforated Interval (ft): | 1475 | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 1/23/2008 | 1205.20 | 4426.80 | 64.70 |
| 10/16/2008 | 1261.00 | 4371.00 | -55.80 |
| 4/13/2009 | 1110.00 | 4522.00 | 151.00 |
| 10/9/2009 | 1275.00 | 4357.00 | -165.00 |
| 3/3/2010 | 1159.00 | 4473.00 | 116.00 |
| 10/29/2010 | 1177.00 | 4455.00 | -18.00 |
| 4/21/2011 | 1145.00 | 4487.00 | 32.00 |
| 10/1/2011 | 1173.00 | 4459.00 | -28.00 |
| 4/15/2012 | 1100.00 | 4532.00 | 73.00 |
| 3/15/2013 | 1115.00 | 4517.00 | -15.00 |
| 4/21/2014 | 1100.00 | 4532.00 | 15.00 |
| 1/15/2015 | 1121.00 | 4511.00 | -21.00 |
| 3/1/2016 | 1114.00 | 4518.00 | 7.00 |

All Historic Measurements




Well Name: **DB-104 ACWWA WELL DENMARK**

| | | | | | |
|---------------------------------------|-------------------|----------------------------------|------------------|---------------------|-------------------------------|
| Permit #: | 44219 - F | - | Location #: | SC00506631CB DWR3 | Owner: |
| Division: | 1 | | Water District: | 8 | County: ARAPAHOE |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range PM | Distance from section lines: |
| | SW NW | 31 | 5 S | 66 W S | From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4380191.5 | Easting (UTM x): | 514822.4 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | | 39.571301 | | -104.827431 | |
| Surface Elevation (ft): | 5799 | Top Perforated Interval (ft): | 1200 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 1750 | Bottom Perforated Interval (ft): | 1700 | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/23/2008 | 1272.20 | 4526.80 | 140.90 |
| 4/21/2011 | 1206.00 | 4593.00 | 66.20 |
| 10/1/2011 | 1335.00 | 4464.00 | -129.00 |
| 4/15/2012 | 1231.00 | 4568.00 | 104.00 |
| 10/1/2012 | 1373.00 | 4426.00 | -142.00 |
| 3/15/2013 | 1263.00 | 4536.00 | 110.00 |
| 3/8/2014 | 1258.00 | 4541.00 | 5.00 |
| 10/1/2014 | 1315.00 | 4484.00 | -57.00 |
| 4/1/2015 | 1236.00 | 4563.00 | 79.00 |
| 9/1/2015 | 1311.00 | 4488.00 | -75.00 |
| 3/1/2016 | 1227.00 | 4572.00 | 84.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|--|----------------------------------|----------------------------------|------|---------------------|------------------|--|--|
| Well Name: | DB-105 CPMD A-10 | | | | Owner: | CASTLE PINES METROPOLITAN DISTRICT | |
| Permit #: | 35078 - F - | | | | Location #: | SC00706721BC DWR2 | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NW SW 21 | | | | Twnshp Range PM | County: DOUGLAS Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): Northing (UTM y): | 4364480.2 | | | | Easting (UTM x): | 508355.1 Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.429817 | | | | | -104.902922 | |
| Surface Elevation (ft): | 6053 | Top Perforated Interval (ft): | 1229 | Base of grout (ft): | 1170 | Water Level Change | |
| Well depth (ft): | 1736 | Bottom Perforated Interval (ft): | 1714 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/1/2008 | 1348.00 | 4705.00 | 30.00 |
| 10/31/2009 | 1307.49 | 4745.51 | 40.51 |
| 3/20/2010 | 1220.36 | 4832.64 | 87.13 |
| 10/1/2012 | 1263.00 | 4790.00 | -42.64 |
| 4/18/2013 | 1144.00 | 4909.00 | 119.00 |
| 10/31/2013 | 1202.00 | 4851.00 | -58.00 |
| 5/1/2014 | 1140.00 | 4913.00 | 62.00 |
| 10/31/2014 | 1307.00 | 4746.00 | -167.00 |
| 3/31/2015 | 1225.00 | 4828.00 | 82.00 |
| 10/31/2015 | 1313.00 | 4740.00 | -88.00 |
| 3/31/2016 | 1223.00 | 4830.00 | 90.00 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/1/2008 | 1685.00 | 4795.00 | 97.00 |
| 10/31/2009 | 1745.38 | 4734.62 | -60.38 |
| 3/31/2010 | 1662.20 | 4817.80 | 83.18 |
| 10/1/2012 | 1836.00 | 4644.00 | -173.80 |
| 4/4/2013 | 1728.00 | 4752.00 | 108.00 |
| 10/31/2013 | 1777.00 | 4703.00 | -49.00 |
| 5/1/2014 | 1720.00 | 4760.00 | 57.00 |
| 10/31/2014 | 1784.00 | 4696.00 | -64.00 |
| 3/31/2015 | 1713.00 | 4767.00 | 71.00 |
| 10/31/2015 | 1793.00 | 4687.00 | -80.00 |
| 3/31/2016 | 1715.00 | 4765.00 | 78.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|---|----------------------------------|------|---------------------|---------------------------|---|--|
| Well Name: | DB-105 CPMD A-4R | | | | Owner: | CASTLE PINES METRO DISTRICT | |
| Permit #: | 47906 - - | | | | Location #: | SC00706716DD | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SE SE 16 7 S 67 W S | | | | Twntysh Range PM | DOUGLAS Distance from section lines: From N/S line: 264 S From E/W line: 1119 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4365157.0 | | | | Easting (UTM x): 509438.3 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.435905 | | | | -104.890326 | | |
| Surface Elevation (ft): | 6158 | Top Perforated Interval (ft): | 1442 | Base of grout (ft): | 1400 | Water Level Change | |
| Well depth (ft): | 1967 | Bottom Perforated Interval (ft): | 1890 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 8/6/2009 | 1478.18 | 4679.82 | -422.18 |
| 3/30/2010 | 1324.80 | 4833.20 | 153.38 |
| 10/31/2013 | 1437.00 | 4721.00 | -112.20 |
| 5/1/2014 | 1381.00 | 4777.00 | 56.00 |
| 10/31/2014 | 1452.00 | 4706.00 | -71.00 |
| 3/31/2015 | 1372.00 | 4786.00 | 80.00 |
| 10/31/2015 | 1456.00 | 4702.00 | -84.00 |
| 3/31/2016 | 1273.00 | 4885.00 | 183.00 |

All Historic Measurements




Well Name: **DB-105 CPMD A-8** **Owner:** CASTLE PINE METROPOLITAN DISTRICT

| | | | | | | | |
|---------------------------------------|---|----------------------------------|-------------|---------------------|---------------------------|---|---------------|
| Permit #: | 39955 - F | - | Location #: | SC00706721AD | Owner: | CASTLE PINE METROPOLITAN DISTRICT | USGS Site ID: |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NE SE 21 7 S 67 W S | | | | Twntysh Range PM | DOUGLAS Distance from section lines: From N/S line: 2430 N From E/W line: 220 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4364336.5 | | | | Easting (UTM x): 509709.2 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.428509 | | | | -104.887190 | | |
| Surface Elevation (ft): | 6235 | Top Perforated Interval (ft): | 1371 | Base of grout (ft): | | Water Level Change | |
| Well depth (ft): | 1930 | Bottom Perforated Interval (ft): | 1902 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/31/2009 | 1344.78 | 4890.22 | 245.22 |
| 9/6/2012 | 1493.00 | 4742.00 | -148.22 |
| 5/1/2013 | 1353.00 | 4882.00 | 140.00 |
| 10/31/2013 | 1418.00 | 4817.00 | -65.00 |
| 5/1/2014 | 1350.00 | 4885.00 | 68.00 |
| 10/31/2014 | 1428.00 | 4807.00 | -78.00 |
| 3/31/2015 | 1342.00 | 4893.00 | 86.00 |
| 10/31/2015 | 1437.00 | 4798.00 | -95.00 |
| 3/31/2016 | 1341.00 | 4894.00 | 96.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | | | |
|---------------------------------------|-------------------------|---|-------------------|--------------------------|----------------------------|-----------------------------------|---------------|---------------------------------------|-------------------------|
| Well Name: | DB-106 CPNMD A-2 | | | | Owner: | CASTLE PINES NORTH METRO DISTRICT | | | |
| Permit #: | 51247 - F | | - | Location #: SC00706704DA | | | USGS Site ID: | | |
| Division: | 1 | | Water District: 8 | | | County: DOUGLAS | | | |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range | PM | Distance from section lines: | |
| | SE | NE | | 4 | 7 | S | 67 W S | From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | 4368888.2 | Easting (UTM x): | | | 509584.5 <i>Spotted from quarters</i> | |
| Latitude/Longitude (decimal degrees): | | | | 39.469524 | -104.888574 | | | | |
| <i>Surface Elevation (ft):</i> | 6388.18 | <i>Top Perforated Interval (ft):</i> | | | <i>Base of grout (ft):</i> | | | Water Level Change | |
| <i>Well depth (ft):</i> | 2135 | <i>Bottom Perforated Interval (ft):</i> | | | | | | <i>1 year:</i> 49.39 | |
| <i>Aquifer(s):</i> | ARAPAHOE | | | | | | | | <i>5 year:</i> 65.50 |
| | | | | | | | | | <i>10 year:</i> -134.40 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/1/2008 | 1680.39 | 4707.79 | 76.58 |
| 10/30/2008 | 1761.57 | 4626.61 | -81.18 |
| 4/30/2009 | 1684.49 | 4703.69 | 77.08 |
| 10/30/2009 | 1732.48 | 4655.70 | -47.99 |
| 10/30/2010 | 1757.43 | 4630.75 | -24.95 |
| 4/30/2011 | 1697.00 | 4691.18 | 60.43 |
| 9/1/2012 | 1885.50 | 4502.68 | -188.50 |
| 5/1/2013 | 1753.77 | 4634.41 | 131.73 |
| 10/1/2013 | 1848.00 | 4540.18 | -94.23 |
| 3/1/2014 | 1794.00 | 4594.18 | 54.00 |
| 10/1/2014 | 1803.00 | 4585.18 | -9.00 |
| 4/1/2015 | 1799.00 | 4589.18 | 4.00 |
| 9/16/2015 | 1960.96 | 4427.22 | -161.96 |
| 5/15/2016 | 1869.39 | 4518.79 | 91.57 |
| 9/30/2016 | 1869.20 | 4518.98 | 0.19 |
| 5/31/2017 | 1820.00 | 4568.18 | 49.20 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------|----------------------------------|------|---------------------|-----------------------------------|---------------------------|---|
| Well Name: | DB-106 CPNMD A-3 | | | Owner: | CASTLE PINES NORTH METRO DISTRICT | | |
| Permit #: | 45948 - F - | | | Location #: | SC00706709CA DWR2 | | USGS Site ID: |
| Division: | 1 | | | Water District: | 8 | | County: |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | DOUGLAS Distance from section lines: |
| | SW | NE | 9 | 7 | S | 67 | W S From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | 4367289.2 | Easting (UTM x): | 508771.5 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | 39.455125 | | | | | -104.898047 | |
| Surface Elevation (ft): | 6614.82 | Top Perforated Interval (ft): | 1907 | Base of grout (ft): | 1872 | Water Level Change | |
| Well depth (ft): | 2398 | Bottom Perforated Interval (ft): | 2368 | | | 1 year: | -32.94 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | -220.13 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/30/2008 | 1921.59 | 4693.23 | 25.72 |
| 10/30/2009 | 1894.18 | 4720.64 | 27.41 |
| 10/30/2010 | 1921.66 | 4693.16 | -27.48 |
| 4/30/2011 | 1924.20 | 4690.62 | -2.54 |
| 5/1/2013 | 1921.48 | 4693.34 | 2.72 |
| 10/1/2013 | 1972.00 | 4642.82 | -50.52 |
| 3/1/2014 | 1913.00 | 4701.82 | 59.00 |
| 10/1/2014 | 1989.00 | 4625.82 | -76.00 |
| 3/1/2015 | 1981.00 | 4633.82 | 8.00 |
| 9/16/2015 | 2134.85 | 4479.97 | -153.85 |
| 5/15/2016 | 2018.96 | 4595.86 | 115.89 |
| 9/30/2016 | 2065.30 | 4549.52 | -46.34 |
| 5/31/2017 | 2051.90 | 4562.92 | 13.40 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|--------------------------|----------------------------------|------|---------------------|-----------------------------------|---------------------------|-----------------------------------|
| Well Name: | DB-106 CPNMD A-4C | | | Owner: | CASTLE PINES NORTH METRO DISTRICT | | |
| Permit #: | 46031 - F - | | | Location #: | SC00706705AC | | |
| Division: | 1 | | | Water District: | 8 | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: DOUGLAS |
| | NE | SW | 5 | 7 | S | 67 | W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | 4369157.5 | Easting (UTM x): | 507625.8 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | 39.471970 | | | -104.911339 | | | |
| Surface Elevation (ft): | 6517.7 | Top Perforated Interval (ft): | 1760 | Base of grout (ft): | 1700 | Water Level Change | |
| Well depth (ft): | | Bottom Perforated Interval (ft): | 2260 | | | 1 year: | -101.81 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | -54.21 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 1/15/2008 | 1750.99 | 4766.71 | 49.45 |
| 10/30/2008 | 1707.79 | 4809.91 | 43.20 |
| 4/30/2009 | 1651.36 | 4866.34 | 56.43 |
| 10/30/2009 | 1682.44 | 4835.26 | -31.08 |
| 10/30/2010 | 1795.64 | 4722.06 | -113.20 |
| 4/30/2011 | 1666.08 | 4851.62 | 129.56 |
| 5/1/2013 | 1657.61 | 4860.09 | 8.47 |
| 10/1/2013 | 1698.00 | 4819.70 | -40.39 |
| 3/1/2014 | 1612.00 | 4905.70 | 86.00 |
| 10/1/2014 | 1652.00 | 4865.70 | -40.00 |
| 3/1/2015 | 1653.00 | 4864.70 | -1.00 |
| 9/16/2015 | 1813.53 | 4704.17 | -160.53 |
| 5/15/2016 | 1666.69 | 4851.01 | 146.84 |
| 9/30/2016 | 1666.90 | 4850.80 | -0.21 |
| 5/31/2017 | 1768.50 | 4749.20 | -101.60 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------|----------------------------------|------|---------------------|-----------------------------------|---------------------------|----------------------------|
| Well Name: | DB-106 CPNMD A-6 | | | Owner: | CASTLE PINES NORTH METRO DISTRICT | | |
| Permit #: | 56664 - F - | | | Location #: | SC00606732AC DWR1 | | USGS Site ID: |
| Division: | 1 | | | Water District: | 8 | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: DOUGLAS |
| | NE | SW | 32 | 6 | S | 67 | W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | 4370945.0 | Easting (UTM x): | 507557.3 | Spotted from section lines |
| Latitude/Longitude (decimal degrees): | 39.488075 | | | -104.912117 | | | |
| Surface Elevation (ft): | 6440 | Top Perforated Interval (ft): | 1694 | Base of grout (ft): | 1633 | Water Level Change | |
| Well depth (ft): | 2220 | Bottom Perforated Interval (ft): | 2142 | | | 1 year: | -28.16 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | -23.98 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/26/2008 | 1786.95 | 4653.05 | 173.11 |
| 10/30/2008 | 1848.54 | 4591.46 | -61.59 |
| 4/30/2009 | 1794.43 | 4645.57 | 54.11 |
| 10/30/2009 | 1794.43 | 4645.57 | 0.00 |
| 10/30/2010 | 1716.70 | 4723.30 | 77.73 |
| 4/30/2011 | 1662.39 | 4777.61 | 54.31 |
| 5/1/2013 | 1681.49 | 4758.51 | -19.10 |
| 10/1/2013 | 1718.00 | 4722.00 | -36.51 |
| 3/1/2014 | 1676.00 | 4764.00 | 42.00 |
| 10/1/2014 | 1711.00 | 4729.00 | -35.00 |
| 3/1/2015 | 1688.00 | 4752.00 | 23.00 |
| 9/16/2015 | 1843.96 | 4596.04 | -155.96 |
| 5/15/2016 | 1683.84 | 4756.16 | 160.12 |
| 9/30/2016 | 1683.30 | 4756.70 | 0.54 |
| 5/31/2017 | 1712.00 | 4728.00 | -28.70 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|------|---------------------------|-----------------------------------|---------------------------|---------------|
| Well Name: | DB-106 CPNMD A-7 | | | Owner: | CASTLE PINES NORTH METRO DISTRICT | | |
| Permit #: | 54854 - F - | | | Location #: | SC00606733DC DWR1 | | USGS Site ID: |
| Division: | 1 | | | Water District: | 8 | | County: |
| Location: | Q160 Q40 Q10 Section SE SW SW 33 | | | Twnshp Range PM | DOUGLAS | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4369873.5 | | | Easting (UTM x): 509159.6 | Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | 39.478409 | | | -104.893501 | | | |
| Surface Elevation (ft): | 6314.8 | Top Perforated Interval (ft): | 1500 | Base of grout (ft): | 1484 | Water Level Change | |
| Well depth (ft): | 2125 | Bottom Perforated Interval (ft): | 2050 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/26/2008 | 1498.81 | 4815.99 | 50.66 |
| 10/30/2008 | 1642.91 | 4671.89 | -144.10 |
| 4/30/2009 | 1502.23 | 4812.57 | 140.68 |
| 10/30/2009 | 1596.19 | 4718.61 | -93.96 |
| 10/30/2010 | 1542.49 | 4772.31 | 53.70 |
| 4/30/2011 | 1503.94 | 4810.86 | 38.55 |
| 10/1/2013 | 1669.00 | 4645.80 | -165.06 |
| 3/1/2014 | 1617.00 | 4697.80 | 52.00 |
| 10/1/2014 | 1631.00 | 4683.80 | -14.00 |
| 3/1/2015 | 1618.00 | 4696.80 | 13.00 |
| 9/16/2015 | 1805.60 | 4509.20 | -187.60 |
| 5/15/2016 | 1630.46 | 4684.34 | 175.14 |
| 9/30/2016 | 1631.00 | 4683.80 | -0.54 |
| 5/31/2017 | | | |

All Historic Measurements




Well Name: **DB-107 1-A USAF ACDMY**

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|---------------|------------------------------|-----------------------|---------------------------|--|
| Permit #: | 13687 - F - | Location #: | SC01206630BCC | Owner: | US AIR FORCE ACADEMY | | |
| Division: | 2 | Water District: | 10 | County: | EL PASO | | |
| Location: | Q160 Q40 Q10 Section NW SW SW 30 | Twnshp Range PM | | Distance from section lines: | | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4314269.0 | | | Easting (UTM x): 514737.0 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 38.977279 | | | -104.829865 | | | |
| Surface Elevation (ft): | 6430 | Top Perforated Interval (ft): | 90 | Base of grout (ft): | 85 | Water Level Change | |
| Well depth (ft): | 358 | Bottom Perforated Interval (ft): | 341 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/22/2008 | 19.00 | 6411.00 | -2.00 |
| 3/2/2009 | 48.20 | 6381.80 | -29.20 |
| 10/2/2009 | 44.00 | 6386.00 | 4.20 |
| 3/6/2010 | 21.00 | 6409.00 | 23.00 |
| 12/3/2010 | 48.20 | 6381.80 | -27.20 |
| 3/6/2011 | 35.80 | 6394.20 | 12.40 |
| 3/12/2012 | 38.20 | 6391.80 | -2.40 |
| 3/5/2013 | 42.60 | 6387.40 | -4.40 |
| 11/8/2013 | 45.00 | 6385.00 | -2.40 |
| 3/17/2014 | 34.20 | 6395.80 | 10.80 |
| 1/7/2015 | 40.60 | 6389.40 | -6.40 |
| 12/9/2015 | 40.90 | 6389.10 | -0.30 |
| 4/30/2016 | 28.20 | 6401.80 | 12.70 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----|---------------------|--------------------------------|---|
| Well Name: | DB-107 5-A USAF ACDMY | | | | Owner: | US AIR FORCE ACADEMY |
| Permit #: | 13685 - F - R | | | | Location #: | SC01206724ADC |
| Division: | 2 | | | | Water District: | 10 |
| Location: | Q160 Q40 Q10 Section NE SE SW 24 | | | | Twnshp Range PM 12 S 67 W S | County: EL PASO Distance from section lines: From N/S line: 2221 N From E/W line: 886 E |
| UTM Coordinates (NAD83): | Northing (UTM y): 4315927.0 | | | | Easting (UTM x): 514360.0 | GPS |
| Latitude/Longitude (decimal degrees): | 38.992226 | | | | -104.834183 | |
| Surface Elevation (ft): | 6559 | Top Perforated Interval (ft): | 105 | Base of grout (ft): | 100 | Water Level Change |
| Well depth (ft): | 595 | Bottom Perforated Interval (ft): | 580 | | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/22/2008 | 148.60 | 6410.40 | 17.40 |
| 3/2/2009 | 155.00 | 6404.00 | -6.40 |
| 10/2/2009 | 169.00 | 6390.00 | -14.00 |
| 3/6/2010 | 142.00 | 6417.00 | 27.00 |
| 12/3/2010 | 194.00 | 6365.00 | -52.00 |
| 3/6/2011 | 152.70 | 6406.30 | 41.30 |
| 3/12/2012 | 157.20 | 6401.80 | -4.50 |
| 3/5/2013 | 169.10 | 6389.90 | -11.90 |
| 11/8/2013 | 180.10 | 6378.90 | -11.00 |
| 3/17/2014 | 159.40 | 6399.60 | 20.70 |
| 1/7/2015 | 172.30 | 6386.70 | -12.90 |
| 12/9/2015 | 170.90 | 6388.10 | 1.40 |
| 4/30/2016 | 149.10 | 6409.90 | 21.80 |

All Historic Measurements




Well Name: **DB-107 9-A USAF ACDMY**

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|--|---------------------|---------------------------|
| Permit #: | 13684 - F - | Location #: | SC01206619AB | Owner: | |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NE NW 19 | Twnshp Range PM 12 S 66 W S | Distance from section lines: From N/S line: 1 N From E/W line: 1706 E | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4316605.0 | Easting (UTM x): 515737.5 | Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | 38.998312 | -104.818261 | | | |
| Surface Elevation (ft): | 6580 | Top Perforated Interval (ft): | | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 680 | Bottom Perforated Interval (ft): | | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/22/2008 | 159.30 | 6420.70 | 5.20 |
| 3/2/2009 | 185.80 | 6394.20 | -26.50 |
| 10/2/2009 | 203.00 | 6377.00 | -17.20 |
| 3/6/2010 | 180.00 | 6400.00 | 23.00 |
| 12/3/2010 | 232.00 | 6348.00 | -52.00 |
| 3/6/2011 | 181.70 | 6398.30 | 50.30 |
| 3/12/2012 | 185.40 | 6394.60 | -3.70 |
| 3/5/2013 | 205.90 | 6374.10 | -20.50 |
| 11/8/2013 | 236.20 | 6343.80 | -30.30 |
| 3/17/2014 | 213.00 | 6367.00 | 23.20 |
| 1/7/2015 | 227.80 | 6352.20 | -14.80 |
| 12/9/2015 | 220.10 | 6359.90 | 7.70 |
| 4/30/2016 | 192.70 | 6387.30 | 27.40 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-----|---------------------|---------------------------|--|-------|
| Well Name: | DB-108 FEDERAL HEIGHTS KA-2 | | | | Owner: | CITY OF FEDERAL HEIGHTS | |
| Permit #: | 2129 - F - | | | | Location #: | SC00206820DC | |
| Division: | 1 | | | | Water District: | 2 | |
| Location: | Q160 Q40 Q10 Section SE SW 20 | | | | Twnshp Range PM 68 W S | County: ADAMS Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4411989.2 | | | | Easting (UTM x): 498064.3 | Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.857929 | | | | -105.022630 | | |
| Surface Elevation (ft): | 5510 | Top Perforated Interval (ft): | 510 | Base of grout (ft): | 510 | Water Level Change | |
| Well depth (ft): | 780 | Bottom Perforated Interval (ft): | 758 | | | 1 year: | 0.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 0.00 |
| | | | | | | 10 year: | 11.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/15/2008 | 548.00 | 4962.00 | 0.00 |
| 10/15/2008 | 548.00 | 4962.00 | 0.00 |
| 4/15/2009 | 548.00 | 4962.00 | 0.00 |
| 10/15/2009 | 548.00 | 4962.00 | 0.00 |
| 4/15/2010 | 548.00 | 4962.00 | 0.00 |
| 10/15/2011 | 539.00 | 4971.00 | 9.00 |
| 4/15/2012 | 539.00 | 4971.00 | 0.00 |
| 10/15/2012 | 539.00 | 4971.00 | 0.00 |
| 4/15/2013 | 541.00 | 4969.00 | -2.00 |
| 10/1/2013 | 539.00 | 4971.00 | 2.00 |
| 4/1/2014 | 539.00 | 4971.00 | 0.00 |
| 7/1/2014 | 539.00 | 4971.00 | 0.00 |
| 10/1/2014 | 539.00 | 4971.00 | 0.00 |
| 1/1/2015 | 539.00 | 4971.00 | 0.00 |
| 4/1/2015 | 536.00 | 4974.00 | 3.00 |
| 7/1/2015 | 539.00 | 4971.00 | -3.00 |
| 10/1/2015 | 539.00 | 4971.00 | 0.00 |
| 1/1/2016 | 539.00 | 4971.00 | 0.00 |
| 4/1/2016 | 539.00 | 4971.00 | 0.00 |
| 7/1/2016 | 539.00 | 4971.00 | 0.00 |
| 10/1/2016 | 539.00 | 4971.00 | 0.00 |
| 1/1/2017 | 536.00 | 4974.00 | 3.00 |
| 4/1/2017 | 539.00 | 4971.00 | -3.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-------------------------------|---------------------|---------------------------|
| Well Name: | DB-108 FEDERAL HEIGHTS KA-3 | | | | Owner: |
| Permit #: | 16192 - F | | Location #: SC00206820AC DWR2 | | USGS Site ID: |
| Division: | 1 | Water District: | 2 | County: | ADAMS |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range | PM |
| | NE SW | 20 | 2 S | 68 W | S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4412804.2 | Easting (UTM x): | 498060.9 | Spotted from quarters |
| Latitude/Longitude (decimal degrees): | | 39.865272 | | -105.022672 | |
| Surface Elevation (ft): | 5525 | Top Perforated Interval (ft): | 395 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 760 | Bottom Perforated Interval (ft): | 760 | 1 year: | 0.00 |
| Aquifer(s): | ARAPAHOE | | | | 5 year: 0.00 |
| | | | | | 10 year: 12.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/15/2008 | 541.00 | 4984.00 | 0.00 |
| 10/15/2008 | 538.00 | 4987.00 | 3.00 |
| 4/15/2009 | 541.00 | 4984.00 | -3.00 |
| 10/15/2009 | 538.00 | 4987.00 | 3.00 |
| 4/15/2010 | 538.00 | 4987.00 | 0.00 |
| 10/15/2011 | 531.00 | 4994.00 | 7.00 |
| 4/15/2012 | 531.00 | 4994.00 | 0.00 |
| 10/15/2012 | 531.00 | 4994.00 | 0.00 |
| 4/15/2013 | 531.00 | 4994.00 | 0.00 |
| 10/1/2013 | 531.00 | 4994.00 | 0.00 |
| 4/1/2014 | 531.00 | 4994.00 | 0.00 |
| 7/1/2014 | 529.00 | 4996.00 | 2.00 |
| 10/1/2014 | 531.00 | 4994.00 | -2.00 |
| 1/1/2015 | 531.00 | 4994.00 | 0.00 |
| 4/1/2015 | 531.00 | 4994.00 | 0.00 |
| 7/1/2015 | 529.00 | 4996.00 | 2.00 |
| 10/1/2015 | 529.00 | 4996.00 | 0.00 |
| 1/1/2016 | 531.00 | 4994.00 | -2.00 |
| 4/1/2016 | 531.00 | 4994.00 | 0.00 |
| 7/1/2016 | 529.00 | 4996.00 | 2.00 |
| 10/1/2016 | 531.00 | 4994.00 | -2.00 |
| 1/1/2017 | 531.00 | 4994.00 | 0.00 |
| 4/1/2017 | 531.00 | 4994.00 | 0.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----------|---------------------|-------------------------------|--|------|
| Well Name: | DB-108 FEDERAL HEIGHTS KA-4 | | | | Owner: | CITY OF FEDERAL HEIGHTS | |
| Permit #: | 2209 - F - | | | | Location #: | SC00206820DCB | |
| Division: | 1 | | | | Water District: | 2 | |
| Location: | Q160 Q40 Q10 Section SE SW NW 20 | | | | Twnshp Range PM 2 S 68 W S | County: ADAMS Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4412092.2 | | Easting (UTM x): | 497963.4 Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.858857 | | | | | -105.023810 | |
| Surface Elevation (ft): | 5505 | Top Perforated Interval (ft): | 506 | Base of grout (ft): | 506 | Water Level Change | |
| Well depth (ft): | 792 | Bottom Perforated Interval (ft): | 792 | | | 1 year: | 0.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 2.00 |
| | | | | | | 10 year: | 4.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/15/2008 | 501.00 | 5004.00 | 0.00 |
| 10/15/2008 | 501.00 | 5004.00 | 0.00 |
| 4/15/2009 | 501.00 | 5004.00 | 0.00 |
| 10/15/2009 | 501.00 | 5004.00 | 0.00 |
| 4/15/2010 | 501.00 | 5004.00 | 0.00 |
| 10/15/2011 | 497.00 | 5008.00 | 4.00 |
| 4/15/2012 | 499.00 | 5006.00 | -2.00 |
| 10/15/2012 | 499.00 | 5006.00 | 0.00 |
| 4/15/2013 | 497.00 | 5008.00 | 2.00 |
| 10/1/2013 | 497.00 | 5008.00 | 0.00 |
| 4/1/2014 | 497.00 | 5008.00 | 0.00 |
| 7/1/2014 | 497.00 | 5008.00 | 0.00 |
| 10/1/2014 | 497.00 | 5008.00 | 0.00 |
| 1/1/2015 | 497.00 | 5008.00 | 0.00 |
| 4/1/2015 | 497.00 | 5008.00 | 0.00 |
| 7/1/2015 | 497.00 | 5008.00 | 0.00 |
| 10/1/2015 | 497.00 | 5008.00 | 0.00 |
| 1/1/2016 | 497.00 | 5008.00 | 0.00 |
| 4/1/2016 | 497.00 | 5008.00 | 0.00 |
| 7/1/2016 | 497.00 | 5008.00 | 0.00 |
| 10/1/2016 | 497.00 | 5008.00 | 0.00 |
| 1/1/2017 | 497.00 | 5008.00 | 0.00 |
| 4/1/2017 | 497.00 | 5008.00 | 0.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-----------|---------------------|-------------------------------|--|------|
| Well Name: | DB-108 FEDERAL HEIGHTS KA-6 | | | | Owner: | CITY OF FEDERAL HEIGHTS | |
| Permit #: | 24690 - F - | | | | Location #: | SC00206817DA2 | |
| Division: | 1 | | | | Water District: | 2 | |
| Location: | Q160 Q40 Q10 Section SE NE 17 | | | | Twnshp Range PM 2 S 68 W S | County: ADAMS Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4414013.2 | | Easting (UTM x): | 498467.2 Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.876166 | | | | -105.017924 | | |
| Surface Elevation (ft): | 5500 | Top Perforated Interval (ft): | 448 | Base of grout (ft): | 387 | Water Level Change | |
| Well depth (ft): | 757 | Bottom Perforated Interval (ft): | 750 | | | 1 year: | 0.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 2.00 |
| | | | | | | 10 year: | 3.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/15/2008 | 478.00 | 5022.00 | 0.00 |
| 10/15/2008 | 478.00 | 5022.00 | 0.00 |
| 4/15/2009 | 478.00 | 5022.00 | 0.00 |
| 10/15/2011 | 477.00 | 5023.00 | 1.00 |
| 4/15/2012 | 477.00 | 5023.00 | 0.00 |
| 10/15/2012 | 475.00 | 5025.00 | 2.00 |
| 4/15/2013 | 475.00 | 5025.00 | 0.00 |
| 10/1/2013 | 475.00 | 5025.00 | 0.00 |
| 4/1/2014 | 475.00 | 5025.00 | 0.00 |
| 7/1/2014 | 475.00 | 5025.00 | 0.00 |
| 10/1/2014 | 475.00 | 5025.00 | 0.00 |
| 1/1/2015 | 475.00 | 5025.00 | 0.00 |
| 4/1/2015 | 475.00 | 5025.00 | 0.00 |
| 7/1/2015 | 475.00 | 5025.00 | 0.00 |
| 10/1/2015 | 475.00 | 5025.00 | 0.00 |
| 1/1/2016 | 475.00 | 5025.00 | 0.00 |
| 4/1/2016 | 475.00 | 5025.00 | 0.00 |
| 7/1/2016 | 475.00 | 5025.00 | 0.00 |
| 10/1/2016 | 475.00 | 5025.00 | 0.00 |
| 1/1/2017 | 475.00 | 5025.00 | 0.00 |
| 4/1/2017 | 475.00 | 5025.00 | 0.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-----------|---------------------|-------------------------------|--|-------|
| Well Name: | DB-108 FEDERAL HEIGHTS KA-8 | | | | Owner: | CITY OF FEDERAL HEIGHTS | |
| Permit #: | 24689 - F - | | | | Location #: | SC00206821CA4 | |
| Division: | 1 | | | | Water District: | 2 | |
| Location: | Q160 Q40 Q10 Section SW NE 21 | | | | Twnshp Range PM 2 S 68 W S | County: ADAMS Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4412397.7 | | Easting (UTM x): | 499277.1 Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.861612 | | | | | -105.008452 | |
| Surface Elevation (ft): | 5405 | Top Perforated Interval (ft): | 420 | Base of grout (ft): | 400 | Water Level Change | |
| Well depth (ft): | 730 | Bottom Perforated Interval (ft): | 685 | | | 1 year: | 7.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 21.00 |
| | | | | | | 10 year: | 33.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/15/2008 | 421.00 | 4984.00 | 4.00 |
| 10/15/2008 | 423.00 | 4982.00 | -2.00 |
| 4/15/2009 | 423.00 | 4982.00 | 0.00 |
| 10/15/2011 | 419.00 | 4986.00 | 4.00 |
| 4/15/2012 | 412.00 | 4993.00 | 7.00 |
| 10/15/2012 | 412.00 | 4993.00 | 0.00 |
| 4/15/2013 | 407.00 | 4998.00 | 5.00 |
| 10/1/2013 | 407.00 | 4998.00 | 0.00 |
| 4/1/2014 | 402.00 | 5003.00 | 5.00 |
| 7/1/2014 | 405.00 | 5000.00 | -3.00 |
| 10/1/2014 | 402.00 | 5003.00 | 3.00 |
| 1/1/2015 | 402.00 | 5003.00 | 0.00 |
| 4/1/2015 | 405.00 | 5000.00 | -3.00 |
| 7/1/2015 | 407.00 | 4998.00 | -2.00 |
| 10/1/2015 | 402.00 | 5003.00 | 5.00 |
| 1/1/2016 | 398.00 | 5007.00 | 4.00 |
| 4/1/2016 | 398.00 | 5007.00 | 0.00 |
| 7/1/2016 | 398.00 | 5007.00 | 0.00 |
| 10/1/2016 | 402.00 | 5003.00 | -4.00 |
| 1/1/2017 | 398.00 | 5007.00 | 4.00 |
| 4/1/2017 | 391.00 | 5014.00 | 7.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|---------------------------|--|--|
| Well Name: | DB-109 DONALA 12A | | | | Owner: | DONALA WATER & SANITATION DISTRICT | |
| Permit #: | 47623 - F - | | | | Location #: | SC01106629CA | |
| Division: | 2 | | | | Water District: | 10 | |
| Location: | Q160 Q40 Q10 Section SW NE 29 | | | | Twnshp Range PM | County: EL PASO Distance from section lines: From N/S line: 2450 S From E/W line: 2500 W | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4323803.0 | | | | Easting (UTM x): 516957.0 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.063152 | | | | -104.804001 | | |
| Surface Elevation (ft): | 7350 | Top Perforated Interval (ft): | 1634 | Base of grout (ft): | 1634 | Water Level Change | |
| Well depth (ft): | 2086 | Bottom Perforated Interval (ft): | 2071 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/25/2008 | 1235.00 | 6115.00 | -23.10 |
| 11/12/2008 | 1327.40 | 6022.60 | -92.40 |
| 3/18/2009 | 1235.00 | 6115.00 | 92.40 |
| 11/3/2009 | 1327.40 | 6022.60 | -92.40 |
| 3/4/2010 | 1235.00 | 6115.00 | 92.40 |
| 10/20/2010 | 1350.50 | 5999.50 | -115.50 |
| 3/24/2011 | 1304.30 | 6045.70 | 46.20 |
| 10/24/2011 | 1258.10 | 6091.90 | 46.20 |
| 3/15/2012 | 1235.00 | 6115.00 | 23.10 |
| 10/11/2012 | 1350.50 | 5999.50 | -115.50 |
| 3/8/2013 | 1258.10 | 6091.90 | 92.40 |
| 10/15/2013 | 1300.00 | 6050.00 | -41.90 |
| 4/10/2014 | 1299.00 | 6051.00 | 1.00 |
| 10/15/2014 | 1317.00 | 6033.00 | -18.00 |
| 3/26/2015 | 1277.00 | 6073.00 | 40.00 |
| 10/16/2015 | 1437.00 | 5913.00 | -160.00 |
| 4/13/2016 | 1246.55 | 6103.45 | 190.45 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|---------------------------|---|--|
| Well Name: | DB-109 DONALA 14A | | | | Owner: | DONALA WATER & SANITATION | |
| Permit #: | 65096 - F - | | | | Location #: | SC01106628CC | |
| Division: | 2 | | | | Water District: | 10 | |
| Location: | Q160 Q40 Q10 Section SW SW 28 | | | | Twnshp Range PM | County: EL PASO Distance from section lines: From N/S line: 50 S From E/W line: 425 W | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4323070.0 | | | | Easting (UTM x): 517946.1 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.056528 | | | | -104.792585 | | |
| Surface Elevation (ft): | 7270 | Top Perforated Interval (ft): | 1580 | Base of grout (ft): | 1520 | Water Level Change | |
| Well depth (ft): | 2050 | Bottom Perforated Interval (ft): | 2020 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/18/2008 | 1149.60 | 6120.40 | -15.60 |
| 11/12/2008 | 1195.80 | 6074.20 | -46.20 |
| 3/18/2009 | 1149.60 | 6120.40 | 46.20 |
| 10/5/2009 | 1195.80 | 6074.20 | -46.20 |
| 3/4/2010 | 1126.50 | 6143.50 | 69.30 |
| 10/19/2010 | 1311.30 | 5958.70 | -184.80 |
| 3/24/2011 | 1334.40 | 5935.60 | -23.10 |
| 10/24/2011 | 1288.20 | 5981.80 | 46.20 |
| 3/15/2012 | 1242.00 | 6028.00 | 46.20 |
| 10/11/2012 | 1242.00 | 6028.00 | 0.00 |
| 3/8/2013 | 1334.00 | 5936.00 | -92.00 |
| 10/15/2013 | 1378.00 | 5892.00 | -44.00 |
| 4/10/2014 | 1356.00 | 5914.00 | 22.00 |
| 10/15/2014 | 1375.00 | 5895.00 | -19.00 |
| 3/26/2015 | 1347.00 | 5923.00 | 28.00 |
| 10/16/2015 | 1394.00 | 5876.00 | -47.00 |
| 4/13/2016 | 1283.58 | 5986.42 | 110.42 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------|----------------------------------|-----------|---------------------|------------------------------------|------------------------------|---|
| Well Name: | DB-109 DONALA 2A | | | Owner: | DONALA WATER & SANITATION DISTRICT | | |
| Permit #: | 27229 - F - | | | Location #: | SC01106631CC2 | | |
| Division: | 2 | | | Water District: | 10 | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: EL PASO |
| | SW SW | 31 | | 11 S | 66 W | S | Distance from section lines: <i>From N/S line:</i> <i>From E/W line:</i> |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4321649.1 | Easting (UTM x): | 514822.4 | <i>Spotted from quarters</i> | |
| Latitude/Longitude (decimal degrees): | 39.043782 | | | -104.828719 | | | |
| Surface Elevation (ft): | 6855 | Top Perforated Interval (ft): | 880 | Base of grout (ft): | 786 | Water Level Change | |
| Well depth (ft): | 1307 | Bottom Perforated Interval (ft): | 1286 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 2/28/2008 | 667.40 | 6187.60 | 44.20 |
| 11/12/2008 | 736.70 | 6118.30 | -69.30 |
| 3/18/2009 | 667.40 | 6187.60 | 69.30 |
| 10/5/2009 | 736.70 | 6118.30 | -69.30 |
| 4/6/2010 | 619.20 | 6235.80 | 117.50 |
| 9/20/2010 | 711.60 | 6143.40 | -92.40 |
| 3/24/2011 | 642.30 | 6212.70 | 69.30 |
| 10/24/2011 | 757.80 | 6097.20 | -115.50 |
| 3/15/2012 | 665.40 | 6189.60 | 92.40 |
| 10/11/2012 | 757.80 | 6097.20 | -92.40 |
| 3/8/2013 | 688.50 | 6166.50 | 69.30 |
| 10/1/2013 | 740.00 | 6115.00 | -51.50 |
| 4/10/2014 | 672.00 | 6183.00 | 68.00 |
| 12/9/2014 | 678.00 | 6177.00 | -6.00 |
| 4/13/2015 | 628.00 | 6227.00 | 50.00 |
| 10/16/2015 | 708.00 | 6147.00 | -80.00 |
| 4/13/2016 | 683.88 | 6171.12 | 24.12 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------|----------------------------------|------|---------------------|---|---------------------------|------------------------------|
| Well Name: | DB-109 DONALA 3A | | | Owner: | DONALA WATER & SANITATION DISTRICT | | |
| Permit #: | 34671 - F - | | | Location #: | SC01106631BC4 | | |
| Division: | 2 | | | Water District: | 10 | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: EL PASO |
| | NW SW 31 | | | 11 S | 66 W | S | Distance from section lines: |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | Easting (UTM x): | 4322453.1 514820.7 <i>Spotted from quarters</i> | | |
| Latitude/Longitude (decimal degrees): | 39.051027 | | | | -104.828721 | | |
| Surface Elevation (ft): | 6855 | Top Perforated Interval (ft): | 894 | Base of grout (ft): | 890 | Water Level Change | |
| Well depth (ft): | 1440 | Bottom Perforated Interval (ft): | 1430 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/18/2008 | 719.30 | 6135.70 | 64.68 |
| 10/14/2008 | 811.70 | 6043.30 | -92.40 |
| 3/18/2009 | 765.50 | 6089.50 | 46.20 |
| 10/2/2009 | 788.60 | 6066.40 | -23.10 |
| 3/2/2010 | 696.20 | 6158.80 | 92.40 |
| 12/14/2010 | 788.60 | 6066.40 | -92.40 |
| 3/24/2011 | 719.30 | 6135.70 | 69.30 |
| 11/30/2011 | 788.60 | 6066.40 | -69.30 |
| 3/15/2012 | 696.20 | 6158.80 | 92.40 |
| 10/10/2012 | 821.80 | 6033.20 | -125.60 |
| 4/10/2013 | 730.85 | 6124.15 | 90.95 |
| 10/15/2013 | 790.00 | 6065.00 | -59.15 |
| 4/10/2014 | 739.00 | 6116.00 | 51.00 |
| 10/15/2014 | 810.00 | 6045.00 | -71.00 |
| 4/13/2015 | 731.00 | 6124.00 | 79.00 |
| 10/16/2015 | 828.00 | 6027.00 | -97.00 |
| 4/13/2016 | 691.58 | 6163.42 | 136.42 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|--------------------------------|--|
| Well Name: | DB-109 DONALA 4A | | | Owner: | |
| Permit #: | 55359 - F - | | | Location #: | SC01106631AA DWR2 |
| Division: | 2 | | | Water District: | 10 |
| Location: | Q160 Q40 Q10 Section NE NE 31 | | | Twnshp Range PM 11 S 66 W S | County: EL PASO Distance from section lines: From N/S line: 220 N From E/W line: 645 E |
| UTM Coordinates (NAD83): | Northing (UTM y): 4322990.5 | | | Easting (UTM x): 515999.0 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | 39.055847 | | | -104.815094 | |
| Surface Elevation (ft): | 7130 | Top Perforated Interval (ft): | 1300 | Base of grout (ft): | 1245 |
| Well depth (ft): | 1754 | Bottom Perforated Interval (ft): | 1724 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/25/2008 | 1007.80 | 6122.20 | 46.20 |
| 10/14/2008 | 1054.00 | 6076.00 | -46.20 |
| 3/18/2009 | 1054.00 | 6076.00 | 0.00 |
| 10/2/2009 | 1054.00 | 6076.00 | 0.00 |
| 4/2/2010 | 938.50 | 6191.50 | 115.50 |
| 10/19/2010 | 1077.10 | 6052.90 | -138.60 |
| 3/24/2011 | 1030.90 | 6099.10 | 46.20 |
| 10/24/2011 | 1100.20 | 6029.80 | -69.30 |
| 3/15/2012 | 961.60 | 6168.40 | 138.60 |
| 10/11/2012 | 1077.10 | 6052.90 | -115.50 |
| 4/10/2013 | 1030.90 | 6099.10 | 46.20 |
| 10/15/2013 | 966.00 | 6164.00 | 64.90 |
| 4/10/2014 | 1030.90 | 6099.10 | -64.90 |
| 10/15/2014 | 1100.00 | 6030.00 | -69.10 |
| 3/26/2015 | 965.00 | 6165.00 | 135.00 |
| 4/13/2016 | 1160.26 | 5969.74 | -195.26 |
| 11/16/2016 | 1008.00 | 6122.00 | 152.26 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------------|----------------------------------|------|---------------------|-------------------------------------|---------------------------|--|
| Well Name: | DB-109 DONALA 8A | | | Owner: | DONALA WATER & SANITATION | | |
| Permit #: | 60969 - F - | | | Location #: | SC01106621CC | | |
| Division: | 2 | | | Water District: | 10 | | |
| Location: | Q160 Q40 Q10 Section SW SW 21 | | | Twnshp | Range | PM | County: EL PASO Distance from section lines: From N/S line: 40 S From E/W line: 45 W |
| UTM Coordinates (NAD83): | Northing (UTM y): 4324695.5 | | | Easting (UTM x): | 517820.0 Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | 39.071178 | | | | -104.794000 | | |
| Surface Elevation (ft): | 7520 | Top Perforated Interval (ft): | 1946 | Base of grout (ft): | 1895 | Water Level Change | |
| Well depth (ft): | 2348 | Bottom Perforated Interval (ft): | 2310 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/25/2008 | 1451.80 | 6068.20 | 0.00 |
| 11/12/2008 | 1521.00 | 5999.00 | -69.20 |
| 2/12/2009 | 1451.80 | 6068.20 | 69.20 |
| 11/3/2009 | 1498.00 | 6022.00 | -46.20 |
| 4/5/2010 | 1451.80 | 6068.20 | 46.20 |
| 10/20/2010 | 1567.30 | 5952.70 | -115.50 |
| 4/28/2011 | 1451.80 | 6068.20 | 115.50 |
| 10/24/2011 | 1451.80 | 6068.20 | 0.00 |
| 3/15/2012 | 1451.80 | 6068.20 | 0.00 |
| 10/11/2012 | 1521.10 | 5998.90 | -69.30 |
| 4/11/2013 | 1474.90 | 6045.10 | 46.20 |
| 9/25/2013 | 1509.55 | 6010.45 | -34.65 |
| 4/10/2014 | 1498.00 | 6022.00 | 11.55 |
| 10/15/2014 | 1567.30 | 5952.70 | -69.30 |
| 4/13/2015 | 1498.00 | 6022.00 | 69.30 |
| 10/16/2015 | 1539.58 | 5980.42 | -41.58 |
| 4/13/2016 | 1456.42 | 6063.58 | 83.16 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|------|---------------------|---------------------------|--|--|
| Well Name: | DB-109 DONALA 9A | | | | Owner: | DONALA WATER & SANITATION | |
| Permit #: | 62584 - F - | | | | Location #: | SC01206701AC | |
| Division: | 2 | | | | Water District: | 10 | |
| Location: | Q160 Q40 Q10 Section NE SW 1 | | | | Twnshp Range PM | County: EL PASO Distance from section lines: From N/S line: 2050 N From E/W line: 1550 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4320823.0 | | | | Easting (UTM x): 514154.6 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.036349 | | | | -104.836453 | | |
| Surface Elevation (ft): | 6750 | Top Perforated Interval (ft): | 684 | Base of grout (ft): | 640 | Water Level Change | |
| Well depth (ft): | 1100 | Bottom Perforated Interval (ft): | 1040 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/23/2008 | 508.70 | 6241.30 | 23.10 |
| 10/14/2008 | 578.00 | 6172.00 | -69.30 |
| 3/18/2009 | 508.70 | 6241.30 | 69.30 |
| 11/4/2009 | 554.90 | 6195.10 | -46.20 |
| 4/6/2010 | 439.40 | 6310.60 | 115.50 |
| 10/19/2010 | 554.90 | 6195.10 | -115.50 |
| 3/24/2011 | 462.50 | 6287.50 | 92.40 |
| 11/30/2011 | 554.90 | 6195.10 | -92.40 |
| 3/15/2012 | 439.40 | 6310.60 | 115.50 |
| 10/11/2012 | 601.10 | 6148.90 | -161.70 |
| 3/8/2013 | 531.80 | 6218.20 | 69.30 |
| 10/15/2013 | 592.00 | 6158.00 | -60.20 |
| 4/10/2014 | 507.00 | 6243.00 | 85.00 |
| 10/15/2014 | 590.00 | 6160.00 | -83.00 |
| 4/13/2015 | 509.00 | 6241.00 | 81.00 |
| 10/16/2015 | 586.00 | 6164.00 | -77.00 |
| 4/13/2016 | 490.22 | 6259.78 | 95.78 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | |
|---------------------------------------|-------------------------|----------------------------------|-----------|---------------------|--------------------------|-----------------------------------|
| Well Name: | DB-110 ECCV A-10 | | | Owner: | EAST CHERRY CREEK VALLEY | |
| Permit #: | 55867 - F - | | | Location #: | SC00506602AD | |
| Division: | 1 | | | Water District: | 2 | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM |
| | NE | SE | 2 | 5 | S | 66 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4388537.5 | Easting (UTM x): | 521183.4 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | 39.646365 | | | -104.753103 | | |
| Surface Elevation (ft): | 5764.5 | Top Perforated Interval (ft): | 1204 | Base of grout (ft): | 1150 | Water Level Change |
| Well depth (ft): | 1630 | Bottom Perforated Interval (ft): | 1555 | | | 1 year: -5.00 |
| Aquifer(s): | ARAPAHOE | | | | | |
| | | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/15/2010 | 1163.00 | 4601.50 | 119.63 |
| 10/1/2014 | 1356.00 | 4408.50 | -193.00 |
| 3/1/2015 | 1078.00 | 4686.50 | 278.00 |
| 10/31/2015 | 1088.00 | 4676.50 | -10.00 |
| 3/31/2016 | 1076.00 | 4688.50 | 12.00 |
| 10/31/2016 | 1095.00 | 4669.50 | -19.00 |
| 3/31/2017 | 1081.00 | 4683.50 | 14.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | | | |
|---------------------------------------|-------------------------|----------------------------------|-----------|------------------|---------------------|---------------------------|---|--|--|
| Well Name: | DB-110 ECCV A-11 | | | | Owner: | EAST CHERRY CREEK VALLEY | | | |
| Permit #: | 28491 - F - | | | | Location #: | SC00506603ADB | | | |
| Division: | 1 | | | | Water District: | 2 | County: ARAPAHOE | | |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range | PM Distance from section lines: | | |
| | NE | SE | NW | 3 | 5 | S | 66 W S From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4388763.4 | Easting (UTM x): | 520822.6 | Spotted from quarters | | | |
| Latitude/Longitude (decimal degrees): | 39.648409 | | | | -104.757301 | | | | |
| Surface Elevation (ft): | 5711.7 | Top Perforated Interval (ft): | | 1025 | Base of grout (ft): | Water Level Change | | | |
| Well depth (ft): | 1600 | Bottom Perforated Interval (ft): | | 1516 | | 1 year: | -50.00 | | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | -344.00 | | |
| | | | | | | 10 year: | -38.00 | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/15/2008 | 1207.90 | 4503.80 | 12.10 |
| 10/15/2008 | 1226.00 | 4485.70 | -18.10 |
| 3/15/2009 | 1207.00 | 4504.70 | 19.00 |
| 10/15/2009 | 1214.00 | 4497.70 | -7.00 |
| 3/15/2010 | 1331.00 | 4380.70 | -117.00 |
| 10/15/2010 | 1263.00 | 4448.70 | 68.00 |
| 3/15/2011 | 1303.00 | 4408.70 | -40.00 |
| 10/15/2011 | 930.00 | 4781.70 | 373.00 |
| 3/15/2012 | 914.00 | 4797.70 | 16.00 |
| 10/15/2012 | 1234.00 | 4477.70 | -320.00 |
| 3/15/2013 | 1273.00 | 4438.70 | -39.00 |
| 10/1/2013 | 1240.00 | 4471.70 | 33.00 |
| 3/1/2014 | 1314.00 | 4397.70 | -74.00 |
| 10/31/2014 | 1220.00 | 4491.70 | 94.00 |
| 3/31/2015 | 1455.00 | 4256.70 | -235.00 |
| 10/31/2015 | 1266.00 | 4445.70 | 189.00 |
| 3/31/2016 | 1208.00 | 4503.70 | 58.00 |
| 10/31/2016 | 1217.00 | 4494.70 | -9.00 |
| 3/31/2017 | 1258.00 | 4453.70 | -41.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | | | |
|---------------------------------------|-----------------------------|----------------------------------|------|---------------------------|------------------------------|---------------------------|------------------------------|--|--|
| Well Name: | DB-110 ECCV A-18 | | | Owner: | EAST CHERRY CREEK VALLEY WSD | | | | |
| Permit #: | 41421 - F - | | | Location #: | SC00506602CC | | | | |
| Division: | 1 | | | Water District: | 2 | | | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: ARAPAHOE | | |
| | SW SW | 2 | | 5 S | 66 W | S | Distance from section lines: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4388038.0 | | | Easting (UTM x): 521501.4 | Spotted from section lines | | | | |
| Latitude/Longitude (decimal degrees): | 39.641856 | | | -104.749413 | | | | | |
| Surface Elevation (ft): | 5706 | Top Perforated Interval (ft): | 1874 | Base of grout (ft): | 1860 | Water Level Change | | | |
| Well depth (ft): | 2069 | Bottom Perforated Interval (ft): | 2029 | | | 1 year: | 0.00 | | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 50.00 | | |
| | | | | | | 10 year: | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/15/2008 | 1354.00 | 4352.00 | -291.40 |
| 3/15/2009 | 1330.00 | 4376.00 | 24.00 |
| 10/15/2009 | 1336.00 | 4370.00 | -6.00 |
| 4/15/2010 | 1328.00 | 4378.00 | 8.00 |
| 10/15/2010 | 1345.00 | 4361.00 | -17.00 |
| 3/15/2011 | 1327.00 | 4379.00 | 18.00 |
| 10/15/2011 | 1350.00 | 4356.00 | -23.00 |
| 3/15/2012 | 1333.00 | 4373.00 | 17.00 |
| 10/15/2012 | 1349.00 | 4357.00 | -16.00 |
| 3/15/2013 | 1331.00 | 4375.00 | 18.00 |
| 10/1/2013 | 1334.00 | 4372.00 | -3.00 |
| 3/1/2014 | 1333.00 | 4373.00 | 1.00 |
| 10/31/2014 | 1288.00 | 4418.00 | 45.00 |
| 3/31/2015 | 1283.00 | 4423.00 | 5.00 |
| 10/31/2015 | 1285.00 | 4421.00 | -2.00 |
| 3/31/2016 | 1283.00 | 4423.00 | 2.00 |
| 10/31/2016 | 1287.00 | 4419.00 | -4.00 |
| 3/31/2017 | 1283.00 | 4423.00 | 4.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-------------|--|---------------|
| Well Name: | DB-110 ECCV PA-3 | | | Owner: | |
| Permit #: | 21905 - F - | | | Location #: | SC00606801CAA |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SW NE NE 1 | Twnshp 6 S Range 68 W PM S | | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4378628.3 | Easting (UTM x): 504077.3 | | Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.557332 | | -104.952539 | | |
| Surface Elevation (ft): | 5855 | Top Perforated Interval (ft): | 866 | Base of grout (ft): | 840 |
| Well depth (ft): | 1624 | Bottom Perforated Interval (ft): | 1484 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | |
| | | | | 1 year: | -13.00 |
| | | | | 5 year: | 260.00 |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/15/2011 | 1193.00 | 4662.00 | |
| 3/15/2012 | 1104.00 | 4751.00 | 89.00 |
| 10/15/2012 | 959.00 | 4896.00 | 145.00 |
| 3/15/2013 | 893.00 | 4962.00 | 66.00 |
| 10/1/2013 | 866.00 | 4989.00 | 27.00 |
| 3/1/2014 | 880.00 | 4975.00 | -14.00 |
| 10/31/2014 | 841.00 | 5014.00 | 39.00 |
| 3/31/2015 | 890.00 | 4965.00 | -49.00 |
| 10/31/2015 | 952.00 | 4903.00 | -62.00 |
| 3/31/2016 | 831.00 | 5024.00 | 121.00 |
| 10/31/2016 | 987.00 | 4868.00 | -156.00 |
| 3/31/2017 | 844.00 | 5011.00 | 143.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----|---------------------|-------------------------------|---|--------|
| Well Name: | DB-110 ECCV WA1-A | | | | Owner: | EAST CHERRY CREEK VALLEY | |
| Permit #: | 17421 - F - | | | | Location #: | SC00506720CBA | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SW NW NE 20 | | | | Twnshp Range PM 5 S 67 W S | County: ARAPAHOE Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4383517.4 | | | | Easting (UTM x): 506920.8 | Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.601366 | | | | -104.919389 | | |
| Surface Elevation (ft): | 5868 | Top Perforated Interval (ft): | 785 | Base of grout (ft): | 50 | Water Level Change | |
| Well depth (ft): | 1579 | Bottom Perforated Interval (ft): | 885 | | | 1 year: | -15.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 114.00 |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/15/2008 | 929.87 | 4938.13 | 124.37 |
| 10/15/2008 | 1012.00 | 4856.00 | -82.13 |
| 3/15/2009 | 943.00 | 4925.00 | 69.00 |
| 3/15/2010 | 922.00 | 4946.00 | 21.00 |
| 10/15/2010 | 1048.00 | 4820.00 | -126.00 |
| 3/15/2011 | 943.00 | 4925.00 | 105.00 |
| 10/15/2011 | 1050.00 | 4818.00 | -107.00 |
| 3/15/2012 | 1021.00 | 4847.00 | 29.00 |
| 10/15/2012 | 1080.00 | 4788.00 | -59.00 |
| 3/15/2013 | 945.00 | 4923.00 | 135.00 |
| 10/1/2013 | 1031.00 | 4837.00 | -86.00 |
| 3/1/2014 | 940.00 | 4928.00 | 91.00 |
| 10/31/2014 | 944.00 | 4924.00 | -4.00 |
| 3/31/2015 | 879.00 | 4989.00 | 65.00 |
| 10/31/2015 | 1147.00 | 4721.00 | -268.00 |
| 3/31/2016 | 892.00 | 4976.00 | 255.00 |
| 10/31/2016 | 1114.00 | 4754.00 | -222.00 |
| 3/31/2017 | 907.00 | 4961.00 | 207.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|--------------------------|----------------------------------|------------------|---------------------|----------------------------|---------------------------|------------------|
| Well Name: | DB-110 ECCV WA1-B | | | | Owner: | WILLOWS WATER DISTRICT | |
| Permit #: | 55766 - F - | | | | Location #: | SC00506720CC | |
| Division: | 1 | | | | Water District: | 8 | County: ARAPAHOE |
| Location: | Q160 | Q40 | Q10 | Section SW SW | Twnshp 20 | Range 5 S | PM 67 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4383057.5 | Easting (UTM x): | 5066657.7 | Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | 39.597224 | | | | -104.922365 | | |
| Surface Elevation (ft): | 5550 | Top Perforated Interval (ft): | 910 | Base of grout (ft): | 850 | Water Level Change | |
| Well depth (ft): | 1140 | Bottom Perforated Interval (ft): | 1080 | | | 1 year: | -13.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 14.00 |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/15/2008 | 923.00 | 4627.00 | 8.38 |
| 3/15/2009 | 874.00 | 4676.00 | 49.00 |
| 10/15/2009 | 919.00 | 4631.00 | -45.00 |
| 4/15/2010 | 859.00 | 4691.00 | 60.00 |
| 10/15/2011 | 929.00 | 4621.00 | -70.00 |
| 3/15/2012 | 902.00 | 4648.00 | 27.00 |
| 10/15/2012 | 931.00 | 4619.00 | -29.00 |
| 3/15/2013 | 872.00 | 4678.00 | 59.00 |
| 10/1/2013 | 922.00 | 4628.00 | -50.00 |
| 3/1/2014 | 873.00 | 4677.00 | 49.00 |
| 10/31/2014 | 915.00 | 4635.00 | -42.00 |
| 3/31/2015 | 867.00 | 4683.00 | 48.00 |
| 10/31/2015 | 988.00 | 4562.00 | -121.00 |
| 3/31/2016 | 875.00 | 4675.00 | 113.00 |
| 10/31/2016 | 982.00 | 4568.00 | -107.00 |
| 3/31/2017 | 888.00 | 4662.00 | 94.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|-----------|---------------------|-----------------------------|--|--------|
| Well Name: | DB-110 ECCV WPA-1 | | | | Owner: | EAST CHERRY CREEK VALLEY | |
| Permit #: | 17694 - F - | | | | Location #: | SC00606707CA | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SW NE 7 | | | | Twnshp Range PM 6 67 W S | County: DOUGLAS Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4376902.5 | | Easting (UTM x): | 505590.5 Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.541771 | | | | -104.934937 | | |
| Surface Elevation (ft): | 5898 | Top Perforated Interval (ft): | 944 | Base of grout (ft): | 840 | Water Level Change | |
| Well depth (ft): | 1644 | Bottom Perforated Interval (ft): | 1594 | | | 1 year: | -73.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 72.00 |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/15/2008 | 1121.83 | 4776.17 | 69.47 |
| 10/15/2008 | 1210.00 | 4688.00 | -88.17 |
| 3/15/2009 | 1210.00 | 4688.00 | 0.00 |
| 10/15/2009 | 1197.00 | 4701.00 | 13.00 |
| 4/15/2010 | 1143.00 | 4755.00 | 54.00 |
| 10/15/2010 | 1268.00 | 4630.00 | -125.00 |
| 10/15/2011 | 1257.00 | 4641.00 | 11.00 |
| 3/15/2012 | 1238.00 | 4660.00 | 19.00 |
| 10/15/2012 | 1268.00 | 4630.00 | -30.00 |
| 3/15/2013 | 1228.00 | 4670.00 | 40.00 |
| 10/1/2013 | 1248.00 | 4650.00 | -20.00 |
| 3/1/2014 | 1213.00 | 4685.00 | 35.00 |
| 10/31/2014 | | | |
| 3/31/2015 | 1124.00 | 4774.00 | |
| 10/31/2015 | 1209.00 | 4689.00 | -85.00 |
| 3/31/2016 | 1093.00 | 4805.00 | 116.00 |
| 10/31/2016 | 1225.00 | 4673.00 | -132.00 |
| 3/31/2017 | 1166.00 | 4732.00 | 59.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|---|----------------------------------|------|---------------------|---------------------------|--|---------|
| Well Name: | DB-110 ECCV WPA-6 | | | | Owner: | EAST CHERRY CREEK VALLEY | |
| Permit #: | 22187 - F - | | | | Location #: | SC00606717DC | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SE SW 17 6 S 67 W S | | | | Twntysh Range PM | County: DOUGLAS Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4374890.3 | | | | Easting (UTM x): 507613.7 | Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.523626 | | | | 39.523626 | -104.911417 | |
| Surface Elevation (ft): | 5925 | Top Perforated Interval (ft): | 1102 | Base of grout (ft): | 1080 | Water Level Change | |
| Well depth (ft): | 1800 | Bottom Perforated Interval (ft): | 1672 | | | 1 year: | -68.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | -148.47 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/15/2008 | 1106.12 | 4818.88 | 92.16 |
| 10/15/2008 | 1150.00 | 4775.00 | -43.88 |
| 3/15/2009 | 1186.00 | 4739.00 | -36.00 |
| 10/15/2009 | 1113.00 | 4812.00 | 73.00 |
| 3/15/2010 | 957.00 | 4968.00 | 156.00 |
| 10/31/2014 | 345.00 | 5580.00 | 612.00 |
| 3/31/2015 | | | |
| 10/31/2015 | 1356.00 | 4569.00 | |
| 3/31/2016 | 1223.00 | 4702.00 | 133.00 |
| 10/31/2016 | 1390.00 | 4535.00 | -167.00 |
| 3/31/2017 | 1291.00 | 4634.00 | 99.00 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/15/2011 | 1119.40 | 4990.60 | -131.40 |
| 3/15/2012 | 1091.00 | 5019.00 | 28.40 |
| 10/15/2012 | 1106.00 | 5004.00 | -15.00 |
| 3/15/2013 | 1087.00 | 5023.00 | 19.00 |
| 10/1/2013 | 1067.00 | 5043.00 | 20.00 |
| 3/1/2014 | 1064.00 | 5046.00 | 3.00 |
| 10/31/2014 | 1112.00 | 4998.00 | -48.00 |
| 3/31/2015 | 1065.00 | 5045.00 | 47.00 |
| 10/31/2015 | 1123.00 | 4987.00 | -58.00 |
| 3/31/2016 | 1073.00 | 5037.00 | 50.00 |
| 10/31/2016 | 1111.00 | 4999.00 | -38.00 |
| 3/31/2017 | 984.00 | 5126.00 | 127.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-----|---------------------|-------------------------------|--|-------|
| Well Name: | DB-111 EACMD WELL 1 | | | | Owner: | EASTERN ADAMS COUNTY METROPOLITA | |
| Permit #: | 56431 - F - | | | | Location #: | SC00306229DA | |
| Division: | 1 | | | | Water District: | 1 | |
| Location: | Q160 Q40 Q10 Section SE NE 29 | | | | Twnshp Range PM 3 S 62 W S | County: ADAMS Distance from section lines: From N/S line: 2600 S From E/W line: 50 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4401290.0 | | | | Easting (UTM x): 556540.4 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.759654 | | | | -104.339933 | | |
| Surface Elevation (ft): | 5342 | Top Perforated Interval (ft): | 360 | Base of grout (ft): | 215 | Water Level Change | |
| Well depth (ft): | 690 | Bottom Perforated Interval (ft): | 660 | | | 1 year: | 5.80 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | -4.60 |
| | | | | | | 10 year: | -7.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/16/2009 | 150.40 | 5191.60 | 0.80 |
| 1/4/2010 | 150.40 | 5191.60 | 0.00 |
| 1/10/2011 | 165.70 | 5176.30 | -15.30 |
| 1/9/2012 | 163.50 | 5178.50 | 2.20 |
| 1/31/2013 | 153.60 | 5188.40 | 9.90 |
| 1/17/2014 | 156.30 | 5185.70 | -2.70 |
| 2/6/2015 | 148.00 | 5194.00 | 8.30 |
| 1/25/2016 | 159.00 | 5183.00 | -11.00 |
| 1/23/2017 | 164.00 | 5178.00 | -5.00 |
| 2/19/2018 | 158.20 | 5183.80 | 5.80 |

All Historic Measurements




Well Name: **DB-111 EACMD WELL 2**

| | | | | | | | |
|---------------------------------------|-----------------------------|----------------------------------|-------------|---------------------|-------------------------------|--|-------|
| Permit #: | 60695 - F | - | Location #: | SC00306228 | Owner: | EASTERN ADAMS COUNTY METROPOLITA | |
| Division: | 1 | | | | Water District: | 1 | |
| Location: | Q160 Q40 Q10 Section 28 | | | | Twnshp Range PM 3 S 62 W S | County: ADAMS Distance from section lines: From N/S line: 1300 S From E/W line: 62 W | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4400894.0 | | | | Easting (UTM x): 556564.6 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.756084 | | | | -104.339684 | | |
| Surface Elevation (ft): | 5345 | Top Perforated Interval (ft): | 244 | Base of grout (ft): | 179 | Water Level Change | |
| Well depth (ft): | 720 | Bottom Perforated Interval (ft): | 690 | | | 1 year: | 15.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | -0.70 |
| | | | | | | 10 year: | -2.90 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/3/2008 | 129.90 | 5215.10 | 1.50 |
| 1/5/2009 | 132.70 | 5212.30 | -2.80 |
| 1/18/2010 | 123.90 | 5221.10 | 8.80 |
| 1/17/2011 | 147.10 | 5197.90 | -23.20 |
| 1/16/2012 | 142.10 | 5202.90 | 5.00 |
| 2/11/2013 | 132.10 | 5212.90 | 10.00 |
| 1/24/2014 | 136.10 | 5208.90 | -4.00 |
| 2/16/2015 | 123.80 | 5221.20 | 12.30 |
| 2/1/2016 | 133.80 | 5211.20 | -10.00 |
| 3/27/2017 | 147.80 | 5197.20 | -14.00 |
| 2/26/2018 | 132.80 | 5212.20 | 15.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-----|---------------------|-------------------------------|--|--------|
| Well Name: | DB-111 EACMD WELL 3 | | | | Owner: | EASTERN ADAMS COUNTY METROPOLITA | |
| Permit #: | 61412 - F - | | | | Location #: | SC00306229DB | |
| Division: | 1 | | | | Water District: | 1 | |
| Location: | Q160 Q40 Q10 Section SE NW 29 | | | | Twnshp Range PM 3 S 62 W S | County: ADAMS Distance from section lines: From N/S line: 2450 S From E/W line: 2500 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4401247.0 | | | | Easting (UTM x): 555792.6 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.759316 | | | | -104.348666 | | |
| Surface Elevation (ft): | 5345 | Top Perforated Interval (ft): | 270 | Base of grout (ft): | 230 | Water Level Change | |
| Well depth (ft): | 510 | Bottom Perforated Interval (ft): | 490 | | | 1 year: | 4.20 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | -2.90 |
| | | | | | | 10 year: | -19.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/10/2008 | 129.30 | 5215.70 | -5.60 |
| 1/29/2009 | 130.60 | 5214.40 | -1.30 |
| 1/21/2011 | 150.40 | 5194.60 | -19.80 |
| 1/23/2012 | 145.30 | 5199.70 | 5.10 |
| 2/18/2013 | 145.40 | 5199.60 | -0.10 |
| 1/31/2014 | 148.80 | 5196.20 | -3.40 |
| 2/23/2015 | 142.50 | 5202.50 | 6.30 |
| 2/8/2016 | 151.50 | 5193.50 | -9.00 |
| 4/3/2017 | 152.50 | 5192.50 | -1.00 |
| 3/5/2018 | 148.30 | 5196.70 | 4.20 |

All Historic Measurements




Well Name: **DB-111 EACMD WELL 4**

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-------------------------------|--|---------------------------|---------------|
| Permit #: | 75912 - F - | Location #: | SC00306229CB | Owner: | EASTERN ADAMS COUNTY | |
| Division: | 1 | | Water District: | 1 | | County: ADAMS |
| Location: | Q160 Q40 Q10 Section SW NW 29 | | Twnshp Range PM 3 S 62 W S | Distance from section lines: From N/S line: 1540 S From E/W line: 840 W | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4400971.8 | | Easting (UTM x): 555218.1 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.756874 | | -104.355396 | | | |
| Surface Elevation (ft): | 5350 | Top Perforated Interval (ft): | 315 | Base of grout (ft): | Water Level Change | |
| Well depth (ft): | 517 | Bottom Perforated Interval (ft): | 517 | | 1 year: | -0.10 |
| Aquifer(s): | UPPER ARAPAHOE | | | | 5 year: | -4.50 |
| | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 8/14/2012 | 159.00 | 5191.00 | |
| 2/25/2013 | 132.60 | 5217.40 | 26.40 |
| 2/7/2014 | 136.00 | 5214.00 | -3.40 |
| 3/2/2015 | 130.00 | 5220.00 | 6.00 |
| 2/15/2016 | 140.00 | 5210.00 | -10.00 |
| 4/10/2017 | 137.00 | 5213.00 | 3.00 |
| 3/12/2018 | 137.10 | 5212.90 | -0.10 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|--|
| Well Name: | DB-112 MERIDIAN A-2R | | | | Owner: | |
| Permit #: | 53202 - F - | | | | Location #: | SC00606711BB1 |
| Division: | 1 | | | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section NW NW 11 | | | | Twnshp Range PM 6 S 67 W S | County: DOUGLAS Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4377711.3 | | | | Easting (UTM x): 511575.8 | Spotted from quarters |
| Latitude/Longitude (decimal degrees): | 39.549000 | | | | -104.865270 | |
| Surface Elevation (ft): | 5915 | Top Perforated Interval (ft): | 1292 | Base of grout (ft): | 1262 | Water Level Change |
| Well depth (ft): | 1838 | Bottom Perforated Interval (ft): | 1797 | | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/31/2008 | 1267.00 | 4648.00 | 64.00 |
| 10/31/2008 | 1336.00 | 4579.00 | -69.00 |
| 5/31/2009 | 1320.00 | 4595.00 | 16.00 |
| 10/31/2009 | 1297.00 | 4618.00 | 23.00 |
| 4/30/2010 | 1207.00 | 4708.00 | 90.00 |
| 10/31/2010 | 1294.00 | 4621.00 | -87.00 |
| 9/30/2012 | 1320.00 | 4595.00 | -26.00 |
| 4/30/2013 | 1257.00 | 4658.00 | 63.00 |
| 10/31/2013 | 1262.00 | 4653.00 | -5.00 |
| 3/31/2014 | 1216.00 | 4699.00 | 46.00 |
| 9/30/2014 | | | |
| 4/30/2015 | | | |
| 10/31/2015 | 1304.00 | 4611.00 | |
| 4/30/2016 | 1299.00 | 4616.00 | 5.00 |
| 10/31/2016 | | | |
| 4/30/2017 | | | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------|----------------------------------|------|---------------------|-------------------|---------------------------|------------------------------|
| Well Name: | DB-112 MERIDIAN A-3 | | | Owner: | | | |
| Permit #: | 25856 - F - | | | Location #: | SC00606712CB DWR1 | | |
| Division: | 1 | | | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range | PM |
| | SW | NW | | 12 | 6 | S | 67 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | 4376910.3 | Easting (UTM x): | 513205.2 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | | | | 39.541759 | -104.846322 | | |
| Surface Elevation (ft): | 5955 | Top Perforated Interval (ft): | 1251 | Base of grout (ft): | 1225 | Water Level Change | |
| Well depth (ft): | 1748 | Bottom Perforated Interval (ft): | 1740 | | | 1 year: | -42.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | -74.00 |
| | | | | | | 10 year: | -50.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/31/2008 | 1409.00 | 4546.00 | 60.00 |
| 5/31/2009 | 1381.00 | 4574.00 | 28.00 |
| 10/13/2009 | 1390.00 | 4565.00 | -9.00 |
| 5/3/2010 | 1284.00 | 4671.00 | 106.00 |
| 10/18/2010 | 1424.00 | 4531.00 | -140.00 |
| 4/13/2011 | 1299.00 | 4656.00 | 125.00 |
| 9/30/2011 | 1367.00 | 4588.00 | -68.00 |
| 4/30/2012 | 1298.00 | 4657.00 | 69.00 |
| 10/31/2012 | 1390.00 | 4565.00 | -92.00 |
| 3/31/2013 | 1349.00 | 4606.00 | 41.00 |
| 10/31/2013 | 1390.00 | 4565.00 | -41.00 |
| 4/30/2014 | 1330.00 | 4625.00 | 60.00 |
| 10/31/2014 | 1390.00 | 4565.00 | -60.00 |
| 4/30/2015 | 1326.00 | 4629.00 | 64.00 |
| 10/31/2015 | 1409.00 | 4546.00 | -83.00 |
| 4/30/2016 | 1330.00 | 4625.00 | 79.00 |
| 10/31/2016 | 1432.00 | 4523.00 | -102.00 |
| 4/30/2017 | 1372.00 | 4583.00 | 60.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-----------------------------------|----------------------------------|------------------|---------------------|------------------------------|
| Well Name: | DB-112 MERIDIAN A-4 (A-1R) | | | Owner: | |
| Permit #: | 56744 - F - | | | Location #: | SC00606701CA DWR2 |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range | PM |
| | SW NE | 1 | 6 S | 67 W | S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4378546.8 | Easting (UTM x): | 513588.5 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | | 39.556499 | | -104.841828 | |
| Surface Elevation (ft): | 5835 | Top Perforated Interval (ft): | 1315 | Base of grout (ft): | 1285 |
| Well depth (ft): | 1780 | Bottom Perforated Interval (ft): | 1780 | | Water Level Change |
| Aquifer(s): | ARAPAHOE | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/31/2008 | 1240.00 | 4595.00 | 61.00 |
| 10/31/2008 | 1268.00 | 4567.00 | -28.00 |
| 5/3/2010 | 1189.00 | 4646.00 | 79.00 |
| 9/1/2010 | 1374.00 | 4461.00 | -185.00 |
| 4/11/2011 | 1200.00 | 4635.00 | 174.00 |
| 10/31/2011 | 1249.00 | 4586.00 | -49.00 |
| 3/31/2012 | 1199.00 | 4636.00 | 50.00 |
| 4/30/2013 | 1268.00 | 4567.00 | -69.00 |
| 8/31/2013 | 1351.00 | 4484.00 | -83.00 |
| 4/30/2014 | | | |
| 10/31/2014 | 1303.00 | 4532.00 | |
| 4/30/2015 | 1222.00 | 4613.00 | 81.00 |
| 9/30/2015 | 1337.00 | 4498.00 | -115.00 |
| 4/30/2016 | | | |
| 10/31/2016 | 1346.00 | 4489.00 | |
| 4/30/2017 | | | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|--|--------|
| Well Name: | DB-112 MERIDIAN A-5 | | | | Owner: | MERIDIAN METROPOLITAN DISTRICT | |
| Permit #: | 60993 - F - | | | | Location #: | SC00606711DD | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SE SE 11 | | | | Twnshp Range PM 6 S 67 W S | County: DOUGLAS Distance from section lines: From N/S line: 200 S From E/W line: 780 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4376358.0 | | | | Easting (UTM x): 512769.8 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.536790 | | | | -104.851399 | | |
| Surface Elevation (ft): | 5980 | Top Perforated Interval (ft): | 1366 | Base of grout (ft): | 1366 | Water Level Change | |
| Well depth (ft): | 1910 | Bottom Perforated Interval (ft): | 1837 | | | 1 year: | -39.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 4.00 |
| | | | | | | 10 year: | -39.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/31/2008 | 1436.00 | 4544.00 | 90.00 |
| 10/31/2008 | 1390.00 | 4590.00 | 46.00 |
| 5/31/2009 | 1355.00 | 4625.00 | 35.00 |
| 10/31/2009 | 1436.00 | 4544.00 | -81.00 |
| 4/30/2010 | 1284.00 | 4696.00 | 152.00 |
| 9/30/2010 | 1459.00 | 4521.00 | -175.00 |
| 3/31/2011 | 1304.00 | 4676.00 | 155.00 |
| 3/31/2012 | 1371.00 | 4609.00 | -67.00 |
| 10/31/2012 | 1399.00 | 4581.00 | -28.00 |
| 3/31/2013 | 1348.00 | 4632.00 | 51.00 |
| 10/31/2013 | 1394.00 | 4586.00 | -46.00 |
| 4/30/2014 | 1330.00 | 4650.00 | 64.00 |
| 10/31/2014 | 1399.00 | 4581.00 | -69.00 |
| 4/30/2015 | 1321.00 | 4659.00 | 78.00 |
| 10/31/2015 | 1413.00 | 4567.00 | -92.00 |
| 4/30/2016 | 1328.00 | 4652.00 | 85.00 |
| 10/31/2016 | 1427.00 | 4553.00 | -99.00 |
| 4/30/2017 | 1367.00 | 4613.00 | 60.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|--|--------|
| Well Name: | DB-112 MERIDIAN HS-A-1 | | | | Owner: | MERIDIAN METROPOLITAN DISTRICT | |
| Permit #: | 60992 - F - | | | | Location #: | SC00606619AC | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NE SW 19 | | | | Twnshp Range PM 6 S 66 W S | County: DOUGLAS Distance from section lines: From N/S line: 2400 N From E/W line: 2000 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4373995.5 | | | | Easting (UTM x): 515529.4 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.515457 | | | | -104.819342 | | |
| Surface Elevation (ft): | 6000 | Top Perforated Interval (ft): | 1495 | Base of grout (ft): | 1495 | Water Level Change | |
| Well depth (ft): | 1951 | Bottom Perforated Interval (ft): | 1890 | | | 1 year: | -37.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 34.00 |
| | | | | | | 10 year: | 14.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/31/2008 | 1441.00 | 4559.00 | 97.00 |
| 10/31/2008 | 1485.00 | 4515.00 | -44.00 |
| 5/31/2009 | 1425.00 | 4575.00 | 60.00 |
| 10/31/2009 | 1445.00 | 4555.00 | -20.00 |
| 4/30/2010 | 1335.00 | 4665.00 | 110.00 |
| 10/31/2010 | 1475.00 | 4525.00 | -140.00 |
| 3/31/2011 | 1383.00 | 4617.00 | 92.00 |
| 10/31/2011 | 1570.00 | 4430.00 | -187.00 |
| 3/31/2012 | 1475.00 | 4525.00 | 95.00 |
| 10/31/2012 | 1482.00 | 4518.00 | -7.00 |
| 3/31/2013 | 1427.00 | 4573.00 | 55.00 |
| 9/30/2013 | 1501.00 | 4499.00 | -74.00 |
| 4/30/2014 | 1413.00 | 4587.00 | 88.00 |
| 9/30/2014 | 1505.00 | 4495.00 | -92.00 |
| 4/30/2015 | 1406.00 | 4594.00 | 99.00 |
| 10/31/2015 | 1602.00 | 4398.00 | -196.00 |
| 4/30/2016 | 1404.00 | 4596.00 | 198.00 |
| 10/31/2016 | 1528.00 | 4472.00 | -124.00 |
| 4/30/2017 | 1441.00 | 4559.00 | 87.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|--|---------------------------|---------------|
| Well Name: | DB-113 DEN TECH CNTR, NORTH | | | | Owner: |
| Permit #: | 16582 - F | | Location #: SC00506709CDA | | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: | DENVER |
| Location: | Q160 Q40 Q10 Section SW SE NE 9 | Twnshp 5 Range 67 PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4386333.5 | Easting (UTM x): 508933.8 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 39.626720 | | -104.895905 | | |
| Surface Elevation (ft): | 5620 | Top Perforated Interval (ft): | 1020 | Base of grout (ft): | 950 |
| Well depth (ft): | 1499 | Bottom Perforated Interval (ft): | 1459 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | |
| 1 year: | -33.00 | | | | |
| 5 year: | -29.00 | | | | |
| 10 year: | 248.00 | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/31/2009 | 1059.00 | 4561.00 | 227.00 |
| 10/31/2009 | 1071.00 | 4549.00 | -12.00 |
| 4/30/2010 | 993.00 | 4627.00 | 78.00 |
| 10/31/2010 | 1121.00 | 4499.00 | -128.00 |
| 4/30/2011 | 995.00 | 4625.00 | 126.00 |
| 10/31/2011 | 1107.00 | 4513.00 | -112.00 |
| 3/31/2012 | 1004.00 | 4616.00 | 103.00 |
| 9/30/2012 | 1153.00 | 4467.00 | -149.00 |
| 4/30/2013 | 1168.00 | 4452.00 | -15.00 |
| 10/31/2013 | 1076.00 | 4544.00 | 92.00 |
| 4/30/2014 | 1010.00 | 4610.00 | 66.00 |
| 10/31/2014 | 1079.00 | 4541.00 | -69.00 |
| 4/30/2015 | 1004.00 | 4616.00 | 75.00 |
| 10/31/2015 | 1089.00 | 4531.00 | -85.00 |
| 4/30/2016 | 1000.00 | 4620.00 | 89.00 |
| 9/30/2016 | 1120.00 | 4500.00 | -120.00 |
| 4/30/2017 | 1033.00 | 4587.00 | 87.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----------|---------------------|-------------------------------|---|--------|
| Well Name: | DB-113 DEN TECH CNTR, SOUTH | | | | Owner: | GOLDSMITH METRO DISTRICT | |
| Permit #: | 16584 - F - R | | | | Location #: | SC00506716DAD | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SE NE SE 16 | | | | Twnshp Range PM 5 S 67 W S | County: ARAPAHOE Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4384922.9 | | Easting (UTM x): | 509728.5 Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.614003 | | | | | -104.886665 | |
| Surface Elevation (ft): | 5675 | Top Perforated Interval (ft): | 1094 | Base of grout (ft): | 1055 | Water Level Change | |
| Well depth (ft): | 1705 | Bottom Perforated Interval (ft): | 1629 | | | 1 year: | -38.00 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 19.00 |
| | | | | | | 10 year: | 43.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 12/28/2009 | 1039.20 | 4635.80 | 106.80 |
| 10/31/2011 | 1180.00 | 4495.00 | -140.80 |
| 4/30/2012 | 1129.00 | 4546.00 | 51.00 |
| 9/30/2012 | 1204.00 | 4471.00 | -75.00 |
| 4/30/2013 | 1099.00 | 4576.00 | 105.00 |
| 10/31/2013 | 1144.00 | 4531.00 | -45.00 |
| 4/30/2014 | 1094.00 | 4581.00 | 50.00 |
| 10/31/2014 | 1142.00 | 4533.00 | -48.00 |
| 4/30/2015 | | | |
| 10/31/2015 | 1167.00 | 4508.00 | |
| 4/30/2016 | 1072.00 | 4603.00 | 95.00 |
| 9/30/2016 | 1208.00 | 4467.00 | -136.00 |
| 4/30/2017 | 1110.00 | 4565.00 | 98.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-----------------------------|----------------------------------|------------------------------|---------------------------|---|
| Well Name: | DB-114 SANCTUARY A-1 | | | | Owner: |
| Permit #: | 44765 - F | | Location #: SC00706705CA A-1 | | USGS Site ID: |
| Division: | 1 | | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range | PM Distance from section lines: |
| | SW NE | 5 | 7 S | 67 W | From N/S line: 1500 S From E/W line: 1800 W |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4368734.5 | Easting (UTM x): | 507104.0 | Spotted from section lines |
| Latitude/Longitude (decimal degrees): | 39.468166 | | -104.917412 | | |
| Surface Elevation (ft): | 6505 | Top Perforated Interval (ft): | 1800 | Base of grout (ft): | 1780 |
| Well depth (ft): | 2200 | Bottom Perforated Interval (ft): | 2180 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | |
| | | | | 1 year: | 19.00 |
| | | | | 5 year: | -1.00 |
| | | | | 10 year: | -15.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/2/2008 | 1643.00 | 4862.00 | 66.00 |
| 10/31/2008 | 1666.00 | 4839.00 | -23.00 |
| 4/1/2009 | 1646.00 | 4859.00 | 20.00 |
| 11/2/2009 | 1656.00 | 4849.00 | -10.00 |
| 4/14/2010 | 1623.00 | 4882.00 | 33.00 |
| 11/15/2010 | 1666.00 | 4839.00 | -43.00 |
| 4/5/2011 | 1652.00 | 4853.00 | 14.00 |
| 11/15/2011 | 1666.00 | 4839.00 | -14.00 |
| 4/18/2012 | 1657.00 | 4848.00 | 9.00 |
| 11/14/2012 | 1677.00 | 4828.00 | -20.00 |
| 4/16/2013 | 1657.00 | 4848.00 | 20.00 |
| 10/31/2013 | 1670.00 | 4835.00 | -13.00 |
| 4/15/2014 | 1654.00 | 4851.00 | 16.00 |
| 10/31/2014 | 1666.00 | 4839.00 | -12.00 |
| 4/24/2015 | 1654.00 | 4851.00 | 12.00 |
| 10/31/2015 | 1675.00 | 4830.00 | -21.00 |
| 3/24/2016 | 1654.00 | 4851.00 | 21.00 |
| 12/1/2016 | 1682.00 | 4823.00 | -28.00 |
| 5/24/2017 | 1677.00 | 4828.00 | 5.00 |
| 10/15/2017 | 1669.00 | 4836.00 | 8.00 |
| 3/12/2018 | 1658.00 | 4847.00 | 11.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------------------|---------------------------|---|
| Well Name: | DB-115 SILVER HEIGHTS A-2 | | | | Owner: |
| Permit #: | 51294 - F - | | | | Location #: SC00706727AA A2 |
| Division: | 1 | | | | Water District: 8 County: DOUGLAS |
| Location: | Q160 | Q40 | Q10 | Section NE NE | Twnshp 27 Range 7 S PM Distance from section lines: From N/S line: 800 N From E/W line: 400 E |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4363210.5 | Easting (UTM x): | 511243.1 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | 39.418343 | | | -104.869385 | |
| Surface Elevation (ft): | 6160 | Top Perforated Interval (ft): | 1466 | Base of grout (ft): | 1360 |
| Well depth (ft): | 1877 | Bottom Perforated Interval (ft): | 1842 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | 1 year: -36.00 |
| | | | | | 5 year: -365.00 |
| | | | | | 10 year: -239.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/15/2008 | 1408.00 | 4752.00 | 112.00 |
| 10/15/2008 | 1527.00 | 4633.00 | -119.00 |
| 3/15/2009 | 1380.00 | 4780.00 | 147.00 |
| 9/15/2009 | 1600.00 | 4560.00 | -220.00 |
| 4/15/2010 | 1464.00 | 4696.00 | 136.00 |
| 9/30/2010 | 1539.00 | 4621.00 | -75.00 |
| 3/31/2011 | 1532.00 | 4628.00 | 7.00 |
| 4/30/2012 | 1255.00 | 4905.00 | 277.00 |
| 10/31/2013 | 1500.00 | 4660.00 | -245.00 |
| 5/1/2014 | 1462.00 | 4698.00 | 38.00 |
| 10/1/2014 | 1280.00 | 4880.00 | 182.00 |
| 5/1/2015 | 1495.00 | 4665.00 | -215.00 |
| 10/1/2015 | 1520.00 | 4640.00 | -25.00 |
| 5/1/2016 | 1584.00 | 4576.00 | -64.00 |
| 10/1/2016 | 1584.00 | 4576.00 | 0.00 |
| 5/1/2017 | 1620.00 | 4540.00 | -36.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|---------------------------|----------------------------------|------------------|---------------------|-----------------------------------|-------------------------------------|--|
| Well Name: | DB-116 SEDALIA A-1 | | | | Owner: | SEDALIA WATER AND SANITATION DISTRI | |
| Permit #: | 52339 - F - | | | | Location #: | SC00706814DD | |
| Division: | 1 | | | | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 | Q40 | Q10 | Section SE | Twnshp SE | Range 14 | PM S |
| | | | | | | | Distance from section lines: <i>From N/S line:</i> 1200 S <i>From E/W line:</i> 250 E |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4365398.0 | Easting (UTM x): | 503241.1 | <i>Spotted from section lines</i> | | |
| Latitude/Longitude (decimal degrees): | 39.438122 | | | -104.962337 | | | |
| Surface Elevation (ft): | 5824 | Top Perforated Interval (ft): | 816 | Base of grout (ft): | 800 | Water Level Change | |
| Well depth (ft): | 1225 | Bottom Perforated Interval (ft): | 1185 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | -25.92 |
| | | | | | | 10 year: | -49.73 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/15/2008 | 857.80 | 4966.20 | 22.60 |
| 10/15/2008 | 882.30 | 4941.70 | -24.50 |
| 10/31/2009 | 875.65 | 4948.35 | 6.65 |
| 4/26/2010 | 856.25 | 4967.75 | 19.40 |
| 9/13/2011 | 890.06 | 4933.94 | -33.81 |
| 4/7/2012 | 871.41 | 4952.59 | 18.65 |
| 10/14/2012 | 892.33 | 4931.67 | -20.92 |
| 3/16/2013 | 880.40 | 4943.60 | 11.93 |
| 9/29/2013 | 895.31 | 4928.69 | -14.91 |
| 3/29/2014 | 877.68 | 4946.32 | 17.63 |
| 10/1/2014 | 892.08 | 4931.92 | -14.40 |
| 3/1/2015 | 879.14 | 4944.86 | 12.94 |
| 9/16/2016 | 907.04 | 4916.96 | -27.90 |
| 4/17/2017 | 897.33 | 4926.67 | 9.71 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | | |
|---------------------------------------|-------------------------------|----------------------------------|------------------|---------------------|-----------------------------------|-----------------------------------|---------|--|
| Well Name: | DB-117 STONEGATE CA-2R | | | | Owner: | STONEGATE VILLAGE METROPOLITAN DI | | |
| Permit #: | 17693 - F - R | | | | Location #: | SC00606617DD | | USGS Site ID: |
| Division: | 1 | | | | Water District: | 8 | | |
| Location: | Q160 | Q40 | Q10 | Section SE | Twnshp SE | Range 17 | PM S | County: DOUGLAS Distance from section lines: From N/S line: 250 S From E/W line: 80 E |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4374822.0 | Easting (UTM x): | 517745.3 | <i>Spotted from section lines</i> | | | |
| Latitude/Longitude (decimal degrees): | 39.522861 | -104.793541 | | | | | | |
| Surface Elevation (ft): | 5901.15 | Top Perforated Interval (ft): | 1187 | Base of grout (ft): | 1128 | Water Level Change | | |
| Well depth (ft): | 1676 | Bottom Perforated Interval (ft): | 1661 | | | 1 year: | 38.00 | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | | |
| | | | | | | 10 year: | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/28/2009 | 1454.00 | 4447.15 | -118.70 |
| 4/11/2010 | 1406.00 | 4495.15 | 48.00 |
| 10/28/2010 | 1409.00 | 4492.15 | -3.00 |
| 10/26/2011 | 1368.00 | 4533.15 | 41.00 |
| 3/29/2012 | 1281.00 | 4620.15 | 87.00 |
| 10/15/2012 | 1385.00 | 4516.15 | -104.00 |
| 10/31/2013 | 1357.00 | 4544.15 | 28.00 |
| 10/30/2014 | 1384.00 | 4517.15 | -27.00 |
| 3/31/2015 | | | |
| 11/18/2015 | 1357.00 | 4544.15 | |
| 5/10/2016 | 1301.00 | 4600.15 | 56.00 |
| 10/19/2016 | 1400.00 | 4501.15 | -99.00 |
| 4/29/2017 | 1344.00 | 4557.15 | 56.00 |
| 10/6/2017 | 1403.00 | 4498.15 | -59.00 |
| 4/24/2018 | 1306.00 | 4595.15 | 97.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | | |
|---------------------------------------|-------------------------------|----------------------------------|----|------------------|---|---------------------------|-----------------|------------------------------|
| Well Name: | DB-117 STONEGATE KA-18 | | | Owner: | STONEGATE VILLAGE METROPOLITAN DI | | | |
| Permit #: | 57136 - F - | | | Location #: | SC00606617DB DWR2 | | USGS Site ID: | |
| Division: | 1 | | | Water District: | 8 | | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: DOUGLAS | |
| | SE | NW | 17 | 6 | S | 66 | W S | Distance from section lines: |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | Easting (UTM x): | 4375349.5 517153.9 <i>Spotted from quarters</i> | | | |
| Latitude/Longitude (decimal degrees): | 39.527630 | | | | -104.800407 | | | |
| Surface Elevation (ft): | 5900 | Top Perforated Interval (ft): | | | Base of grout (ft): | Water Level Change | | |
| Well depth (ft): | 1792 | Bottom Perforated Interval (ft): | | | | 1 year: | 25.00 | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | 11.00 | |
| | | | | | | 10 year: | 0.00 | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/23/2008 | 1259.00 | 4641.00 | 102.00 |
| 10/30/2008 | 1374.00 | 4526.00 | -115.00 |
| 3/25/2009 | 1284.00 | 4616.00 | 90.00 |
| 10/11/2009 | 1357.00 | 4543.00 | -73.00 |
| 4/13/2010 | 1228.00 | 4672.00 | 129.00 |
| 10/31/2010 | 1351.00 | 4549.00 | -123.00 |
| 4/27/2011 | 1252.00 | 4648.00 | 99.00 |
| 10/26/2011 | 1358.00 | 4542.00 | -106.00 |
| 3/31/2012 | 1246.00 | 4654.00 | 112.00 |
| 10/16/2012 | 1372.00 | 4528.00 | -126.00 |
| 3/13/2013 | 1287.00 | 4613.00 | 85.00 |
| 10/31/2013 | 1339.00 | 4561.00 | -52.00 |
| 3/31/2014 | 1283.00 | 4617.00 | 56.00 |
| 9/30/2014 | 1370.00 | 4530.00 | -87.00 |
| 3/31/2015 | 1274.00 | 4626.00 | 96.00 |
| 10/14/2015 | 1392.00 | 4508.00 | -118.00 |
| 5/1/2016 | 1258.00 | 4642.00 | 134.00 |
| 10/26/2016 | 1386.00 | 4514.00 | -128.00 |
| 4/12/2017 | 1294.00 | 4606.00 | 92.00 |
| 10/25/2017 | 1361.00 | 4539.00 | -67.00 |


All Historic Measurements



DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|--|-------------------------------|----------------------------------|-----------|----------------------------------|-----------------|-----------------------------------|------------------------------|
| Well Name: | DB-117 STONEGATE KA-20 | | | | Owner: | STONEGATE VILLAGE METROPOLITAN DI | |
| Permit #: | 63022 - F | | | | Location #: | SC00606605BB | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section | | | | Twnshp | Range | PM |
| | NW NW | | 5 | 6 S | 66 W | S | Distance from section lines: |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4379481.0 | Easting (UTM x): | 516501.9 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.564866 | | | | -104.807892 | | |
| Surface Elevation (ft): | 5730 | Top Perforated Interval (ft): | | | | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 1720 | Bottom Perforated Interval (ft): | | | | 1 year: | 7.00 |
| Aquifer(s): | ARAPAHOE | | | | | | |
| | | | | | | | |
| Measurements from last 10 years | | | | All Historic Measurements | | | |

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/24/2008 | 1148.00 | 4582.00 | 96.00 |
| 10/29/2008 | 1246.00 | 4484.00 | -98.00 |
| 3/25/2009 | 1177.00 | 4553.00 | 69.00 |
| 10/14/2009 | 1244.00 | 4486.00 | -67.00 |
| 4/13/2010 | 1134.00 | 4596.00 | 110.00 |
| 10/13/2010 | 1257.00 | 4473.00 | -123.00 |
| 4/26/2011 | 1135.00 | 4595.00 | 122.00 |
| 10/26/2011 | 1242.00 | 4488.00 | -107.00 |
| 3/31/2012 | 1138.00 | 4592.00 | 104.00 |
| 10/10/2012 | 1267.00 | 4463.00 | -129.00 |
| 3/21/2013 | 1184.00 | 4546.00 | 83.00 |
| 10/31/2013 | 1223.00 | 4507.00 | -39.00 |
| 3/31/2014 | 1171.00 | 4559.00 | 52.00 |
| 10/4/2014 | 1236.00 | 4494.00 | -65.00 |
| 3/31/2015 | 1161.00 | 4569.00 | 75.00 |
| 11/1/2015 | 1259.00 | 4471.00 | -98.00 |
| 5/1/2016 | 1146.00 | 4584.00 | 113.00 |
| 10/25/2016 | 1262.00 | 4468.00 | -116.00 |
| 4/11/2017 | 1178.00 | 4552.00 | 84.00 |
| 10/25/2017 | 1239.00 | 4491.00 | -61.00 |
| 4/18/2018 | 1171.00 | 4559.00 | 68.00 |




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-----------------------------------|----------------------------------|--------------------------|---------------------------|-----------------------------------|
| Well Name: | DB-118 CASTLE ROCK WELL 10 | | | | Owner: |
| Permit #: | 22664 - F | | Location #: SC00806712AC | | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range | PM |
| | NE SW | 12 | 8 S | 67 W | S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4357831.5 | Easting (UTM x): | 514017.7 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | | 39.371716 | | -104.837265 | |
| Surface Elevation (ft): | 6365 | Top Perforated Interval (ft): | 1565 | Base of grout (ft): | 1550 |
| Well depth (ft): | 1980 | Bottom Perforated Interval (ft): | 1920 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | 1 year: -182.00 |
| | | | | | 5 year: |
| | | | | | 10 year: 337.67 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/29/2008 | 1333.00 | 5032.00 | -32.00 |
| 10/13/2008 | | | |
| 4/7/2009 | 1344.00 | 5021.00 | |
| 3/17/2010 | 1324.00 | 5041.00 | 20.00 |
| 5/20/2011 | 1346.00 | 5019.00 | -22.00 |
| 4/6/2012 | 1351.00 | 5014.00 | -5.00 |
| 5/16/2014 | 1210.00 | 5155.00 | 141.00 |
| 4/13/2015 | 634.00 | 5731.00 | 576.00 |
| 5/3/2016 | 1343.00 | 5022.00 | -709.00 |
| 5/16/2017 | 813.33 | 5551.67 | 529.67 |
| 5/9/2018 | 995.33 | 5369.67 | -182.00 |

All Historic Measurements




Well Name: **DB-118 CASTLE ROCK WELL 14**

| | | | | | |
|---------------------------------------|-------------------|----------------------------------|------------------|---------------------------|------------------------------|
| Permit #: | 237969 - | - | Location #: | SC00806714DB1 | Owner: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range | PM |
| | SE NW | 14 | 8 S | 67 W | S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4355952.0 | Easting (UTM x): | 512369.8 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | | 39.352925 | | -104.856432 | |
| Surface Elevation (ft): | 6340 | Top Perforated Interval (ft): | 1400 | Base of grout (ft): | 1390 |
| Well depth (ft): | 1940 | Bottom Perforated Interval (ft): | 1910 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | 1 year: |
| | | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/8/2008 | 1173.00 | 5167.00 | -11.20 |
| 10/31/2008 | 1249.00 | 5091.00 | -76.00 |
| 5/15/2009 | 1206.00 | 5134.00 | 43.00 |
| 10/1/2009 | 1222.00 | 5118.00 | -16.00 |
| 4/13/2010 | 1198.00 | 5142.00 | 24.00 |
| 9/3/2010 | 1246.00 | 5094.00 | -48.00 |
| 4/8/2011 | 1221.50 | 5118.50 | 24.50 |
| 10/21/2011 | 1303.00 | 5037.00 | -81.50 |
| 3/23/2012 | 1216.40 | 5123.60 | 86.60 |
| 5/3/2016 | 1324.00 | 5016.00 | -107.60 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | |
|---------------------------------------|-----------------------------------|----------------------------------|------|---------------------|-------------------------------|--|
| Well Name: | DB-118 CASTLE ROCK WELL 20 | | | | Owner: | |
| Permit #: | 25601 - F - | | | | Location #: | SC00806708CC |
| Division: | 1 | | | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section SW SW 8 | | | | Twnshp Range PM 8 S 67 W S | County: DOUGLAS Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4357236.6 | | | | Easting (UTM x): 506787.9 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | 39.364561 | | | | -104.921205 | |
| Surface Elevation (ft): | 6615 | Top Perforated Interval (ft): | 1923 | Base of grout (ft): | 1901 | Water Level Change |
| Well depth (ft): | 2356 | Bottom Perforated Interval (ft): | 2356 | | | 1 year: 946.48 |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: 851.48 |
| | | | | | | 10 year: 810.48 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/20/2008 | 1594.00 | 5021.00 | -46.00 |
| 10/13/2008 | 1672.00 | 4943.00 | -78.00 |
| 3/18/2009 | 1626.00 | 4989.00 | 46.00 |
| 3/18/2010 | 1565.00 | 5050.00 | 61.00 |
| 9/30/2010 | 1777.00 | 4838.00 | -212.00 |
| 5/20/2011 | 1633.00 | 4982.00 | 144.00 |
| 9/15/2011 | 1772.00 | 4843.00 | -139.00 |
| 4/27/2012 | 1596.00 | 5019.00 | 176.00 |
| 4/26/2013 | 1635.00 | 4980.00 | -39.00 |
| 5/23/2014 | 1677.00 | 4938.00 | -42.00 |
| 4/13/2015 | 1664.00 | 4951.00 | 13.00 |
| 5/4/2016 | 1683.00 | 4932.00 | -19.00 |
| 4/8/2017 | 1730.00 | 4885.00 | -47.00 |
| 5/9/2018 | 783.52 | 5831.48 | 946.48 |

All Historic Measurements




| | | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|------|---------------------|-------------------------------|--|
| Well Name: | DB-118 CASTLE ROCK WELL 73R | | | | Owner: | TOWN OF CASTLE ROCK |
| Permit #: | 67802 - F - | | | | Location #: | SC00706632BB |
| Division: | 1 | | | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section NW NW 32 | | | | Twnshp Range PM 7 S 66 W S | County: DOUGLAS Distance from section lines: From N/S line: 248 N From E/W line: 441 W |
| UTM Coordinates (NAD83): | Northing (UTM y): 4361727.5 | | | | Easting (UTM x): 516271.7 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | 39.404901 | | | | -104.811005 | |
| Surface Elevation (ft): | 6295 | Top Perforated Interval (ft): | 1620 | Base of grout (ft): | 1584 | Water Level Change |
| Well depth (ft): | 2091 | Bottom Perforated Interval (ft): | 2056 | | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/1/2009 | 1751.00 | 4544.00 | -261.00 |
| 5/12/2010 | 1461.00 | 4834.00 | 290.00 |
| 10/31/2010 | 1595.00 | 4700.00 | -134.00 |
| 4/1/2011 | 1480.00 | 4815.00 | 115.00 |
| 10/22/2011 | 1620.00 | 4675.00 | -140.00 |
| 4/27/2012 | 1536.30 | 4758.70 | 83.70 |
| 12/17/2012 | 1560.00 | 4735.00 | -23.70 |
| 5/14/2013 | 1495.00 | 4800.00 | 65.00 |
| 10/30/2013 | 1582.00 | 4713.00 | -87.00 |
| 4/18/2014 | 1494.00 | 4801.00 | 88.00 |
| 10/14/2014 | 1632.00 | 4663.00 | -138.00 |
| 4/13/2015 | 1489.00 | 4806.00 | 143.00 |
| 6/10/2016 | 1559.00 | 4736.00 | -70.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|------|---------------------|---------------------------|---|--|
| Well Name: | DB-119 PALMER LAKE A-2 | | | | Owner: | TOWN OF PALMER LAKE | |
| Permit #: | 56816 - F - | | | | Location #: | SC01106704BC | |
| Division: | 2 | | | | Water District: | 10 | |
| Location: | Q160 Q40 Q10 Section NW SW 4 | | | | Twnshp Range PM | County: EL PASO Distance from section lines: From N/S line: 1510 N From E/W line: 898 W | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4330742.0 | | | | Easting (UTM x): 508476.3 | <i>Spotted from section lines</i> | |
| Latitude/Longitude (decimal degrees): | 39.125805 | | | | -104.901938 | | |
| Surface Elevation (ft): | 7290 | Top Perforated Interval (ft): | 1710 | Base of grout (ft): | 1652 | Water Level Change | |
| Well depth (ft): | 2232 | Bottom Perforated Interval (ft): | 2212 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/31/2008 | 1432.00 | 5858.00 | 195.37 |
| 10/31/2008 | 1425.07 | 5864.93 | 6.93 |
| 3/24/2009 | 1411.21 | 5878.79 | 13.86 |
| 10/7/2009 | 1552.12 | 5737.88 | -140.91 |
| 4/1/2010 | 1415.83 | 5874.17 | 136.29 |
| 3/15/2011 | 1429.69 | 5860.31 | -13.86 |
| 10/15/2011 | 1713.82 | 5576.18 | -284.13 |
| 4/15/2012 | 1443.55 | 5846.45 | 270.27 |
| 10/15/2012 | 1552.00 | 5738.00 | -108.45 |
| 3/15/2013 | 1440.00 | 5850.00 | 112.00 |
| 5/14/2014 | 1460.00 | 5830.00 | -20.00 |
| 1/3/2015 | 1616.20 | 5673.80 | -156.20 |
| 5/4/2015 | 1471.27 | 5818.73 | 144.93 |
| 6/16/2016 | 1478.20 | 5811.80 | -6.93 |

All Historic Measurements




Well Name: **DB-120 WOODMOOR 10R**

| | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-------------------|--|-----------------|
| Permit #: | 24030 - F - R | Location #: | SC01106723AA DWR4 | Owner: | USGS Site ID: |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NE NE 23 | Twnshp Range PM | | Distance from section lines: From N/S line: 1187 N From E/W line: 553 E | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4325942.0 | Easting (UTM x): 512854.2 | | <i>Spotted from section lines</i> | |
| Latitude/Longitude (decimal degrees): | 39.082500 | -104.851379 | | | |
| Surface Elevation (ft): | 7005 | Top Perforated Interval (ft): | 1362 | Base of grout (ft): | 1324 |
| Well depth (ft): | 1809 | Bottom Perforated Interval (ft): | 1774 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | 1 year: |
| | | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/9/2008 | 897.20 | 6107.80 | 48.80 |
| 10/15/2009 | 1085.70 | 5919.30 | -188.50 |
| 3/29/2010 | 1039.70 | 5965.30 | 46.00 |
| 9/26/2011 | 1036.00 | 5969.00 | 3.70 |
| 10/1/2012 | 1213.20 | 5791.80 | -177.20 |
| 4/1/2013 | 1064.20 | 5940.80 | 149.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|---------------------------------|-----------------------------------|--|---------------------|---------------------------|
| Well Name: | DB-120 WOODMOOR 11 | | | | Owner: |
| Permit #: | 29314 - F | | Location #: | SC01106701DC | |
| Division: | 1 | Water District: | 8 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section SE SW 1 | Twnshp 11 S Range 67 W PM S | Distance from section lines: From N/S line: 300 S From E/W line: 2400 E | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4329612.5 | Easting (UTM x): 513904.4 | <i>Spotted from section lines</i> | | |
| Latitude/Longitude (decimal degrees): | 39.115557 | | -104.839164 | | |
| Surface Elevation (ft): | 7450 | Top Perforated Interval (ft): | 1920 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 2500 | Bottom Perforated Interval (ft): | 2400 | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/5/2009 | 1549.10 | 5900.90 | -6.50 |
| 10/15/2009 | 1566.40 | 5883.60 | -17.30 |
| 3/29/2010 | 1550.20 | 5899.80 | 16.20 |
| 3/21/2011 | 1631.00 | 5819.00 | -80.80 |
| 1/13/2012 | 1655.00 | 5795.00 | -24.00 |
| 10/1/2012 | 1871.10 | 5578.90 | -216.10 |
| 4/1/2013 | 1726.90 | 5723.10 | 144.20 |
| 10/7/2013 | 1658.00 | 5792.00 | 68.90 |

All Historic Measurements




Well Name: **DB-121 COTTONWOOD D11**

| | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|--|---------------------------|-------------------------|
| Permit #: | 58414 - F | Location #: | SC00606605CC | Owner: | COTTONWOOD WSD |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SW SW 5 | Twnshp 6 S Range 66 W PM S | Distance from section lines: From N/S line: 900 S From E/W line: 1000 W | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4378256.5 | Easting (UTM x): 516440.5 | <i>Spotted from section lines</i> | | |
| Latitude/Longitude (decimal degrees): | 39.553834 | | -104.808637 | | |
| Surface Elevation (ft): | 5830 | Top Perforated Interval (ft): | 1335 | Base of grout (ft): | 1275 |
| Well depth (ft): | 1820 | Bottom Perforated Interval (ft): | 1720 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | 1 year: -119.00 |
| | | | | | 5 year: |
| | | | | | 10 year: -112.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/3/2008 | 1180.00 | 4650.00 | -13.00 |
| 10/27/2008 | 1319.00 | 4511.00 | -139.00 |
| 1/15/2009 | 1374.65 | 4455.35 | -55.65 |
| 11/24/2009 | 1282.25 | 4547.75 | 92.40 |
| 3/3/2010 | 1247.60 | 4582.40 | 34.65 |
| 9/30/2013 | 1343.00 | 4487.00 | -95.40 |
| 4/21/2014 | 1238.00 | 4592.00 | 105.00 |
| 9/2/2014 | 1344.00 | 4486.00 | -106.00 |
| 3/9/2015 | 1229.00 | 4601.00 | 115.00 |
| 10/19/2015 | 1326.00 | 4504.00 | -97.00 |
| 3/14/2016 | 1211.00 | 4619.00 | 115.00 |
| 10/10/2016 | 1304.00 | 4526.00 | -93.00 |
| 4/3/2017 | 1173.00 | 4657.00 | 131.00 |
| 5/1/2018 | 1292.00 | 4538.00 | -119.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|--|---------------------------------|----------------------------------|-------------------------------|---|---------------------------|
| Well Name: | DB-121 COTTONWOOD D2 | | | | Owner: |
| Permit #: | 48214 - F | | Location #: SC00606605AC DWR2 | | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section NE SW 5 | Twnshp 6 S | Range 66 W S | Distance from section lines: From N/S line: 2570 N From E/W line: 2600 E | |
| UTM Coordinates (NAD83): Northing (UTM y): | 4378811.5 | Easting (UTM x): | 516960.9 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.558826 | | -104.802567 | | |
| Surface Elevation (ft): | 5790 | Top Perforated Interval (ft): | 1270 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 1750 | Bottom Perforated Interval (ft): | 1680 | 1 year: | 2.00 |
| Aquifer(s): | ARAPAHOE | | | 5 year: | 52.00 |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/5/2012 | 1244.00 | 4546.00 | |
| 10/15/2012 | 1345.00 | 4445.00 | -101.00 |
| 3/4/2013 | 1287.00 | 4503.00 | 58.00 |
| 10/21/2013 | 1322.00 | 4468.00 | -35.00 |
| 3/24/2014 | 1245.00 | 4545.00 | 77.00 |
| 9/15/2014 | 1310.00 | 4480.00 | -65.00 |
| 10/13/2014 | 1300.00 | 4490.00 | 10.00 |
| 3/30/2015 | 1237.00 | 4553.00 | 63.00 |
| 10/19/2015 | 1339.00 | 4451.00 | -102.00 |
| 3/14/2016 | 1224.00 | 4566.00 | 115.00 |
| 9/23/2016 | 1368.00 | 4422.00 | -144.00 |
| 3/14/2017 | 1237.00 | 4553.00 | 131.00 |
| 5/1/2018 | 1235.00 | 4555.00 | 2.00 |

All Historic Measurements




Well Name: **DB-121 COTTONWOOD D4A**

| | | | | | |
|--|---------------------------------|----------------------------------|--------------|--|------------------------------|
| Permit #: | 55267 - F | - | Location #: | SC00606603CD | Owner: COTTONWOOD WSD |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SW SE 3 | Twnshp 6 S | Range 66 W S | Distance from section lines: From N/S line: 850 S From E/W line: 2530 W | |
| UTM Coordinates (NAD83): Northing (UTM y): | 4378257.0 | Easting (UTM x): | 520147.8 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.553759 | | -104.765485 | | |
| Surface Elevation (ft): | 5870 | Top Perforated Interval (ft): | 1325 | Base of grout (ft): | 1235 |
| Well depth (ft): | 1800 | Bottom Perforated Interval (ft): | 1690 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | 1 year: | 14.00 | 5 year: | |
| | | 5 year: | 16.00 | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/12/2008 | 1349.00 | 4521.00 | 60.00 |
| 10/31/2008 | 1405.00 | 4465.00 | -56.00 |
| 4/20/2009 | 1317.00 | 4553.00 | 88.00 |
| 11/24/2009 | 1399.00 | 4471.00 | -82.00 |
| 3/3/2010 | 1330.00 | 4540.00 | 69.00 |
| 9/16/2013 | 1441.00 | 4429.00 | -111.00 |
| 4/28/2014 | 1342.00 | 4528.00 | 99.00 |
| 9/15/2014 | 1407.00 | 4463.00 | -65.00 |
| 3/30/2015 | 1352.00 | 4518.00 | 55.00 |
| 10/19/2015 | 1447.00 | 4423.00 | -95.00 |
| 3/14/2016 | 1328.00 | 4542.00 | 119.00 |
| 9/21/2016 | 1458.00 | 4412.00 | -130.00 |
| 4/10/2017 | 1347.00 | 4523.00 | 111.00 |
| 5/1/2018 | 1333.00 | 4537.00 | 14.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|--|--|
| Well Name: | DB-123 ELIZABETH KA-1 | | | | Owner: | TOWN OF ELIZABETH | |
| Permit #: | 44454 - F - | | | | Location #: | SC00806418BC | |
| Division: | 1 | | | | Water District: | 1 | |
| Location: | Q160 Q40 Q10 Section NW SW 18 | | | | Twnshp Range PM 8 S 64 W S | County: ELBERT Distance from section lines: From N/S line: 2280 N From E/W line: 150 W | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4356264.5 | | | | Easting (UTM x): 533900.3 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.355164 | | | | -104.606530 | | |
| Surface Elevation (ft): | 6605 | Top Perforated Interval (ft): | 1759 | Base of grout (ft): | 1630 | Water Level Change | |
| Well depth (ft): | 2149 | Bottom Perforated Interval (ft): | 2049 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/25/2008 | 1527.00 | 5078.00 | -38.00 |
| 10/13/2008 | 1542.00 | 5063.00 | -15.00 |
| 3/13/2009 | 1542.00 | 5063.00 | 0.00 |
| 10/17/2009 | 1546.00 | 5059.00 | -4.00 |
| 4/11/2010 | 1496.00 | 5109.00 | 50.00 |
| 4/26/2011 | 1478.00 | 5127.00 | 18.00 |

All Historic Measurements




Well Name: **DB-125 INVERNESS 1**

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|---|---------------------|---------------|---------------------------|
| Permit #: | 15810 - F - R | Location #: | SC00506734DA | Owner: | USGS Site ID: | |
| Division: | 1 | Water District: | 8 | County: | ARAPAHOE | |
| Location: | Q160 Q40 Q10 Section SE NE 34 | Twnshp Range PM 5 S 67 W S | Distance from section lines: From N/S line: From E/W line: | | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4380214.5 | Easting (UTM x): 511115.3 | GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.571562 | -104.870588 | | | | |
| Surface Elevation (ft): | 5840 | Top Perforated Interval (ft): | 1254 | Base of grout (ft): | 1190 | Water Level Change |
| Well depth (ft): | 1740 | Bottom Perforated Interval (ft): | 1682 | | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 9/30/2013 | 1365.00 | 4475.00 | |
| 5/5/2014 | 1210.00 | 4630.00 | 155.00 |
| 9/22/2014 | 1276.00 | 4564.00 | -66.00 |
| 5/11/2015 | 1205.00 | 4635.00 | 71.00 |
| 4/1/2016 | 1248.00 | 4592.00 | -43.00 |
| 5/14/2018 | 1219.00 | 4621.00 | 29.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|---|
| Well Name: | DB-125 INVERNESS 2 | | | | <i>Owner:</i> | |
| Permit #: | 15885 - F - R | | | | Location #: | SC00506734DC |
| Division: | 1 | | | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section SE SW 34 | | | | Twnshp Range PM 5 S 67 W S | County: ARAPAHOE Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4379791.3 | | | | Easting (UTM x): 510818.8 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | 39.567752 | | | | -104.874047 | |
| Surface Elevation (ft): | 5800 | Top Perforated Interval (ft): | 1192 | Base of grout (ft): | 1126 | Water Level Change |
| Well depth (ft): | 1710 | Bottom Perforated Interval (ft): | 1700 | | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/14/2008 | 1206.00 | 4594.00 | 91.00 |
| 3/11/2010 | 1162.00 | 4638.00 | 44.00 |
| 4/1/2016 | 1215.00 | 4585.00 | -53.00 |
| 5/14/2018 | | | |

All Historic Measurements




Well Name: **DB-125 INVERNESS 3**

| | | | | |
|---------------------------------------|----------------------------------|----------------------------------|---|--|
| Permit #: | 16303 - F - R | <i>Owner:</i> | | |
| Location #: | SC00506735AB | USGS Site ID: | | |
| Division: | 1 | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NE NW 35 | Twnshp Range PM 5 S 67 W S | County: ARAPAHOE Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 43811156.5 | Easting (UTM x): 512388.0 | <i>GPS</i> | |
| Latitude/Longitude (decimal degrees): | 39.580032 | -104.855753 | | |
| Surface Elevation (ft): | 5765 | Top Perforated Interval (ft): | 1272 | |
| Well depth (ft): | 1650 | Bottom Perforated Interval (ft): | 1630 | |
| Aquifer(s): | ARAPAHOE | | | |
| | | | | |
| | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 9/23/2013 | 1321.00 | 4444.00 | |
| 5/5/2014 | 1177.00 | 4588.00 | 144.00 |
| 9/22/2014 | 1215.00 | 4550.00 | -38.00 |
| 5/11/2015 | 1162.00 | 4603.00 | 53.00 |
| 4/1/2016 | 1206.00 | 4559.00 | -44.00 |
| 5/14/2018 | 1181.00 | 4584.00 | 25.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|---|
| Well Name: | DB-125 INVERNESS 4 | | | | Owner: | |
| Permit #: | 16309 - F - R | | | | Location #: | SC00506734AA |
| Division: | 1 | | | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section NE NE 34 | | | | Twnshp Range PM 5 S 67 W S | County: ARAPAHOE Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4381038.0 | | | | Easting (UTM x): 511317.2 | GPS |
| Latitude/Longitude (decimal degrees): | 39.578979 | | | | -104.868223 | |
| Surface Elevation (ft): | 5780 | Top Perforated Interval (ft): | 1174 | Base of grout (ft): | Water Level Change | |
| Well depth (ft): | 1662 | Bottom Perforated Interval (ft): | 1630 | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | 5 year: | |
| | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 8/28/2014 | 1229.00 | 4551.00 | |
| 5/11/2015 | 1234.00 | 4546.00 | -5.00 |
| 4/1/2016 | 1183.00 | 4597.00 | 51.00 |
| 5/14/2018 | 1159.00 | 4621.00 | 24.00 |

All Historic Measurements




Well Name: **DB-126 THUNDERBIRD 3**

| | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|-------------------------------|--|-----------------|---------------------------|
| Permit #: | 49809 - F - | Location #: | SC00706827BA | Owner: | | USGS Site ID: |
| Division: | 1 | | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section NW NE 27 | | Twnshp Range PM 7 S 68 W S | Distance from section lines: From N/S line: 550 N From E/W line: 2100 W | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4363245.5 | | Easting (UTM x): 500763.7 | Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | 39.418732 | | -104.991127 | | | |
| Surface Elevation (ft): | 6102 | Top Perforated Interval (ft): | 876 | Base of grout (ft): | 820 | Water Level Change |
| Well depth (ft): | 1335 | Bottom Perforated Interval (ft): | 1330 | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | 5 year: | |
| | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/15/2008 | 1054.00 | 5048.00 | 21.00 |
| 10/15/2008 | 1074.00 | 5028.00 | -20.00 |
| 3/15/2009 | 1062.00 | 5040.00 | 12.00 |
| 10/28/2012 | 1086.00 | 5016.00 | -24.00 |
| 5/10/2013 | 1071.00 | 5031.00 | 15.00 |
| 9/16/2014 | 1009.00 | 5093.00 | 62.00 |
| 4/23/2015 | 1010.00 | 5092.00 | -1.00 |
| 10/8/2015 | 1098.00 | 5004.00 | -88.00 |
| 4/19/2016 | 1039.00 | 5063.00 | 59.00 |
| 10/11/2017 | 1105.00 | 4997.00 | -66.00 |
| 4/11/2018 | 1104.00 | 4998.00 | 1.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|-------------------------------|--|--|
| Well Name: | DB-127 A-3 ARAPAHOE | | | | Owner: | BLACKSTONE GOLF COURSE | |
| Permit #: | 43616 - F - | | | | Location #: | SC00606530CC | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SW SW 30 | | | | Twnshp Range PM 6 S 65 W S | County: DOUGLAS Distance from section lines: From N/S line: 350 S From E/W line: 970 W | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4371638.0 | | | | Easting (UTM x): 524513.0 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.494005 | | | | -104.714920 | | |
| Surface Elevation (ft): | 6260 | Top Perforated Interval (ft): | 1690 | Base of grout (ft): | 1650 | Water Level Change | |
| Well depth (ft): | 2094 | Bottom Perforated Interval (ft): | 2054 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

All Historic Measurements

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/31/2008 | 1635.84 | 4624.16 | -453.54 |
| 10/15/2008 | 1716.69 | 4543.31 | -80.85 |
| 4/2/2009 | 1627.00 | 4633.00 | 89.69 |
| 10/16/2009 | 1660.00 | 4600.00 | -33.00 |
| 3/30/2010 | 1614.00 | 4646.00 | 46.00 |
| 10/31/2010 | 1682.00 | 4578.00 | -68.00 |
| 3/21/2011 | 1611.00 | 4649.00 | 71.00 |
| 6/6/2012 | 1674.00 | 4586.00 | -63.00 |
| 4/25/2013 | 1638.00 | 4622.00 | 36.00 |
| 10/19/2014 | 1708.00 | 4552.00 | -70.00 |
| 3/28/2015 | 1695.00 | 4565.00 | 13.00 |
| 10/24/2015 | 1734.00 | 4526.00 | -39.00 |
| 4/20/2016 | 1679.00 | 4581.00 | 55.00 |



Well Name: **DB-128 FOREST LAKES METRO**


Owner:

| | | | | |
|---------------------------------------|----------------------------------|----------------------------------|--------------------------------|--|
| Permit #: | 17483 - F - | Location #: | SC01106735AB DWR1 | USGS Site ID: |
| Division: | 2 | | Water District: | 10 |
| Location: | Q160 Q40 Q10 Section NE NW 35 | | Twnshp Range PM 11 S 67 W S | County: EL PASO Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4322988.0 | | Easting (UTM x): 512441.0 | GPS |
| Latitude/Longitude (decimal degrees): | 39.055884 | | -104.856213 | |
| Surface Elevation (ft): | 6812 | Top Perforated Interval (ft): | 704 | Base of grout (ft): 704 |
| Well depth (ft): | 1195 | Bottom Perforated Interval (ft): | 1130 | Water Level Change |
| Aquifer(s): | ARAPAHOE | | | |
| | | | | |
| | | | | |

Measurements from last 10 years

All Historic Measurements

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 9/25/2008 | | | |
| 6/9/2009 | 722.75 | 6089.25 | |
| 4/29/2010 | 790.43 | 6021.57 | -67.68 |
| 4/15/2011 | 692.26 | 6119.74 | 98.17 |
| 4/25/2013 | 737.75 | 6074.25 | -45.49 |
| 7/18/2014 | 783.98 | 6028.02 | -46.23 |
| 7/23/2015 | 801.00 | 6011.00 | -17.02 |
| 4/13/2016 | 689.62 | 6122.38 | 111.38 |




DENVER BASIN
Arapahoe Aquifer(s)

| | | | |
|---------------------------------------|---------------------------------|---|--|
| Well Name: | DB-201 PV-KA | Owner: | PLEASANT VIEW WATER AND SANITATIO |
| Permit #: | 117006 - - | Location #: | SC00407001DB1 |
| Division: | 1 | Water District: | 7 |
| Location: | Q160 Q40 Q10 Section SE NW 1 | Twnshp Range PM 4 S 70 W S | County: JEFFERSON Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4397749.0 | Easting (UTM x): 485407.0 GPS | |
| Latitude/Longitude (decimal degrees): | 39.729500 | -105.170290 | |
| Surface Elevation (ft): | 5790 | Top Perforated Interval (ft): | 928 |
| Well depth (ft): | 950 | Bottom Perforated Interval (ft): | 760 |
| Aquifer(s): | ARAPAHOE | | |
| | | | Water Level Change |
| | | | 1 year: -4.54 |
| | | | 5 year: -20.19 |
| | | | 10 year: -16.35 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 6/4/2008 | 595.55 | 5194.45 | -11.31 |
| 10/28/2008 | 586.38 | 5203.62 | 9.17 |
| 6/15/2009 | 598.80 | 5191.20 | -12.42 |
| 6/18/2010 | 610.85 | 5179.15 | -12.05 |
| 9/28/2011 | 608.94 | 5181.06 | 1.91 |
| 6/5/2012 | 609.55 | 5180.45 | -0.61 |
| 3/7/2013 | 591.35 | 5198.65 | 18.20 |
| 3/15/2013 | 591.71 | 5198.29 | -0.36 |
| 10/15/2013 | 591.11 | 5198.89 | 0.60 |
| 3/15/2014 | 586.99 | 5203.01 | 4.12 |
| 6/23/2014 | 572.39 | 5217.61 | 14.60 |
| 10/15/2014 | 571.56 | 5218.44 | 0.83 |
| 3/15/2015 | 570.85 | 5219.15 | 0.71 |
| 7/16/2015 | 609.28 | 5180.72 | -38.43 |
| 6/1/2016 | 608.44 | 5181.56 | 0.84 |
| 4/28/2017 | 607.36 | 5182.64 | 1.08 |
| 6/13/2018 | 611.90 | 5178.10 | -4.54 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|---------------------------|---------------------------|---|
| Well Name: | DB-202 LARRICK,L. | | | | Owner: |
| Permit #: | 7729 - F | | Location #: SC00506734BDD | | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: | ARAPAHOE |
| Location: | Q160 Q40 Q10 Section NW SE SE 34 | Twnshp 5 S | Range 67 W | PM S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4380491.0 | Easting (UTM x): 510533.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.574060 | | -104.877360 | | |
| Surface Elevation (ft): | 5873 | Top Perforated Interval (ft): | 770 | Base of grout (ft): | 760 |
| Well depth (ft): | 1620 | Bottom Perforated Interval (ft): | 1610 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | 1 year: -16.64 |
| | | | | 5 year: | -27.38 |
| | | | | 10 year: | -12.01 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 6/4/2008 | 1143.70 | 4729.30 | -11.99 |
| 10/28/2008 | 1172.75 | 4700.25 | -29.05 |
| 6/15/2009 | 1129.00 | 4744.00 | 43.75 |
| 6/18/2010 | 1129.55 | 4743.45 | -0.55 |
| 9/28/2011 | 1209.69 | 4663.31 | -80.14 |
| 6/5/2012 | 1184.04 | 4688.96 | 25.65 |
| 5/16/2013 | 1128.33 | 4744.67 | 55.71 |
| 6/20/2014 | 1150.37 | 4722.63 | -22.04 |
| 6/2/2015 | 1121.00 | 4752.00 | 29.37 |
| 5/25/2016 | 1105.74 | 4767.26 | 15.26 |
| 5/15/2017 | 1139.07 | 4733.93 | -33.33 |
| 7/12/2018 | 1155.71 | 4717.29 | -16.64 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/15/2008 | 1083.17 | 5219.05 | 52.03 |
| 7/17/2012 | 1228.80 | 5073.42 | -145.63 |
| 7/25/2012 | 1240.98 | 5061.24 | -12.18 |
| 10/15/2012 | 1308.45 | 4993.77 | -67.47 |
| 3/15/2013 | 1079.43 | 5222.79 | 229.02 |
| 5/30/2013 | 1096.07 | 5206.15 | -16.64 |
| 10/15/2013 | 1144.95 | 5157.27 | -48.88 |
| 3/15/2014 | 1066.03 | 5236.19 | 78.92 |
| 6/20/2014 | | | |
| 6/4/2015 | 1058.57 | 5243.65 | |
| 5/20/2016 | 1138.45 | 5163.77 | -79.88 |
| 4/11/2017 | 1070.66 | 5231.56 | 67.79 |
| 6/28/2018 | 1205.13 | 5097.09 | -134.47 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|--|----------------------------------|----------------------------------|------|---------------------|------------------|--|--|
| Well Name: | DONALA WD 2 | | | | Owner: | | |
| Permit #: | 16143 - F - | | | | Location #: | SC01106631CC | |
| Division: | 2 | | | | Water District: | 10 | |
| Location: | Q160 Q40 Q10 Section SW SW 31 | | | | Twnshp Range PM | County: EL PASO Distance from section lines: From N/S line: 65 S From E/W line: 68 W | |
| UTM Coordinates (NAD83): Northing (UTM y): | 4321467.5 | | | | Easting (UTM x): | 514646.5 Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.042149 | | | | | -104.830757 | |
| Surface Elevation (ft): | 6850 | Top Perforated Interval (ft): | 630 | Base of grout (ft): | 50 | Water Level Change | |
| Well depth (ft): | | Bottom Perforated Interval (ft): | 1130 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 2/28/2008 | 667.40 | 6182.60 | 46.20 |

All Historic Measurements




Well Name: **INVERNESS #4**

| | | | | | | |
|--|----------------------------------|----------------------------------|-------------------|------------------------------|-------------------------------|---------------------------|
| Permit #: | 16309 - RF - | Location #: | SC00506734AA DWR1 | Owner: | USGS Site ID: | |
| Division: | 1 | Water District: | 8 | County: | ARAPAHOE | |
| Location: | Q160 Q40 Q10 Section NE NE 34 | Twnshp Range PM | 5 S 67 W S | Distance from section lines: | From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): Northing (UTM y): | 4381000.3 | Easting (UTM x): | 511234.7 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 39.578641 | | | | -104.869185 | |
| Surface Elevation (ft): | 5785 | Top Perforated Interval (ft): | 885 | Base of grout (ft): | 900 | Water Level Change |
| Well depth (ft): | 1824 | Bottom Perforated Interval (ft): | 1829 | | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | 5 year: | |
| | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/14/2008 | 1262.00 | 4523.00 | 120.00 |
| 3/11/2010 | 1200.00 | 4585.00 | 62.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|------------------------|----------------------------------|-------------------------------|---------------------|-------------------------------|
| Well Name: | INVERNESS WSD 1 | | | | Owner: |
| Permit #: | 15810 - F | - | Location #: SC00506734DA DWR2 | | USGS Site ID: |
| Division: | 1 | | Water District: | 8 | County: ARAPAHOE |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range PM | Distance from section lines: |
| | SE NE | 34 | 5 S | 67 W S | From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4380194.3 | Easting (UTM x): | 511227.1 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | | 39.571378 | | -104.869287 | |
| Surface Elevation (ft): | 5810 | Top Perforated Interval (ft): | 948 | Base of grout (ft): | 938 |
| Well depth (ft): | 1825 | Bottom Perforated Interval (ft): | 1825 | | Water Level Change |
| Aquifer(s): | ARAPAHOE | | | | 1 year: |
| | | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 1/14/2008 | 1246.00 | 4564.00 | 87.00 |
| 3/11/2010 | 1276.00 | 4534.00 | -30.00 |

All Historic Measurements




Well Name: **STRASBURG W & S DIST**

| | | | | | |
|---------------------------------------|-------------------|----------------------------------|------------------|---------------------|-------------------------------|
| Permit #: | 3466 - F | - | Location #: | SC00306233CDA | Owner: |
| Division: | 1 | | Water District: | 1 | County: ADAMS |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range PM | Distance from section lines: |
| | SW SE NE | 33 | 3 S | 62 W S | From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4399155.0 | Easting (UTM x): | 557329.0 | <i>GPS</i> |
| Latitude/Longitude (decimal degrees): | | 39.740366 | | -104.330913 | |
| Surface Elevation (ft): | 5377 | Top Perforated Interval (ft): | 132 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 565 | Bottom Perforated Interval (ft): | 565 | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 108.50 | 5268.50 | -7.79 |
| 9/16/2008 | | | |
| 4/20/2010 | | | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-----------------------|----------------------------------|------------------|---------------------|-----------------|-----------------------------|-----------------|
| Well Name: | STROH RANCH #2 | | | | Owner: | PARKER WATER AND SANITATION | |
| Permit #: | 29735 - F - | | | | Location #: | SC00606634CAA1 | |
| Division: | 1 | | | | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range | PM |
| | SW | NE | NE | 34 | 6 | S | 66 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4370647.0 | Easting (UTM x): | 520094.0 | GPS | From N/S line: | From E/W line: |
| Latitude/Longitude (decimal degrees): | | 39.485190 | | | -104.766340 | | |
| Surface Elevation (ft): | 5895 | Top Perforated Interval (ft): | 1272 | Base of grout (ft): | 1217 | Water Level Change | |
| Well depth (ft): | 1754 | Bottom Perforated Interval (ft): | 1754 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 9/18/2008 | | | |
| 6/1/2009 | 1034.94 | 4860.06 | |
| 4/22/2010 | 940.23 | 4954.77 | 94.71 |
| 4/11/2011 | 956.40 | 4938.60 | -16.17 |
| 5/16/2012 | 979.50 | 4915.50 | -23.10 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | | |
|---------------------------------------|-----------------------|----------------------------------|------------------|---------------------|-----------------|---------------------------|---------|------------------------------|
| Well Name: | USGS OBS. WELL | | | | Owner: | | | |
| Permit #: | 31380 - M - | | | | Location #: | SC01406205CAA | | |
| Division: | 2 | | | | Water District: | 10 | County: | EL PASO |
| Location: | Q160 | Q40 | Q10 | Section | Twnshp | Range | PM | Distance from section lines: |
| | SW | NE | NE | 5 | 14 | S | 62 | W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4301239.9 | Easting (UTM x): | 555345.7 | GPS | | | |
| Latitude/Longitude (decimal degrees): | | 38.858250 | | -104.362117 | | | | |
| Surface Elevation (ft): | 6038.97 | Top Perforated Interval (ft): | 295 | Base of grout (ft): | | Water Level Change | | |
| Well depth (ft): | 324 | Bottom Perforated Interval (ft): | 300 | | | 1 year: | | |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: | -3.14 | |
| | | | | | | 10 year: | -8.32 | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 3/14/2008 | 73.64 | 5965.33 | -0.12 |
| 9/4/2008 | 73.90 | 5965.07 | -0.26 |
| 3/6/2009 | 73.98 | 5964.99 | -0.08 |
| 9/4/2009 | 74.40 | 5964.57 | -0.42 |
| 3/5/2010 | 74.55 | 5964.42 | -0.15 |
| 9/15/2010 | 75.59 | 5963.38 | -1.04 |
| 3/31/2011 | 75.52 | 5963.45 | 0.07 |
| 9/9/2011 | 77.24 | 5961.73 | -1.72 |
| 3/9/2012 | 77.64 | 5961.33 | -0.40 |
| 9/6/2012 | 79.03 | 5959.94 | -1.39 |
| 3/5/2013 | 78.82 | 5960.15 | 0.21 |
| 9/6/2013 | 79.75 | 5959.22 | -0.93 |
| 3/6/2014 | 79.47 | 5959.50 | 0.28 |
| 1/8/2018 | 81.93 | 5957.04 | -2.46 |
| 3/9/2018 | 81.96 | 5957.01 | -0.03 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----|---------------------|------------------------------|----|--|
| Well Name: | USGS OBS. WELL | | | Owner: | | | |
| Permit #: | 31381 - M - | | | Location #: | SC01406216CDB | | |
| Division: | 2 | | | Water District: | 10 | | |
| Location: | Q160 Q40 Q10 Section SW SE NW 16 | | | Twnshp | Range | PM | County: EL PASO Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4297899.2 | | | Easting (UTM x): | 556763.2 GPS | | |
| Latitude/Longitude (decimal degrees): | 38.828056 | | | | -104.346056 | | |
| Surface Elevation (ft): | 5942.73 | Top Perforated Interval (ft): | 195 | Base of grout (ft): | Water Level Change | | |
| Well depth (ft): | 200 | Bottom Perforated Interval (ft): | 200 | | 1 year: | | |
| Aquifer(s): | ARAPAHOE | | | | 5 year: 0.41 | | |
| | | | | | 10 year: 0.22 | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 3/14/2008 | 36.23 | 5906.50 | 1.82 |
| 9/4/2008 | 35.83 | 5906.90 | 0.40 |
| 3/6/2009 | 36.25 | 5906.48 | -0.42 |
| 9/4/2009 | 36.74 | 5905.99 | -0.49 |
| 3/5/2010 | 37.00 | 5905.73 | -0.26 |
| 9/15/2010 | 37.47 | 5905.26 | -0.47 |
| 3/31/2011 | 37.32 | 5905.41 | 0.15 |
| 9/9/2011 | 37.95 | 5904.78 | -0.63 |
| 3/9/2012 | 37.72 | 5905.01 | 0.23 |
| 9/6/2012 | 37.41 | 5905.32 | 0.31 |
| 3/5/2013 | 36.42 | 5906.31 | 0.99 |
| 9/6/2013 | 36.60 | 5906.13 | -0.18 |
| 3/6/2014 | 37.54 | 5905.19 | -0.94 |
| 1/8/2018 | 35.86 | 5906.87 | 1.68 |
| 3/9/2018 | 36.01 | 5906.72 | -0.15 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-----------------------|----------------------------------|-----|---------------------|---------------------------|-------|-----------------|
| Well Name: | USGS OBS. WELL | | | Owner: | | | |
| Permit #: | 31384 - M - | | | Location #: | SC01306230ACC | | |
| Division: | 2 | | | Water District: | 10 | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: EL PASO |
| | NE | SW | SW | 30 | 13 | S | 62 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | Easting (UTM x): | 4304657.9 GPS | | |
| Latitude/Longitude (decimal degrees): | 38.889139 | | | | -104.378444 | | |
| Surface Elevation (ft): | 6159.32 | Top Perforated Interval (ft): | 445 | Base of grout (ft): | | | |
| Well depth (ft): | 595 | Bottom Perforated Interval (ft): | 450 | | | | |
| Aquifer(s): | ARAPAHOE | | | | | | |
| | | | | | Water Level Change | | |
| | | | | | 1 year: | | |
| | | | | | 5 year: | -1.80 | |
| | | | | | 10 year: | -4.25 | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 3/14/2008 | 98.26 | 6061.06 | 1.61 |
| 9/4/2008 | 98.67 | 6060.65 | -0.41 |
| 3/6/2009 | 98.06 | 6061.26 | 0.61 |
| 9/4/2009 | 98.36 | 6060.96 | -0.30 |
| 3/5/2010 | 97.56 | 6061.76 | 0.80 |
| 9/15/2010 | 97.70 | 6061.62 | -0.14 |
| 3/31/2011 | 97.07 | 6062.25 | 0.63 |
| 9/9/2011 | 99.46 | 6059.86 | -2.39 |
| 3/9/2012 | 98.68 | 6060.64 | 0.78 |
| 9/6/2012 | 101.24 | 6058.08 | -2.56 |
| 3/5/2013 | 100.71 | 6058.61 | 0.53 |
| 9/6/2013 | 101.41 | 6057.91 | -0.70 |
| 3/6/2014 | 100.77 | 6058.55 | 0.64 |
| 1/8/2018 | 102.98 | 6056.34 | -2.21 |
| 3/9/2018 | 102.51 | 6056.81 | 0.47 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|---------------------------------|-----------------------------------|--|---------------------------|-----------------|
| Well Name: | WOODMAN W&S 4 | | | | Owner: |
| Permit #: | 11504 - RF | | Location #: | SC01306604DD DWR1 | |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section SE SE 4 | Twnshp 13 S Range 66 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4310354.0 | Easting (UTM x): 519278.8 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 38.941911 | -104.777541 | | | |
| Surface Elevation (ft): | 6690 | Top Perforated Interval (ft): | 485 | Base of grout (ft): | 300 |
| Well depth (ft): | 900 | Bottom Perforated Interval (ft): | 820 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | | 1 year: |
| | | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 2/28/2008 | 165.00 | 6525.00 | -15.00 |
| 10/31/2008 | 120.00 | 6570.00 | 45.00 |
| 3/30/2009 | 217.00 | 6473.00 | -97.00 |
| 9/16/2009 | 456.00 | 6234.00 | -239.00 |
| 3/31/2010 | 437.00 | 6253.00 | 19.00 |

All Historic Measurements




Well Name: **WOODMEN W. & S. #1**

| | | | | |
|---------------------------------------|---------------------------------|-----------------------------------|--|---------------------------|
| Permit #: | 4133 - F | Location #: | SC01306604DC | Owner: |
| Division: | 2 | Water District: | 10 | USGS Site ID: |
| Location: | Q160 Q40 Q10 Section SE SW 4 | Twnshp 13 S Range 66 W PM S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4310352.0 | Easting (UTM x): 518875.2 | Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 38.941902 | -104.782199 | | |
| Surface Elevation (ft): | 6578 | Top Perforated Interval (ft): | 305 | Base of grout (ft): 300 |
| Well depth (ft): | 656 | Bottom Perforated Interval (ft): | 656 | Water Level Change |
| Aquifer(s): | ARAPAHOE | | | |
| | | | | 1 year: |
| | | | | 5 year: |
| | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/31/2008 | 208.00 | 6370.00 | |
| 3/30/2009 | 148.00 | 6430.00 | 60.00 |
| 9/16/2009 | 284.00 | 6294.00 | -136.00 |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|-----|---------------------|--------------------------------|--|
| Well Name: | WOODMEN W. & S. #2 | | | | Owner: | |
| Permit #: | 4134 - F | | | | Location #: | SC01306609BB |
| Division: | 2 | | | | Water District: | 10 |
| Location: | Q160 Q40 Q10 Section NW NW 9 | | | | Twnshp Range PM 13 S 66 W S | County: EL PASO Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4309946.5 | | | | Easting (UTM x): 518070.9 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | 38.938265 | | | | | -104.791490 |
| Surface Elevation (ft): | 6535 | Top Perforated Interval (ft): | 303 | Base of grout (ft): | 301 | Water Level Change |
| Well depth (ft): | 574 | Bottom Perforated Interval (ft): | 574 | | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/31/2008 | 231.00 | 6304.00 | |
| 3/30/2009 | 166.00 | 6369.00 | 65.00 |
| 9/16/2009 | 249.00 | 6286.00 | -83.00 |

All Historic Measurements




Well Name: **WOODMEN W. & S. #3**

| | | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|--------------------------------|---------------------|---|---------------------------|
| Permit #: | 10354 - F | - | Location #: | SC01306604DB | Owner: | |
| Division: | 2 | | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section SE NW 4 | | Twnshp Range PM 13 S 66 W S | | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4310754.0 | | Easting (UTM x): 518875.0 | | <i>Spotted from quarters</i> | |
| Latitude/Longitude (decimal degrees): | 38.945525 | | | | -104.782190 | |
| Surface Elevation (ft): | 6571 | Top Perforated Interval (ft): | 336 | Base of grout (ft): | 300 | Water Level Change |
| Well depth (ft): | 649 | Bottom Perforated Interval (ft): | 649 | | | 1 year: |
| Aquifer(s): | ARAPAHOE | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/31/2008 | 196.00 | 6375.00 | |
| 2/28/2009 | 175.00 | 6396.00 | 21.00 |
| 9/16/2009 | | | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|---------------------------------|-----------------------------------|--|---------------------------|---------------|
| Well Name: | WOODMEN W. & S. #5 | | | | Owner: |
| Permit #: | 15568 - F | - | Location #: | SC01306603CD DWR1 | USGS Site ID: |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section SW SE 3 | Twnshp 13 S Range 66 W PM S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4310361.0 | Easting (UTM x): 520094.2 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 38.941956 | -104.768132 | | | |
| Surface Elevation (ft): | 6753 | Top Perforated Interval (ft): | 604 | Base of grout (ft): | 500 |
| Well depth (ft): | 904 | Bottom Perforated Interval (ft): | 904 | Water Level Change | |
| Aquifer(s): | ARAPAHOE | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 6/30/2008 | 538.00 | 6215.00 | |
| 3/30/2009 | | | |
| 9/16/2009 | 513.00 | 6240.00 | |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 5/30/2008 | 120.00 | 6630.00 | 145.00 |
| 10/31/2008 | | | |
| 3/30/2009 | 100.00 | 6650.00 | |

All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | |
|---------------------------------------|-------------------------------|----------------------------------|------------------|---------------------|---|
| Well Name: | WOODMEN W. & S. #7 | | | | Owner: |
| Permit #: | 17024 - F | - | Location #: | SC01306603AD DWR1 | USGS Site ID: |
| Division: | 2 | | Water District: | 10 | County: EL PASO |
| Location: | Q160 Q40 Q10 Section | Twnshp 3 | Range 13 S | PM 66 W S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4311180.5 | Easting (UTM x): | 520904.6 | <i>Spotted from quarters</i> |
| Latitude/Longitude (decimal degrees): | | 38.949322 | | | -104.758756 |
| Surface Elevation (ft): | 6820 | Top Perforated Interval (ft): | 840 | Base of grout (ft): | 300 |
| Well depth (ft): | 1140 | Bottom Perforated Interval (ft): | 1140 | | Water Level Change |
| Aquifer(s): | ARAPAHOE | | | | 1 year: |
| | | | | | 5 year: |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/31/2008 | | | |
| 3/30/2009 | 636.00 | 6184.00 | |
| 9/16/2009 | 613.00 | 6207.00 | 23.00 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 9/16/2009 | 523.00 | 6242.00 | -138.00 |


All Historic Measurements




DENVER BASIN
Arapahoe Aquifer(s)

| | | | | | | | |
|---------------------------------------|-----------------------------|----------------------------------|-----------------|---------------------------|--------------------------|---------------------------|--|
| Well Name: | WOODMOOR W.D. #8 | | | | Owner: | | |
| Permit #: | 16248 - F | | - | Location #: | SC01106701CA DWR2 | USGS Site ID: | |
| Division: | 1 | | Water District: | 8 | County: | EL PASO | |
| Location: | Q160 | Q40 | Q10 | Section SW NE 1 | Twnshp 11 S 67 W S | Range PM | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4330155.7 | | | Easting (UTM x): 513631.0 | Spotted from quarters | | |
| Latitude/Longitude (decimal degrees): | 39.120456 | | | -104.842315 | | | |
| Surface Elevation (ft): | 7484 | Top Perforated Interval (ft): | 2074 | Base of grout (ft): | 2065 | Water Level Change | |
| Well depth (ft): | 2500 | Bottom Perforated Interval (ft): | 2497 | | | 1 year: | |
| Aquifer(s): | ARAPAHOE | | | | | | |
| | | | | | | 5 year: | |
| | | | | | | 10 year: | |

All Historic Measurements




**LARAMIE-FOX HILLS
AQUIFER**



COLORADO
Division of Water Resources
Department of Natural Resources


State of Colorado -- Division of Water Resources
**Laramie-Fox Hills Aquifer
Monitoring Well Locations**



COLORADO
Division of Water Resources
Department of Natural Resources


State of Colorado -- Division of Water Resources

Laramie-Fox Hills Aquifer
2017-2018 Change in Water Level



COLORADO
Division of Water Resources
Department of Natural Resources

State of Colorado -- Division of Water Resources
Laramie-Fox Hills Aquifer
2013-2018 Change in Water Level



COLORADO
Division of Water Resources
Department of Natural Resources

State of Colorado -- Division of Water Resources
Laramie-Fox Hills Aquifer
2008-2018 Change in Water Level


DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|----------------------------|---------------------------|---|
| Well Name: | ARIES LAND CO.,T.H.1 | | | | Owner: |
| Permit #: | 29895 - M | | Location #: SC01406428AAC1 | | USGS Site ID: |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NE NE SW 28 | Twnshp 14 S | Range 64 W | PM S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4295421.9 | Easting (UTM x): 538388.5 | User supplied | | |
| Latitude/Longitude (decimal degrees): | 38.806730 | | -104.557870 | | |
| Surface Elevation (ft): | 6320 | Top Perforated Interval (ft): | 900 | Base of grout (ft): | 437 |
| Well depth (ft): | 1100 | Bottom Perforated Interval (ft): | 1100 | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| | | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 376.72 | 5943.28 | 6.14 |
| 9/22/2008 | 375.94 | 5944.06 | 0.78 |
| 6/9/2009 | 383.77 | 5936.23 | -7.83 |
| 4/27/2010 | 377.82 | 5942.18 | 5.95 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 463.02 | 5021.98 | -166.32 |
| 9/16/2008 | 281.70 | 5203.30 | 181.32 |
| 5/3/2012 | 350.10 | 5134.90 | -68.40 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | |
|---------------------------------------|-----------------------------------|----------------------------------|------|---------------------|-------------------------------|--|
| Well Name: | BRADBURY LARAMIE-FOX HILLS | | | | Owner: | PARKER WATER & SANITATION |
| Permit #: | 50568 - F - | | | | Location #: | SC00606629BD |
| Division: | 1 | | | | Water District: | 8 |
| Location: | Q160 Q40 Q10 Section NW SE 29 | | | | Twnshp Range PM 6 S 66 W S | County: DOUGLAS Distance from section lines: From N/S line: 2250 N From E/W line: 2500 W |
| UTM Coordinates (NAD83): | Northing (UTM y): 4372448.0 | | | | Easting (UTM x): 516911.3 | <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | 39.501487 | | | | -104.803305 | |
| Surface Elevation (ft): | 6108 | Top Perforated Interval (ft): | 2371 | Base of grout (ft): | 2340 | Water Level Change |
| Well depth (ft): | 2681 | Bottom Perforated Interval (ft): | 2641 | | | 1 year: |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/31/2008 | 1317.40 | 4790.60 | -168.40 |
| 10/26/2008 | 1340.50 | 4767.50 | -23.10 |
| 10/14/2009 | 1363.60 | 4744.40 | -23.10 |
| 3/23/2010 | 1335.88 | 4772.12 | 27.72 |

All Historic Measurements




Well Name: CO AIR NATL GRD #1

| | | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-------------------------------|---|---------------|---------------------------|
| Permit #: | 16115 - F | - | Location #: | SC00406603DCD | Owner: | |
| Division: | 1 | | Water District: | 2 | County: | ARAPAHOE |
| Location: | Q160 Q40 Q10 Section SE SW SE 3 | | Twnshp Range PM 4 S 66 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4397559.0 | | Easting (UTM x): 520706.2 | <i>User supplied</i> | | |
| Latitude/Longitude (decimal degrees): | 39.727660 | | -104.758380 | | | |
| Surface Elevation (ft): | 5460 | Top Perforated Interval (ft): | 1650 | Base of grout (ft): | 1300 | Water Level Change |
| Well depth (ft): | 2210 | Bottom Perforated Interval (ft): | 2140 | | | 1 year: |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 5/6/2008 | 652.33 | 4807.67 | -9.63 |
| 9/30/2008 | | | |
| 5/6/2010 | | | |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-------------------------------|---------------------|---|
| Well Name: | CO AIR NATL GRD #3 | | | | Owner: |
| Permit #: | 16117 - R | - | Location #: SC00406610CAC | | USGS Site ID: |
| Division: | 1 | | Water District: | 2 | County: ARAPAHOE |
| Location: | Q160 Q40 Q10 Section SW NE SW 10 | | Twnshp Range PM 4 S 66 W S | | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4396423.0 | Easting (UTM x): | 520027.2 | User supplied |
| Latitude/Longitude (decimal degrees): | | 39.717440 | | -104.766340 | |
| Surface Elevation (ft): | 5563 | Top Perforated Interval (ft): | | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 2100 | Bottom Perforated Interval (ft): | | | 1 year: |
| Aquifer(s): | LARAMIE FOX HILLS | | | | 5 year: 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 5/6/2008 | | | |
| 9/30/2008 | | | |

All Historic Measurements




Well Name: **DB-003 5 M RANCH**

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-------------------------------|---------------------|---|
| Permit #: | 85449 - | - | Location #: | SB00206219BCC | Owner: |
| Division: | 1 | | Water District: | 1 | County: WELD |
| Location: | Q160 Q40 Q10 Section NW SW SW 19 | | Twnshp Range PM 2 N 62 W S | | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4441974.0 | Easting (UTM x): | 553168.0 | GPS |
| Latitude/Longitude (decimal degrees): | | 40.126410 | | -104.375980 | |
| Surface Elevation (ft): | 4755 | Top Perforated Interval (ft): | 340 | Base of grout (ft): | 269 |
| Well depth (ft): | 440 | Bottom Perforated Interval (ft): | 440 | | Water Level Change |
| Aquifer(s): | LARAMIE FOX HILLS | | | | 1 year: 1.65 5 year: -52.53 10 year: -63.49 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 153.79 | 4601.21 | -10.89 |
| 9/15/2008 | 156.35 | 4598.65 | -2.56 |
| 4/19/2010 | 164.50 | 4590.50 | -8.15 |
| 4/6/2011 | 163.05 | 4591.95 | 1.45 |
| 4/25/2012 | 168.28 | 4586.72 | -5.23 |
| 4/4/2013 | 164.75 | 4590.25 | 3.53 |
| 5/20/2014 | 185.65 | 4569.35 | -20.90 |
| 1/27/2015 | 198.32 | 4556.68 | -12.67 |
| 1/28/2016 | 205.19 | 4549.81 | -6.87 |
| 2/2/2017 | 218.93 | 4536.07 | -13.74 |
| 2/7/2018 | 217.28 | 4537.72 | 1.65 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----|---------------------|-------------------------------|---|
| Well Name: | DB-004 LAND, L. | | | | Owner: | |
| Permit #: | 17940 - - | | | | Location #: | SB00206332AAA |
| Division: | 1 | | | | Water District: | 1 |
| Location: | Q160 Q40 Q10 Section NE NE NE 32 | | | | Twnshp Range PM 2 N 63 W S | County: WELD Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4439197.0 | | | | Easting (UTM x): 546684.1 | User supplied |
| Latitude/Longitude (decimal degrees): | 40.101770 | | | | -104.452280 | |
| Surface Elevation (ft): | 4940 | Top Perforated Interval (ft): | 465 | Base of grout (ft): | Water Level Change | |
| Well depth (ft): | 547 | Bottom Perforated Interval (ft): | 527 | | 1 year: | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | 5 year: | |
| | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 197.94 | 4742.06 | -4.84 |
| 9/15/2008 | 204.98 | 4735.02 | -7.04 |
| 4/19/2010 | 199.85 | 4740.15 | 5.13 |
| 4/6/2011 | 206.30 | 4733.70 | -6.45 |
| 4/25/2012 | 210.78 | 4729.22 | -4.48 |
| 4/4/2013 | 216.95 | 4723.05 | -6.17 |
| 5/20/2014 | | | |
| 1/27/2015 | | | |
| 1/28/2016 | 223.21 | 4716.79 | |
| 2/2/2017 | | | |
| 2/7/2018 | | | |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 150.40 | 4691.60 | 5.94 |
| 9/15/2008 | 160.78 | 4681.22 | -10.38 |
| 4/19/2010 | 143.42 | 4698.58 | 17.36 |
| 4/6/2011 | 146.15 | 4695.85 | -2.73 |
| 4/25/2012 | 150.66 | 4691.34 | -4.51 |
| 4/4/2013 | 151.82 | 4690.18 | -1.16 |
| 5/20/2014 | 156.84 | 4685.16 | -5.02 |
| 5/14/2015 | 154.09 | 4687.91 | 2.75 |
| 3/22/2016 | 157.29 | 4684.71 | -3.20 |
| 3/10/2017 | 156.56 | 4685.44 | 0.73 |
| 3/15/2018 | 158.89 | 4683.11 | -2.33 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | |
|--|---|---|---------------------------|
| Well Name: DB-006 CHILDS, GINGER | Owner: | | |
| Permit #: | Location #: SB00306512CCD | USGS Site ID: | |
| Division: 1 | Water District: 2 | County: WELD | |
| Location: Q160 Q40 Q10 Section SW SW SE 12 | Twnshp Range PM 3 N 65 W S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): Northing (UTM y): 4453852.3 | Easting (UTM x): 532344.1 | User supplied | |
| Latitude/Longitude (decimal degrees): 40.234480 | -104.619780 | | |
| Surface Elevation (ft): 4840 | Top Perforated Interval (ft): | Base of grout (ft): | Water Level Change |
| Well depth (ft): | Bottom Perforated Interval (ft): | | 1 year: |
| Aquifer(s): LARAMIE FOX HILLS | | | 5 year: |
| | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 148.70 | 4691.30 | -2.12 |
| 9/15/2008 | 157.54 | 4682.46 | -8.84 |
| 4/19/2010 | 141.40 | 4698.60 | 16.14 |
| 4/6/2011 | 143.18 | 4696.82 | -1.78 |
| 4/25/2012 | 145.74 | 4694.26 | -2.56 |
| 4/4/2013 | 148.74 | 4691.26 | -3.00 |
| 5/20/2014 | 148.02 | 4691.98 | 0.72 |
| 5/14/2015 | 156.73 | 4683.27 | -8.71 |
| 3/22/2016 | | | |

All Historic Measurements




| | | | |
|--|---|---|---------------------------|
| Well Name: DB-012 NORTHWEST PARKWAY CONSTR | Owner: NORTHWEST PARKWAY CONTRACTORS | | |
| Permit #: 58988 - F | Location #: SC00106914CC | USGS Site ID: | |
| Division: 1 | Water District: 6 | County: BOULDER | |
| Location: Q160 Q40 Q10 Section SW SW 14 | Twnshp Range PM 1 S 69 W S | Distance from section lines: From N/S line: 200 S From E/W line: 700 W | |
| UTM Coordinates (NAD83): Northing (UTM y): 4422917.0 | Easting (UTM x): 492506.0 | GPS | |
| Latitude/Longitude (decimal degrees): 39.956357 | -105.087737 | | |
| Surface Elevation (ft): 5214 | Top Perforated Interval (ft): 400 | Base of grout (ft): 368 | Water Level Change |
| Well depth (ft): 720 | Bottom Perforated Interval (ft): 710 | | 1 year: 10.62 |
| Aquifer(s): LARAMIE FOX HILLS | | | 5 year: 49.22 |
| | | | 10 year: 27.25 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/22/2008 | 356.13 | 4857.87 | 49.67 |
| 9/24/2008 | 359.83 | 4854.17 | -3.70 |
| 5/29/2009 | 358.45 | 4855.55 | 1.38 |
| 4/26/2010 | 374.85 | 4839.15 | -16.40 |
| 4/14/2011 | 340.43 | 4873.57 | 34.42 |
| 5/2/2012 | 353.30 | 4860.70 | -12.87 |
| 4/15/2013 | 378.10 | 4835.90 | -24.80 |
| 4/25/2014 | 280.60 | 4933.40 | 97.50 |
| 5/22/2015 | 284.06 | 4929.94 | -3.46 |
| 5/15/2017 | 339.50 | 4874.50 | -55.44 |
| 6/13/2018 | 328.88 | 4885.12 | 10.62 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|------------------|---------------------|---|
| Well Name: | DB-013 BROOMFIELD HEIGHTS | | | | Owner: |
| Permit #: | 8947 - F | | Location #: | SC00106935BBA | |
| Division: | 1 | Water District: | 6 | County: | BROOMFIELD |
| Location: | Q160 Q40 Q10 Section NW NW NE 35 | Twnshp 1 | Range S | PM 69 W S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4419838.0 | Easting (UTM x): | 492539.0 | GPS |
| Latitude/Longitude (decimal degrees): | | 39.928620 | | -105.087320 | |
| Surface Elevation (ft): | 5400 | Top Perforated Interval (ft): | 760 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 1022 | Bottom Perforated Interval (ft): | 1022 | | 1 year: 1.00 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | 5 year: 6.25 |
| | | | | | 10 year: 13.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/22/2008 | 536.00 | 4864.00 | 4.00 |
| 9/24/2008 | | | |
| 5/29/2009 | 533.00 | 4867.00 | |
| 4/26/2010 | 533.00 | 4867.00 | 0.00 |
| 4/14/2011 | 542.00 | 4858.00 | -9.00 |
| 5/2/2012 | 533.15 | 4866.85 | 8.85 |
| 4/15/2013 | 529.25 | 4870.75 | 3.90 |
| 4/25/2014 | 525.00 | 4875.00 | 4.25 |
| 5/22/2015 | 523.00 | 4877.00 | 2.00 |
| 6/2/2015 | 523.00 | 4877.00 | 0.00 |
| 5/3/2017 | 524.00 | 4876.00 | -1.00 |
| 6/13/2018 | 523.00 | 4877.00 | 1.00 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 22.89 | 4918.11 | -1.16 |
| 9/16/2008 | 23.88 | 4917.12 | -0.99 |
| 4/20/2010 | 25.37 | 4915.63 | -1.49 |
| 4/8/2011 | 25.28 | 4915.72 | 0.09 |
| 5/3/2012 | 26.21 | 4914.79 | -0.93 |
| 4/30/2013 | 26.95 | 4914.05 | -0.74 |
| 6/6/2014 | 26.71 | 4914.29 | 0.24 |
| 3/11/2015 | 27.30 | 4913.70 | -0.59 |
| 2/18/2016 | 27.34 | 4913.66 | -0.04 |
| 2/23/2017 | 27.39 | 4913.61 | -0.05 |
| 3/6/2018 | 29.70 | 4911.30 | -2.31 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-----------------|--|---------------|
| Well Name: | DB-018 NORTGLENN KLF 5 | | | | Owner: |
| Permit #: | 32186 - F | | Location #: | SC00206809BCC | |
| Division: | 1 | Water District: | 2 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section NW SW SW 9 | Twnshp 2 | Range 68 W S | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4416196.0 | Easting (UTM x): 498743.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.895830 | | -105.014700 | | |
| Surface Elevation (ft): | 5405 | Top Perforated Interval (ft): | 1100 | Base of grout (ft): | 1081 |
| Well depth (ft): | 1407 | Bottom Perforated Interval (ft): | 1397 | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| | | | | 1 year: | -4.39 |
| | | | | 5 year: | -11.29 |
| | | | | 10 year: | -10.40 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/22/2008 | 568.79 | 4836.21 | -7.39 |
| 9/24/2008 | 571.60 | 4833.40 | -2.81 |
| 5/29/2009 | 571.33 | 4833.67 | 0.27 |
| 4/26/2010 | 587.04 | 4817.96 | -15.71 |
| 4/14/2011 | 581.27 | 4823.73 | 5.77 |
| 5/17/2012 | 554.30 | 4850.70 | 26.97 |
| 4/15/2013 | 567.90 | 4837.10 | -13.60 |
| 4/25/2014 | 565.33 | 4839.67 | 2.57 |
| 5/22/2015 | 546.15 | 4858.85 | 19.18 |
| 6/1/2016 | 565.10 | 4839.90 | -18.95 |
| 5/3/2017 | 574.80 | 4830.20 | -9.70 |
| 6/13/2018 | 579.19 | 4825.81 | -4.39 |

All Historic Measurements




Well Name: **DB-022 A EASTWOOD ESTS.**

| | | | | |
|---------------------------------------|------------------------------------|----------------------------------|-----------------|--|
| Permit #: | 16050 - F | Location #: | SC00306609CBB | Owner: |
| Division: | 1 | Water District: | 2 | County: DENVER |
| Location: | Q160 Q40 Q10 Section SW NW NW 9 | Twnshp 3 | Range 66 W S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4406064.0 | Easting (UTM x): 517953.0 | GPS | |
| Latitude/Longitude (decimal degrees): | 39.804360 | | -104.790280 | |
| Surface Elevation (ft): | 5305 | Top Perforated Interval (ft): | 1520 | Base of grout (ft): 1520 |
| Well depth (ft): | 1748 | Bottom Perforated Interval (ft): | 1748 | Water Level Change |
| Aquifer(s): | LARAMIE FOX HILLS | | | |
| | | 1 year: | -2.96 | |
| | | 5 year: | | |
| | | 10 year: | -84.91 | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/21/2008 | 303.64 | 5001.36 | -8.84 |
| 9/15/2008 | 307.39 | 4997.61 | -3.75 |
| 5/28/2009 | 323.36 | 4981.64 | -15.97 |
| 4/19/2010 | 320.74 | 4984.26 | 2.62 |
| 4/6/2011 | 329.06 | 4975.94 | -8.32 |
| 4/27/2012 | 337.98 | 4967.02 | -8.92 |
| 5/23/2014 | 356.23 | 4948.77 | -18.25 |
| 6/24/2015 | 380.90 | 4924.10 | -24.67 |
| 5/25/2016 | 372.89 | 4932.11 | 8.01 |
| 4/25/2017 | 385.59 | 4919.41 | -12.70 |
| 6/7/2018 | 388.55 | 4916.45 | -2.96 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|--|---------------------------|---------------------|
| Well Name: | DB-022 B EASTWOOD ESTS. | | | | Owner: |
| Permit #: | 16051 - F | - | Location #: | SC00306609CDD | USGS Site ID: |
| Division: | 1 | Water District: | 2 | County: | DENVER |
| Location: | Q160 Q40 Q10 Section SW SE SE 9 | Twnshp Range PM 3 S 66 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4405443.0 | Easting (UTM x): | 518688.0 | GPS |
| Latitude/Longitude (decimal degrees): | | 39.798744 | | -104.781707 | |
| Surface Elevation (ft): | 5322 | Top Perforated Interval (ft): | 1484 | Base of grout (ft): | 1484 |
| Well depth (ft): | 1730 | Bottom Perforated Interval (ft): | 1730 | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | 1 year: | -4.12 |
| | | | | 5 year: | -43.27 |
| | | | | 10 year: | -84.04 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 9/15/2008 | 324.31 | 4997.69 | -5.92 |
| 5/28/2009 | 332.24 | 4989.76 | -7.93 |
| 4/19/2010 | 338.33 | 4983.67 | -6.09 |
| 4/27/2012 | 355.86 | 4966.14 | -17.53 |
| 4/8/2013 | 365.08 | 4956.92 | -9.22 |
| 5/23/2014 | | | |
| 6/24/2015 | 384.73 | 4937.27 | |
| 5/25/2016 | 412.51 | 4909.49 | -27.78 |
| 4/25/2017 | 404.23 | 4917.77 | 8.28 |
| 6/7/2018 | 408.35 | 4913.65 | -4.12 |

All Historic Measurements



Well Name:

DB-027 SO ADAMS CO. W&S


Owner:

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|--|---------------------------|-------------------------------|
| Permit #: | - | - | Location #: | SC00306705ABC | USGS Site ID: |
| Division: | 1 | Water District: | 2 | County: | ADAMS |
| Location: | Q160 Q40 Q10 Section NE NW SW 5 | Twnshp Range PM 3 S 67 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4408236.1 | Easting (UTM x): | 507560.2 | User supplied |
| Latitude/Longitude (decimal degrees): | | 39.824080 | | -104.911660 | |
| Surface Elevation (ft): | 5167 | Top Perforated Interval (ft): | | Base of grout (ft): | |
| Well depth (ft): | | Bottom Perforated Interval (ft): | | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | 1 year: | -5.25 |
| | | | | 5 year: | -83.74 |
| | | | | 10 year: | -35.66 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/21/2008 | 206.08 | 4960.92 | -4.10 |
| 9/24/2008 | 207.50 | 4959.50 | -1.42 |
| 5/29/2009 | 209.08 | 4957.92 | -1.58 |
| 4/26/2010 | 211.53 | 4955.47 | -2.45 |
| 4/14/2011 | 214.59 | 4952.41 | -3.06 |
| 4/27/2012 | 216.91 | 4950.09 | -2.32 |
| 4/30/2013 | 158.00 | 5009.00 | 58.91 |
| 5/23/2014 | 227.53 | 4939.47 | -69.53 |
| 5/14/2015 | 230.47 | 4936.53 | -2.94 |
| 6/2/2016 | 232.29 | 4934.71 | -1.82 |
| 5/3/2017 | 236.49 | 4930.51 | -4.20 |
| 6/7/2018 | 241.74 | 4925.26 | -5.25 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|--|---------------------|---------------------------|
| Well Name: | DB-031 TOWN OF BYERS WELL #2 | | | | Owner: |
| Permit #: | 3631 - F | | Location #: SC00406116ACC | | USGS Site ID: |
| Division: | 1 | Water District: | 1 | County: | ARAPAHOE |
| Location: | Q160 Q40 Q10 Section NE SW SW 16 | Twnshp Range PM 4 S 61 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4395064.0 | Easting (UTM x): 567083.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.702800 | | -104.217500 | | |
| Surface Elevation (ft): | 5231 | Top Perforated Interval (ft): | 606 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 716 | Bottom Perforated Interval (ft): | 716 | 1 year: | -16.78 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | 5 year: -17.60 |
| | | | | | 10 year: -13.15 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 222.16 | 5008.84 | -8.16 |
| 9/16/2008 | 243.10 | 4987.90 | -20.94 |
| 4/20/2010 | 210.24 | 5020.76 | 32.86 |
| 4/8/2011 | 211.80 | 5019.20 | -1.56 |
| 5/3/2012 | 223.34 | 5007.66 | -11.54 |
| 4/30/2013 | 217.71 | 5013.29 | 5.63 |
| 6/6/2014 | 228.29 | 5002.71 | -10.58 |
| 6/26/2015 | 231.89 | 4999.11 | -3.60 |
| 5/19/2016 | 210.45 | 5020.55 | 21.44 |
| 5/4/2017 | 218.53 | 5012.47 | -8.08 |
| 5/24/2018 | 235.31 | 4995.69 | -16.78 |


All Historic Measurements



Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 226.36 | 5001.64 | -12.70 |
| 9/16/2008 | 245.50 | 4982.50 | -19.14 |
| 4/20/2010 | 222.44 | 5005.56 | 23.06 |
| 4/8/2011 | 215.51 | 5012.49 | 6.93 |
| 5/3/2012 | 223.90 | 5004.10 | -8.39 |
| 4/30/2013 | 214.40 | 5013.60 | 9.50 |
| 6/6/2014 | 233.06 | 4994.94 | -18.66 |
| 6/26/2015 | 234.45 | 4993.55 | -1.39 |
| 5/19/2016 | 210.42 | 5017.58 | 24.03 |
| 5/4/2017 | 219.90 | 5008.10 | -9.48 |
| 5/24/2018 | 244.38 | 4983.62 | -24.48 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|---|--|---------------------------|---------------|
| Well Name: | DB-037 LAKEWOOD,CITY OF | | | | Owner: |
| Permit #: | 27140 - F | | Location #: SC00406914CBB1 | | USGS Site ID: |
| Division: | 1 | Water District: | 8 | County: | JEFFERSON |
| Location: | Q160 Q40 Q10 Section SW NW NW 14 | Twnshp Range PM 4 S 69 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4394859.0 | Easting (UTM x): 492317.0 GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.703550 | | -105.089620 | | |
| Surface Elevation (ft): | 5525 | Top Perforated Interval (ft): | 1442 | Base of grout (ft): | 1400 |
| Well depth (ft): | 1759 | Bottom Perforated Interval (ft): | 1684 | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| 1 year: | -73.45 | | | | |
| 5 year: | | | | | |
| 10 year: | -223.78 | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/22/2008 | 447.72 | 5077.28 | -36.50 |
| 9/24/2008 | 440.09 | 5084.91 | 7.63 |
| 5/29/2009 | 439.86 | 5085.14 | 0.23 |
| 4/26/2010 | 559.70 | 4965.30 | -119.84 |
| 4/14/2011 | | | |
| 5/17/2012 | 587.50 | 4937.50 | |
| 5/22/2014 | 613.99 | 4911.02 | -26.49 |
| 7/16/2015 | 577.49 | 4947.51 | 36.50 |
| 5/26/2016 | 577.26 | 4947.74 | 0.23 |
| 5/15/2017 | 598.05 | 4926.95 | -20.79 |
| 6/27/2018 | 671.50 | 4853.50 | -73.45 |

All Historic Measurements




Well Name: **DB-039 CO INTERSTATE GAS**

| | | | | | |
|---------------------------------------|-------------------------------------|---|--|---------------------------|----------|
| Permit #: | 81506 - | Location #: | SC00506123ABB | Owner: | |
| Division: | 1 | Water District: | 1 | County: | ARAPAHOE |
| Location: | Q160 Q40 Q10 Section NE NW NW 23 | Twnshp Range PM 5 S 61 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4384473.0 | Easting (UTM x): 570878.0 GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.607071 | | -104.174373 | | |
| Surface Elevation (ft): | 5450 | Top Perforated Interval (ft): | 762 | Base of grout (ft): | 33 |
| Well depth (ft): | 845 | Bottom Perforated Interval (ft): | 815 | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| 1 year: | -1.25 | | | | |
| 5 year: | | | | | |
| 10 year: | 16.65 | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 297.85 | 5152.15 | -3.25 |
| 9/16/2008 | 300.50 | 5149.50 | -2.65 |
| 4/20/2010 | 282.79 | 5167.21 | 17.71 |
| 4/8/2011 | 275.17 | 5174.83 | 7.62 |
| 6/6/2014 | 278.69 | 5171.31 | -3.52 |
| 6/26/2015 | 277.75 | 5172.25 | 0.94 |
| 5/19/2016 | 277.90 | 5172.10 | -0.15 |
| 5/4/2017 | 279.95 | 5170.05 | -2.05 |
| 5/24/2018 | 281.20 | 5168.80 | -1.25 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|---|--|---------------------|---------------------------|
| Well Name: | DB-040 TOWN OF DEERTRAIL | | | | Owner: |
| Permit #: | 2957 - F | | Location #: | SC00506013DBB | |
| Division: | 1 | Water District: | 1 | County: | ARAPAHOE |
| Location: | Q160 Q40 Q10 Section SE NW NW 13 | Twnshp Range PM 5 S 60 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4385500.0 | Easting (UTM x): 581848.0 GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.615350 | | -104.046480 | | |
| Surface Elevation (ft): | 5175 | Top Perforated Interval (ft): | 220 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 350 | Bottom Perforated Interval (ft): | 350 | 1 year: | -9.62 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | 5 year: -4.36 |
| | | | | | 10 year: -16.11 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 11.18 | 5163.82 | 7.02 |
| 9/16/2008 | 39.61 | 5135.39 | -28.43 |
| 4/20/2010 | 19.52 | 5155.48 | 20.09 |
| 4/8/2011 | 20.94 | 5154.06 | -1.42 |
| 5/3/2012 | 22.48 | 5152.52 | -1.54 |
| 4/30/2013 | 22.93 | 5152.07 | -0.45 |
| 6/6/2014 | 23.99 | 5151.01 | -1.06 |
| 6/26/2015 | 10.00 | 5165.00 | 13.99 |
| 5/19/2016 | 20.70 | 5154.30 | -10.70 |
| 5/4/2017 | 17.67 | 5157.33 | 3.03 |
| 5/24/2018 | 27.29 | 5147.71 | -9.62 |

All Historic Measurements




Well Name: **DB-042 DENVER WTR BD.**

| | | | | | |
|---------------------------------------|-------------------------------------|---|--|---------------------|---------------------------|
| Permit #: | 11556 - R | - | Location #: | SC00506828AAC | Owner: |
| Division: | 1 | Water District: | 8 | County: | ARAPAHOE |
| Location: | Q160 Q40 Q10 Section NE NE SW 28 | Twnshp Range PM 5 S 68 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4382630.0 | Easting (UTM x): 499814.0 GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.593398 | | -105.002166 | | |
| Surface Elevation (ft): | 5490 | Top Perforated Interval (ft): | 1370 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 1948 | Bottom Perforated Interval (ft): | 1808 | 1 year: | -15.45 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | 5 year: -15.74 |
| | | | | | 10 year: -79.65 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/22/2008 | 717.66 | 4772.34 | 32.07 |
| 9/24/2008 | 747.91 | 4742.09 | -30.25 |
| 5/29/2009 | 741.80 | 4748.20 | 6.11 |
| 4/22/2010 | 671.69 | 4818.31 | 70.11 |
| 4/11/2011 | 700.70 | 4789.30 | -29.01 |
| 5/16/2012 | 714.62 | 4775.38 | -13.92 |
| 5/16/2013 | 811.82 | 4678.18 | -97.20 |
| 5/22/2014 | 807.68 | 4682.32 | 4.14 |
| 7/16/2015 | 792.02 | 4697.98 | 15.66 |
| 5/25/2016 | 782.42 | 4707.58 | 9.60 |
| 5/15/2017 | 812.11 | 4677.89 | -29.69 |
| 7/12/2018 | 827.56 | 4662.44 | -15.45 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|------------------|---------------------------|---|
| Well Name: | DB-050 ARIES LAND CO.(NOVA) | | | | Owner: |
| Permit #: | 29925 - F | | Location #: | SC01406414CAC | |
| Division: | 2 | | Water District: | 10 | County: EL PASO |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range PM | Distance from section lines: |
| | SW NE SW | 14 | 14 S | 64 W S | From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4297860.9 | Easting (UTM x): | 540862.5 | User supplied |
| Latitude/Longitude (decimal degrees): | | 38.828590 | | -104.529240 | |
| Surface Elevation (ft): | 6405 | Top Perforated Interval (ft): | 1020 | Base of grout (ft): | 1010 |
| Well depth (ft): | 1190 | Bottom Perforated Interval (ft): | 1170 | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | 1 year: -2.38 5 year: -8.29 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 9/22/2008 | 604.00 | 5801.00 | |
| 6/9/2009 | 606.01 | 5798.99 | -2.01 |
| 7/24/2010 | 619.45 | 5785.55 | -13.44 |
| 4/13/2011 | 613.25 | 5791.75 | 6.20 |
| 5/20/2012 | 617.55 | 5787.45 | -4.30 |
| 4/26/2013 | 622.12 | 5782.88 | -4.57 |
| 6/2/2014 | 629.19 | 5775.81 | -7.07 |
| 7/9/2015 | 630.34 | 5774.66 | -1.15 |
| 5/27/2016 | 630.51 | 5774.49 | -0.17 |
| 5/12/2017 | 628.03 | 5776.97 | 2.48 |
| 4/25/2018 | 630.41 | 5774.59 | -2.38 |

All Historic Measurements




Well Name: **DB-052 SHY, MARGARET**

| | | | | | |
|---------------------------------------|-------------------|----------------------------------|------------------|---------------------|---|
| Permit #: | 28789 - | - | Location #: | SC00706014AAD | Owner: |
| Division: | 1 | | Water District: | 1 | County: ELBERT |
| Location: | Q160 Q40 Q10 | Section | Twnshp | Range PM | Distance from section lines: |
| | NE NE SE | 14 | 7 S | 60 W S | From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4366527.7 | Easting (UTM x): | 580148.6 | User supplied |
| Latitude/Longitude (decimal degrees): | | 39.444580 | | -104.068560 | |
| Surface Elevation (ft): | 5623 | Top Perforated Interval (ft): | 490 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 550 | Bottom Perforated Interval (ft): | 550 | 1 year: | -6.25 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | 5 year: 10 year: -4.13 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/29/2008 | 223.10 | 5399.90 | |
| 9/23/2008 | 219.61 | 5403.39 | 3.49 |
| 4/28/2010 | 214.30 | 5408.70 | 5.31 |
| 4/12/2011 | 219.44 | 5403.56 | -5.14 |
| 5/8/2012 | 218.29 | 5404.71 | 1.15 |
| 5/30/2014 | | | |
| 6/26/2015 | | | |
| 5/19/2016 | 220.07 | 5402.93 | |
| 5/4/2017 | 220.98 | 5402.02 | -0.91 |
| 5/24/2018 | 227.23 | 5395.77 | -6.25 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|------------------------|--|----------------|
| Well Name: | DB-060 INTERMOUNTAIN REA | | | | Owner: |
| Permit #: | 23968 - F | | Location #: | SC00706814ADC | |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section NE SE SW 14 | Twnshp | Range PM 7 S 68 W S | Distance from section lines: From N/S line: | From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4366141.7 | Easting (UTM x): 503040.6 | User supplied | | |
| Latitude/Longitude (decimal degrees): | 39.444820 | | -104.964660 | | |
| Surface Elevation (ft): | 5875 | Top Perforated Interval (ft): | 1810 | Base of grout (ft): | 1806 |
| Well depth (ft): | 2050 | Bottom Perforated Interval (ft): | 2010 | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| 1 year: | 64.68 | | 5 year: | -64.99 | |
| 10 year: | -108.34 | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/30/2008 | 727.85 | 5147.15 | -22.41 |
| 9/25/2008 | 733.39 | 5141.61 | -5.54 |
| 6/8/2009 | 790.22 | 5084.78 | -56.83 |
| 4/22/2010 | 747.25 | 5127.75 | 42.97 |
| 4/11/2011 | 735.93 | 5139.07 | 11.32 |
| 5/15/2012 | 783.50 | 5091.50 | -47.57 |
| 4/25/2013 | 771.20 | 5103.80 | 12.30 |
| 5/22/2014 | 792.99 | 5082.01 | -21.79 |
| 7/14/2015 | 883.77 | 4991.23 | -90.78 |
| 5/24/2016 | 855.82 | 5019.18 | 27.95 |
| 4/20/2017 | 900.87 | 4974.13 | -45.05 |
| 5/31/2018 | 836.19 | 5038.81 | 64.68 |

All Historic Measurements



Well Name:

DB-070 PARK FUNDING KLF


Owner:

| | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|------------------------|--|----------------|
| Permit #: | 25604 - F | Location #: | SC00806609CAA2 | USGS Site ID: | |
| Division: | 1 | Water District: | 8 | County: | DOUGLAS |
| Location: | Q160 Q40 Q10 Section SW NE NE 9 | Twnshp | Range PM 8 S 66 W S | Distance from section lines: From N/S line: | From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4357543.0 | Easting (UTM x): 518320.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.367150 | | -104.787330 | | |
| Surface Elevation (ft): | 6659 | Top Perforated Interval (ft): | 2642 | Base of grout (ft): | 2610 |
| Well depth (ft): | 2912 | Bottom Perforated Interval (ft): | 2912 | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| 1 year: | -8.54 | | 5 year: | -68.46 | |
| 10 year: | -129.59 | | | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/23/2008 | 1217.37 | 5441.63 | -19.40 |
| 9/18/2008 | 1220.38 | 5438.62 | -3.01 |
| 6/9/2009 | 1230.50 | 5428.50 | -10.12 |
| 4/22/2010 | 1245.56 | 5413.44 | -15.06 |
| 4/11/2011 | 1255.26 | 5403.74 | -9.70 |
| 5/16/2012 | 1112.50 | 5546.50 | 142.76 |
| 5/14/2013 | 1278.50 | 5380.50 | -166.00 |
| 6/24/2014 | 1294.53 | 5364.47 | -16.03 |
| 7/14/2015 | 1312.31 | 5346.69 | -17.78 |
| 5/24/2016 | 1328.72 | 5330.28 | -16.41 |
| 4/20/2017 | 1338.42 | 5320.58 | -9.70 |
| 5/31/2018 | 1346.96 | 5312.04 | -8.54 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|---|--|---------------------|---------------------------|
| Well Name: | DB-086 MOORE, C.D. | | | | Owner: |
| Permit #: | 43448- | - | Location #: | SC01105911BCB | USGS Site ID: |
| Division: | 2 | Water District: | 67 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section NW SW NW 11 | Twnshp Range PM 11 S 59 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4329381.0 | Easting (UTM x): 588449.0 GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.109093 | -103.976990 | | | |
| Surface Elevation (ft): | 6165 | Top Perforated Interval (ft): | 375 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 505 | Bottom Perforated Interval (ft): | 505 | 1 year: | 8.95 |
| Aquifer(s): | LARAMIE FOX HILLS | | | 5 year: | |
| | | | | 10 year: | 8.46 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 301.11 | 5863.89 | -8.15 |
| 9/22/2008 | 292.65 | 5872.35 | 8.46 |
| 4/27/2010 | 291.94 | 5873.06 | 0.71 |
| 4/13/2011 | 291.39 | 5873.61 | 0.55 |
| 5/9/2012 | 291.59 | 5873.41 | -0.20 |
| 5/29/2014 | | | |
| 6/26/2015 | 292.01 | 5872.99 | |
| 5/2/2016 | 293.29 | 5871.71 | -1.28 |
| 3/23/2017 | 301.60 | 5863.40 | -8.31 |
| 4/19/2018 | 292.65 | 5872.35 | 8.95 |

All Historic Measurements




Well Name: **DB-091 BROWN, WAYNE**

| | | | | | |
|---------------------------------------|------------------------------------|---|--|---------------------|---------------------------|
| Permit #: | 6376- | - | Location #: | SC01205902CBC | Owner: |
| Division: | 2 | Water District: | 67 | County: | ELBERT |
| Location: | Q160 Q40 Q10 Section SW NW SW 2 | Twnshp Range PM 12 S 59 W S | Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4320849.0 | Easting (UTM x): 588471.0 GPS | | | |
| Latitude/Longitude (decimal degrees): | 39.032219 | -103.977845 | | | |
| Surface Elevation (ft): | 6105 | Top Perforated Interval (ft): | 150 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 200 | Bottom Perforated Interval (ft): | 200 | 1 year: | 3.57 |
| Aquifer(s): | LARAMIE FOX HILLS | | | 5 year: | -1.74 |
| | | | | 10 year: | -2.40 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/28/2008 | 150.25 | 5954.75 | -0.34 |
| 9/22/2008 | 150.29 | 5954.71 | -0.04 |
| 4/27/2010 | 150.39 | 5954.61 | -0.10 |
| 4/13/2011 | 150.80 | 5954.20 | -0.41 |
| 5/8/2013 | 150.91 | 5954.09 | -0.11 |
| 6/2/2014 | 151.17 | 5953.83 | -0.26 |
| 6/26/2015 | 152.08 | 5952.92 | -0.91 |
| 5/2/2016 | 151.86 | 5953.14 | 0.22 |
| 3/23/2017 | 156.22 | 5948.78 | -4.36 |
| 4/19/2018 | 152.65 | 5952.35 | 3.57 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|------------------|---------------------|---|
| Well Name: | DB-098 MID CO IVEST. | | | | Owner: |
| Permit #: | 27746 - F | | Location #: | SC01306317BBA2 | |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NW NW NE 17 | Twnshp 13 | Range 63 | PM W S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4308563.8 | Easting (UTM x): | 545246.5 | User supplied |
| Latitude/Longitude (decimal degrees): | | 38.924820 | | -104.478030 | |
| Surface Elevation (ft): | 6465 | Top Perforated Interval (ft): | 1222 | Base of grout (ft): | 1222 |
| Well depth (ft): | 1754 | Bottom Perforated Interval (ft): | 1474 | | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| | | | | | Water Level Change |
| | | | | | 1 year: 83.25 |
| | | | | | 5 year: -93.04 |
| | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 9/22/2008 | 659.87 | 5805.13 | 53.13 |
| 4/27/2010 | 662.18 | 5802.82 | -2.31 |
| 4/13/2011 | 662.18 | 5802.82 | 0.00 |
| 5/9/2012 | 695.06 | 5769.94 | -32.88 |
| 4/26/2013 | 679.40 | 5785.60 | 15.66 |
| 6/4/2014 | 691.59 | 5773.41 | -12.19 |
| 7/9/2015 | 726.24 | 5738.76 | -34.65 |
| 5/27/2016 | 774.75 | 5690.25 | -48.51 |
| 5/12/2017 | 855.69 | 5609.31 | -80.94 |
| 4/25/2018 | 772.44 | 5692.56 | 83.25 |

All Historic Measurements




Well Name: **DB-100 BENNETT WELL #8**

| | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------------------|---------------------------|
| Permit #: | 5500 - F | Location #: | SC00306327BD | Owner: |
| Division: | 1 | Water District: | 1 | County: ADAMS |
| Location: | Q160 Q40 Q10 Section NW SE 27 | Twnshp 3 | Range 63 | PM W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4401058.6 | Easting (UTM x): | 548864.5 User supplied |
| Latitude/Longitude (decimal degrees): | | 39.758040 | | -104.429560 |
| Surface Elevation (ft): | 5485 | Top Perforated Interval (ft): | 186 | Base of grout (ft): 169 |
| Well depth (ft): | 586 | Bottom Perforated Interval (ft): | 586 | |
| Aquifer(s): | LARAMIE FOX HILLS | | | |
| | | | | Water Level Change |
| | | | | 1 year: 33.00 |
| | | | | 5 year: |
| | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/24/2008 | | | |
| 9/16/2008 | | | |
| 6/6/2014 | 724.00 | 4761.00 | |
| 10/7/2014 | 728.00 | 4757.00 | -4.00 |
| 3/7/2015 | 749.00 | 4736.00 | -21.00 |
| 10/26/2015 | 730.00 | 4755.00 | 19.00 |
| 4/1/2016 | 773.00 | 4712.00 | -43.00 |
| 10/31/2016 | 743.00 | 4742.00 | 30.00 |
| 4/22/2017 | 740.00 | 4745.00 | 3.00 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----------------|---------------------|---|---------------------------|
| Well Name: | DB-108 FEDERAL HEIGHTS KLF-5 | | | | Owner: | |
| Permit #: | 24692 - F | | - | Location #: | SC00206817DA1 | |
| Division: | 1 | | Water District: | 2 | County: ADAMS | |
| Location: | Q160 | Q40 | Q10 | Section SE NE 17 | Twnshp 2 S Range 68 W PM S Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4413755.2 | Easting (UTM x): | 498338.1 <i>User supplied</i> | |
| Latitude/Longitude (decimal degrees): | | | 39.873840 | -105.019430 | | |
| Surface Elevation (ft): | 5500 | Top Perforated Interval (ft): | 1281 | Base of grout (ft): | 1281 | Water Level Change |
| Well depth (ft): | 1557 | Bottom Perforated Interval (ft): | 1519 | | | 1 year: 10.00 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: 5.00 |
| | | | | | | 10 year: 14.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/15/2008 | 664.00 | 4836.00 | -3.00 |
| 10/15/2008 | 663.00 | 4837.00 | 1.00 |
| 4/15/2009 | 668.00 | 4832.00 | -5.00 |
| 10/15/2011 | 654.00 | 4846.00 | 14.00 |
| 4/15/2012 | 659.00 | 4841.00 | -5.00 |
| 10/15/2012 | 689.00 | 4811.00 | -30.00 |
| 4/15/2013 | 668.00 | 4832.00 | 21.00 |
| 10/1/2013 | 680.00 | 4820.00 | -12.00 |
| 4/1/2014 | 664.00 | 4836.00 | 16.00 |
| 7/1/2014 | 657.00 | 4843.00 | 7.00 |
| 10/1/2014 | 654.00 | 4846.00 | 3.00 |
| 1/1/2015 | 654.00 | 4846.00 | 0.00 |
| 4/1/2015 | 657.00 | 4843.00 | -3.00 |
| 7/1/2015 | 657.00 | 4843.00 | 0.00 |
| 10/1/2015 | 673.00 | 4827.00 | -16.00 |
| 1/1/2016 | 668.00 | 4832.00 | 5.00 |
| 4/1/2016 | 664.00 | 4836.00 | 4.00 |
| 10/1/2016 | 659.00 | 4841.00 | 5.00 |
| 1/1/2017 | 668.00 | 4832.00 | -9.00 |
| 4/1/2017 | 675.00 | 4825.00 | -7.00 |
| 7/1/2017 | 654.00 | 4846.00 | 21.00 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----------|---------------------|-------------------------------|--|-------|
| Well Name: | DB-108 FEDERAL HEIGHTS KLF-7 | | | | Owner: | CITY OF FEDERAL HEIGHTS | |
| Permit #: | 24693 - F - | | | | Location #: | SC00206821CA3 | |
| Division: | 1 | | | | Water District: | 2 | |
| Location: | Q160 Q40 Q10 Section SW NE 21 | | | | Twnshp Range PM 2 S 68 W S | County: ADAMS Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4412397.7 | | Easting (UTM x): | 499277.1 Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.861612 | | | | -105.008452 | | |
| Surface Elevation (ft): | 5385 | Top Perforated Interval (ft): | 1255 | Base of grout (ft): | 1255 | Water Level Change | |
| Well depth (ft): | 1560 | Bottom Perforated Interval (ft): | 1490 | | | 1 year: | -2.00 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: | -7.00 |
| | | | | | | 10 year: | 9.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/15/2008 | 549.00 | 4836.00 | 3.00 |
| 10/15/2008 | 547.00 | 4838.00 | 2.00 |
| 4/15/2009 | 547.00 | 4838.00 | 0.00 |
| 10/15/2011 | 536.00 | 4849.00 | 11.00 |
| 4/15/2012 | 538.00 | 4847.00 | -2.00 |
| 10/15/2012 | 549.00 | 4836.00 | -11.00 |
| 4/15/2013 | 549.00 | 4836.00 | 0.00 |
| 10/1/2013 | 549.00 | 4836.00 | 0.00 |
| 4/1/2014 | 547.00 | 4838.00 | 2.00 |
| 7/1/2014 | 545.00 | 4840.00 | 2.00 |
| 10/1/2014 | 543.00 | 4842.00 | 2.00 |
| 1/1/2015 | 543.00 | 4842.00 | 0.00 |
| 4/1/2015 | 540.00 | 4845.00 | 3.00 |
| 7/1/2015 | 540.00 | 4845.00 | 0.00 |
| 10/1/2015 | 540.00 | 4845.00 | 0.00 |
| 1/1/2016 | 545.00 | 4840.00 | -5.00 |
| 4/1/2016 | 543.00 | 4842.00 | 2.00 |
| 7/1/2016 | 538.00 | 4847.00 | 5.00 |
| 10/1/2016 | 538.00 | 4847.00 | 0.00 |
| 1/1/2017 | 543.00 | 4842.00 | -5.00 |
| 4/1/2017 | 545.00 | 4840.00 | -2.00 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|------|---------------------|-------------------------------|---|--------|
| Well Name: | DB-110 ECCV FH-4 | | | | Owner: | EAST CHERRY CREEK VALLEY | |
| Permit #: | 17415 - F - | | | | Location #: | SC00506729CAA | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SW NE NE 29 | | | | Twnshp Range PM 5 S 67 W S | County: ARAPAHOE Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4381900.9 | | | | Easting (UTM x): 507320.1 | Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.586797 | | | | -104.914756 | | |
| Surface Elevation (ft): | 5600 | Top Perforated Interval (ft): | 1865 | Base of grout (ft): | 1865 | Water Level Change | |
| Well depth (ft): | 2181 | Bottom Perforated Interval (ft): | 2047 | | | 1 year: | -10.00 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: | 50.00 |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/15/2008 | 700.00 | 4900.00 | 64.00 |
| 3/15/2009 | 679.00 | 4921.00 | 21.00 |
| 10/15/2009 | 647.00 | 4953.00 | 32.00 |
| 4/15/2010 | 612.00 | 4988.00 | 35.00 |
| 10/15/2011 | 812.00 | 4788.00 | -200.00 |
| 3/15/2012 | 767.00 | 4833.00 | 45.00 |
| 10/15/2012 | 814.00 | 4786.00 | -47.00 |
| 3/15/2013 | 801.00 | 4799.00 | 13.00 |
| 10/1/2013 | 801.00 | 4799.00 | 0.00 |
| 3/1/2014 | 732.00 | 4868.00 | 69.00 |
| 10/31/2014 | 777.00 | 4823.00 | -45.00 |
| 3/31/2015 | 721.00 | 4879.00 | 56.00 |
| 10/31/2015 | 928.00 | 4672.00 | -207.00 |
| 3/31/2016 | 707.00 | 4893.00 | 221.00 |
| 10/31/2016 | 888.00 | 4712.00 | -181.00 |
| 3/31/2017 | 717.00 | 4883.00 | 171.00 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | |
|---------------------------------------|----------------------------------|----------------------------------|------|---------------------|---------------------------|---|--------|
| Well Name: | DB-110 ECCV L-12 | | | | Owner: | EAST CHERRY CREEK VALLEY WSD | |
| Permit #: | 52129 - F - | | | | Location #: | SC00506611CB | |
| Division: | 1 | | | | Water District: | 2 | |
| Location: | Q160 Q40 Q10 Section SW NW 11 | | | | Twnshp Range PM | County: ARAPAHOE Distance from section lines: From N/S line: 2050 S From E/W line: 1000 W | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4386657.0 | | | | Easting (UTM x): 521409.7 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.629415 | | | | -104.750526 | | |
| Surface Elevation (ft): | 5880 | Top Perforated Interval (ft): | 1955 | Base of grout (ft): | 1905 | Water Level Change | |
| Well depth (ft): | 2357 | Bottom Perforated Interval (ft): | 2340 | | | 1 year: | 0.00 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: | 412.00 |
| | | | | | | 10 year: | 830.72 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/15/2008 | 1419.89 | 4460.11 | 130.83 |
| 10/15/2008 | 1200.00 | 4680.00 | 219.89 |
| 3/15/2009 | 1031.00 | 4849.00 | 169.00 |
| 10/15/2010 | 1279.00 | 4601.00 | -248.00 |
| 3/15/2011 | 1031.00 | 4849.00 | 248.00 |
| 10/15/2011 | 1265.00 | 4615.00 | -234.00 |
| 3/15/2012 | 1132.00 | 4748.00 | 133.00 |
| 10/15/2012 | 1228.00 | 4652.00 | -96.00 |
| 3/15/2013 | 1202.00 | 4678.00 | 26.00 |
| 10/1/2013 | 1234.00 | 4646.00 | -32.00 |
| 3/1/2014 | 1174.00 | 4706.00 | 60.00 |
| 10/31/2014 | 720.00 | 5160.00 | 454.00 |
| 3/31/2015 | 720.00 | 5160.00 | 0.00 |
| 10/31/2015 | 720.00 | 5160.00 | 0.00 |
| 3/31/2016 | 720.00 | 5160.00 | 0.00 |
| 10/31/2016 | 720.00 | 5160.00 | 0.00 |
| 3/31/2017 | 720.00 | 5160.00 | 0.00 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | |
|---------------------------------------|-----------------------------|----------------------------------|------|---------------------|-------------------------------------|---------------------------|--|
| Well Name: | DB-110 ECCV L-9 | | | Owner: | EAST CHERRY CREEK VALLEY | | |
| Permit #: | 55864 - F - | | | Location #: | SC00506602AD | | |
| Division: | 1 | | | Water District: | 2 | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: ARAPAHOE |
| | NE | SE | | 2 | 5 | S | Distance from section lines: From N/S line: 2325 N From E/W line: 200 E |
| UTM Coordinates (NAD83): | Northing (UTM y): 4388558.0 | | | Easting (UTM x): | 522670.1 Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | 39.646515 | | | | -104.735771 | | |
| Surface Elevation (ft): | 5764.5 | Top Perforated Interval (ft): | 1908 | Base of grout (ft): | 1874 | Water Level Change | |
| Well depth (ft): | 2315 | Bottom Perforated Interval (ft): | 2254 | | | 1 year: | 700.00 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/15/2010 | 1488.00 | 4276.50 | 52.67 |
| 10/31/2014 | 1615.00 | 4149.50 | -127.00 |
| 3/31/2015 | 1615.00 | 4149.50 | 0.00 |
| 10/31/2015 | 1615.00 | 4149.50 | 0.00 |
| 3/31/2016 | 1615.00 | 4149.50 | 0.00 |
| 10/31/2016 | 915.00 | 4849.50 | 700.00 |
| 3/31/2017 | 915.00 | 4849.50 | 0.00 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | |
|---------------------------------------|--------------------------|----------------------------------|------|---------------------|-----------------|------------------------------|--|
| Well Name: | DB-110 ECCV SL-10 | | | | Owner: | EAST CHERRY CREEK VALLEY WSD | |
| Permit #: | 55866 - F - | | | | Location #: | SC00506612AA | |
| Division: | 1 | | | | Water District: | 2 | |
| Location: | Q160 Q40 Q10 Section | | | | Twnshp | Range | PM |
| | NE | NE | 12 | | 5 | S | 66 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | | 4387260.0 | Easting (UTM x): | 524276.2 <i>Spotted from section lines</i> |
| Latitude/Longitude (decimal degrees): | 39.634772 | | | | -104.717103 | | |
| Surface Elevation (ft): | 5833 | Top Perforated Interval (ft): | 1924 | Base of grout (ft): | 1892 | Water Level Change | |
| Well depth (ft): | 2360 | Bottom Perforated Interval (ft): | 2320 | | | 1 year: | 157.00 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: | 316.00 |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 10/15/2008 | 1580.00 | 4253.00 | -311.00 |
| 3/15/2009 | 1851.00 | 3982.00 | -271.00 |
| 10/15/2009 | 1837.00 | 3996.00 | 14.00 |
| 10/15/2010 | 1343.00 | 4490.00 | 494.00 |
| 3/15/2011 | 1264.00 | 4569.00 | 79.00 |
| 10/15/2011 | 1336.00 | 4497.00 | -72.00 |
| 3/15/2012 | 1316.00 | 4517.00 | 20.00 |
| 10/15/2012 | 1269.00 | 4564.00 | 47.00 |
| 3/15/2013 | 1211.00 | 4622.00 | 58.00 |
| 10/1/2013 | 1193.00 | 4640.00 | 18.00 |
| 3/1/2014 | 1185.00 | 4648.00 | 8.00 |
| 10/31/2014 | 1167.00 | 4666.00 | 18.00 |
| 3/31/2015 | 1164.00 | 4669.00 | 3.00 |
| 10/31/2015 | 1160.00 | 4673.00 | 4.00 |
| 3/31/2016 | 1157.00 | 4676.00 | 3.00 |
| 10/31/2016 | 1002.00 | 4831.00 | 155.00 |
| 3/31/2017 | 1000.00 | 4833.00 | 2.00 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----------|---------------------|-------------------------------|--|--------|
| Well Name: | DB-117 STONEGATE LFH-1 | | | | Owner: | STONEGATE VILLAGE METROPOLITAN DI | |
| Permit #: | 24914 - F - | | | | Location #: | SC00606617DBB | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section SE NW NW 17 | | | | Twnshp Range PM 6 S 66 W S | County: DOUGLAS Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4375449.8 | | Easting (UTM x): | 517051.6 Spotted from quarters | |
| Latitude/Longitude (decimal degrees): | 39.528532 | | | | | -104.801596 | |
| Surface Elevation (ft): | 5850 | Top Perforated Interval (ft): | 2000 | Base of grout (ft): | | Water Level Change | |
| Well depth (ft): | 2300 | Bottom Perforated Interval (ft): | 2300 | | | 1 year: | 64.00 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | | |
| | | | | | | 5 year: | -36.00 |
| | | | | | | 10 year: | -24.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/1/2008 | 1163.00 | 4687.00 | 26.00 |
| 10/22/2008 | 1177.00 | 4673.00 | -14.00 |
| 9/1/2009 | 1192.00 | 4658.00 | -15.00 |
| 4/13/2010 | 1075.00 | 4775.00 | 117.00 |
| 10/28/2010 | 1104.00 | 4746.00 | -29.00 |
| 4/30/2011 | 1128.00 | 4722.00 | -24.00 |
| 10/26/2011 | 1146.00 | 4704.00 | -18.00 |
| 3/29/2012 | 1150.00 | 4700.00 | -4.00 |
| 10/20/2012 | 1289.00 | 4561.00 | -139.00 |
| 2/6/2013 | 1151.00 | 4699.00 | 138.00 |
| 9/22/2013 | 1422.00 | 4428.00 | -271.00 |
| 3/31/2014 | 1325.00 | 4525.00 | 97.00 |
| 9/18/2014 | 1354.00 | 4496.00 | -29.00 |
| 3/31/2015 | 1214.00 | 4636.00 | 140.00 |
| 11/1/2015 | 1298.00 | 4552.00 | -84.00 |
| 4/13/2016 | 1186.00 | 4664.00 | 112.00 |
| 10/1/2016 | 1330.00 | 4520.00 | -144.00 |
| 4/11/2017 | 1251.00 | 4599.00 | 79.00 |
| 10/25/2017 | 1285.00 | 4565.00 | -34.00 |
| 4/18/2018 | 1187.00 | 4663.00 | 98.00 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | |
|--|----------------------------------|----------------------------------|------|---------------------|-------------------------------|--|--------|
| Well Name: | DB-117 STONEGATE LFH-3 | | | | Owner: | STONEGATE VILLAGE METROPOLITAN DI | |
| Permit #: | 56885 - F - | | | | Location #: | SC00606617AA | |
| Division: | 1 | | | | Water District: | 8 | |
| Location: | Q160 Q40 Q10 Section NE NE 17 | | | | Twnshp Range PM 6 S 66 W S | County: DOUGLAS Distance from section lines: From N/S line: 475 N From E/W line: 350 E | |
| UTM Coordinates (NAD83): Northing (UTM y): | 4376220.5 | | | | Easting (UTM x): 517657.6 | Spotted from section lines | |
| Latitude/Longitude (decimal degrees): | 39.535464 | | | | -104.794525 | | |
| Surface Elevation (ft): | 5836.79 | Top Perforated Interval (ft): | 2145 | Base of grout (ft): | 2077 | Water Level Change | |
| Well depth (ft): | 2401 | Bottom Perforated Interval (ft): | 2401 | | | 1 year: | 18.00 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: | -66.00 |
| | | | | | | 10 year: | -52.00 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 4/17/2008 | 1178.00 | 4658.79 | 106.00 |
| 10/15/2008 | 1233.00 | 4603.79 | -55.00 |
| 3/11/2009 | | | |
| 10/15/2009 | 1192.00 | 4644.79 | |
| 4/13/2010 | 1110.00 | 4726.79 | 82.00 |
| 10/31/2010 | 1126.00 | 4710.79 | -16.00 |
| 4/27/2011 | 1151.30 | 4685.49 | -25.30 |
| 10/26/2011 | 1212.00 | 4624.79 | -60.70 |
| 3/31/2012 | 1162.00 | 4674.79 | 50.00 |
| 10/31/2012 | 1392.00 | 4444.79 | -230.00 |
| 3/2/2013 | 1164.00 | 4672.79 | 228.00 |
| 11/23/2013 | 1476.00 | 4360.79 | -312.00 |
| 3/31/2014 | 1272.00 | 4564.79 | 204.00 |
| 10/4/2014 | 1901.00 | 3935.79 | -629.00 |
| 3/31/2015 | 1269.00 | 4567.79 | 632.00 |
| 11/1/2015 | 1409.00 | 4427.79 | -140.00 |
| 5/1/2016 | 1243.00 | 4593.79 | 166.00 |
| 10/26/2016 | 1387.00 | 4449.79 | -144.00 |
| 4/1/2017 | 1248.00 | 4588.79 | 139.00 |
| 10/18/2017 | 1328.00 | 4508.79 | -80.00 |
| 4/11/2018 | 1230.00 | 4606.79 | 98.00 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|------|---------------------|---------------------------|---|
| Well Name: | DB-124 FOXRIDGE LFH EAST | | | | Owner: | |
| Permit #: | 15956 - F - | | | | Location #: | SC00406504BA |
| Division: | 1 | | | | Water District: | 2 |
| Location: | Q160 Q40 Q10 Section NW NE 4 | | | | Twnshp Range PM 65 W S | County: ARAPAHOE Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4398764.5 | | | | Easting (UTM x): 528167.3 | Spotted from quarters |
| Latitude/Longitude (decimal degrees): | 39.738312 | | | | | -104.671272 |
| Surface Elevation (ft): | 5630 | Top Perforated Interval (ft): | 1689 | Base of grout (ft): | 1689 | Water Level Change |
| Well depth (ft): | 1950 | Bottom Perforated Interval (ft): | 1950 | | | 1 year: |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/28/2008 | 878.00 | 4752.00 | 26.00 |
| 10/26/2015 | 839.00 | 4791.00 | 39.00 |
| 3/24/2016 | 848.00 | 4782.00 | -9.00 |

All Historic Measurements




Well Name: **DB-124 FOXRIDGE LFH WEST**

| | | | | | | |
|---------------------------------------|------------------------------------|----------------------------------|---------------|---------------------|---------------------------|---|
| Permit #: | 15955 - F - R | Location #: | SC00406504BBC | Owner: | | USGS Site ID: |
| Division: | 1 | | | | Water District: | 2 |
| Location: | Q160 Q40 Q10 Section NW NW SW 4 | | | | Twnshp Range PM 65 W S | County: ARAPAHOE Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4398694.9 | | | | Easting (UTM x): 527596.3 | User supplied |
| Latitude/Longitude (decimal degrees): | 39.737700 | | | | | -104.677930 |
| Surface Elevation (ft): | 5600 | Top Perforated Interval (ft): | 1705 | Base of grout (ft): | 1685 | Water Level Change |
| Well depth (ft): | 2007 | Bottom Perforated Interval (ft): | 1837 | | | 1 year: |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: |
| | | | | | | 10 year: |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/28/2008 | 844.00 | 4756.00 | 51.00 |
| 3/9/2016 | 793.00 | 4807.00 | 51.00 |
| 10/14/2016 | 794.00 | 4806.00 | -1.00 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | |
|---------------------------------------|---------------------------------|----------------------------------|------|---------------------|---|--|--------|
| Well Name: | DB-200 PV-KLF | | | | Owner: | PLEASANT VIEW W&S | |
| Permit #: | 117007 - - | | | | Location #: | SC00407001DB2 | |
| Division: | 1 | | | | Water District: | 7 | |
| Location: | Q160 Q40 Q10 Section SE NW 1 | | | | Twnshp Range PM 4 S 70 W S | County: JEFFERSON Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4397809.0 | | | | Easting (UTM x): 485447.0 GPS | | |
| Latitude/Longitude (decimal degrees): | 39.730040 | | | | -105.169820 | | |
| Surface Elevation (ft): | 5790 | Top Perforated Interval (ft): | 1525 | Base of grout (ft): | 1513 | Water Level Change | |
| Well depth (ft): | 1720 | Bottom Perforated Interval (ft): | 1684 | | | 1 year: | -1.78 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: | -11.28 |
| | | | | | | 10 year: | -9.12 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 6/4/2008 | 394.71 | 5395.29 | -5.84 |
| 10/28/2008 | 390.01 | 5399.99 | 4.70 |
| 6/15/2009 | 389.95 | 5400.05 | 0.06 |
| 6/18/2010 | 390.75 | 5399.25 | -0.80 |
| 9/28/2011 | 392.03 | 5397.97 | -1.28 |
| 6/5/2012 | 392.07 | 5397.93 | -0.04 |
| 3/12/2013 | 392.55 | 5397.45 | -0.48 |
| 6/23/2014 | 397.11 | 5392.89 | -4.56 |
| 10/15/2014 | 397.67 | 5392.33 | -0.56 |
| 3/15/2015 | 398.29 | 5391.71 | -0.62 |
| 7/16/2015 | 399.02 | 5390.98 | -0.73 |
| 6/1/2016 | 400.64 | 5389.36 | -1.62 |
| 4/28/2017 | 402.05 | 5387.95 | -1.41 |
| 6/13/2018 | 403.83 | 5386.17 | -1.78 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | |
|---------------------------------------|-----------------------|----------------------------------|------------------|---------------------|----------------------------|----------------------------------|-----------------|
| Well Name: | DB-203 CO3_KLF | | | | Owner: | RICHMOND AMERICAN HOMES OF COLOR | |
| Permit #: | 24625 - F - | | | | Location #: | SC00706621CC | |
| Division: | 1 | | | | Water District: | 8 | County: DOUGLAS |
| Location: | Q160 | Q40 | Q10 | Section SW SW | Twnshp 21 | Range 7 S | PM W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4363718.0 | Easting (UTM x): | 517944.0 | Spotted from section lines | | |
| Latitude/Longitude (decimal degrees): | 39.422804 | | | -104.791528 | | | |
| Surface Elevation (ft): | 6135.94 | Top Perforated Interval (ft): | 2261 | Base of grout (ft): | 2250 | Water Level Change | |
| Well depth (ft): | 2575 | Bottom Perforated Interval (ft): | 2575 | | | 1 year: | -6.09 |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 5 year: | -83.17 |
| | | | | | | 10 year: | -156.19 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|------------|------------------|-----------------|-------------|
| 3/15/2008 | 853.47 | 5282.47 | -4.27 |
| 6/25/2008 | 857.77 | 5278.17 | -4.30 |
| 3/15/2009 | 872.32 | 5263.62 | -14.55 |
| 6/23/2009 | 878.47 | 5257.47 | -6.15 |
| 10/15/2009 | 887.21 | 5248.73 | -8.74 |
| 3/15/2010 | 897.27 | 5238.67 | -10.06 |
| 6/15/2010 | 909.97 | 5225.97 | -12.70 |
| 9/29/2011 | 912.50 | 5223.44 | -2.53 |
| 6/13/2013 | 930.79 | 5205.15 | -18.29 |
| 10/15/2013 | 938.94 | 5197.00 | -8.15 |
| 3/15/2014 | 951.50 | 5184.44 | -12.56 |
| 6/20/2014 | 973.22 | 5162.72 | -21.72 |
| 10/15/2014 | 973.22 | 5162.72 | 0.00 |
| 3/15/2015 | 973.26 | 5162.68 | -0.04 |
| 6/4/2015 | 983.96 | 5151.98 | -10.70 |
| 5/20/2016 | 999.34 | 5136.60 | -15.38 |
| 4/11/2017 | 1007.87 | 5128.07 | -8.53 |
| 6/28/2018 | 1013.96 | 5121.98 | -6.09 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|--------------------------|----------------------------------|------------------------------|---------------------------|------------------|
| Well Name: | DEERTRAIL TOWN OF | | | | Owner: |
| Permit #: | 11261 - F | | Location #: SC00506013DAC | | USGS Site ID: |
| Division: | 1 | | Water District: | 1 | County: ARAPAHOE |
| Location: | Q160 Q40 Q10 Section | Twnshp Range PM | Distance from section lines: | | |
| | SE NE SW 13 | 5 S 60 W S | From N/S line: | From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4385348.0 | Easting (UTM x): | 581941.0 | GPS |
| Latitude/Longitude (decimal degrees): | | 39.613970 | | -104.045410 | |
| Surface Elevation (ft): | 5175 | Top Perforated Interval (ft): | 220 | Base of grout (ft): | 220 |
| Well depth (ft): | 315 | Bottom Perforated Interval (ft): | 315 | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| | | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 18.24 | 5156.76 | 0.36 |
| 9/16/2008 | 43.77 | 5131.23 | -25.53 |
| 4/20/2010 | 48.02 | 5126.98 | -4.25 |
| 4/8/2011 | 42.61 | 5132.39 | 5.41 |

All Historic Measurements




Well Name: **GARY ALEXANDER**

| | | | | | |
|---------------------------------------|----------------------|----------------------------------|------------------------------|---------------------|---------------------------|
| Permit #: | 1979- | - | Location #: | SC00206020BAC | Owner: |
| Division: | 1 | | Water District: | 1 | County: ADAMS |
| Location: | Q160 Q40 Q10 Section | Twnshp Range PM | Distance from section lines: | | |
| | NW NE SW 20 | 2 S 60 W S | From N/S line: | From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): | 4413522.0 | Easting (UTM x): | 574683.0 | GPS |
| Latitude/Longitude (decimal degrees): | | 39.868455 | | -104.126758 | |
| Surface Elevation (ft): | 4908 | Top Perforated Interval (ft): | 165 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 270 | Bottom Perforated Interval (ft): | 285 | 1 year: | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/24/2008 | 21.18 | 4886.82 | -0.41 |
| 9/16/2008 | 21.53 | 4886.47 | -0.35 |
| 4/20/2010 | 22.31 | 4885.69 | -0.78 |
| 4/8/2011 | 22.39 | 4885.61 | -0.08 |
| 5/3/2012 | 22.89 | 4885.11 | -0.50 |
| 6/3/2013 | | | |
| 6/6/2014 | | | |
| 3/11/2015 | 23.64 | 4884.36 | |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|----------------------------|---|---------------|
| Well Name: | NORTHGLENN KLF 7 | | | | Owner: |
| Permit #: | 26945 - F | | Location #: SC00206810DDA2 | | USGS Site ID: |
| Division: | 1 | | Water District: | 2 | County: ADAMS |
| Location: | Q160 Q40 Q10 Section SE SE NE 10 | Twnshp Range PM 2 S 68 W S | | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4415376.0 | Easting (UTM x): 501872.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 39.888440 | | -104.978100 | | |
| Surface Elevation (ft): | 5495 | Top Perforated Interval (ft): | 1134 | Base of grout (ft): | 1125 |
| Well depth (ft): | 1415 | Bottom Perforated Interval (ft): | 1396 | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| | | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/22/2008 | | | |
| 9/24/2008 | | | |
| 5/29/2009 | | | |
| 4/26/2010 | 534.76 | 4960.24 | |

All Historic Measurements




Well Name: **ROUTZEN, J.**

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|-----------------|---|---------------------------|
| Permit #: | 33417 - | - | Location #: | SB00106617DCC | Owner: J ROUTZEN |
| Division: | 1 | | Water District: | 2 | County: WELD |
| Location: | Q160 Q40 Q10 Section SE SW SW 17 | Twnshp Range PM 1 N 66 W S | | Distance from section lines: From N/S line: From E/W line: | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4432724.0 | Easting (UTM x): 516991.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 40.044580 | | -104.800820 | | |
| Surface Elevation (ft): | 4951 | Top Perforated Interval (ft): | 670 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 850 | Bottom Perforated Interval (ft): | 850 | 1 year: | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 489.21 | 4461.79 | -1.31 |
| 9/15/2008 | | | |
| 5/28/2009 | | | |
| 4/19/2010 | | | |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|----------------------|----------------------------------|-----------|---------------------------|------------------------------|
| Well Name: | SHELTON, E. | | | Owner: | |
| Permit #: | 62517- | | | Location #: | SB00206208ACC |
| Division: | 1 | | | Water District: | 1 |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range PM |
| | NE | SW | SW | 8 | 2 N 62 W S |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4444902.0 | Easting (UTM x): | 555740.0 GPS |
| Latitude/Longitude (decimal degrees): | 40.152620 | | | -104.345540 | |
| Surface Elevation (ft): | 4715 | Top Perforated Interval (ft): | 275 | Base of grout (ft): | 254 |
| Well depth (ft): | 455 | Bottom Perforated Interval (ft): | 455 | Water Level Change | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | |
| | | | | 1 year: | |
| | | | | 5 year: | |
| | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | 119.18 | 4595.82 | 7.82 |
| 9/15/2008 | 163.04 | 4551.96 | -43.86 |
| 4/19/2010 | 171.61 | 4543.39 | -8.57 |
| 4/6/2011 | 138.58 | 4576.42 | 33.03 |
| 4/25/2012 | 109.00 | 4606.00 | 29.58 |
| 4/4/2013 | 188.16 | 4526.84 | -79.16 |
| 5/20/2014 | 145.15 | 4569.85 | 43.01 |
| 1/27/2015 | 175.86 | 4539.14 | -30.71 |
| 1/28/2016 | | | |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | | |
|---------------------------------------|-------------------------------------|--|--|--|---|--|-------|--|
| Well Name: | USGS OBS. WELL | | | | Owner: | | | |
| Permit #: | 31379 - M - | | | | Location #: | SC01506324DBA2 | | |
| Division: | 2 | | | | Water District: | 10 | | |
| Location: | Q160 Q40 Q10 Section SE NW NE 24 | | | | Twnshp Range PM | County: EL PASO Distance from section lines: From N/S line: From E/W line: | | |
| UTM Coordinates (NAD83): | Northing (UTM y): 4286987.9 | | | | Easting (UTM x): 552917.6 GPS | | | |
| Latitude/Longitude (decimal degrees): | 38.729972 | | | | -104.391194 | | | |
| Surface Elevation (ft): | 5682.95 | | | | Top Perforated Interval (ft): 395 | Base of grout (ft): | | |
| Well depth (ft): | 400 | | | | Bottom Perforated Interval (ft): 400 | Water Level Change | | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | 1 year: | | |
| | | | | | | 5 year: | 7.83 | |
| | | | | | | 10 year: | 12.62 | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 3/14/2008 | 42.70 | 5640.25 | 2.80 |
| 9/4/2008 | 45.92 | 5637.03 | -3.22 |
| 3/6/2009 | 42.92 | 5640.03 | 3.00 |
| 9/4/2009 | 45.12 | 5637.83 | -2.20 |
| 3/5/2010 | 42.95 | 5640.00 | 2.17 |
| 9/15/2010 | 43.62 | 5639.33 | -0.67 |
| 3/31/2011 | 40.91 | 5642.04 | 2.71 |
| 9/9/2011 | 43.66 | 5639.29 | -2.75 |
| 3/9/2012 | 38.59 | 5644.36 | 5.07 |
| 9/6/2012 | 42.12 | 5640.83 | -3.53 |
| 3/5/2013 | 37.91 | 5645.04 | 4.21 |
| 11/6/2013 | 37.31 | 5645.64 | 0.60 |
| 3/6/2014 | 35.98 | 5646.97 | 1.33 |
| 1/8/2018 | 30.28 | 5652.67 | 5.70 |
| 3/9/2018 | 30.08 | 5652.87 | 0.20 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | |
|---------------------------------------|-------------------------------------|----------------------------------|---------------|---------------------|---|
| Well Name: | USGS OBS. WELL | | | Owner: | |
| Permit #: | 31387 - M - | | | Location #: | SC01406229BBB |
| Division: | 2 | Water District: | 10 | County: | EL PASO |
| Location: | Q160 Q40 Q10 Section NW NW NW 29 | Twnshp 14 S | Range 62 W | PM S | Distance from section lines: From N/S line: From E/W line: |
| UTM Coordinates (NAD83): | Northing (UTM y): 4295852.0 | Easting (UTM x): 554981.0 | GPS | | |
| Latitude/Longitude (decimal degrees): | 38.809722 | | | -104.366750 | |
| Surface Elevation (ft): | 5898.83 | Top Perforated Interval (ft): | 495 | Base of grout (ft): | Water Level Change |
| Well depth (ft): | 500 | Bottom Perforated Interval (ft): | 500 | 1 year: | |
| Aquifer(s): | LARAMIE FOX HILLS | | | 5 year: | 23.61 |
| | | | | 10 year: | 25.43 |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 3/14/2008 | 212.05 | 5686.78 | 43.73 |
| 9/4/2008 | 253.18 | 5645.65 | -41.13 |
| 3/6/2009 | 217.90 | 5680.93 | 35.28 |
| 9/4/2009 | 259.95 | 5638.88 | -42.05 |
| 3/5/2010 | 203.63 | 5695.20 | 56.32 |
| 9/15/2010 | 257.97 | 5640.86 | -54.34 |
| 3/31/2011 | 209.97 | 5688.86 | 48.00 |
| 9/9/2011 | 266.27 | 5632.56 | -56.30 |
| 3/9/2012 | 205.37 | 5693.46 | 60.90 |
| 9/6/2012 | 264.76 | 5634.07 | -59.39 |
| 3/5/2013 | 210.23 | 5688.60 | 54.53 |
| 11/6/2013 | 216.62 | 5682.21 | -6.39 |
| 3/6/2014 | 192.60 | 5706.23 | 24.02 |
| 1/8/2018 | 194.59 | 5704.24 | -1.99 |
| 3/9/2018 | 186.62 | 5712.21 | 7.97 |

All Historic Measurements




DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | |
|---------------------------------------|-----------------------|----|--|-------------------------------|--|----|------------------------------|
| Well Name: | USGS OBS. WELL | | | Owner: | | | |
| Permit #: | 31388 - M - | | | Location #: | SC01506313BBB | | |
| Division: | 2 | | | Water District: | 10 | | |
| Location: | Q160 Q40 Q10 Section | | | Twnshp | Range | PM | County: EL PASO |
| | NW NW NW | 13 | | 15 S | 63 W | S | Distance from section lines: |
| UTM Coordinates (NAD83): | Northing (UTM y): | | | Easting (UTM x): | 4289366.3 551781.7 GPS | | |
| Latitude/Longitude (decimal degrees): | 38.751472 | | | | -104.404083 | | |
| Surface Elevation (ft): | 5792.38 | | | Top Perforated Interval (ft): | 345 | | |
| Well depth (ft): | 350 | | | Base of grout (ft): | | | |
| Aquifer(s): | LARAMIE FOX HILLS | | | Water Level Change | | | |
| | | | | 1 year: | | | |
| | | | | 5 year: | 6.66 | | |
| | | | | 10 year: | 10.55 | | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 3/14/2008 | 121.95 | 5670.43 | 1.80 |
| 9/4/2008 | 125.10 | 5667.28 | -3.15 |
| 3/6/2009 | 122.54 | 5669.84 | 2.56 |
| 9/4/2009 | 124.84 | 5667.54 | -2.30 |
| 3/5/2010 | 122.19 | 5670.19 | 2.65 |
| 9/15/2010 | 123.87 | 5668.51 | -1.68 |
| 3/31/2011 | 122.64 | 5669.74 | 1.23 |
| 9/9/2011 | 123.01 | 5669.37 | -0.37 |
| 3/9/2012 | 120.63 | 5671.75 | 2.38 |
| 9/6/2012 | 121.23 | 5671.15 | -0.60 |
| 3/5/2013 | 118.06 | 5674.32 | 3.17 |
| 3/6/2014 | 116.23 | 5676.15 | 1.83 |
| 11/6/2014 | 117.24 | 5675.14 | -1.01 |
| 1/8/2018 | 112.06 | 5680.32 | 5.18 |
| 3/9/2018 | 111.40 | 5680.98 | 0.66 |

All Historic Measurements



DENVER BASIN
Laramie-Fox Hills Aquifer

| | | | | | | | |
|---------------------------------------|-------------------|----------------------------------|-----------------|---------------------|---------------|---------------------------|---------|
| Well Name: | WALL, H. | | | | Owner: | | |
| Permit #: | 39559- | - | Location #: | SB00106529AAD | | | |
| Division: | 1 | | Water District: | 2 | County: WELD | | |
| Location: | Q160 | Q40 | Q10 | Section SE | Twnshp NE | Range 65 | PM S |
| | | | | 29 | 1 | N | |
| UTM Coordinates (NAD83): | Northing (UTM y): | | 4430808.1 | Easting (UTM x): | 527396.8 | <i>User supplied</i> | |
| Latitude/Longitude (decimal degrees): | | | 40.027040 | | | -104.678920 | |
| Surface Elevation (ft): | 5201 | Top Perforated Interval (ft): | 915 | Base of grout (ft): | 900 | Water Level Change | |
| Well depth (ft): | 1000 | Bottom Perforated Interval (ft): | 1000 | | | 1 year: | |
| Aquifer(s): | LARAMIE FOX HILLS | | | | | | |
| | | | | | | 5 year: | |
| | | | | | | 10 year: | |

Measurements from last 10 years

| Date | Depth to WL (ft) | Elev of WL (ft) | Change (ft) |
|-----------|------------------|-----------------|-------------|
| 4/1/2008 | | | |
| 9/15/2008 | | | |
| 5/28/2009 | | | |

All Historic Measurements

